Appendix 1.0-1

Initial Study, Notice of Preparation, and Comment Letters

Prepared by

Kimley»Horn

Expect More. Experience Better.

Initial Study

Artesia Place Project
(Artesia Boulevard Corridor Specific Plan Case No. 2022-13)

Prepared for:

City of Artesia
18747 Clarkdale Avenue
Artesia, California 90701
Okina Dor
562.865.6262, Ext. 227

Prepared by:

Kimley-Horn and Associates, Inc.
1100 W Town and Country Road, Suite 700
Orange, California 92868

August 2022

Table of Contents

1.0 Introduction 1
1.1 Statutory Authority and Requirements 1
1.2 Summary of Findings 2
1.3 Initial Study Public Review Process 2
1.4 Report Organization 3
2.0 Project Description 4
2.1 Project Location 4
2.2 Environmental Setting 4
2.3 Background and History 10
2.4 Project Characteristics 11
2.5 Agreements, Permits, and Approvals 18
3.0 Initial Study Checklist 21
3.1 Environmental Factors Potentially Affected 23
4.0 Environmental Analysis 24
4.1 Aesthetics 24
4.2 Agriculture and Forestry Resources 27
4.3 Air Quality 29
4.4 Biological Resources 31
4.5 Cultural Resources 34
4.6 Energy 36
4.7 Geology and Soils 37
4.8 Greenhouse Gas Emissions 44
4.9 Hazards and Hazardous Materials 46
4.10 Hydrology and Water Quality 51
4.11 Land Use and Planning 57
4.12 Mineral Resources 58
4.13 Noise 59
4.14 Population and Housing 61
4.15 Public Services 62

4.16 Recreation 64
4.17 Transportation 65
4.18 Tribal Cultural Resources 67
4.19 Utilities and Service Systems 69
4.20 Wildfire 71
4.21 Mandatory Findings of Significance 73
5.0 References/Sources 75

Tables

Table 2-1: Onsite and Surrounding Land Uses and Zoning 10
Table 2-2: Open Spaces and Amenities 15

Figures

Figure 2-1: Regional Vicinity Map 5
Figure 2-2: Local Vicinity Map 6
Figure 2-3: Project Site Boundary Within ABCSP 7
Figure 2-4: Conceptual Site Plan 13
Figure 2-5: Construction Phasing Plan 19

Appendices

Appendix A: Preliminary Geotechnical Investigation

Appendix B: Phase I Environmental Site Assessment and Phase II Subsurface Investigation

Appendix C: Human Health Risk Evaluation

Appendix D: Preliminary Hydrology Study

Appendix E: Preliminary Low Impact Development (LID) Plan

1.0 INTRODUCTION

1.1 STATUTORY AUTHORITY AND REQUIREMENTS

This Initial Study has been conducted in accordance with the California Environmental Quality Act (CEQA) (California Public Resources Code [PRC] §21000 et seq.) and the State CEQA Guidelines (California Code of Regulations [CCR], Title 14, §15000 et seq.). Pursuant to State CEQA Guidelines §15063, this Initial Study has been conducted to determine if the proposed Artesia Place Project ("Project") would have a significant effect on the environment. The Project site consists of an approximately 3.3-acre parcel located at 11709 Artesia Boulevard and an approximately 0.23-acre parcel located at 17212 Alburtis Avenue, in the City of Artesia ("City"), California. The Project proposes to construct up to 8,650 square feet (SF) of commercial uses and 80 dwelling units (DU), at a density of approximately 23.2 dwelling units per acre (DU/ac). The Project includes approximately 40,265 SF of open space, a 462-SF pool building, 218 vehicle parking spaces, and 40 bicycle parking spaces. The requested approvals include: a General Plan Amendment; a Zoning Code Text Amendment to amend the ABCSP to permit residential uses, establish a maximum allowable development within the Project site, and amend the ABCSP's Design Standards and Guidelines (among other chapters); Design Review; Development Agreement; Vesting Tentative Tract Map No. 83834; and the CEQA EIR certification.

State CEQA Guidelines §15063(b) states that if the Lead Agency determines that there is substantial evidence that any aspect of a project, either individually or cumulatively, may cause a significant effect on the environment, the Lead Agency shall prepare an Environmental Impact Report (EIR), use a previously prepared EIR, or determine, which of a project's effects were adequately examined by an earlier EIR or Negative Declaration (ND). Conversely, the Lead Agency shall prepare a ND if there is no substantial evidence that the project or any of its aspects may cause a significant effect on the environment.

Pursuant to State CEQA Guidelines §15063(c), the purposes of an Initial Study are to:

- Provide the Lead Agency with information to use as the basis for deciding whether to prepare an EIR or a ND;
- Enable an applicant or Lead Agency to modify a project, mitigating adverse impacts before an EIR is prepared, thereby enabling the project to qualify for a ND;
- Assist in the preparation of an EIR, if one is required;
- Facilitate environmental assessment early in the design of a project;
- Provide documentation of the factual basis for the finding in a ND that a project will not have a significant effect on the environment;
- Eliminate unnecessary EIRs; and
- Determine whether a previously prepared EIR could be used with the project.

This Initial Study is intended to be used as a decision-making tool for the Lead Agency and responsible agencies in considering and acting on the proposed Project. Responsible agencies would comply with CEQA by considering this environmental analysis for discretionary actions associated with Project implementation, if any.

State CEQA Guidelines §15063(g) specifies that as soon as a Lead Agency has determined that an Initial Study will be required for a project, the Lead Agency shall consult informally with all Responsible Agencies and all Trustee Agencies responsible for resources affected by the project to obtain their recommendations as to whether an EIR, Mitigated Negative Declaration (MND), or ND should be prepared.

1.2 SUMMARY OF FINDINGS

Pursuant to State CEQA Guidelines §15367, the City, as the Lead Agency, has the authority for environmental review and adoption of the environmental documentation, in accordance with CEQA. This Initial Study evaluated the environmental issues outlined in **Section 3.1: Environmental Factors Potentially Affected**. It provides decision-makers and the public with information concerning the Project's potential environmental effects.

Based on the Environmental Checklist Form and supporting environmental analysis, the Project would have no impact or a less than significant impact concerning all environmental issue areas, except the following, for which the Project would have a potentially significant impact:

- Air Quality
- Cultural Resources
- Energy
- Geology and Soils
- Greenhouse Gas Emissions
- Land Use and Planning
- Noise
- Population and Housing
- Public Services
- Recreation
- Transportation
- Tribal Cultural Resources
- Utilities and Service Systems
- Mandatory Findings of Significance

As set forth in State CEQA Guidelines §15081, the decision to prepare an EIR will be made either during preliminary review under State CEQA Guidelines §15060 or at the conclusion of an Initial Study after applying the standards described in State CEQA Guidelines §15064. On the basis of this initial evaluation, the Lead Agency has found that the proposed Project may have a significant effect on the environment and an EIR will be prepared to evaluate the Project's potentially significant impacts concerning the resource areas identified above.

1.3 INITIAL STUDY PUBLIC REVIEW PROCESS

In accordance with State CEQA Guidelines §15375, the City distributed a Notice of Preparation (NOP) to notify the responsible agencies, the Office of Planning and Research (OPR), and involved federal agencies that the City (i.e., Lead Agency) plans to prepare an EIR for the Project. The

NOP's purpose is to solicit guidance from those agencies as to the scope and content of the environmental information to be included in the EIR.

Within 30 days after receiving the NOP, each responsible agency and OPR are required to provide the Lead Agency with specific details about the scope and content of the environmental information related to the responsible or trustee agency's area of statutory responsibility that must be included in the Draft EIR. During the 30-day public review period, the NOP/Initial Study were made available for review on the City of Artesia website, at https://cityofartesia.us/336/Community-Development, and by request at the Community Development Department – please contact Okina Dor, Community Development Director, at 562.865.6262 Ext 227 or via email at Planning@cityofartesia.us. Written responses to the NOP/comments on this Initial Study may be sent to:

Okina Dor, Community Development Director
City of Artesia, Community Development Department
18747 Clarkdale Avenue
Artesia, California 90701
Email: Planning@cityofartesia.us

Please include in the subject matter line "Artesia Place Project (ABCSP Amendment) NOP/IS Comment." Additionally, please note that email is the preferred method.

1.4 REPORT ORGANIZATION

This document has been organized into the following sections:

Section 1.0 – Introduction. This section provides a Project introduction and overview, cites the CEQA Statute and Guidelines provisions to which the proposed Project is subject, and summarizes the Initial Study's conclusions.

Section 2.0 – Project Description. This section identifies the Project site location, environmental setting, characteristics, discretionary actions, construction program, phasing, agreements, and required permits and approvals. This Section also identifies the Initial Study's intended uses, including a list of anticipated permits and other approvals.

Section 3.0 – Initial Study Checklist. The Environmental Checklist Form provides an overview of the potential impacts that may or may not result from Project implementation.

Section 4.0 – Environmental Analysis. This section contains an analysis of environmental impacts identified in the environmental checklist.

Section 5.0 – References. This section identifies resources used to prepare the Initial Study.

2.0 PROJECT DESCRIPTION

2.1 PROJECT LOCATION

The Project site is in the City of Artesia, approximately 14 miles southeast of downtown Los Angeles; see **Figure 2-1: Regional Vicinity Map**. The Project site consists of two parcels: Assessor Parcel Number (APN) 7035-016-064 is 3.3 acres in size and located at 11709 Artesia Boulevard; and APN 7035-020-056 is 0.23 acre in size and located at 17212 Alburtis Avenue; see **Figure 2-2: Site Vicinity Map**. The Project site is generally bound by industrial uses on the north, Artesia Boulevard on the south, Alburtis Avenue and an active concrete batch plant on the east, and Flallon Avenue on the west.

The Project site is at the northeast portion of the 21-acre ABCSP area, which extends along Artesia Boulevard, generally between Corby Avenue on the east and Gridley Road on the west. As shown in **Figure 2-3: Project Site Boundary Within ABCSP**, the Project site is at the eastern extent of ABCSP's Quadrant 2, which is comprised of approximately 6.0 acres located north of Artesia Boulevard between Alburtis Avenue on the east and Roseton Avenue on the west. Two major freeways provide regional access to the Project site: Artesia Freeway (SR-91) to the north; and Interstate 605 (I-605) to the west. From SR-91, access to the Project site is provided via Pioneer Boulevard, which is east of the Project site. From I-605, local access to the Project site is provided via Artesia Boulevard, which bisects the ABCSP area. Artesia Boulevard is a four-lane divided arterial roadway oriented east-west through the ABCSP area. Local access is also provided via Pioneer Boulevard, which is a four-lane arterial oriented north-south to the west of the Project site.

2.2 ENVIRONMENTAL SETTING

The City encompasses approximately 1.6 square miles in southeast Los Angeles County. The City is a suburban jurisdiction with a mix of residential densities, although low-density residential uses predominate. The City also contains a mix of retail commercial, office, and industrial uses.

The ABCSP area is designated Gateway Community Commercial, except two parcels southeast of the Roseton Avenue at Artesia Boulevard intersection (within ABCSP's Quadrant 4), which are designated Low Density Residential.[1] The Gateway Community Commercial designation provides for a complementary mix of job-creating industrial, manufacturing uses, and local/regional-serving commercial retail and office uses.[2] The Low Density Residential designation, which is the City's predominant land use designation, is characterized by single-family, detached units.[3]

---

[1] City of Artesia. (2010). *City of Artesia General Plan 2030*. Exhibit LU-3: General Plan 2030 Land Use. http://www.cityofartesia.us/DocumentCenter/View/226/Artesia-General-Plan?bidId=.

[2] City of Artesia. (2010). *City of Artesia General Plan 2030*. Land Use Sub-Element. Page LU-10. http://www.cityofartesia.us/DocumentCenter/View/226/Artesia-General-Plan?bidId=.

[3] City of Artesia. (2010). *City of Artesia General Plan 2030*. Land Use Sub-Element. Page LU-9. http://www.cityofartesia.us/DocumentCenter/View/226/Artesia-General-Plan?bidId=.



FIGURE 2-1: REGIONAL VICINITY MAP

Artesia Place Project (Artesia Boulevard Corridor Specific Plan Amendment)

NOT TO SCALE

Kimley»Horn



FIGURE 2-2: LOCAL VICINITY MAP

Artesia Place Project (Artesia Boulevard Corridor Specific Plan Amendment)

NOT TO SCALE

Kimley»Horn



FIGURE 2-3: PROJECT SITE BOUNDARY WITHIN ABCSP

Artesia Place Project (Artesia Boulevard Corridor Specific Plan Amendment)

NOT TO SCALE

Kimley»Horn

This page intentionally left blank.

As noted above, the Project site is in ABCSP Quadrant 2. Quadrant 2 is comprised of five parcels with four unique landowners. Quadrant 2 supports a variety of commercial, retail, and industrial uses. Existing uses include a Public Storage complex, a small industrial building, and a retail center that was redeveloped in 2004. The Project site comprises the eastern portion of Quadrant 2.

2.2.1 Existing General Plan and Zoning

The Project site is designated Gateway Community Commercial.[4] As noted above, Gateway Community Commercial designation provides for a complimentary mix of job-creating industrial and manufacturing uses, and local/regional-serving commercial retail and office uses.

The City's Zoning Map classifies the Project site as Artesia Boulevard Corridor Specific Plan (ABCSP).[5] The ABCSP establishes the City's vision for a 21-acre area along Artesia Boulevard, between Gridley Road and Pioneer Boulevard. For Quadrant 2, the City's primary goal is to establish a retail, commercial, and industrial center.

2.2.2 Onsite Land Uses

The Project site is currently vacant. California Dairies, Inc., a dairy manufacturing plant totaling approximately 27,290 gross SF, occupied the Project site until it was demolished in 2022. All existing onsite utility connections remain capped and abandoned onsite.

2.2.3 Surrounding Land Uses

The Project site is generally surrounded by residential, business park, commercial, and light industrial land uses, as well as an active concrete batch plant. Land uses and corresponding zoning districts bordering the Project site are summarized in **Table 2-1: Onsite and Surrounding Land Uses and Zoning**.

4 City of Artesia. (2010). *City of Artesia General Plan 2030*. Exhibit LU-3: General Plan 2030 Land Use. http://www.cityofartesia.us/DocumentCenter/View/226/Artesia-General-Plan?bidId=.

5 City of Artesia. (2019). *Zoning Map*. https://www.cityofartesia.us/DocumentCenter/View/1877/Zoning-Map-January-7-2019?bidId=.

TABLE 2-1: ONSITE AND SURROUNDING LAND USES AND ZONING		
Description	**Existing Land Use**	**Zoning[1]**
Project Site	Vacant and a 0.2-acre fully-improved parking lot (34 spaces) that historically served as overflow parking for the dairy manufacturing plant that previously occupied the Project site	Artesia Boulevard Corridor Specific Plan (ABCSP)
North	Industrial	Light Manufacturing and Industrial (M-1)
South	Residential and Commercial	ABCSP and Single-Family Residential (R-1)
East	Residential, Commercial, and Industrial	Heavy Manufacturing and Industrial and Artesia Boulevard Specific Plan
West	Industrial	M-1 and ABCSP

Notes:
1. City of Artesia. (2019). *Zoning Map*. https://www.cityofartesia.us/DocumentCenter/View/1877/Zoning-Map-January-7-2019?bidId=.
2. California Dairies, Inc. (2020). *California Dairies, Inc Announces Closure of its Artesia Manufacturing Facility*. https://www.californiadairies.com/news/california-dairies-inc-announces-closure-its-artesia-manufacturing-facility.

2.3 BACKGROUND AND HISTORY

The Project site was formerly developed with a circa 1958 dairy manufacturing plant (California Dairies, Inc.) totaling approximately 27,290 gross SF and associated surface parking lot. The plant, which has been closed since approximately June 2020, was demolished in 2022.

As discussed above, the Project site comprises the eastern portion of ABCSP's Quadrant 2. As stated in the ABCSP, the City's primary goal for Quadrant 2 is to establish a retail, commercial, and industrial center. This mix of business uses is intended to allow for flexibility while maintaining compatibility with the existing commercial and industrial uses located to the north and east. To facilitate the incorporation of commercial, retail, and industrial businesses in Quadrant 2, no residential uses shall be permitted within Quadrant 2.[6]

On June 15, 2022, the Project Applicant submitted their Design Review and Vesting Tentative Tract Map Application to the City's Community Development Department Planning Division for a mixed-use development comprised of 80 DU and approximately 8,650 SF of commercial uses on the Project site. The City deemed the application complete on June 21, 2022. Upon initial Project review, the City confirmed the proposed development's residential component was not permitted in Quadrant 2. The ABCSP specifies the following concerning permitted land uses in Quadrant 2: "For Quadrant 2 the City's primary goal is to establish a retail, commercial, and industrial center…no residential uses shall be permitted within this quadrant."[7] The ABCSP specifies that land use changes constitute a Major Modification, thus, require an amendment to the ABCSP.

[6] City of Artesia. (2011). *Artesia Boulevard Corridor Specific Plan*. Page 42.

[7] City of Artesia. (2011). *Artesia Boulevard Corridor Specific Plan*. Page 42.

That ABCSP Amendment and the proposed development, among other elements, are collectively referred to as the "Project" subject of this Initial Study and the forthcoming EIR.

2.4 PROJECT CHARACTERISTICS

2.4.1 Project Overview

The Project proposes the construction and operation of a mixed-use development comprised of 80 DU and approximately 8,650 SF of commercial uses, as described below. To allow the proposed development, the Applicant proposes to amend the ABCSP. The proposed Zoning Code Text Amendment would amend the ABCSP to permit residential uses on the Project site, establish a maximum allowable development within the Project site, and amend the ABCSP's Design Standards and Guidelines (among other chapters). In addition to the Zoning Code Text Amendment, the Project seeks approval of the following entitlements: General Plan Amendment; Design Review; Development Agreement; Vesting Tentative Tract Map No. 83834; and CEQA EIR certification. These requested approvals, which are collectively referred to as the "Project," are further described below.

2.4.2 Conceptual Site Plan

The Project would construct a mixed-use development generally comprised of two portions – a commercial portion and a residential portion – connected by pedestrian walkways. **Figure 2-4: Conceptual Site Plan**, depicts the proposed land plan. In total, the Project proposes approximately 8,650 SF of commercial uses and 80 DU, including the components described below. The proposed land uses would be developed at a density of 23.2 DU/ac.

- One building with approximately 2,700 SF of commercial uses;
- One mixed-use building with approximately 3,450 SF of commercial uses on the ground level with 4 carriage-type townhome units above;
- Eight shopkeeper units – commercial condominiums totaling 2,500 SF on the ground level with townhomes above;
- 9 live/work townhome units; and
- 59 three-story townhome units.

The Project is designed to be a mixed-use, pedestrian-oriented placemaking development with various commercial opportunities. The buildings are linked by a central pedestrian walkway through a series of landscaped courtyards. The Project site is divided into two portions: the northern portion is bisected by the central pedestrian walkway, pool, and pool building and consists of traditional paseo Rowtown residential clustering around a recreation area; and the southern portion fronting Artesia Boulevard consists of the urban commercial mixed-use buildings.

This page intentionally left blank.

FIGURE 2-4: CONCEPTUAL SITE PLAN

Artesia Place Project (Artesia Boulevard Corridor Specific Plan Amendment)

NOT TO SCALE

Kimley»Horn

This page intentionally left blank.

The Project proposes a total of 40,265 SF of open space and a 462-SF pool building; see **Table 2-2: Open Spaces and Amenities**.

TABLE 2-2: OPEN SPACES AND AMENITIES	
Open Space	**Amount (SF)**
Common Residential: Common Green	6,679
Common Residential: Paseos	12,428
Private Residential: Decks	5,160
Live/work Mall Terrace	4,288
Retail Plaza and Courts	11,248
Pool Building	462
Total	***40,265***

2.4.3 Architecture

As noted above, the Project site is divided into the traditional paseo Rowtown residential clustering around a recreation area at the site's northern portion and the urban commercial mixed-use buildings at the site's southern portion fronting onto Artesia Boulevard. The Project is designed for a gradual transition of building types. The single-story "Main Street" style sidewalk retail shops are backed by a California-style courtyard with storefronts and newsstand kiosks. The shopkeeper units gradually transition to smaller shops.

The architecture contains a blend of modern styles. Midcentury detailing is consistent with shades of neutral colors and enriched material selections, including linear "wood" sidings, stone veneers, light color plaster, and dark window frames. The commercial, shopkeeper, and live/work units have a "weathered" antique white brick veneer to differentiate from the modern elements of the residential units. The white brick, dark window frames, and accent-colored front doors mimic modernized, repurposed, and renovated historic buildings.

2.4.4 Parking, Access, Circulation

PARKING

Onsite Parking. Pursuant to Artesia Municipal Code (AMC) §9-2.1103: Parking Spaces Required, the Project would require 214 vehicle parking spaces to meet the parking demand generated by the proposed land uses. The Project proposes 216 vehicle parking spaces, as follows: for the residential uses, two spaces per garage for a total of 160 spaces and 20 guest spaces; and 36 parking spaces for the commercial uses (i.e., the livework/shopkeeper units and retail uses).

Offsite (Onstreet) Parking. The Project would also provide 20 offsite onstreet parking spaces (parallel and perpendicular) along Flallon Avenue and Alburtis Avenue. These offsite onstreet spaces are not proposed to meet the Project's parking demand (as described), but are instead proposed by the Applicant as a community benefit.

Offsite (Vehicle Storage). The fully improved, existing 0.2-acre parking lot located at 17212 Alburtis Avenue would be made available to one of the eight proposed shopkeeper units for vehicle storage purposes. The Project does not propose to improve or modify this existing lot. The Specific Plan will detail the land uses permitted on this lot.

Rideshare Parking. An approximately three-space rideshare pickup/drop-off (e.g., Lyft or Uber) location is proposed at the Project site's southern portion, along Artesia Boulevard.

ACCESS

The Project site would be accessed via a left-turn pocket on eastbound Artesia Boulevard onto Alburtis Avenue. The Project Site would also be accessed via westbound Artesia Boulevard onto Alburtis Avenue and Flallon Avenue.

CIRCULATION

The Project would provide pedestrian-oriented accessible walkways to all of its components. A central pedestrian walkway is provided between the uses and also down the center of the Project site. The walkway leads through landscaped courtyards towards a recreational area and the pool. Sidewalks would be provided on all Project site frontages and boundaries. The residential units that front the adjacent streets would include lockable gate access to the walkways that connect with the surrounding streets.

2.4.5 Specific Plan Amendment

The ABCSP includes six chapters to provide information and guidelines for development and implementation of land uses within the ABCSP area's boundaries.

INTRODUCTION

ABCSP Section 1: Introduction provides the concept for the ABCSP area and defines the corridor goals, objectives, vision, history, project setting, regulations, and existing conditions. The proposed Project will include updated zoning districts and Project Entitlement History to document the amendment to the ABCSP. It will define the amendment changes and highlight document revisions.

LAND USE PLAN

ABCSP Section 2: Land Use Plan introduces the proposed development approach for the ABCSP area, provides a vision for the ABCSP area quadrants, and incorporates an updated Land Use Map and Table of Permitted Uses. Key elements include Quadrant 2a and 2b vision, conceptual development scenario, and proposed and permitted land uses. The Project proposes to amend the ABCSP Land Use Plan to include Quadrant 2a as Multiple Business Use and 2b (the Project site) as Mixed-Use to permit residential and other uses.

URBAN DESIGN STANDARDS AND GUIDELINES

ABCSP Section 3: Urban Design Standards and Guidelines provides specific standards for how buildings in the ABCSP area can be developed (e.g., setbacks, parking requirements, etc., and provides guidelines to enhance the architectural style of buildings. This section also provides guidelines for design features (e.g., streetscapes, signage, lighting, rooflines, building materials) and other design elements. The Project proposes to amend the design guidelines and standards to include amended Quadrants 2a and 2b and specific related design standards and guidelines.

MOBILITY PLAN

ABCSP Section 4: Mobility Plan identifies established and planned roadway conditions within the ABCSP, including through contextual exhibits and conceptual street sections. This section also addresses options for alternative transportation modes within the corridor (e.g., bicycles, buses, and walking). The Project proposes to amend the ABCSP Mobility Plan to include updated access points for ingress/egress at the Project site, address onsite and offsite parking, and trip generation to include the amended quadrants.

INFRASTRUCTURE PLAN

ABCSP Section 5: Infrastructure Plan addresses key utilities and public services including water, sewer, energy, police, fire, and other services necessary for the ABCSP area's development. The Project's proposed utilities and infrastructure are potable and reclaimed water, sewer, stormwater drainage and water treatment, electricity, natural gas, and telecommunications. The ABCSP area already includes the distribution, location, extent of major components of public and private utilities and infrastructure, and other essential facilities needed to support the proposed Project. The Project does not propose to amend the ABCSP Infrastructure Plan.

ADMINISTRATION AND IMPLEMENTATION

ABCSP Section 6: Administration and Implementation identifies strategies to execute the ABCSP's recommendations, and specifies the steps needed to implement and modify the ABCSP. The Project does not propose to amend the ABCSP Administration and Implementation Section.

GENERAL PLAN CONSISTENCY

ABCSP Appendix A: The General Plan Consistency ties the ABCSP to the Citywide General Plan. The ABCSP Amendment will ensure omission of the former site operations and will be updated to include pertinent information on the amended Quadrant 2 into Quadrant 2a and 2b.

2.4.6 Construction and Phasing

The Project construction is anticipated to occur as three phases, but would be continuous with no pauses; see **Figure 2-5, Construction Phasing Plan**.

- Phase I:
    1. Grading, site work, and base paving for all alleys, streets, and underground utilities;

2. Construction of all commercial buildings;
3. Construction of a mix of units (including model homes) fronting Flallon Avenue.

- Phases II and III would consist solely of vertical construction of the buildings.

Phased occupancy of the proposed Project would be permitted. A Temporary Certificate of Occupancy may be issued pending clearance of certain final Project conditions of approval, subject to City approval.

Project construction is anticipated to occur over approximately 24 months, beginning September 2023 and ending August 2025. For purposes of this environmental analysis, opening year is assumed to be 2025.

Grading for the Project would require cut and fill, which would be balanced onsite. The Project site would be graded to mimic the existing grading and drainage patterns. The overall site grading and drainage pattern would be southerly to confluence with street flows to the Artesia Boulevard at Flallon Avenue intersection.

2.5 AGREEMENTS, PERMITS, AND APPROVALS

The City, as Lead Agency for the Project, has discretionary authority over the Project. In order to implement the Project, the Applicant would need to obtain, at a minimum, the following discretionary permits/approvals:

Case No. 2022-13, consisting of the following components:

- General Plan Amendment to permit integrated, mixed-use commercial and residential development to be considered and regulated with the adoption of specific plans;
- Zoning Code Text Amendment to amend the ABCSP to permit residential uses, establish a maximum allowable development within the Project site, and to amend the ABCSP's Design Standards and Guidelines (among other chapters);
- Design Review to review and approve the development's proposed physical design;
- Vesting Tentative Tract Map No. 83834 to subdivide and accommodate 80 Units for condominium purposes;
- Development Agreement; and
- Environmental Impact Report (EIR) certification.



FIGURE 2-5: CONSTRUCTION PHASING PLAN

Artesia Place Project (Artesia Boulevard Corridor Specific Plan Amendment)

NOT TO SCALE

Kimley»Horn

This page intentionally left blank.

3.0 INITIAL STUDY CHECKLIST

1. **Project title:**

   Artesia Place Project (Artesia Boulevard Corridor Specific Plan Amendment)

2. **Lead agency name and address:**

   City of Artesia
   18747 Clarkdale Avenue
   Artesia, California 90701

3. **Contact person and phone number:**

   Okina Dor, Community Development Manager
   Tel: 562-865-6262 Ext: 227
   Planning@cityofartesia.us

4. **Project location:**

   11709 Artesia Boulevard
   Artesia, California 90701

5. **Project sponsor's name and address:**

   G3 Urban
   15235 South Western Avenue
   Gardena, California 90249

6. **General plan designation:**

   Gateway Community Commercial

7. **Zoning:**

   Artesia Boulevard Corridor Specific Plan

8. **Description of project: (Describe the whole action involved, including but not limited to later phases of the project, and any secondary, support, or off-site features necessary for its implementation. Attach additional sheets if necessary.)**

   See **Section 2.4: Project Characteristics**

9. **Surrounding land uses and setting: Briefly describe the project's surroundings:**

   See **Section 2.2.3: Surrounding Land Uses**

10. **Other public agencies whose approval is required (e.g., permits, financing approval, or participation agreement.)**

    To be determined, as part of EIR preparation.

11. **Have California Native American tribes traditionally and culturally affiliated with the project area requested consultation pursuant to Public Resources Code §21080.3.1? If so, is there a**

plan for consultation that includes, for example, the determination of significance of impacts to tribal cultural resources, procedures regarding confidentiality, etc.?

The City prepared letters addressed to each Native American tribe listed on the May 20, 2021 Los Angeles County Native American Heritage Commission (NAHC) Tribal Consultation List. Outreach letters were sent to Tribal representatives on June 14, 2022, initiating consultation with tribes pursuant to Assembly Bill 52 (AB 52) and Senate Bill 18 (SB 18); see also **Section 4.18: Tribal Cultural Resources**.

3.1 ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED

The environmental factors checked below would be potentially affected by this project, involving at least one impact that is a "Potentially Significant Impact" as indicated by the checklist on the following pages.

☐ Aesthetics	☐ Agriculture / Forestry Resources	☒ Air Quality
☐ Biological Resources	☒ Cultural Resources	☒ Energy
☒ Geology/Soils	☒ Greenhouse Gas Emissions	☐ Hazards & Hazardous Materials
☐ Hydrology / Water Quality	☒ Land Use / Planning	☐ Mineral Resources
☒ Noise	☒ Population / Housing	☒ Public Services
☒ Recreation	☒ Transportation	☒ Tribal Cultural Resources
☒ Utilities / Service Systems	☐ Wildfire	☒ Mandatory Findings of Significance

DETERMINATION:

On the basis of this initial evaluation (check one):

☐ I find that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.

☐ I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.

☒ I find that the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.

☐ I find that the proposed project MAY have a "potentially significant impact" or "potentially significant unless mitigated" impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.

☐ I find that although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.

CERTIFICATION:

Signature _____ Date 8/8/22

4.0 ENVIRONMENTAL ANALYSIS

4.1 AESTHETICS

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. AESTHETICS. Except as provided in Public Resources Code §21099, would the project:				
a) Have a substantial adverse effect on a scenic vista?				X
b) Substantially damage scenic resources, including but not limited to trees, rock outcroppings, and historic buildings within a state scenic highway?				X
c) In non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?				X
d) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?			X	

IMPACT ANALYSIS

1a) Have a substantial adverse effect on a scenic vista?

No Impact. Under CEQA, a scenic vista is defined as a viewpoint that provides expansive views of a highly-valued landscape for the public's benefit. No scenic vistas or other scenic resources have been identified within the City of Artesia.[8] Therefore, the Project would not have an adverse effect

[8] City of Artesia (2010). *City of Artesia General Plan 2030 EIR*. Page 5.3-3.

on a scenic vista, and no impact would occur in this regard. This issue will not be further analyzed in the EIR.

1b) Substantially damage scenic resources, including but not limited to trees, rock outcroppings, and historic buildings within a state scenic highway?

No Impact. No scenic resources have been identified within the City.[9] The California Department of Transportation (Caltrans) does not list any highways within the City as officially designated State Scenic Highways.[10] Therefore, the Project would not damage scenic resources within a State Scenic Highway, and no impact would occur in this regard. This issue will not be further analyzed in the EIR.

1c) In non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?

No Impact. The Project site is in an urbanized area and is surrounded by urban uses. As noted in Response 1a, no scenic vistas or other scenic resources exist in the City. The Project site is zoned ABCSP. ABCSP Section 2: Land Use Plan, and ABCSP Section 3: Urban Design Standards and Guidelines include regulations and guidelines that influence visual quality. However, the ABCSP does not include regulations or guidelines that govern scenic quality. Therefore, the Project would not conflict with applicable zoning or other regulations governing scenic quality. This issue will not be further analyzed in the EIR.

The Project does propose to amend ABCSP Sections 2 and 3. ABCSP Section 2 provides a Land Use Map and list of permitted uses. ABCSP Section 3 provides specific standards for how buildings in the ABCSP area can be developed (e.g., setbacks, parking requirements, etc.), and provides guidelines to enhance the architectural style of buildings. ABCSPA Section 3 also provides guidelines for design features (e.g., streetscapes, signage, lighting, rooflines, building materials) and other design elements. The Project is designed to be a mixed-use, pedestrian-oriented, and placemaking development with various commercial opportunities. ABCSP Section 3.2.9: Mixed Use Buildings provides overarching elements that should be considered in the design of mixed-use buildings, including "allow[ing] both vertical and horizontal integration of uses in mixed use development, with an emphasis on tying the uses together with appropriate pedestrian linkages." The Project would provide various mixed-use buildings consisting of ground level commercial uses with townhome units above. The Project's various buildings would be linked by a central pedestrian walkway through a series of landscaped courtyards. As such, the Project would incorporate elements as listed in ABCSP Section 3 to ensure quality and well-planned development occurs as it relates to mixed-use buildings. Further, while the Project's proposed

[9] City of Artesia (2010). *City of Artesia General Plan 2030 EIR*. Page 5.3-3.
10 California Department of Transportation. (2019). *California State Scenic Highway System Map*. https://caltrans.maps.arcgis.com/apps/webappviewer/index.html?id=465dfd3d807c46cc8e8057116f1aacaa.

amendments to ABCSP Sections 2 and 3 would allow for residential uses on the Project site, they would be consistent with the regulations and guidelines concerning Quadrants 2 and 4, which would allow for the additions of new retail, and live/work shopkeeper development along with residential uses. Therefore, the proposed amendments to ABCSP would not degrade the area's visual quality. This issue will not be further analyzed in the EIR.

1d) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?

Less than Significant Impact. The proposed Project would generate lighting from two primary sources: lighting from building interiors that would pass through windows and lighting from exterior sources (e.g., street lighting, parking lighting, building illumination, security lighting, and landscape lighting). The proposed Project would adhere to the ABCSP's comprehensive development standards for lighting, including a requirement that spotlighting or glare from any site lighting from adjacent properties, and direct lighting at a specific object or target area is shielded. Project implementation would require review by designated review authorities to enforce these standards, as outlined in ABCSP Section 6.3: Administration. Therefore, the Project would not create a new source of substantial light or glare that would adversely affect the area's day or nighttime views, and impacts would be less than significant. This issue will not be further analyzed in the EIR.

4.2 AGRICULTURE AND FORESTRY RESOURCES

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
2. AGRICULTURE AND FORESTRY RESOURCES. In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Dept. of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state's inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment project; and forest carbon measurement methodology provided in Forest Protocols adopted by the California Air Resources Board. Would the project:				
a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?				X
b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?				X
c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code §12220(g)), timberland (as defined by Public Resources Code §4526), or timberland zoned Timberland Production (as defined by Government Code §51104(g))?				X
d) Result in the loss of forest land or conversion of forest land to non-forest use?				X
e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of				X

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
Farmland, to non-agricultural use or conversion of forest land to non-forest use?				

IMPACT ANALYSIS

2a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?

2b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?

2c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code §12220(g)), timberland (as defined by Public Resources Code §4526), or timberland zoned Timberland Production (as defined by Government Code §51104(g))?

2d) Result in the loss of forest land or conversion of forest land to non-forest use?

2e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?

No Impact. No Prime Farmland, Unique Farmland, or Farmland of Statewide or Local Importance is mapped in the City.[11] Further, the Project site is not the subject of a Williamson Act Contract.[12] No agricultural, forest land, or timberland zoning exists in the City. According to the California Department of Forestry and Fire Land Cover Mapping and Monitoring Program, the Project site is not designated as forest or Timberland.[13] Therefore, the Project would result in no impact concerning mapped farmlands, Williamson Act contracts, agricultural, forest, or timber land zoning, or the conversion or loss of Farmland, forest land or timberland. These issues will not be further analyzed in the EIR.

[11] California Department of Conservation. (2016). *California Important Farmland Finder.* https://maps.conservation.ca.gov/dlrp/ciff/.

[12] California Department of Conservation. (2016). *Williamson Act/Land Conservation Act.* http://www.conservation.ca.gov/dlrp/lca.

[13] California Department of Forestry and Fire Protection. (2006). *Land Cover Mapping and Monitoring Program: Los Angeles County*.

4.3 AIR QUALITY

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
3. AIR QUALITY. Where available, the significance criteria established by the applicable air quality management district or air pollution control district may be relied upon to make the following determinations. Would the project:				
a) Conflict with or obstruct implementation of the applicable air quality plan?	X			
b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?	X			
c) Expose sensitive receptors to substantial pollutant concentrations?	X			
d) Result in other emissions (such as those leading to odors adversely affecting a substantial number of people?			X	

The Project site is within the South Coast Air Basin (SCAB), which is under the South Coast Air Quality Management District's (South Coast AQMD) jurisdiction. The South Coast AQMD significance criteria may be relied upon to make the above determinations. According to the South Coast AQMD, an air quality impact is considered significant if a proposed project would violate any ambient air quality standard, contribute substantially to an existing or projected air quality violation, or expose sensitive receptors to substantial pollutant concentrations. The South Coast AQMD has established thresholds of significance for air quality during Project construction and operations.

The proposed Project would also be subject to ambient air quality standards. These are addressed through an analysis of localized CO impacts.

In addition to the CO hotspot analysis, the South Coast AQMD developed Local Significance Thresholds ("LSTs") for emissions of NO_2, CO, PM10, and PM2.5 generated at new development sites. LST analysis for construction is applicable for all projects that disturb 5.0 acres or less on a single day.

IMPACT ANALYSIS

3a) Conflict with or obstruct implementation of the applicable air quality plan?

3b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?

3c) Expose sensitive receptors to substantial pollutant concentrations?

Potentially Significant Impact. The South Coast AQMD is required, pursuant to the Federal Clean Air Act (FCAA), to reduce criteria pollutant emissions for which SCAB is in non-attainment. The Project proposes to construct up to 8,650 SF of commercial uses and 80 DUs on the Project site, generating construction traffic for material and construction worker trips. Project construction activities would generate short-term criteria air pollutant emissions. During operations, the proposed land uses would generate vehicle trips and there would be intermittent deliveries. The Project's operational emissions would be associated with area sources, energy sources, and mobile sources. Project construction and operations could result in the release of air contaminants. Therefore, the EIR will further evaluate these potential impacts.

3d) Result in other emissions (such as those leading to odors adversely affecting a substantial number of people?

Less than Significant Impact. During construction-related activities, some odors (not substantial pollutant concentrations) that the public may detect are those typical of construction vehicles (e.g., diesel exhaust from grading and construction equipment). These odors are a temporary short-term impact, which are typical of construction projects and disperse rapidly.

The South Coast AQMD CEQA Air Quality Handbook (South Coast AQMD, 1993) identifies certain land uses as sources of odors. These land uses include agriculture, wastewater treatment plant, food-processing plants, chemical plants, composting, refineries, landfills, dairies, and fiberglass molding. The proposed Project is a mixed-use development and does not propose to include any odor-inducing uses on the site. Therefore, the Project would result in a less than significant impact related to other emissions leading to odors adversely affecting a substantial number of people. This issue will not be further analyzed in the EIR.

4.4 BIOLOGICAL RESOURCES

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
4. BIOLOGICAL RESOURCES. Would the project:				
a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?				X
b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Game or US Fish and Wildlife Service?				X
c) Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological				X
d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?				X
e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?				X
f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other				X

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
approved local, regional, or state habitat conservation plan?				

IMPACT ANALYSIS

4a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?

4b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Game or US Fish and Wildlife Service?

4c) Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological?

No Impact. The Project site is currently vacant, but was formerly occupied by an industrial use. No natural habitats are present onsite. The Project site is bounded by industrial uses to the north; residential and commercial uses to the south; residential, commercial, and an active concrete batch plant to the east; and industrial uses to the west. No natural habitats are present on these adjacent areas, and only landscaping (i.e., ornamental vegetation) is present. Based on review of the existing and adjacent site conditions, no candidate, sensitive, or special-status plant or wildlife species, riparian habitat or other sensitive natural community, or wetlands are present on or adjacent to the Project site. Therefore, the Project would not have an adverse effect on any candidate, sensitive, or special-status plant or wildlife species, riparian habitat or other sensitive natural community, or wetlands. No impact would occur, and these issues will not be further analyzed in the EIR.

4d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?

No Impact. Corridors are linear linkages between two or more habitat patches, which provide for wildlife movement and dispersal. The Project site has been previously disturbed and developed, and no natural habitats are present onsite. The Project site is surrounded by uses. No natural habitats are present in adjacent areas, and only landscaping (i.e., ornamental vegetation) is present. The Project would provide trees in the landscaped courtyards, walkways, and Project site perimeter. Although unlikely, these trees could potentially provide nesting sites for migratory birds. However, the Project would comply with the Migratory Bird Treaty Act (MBTA), which regulates

vegetation removal during the nesting season to ensure that significant impacts to migratory birds would not occur. In accordance with the MBTA, any tree removal activities associated with the Project would take place outside of the nesting season (February 1 – August 31), to the extent feasible. Should vegetation removal activities occur during the nesting season, a biological monitor would be present during the removal activities to ensure that no active nests would be impacted. If active nests are found, a buffer would be established until the fledglings have left the nest. With compliance with the MBTA, the Project would not interfere with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites, and no impact would occur. This issue will not be further analyzed in the EIR.

4e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?

4f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?

No Impact. The City does not have a tree preservation policy or ordinance, or any other local policies or ordinances protecting biological resources The Project site is not located within the boundaries of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or State habitat conservation plan. Therefore, the Project would not conflict with such policies, ordinances, or plans. No impact would occur in this regard. These issues will not be further analyzed in the EIR.

4.5 CULTURAL RESOURCES

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
5. CULTURAL RESOURCES. Would the project:				
a) Cause a substantial adverse change in the significance of a historical resource pursuant to in §15064.5?				X
b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to §15064.5?	X			
c) Disturb any human remains, including those interred outside of dedicated cemeteries?			X	

IMPACT ANALYSIS

5a) Cause a substantial adverse change in the significance of a historical resource pursuant to in §15064.5?

No Impact. The Project site is vacant. There are no potentially significant historic resources present onsite. Therefore, the Project would not cause an adverse change in the significance of a historical resource. No impact would occur in this regard. This issue will not be further analyzed in the EIR.

5b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to §15064.5?

Potentially Significant Impact. Past development has previously disturbed the Project site, thus, the Project site is considered to have low archeological sensitivity. Given the extent of onsite ground disturbances from previous development and the area's urbanized nature, there is low potential for the Project's ground-disturbing activities to encounter an archaeological resource. Notwithstanding, although unlikely, the potential exists for accidental discovery of archaeological resources during ground-disturbing activities. The EIR will further evaluate this potential impact.

5c) Disturb any human remains, including those interred outside of dedicated cemeteries?

Less than Significant Impact. No dedicated cemeteries or other places of human interment are on or adjacent to the Project site. The Project site has been previously graded and developed. As such, the upper levels of sediment and fill are not likely to contain any human remains. In the unlikely event that human remains are unearthed during Project construction, State Health and Safety Code §7050.5 requires that no further disturbance shall occur until the County Coroner has

made the necessary findings as to origin and disposition pursuant to California PRC §5097.98. If human remains of Native American origin are discovered during Project construction, compliance with State laws, which fall within the jurisdiction of the Native American Heritage Commission (NAHC) (PRC §5097), relating to the disposition of Native American burials will be adhered to. Therefore, following compliance with the established regulatory framework described above, the Project's potential impacts concerning disturbance to human remains would be less than significant. This issue will not be further analyzed in the EIR.

4.6 ENERGY

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
6. ENERGY. Would the project:				
a) Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?	X			
b) Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?	X			

IMPACT ANALYSIS

6a) Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?

6b) Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?

Potentially Significant Impact. Southern California Edison (SCE) provides electricity to the Project area.[14] Southern California Gas Company (SoCalGas) provides natural gas service to the Project area.[15] During Project construction, transportation fuel use would depend on the type and number of trips, vehicle miles traveled (VMT), fuel efficiency of vehicles, and travel mode. During Project operations, residential and commercial energy fuel consumption would be associated with vehicle trips, delivery truck trips, and maintenance and repair crew trips. Additionally, the Project's electrical and natural gas usage would depend on the forecast population growth and the characteristics of the permitted non-residential uses.

The Project's energy demand is expected to be served by the existing utilities described above. The Project's construction and operational electrical, gas, and fuel demand, as well as consistency with State and local plans for renewable energy and energy efficiency, will be evaluated in the EIR.

[14] City of Artesia. *Utility Providers*. https://www.cityofartesia.us/190/Utility-Providers.

[15] City of Artesia. *Utility Providers*. https://www.cityofartesia.us/190/Utility-Providers.

4.7 GEOLOGY AND SOILS

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
7. GEOLOGY AND SOILS. Would the project:				
a) Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:				
i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.				X
ii) Strong seismic ground shaking?			X	
iii) Seismic-related ground failure, including liquefaction?			X	
iv) Landslides?				X
b) Result in substantial soil erosion or the loss of topsoil?			X	
c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?			X	
d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?			X	
e) Have soils incapable of adequately supporting the use of septic tanks or				X

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
alternative waste water disposal systems where sewers are not available for the disposal of waste water?				
f) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	X			

A Preliminary Geotechnical Investigation was prepared for the Project site by Albus & Associates, Inc. in December 2021, and an updated letter was prepared for the Project site by Albus & Associates, Inc. in July 2022; see **Appendix A: Preliminary Geotechnical Investigation**.

IMPACT ANALYSIS

7a) Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:

7a.i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.

No Impact. The Alquist-Priolo Earthquake Fault Zoning Act was passed in 1972 to mitigate the hazard of surface faulting to structures for human occupancy. The Alquist-Priolo Earthquake Fault Zoning Act's main purpose is to prevent the construction of buildings used for human occupancy on the surface trace of active faults. The Alquist-Priolo Earthquake Fault Zoning Act requires the State Geologist to establish regulatory zones, known as "Alquist-Priolo (AP) Earthquake Fault Zones," around the surface traces of active faults and to issue appropriate maps. If an active fault is found, a structure for human occupancy cannot be placed over the trace of the fault and must be set back from the fault (typically 50 feet). The Project site is not located within an Alquist-Priolo Earthquake Fault Zone.[16] Additionally, no evidence exists of a known fault within or adjacent to the Project site. The closest known seismically active fault to the Project site is the Puente Hills (Coyote Hills) fault located approximately 2.7 miles to the northeast.[17] The Project would not expose people or structures to adverse effects involving rupture of a known earthquake fault. Therefore, no impact would occur in this regard. This issue will not be further analyzed in the EIR.

[16] California Department of Conservation. (2015). Earthquake Zones of Required Investigation Inglewood Quadrangle. http://gmw.consrv.ca.gov/SHP/EZRIM/Maps/INGLEWOOD_EZRIM.pdf.

[17] Albus & Associates, Inc. (2021). *Preliminary Geotechnical Investigation, Proposed Industrial Development, 11709 Artesia Blvd. Artesia, California.* Page 7.

7a.ii) Strong seismic ground shaking?

Less than Significant Impact. The Project site is in an area of high regional seismicity. Ground shaking originating from earthquakes along active faults in the region is expected to induce lower horizontal accelerations due to smaller anticipated earthquakes and/or greater distances to other faults. The closest known seismically active fault to the Project site is the Puente Hills (Coyote Hills) fault located approximately 2.7 miles to the northeast.[18] Based on the Project's location within the seismically active Southern California region, Project implementation could expose people and structures to potential adverse effects involving strong seismic ground shaking. The intensity of ground shaking on the Project site would depend upon the earthquake's magnitude, distance to the epicenter, and geology of the area between the Project site and epicenter. Regulatory controls to address potential seismic hazards would be imposed on the Project through the permitting process. The Project would be subject to compliance with AMC Title 8, Chapter 1: Building Code, building standards, including specific provisions for seismic design of structures. Moreover, the City's Building and Safety Department would review the Project's construction plans to verify compliance with standard engineering practices, the City's Building Code, and the California Building Code (CBC). Following compliance with standard engineering practices and the established regulatory framework (i.e., the City's Building Code and the CBC), the Project's potential impacts concerning exposure of people or structures to potential adverse effects involving strong seismic ground shaking would be less than significant. This issue will not be further analyzed in the EIR.

7a.iii) Seismic-related ground failure, including liquefaction?

Less than Significant Impact. Liquefaction is a phenomenon where earthquake-induced ground vibrations increase the pore pressure in saturated, granular soils until it is equal to the confining, overburden pressure. When this occurs, the soil can completely lose its shear strength and enter a liquefied state. For liquefaction to occur, three criteria must be met:

- A source of ground shaking, such as an earthquake, capable of generating soil mass distortions.
- A relatively loose silty and/or sandy soil.
- A relative shallow groundwater table (within approximately 50 feet below ground surface) or completely saturated soil conditions that will allow positive pore pressure generation.

The Project site is located within a State-designated zone of potentially liquefiable soils.[19] As part of the Geotechnical Investigation, a site-specific liquefaction analysis was performed for the Project site. The liquefaction susceptibility of the onsite soils was evaluated by analyzing the potential concurrent occurrence of the above-mentioned three basic factors under the guidance the State of California Special Publication (SP) 117A, Guidelines for Evaluating and Mitigating Seismic Hazards in California. The liquefaction analysis indicated that liquefaction could

18 Albus & Associates, Inc. (2021). *Preliminary Geotechnical Investigation, Proposed Industrial Development, 11709 Artesia Blvd. Artesia, California*. Page 7.
19 Albus & Associates, Inc. (2021). Preliminary Geotechnical Investigation, Proposed Industrial Development, 11709 Artesia Blvd. Artesia, California. Pages 6-7.

occur in soils located below a depth of 10 feet if groundwater were to rise to shallowest historic levels concurrent with a strong ground motion. Design-based recommendations, such as well-reinforced foundations, post-tensioned slabs, grade beams with structural slabs, or mat foundations, would reduce the potential risks of liquefaction. Specific recommendations to ensure the Project would not cause potential substantial adverse effects associated with liquefaction are provided in the Geotechnical Investigation. The City contracts with the Los Angeles County Department of Public Works (LACDPW) Building and Safety Department, which would review the Project's grading and construction plans to verify compliance with standard engineering practices, the City's Building Code, and the Geotechnical Investigation's recommendations. Specifically, the Project would be required to comply with the City's Standard Condition of Approval requiring that all development activities conducted on the Project site incorporate the professional recommendations contained in the Geotechnical Investigation and all recommendations set forth in a site-specific, design-level geologic and geotechnical investigation(s) approved by the City Engineer or their designee, provided such recommendations meet and/or surpass relevant State and City laws, ordinances, and Code requirements, including California Geological Survey's Special Publication 117A and the City's Building Code. Following compliance with standard engineering practices, the City's Building Code, the CBC, and the Geotechnical Investigation's recommendations, the Project's potential impacts involving adverse effects associated with seismic-related ground failure, including liquefaction, would be less than significant. This issue will not be further analyzed in the EIR.

7a.iv) Landslides?

No Impact. Landslides are mass movements of the ground that include rock falls, relatively shallow slumping and sliding of soil, and deeper rotational or transitional movement of soil or rock. The Project site is relatively flat[20] and is not located in an area mapped as an earthquake-induced landslide hazard area.[21] Therefore, the Project would not cause potential substantial adverse effects involving landslides. There would be no impact in this regard. This issue will not be further analyzed in the EIR.

7b) Result in substantial soil erosion or the loss of topsoil?

Less than Significant Impact. Grading and earthwork activities during construction would expose soils to potential short-term erosion by wind and water. During construction, the Project would be subject to compliance with AMC Title 6 Chapter 7: Storm Water Management and Discharge Control, which requires compliance with the National Pollutant Discharge Elimination System (NPDES) General Permit for Stormwater Discharges Associated with Construction Activities (Construction General Permit). The Construction General Permit requires development and implementation of a Stormwater Pollution Prevention Plan (SWPPP) and monitoring plan, which must include erosion-control and sediment-control Best Management Practices (BMPs) that would meet or exceed measures required by the Construction General Permit to control potential construction-related erosion. Following compliance with the established regulatory framework

[20] Albus & Associates, Inc. (2021). *Preliminary Geotechnical Investigation, Proposed Industrial Development, 11709 Artesia Blvd. Artesia, California*. Page 8.

[21] California Department of Conservation. (2022). *Earthquake Zones of Required Investigation.* https://maps.conservation.ca.gov/cgs/EQZApp/.

(i.e., the AMC and Construction General Permit), the Project's potential impacts concerning soil erosion and loss of topsoil would be less than significant. This issue will not be further analyzed in the EIR.

7c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?

Less than Significant Impact. The conditions favorable for hazards associated with unstable geologic unit or soil (landslide (see Threshold 4.7a.iv) or subsidence/collapse) are not present in the City; however, the Project site is located within a State-designated zone of potentially liquefiable soils (see Threshold 4.7a.iii). The Geological Investigation concluded that lateral spreading is not a significant risk at the Project site in consideration of the relatively flat site topography and lack of a nearby channel face or slope.[22]

Subsidence occurs when the withdrawal of groundwater, oil, or natural gas vertically displaces a large portion of land. Soils that are particularly subject to subsidence include those with high silt or clay content. Soil materials encountered at the Project site consisted of approximately 2.0 feet of artificial fill over alluvial soils. The artificial fill is predominately comprised of grayish brown sandy silt and silty sand. Underlying the artificial fills are native soils consisting of young alluvial fan deposits (Qyfa). The alluvial fan deposit materials were encountered to the maximum depth explored of 51.5 feet and are comprised of grayish brown to light gray, interlayered silty sand and sand that are damp to wet and loose to very dense. Occasional lenses and layers of sandy silt are also present that are generally very moist to wet and firm to very stiff.[23] No large-scale extraction of groundwater, gas, oil, or geothermal energy is occurring, or planned, at the Project site or in the general Project site vicinity. The Geological Investigation concluded that near surface soils will shrink about 5 to 10 percent when removed and replaced as compacted fill. Subsidence due to reprocessing of removal bottoms is anticipated to be about 0.05 feet.[24]

The Geotechnical Investigation makes recommendations concerning design parameters, foundations, slabs, and general earthwork and grading, among other factors. The City contracts with the LACDPW Building and Safety Department, which would review the Project's grading and construction plans to verify compliance with standard engineering practices, the City's Building Code, the CBC, and the Geotechnical Investigation's recommendations, including those concerning landslides, lateral spreading, subsidence, liquefaction, and collapse. Specifically, the Project would be required to comply with the City's Standard Condition of Approval requiring that all development activities conducted on the Project site incorporate the professional recommendations contained in the Preliminary Geotechnical Investigation and all

[22] Albus & *Associates*, Inc. (2021). *Preliminary Geotechnical Investigation, Proposed Industrial Development, 11709 Artesia Blvd. Artesia, California*. Page 8.

[23] Albus & *Associates*, Inc. (2021). *Preliminary Geotechnical Investigation, Proposed Industrial Development, 11709 Artesia Blvd. Artesia, California*. Pages 3-4.

[24] Albus & Associates, Inc. (2021). *Preliminary Geotechnical Investigation, Proposed Industrial Development, 11709 Artesia Blvd. Artesia, California*. Page 8.

recommendations set forth in a site-specific, design-level geologic and geotechnical investigation(s) approved by the City Engineer or their designee, provided such recommendations meet and/or surpass relevant State and City laws, ordinances, and Code requirements, including California Geological Survey's Special Publication 117A and the City's Building Code. Following compliance with standard engineering practices, the established regulatory framework (i.e., the City's Building Code and CBC), and the Geotechnical Investigation's recommendations, the Project would not result in onsite or offsite landslide, lateral spreading, subsidence, liquefaction, or collapse. Therefore, impacts would be less than significant in this regard. These issues will not be further analyzed in the EIR.

7d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?

Less than Significant Impact. The Geotechnical Investigation concluded the Project site's near-surface soils are generally anticipated to possess a low expansion potential. The City contracts with the LACDPW Building and Safety Department, which would review the Project's grading and construction plans to verify compliance with standard engineering practices, the City's Building Code, the CBC, and the Geotechnical Investigation's recommendations, including those concerning expansive soils. Specifically, the Project would be required to comply with the City's Standard Condition of Approval requiring that all development activities conducted on the Project site incorporate the professional recommendations contained in the Preliminary Geotechnical Investigation and all recommendations set forth in a site-specific, design-level geologic and geotechnical investigation(s) approved by the City Engineer or their designee, provided such recommendations meet and/or surpass relevant State and City laws, ordinances, and Code requirements, including California Geological Survey's Special Publication 117A and the City's Building Code. Following compliance with standard engineering practices, the City's Building Code, and the Geotechnical Investigation's recommendations, the Project would not create substantial direct or indirect risks to life or property concerning expansive soils. Therefore, impacts would be less than significant in this regard. This issue will not be further analyzed in the EIR.

7e) Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water?

No Impact. The Project would connect to the City's sewer system and would not include use of septic tanks or alternative wastewater disposal systems. Therefore, there would be no impact in this regard. This issue will not be further analyzed in the EIR.

7f) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?

Potentially Significant Impact. Paleontological resources are the fossilized remains of organisms from prehistoric environments found in geologic strata. These resources are valued for the information they yield about the Earth's history and its past ecological settings. The potential for

fossil occurrence depends on the rock type exposed at the surface in a given area. Previous construction-related excavation on the Project site has disturbed sediments beyond depths at which buried prehistoric cultural resources are likely. Notwithstanding, the potential exists for accidental discovery of paleontological resources during ground-disturbing activities. The EIR will further evaluate these potential impacts.

4.8 GREENHOUSE GAS EMISSIONS

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
8. GREENHOUSE GAS EMISSIONS. Would the project:				
a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	X			
b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?	X			

IMPACT ANALYSIS

8a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?

Potentially Significant Impact. The proposed Project would generate greenhouse gas (GHG) emissions directly from construction-related activities. Construction GHG emissions are typically summed and amortized over the Project's lifetime (assumed to be 30 years), then added to the operational emissions.[25] Operational or long-term emissions would occur over the proposed Project's life. The Project's operational GHG emissions would result from direct emissions such as Project-generated vehicular traffic, onsite combustion of natural gas, and operation of any landscaping equipment. Operational GHG emissions would also result from indirect sources, such as off-site generation of electrical power, the energy required to convey water to the Project site and wastewater from the Project site, the emissions associated with solid waste generated from the Project site, and any fugitive refrigerants from air conditioning or refrigerators. Project construction and operations could generate GHG emissions that may have a significant impact on the environment. Therefore, the EIR will further evaluate these potential impacts.

8b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?

Potentially Significant Impact. The City does not currently have an applicable plan, policy, or regulation adopted for the purpose of reducing the emissions of GHGs. As such, the EIR will evaluate the Project's potential to conflict with any other applicable plan, policy, or regulation of an agency adopted to reduce GHG emissions, including, but not limited to, the 2017 Scoping

[25] The Project lifetime is based on South Coast AQMD's standard 30-year assumption (South Coast Air Quality Management District, Minutes for the GHG CEQA Significance Threshold Stakeholder Working Group #13, August 26, 2009).

Plan, the Southern California Association of Governments (SCAG) Connect SoCal Regional Transportation Plan/Sustainable Communities Strategy (RTP/SCS), Title 24, AB 32, and SB 32.

4.9 HAZARDS AND HAZARDOUS MATERIALS

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
9. HAZARDS AND HAZARDOUS MATERIALS. Would the project:				
a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?			X	
b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?			X	
c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?				X
d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code §65962.5 and, as a result, would it create a significant hazard to the public or the environment?			X	
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?				X
f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?			X	

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?				X

This analysis was based on the following studies prepared for the Project:

- Phase I Environmental Site Assessment (ESA) and Phase II Subsurface Investigation (Ramboll, December 2021); see **Appendix B: Phase I Environmental Site Assessment and Phase II Subsurface Investigation**
- Human Health Risk Evaluation (Ramboll, June 2022); see **Appendix C: Human Health Risk Evaluation**.

IMPACT ANALYSIS

9a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?

Less than Significant Impact. Project construction and operation would involve the transport, storage, use and/or disposal of limited quantities of hazardous materials, such as fuels, solvents, degreasers and paints. Examples of such activities include fueling and servicing construction equipment, and applying paints and other coatings. The Project proposes residential and commercial development, which are not anticipated to involve the routine transport, use, or disposal of quantities of hazardous materials that may create a significant hazard to the public or environment. The maintenance materials would be stored, handled, and disposed of in accordance with applicable regulations and the City's programs to control and safely dispose of hazardous materials and wastes. Specifically, the City's Hazardous Materials Release Response Plans and Inventory Program requires the owner or operator of any business that handles or stores hazardous materials equal to or above the reportable quantities to submit a Hazardous Materials Inventory and Contingency Plan. Compliance with these regulations would ensure that all hazardous wastes would be properly handled, recycled, treated, stored, and disposed. Following implementation of standard City practices and compliance with federal, State, and local regulations that address the routine transport, use, or disposal of hazardous materials, a less than significant impact would occur in this regard. This issue will not be further analyzed in the EIR.

9b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?

Less than Significant Impact. A Phase I ESA and a Phase II Subsurface Investigation was completed for the Project site; see **Appendix B**. The Phase I ESA concluded there are no Recognized Environmental Conditions (RECs) in connection with the Project site. Soil and soil vapor samples were collected in areas including former employee and truck parking areas, the former

underground storage tank (UST) area, the former truck wash area, former chemical storage area, former main plant chemical storage area, former boiler area storage, and former sump pump area. Soil samples were analyzed for total petroleum hydrocarbons (TPH) and pH, while soil vapor was analyzed for volatile organic compounds (VOCs). TPH were not detected in soil above applicable screening criteria, and the soil pH was generally consistent with normal background conditions.

The Phase II Subsurface Investigation concluded that benzene, tetrachloroethane (PCE), and chloroform were the only VOCs detected in the soil vapor above applicable Department of Toxic Substance Control (DTSC)/United States Environmental Protection Agency (USEPA) residential and commercial screening levels (SLs) using 0.03 as an attenuation factor (AF). Chloroform was the only VOC detected above applicable DTSC/USEPA residential screening levels (RSLs) using 0.001 as an AF. No VOCs in soil vapor were detected above applicable DTSC/USEPA commercial screening levels using 0.001 as an AF.

A screening human health risk assessment (HHRA) was completed to assess the potential health risks to future onsite commercial employees and residents based on the results of the Phase II Subsurface Investigation.[26] All detected soil concentrations were screened using commercial/industrial and residential California Environmental Protection Agency (Cal/EPA) DTSC-modified SLs. If no SLs were available, the commercial/industrial and residential RSLs from USEPA were used. TPH soil data were compared to the California Regional Water Quality Control Board (RWQCB) – San Francisco Bay Region's Environmental Screening Levels (ESLs). These SLs were used in combination with a default future commercial buildings AF of 0.0005 and a default future residential AF of 0.001. The SLs were calculated to correspond to a target cancer risk (CR) of one in a million (1E-06) and a target non-cancer hazard quotient (HQ) of one. According to the National Contingency Plan, which is commonly cited as a basis for target risk and hazard levels, lifetime incremental CR posed by a site should not exceed 1E-06 to one hundred in a million (1E-04), and non-carcinogenic chemicals would not be present at levels expected to cause adverse health effects.

As concluded in the HHRA, all chemicals detected in the soil are well below their SLs and cumulatively would not exceed an excess lifetime CR above 1E-06 or an HQ above one. Based on the HHRA results, no significant health risks associated with exposures to soils at the Project site are expected to occur for the potential future onsite residents and employees, and no vapor mitigation systems are required or warranted.

Therefore, the Project would not create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment, and impacts would be less than significant. This issue will not be further analyzed in the EIR.

[26] Ramboll US Consulting Inc. (2022). *Human Health Risk Evaluation for 11709 Artesia Boulevard, 17208 and 17212 Alburtis Avenue, Artesia, California.*

9c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?

No Impact. The school nearest the Project site, Gahr High School, located at 11111 Artesia Boulevard in City of Cerritos, is approximately 0.5 mile west of the Project site. Because the Project site would be located more than one-quarter mile from this school, any emissions and hazardous materials handling at the site, during construction and operations, would not pose a significant health risk to the school.

AMC §4-4.301: Established [Truck Routes], specifies that Artesia Boulevard, Pioneer Boulevard, and South Street are designated truck routes. Construction trucks leaving the Project site are anticipated to travel eastbound on Artesia Boulevard and north on Pioneer Boulevard to access SR-91 and connect with I-605. Based on these established truck routes, it is not anticipated that construction trucks would pass near Gahr High School. Thus, no impacts would occur in this regard. This issue will not be further analyzed in the EIR.

9d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code §65962.5 and, as a result, would it create a significant hazard to the public or the environment?

Less than Significant Impact. Government Code §65962.5 refers to the Hazardous Waste and Substances Site List, commonly known as the Cortese List, maintained by the DTSC. The Cortese list contains hazardous waste and substance sites including public drinking water wells with detectable levels of contamination, sites with known underground storage tanks (USTs) having a reportable release, solid waste disposal facilities from which there is a known migration, hazardous substance sites selected for remedial action, historic Cortese sites, and sites with known toxic material identified through the abandoned site assessment program.

The Project site is listed on several environmental databases, as determined by the regulatory agency database search conducted as part of the Phase I ESA. However, the Phase I ESA concluded that the listings in the environmental database report are unlikely to represent an environmental concern to the site given that the listings associated with the site were properly closed, removed, and documented and recommends no further investigation regarding this issue.[27] Therefore, although the Project site is listed, the Project would not create a significant hazard to the public or the environment. Impacts would be less than significant in this regard. This issue will not be further analyzed in the EIR.

[27] Ramboll US Consulting Inc. (2021). *Phase I Environmental Site Assessment and Phase II Subsurface Investigation*. Page 18.

9e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?

No Impact. There are no public airports or public use airports located within two miles of the Project site. Therefore, the Project would not result in an airport-related safety hazard or excessive noise for people residing or working on the Project site. No impact would occur in this regard. This issue will not be further analyzed in the EIR.

9f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?

Less than Significant Impact. The Project Site is located in an unurbanized area where adequate circulation and access is provided to facilitate emergency response. The Artesia Emergency Operations Plan outlines emergency response actions in the event of a large-scale disaster, such as a hazardous materials emergency. Further, Project construction would not require the complete closure of any public or private streets during construction. Temporary construction activities would not impede use of the streets for emergencies or access for emergency response vehicles. The Project would be subject to compliance with General Plan Policy Action SAF 5.1.2, which requires that the City and associated public services departments (e.g., Police Department and Fire Department) review development proposals for potential impacts to the provision of emergency services. Therefore, the Project's potential impacts concerning impairing implementation of or physically interfering with an emergency response plan or related policies would be less than significant. This issue will not be further analyzed in the EIR.

9g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?

No Impact. The Project site is in a fully urbanized area and is not adjacent to any wildland. Additionally, the Project site is not within a very high fire severity zone (VHFSZ); see **Section 4.20: Wildfire**. Therefore, the Project would not expose people or structures to risk involving wildland fires. No impact would occur in this regard. This issue will not be further analyzed in the EIR.

4.10 HYDROLOGY AND WATER QUALITY

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
10. HYDROLOGY AND WATER QUALITY. Would the project:				
a) Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?			X	
b) Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?			X	
c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:				
i) Result in substantial erosion or siltation on- or off-site?			X	
ii) Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or offsite?			X	
iii) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?			X	
iv) Impede or redirect flood flows?			X	
d) In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?			X	

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?			X	

The following studies were prepared for the Project site:

- Preliminary Hydrology Study (C&V Consulting, Inc., June 2022); see **Appendix D: Preliminary Hydrology Study**.
- Preliminary Low Impact Development (LID) Plan (C&V Consulting, Inc., June 2022); see **Appendix E: Preliminary LID Plan**.

IMPACT ANALYSIS

10a) Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?

Less than Significant Impact. The Project's construction-related activities would include excavation, grading, and trenching, which would displace soils and temporarily increase the potential for soils to violate water quality standards or waste discharge requirements. Construction activity would be subject to the National Pollutant Discharge Elimination System (NPDES) program's Construction General Permit. Construction activity subject to the Construction General Permit includes any construction or demolition activity, including, but not limited to, clearing, grading, grubbing, or excavation, or any other activity that results in a land disturbance of equal to or greater than 1.0 acres. To obtain coverage under the Construction General Permit, dischargers are required to file with the State Water Board the Permit Registration Documents, which include a Notice of Intent (NOI) and other compliance-related documents. The Construction General Permit requires development and implementation of a Stormwater Pollution Prevention Plan (SWPPP) and monitoring plan, which must include erosion-control and sediment-control Best Management Practices (BMPs) that would meet or exceed measures required by the Construction General Permit to control potential construction-related pollutants. Erosion-control BMPs are designed to prevent erosion, whereas sediment control BMPs are designed to trap sediment once it has been mobilized. The types of required BMPs would be based on the amount of soil disturbed, the types of pollutants used or stored at the Project site, and proximity to water bodies. The Project would also be required to comply with City regulations (AMC Title 6 Chapter 7: Storm Water Management and Discharge Control) and General Plan Policy Action CFI 3.1.4, which requires continued participation in the NPDES program, to control storm water runoff and prevent violations of regional water quality standards. Following regulatory compliance, the Project's construction-related activities would not violate any water quality standards or otherwise substantially degrade surface or groundwater quality.

As shown on Figure 2: BMP Exhibit of the Preliminary LID Plan, upon Project completion, the catch basin inlets and grated inlets that collect the Project site's generated runoff would be routed to an underground detention system that would feed into a bio-filtration system via a pump station for water quality treatment. The treated flow would be pumped to a parkway culvert and routed to the downstream system following the existing drainage pattern. When the underground detention is at full capacity, the confluence of the flows would be routed to the proposed overflow parkway culvert through the interconnected storm drain system. The Project would also implement site source control and treatment BMPs according to the Los Angeles County Department of Public Works Low Impact Development Standards Manual to ensure that water quality standards would not be violated.

Therefore, Project construction and operations would not violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality. A less than significant impact would occur. This issue will not be further analyzed in the EIR.

10b) Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?

Less than Significant Impact.

Groundwater Supplies. The Project site is in Golden State Water Company's (GSWC) service area. The entire Artesia system, which is operated by GSWC and considered potable, is supplied from two main sources: local groundwater and imported water purchased from the City of Cerritos and Central Basin Municipal Water District (CBMWD). As required by the Urban Water Management Planning Act, GSWC has coordinated with nearby agencies while developing the Urban Water Management Plan (UWMP) to ensure consistency with other related planning efforts such as Groundwater Sustainability Plan(s) (GSP).

The GSWC's Southwest System has a total normal year active well capacity of 10,865 gallons per minute (gpm) (17,525 acre-feet per year [AFY]), of which 8,715 gpm (14,057 AFY) is in the West Coast Basin and 2,150 gpm (3,468 AFY) is in the Central Basin. The Southwest System is supplied by two active GSWC-owned wells in the Central Basin and 12 active GSWC-owned wells in the West Coast Basin. GSWC monitors well capacity, status, and water quality.

The Central Basin's groundwater storage capacity is approximately 13.8 million acre-feet (AF). The Central Basin adjudication limit (total of the allowed pumping allocations [APA] of each party) for groundwater extraction across the entire basin is 217,467 acre-feet per year (AFY). GSWC maintains an APA of 16,439 AFY. GSWC's APA is shared between all their systems that extract groundwater from the Central Basin. The storage capacity of the West Coast Basin's primary water producing aquifer, the Silverado aquifer, is estimated to be 6.5 million AF. The West Coast Basin adjudication limit for groundwater extraction across the entire basin is 64,468 AFY. GSWC maintains legal rights to 7,502 AFY. Three agencies, LACDPW, Water Replenishment District of Southern California (WRDSC), and CBMWD, collaborate with the water producers to ensure that the APA is available to the Central Basin and West Coast Basin pumpers.

The current ABCSP assumed development of retail and commercial uses on the Project site, which are the underlying assumptions for the UWMP. The Project proposes development of 8,650 SF of commercial uses and 80 DU on the Project site, which are anticipated to generate greater water demand than the UWMP's underlying development assumptions (based on the existing ABCSP). However, because the Central Basin and West Coast Basin are adjudicated, and the LACDPW, WRDSC, and WBMWD would continue to collaborate to avoid overdraft and ensure the APA is available to the pumpers, and the Project would be subject to the applicable State and local regulations concerning water conservation, the Project would not substantially deplete groundwater supplies such that it would impede sustainable groundwater management of the basin.

Groundwater Recharge. Basin recharge occurs through percolation of precipitation and artificial recharge activities at spreading grounds, among other sources. The Project site was formerly developed with an industrial use (i.e., a dairy manufacturing plant). Remnants of the past development result in negligible pervious area; therefore, the site is assumed to be 100 percent impervious. Upon Project buildout, the Project site would be approximately 86 percent impervious.[28] The Project would decrease the onsite impervious area resulting in more onsite percolation of precipitation. Additionally, the Project site does not involve spreading grounds. Thus, the Project would not interfere substantially with groundwater recharge such that it would impede sustainable groundwater management of a basin.

Therefore, potential impacts associated with depleting groundwater supplies or interfering substantially with groundwater recharge would be less than significant. This issue will not be further analyzed in the EIR.

10c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:

10c.i) Result in substantial erosion or siltation on- or off-site?

10c.ii) Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or offsite?

10c.iii) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?

10c.iv) Impede or redirect flood flows?

Less than Significant Impact. The existing drainage of the Project site generally surface flows southerly to confluence with the street flows to the existing catch basins at the public right of way adjacent to the Project site near the corner of Artesia Boulevard and Flallon Avenue. There is an

[28] C&V Consulting. (2022). *Preliminary Hydrology Report.* Page 2.

existing drainage inlet near the site's center that collects a portion of the site. As the portion of the site that collects flow is generally flat and the low point ponds to slope towards the Fallon Avenue, the site is analyzed as a single drainage area that is tributary to the downstream system.

The Project would decrease the site's impervious area, which could decrease the runoff volumes from the Project site. During Project operations, stormwater flows would be directed to storm drainage features, and not create an opportunity for erosion or siltation on- or off-site. As stated in Response 4.10a, upon Project completion, the catch basin inlets and grated inlets that collect the Project site's generated runoff would be routed to an underground detention system that feeds into a bio-filtration system via pump station for water quality treatment. The treated flow would be pumped to a parkway culvert and be routed to the downstream system following the existing drainage pattern. When the underground detention is at full capacity, the confluence of the flows would be routed to the proposed overflow parkway culvert through the interconnected storm drain system. No flooding is expected to occur on- or off-site due to Project implementation. As such, impacts would be less than significant. These issues will not be further analyzed in the EIR.

10d) In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?

Less than Significant Impact. The Project site is in an area of minimal flood hazard as depicted on the Federal Emergency Management Agency's (FEMA) flood map (06037C1980F) for the City of Artesia.[29] Tsunamis are sea waves that are generated in response to large-magnitude earthquakes. When these waves reach shorelines, they sometimes produce coastal flooding. Seiches are the oscillation of large bodies of standing water, such as lakes, that can occur in response to ground shaking. The Project site is approximately nine miles northeast of the Pacific Ocean, and there are no nearby bodies of standing water. Tsunamis and seiches do not pose hazards due to the Project site's inland location and lack of nearby bodies of standing water. The Project is not within a flood hazard, tsunami, or seiche zone and, thus, potential impacts associated with inundation by flood hazard, tsunami, or seiche would be less than significant. This issue will not be further analyzed in the EIR.

10e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?

Less than Significant Impact. In 2014, the California Sustainable Groundwater Management Act (SGMA) was passed, which provides authority for agencies to develop and implement groundwater sustainability plans (GSP) or alternative plans that demonstrate water basins are being managed sustainably.[30] The Project site is located in a very low priority basin.[31] Under the SGMA, the Central Basin and West Coast Basin are exempted from the requirement to form a

[29] Federal Emergency Management Agency. (2019). *FEMA Flood Map Service Center.* https://msc.fema.gov/portal/search#searchresultsanchor.

[30] State Water Resources Control Board. (2019). *Sustainable Groundwater Management Act (SGMA).* https://www.waterboards.ca.gov/water_issues/programs/gmp/sgma.html.

[31] California Department of Water Resources. (2020). *Basin Prioritization Dashboard*. https://gis.water.ca.gov/app/bp-dashboard/final/.

Groundwater Sustainability Agency, since they are adjudicated basins. Therefore, the Project would not conflict with or obstruct implementation of a sustainable groundwater management plan. Impacts would be less than significant in this regard. This issue will not be further analyzed in the EIR. See Response 10a concerning water quality.

4.11 LAND USE AND PLANNING

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
11. LAND USE AND PLANNING. Would the project:				
a) Physically divide an established community?				X
b) Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?	X			

IMPACT ANALYSIS

11a) Physically divide an established community?

No Impact. Examples of projects that could physically divide an established community include a new freeway or highway that traverse an established neighborhood. The Project proposes residential and commercial development. The Project involves redevelopment of a previously developed site within the ABCSP and does not propose any new streets or other physical barriers, which could physically divide an established community. The ABCSP encourages infill development including a mix of commercial and retail uses, blended with residential and office units. The flexibility presented in the ABCSP allows Artesia Boulevard to grow into a pedestrian- and auto-friendly corridor, as it is designated in the General Plan. The ABCSP also takes into consideration the surrounding properties, including existing neighborhoods and other sensitive uses, and is intended to create buffers and transitional areas when necessary. Given its nature and scope, the Project would not physically divide an established community. Therefore, no impact would occur in this regard. This issue will not be further analyzed in the EIR.

11b) Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?

Potentially Significant Impact. The requested approvals include a General Plan Amendment; Zoning Code Text Amendment; Design Review; Development Agreement; Vesting Tentative Tract Map; and the CEQA EIR certification. While the Project would not be anticipated to conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect, an evaluation of the effects of the Project's requested approvals, as well as an evaluation of the Project's compliance with other applicable regional and local plans, policies, and regulations, will be further analyzed in the EIR.

4.12 MINERAL RESOURCES

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
12. MINERAL RESOURCES. Would the project:				
a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?				X
b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?				X

IMPACT ANALYSIS

12a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?

12b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?

No Impact. The Surface Mining and Reclamation Act of 1975 (SMARA) requires classification of land into mineral resource zones (MRZs) according to the area's known or inferred mineral potential.[32] The Project site is located in Mineral Resource Zone-1 (MRZ-1). Areas designated MRZ-1 are noted to have adequate information that no significant[33] mineral deposits are present or it is judged that little likelihood exists for their presence.[34] Therefore, the proposed Project would have no impact concerning mineral resources. These issues will not be further analyzed in the EIR.

[32] California Department of Conservation. (2018). *California Statutes and Regulations for the California Geological Survey*. Sacramento, CA: California Geological Survey.

[33] Note that use of the term "significant" in this context is used in the MRZ definitions of zones to describe economic value of mineral resources and does not refer to a level of impact under CEQA.

[34] California Department of Conservation. (2015). *CGS Information Warehouse: Regulatory Maps. Special Report 143, Plate 4-1.* http://maps.conservation.ca.gov/cgs/informationwarehouse/.

4.13 NOISE

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
13. NOISE. Would the project result in:				
a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	X			
b) Generation of excessive groundborne vibration or groundborne noise levels?	X			
c) For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?				X

IMPACT ANALYSIS

13a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?

Potentially Significant Impact. Construction noise typically occurs intermittently and varies depending on the nature or phase of construction (e.g., land clearing, grading, excavation, paving). Noise generated by construction equipment, including earthmovers, material handlers, and portable generators, can reach high levels. Construction activities are anticipated to include site preparation, grading, building construction, paving, and architectural coating. Nearby noise-sensitive receptors could be exposed to elevated exterior noise levels during Project construction that exceed adopted standards. Construction activities could also cause increased noise along access routes to and from the Project site due to movement of equipment, materials, and workers. The EIR will further evaluate the potential for the Project's construction activities to result in a temporary increase in ambient noise levels in the Project's vicinity in excess of City standards.

The Project would introduce mobile and stationary source operational noise consistent with typical residential and commercial developments. The Project would also generate traffic volumes along nearby roadways, which could result in noise level increases along area roadways. The EIR will further evaluate the potential for Project operations to result in a temporary or permanent increases in ambient noise levels in the Project's vicinity in excess of City standards.

13b) Generation of excessive groundborne vibration or groundborne noise levels?

Potentially Significant Impact. Increases in groundborne vibration levels attributable to the Project would be primarily associated with short-term construction-related activities. Project construction could result in varying degrees of temporary groundborne vibration, depending on the specific construction equipment used and the operations involved. The Project proposes a residential development on a site that was previously developed with industrial uses, where groundborne vibration associated with onsite operations and truck movements occurred. The EIR will further evaluate the Project's potential to generate excessive groundborne vibration or groundborne noise levels.

13c) For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?

No Impact. There are no public airports or public use airports located within two miles of the Project site Therefore, the Project would not expose people residing or working in the Project area to excessive noise levels on the Project site. No impact would occur in this regard. This issue will not be further analyzed in the EIR.

4.14 POPULATION AND HOUSING

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
14. POPULATION AND HOUSING. Would the project:				
a) Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?	X			
b) Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?				X

IMPACT ANALYSIS

14a) Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?

Potentially Significant Impact. The City's current population as of January 1, 2022 is approximately 16,226 persons.[35] The City's housing stock totaled 4,760 DU with approximately 3.38 persons per household. The Project proposes to develop mixed-use development comprised of 80 DUs and approximately 8,650 SF of commercial uses. Given, the Project proposes new homes and businesses, Project implementation could induce unplanned population growth in the City. The EIR will further evaluate whether the Project's forecast population growth is substantial or unplanned.

14b) Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?

No Impact. The Project would not displace existing housing or require construction of replacement housing elsewhere, since no housing is located on site. Therefore, no impact would occur in this regard. This issue will not be further analyzed in the EIR.

[35] California Department of Finance. (2022). *E-5 Population and Housing Estimates for Cities, Counties, and the State,* January 2021-2022.

4.15 PUBLIC SERVICES

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
15. PUBLIC SERVICES. Would the project:				
a) Result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:				
i) Fire protection?	X			
ii) Police protection?	X			
iii) Schools?	X			
iv) Parks?	X			
v) Other public facilities?	X			

IMPACT ANALYSIS

15a) Result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:

15a.i) Fire protection?

Potentially Significant Impact. The City contracts with the Los Angeles County Fire Department (LACFD) to provide fire protection and emergency medical services (EMS) for the City. The City entered into an automatic response agreement with the cities of Norwalk and Cerritos to provide dispatch regardless of city boundaries. LACFD operates two fire stations that serve the City: Fire Station 30, located at 19030 Pioneer Boulevard, in the City of Cerritos, and Fire Station 115, located

at 11317 Alondra Boulevard, in the City of Norwalk.[36] The Project's forecast population growth would incrementally increase the demand for fire protection and EMS to the Project site. The EIR will further evaluate the Project's potential to result in substantial adverse physical impacts associated with the provision of new or physically altered fire protection facilities, the construction of which could cause significant environmental impacts.

15a.ii) Police protection?

Potentially Significant Impact. Police protection services to the City of Artesia are provided under contract with the Los Angeles County Sheriff's Department (LACSD). The City is served by the Lakewood Sheriff's Station located at 5130 Clark Avenue in the City of Lakewood. The Lakewood Station provides general and specialized community-oriented law enforcement services to over 270,000 residents in the contract cities of Artesia, Bellflower, Hawaiian Gardens, Lakewood, and Paramount.[37] The Project's forecast population growth would incrementally increase the demand for police protection services to the Project site. The EIR will further evaluate the Project's potential to result in substantial adverse physical impacts associated with the provision of new or physically altered police protection facilities, the construction of which could cause significant environmental impacts.

15a.iii) Schools?

Potentially Significant Impact. The Project site is within Los Angeles Unified School District (LAUSD) boundaries. The proposed Project is forecast to generate an increase in student population. The EIR will further evaluate the Project's potential to result in substantial adverse physical impacts associated with the provision of new or physically altered school facilities, the construction of which could cause significant environmental impacts.

15a.iv) Parks?

Potentially Significant Impact. See Response 4.16 below.

15a.v) Other public facilities?

Potentially Significant Impact. Los Angeles County Library operates 84 community-based library outlets, including four bookmobiles, in 51 of 88 cities and unincorporated areas. Los Angeles County Library is responsible for maintenance and library improvements to meet future library service's demands. The Project's forecast population growth would incrementally increase the demand for library services. The EIR will further evaluate the Project's potential to result in substantial adverse physical impacts associated with the provision of new or physically altered library facilities, the construction of which could cause significant environmental impacts.

---

[36] City of Artesia. (2010). *Artesia General Plan Update Public Review Draft Program EIR*. Pages 5.11-1, 5.11-2.

[37] City of Artesia. (2010). *Artesia General Plan Update Public Review Draft Program EIR*. Page 5.11-7.

4.16 RECREATION

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
16. RECREATION.				
a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	X			
b) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?	X			

IMPACT ANALYSIS

16a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?

16b) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?

Potentially Significant Impact. The Project's forecast population growth could incrementally increase the use of existing parks and/or recreational facilities. The EIR will further evaluate whether this incremental increase would be such that substantial physical deterioration of an existing recreational facility would occur or be accelerated. The EIR will also further evaluate the Project's potential to include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical impact on the environment.

4.17 TRANSPORTATION

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
17. TRANSPORTATION. Would the project:				
a) Conflict with a program plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?	X			
b) Would the project conflict or be inconsistent with CEQA Guidelines §15064.3, subdivision (b)?	X			
c) Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?	X			
d) Result in inadequate emergency access?			X	

IMPACT ANALYSIS

17a) Conflict with a program plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?

Potentially Significant Impact. The Project would increase pedestrian, bicyclist, and vehicle traffic in the Project area. The EIR will further evaluate whether this increase would conflict with a program plan, ordinance, or policy addressing the circulation system, including transit, roadway, bicycle, and pedestrian facilities.

17b) Would the project conflict or be inconsistent with [State] CEQA Guidelines §15064.3, subdivision (b)?

Potentially Significant Impact. The Project may increase the VMT over existing conditions. Therefore, the EIR will further evaluate the Project's VMT for consistency with State CEQA Guidelines §5064.3(b).

17c) Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?

Potentially Significant Impact. The Project would redevelopment a vacant property and construct new onsite circulation features, including new access driveways and curved travelways, which may increase hazards due to a geometric design feature. The EIR will further evaluate the Project's design features for hazards and evaluate the Project's use for incompatibility.

17d) Result in inadequate emergency access?

Less than Significant Impact. As stated in Response 9f, the Project Site is located in an unurbanized area where adequate circulation and access is provided to facilitate emergency response. The Artesia Emergency Operations Plan outlines emergency response actions in the event of a large-scale disaster, such as a hazardous materials emergency. Further, Project construction would not require the complete closure of any public or private streets during construction. Temporary construction activities would not impede use of the streets for emergencies or access for emergency response vehicles. The Project would be subject to compliance with General Plan Policy Action SAF 5.1.2, which requires that the City and associated public services departments (e.g., Police Department and Fire Department) review development proposals for potential impacts to the provision of emergency services. Therefore, the Project's potential impacts concerning resulting in inadequate emergency access would be less than significant. This issue will not be further analyzed in the EIR.

4.18 TRIBAL CULTURAL RESOURCES

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
18. TRIBAL CULTURAL RESOURCES. Would the project:				
a) Cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code §21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is: i) Listed or eligible for listing in the California				
i) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code §5020.1(k)?	X			
ii) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code §5024.1. In applying the criteria set forth in subdivision (c) of Public Resource Code §5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe?	X			

IMPACT ANALYSIS

18a) Cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code §21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is: i) Listed or eligible for listing in the California:

18a.i) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code §5020.1(k)?

18a.ii) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code §5024.1. In applying the criteria set forth in subdivision (c) of Public Resource Code §5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe?

Potentially Significant Impact. Past development has previously disturbed the Project site. Given the extent of onsite ground disturbances from previous development and the area's urbanized nature, there is low potential for the Project's ground-disturbing activities to encounter tribal cultural resources. Notwithstanding, the potential exists for accidental discovery of tribal cultural resources during ground-disturbing activities. The EIR will further evaluate these potential impacts.

4.19 UTILITIES AND SERVICE SYSTEMS

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
19. UTILITIES AND SERVICE SYSTEMS. Would the project:				
a) Require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?	X			
b) Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?	X			
c) Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?	X			
d) Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?	X			
e) Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?	X			

IMPACT ANALYSIS

19a) Require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?

19b) Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years?

19c) Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?

19d) Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?

19e) Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?

Potentially Significant Impact. The Project would increase utility usage and demands within the Project site, potentially resulting in the need to relocate or construct new utility facilities, insufficient water supplies, a determination by the wastewater provider of insufficient capacity, or excessive waste. The EIR will further evaluate these potential impacts.

4.20 WILDFIRE

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
20. WILDFIRE. If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project:				
a) Substantially impair an adopted emergency response plan or emergency evacuation plan?				X
b) Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?				X
c) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?				X
d) Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?				X

IMPACT ANALYSIS

20a) Substantially impair an adopted emergency response plan or emergency evacuation plan?

20b) Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?

20c) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other

utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?

20d) Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?

No Impact. According to California Department of Forestry and Fire Protection (CAL FIRE) Fire Hazard Severity Zone Map for Los Angeles County, the Project Site is not within a State Responsibility Area. The Project site is in a Non-Very High Fire Hazard Severity Zone (Non-VHFHSZ) within a local responsibility area.[38] The Project site and surrounding vicinity are relatively flat. Project design and site access would adhere to LACFD regulations and designs. Further, Project construction would not require the complete closure of any public or private streets during construction. Temporary construction activities would not impede use of the streets for emergencies or access for emergency response vehicles. The Project would tie into existing infrastructure that currently serves the Project site. Project implementation would not result in the construction, installation, or maintenance of new infrastructure that would exacerbate fire risk. Additionally, there are no known landslides near the site nor is the site in the path of any known or potential landslides. Therefore, no impacts related to wildfire would occur. These issues will not be further analyzed in the EIR.

[38] CalFire. (2011). *Los Angeles County FHSZ Map.* https://osfm.fire.ca.gov/media/7280/losangelescounty.pdf.

4.21 MANDATORY FINDINGS OF SIGNIFICANCE

ENVIRONMENTAL IMPACTS Issues	Potentially Significant Impact	Less Than Significant With Mitigation Incorporated	Less Than Significant Impact	No Impact
21. MANDATORY FINDINGS OF SIGNIFICANCE. Does the project:				
a) Have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?	X			
b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?	X			
c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?	X			

IMPACT ANALYSIS

21a) Have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?

21b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?

21c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?

Potentially Significant Impact. The Project would redevelop the Project site with approximately 8,650 SF of commercial uses and 80 DU, which could degrade the quality of the environment, result in cumulatively considerable impacts, or adverse effects on human beings. The EIR will further evaluate these potential impacts.

5.0 REFERENCES/SOURCES

Albus & Associates, Inc. (2021). *Preliminary Geotechnical Investigation, Proposed Industrial Development, 11709 Artesia Blvd. Artesia, California*. Page 7.

C&V Consulting. (2022). *Preliminary Hydrology Report*. Page 2.

California Dairies, Inc. (2020). *California Dairies, Inc Announces Closure of its Artesia Manufacturing Facility*. https://www.californiadairies.com/news/california-dairies-inc-announces-closure-its-artesia-manufacturing-facility.

California Department of Conservation. (2015). CGS Information Warehouse: Regulatory Maps. Special Report 143, Plate 4-1. http://maps.conservation.ca.gov/cgs/informationwarehouse/.

California Department of Conservation. (2015). *Earthquake Zones of Required Investigation Inglewood Quadrangle*. http://gmw.consrv.ca.gov/SHP/EZRIM/Maps/INGLEWOOD_EZRIM.pdf.

California Department of Conservation. (2016). *California Important Farmland Finder*. https://maps.conservation.ca.gov/dlrp/ciff/.

California Department of Conservation. (2016). *Williamson Act/Land Conservation Act*. http://www.conservation.ca.gov/dlrp/lca.

California Department of Conservation. (2018). *California Statutes and Regulations for the California Geological Survey. Sacramento, CA: California Geological Survey*.

California Department of Conservation. (2022). Earthquake Zones of Required Investigation. https://maps.conservation.ca.gov/cgs/EQZApp/.

California Department of Finance. (2022). E-5 Population and Housing Estimates for Cities, Counties, and the State, January 2021-2022.

California Department of Forestry and Fire Protection. (2006). *Land Cover Mapping and Monitoring Program: Los Angeles County*.

California Department of Transportation. (2019). *California State Scenic Highway System Map*. https://caltrans.maps.arcgis.com/apps/webappviewer/index.html?id=465dfd3d807c46cc8e8057116f1aacaa.

California Department of Water Resources. (2020). *Basin Prioritization Dashboard*. https://gis.water.ca.gov/app/bp-dashboard/final/.

City of Artesia. (2010). *City of Artesia General Plan 2030*. http://www.cityofartesia.us/DocumentCenter/View/226/Artesia-General-Plan?bidId=.

Land Use Sub-Element. Exhibit LU-3: General Plan 2030 Land Use.

Land Use Sub-Element. Page LU-9.

Land Use Sub-Element. Page LU-10.

City of Artesia (2010). *City of Artesia General Plan 2030 EIR*.

Page 5.3-3.

Pages 5.11-1 and 5.11-2.

City of Artesia. (2011). *Artesia Boulevard Corridor Specific Plan.* Page 42.

City of Artesia. (2019). *Zoning Map.* https://www.cityofartesia.us/DocumentCenter/View/1877/Zoning-Map-January-7-2019?bidId=.

Federal Emergency Management Agency. (2019). FEMA Flood Map Service Center. https://msc.fema.gov/portal/search#searchresultsanchor.

Ramboll US Consulting Inc. (2021). Phase I Environmental Site Assessment and Phase II Subsurface Investigation. Page 18.

Ramboll US Consulting Inc. (2022). Human Health Risk Evaluation for 11709 Artesia Boulevard, 17208 and 17212 Alburtis Avenue, Artesia, California.

State Water Resources Control Board. (2019). Sustainable Groundwater Management Act (SGMA). https://www.waterboards.ca.gov/water_issues/programs/gmp/sgma.html.

Appendix A

Preliminary Geotechnical Investigation

July 19, 2022
J.N.: 3027.00

Mr. Mitchell Gardner
G3 Urban
15235 S. Western Avenue
Gardena, California 90249

Subject: **Update Letter, Proposed Industrial Development, 11709 Artesia Boulevard, Artesia, California.**

Reference: *Preliminary Geotechnical Investigation, Proposed Industrial Development, 11709 Artesia Blvd., Artesia, California*, prepared by Albus & Associates, Inc., dated December 7, 2021.

Preliminary Geotechnical Investigation for Proposed Water Quality Improvements, Proposed Industrial Development, 11709 Artesia Blvd., Artesia, California, prepared by Albus & Associates, Inc., dated May 5, 2022.

Dear Mr. Gardner,

Pursuant to your request, ***Albus & Associates, Inc***, is providing an update letter to our above-referenced reports. We understand the previous structures have been demolished and the site is now vacant.

This proposed development is generally the same as the proposed development discussed in our above-referenced reports. The conclusions and recommendations in the referenced reports remain valid and applicable to the current proposed project.

Per our referenced report dated May 5, 2022, infiltration of storm water is not feasible and the demolition of the previous structures has not altered that conclusion.

Additionally, the demolition of the previous structures has likely disturbed the upper 1 to 2 feet of the existing subsurface soils. Per our referenced report dated December 7, 2021, we have recommended the existing ground be prepared by removing and recompacting the existing artificial fill soils which extend to depths of 2 feet or more. Therefore, soils disturbed by demolition are anticipated to be included by this recommendation and no modifications to our recommendations are required. The exposed subgrade from demolition operations should conform the Site Clearing section (Section 6.1.3) of our referenced report dated December 7, 2021.

We appreciate this opportunity to be of service to you. If you should have any questions regarding the contents of this correspondence, please do not hesitate to call our office.

Sincerely,

ALBUS & ASSOCIATES, INC.

Paul Hyun Jin Kim
Associate Engineer
GE 3106

December 7, 2021
J.N.: 3027.00

Mr. Mitchell Gardner
G3 Urban
15235 S. Western Avenue
Gardena, California 90249

Subject: **Preliminary Geotechnical Investigation, Proposed Industrial Development, 11709 Artesia Blvd., Artesia, California**

Dear Mr. Gardner,

Pursuant to your request, ***Albus & Associates, Inc***. is pleased to present to you our preliminary geotechnical investigation report for the proposed development at the subject site. This report presents the results of our aerial photo and literature review, subsurface exploration, laboratory testing, and engineering analyses. Conclusions relevant to the feasibility of the proposed site development and recommendations for site development are also presented herein based on the findings of our work.

We appreciate this opportunity to be of service to you. If you should have any questions regarding the contents of this report, please do not hesitate to call.

Sincerely,

ALBUS & ASSOCIATES, INC.

David E. Albus
Principal Engineer

TABLE OF CONTENTS

1.0 INTRODUCTION 1
1.1 PURPOSE AND SCOPE 1
1.2 SITE LOCATION AND DESCRIPTION 1
1.3 PROPOSED DEVELOPMENT 1
2.0 INVESTIGATION 2
2.1 RESEARCH 2
2.2 SUBSURFACE EXPLORATION 3
2.3 LABORATORY TESTING 3
3.0 SUBSURFACE CONDITIONS 3
3.1 SOIL CONDITIONS 3
3.2 GROUNDWATER 4
3.3 FAULTING 4
4.0 ANALYSES 5
4.1 SEISMICITY 5
4.2 STATIC SETTLEMENT 6
4.3 LIQUEFACTION 6
4.4 SEISMIC-INDUCED SETTLEMENT 7
5.0 CONCLUSIONS 7
5.1 FEASIBILITY OF PROPOSED DEVELOPMENT 7
5.2 GEOLOGIC HAZARDS 7
5.2.1 Ground Rupture 7
5.2.2 Ground Shaking 7
5.2.3 Landsliding 8
5.2.4 Liquefaction 8
5.3 STATIC SETTLEMENT 8
5.4 EXCAVATION AND MATERIAL CHARACTERISTICS 9
5.5 SHRINKAGE AND SUBSIDENCE 9
5.6 SOIL EXPANSION 9
6.0 RECOMMENDATIONS 9
6.1 EARTHWORK 9
6.1.1 General Earthwork and Grading Specifications 9
6.1.2 Pre-Grade Meeting and Geotechnical Observation 10
6.1.3 Site Clearing 10
6.1.4 Ground Preparation 10
6.1.5 Scarification 11
6.1.6 Fill Placement 11
6.1.7 Import Materials 11
6.1.8 Temporary Excavations 11
6.2 SEISMIC DESIGN PARAMETERS 12
6.2.1 Mapped Seismic Design Parameters 12
6.2.2 Site-Specific Seismic Design Parameters 12
6.3 CONVENTIONAL FOUNDATION DESIGN 13
6.3.1 General 13
6.3.2 Soil Expansion 13
6.3.3 Static and Seismic Settlement 13

6.3.4 Allowable Bearing Value 14
6.3.5 Lateral Resistance 14
6.3.6 Footing Dimensions and Reinforcement 14
6.3.7 Slabs on Grade 14
6.3.8 Foundation Observations 15
6.4 RETAINING AND SCREENING WALLS 15
6.4.1 General 15
6.4.2 Allowable Bearing Value and Lateral Resistance 15
6.4.3 Active Earth Pressures 15
6.4.4 Drainage and Moisture-Proofing 16
6.4.5 Footing Reinforcement and Wall Jointing 17
6.4.6 Foundation Observations 17
6.5 EXTERIOR FLATWORK 17
6.6 CONCRETE MIX DESIGN 18
6.7 CORROSION 18
6.8 PRELIMINARY PAVEMENT DESIGN 18
6.8.1 Preliminary Pavement Structural Sections 18
6.8.2 Subgrade Preparation 18
6.8.3 Aggregate Base 18
6.8.4 Asphaltic Concrete 19
6.8.5 Portland Cement Concrete 19
6.9 POST GRADING CONSIDERATIONS 19
6.9.1 Site Drainage and Irrigation 19
6.9.2 Utility Trenches 20
6.10 PLAN REVIEW AND CONSTRUCTION SERVICES 20
7.0 LIMITATIONS 21
8.0 REFERENCES 22

FIGURES AND PLATES

Figure 1 - Site Location Map
Plate 1 - Geotechnical Map

APPENDICES

APPENDIX A - EXPLORATION LOGS
Plates A-1 through A-5

APPENDIX B - LABORATORY TESTS RESULTS
Table B-1 – Summary of Laboratory Test Results
Plates B-1 through B-4 – Consolidation Plots
Plates B-5 – Direct Shear Plot
Plates B-6 – R-value Test Results

APPENDIX C – LIQUEFACTION ANALYSIS

1.0 INTRODUCTION

1.1 PURPOSE AND SCOPE

The purposes of our preliminary geotechnical investigation were to evaluate geotechnical conditions within the project area and to provide conclusions and recommendations relevant to the design and construction of the proposed improvements at the subject site. The scope of this investigation included the following:

- Review of the historical aerial photographs;
- Review of published geologic and seismic data for the site and surrounding area;
- Exploratory drilling and soil sampling;
- Laboratory testing of selected soil samples;
- Engineering analyses of data obtained from our review, exploration, and laboratory testing;
- Evaluation of site seismicity, liquefaction potential, and settlement potential; and,
- Preparation of this report

1.2 SITE LOCATION AND DESCRIPTION

The site is located at the address of 11709 Artesia Boulevard within the city of Artesia, California. The site is bordered by Artesia Boulevard to the south, Fallon Avenue to the west, Alburtis Avenue to the east, and a commercial building and surface parking lots to the north. The location of the site and its relationship to the surrounding areas are shown in Figure 1, Site Location Map.

The site consists of approximately 3.33 acres of land with several industrial buildings, above-ground tanks, processing equipment, and above-ground piping. The remainder of the site consists of asphalt- and concrete-covered paving.

1.3 PROPOSED DEVELOPMENT

Based on the project brochure prepared by Colliers, we understand that the proposed development will likely consist of one or two new industrial buildings at-grade parking as well as associated interior driveways, parking, underground utilities, and decorative hardscape and landscape areas.

No grading or structural plans were available in preparing this report. However, we anticipate that minor rough grading of the site will be required to achieve future surface configuration. Structural loads are anticipated to typically consist of 250 kips for columns and 6 kips/ft for walls.



N

SITE LOCATION MAP

G3 Urban
11709 Artesia Boulevard,
Artesia, California

NOT TO SCALE

FIGURE 1

2.0 INVESTIGATION

2.1 RESEARCH

We have reviewed the referenced geologic publications and maps (see references). Data from these sources were utilized to develop some of the findings and conclusions presented herein.

We have also reviewed available historical aerial photographs. The aerial photos indicate that as early as 1967, the subject site was developed with industrial facilities. The site has remained relatively unchanged since 1967.

2.2 SUBSURFACE EXPLORATION

Subsurface exploration for this investigation was conducted on November 2, 2021 and consisted of drilling three (3) soil borings to depths ranging from approximately 11.5 to 51.5 feet below the existing ground surface (bgs) and advancing four (4) Cone Penetration Tests (CPTs) to a depth of 50 feet bgs. The borings were drilled using a truck-mounted, continuous flight, hollow-stem-auger drill rig. A representative of Albus & Associates, Inc. logged the exploratory borings. Visual and tactile identifications were made of the materials encountered, and their descriptions are presented in the Exploration Logs in Appendix A. The approximate locations of the exploratory excavations and CPT soundings completed by this firm are shown on the enclosed Geotechnical Map, Plate 1.

Bulk, relatively undisturbed, and Standard Penetration Test (SPT) samples were obtained at selected depths within the exploratory borings for subsequent laboratory testing. Relatively undisturbed samples were obtained using a 3-inch O.D., 2.5-inch I.D., California split-spoon soil sampler lined with brass rings. SPT samples were obtained from the boring using a standard, unlined SPT soil sampler. During each sampling interval, the sampler was driven 18 inches with successive drops of a 140-pound automatic hammer falling 30 inches. The number of blows required to advance the sampler was recorded for each six inches of advancement. The total blow count for the lower 12 inches of advancement per soil sample is recorded on the exploration log. Samples were placed in sealed containers or plastic bags and transported to our laboratory for analyses. The borings were backfilled with auger cuttings upon completion of sampling.

2.3 LABORATORY TESTING

Selected samples obtained from our subsurface exploration were tested in our soil laboratory. Tests consisted of maximum dry density and optimum moisture content, in-situ moisture content and dry density, expansion index, soluble sulfate content, direct shear, consolidation/collapse potential, grain-size distribution analysis, percent passing No. 200 sieve, direct shear strength, corrosivity testing (pH, chloride, and resistivity), and Atterberg limits. A description of laboratory test criteria and test results are presented in Appendix B.

3.0 SUBSURFACE CONDITIONS

3.1 SOIL CONDITIONS

Descriptions of the earth materials encountered during our investigation are summarized below and are presented in detail on the Exploration Logs presented in Appendix A.

Soil materials encountered at the subject site consisted of approximately 2 feet of artificial fill over alluvial soils. The artificial fill is predominately comprised of grayish brown sandy silt and silty sand. These fill materials typically were observed to be damp to moist and medium dense.

Underlying the artificial fills are native soils consisting of young alluvial fan deposits (Qyf_a). The alluvial fan deposit materials were encountered to the maximum depth explored of 51.5 feet and are comprised of grayish brown to light gray, interlayered silty sand and sand that are damp to wet and loose to very dense. Occasional lenses and layers of sandy silt are also present that are generally very moist to wet and firm to very stiff.

3.2 GROUNDWATER

Groundwater was encountered during this firm's subsurface exploration at a depth of 14 feet. The CDMG Special Report 019 suggests that historic high groundwater for the subject site is below 10 feet.

3.3 FAULTING

Based on our review of the referenced publications and seismic data, no active faults are known to project through or immediately adjacent to the subject sites and the site does not lie within an "Earthquake Fault Zone" as defined by the State of California in Earthquake Fault Zoning Act. Table 3.1 summarizes the known seismically active faults within 10 miles of the sites based on the 2008 USGS National Seismic Hazard Maps.

TABLE 3.1
Summary of Faults

Name	Dist. (miles)	Slip Rate (mm/yr.)	Preferred Dip (degrees)	Slip Sense	Rupture Top (km)	Fault Length (km)
Puente Hills (Coyote Hills)	2.67	0.7	26	thrust	2.8	17
Puente Hills (Santa Fe Springs)	2.82	0.7	29	thrust	2.8	11
Newport Inglewood Connected alt 2	6.87	1.3	90	strike slip	0	208
Newport-Inglewood, alt 1	6.95	1	88	strike slip	0	65
Newport Inglewood Connected alt 1	6.95	1.3	89	strike slip	0	208
Puente Hills (LA)	7.01	0.7	27	thrust	2.1	22
Elsinore;W+GI+T+J+CM	8.40	n/a	84	strike slip	0	241
Elsinore;W+GI	8.40	n/a	81	strike slip	0	83
Elsinore;W+GI+T	8.40	n/a	84	strike slip	0	124
Elsinore;W+GI+T+J	8.40	n/a	84	strike slip	0	199
Elsinore;W	8.40	2.5	75	strike slip	0	46

4.0 ANALYSES

4.1 SEISMICITY

2019 CBC requires seismic parameters in accordance with ASCE 7-16. Unless noted otherwise, all section numbers cited in the following refer to the sections in ASCE 7-16.

Per Section 20.3 the project site was designated as Site Class D. We used the OSHPD seismic hazard tool to obtain the basic mapped acceleration parameters, including short periods (S_S) and 1-second period (S_1) MCE_R Spectral Response Accelerations. Section 11.4.8 requires site-specific ground hazard analysis for structures on Site Class E with S_S greater than or equal to 1.0 or Site Class D or E with S_1 greater than or equal to 0.2. Based on the mapped values of S_S and S_1 the project site falls within this category, requiring site-specific hazard analysis in accordance with Section 21.2.

However, "A ground motion hazard analysis is not required for structures where: Structures on Site Class D sites with S_1 greater than or equal to 0.2, provided the value of the seismic response coefficient Cs is determined by Eq. (12.8-2) for values of $T \leq 1.5T_s$ and taken as equal to 1.5 times the value computed in accordance with either Eq. (12.8-3) for $T_L \geq T > 1.5T_s$ or Eq. (12.8-4) for $T > T_L$." Assuming this exception is met for this project, a ground motion hazard analysis is not required and mapped seismic values can be used. Should this exception not be met, a ground motion hazard analysis is required to determine the Design response spectra for the proposed structures at this site. Both mapped and site-specific seismic design parameters are provided in this report, as presented in Section 6.2. Details of a ground motion hazard analysis are explained below.

According to Section 21.2.3 (Supplement 1), the site-specific Risk Targeted Maximum Considered Earthquake (MCER) spectral response acceleration at any period is the lesser of the probabilistic and the deterministic response accelerations, subject to the exception specified in the same section. The probabilistic response spectrum was developed using the computer program OpenSHA (Field et al., 2013), which implements Method 1 as described in Section 21.2.1.1. Fault Models 3.1 and 3.2 from the Third Uniform California Earthquake Rupture Forecast (UCERF3) were used as the earthquake rupture forecast models for the PSHA. In addition to known fault sources, background seismicity was also included in the PSHA. The ground motion Prediction Equations (GMPEs) selected for use in this analysis are those developed for the Pacific Earthquake Engineering Research Center (PEER) Next Generation Attenuation (NGA) West 2 project. Four GMPEs - Abrahamson et al. (2014), Boore et al. (2014), Campbell and Bozorgnia (2014), and Chiou and Youngs (2014) were used to perform the analysis.

In accordance with Section 21.2.2 (Supplement 1), the deterministic spectral response acceleration at each period was calculated as the 84th percentile, 5% damped response acceleration, using NGA-West2 GMPE Worksheet. For this, the information from at least three causative faults with the greatest contribution per deaggregation analysis were used and the larger acceleration spectrum among these was selected as the deterministic response spectrum. The deterministic spectrum was adjusted per requirements in Section 21.2.2 (Supplement 1) where applicable. Both probabilistic and deterministic spectra were subjected to the maximum direction scale factors specified in Section 21.2 to produce the maximum acceleration spectra.

Design response spectrum was developed by subjecting the site-specific MCE_R response spectrum to the provisions outlined in Section 21.3. This process included comparison with 80% code-based

design spectrum determined in accordance with Section 11.4.6. The short period and long period site coefficients (Fa and Fv, respectively) were determined per Section 21.3 in conjunction with Table 11.4-1. Site-specific design acceleration parameters (S_{MS}, S_{M1}, S_{DS}, and S_{D1}) were calculated according to Section 21.4.

Per Section 11.2 (definitions on Page 79 of ASCE7-16) for evaluation of liquefaction, lateral spreading, seismic settlements, and other soil-related issues, Maximum Considered Earthquake Geometric Mean (MCE_G) peak ground acceleration PGA_M shall be used. The site-specific PGA_M is calculated per Section 21.5.3, as the lesser of the probabilistic PGA_M (Section 21.5.1) and deterministic PGA_M (Section 21.5.2), but no less than 80% site modified peak ground acceleration, PGA_M, obtained from OSHPD seismic hazard tool. From our analyses, we obtain a PGA_M of 0.662g.

4.2 STATIC SETTLEMENT

Analyses were performed to estimate the maximum static settlement due to the anticipated maximum foundation loads. The analyses were based on the results of subsurface exploration and laboratory testing conducted at the site. Settlements were calculated based on the elastic method using the sampler blow counts to estimate the elastic property of the soils. Stresses induced by the footings were based on a Boussinesq distribution.

Settlement of the proposed buildings will depend on the magnitude of the structural loads. Assuming a column load of 250 kips, bearing pressure of 4,000 psf, and footing depth of 2 foot, total static settlement of a column footing is estimated to be 0.9 inches. A continuous footing that supports a load of 6 kips/ft, bearing pressure of 3,000 psf, 2 feet wide, and 2 feet deep is estimated to have a total static settlement of 0.5 inches.

4.3 LIQUEFACTION

Engineering research of soil liquefaction potential (Youd et al., 2001) indicates that generally three basic factors must exist concurrently in order for liquefaction to occur. These factors include:

- A source of ground shaking, such as an earthquake, capable of generating soil mass distortions.
- A relatively loose silty and/or sandy soil.
- A relative shallow groundwater table (within approximately 50 feet below ground surface) or completely saturated soil conditions that will allow positive pore pressure generation.

The site is located within a State-designated zone of potentially liquefiable soils. As a result, we conservatively have evaluated the potential for liquefaction.

The liquefaction susceptibility of the onsite soils was evaluated by analyzing the potential concurrent occurrence of the above-mentioned three basic factors. The liquefaction evaluation for the site was completed under the guidance of Special Publication 117A: Guidelines for Evaluating and Mitigating Seismic Hazards in California (CDMG, 2008).

Our liquefaction analyses were based on the field test data results from our CPT data. The liquefaction analyses were performed utilizing the CLiq software by GeoLogismiki. Among the methods available in this program for analysis of liquefaction potential, Robertson (NCEER 2001, 2009) was used for

the current project. The seismic event was defined by peak ground acceleration PGA of 0.73 and mean moment magnitude of 6.83. The historic-high groundwater level, which is used as the design level for evaluation of liquefaction potential, is taken at a depth of 10 feet below ground surface, as discussed in Section 3.2.

Based on our analyses, several sublayers below the assumed shallowest groundwater level of 10 feet have a factor of safety less than 1.3 and are therefore considered prone to liquefaction during the design earthquake event. Liquefaction analyses are provided in Appendix C.

4.4 SEISMIC-INDUCED SETTLEMENT

To quantify the consequences of liquefaction at the site, seismic-induced settlement has been evaluated using the four CPT soundings. Robertson (NCEER 2001 and 2009) method was used for this evaluation.

Analyses were performed to evaluate the potential for seismic settlement from saturated liquefied and unsaturated dry soils. The calculated seismic-induced settlements of saturated soil using various methods for CPT analysis are ranging from 3.7 to 5.3 inches. Liquefaction induced-settlement analyses are provided in Appendix C.

Seismic-induced settlement can occur both above and below the groundwater table during a strong seismic event. We have estimated the dry seismic settlement using the Robertson and Shao (2010) Method. The total seismic dry settlement we calculated ranges from 0 to 0.2 inches.

5.0 CONCLUSIONS

5.1 FEASIBILITY OF PROPOSED DEVELOPMENT

From a geotechnical point of view, the proposed site development is considered feasible provided the recommendations presented in this report are incorporated into the design and construction of the project. Furthermore, it is also our opinion that the proposed development will not adversely impact the stability of adjoining properties.

5.2 GEOLOGIC HAZARDS

5.2.1 Ground Rupture

No known active faults are known to project through the subject sites nor do the sites lie within the boundaries of an “Earthquake Fault Zone” as defined by the State of California in the Alquist-Priolo Earthquake Fault Zoning Act. The closest known active fault is the Puente Hills (Coyote Hills) fault located approximately 2.7 miles to the northeast. Therefore, potential for ground rupture due to an earthquake beneath the sites is considered low.

5.2.2 Ground Shaking

The site is situated in a seismically active area that has historically been affected by generally moderate to occasionally high levels of ground motion. The site lies in relatively close proximity to several seismically active faults; therefore, during the life of the proposed improvements, the property will

probably experience similar moderate to occasionally high ground shaking from these fault zones, as well as some background shaking from other seismically active areas of the Southern California region. Design and construction in accordance with the current California Building Code (CBC) requirements are anticipated to address the issues related to potential ground shaking.

5.2.3 Landsliding

Geologic hazards associated with landsliding are not anticipated at the site since the site is relatively level.

5.2.4 Liquefaction

Our analyses indicate liquefaction could in soils located below a depth of 10 feet if groundwater were to rise to shallowest historic levels concurrent with a strong ground motion. Liquefaction could lead to a total seismic settlement (saturated and dry) of the ground surface of up to 5.3 inches due to seismic consolidation during liquefaction. The differential settlement due to seismic settlement would likely be on the order of ½ of the total seismic settlement or approximately 2.7 inches over 30 feet. Lateral spreading is not a significant risk at the site in consideration of the relatively flat site topography and lack of an nearby channel face or slope.

Based on the State of California Special Publication (SP) 117A, the seismic-induced settlement at the site does not fall within the Level of Liquefaction Hazard of "Large-scale Displacements." "Large scale Displacements" are defined as those that ***exceed*** 1-3 feet horizontally and 4-6 inches vertically. Therefore, the Level of Liquefaction Hazard is classified as a "Localized Failure." One of the suitable mitigation alternatives presented in the SP 117A for Localized Failures is the use of reinforced shallow foundations and improved structural design to withstand predicted vertical and lateral ground displacements.

The SP 117A also stated that hazards from liquefaction should be mitigated to the extent required to reduce seismic risk to "acceptable levels." The acceptable level of risk means, "that level that provides reasonable protection of the public safety" [California Code of Regulations Title 14, Section 3721 (a)]. The use of well-reinforced foundations, such as post-tensioned slabs, grade beams with structural slabs, or mat foundations have been proven to adequately provide basal support for similar structures during comparable liquefaction events. Specific recommendations to mitigate risks associated with liquefaction are provided in Section 6.3.

5.3 STATIC SETTLEMENT

As discussed in Section 4.2, analyses were performed to evaluate potential for static settlement of the underlying alluvium. Provided site grading is performed in accordance with the recommendations provided herein and based on the anticipated foundation loads, total and differential static settlement is not anticipated to exceed 1 inch and ½-inch over 30 feet, respectively, for the proposed commercial buildings. The estimated magnitudes of static settlements are considered within tolerable limits for the proposed structure.

5.4 EXCAVATION AND MATERIAL CHARACTERISTICS

Onsite earth materials are anticipated to be relatively easy to excavate with conventional heavy earthmoving equipment. The site earth materials are generally considered suitable for reuse as fill provided, they are cleared on deleterious debris and oversized rocks (greater than 4 inches in greatest dimension). Site materials are generally near the optimum moisture content. As such, fill soils derived from onsite soils will likely require the addition of nominal amounts of water and mixing in preparation for reuse as compacted fill.

Temporary construction slopes will be required to complete removal of unsuitable soils and for construction of underground utilities. Such excavations will require laybacks where they are surcharged or where they exceed 4 feet in height. Specific recommendations are provided in Section 6.1.8.

If encountered, portions of concrete debris and asphalt can likely be reduced in size (4 inches minus) and incorporated within fill soils during earthwork operations.

If onsite disposal systems, clarifiers, and other underground improvements are present beneath the site, these improvements will require proper abandonment or removal per the City guidelines.

5.5 SHRINKAGE AND SUBSIDENCE

Volumetric changes in earth quantities will occur when excavated onsite soil materials are replaced as properly compacted fill. We estimate that the near surface soils will shrink about 5 to 10 percent when removed and replaced as compacted fill. Subsidence due to reprocessing of removal bottoms is anticipated to be about 0.05 feet. The estimates of shrinkage and subsidence are intended as an aid for project engineers in determining earthwork quantities. However, these estimates should be used with some caution since they are not absolute values. Contingencies should be made for balancing earthwork quantities based on actual shrinkage and subsidence that occurs during the grading process.

5.6 SOIL EXPANSION

Based on our laboratory test results and the USCS visual manual classification, the near-surface soils are generally anticipated to possess a **Low** expansion potential. Additional testing for soil expansion will be required prior to construction of foundations and other concrete work to confirm these conditions.

6.0 RECOMMENDATIONS

6.1 EARTHWORK

6.1.1 General Earthwork and Grading Specifications

All earthwork and grading should be performed in accordance with applicable requirements of Cal/OSHA, applicable specifications of the Grading Codes of the City of Artesia, California in addition to the recommendations presented herein.

6.1.2 Pre-Grade Meeting and Geotechnical Observation

Prior to commencement of grading, we recommend a meeting be held between the developer, City Inspector, grading contractor, civil engineer, and geotechnical consultant to discuss the proposed grading and construction logistics. We also recommend a geotechnical consultant be retained to provide soil engineering and engineering geologic services during site grading and foundation construction. This is to observe compliance with the design specifications and recommendations and to allow for design changes in the event that subsurface conditions differ from those anticipated. If conditions are encountered that appear to be different than those indicated in this report, the project geotechnical consultant should be notified immediately. Design and construction revisions may be required.

6.1.3 Site Clearing

Areas to be graded should be cleared of vegetation, existing asphalt and concrete, underground improvements to be abandoned and deleterious materials. Existing underground utility lines within the project area that will be protected in place and that fall within a 1 to 1 (H:V) plane projected down from the edges of footings may be subject to surcharge loads. Under such conditions, this office should be made aware of these conditions for evaluation of potential surcharging. Supplemental recommendations may be required to protect such improvements in place.

The project geotechnical consultant should be notified at the appropriate times to provide observation services during clearing operations to verify compliance with the above recommendations. Voids created by clearing and excavation should be left open for observation by the geotechnical consultant. Should any unusual soil conditions or subsurface structures be encountered during site clearing or grading that are not described or anticipated herein, these conditions should be brought to the immediate attention of the project geotechnical consultant for corrective recommendations as needed.

Temporary construction equipment (office trailers, power poles, etc.) should be positioned to allow adequate room for clearing and recommended ground preparation to be performed for proposed structures, pavements, and hardscapes.

6.1.4 Ground Preparation

In general, the artificial fill is considered unsuitable for support of the proposed development. Based on our exploratory borings, the depth of the artificial fill material is anticipated to be about 2 feet in depth. However, deeper fills are expected in the areas of the previous site improvements (i.e. utility lines) and where the current buildings and structures are located. All artificial fill soils should be removed to expose the underlying alluvial soils within the limits of the structures (buildings and site walls) and paving.

Removal of unsuitable materials should extend laterally beyond the limits of the proposed buildings a distance equal to the depth of removal (i.e. 1:1 projection) but not less than 5 feet. Removals within pavements and footings for site walls may be limited to the edge of foundations or pavement where lateral restrictions to removals are present such as property lines.

All removal and overexcavations should be evaluated by the geotechnical consultant during grading to confirm the exposed conditions are as anticipated and to provide supplemental recommendations if required.

6.1.5 Scarification

Prior to placement of compacted fill, the exposed ground should be scarified to a depth of 6 to 8 inches, moisture conditioned to at least 110 percent of the optimum moisture content, then compacted to at least 90 percent of the laboratory standard. The laboratory standard for maximum dry density and optimum moisture content for each soil type should be determined in accordance with ASTM D 1557.

6.1.6 Fill Placement

Materials excavated from the site may be reused as fill provided, they are free of deleterious materials and particles greater than 4 inches in maximum dimension (oversized materials). Asphaltic and concrete debris generated during site demolition or encountered within the existing fill can be incorporated within new fill soils during earthwork operations provided they are reduced to no more than 4 inches in maximum dimension. Such materials should be mixed thoroughly with fill soils to prevent nesting. All fill should be placed in lifts no greater than 8 inches in loose thickness, moisture conditioned to at least 110% of optimum moisture content, then compacted in place to at least 90 percent of the laboratory standard. Each lift should be treated in a similar manner. Subsequent lifts should not be placed until the project geotechnical consultant has approved the preceding lift.

6.1.7 Import Materials

If import materials are required to achieve the proposed finish grades, the proposed import soils should have an Expansion Index (EI, ASTM D 4829) less than 20 and possess negligible soluble sulfate concentrations. Import sources should be indicated to the geotechnical consultant prior to hauling the materials to the site so that appropriate testing and evaluation of the fill materials can be performed in advance.

6.1.8 Temporary Excavations

Temporary construction slopes in site materials that are not surcharged may be cut vertically up to a height of 4 feet. Temporary excavations greater than 4 feet but no greater than 10 feet in height that are not surcharged should be laid back at a maximum gradient of 1:1 (H:V) or properly shored.

Excavations should not be left open for prolonged periods of time. The project geotechnical consultant should observe all temporary cuts to confirm anticipated conditions and to provide alternate recommendations if conditions dictate. All excavations should conform to the requirements of Cal/OSHA. The current removal requirement is 12 inches below existing grade and not expected to undermine the existing foundations. However, if deeper removals are required during grading and where insufficient room exists for recommended lay back cuts, shoring or slot cutting methods may be required. Additional recommendations for such conditions can be provided at that time based on the observed materials and subsequent lab testing.

6.2 SEISMIC DESIGN PARAMETERS

6.2.1 Mapped Seismic Design Parameters

For design of the project in accordance with Chapter 16 of the 2019 CBC, the mapped seismic parameters may be taken as presented in the tables below.

TABLE 6.1
2019 CBC Mapped Seismic Design Parameters

Parameter	Value
Site Class	D
Mapped MCE_R Spectral Response Acceleration, short periods, S_S	1.552
Mapped MCE_R Spectral Response Acceleration, at 1-sec. period, S_1	0.552
Site Coefficient, F_a	1.0
Site Coefficient, F_v	1.7445*
Adjusted MCE_R Spectral Response Acceleration, short periods, S_{MS}	1.552
Adjusted MCE_R Spectral Response Acceleration, at 1-sec. period, S_{M1}	0.968
Design Spectral Response Acceleration, short periods, S_{DS}	1.034
Design Spectral Response Acceleration, at 1-sec. period, S_{D1}	0.645
Long-Period Transition Period, T_L (sec.)	8
Seismic Design Category for Risk Categories I-IV	II

MCE_R = Risk-Targeted Maximum Considered Earthquake

*According to Section 11.4.8 in ASCE 7-16, "a ground motion hazard analysis shall be performed in accordance with Section 21.2 for the following structures on Site Class D and E sites with S_1 greater than or equal to 0.2." However, "A ground motion hazard analysis is not required for structures where: Structures on Site Class D sites with S_1 greater than or equal to 0.2, provided the value of the seismic response coefficient C_s is determined by Eq. (12.8-2) for values of $T \leq 1.5T_s$ and taken as equal to 1.5 times the value computed in accordance with either Eq. (12.8-3) for $T_L \geq T > 1.5T_s$ or Eq. (12.8-4) for $T > T_L$." The F_v value of 1.7 above from Table 11.4-2 assumes that this exception is met and that a ground motion hazard analysis is not required. Should this exception not be met, the site-specific seismic design parameters provided in the next section should be used.

6.2.2 Site-Specific Seismic Design Parameters

In addition to the Code Spectra parameters presented in Table 6.1, we have performed a site-specific ground motion hazard analysis in accordance with Chapter 21 of ASCE 7-16 to obtain site-specific seismic design acceleration parameters, the risk-targeted maximum considered earthquake response spectrum, and the design earthquake response spectrum. The site-specific seismic design parameters are presented below.

TABLE 6.2
2019 CBC Site Specific Seismic Design Parameters

Parameter	Value
Site Class	D
Site Coefficient, F_a	1.0
Site Coefficient, F_v	2.5
Adjusted MCE Spectral Response Acceleration, short periods, S_{MS}	1.833
Adjusted MCE Spectral Response Acceleration, at 1-sec. period, S_{M1}	1.822
Design Spectral Response Acceleration, short periods, S_{DS}	1.222
Design Spectral Response Acceleration, at 1-sec. period, S_{D1}	1.214

MCE = Maximum Considered Earthquake

6.3 CONVENTIONAL FOUNDATION DESIGN

6.3.1 General

As discussed in Section 5.2.4, the site is prone to liquefaction. To mitigate this condition, we recommend structures be supported by a foundation system consisting of a mat, post-tensioned slab, or spread footings tied together with a structural slab with grade beams. For this project, we have assumed the foundation system will utilize spread footings tied together with a structural slab with grade beams. Specific recommendations for this system is provided in the following sections. Recommendations for other systems can be provided upon request.

The following design parameters are provided to assist the project structural engineer to design foundations for structures at the site. These design parameters are based on typical site materials encountered during subsurface exploration and are provided for preliminary design and estimating purposes. The project geotechnical consultant should provide final design parameters following observation and testing of site materials during grading. Depending on actual materials encountered during site grading, the design parameters presented herein may require modification.

6.3.2 Soil Expansion

The recommendations presented herein are based on soils with a **Low** expansion potential. Following site grading, additional testing of site soils should be performed by the project geotechnical consultant to confirm the basis of these recommendations. If site soils with higher expansion potentials are encountered or imported to the site, the recommendations contained herein may require modification.

6.3.3 Static and Seismic Settlement

Based on anticipated foundation loads and provided that the recommendations for ground preparation in this report are followed, total and differential static settlement are anticipated to be less than 1 inch and ½ inch over 30 feet, respectively. These values are considered within tolerable limits of proposed structures and site improvements. Design of the structures should consider these maximum anticipated settlements.

6.3.4 Allowable Bearing Value

Foundations may utilize a bearing value of 2,000 pounds per square foot (psf) for continuous and pad footings a minimum width of 12 inches and founded at a minimum depth of 12 inches below the lowest adjacent grade. This value may be increased by 260 psf and 700 psf for each additional foot in width and depth, respectively, up to a maximum value of 4,000 psf. Recommended allowable bearing values include both dead and live loads may be increased by one-third for wind and seismic forces.

6.3.5 Lateral Resistance

For foundations that are founded in the native alluvial soils or compacted fill, a passive earth pressure of 300 pounds per square foot per foot of depth (psf/ft) up to a maximum value of 1,500 pounds per square foot (psf) may be used to determine lateral bearing for footings. This value may be increased by one-third when designing for wind and seismic forces. A coefficient of friction of 0.33 times the dead load forces may also be used between concrete and the supporting soils to determine lateral sliding resistance. No increase in the coefficient of friction should be used when designing for wind and seismic forces.

The above values are based on footings placed directly against compacted fill or competent native soils. In the case where footing sides are formed, all backfill against the footings should be compacted to at least 90 percent of the laboratory standard.

6.3.6 Footing Dimensions and Reinforcement

Exterior and interior pad footings should be founded at a minimum depth of 12 inches below the lowest adjacent grade and have a minimum width of 12 inches. All continuous footings should have a minimum depth of 12 inches below lowest adjacent grade and a minimum width of 12 inches.

All continuous footings should be reinforced with a minimum of four No. 5 bars, two top and two bottom. The structural engineer may require different reinforcement and should dictate if greater than the recommendations provided herein.

All isolated pad footings should be tied in both directions with a concrete grade beam to the nearest foundation. Grade beams should be at least 12 inches wide by 12 inches deep and be reinforced with four No. 5 bars, two top and two bottom. Reinforcing for the grade beams should tie into the adjacent footings.

6.3.7 Slabs on Grade

Interior concrete slabs constructed on grade should be a minimum 6 inches thick and should be reinforced with No. 3 bars spaced 18 inches each way. Care should be taken to ensure the placement of reinforcement at mid-slab height. The structural engineer may recommend a greater slab thickness and reinforcement based on proposed use and loading conditions and such recommendations should govern if greater than the recommendations presented herein. No. 4 tie bars should be provided between the slab and connecting grade beams at a spacing of 18 inches.

For consideration of point loading that may occur on the slab, a subgrade of modulus, K_{V1}, of 100 pci may be used.

Concrete floor slabs in areas to receive carpet, tile, or other moisture sensitive coverings should be underlain with a moisture vapor barrier 10-mil Visqueen, or equal. The membrane should be properly lapped, sealed, and protected with at least 2 inches of sand having an SE of 30 or more. This vapor barrier system is anticipated to be suitable for most flooring finishes that can accommodate some vapor emissions. However, this system may emit more than 4 pounds of water per 1000 sq. ft. and therefore, may not be suitable for all flooring finishes. Additional steps should be taken if such vapor emission levels are too high for anticipated flooring finishes.

Special consideration should be given to slabs in areas to receive ceramic tile or other rigid, crack-sensitive floor coverings. Design and construction of such areas should mitigate hairline cracking as recommended by the structural engineer.

Block-outs should be provided around interior columns to permit relative movement and mitigate distress to the floor slabs due to differential settlement that will occur between column footings and adjacent floor subgrade soils as loads are applied.

Prior to placing concrete, subgrade soils below slab-on-grade areas should be thoroughly moistened to provide a moisture content that is equal to or greater than 110% of the optimum moisture content to a depth of 12 inches.

6.3.8 Foundation Observations

Foundation excavation should be observed by the project geotechnical consultant to verify that they have been excavated into competent bearing soils and to the minimum embedment recommended above. These observations should be performed prior to placement of forms or reinforcement. The excavations should be trimmed neat, level and square. Loose, sloughed or moisture-softened materials and debris should be removed prior to placing concrete.

6.4 RETAINING AND SCREENING WALLS

6.4.1 General

The following preliminary design and construction recommendations are provided for general retaining and screen walls supported by engineered compacted fill or competent native soils. Final wall designs specific to the site development should be provided for review once completed. The structural engineer and architect should provide appropriate recommendations for sealing at all joints and applying moisture-proofing material on the back of the walls.

6.4.2 Allowable Bearing Value and Lateral Resistance

Design of retaining and screen walls may utilize the bearing and lateral resistance values provided in Sections 6.3.4 and **Error! Reference source not found.**.

6.4.3 Active Earth Pressures

Static and seismic earth pressures for level and 2:1 (H:V) backfill conditions are provided in Table 6.3. Seismic earth pressures provided herein are based on the method provided by Seed & Whitman (1970) using a peak ground acceleration (PGA) of 0.42 g for 10% probability of exceedance in 50 years. As indicated in Section 1803.5.12 of the 2019 CBC, retaining walls supporting 10 feet of

backfill or less are not required to be designed for seismic earth pressures. The values provided in the following table do not consider hydrostatic pressure. Retaining walls should also be designed to support adjacent surcharge loads imposed by other nearby footings or traffic loads in addition to the earth pressure.

TABLE 6.3

SEISMIC EARTH PRESSURES
Pressure Diagram



Pressure Values
Walls Up To 10 Feet High

Value	Backfill Condition	
	Level	2H:1V Slope
A	33H	54H
B	12.5H	12.5H
C	23H	33.5H

Note:
H is in feet and resulting pressure is in psf. Design may utilize either the sum of the static component and the seismic component force diagrams or the total force diagram above. SEAOSC has suggested using a load factor of 1.7 for the static component and 1.0 for the seismic component. The actual load factors should be determined by the structural engineer.

6.4.4 Drainage and Moisture-Proofing

Retaining walls should be constructed with a perforated pipe and gravel subdrain to prevent entrapment of water in the backfill. The perforated pipe should consist of 4-inch-diameter, ABS SDR-

35 or PVC Schedule 40 with the perforations laid down. The pipe should be embedded in ¾- to 1½-inch open-graded gravel wrapped in filter fabric. The gravel should be at least one foot wide and extend at least one foot up the wall above the footing and drainage outlet. Drainage gravel and piping should not be placed below outlets and weepholes. Filter fabric should consist of Mirafi 140N, or equal. Outlet pipes should be directed to positive drainage devices.

The use of weepholes may be considered in locations where aesthetic issues from potential nuisance water are not a concern. Weepholes should be 2 inches in diameter and provided at least every 6 feet on center. Where weepholes are used, perforated pipe may be omitted from the gravel subdrain.

Retaining walls supporting backfill should also be coated with a moisture-proofing compound or covered with such material to inhibit infiltration of moisture through the walls. Moisture-proofing material should cover any portion of the back of wall that will be in contact with soil and should lap over and onto the top of footing. A drainage panel should be provided between the soil backfill and water proofing. The panel should extend from the top of the backdrain gravel up to within 12 inches of finish grade. The top of footing should be finished smooth with a trowel where moisture proofing-materials are applied to inhibit the infiltration of water through the wall. The project structural engineer should provide specific recommendations for moisture-proofing, water stops, and joint details.

6.4.5 Footing Reinforcement and Wall Jointing

All continuous footings should be reinforced with a minimum of two No. 4 bars, one top and one bottom. Walls should be provided with cold joints spaced no more than 20 feet apart. Wall finishes and capping materials should not extend across the cold joint. The structural engineer may require different reinforcement or jointing and should dictate if greater than the recommendations provided herein. Where recommended removals are limited due to space restrictions, greater reinforcement and closer jointing may be recommended. Specific recommendations should be provided by the geotechnical consultant during grading based on as-built conditions exposed in the field.

6.4.6 Foundation Observations

Footing excavations should be observed by the project geotechnical consultant to verify that they have been excavated into competent bearing soils and to the minimum embedment recommended herein. These observations should be performed prior to placement of forms or reinforcement. The excavations should be trimmed neat, level and square. Loose, sloughed or moisture-softened materials and debris should be removed prior to placing concrete.

6.5 EXTERIOR FLATWORK

Exterior flatwork should be a minimum 4 inches thick. Cold joints or saw cuts should be provided at least every 7 feet in each direction. Flatwork having a minimum dimension more than 7 feet should be reinforced with No. 3 bars spaced 18 inches center to center each way or 6-inch by 6-inch, W4 by W4 welded wire mesh. Special jointing detail should be provided in areas of block-outs, notches, or other irregularities to avoid cracking at points of high stress. Subgrade soils below flatwork should be thoroughly moistened to at least 110 percent of the optimum moisture content to a depth of 12 inches. Moistening should be accomplished by lightly spraying the area over a period of a few days just prior to pouring concrete. The geotechnical consultant should observe and verify the density and moisture

content of subgrade soils prior to pouring concrete to ensure that the required compaction and pre-moistening recommendations have been met.

Drainage from flatwork areas should be directed to local area drains and/or other appropriate collection devices designed to carry runoff water to the street or other approved drainage structures. The concrete flatwork should also be sloped at a minimum gradient of 0.5 percent away from building foundations and retaining walls.

6.6 CONCRETE MIX DESIGN

Laboratory testing of near-surface soils for soluble sulfate content indicates soluble sulfate concentration of 0.002%. We recommend following the procedures provided in ACI 318, Section 19.3.1, Table 19.3.1.1 for **S0** sulfate exposure. Upon completion of rough grading, an evaluation of as-graded conditions and further laboratory testing should be completed for the site to confirm or modify the recommendations provided in this section.

6.7 CORROSION

Results of preliminary testing of soils for pH, chloride, and minimum resistivity indicate the site is potentially **Highly Corrosive** to metals that are in contact or close proximity to onsite soils. As such, specific recommendations should be obtained from a corrosion specialist if construction will include metals that will be near or in direct contact with site soils.

6.8 PRELIMINARY PAVEMENT DESIGN

6.8.1 Preliminary Pavement Structural Sections

Based on the soil conditions present at the site and an estimated traffic index, preliminary pavement sections are provided in the table below. A laboratory tested "R-value" of 33 was used for the near-surface soil in this preliminary pavement design. The sections provided below are for planning purposes only and should be re-evaluated subsequent to site grading. Final pavement sections should be based on actual R-value testing of in-place soils and analysis of anticipated traffic.

6.8.2 Subgrade Preparation

Prior to placement of paving elements, subgrade soils should be scarified 6 inches, moisture-conditioned to above the optimum moisture content then compacted to at least 90 percent of the maximum dry density determined in accordance with ASTM D1557. Areas observed to pump or yield under vehicle traffic should be removed and replaced with firm and unyielding engineered compacted soil or aggregate base materials.

6.8.3 Aggregate Base

Aggregate base materials should be Crushed Aggregate Base or Crushed Miscellaneous Base conforming to Section 200-2 of the Standard Specification for Public Works Construction (Greenbook) or Class 2 Aggregate Base conforming to the Caltrans' Standard Specifications. The materials should be moisture conditioned to slightly over the optimum moisture content then compacted to at least 95 percent of ASTM D 1557.

TABLE 6.4
PRELIMINARY PAVEMENT STRUCTURAL SECTIONS

Location	Traffic Index	AC (inches)	PCC (inches)	AB (inches)
Truck Drive Areas	7.5	4.0	--	11.0
		--	8.0	--
Parking Drives	5.0	3.0	--	5.0
		--	5.0	--
Parking Stalls	--	3.0	--	5.0

6.8.4 Asphaltic Concrete

Paving asphalt should be PG 64-10 conforming to the requirements of Section 203-1 of the Greenbook. Asphalt concrete materials should conform to Section 203-6 and construction should conform to Section 302 of the Greenbook.

6.8.5 Portland Cement Concrete

Portland cement concrete used to construct concrete paving should conform to Section 201 of the Greenbook and should have a minimum compressive strength of 3,250 pounds per square inch (psi) at 28 days. Reinforcement and jointing of concrete pavement sections should be designed according to the minimum recommendations provided by the Portland Cement Association (PCA). For rigid pavement, transverse and longitudinal contraction joints should be provided at spacing no greater than 15 feet. Score joints may be constructed by saw cutting to a depth of ¼ of the slab thickness. Expansion/cold joints may be used in lieu of score joints. Such joints should be properly sealed. Where traffic will traverse over cold joints without keyways or dowels or edges of concrete paving, the edges should be thickened by 20% of the design thickness toward the edge over a horizontal distance of 5 feet.

6.9 POST GRADING CONSIDERATIONS

6.9.1 Site Drainage and Irrigation

The ground immediately adjacent to foundations should be provided with positive drainage away from the structures in accordance with 2019 CBC, Section 1804.4. Based on soil and climatic conditions, the ground slope within 10 feet of the buildings may be reduced to 2%. No rain or excess water should be allowed to pond against structures such as walls, foundations, flatwork, etc.

Excessive irrigation water can be detrimental to the performance of the proposed site development. Water applied in excess of the needs of vegetation will tend to percolate into the ground. Such percolation can lead to nuisance seepage and shallow perched groundwater. Seepage can form on slope faces, on the faces of retaining walls, in streets, or other low-lying areas. These conditions could lead to adverse effects such as the formation of stagnant water that breeds insects, distress or damage of trees, surface erosion, slope instability, discoloration and salt buildup on wall faces, and premature

failure of pavement. Excessive watering can also lead to elevated vapor emissions within buildings that can damage flooring finishes or lead to mold growth inside the home.

Key factors that can help mitigate the potential for adverse effects of overwatering include the judicious use of water for irrigation, use of irrigation systems that are appropriate for the type of vegetation and geometric configuration of the planted area, the use of soil amendments to enhance moisture retention, use of low-water demand vegetation, regular use of appropriate fertilizers, and seasonal adjustments of irrigation systems to match the water requirements of vegetation. Specific recommendations should be provided by a landscape architect or other knowledgeable professional.

6.9.2 Utility Trenches

Trench excavations should be constructed in accordance with the recommendations contained in Section 6.1.8 of this report. Trench excavations must also conform to the requirements of Cal/OSHA.

Trench backfill materials and compaction criteria should conform to the requirements of the local municipalities. As a minimum, utility trench backfill should be compacted to at least 90 percent of the laboratory standard. Materials placed within the pipe zone (6 inches below and 12 inches above the pipe) should consist of particles no greater than ¾ inches and have a SE of at least 30. The materials within the pipe zone should be moisture-conditioned and compacted by hand-operated compaction equipment. Above the pipe zone (>1 foot above pipe), the backfill may consist of general fill materials. Trench backfill should be moisture-conditioned to slightly over the optimum moisture content, placed in lifts no greater than 12 inches in thickness, and then mechanically compacted with appropriate equipment to at least 90 percent of the laboratory standard. For trenches with sloped walls, backfill material should be placed in lifts no greater than 8 inches in loose thickness, and then compacted by rolling with a sheepsfoot roller or similar equipment. The project geotechnical consultant should perform density testing along with probing to verify that adequate compaction has been achieved.

Within shallow trenches (less than 18 inches deep) where pipes may be damaged by heavy compaction equipment, imported clean sand having a SE of 30 or greater may be utilized. The sand should be placed in the trench, thoroughly watered, and then compacted with a vibratory compactor. For utility trenches located below a 1:1 (H:V) plane projecting downward from the outside edge of the adjacent footing base or crossing footing trenches, concrete or slurry should be used as trench backfill.

6.10 PLAN REVIEW AND CONSTRUCTION SERVICES

We recommend ***Albus & Associates, Inc.*** be engaged to review any future development plans, including civil plans (grading plans), foundation plans, and proposed structural loads, prior to construction. This is to verify that the assumptions of this report are valid and that the preliminary conclusions and recommendations contained in this report have been properly interpreted and are incorporated into the project plans and specifications. If we are not provided the opportunity to review these documents, we take no responsibility for misinterpretation of our preliminary conclusions and recommendations.

We recommend that a geotechnical consultant be retained to provide soil engineering services during construction of the project. These services are to observe compliance with the design, specifications

or recommendations, and to allow design changes in the event that subsurface conditions differ from those anticipated prior to the start of construction.

If the project plans change significantly from the assumed development described herein, the project geotechnical consultant should review our preliminary design recommendations and their applicability to the revised construction. If conditions are encountered during construction that appear to be different than those indicated in this report or subsequent design reports, the project geotechnical consultant should be notified immediately. Design and construction revisions may be required.

7.0 LIMITATIONS

This report is based on the proposed development and geotechnical data as described herein. The materials encountered on the project site and utilized in our laboratory testing for this investigation are believed representative of the total project area, and the conclusions and recommendations contained in this report are presented on that basis. However, soil and bedrock materials can vary in characteristics between points of exploration, both laterally and vertically, and those variations could affect the conclusions and recommendations contained herein. As such, observation and testing by a geotechnical consultant during the grading and construction phases of the project are essential to confirming the basis of this report.

This report has been prepared consistent with that level of care being provided by other professionals providing similar services at the same locale and time period. The contents of this report are professional opinions and as such, are not to be considered a guaranty or warranty.

This report should be reviewed and updated after a period of one year or if the site ownership or project concept changes from that described herein.

This report has been prepared for the exclusive use of **G3 Urban Company** and their project consultants in the planning and design of the proposed development. This report has not been prepared for use by parties or projects other than those named or described herein. This report may not contain sufficient information for other parties or other purposes.

This report is subject to review by the controlling governmental agency.

Respectfully submitted,

ALBUS & ASSOCIATES, INC.

Eung Jin Jeon, Ph.D.
Associate Engineer
G.E. 3096

Reviewed by:

David E. Albus
Principal Engineer
G.E. 2445

8.0 REFERENCES

Publications

Abrahamson, N.A., Silva, W.J., and Kamai, R. 2014, "Update of the AS08 Ground-Motion Prediction Equations Based on the NGA-West2 Data Set." Earthquake Spectra 30 (3): 1179-1197.

American Society of Civil Engineers, 2017, Minimum Design Loads and Associated Criteria for Buildings and Other Structures, ASCE 7-16.

Boore, D.M., Stewart, J.P., Seyhan, E., and Atkinson, G.M., 2014, "NGA-West2 Equations for Predicting PGA, PGV, and 5% damped PSA for Shallow Crustal Earthquakes." Earthquake Spectra 30 (3): 1057-1085.

California Department of Conservation Division of Mines and Geology (CDMG), 1998, "Seismic Hazard Zone Report for the Los Alamitos 7.5-Minute Quadrangles, Los Angeles and Orange Counties, California," Seismic Hazard Zone Report 019.

California Geologic Survey, 2008, Guidelines for Evaluating and Mitigating Seismic Hazards in California, Special Publication 117A.

Campbell, K.W., and Bozorgnia, Y., 2014, "NGA-West2 Ground Motion Model for the Average Horizontal Components of PGA, PGV, and 5%-damped Linear Acceleration Response Spectra." Earthquake Spectra 30 (3): 1087-1115.

Chiou, B.S.-J., and Youngs, R.R., 2014, "Update of the Chiou and Youngs NGA Model for the Average Horizontal Component of Peak Ground Motion and Response Spectra, Earthquake Spectra, 30 (3): 1117-1153.

Field, E.H., Biasi, G.P., Bird, P., Dawson, T.E., Felzer, K.R., Jackson, D.D., Johnson, K.M., Jordan, T.H., Madden, C., Michael, A.J., Milner, K.R., Page, M.T., Parsons, T., Powers, P.M., Shaw, B.E., Thatcher, W.R., Weldon, R.J., II, and Zeng, Y., 2013, Uniform California earthquake rupture forecast, version 3 (UCERF3)—The time-independent model: U.S. Geological Survey Open-File Report 2013–1165, 97 p., California Geological Survey Special Report 228, and Southern California Earthquake Center Publication 1792, http://pubs.usgs.gov/of/2013/1165/.

NCEER, 1997, "Proceedings of the NCEER Workshop on Evaluation of Liquefaction Resistance of Soils," Technical Report NCEER-97-0022.

Post-Tensioning Institute, 2004, Post-Tensioned Slabs-on-Ground 3rd Edition.

Robertson, P.K., 2009, "Performance based earthquake design using the CPT", Proceedings of International Conference of Performance-Based Design in Earthquake.

Robertson, P.K. and Shao, L., 2010, "Estimation of seismic compression in dry soils using the CPT," Fifth International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics.

REFERENCES (cont.)

Seed, H.B., and Whitman, R.V., 1970, "Design of Earth Retaining Structures for Dynamic Loads," ASCE Specialty Conference, Lateral Stresses in the Ground and Design of Earth Retaining Structures, Cornell Univ., Ithaca, New York, 103-147.

Terzaghi, K., Peck, R.B., and Mesri, G, 1996, "Soil Mechanics in Engineering Practice", 3rd Edition, John Wiley and Sons, pp 549.

Youd, T.L., Idriss, I.M., Andrus, R.D., Arango, I., Castro, G., Christian, J., Dobry, R., Finn, W.D.L., Harder, L.F., Hynes, M.E., Ishihara, K., Koester, J.P., Liao, S.S.C., Marcuson, W.F., Martin, G.R., Mitchell, J.K., Moriwaki, Y., Power, M.S., Robertson, P.K., Seed, R.B., and Stokoe, K.H., 2001, "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils", Journal of Geotechnical and Geoenvironmental Engineering, October, 2001.



Google 2021

0 30 60 120

APPROX SCALE : 1" □ 60□

EXPLANATION

(Locations Approximate)

- Exploratory Boring
- CPT

ALBUS ASSOCIATES

GEOTECHNICAL MAP

Job No.: 3027.00	Date: 12/07/2021	Plate: 1

APPENDIX A

EXPLORATION LOGS AND CONE PENETRATION TEST RESULTS

Field Identification Sheet

Light gray

Gray

Dark gray

Gray Brown

Light brown

Brown

Dark Brown

Olive brown

Olive

Yellow

Yellowish brown

Yellowish red

Red

Reddish Brown

Tan

Description Order:

Description, Color, Moisture, Density, Grain Size, Additional Description

Description	%	Example
	0-5	Sand
trace	5-15	Sand trace Silt
with	15-30	Sand with Silt
	30+	Silty Sand

More Examples

Sand with Silt trace Clay

Sand trace Silt and Clay

Sand with Silt and Clay

Gravelly Sand with Silt trace Clay

Silty Clay with Sand trace Gravel

Moisture

Dry	absence of water
Damp	below optimum
Moist	near optimum
Very Moist	above optimum
Wet	free water visible

Density (Navfac)

Coarse grained soils	SPT	CA
Very Loose	0-3	0-5
Loose	3-8	5-13
Medium Dense	8-14	13-22
Dense	14-25	22-40
Very Dense	25>	40>
Fine grained soils		
Very Soft	2<	0-3
Soft	2-4	3-6
Medium Stiff	4-8	6-13
Stiff	8-15	13-24
Very Stiff	15-30	24-48
Hard	30>	48>

Grain Size

Description		Sieve Size	Approx. Size
Boulders		>12"	Larger than basketball
Cobbles		3-12"	Fist to basketball
Gravel	coarse	3/4-3"	Thumb to Fist
	fine	#4-3/4"	Pea to Thumb
Sand	coarse	#10-4	Rock Salt to Pea
	medium	#40-10	Sugar to Rock Salt
	fine	#200-40	Flour to Sugar
Fines		Pass #200	Smaller than Flour

Additional Description (ie. roots, pinhole pores, debris, etc.)

Trace 5% Moderate 15% Abundant 30%



EXPLORATION LOG

Project:		Location:
Address:		Elevation:
Job Number:	Client:	Date:
Drill Method:	Driving Weight:	Logged By:

Depth (feet)	Lith-ology	Material Description	Water	Samples: Blows Per Foot	Samples: Core	Samples: Bulk	Laboratory Tests: Moisture Content (%)	Laboratory Tests: Dry Density (pcf)	Laboratory Tests: Other Lab Tests
5		**EXPLANATION** Solid lines separate geologic units and/or material types. Dashed lines indicate unknown depth of geologic unit change or material type change. **Solid black rectangle** in Core column represents California Split Spoon sampler (2.5in ID, 3in OD). **Double triangle** in core column represents SPT sampler. **Vertical Lines** in core column represents Shelby sampler. **Solid black rectangle** in Bulk column respresents large bag sample. **Other Laboratory Tests:** Max = Maximum Dry Density/Optimum Moisture Content EI = Expansion Index SO4 = Soluble Sulfate Content DSR = Direct Shear, Remolded DS = Direct Shear, Undisturbed SA = Sieve Analysis (1" through #200 sieve) Hydro = Particle Size Analysis (SA with Hydrometer) 200 = Percent Passing #200 Sieve Consol = Consolidation SE = Sand Equivalent Rval = R-Value ATT = Atterberg Limits							
10									
15									
20									

EXPLORATION LOG

Project:		Location: B-1
Address: 180 Flallon Avenue, Artesia, CA 90701		Elevation: 54.4
Job Number: 3027.00	Client: G3 Urban	Date: 11/2/2021
Drill Method: Hollow-Stem Auger	Driving Weight: 140 lbs / 30 in	Logged By: ddalbus

Depth (feet)	Lith-ology	Material Description	Water	Samples: Blows Per Foot	Samples: Core	Samples: Bulk	Laboratory Tests: Moisture Content (%)	Laboratory Tests: Dry Density (pcf)	Laboratory Tests: Other Lab Tests
		Concrete							Max EI SO4 DS RVal pH Resist Ch Consol ATT
		ARTIFICIAL FILL (Af) Sandy Silt (ML): Grayish brown, moist, fine grained sand		14	■	■	22.4	100.7	
		ALLUVIUM (Qal) Sandy Silt (ML): Grayish brown, moist, stiff, fine grained sand, moderate pinhole pores		15	■	■	19.1	104.5	
5		@ 4 ft, more fine grained sand present Sand trace Silt (SP): Light gray, moist, loose, fine to medium grained sand		9	■		11.9	100.5	
10		Sandy Silt / Silty Sand (ML/SM): Grayish brown, very moist, stiff / medium dense, fine grained sand	▽	17	■		20.1	99.8	
15		Sand trace Silt (SP): Grayish brown, wet, medium dense, fine to medium grained sand		14	⧗				
20		Sandy Silt (SM): Grayish brown, wet, medium stiff, fine grained sand		4	⧗				200
25		Sand trace Silt (SP): Light gray, wet, medium dense, fine to medium grained sand		16	⧗				
		Total Depth 26.5 feet Groundwater 14 feet Boring backfilled with bentonite and capped with concrete							

EXPLORATION LOG

Project:		Location: B-2
Address: 180 Flallon Avenue, Artesia, CA 90701		Elevation: 53.4
Job Number: 3027.00	Client: G3 Urban	Date: 11/2/2021
Drill Method: Hollow-Stem Auger	Driving Weight: 140 lbs / 30 in	Logged By: ddalbus

Depth (feet)	Lith-ology	Material Description	Water	Samples: Blows Per Foot	Samples: Core	Samples: Bulk	Laboratory Tests: Moisture Content (%)	Laboratory Tests: Dry Density (pcf)	Laboratory Tests: Other Lab Tests
		Concrete							
		ARTIFICIAL FILL (Af)							
		Sandy Silt trace Clay (ML): Grayish brown, damp to moist, fine grained sand		17	■		24.2	97.9	Consol
		ALLUVIUM (Qal)							
		Sandy Silt trace Clay (ML): Grayish brown, damp to moist, medium dense, fine grained sand, trace pinhole pores, decayed rootlets		15	■		19.4	100.5	
5		Silty Sand / Sandy Silt (SM/ML): Grayish brown, moist, medium dense / stiff, fine grained sand		12	■		15.7	90.7	
		Silty Sand (SM): Light grayish brown, very moist, loose, fine grained sand							
10		Sandy Silt trace Clay (ML): Grayish brown, very moist, stiff, fine grained sand		18	■		12.6	98.8	Consol
		Silty Sand (SM): Grayish brown, very moist, medium dense, fine grained sand							
		Sand trace Silt (SP): Grayish brown, very moist, medium dense, fine to medium grained sand	▽						
15		Silty Sand (SM): Grayish brown, wet, medium dense, fine grained sand, significant fines		12	▼				
		@ 16.3 ft, Gray							
20		Silty Sand (SM): Grayish brown, wet, loose, fine grained sand		6	▼				200
25		Sand trace Silt (SP): Light grayish brown, wet, dense, fine to medium grained sand		19	▼				

EXPLORATION LOG

Project:		Location: B-2
Address: 180 Flallon Avenue, Artesia, CA 90701		Elevation: 53.4
Job Number: 3027.00	Client: G3 Urban	Date: 11/2/2021
Drill Method: Hollow-Stem Auger	Driving Weight: 140 lbs / 30 in	Logged By: ddalbus

Depth (feet)	Lith-ology	Material Description	Water	Samples: Blows Per Foot	Samples: Core	Samples: Bulk	Laboratory Tests: Moisture Content (%)	Laboratory Tests: Dry Density (pcf)	Laboratory Tests: Other Lab Tests
		Silty Sand trace Clay (SM): Grayish brown, wet, medium dense, fine grained sand		8					200
35		Sand trace Silt (SP): Grayish brown, wet, dense, fine to medium grained sand		25					
40		Sandy Silt (ML): Gray, wet, very stiff, fine grained sand		13					200
45		Sand (SP): Grayish brown, wet, very dense, fine to medium grained sand		35					
50		Sandy Silt (ML): Grayish brown, wet, very stiff, fine grained sand		11					
		Total Depth 51.5 feet Groundwater 14 feet Boring backfilled with bentonite and capped with concrete							

EXPLORATION LOG

Project:		Location: B-3
Address: 180 Flallon Avenue, Artesia, CA 90701		Elevation: 57
Job Number: 3027.00	Client: G3 Urban	Date: 11/2/2021
Drill Method: Hollow-Stem Auger	Driving Weight: 140 lbs / 30 in	Logged By: ddalbus

Depth (feet)	Lith-ology	Material Description	Water	Samples: Blows Per Foot	Samples: Core	Samples: Bulk	Laboratory Tests: Moisture Content (%)	Laboratory Tests: Dry Density (pcf)	Laboratory Tests: Other Lab Tests
		concrete with rebar							
		ARTIFICIAL FILL (Af) Silty Sand / Sandy Silt (SM/ML): Grayish brown, moist, fine grained sand		15	■		20.9	102.9	
		ALLUVIUM (Qal) Silty Sand / Sandy Silt (SM/ML): Grayish brown, moist, medium dense / stiff, fine grained sand, trace pinhole pores		13	■		19.2	101.8	
5		@ 4 ft, loose / stiff Silty Sand (SM): Grayish brown, moist, loose, fine grained sand		11	■		15.3	97	Consol
10		@ 10 ft, very moist, medium dense	▽	17	■		15.4	93.2	
15		Sand trace Silt and Clay (SP): Grayish brown, wet, loose, fine grained sand		4	⧗				
		Silty Sand (SM): Gray, wet, loose, fine to medium grained sand							
20		Silty Sand with Clay (SM): Grayish brown, wet, loose, fine grained sand		4	⧗				200
25		Sand (SP): Grayish brown, wet, medium dense, fine to medium grained sand		11	⧗				
		Total Depth 26.5 feet Groundwater 14 feet Boring backfilled with bentonite and capped with concrete							

SUMMARY

OF

CONE PENETRATION TEST DATA

Project:

180 Flallon Avenue
Artesia, CA
November 2, 2021

Prepared for:

Mr. Danny Albus
Albus & Associates
1011 N. Armando Street
Anaheim, CA 92806-2606
Office (714) 630-1626 / Fax (714) 630-1916

Prepared by:

KEHOE TESTING & ENGINEERING
5415 Industrial Drive
Huntington Beach, CA 92649-1518
Office (714) 901-7270 / Fax (714) 901-7289
www.kehoetesting.com

TABLE OF CONTENTS

1. **INTRODUCTION**
2. **SUMMARY OF FIELD WORK**
3. **FIELD EQUIPMENT & PROCEDURES**
4. **CONE PENETRATION TEST DATA & INTERPRETATION**

APPENDIX

- CPT Plots
- CPT Classification/Soil Behavior Chart
- CPT Data Files (sent via email)

SUMMARY

OF

CONE PENETRATION TEST DATA

1. INTRODUCTION

This report presents the results of a Cone Penetration Test (CPT) program carried out for the project located at 180 Flallon Avenue in Artesia, California. The work was performed by Kehoe Testing & Engineering (KTE) on November 2, 2021. The scope of work was performed as directed by Albus & Associates personnel.

2. SUMMARY OF FIELD WORK

The fieldwork consisted of performing CPT soundings at four locations to determine the soil lithology. A summary is provided in **TABLE 2.1**.

LOCATION	DEPTH OF CPT (ft)	COMMENTS/NOTES:
CPT-1	50	
CPT-2	50	
CPT-3	50	
CPT-4	50	

TABLE 2.1 - Summary of CPT Soundings

3. FIELD EQUIPMENT & PROCEDURES

The CPT soundings were carried out by **KTE** using an integrated electronic cone system manufactured by Vertek. The CPT soundings were performed in accordance with ASTM standards (D5778). The cone penetrometers were pushed using a 30-ton CPT rig. The cone used during the program was a 15 cm^2 cone with a cone net area ratio of 0.83. The following parameters were recorded at approximately 2.5 cm depth intervals:

- Cone Resistance (qc)
- Sleeve Friction (fs)
- Dynamic Pore Pressure (u)
- Inclination
- Penetration Speed

The above parameters were recorded and viewed in real time using a laptop computer. Data is stored at the KTE office for up to 2 years for future analysis and reference. A complete set of baseline readings was taken prior to each sounding to determine temperature shifts and any zero load offsets. Monitoring base line readings ensures that the cone electronics are operating properly.

4. CONE PENETRATION TEST DATA & INTERPRETATION

The Cone Penetration Test data is presented in graphical form in the attached Appendix. These plots were generated using the CPeT-IT program. Penetration depths are referenced to ground surface. The soil behavior type on the CPT plots is derived from the attached CPT SBT plot (Robertson, "Interpretation of Cone Penetration Test…", 2009) and presents major soil lithologic changes. The stratigraphic interpretation is based on relationships between cone resistance (qc), sleeve friction (fs), and penetration pore pressure (u). The friction ratio (Rf), which is sleeve friction divided by cone resistance, is a calculated parameter that is used along with cone resistance to infer soil behavior type. Generally, cohesive soils (clays) have high friction ratios, low cone resistance and generate excess pore water pressures. Cohesionless soils (sands) have lower friction ratios, high cone bearing and generate little (or negative) excess pore water pressures.

The CPT data files have also been provided. These files can be imported in CPeT-IT (software by GeoLogismiki) and other programs to calculate various geotechnical parameters.

It should be noted that it is not always possible to clearly identify a soil type based on qc, fs and u. In these situations, experience, judgement and an assessment of the pore pressure data should be used to infer the soil behavior type.

If you have any questions regarding this information, please do not hesitate to call our office at (714) 901-7270.

Sincerely,

KEHOE TESTING & ENGINEERING

Steven P. Kehoe
President

11/04/21-hh-3536

APPENDIX

Kehoe Testing and Engineering
714-901-7270
steve@kehoetesting.com
www.kehoetesting.com

Project: **Albus & Associates**
Location: **180 Flallon Ave, Artesia, CA**

CPT-1
Total depth: 50.20 ft, Date: 11/2/2021



Kehoe Testing and Engineering
714-901-7270
steve@kehoetesting.com
www.kehoetesting.com

Project: **Albus & Associates**
Location: **180 Flallon Ave, Artesia, CA**

CPT-2
Total depth: 50.22 ft, Date: 11/2/2021



Kehoe Testing and Engineering
714-901-7270
steve@kehoetesting.com
www.kehoetesting.com

Project: **Albus & Associates**
Location: **180 Flallon Ave, Artesia, CA**

CPT-3
Total depth: 50.24 ft, Date: 11/2/2021



Kehoe Testing and Engineering
714-901-7270
steve@kehoetesting.com
www.kehoetesting.com

Project: **Albus & Associates**
Location: **180 Flallon Ave, Artesia, CA**

CPT-4
Total depth: 50.22 ft, Date: 11/2/2021



Kehoe Testing & Engineering
714-901-7270
steve@kehoetesting.com
www.kehoetesting.com



APPENDIX B

LABORATORY TEST RESULTS

LABORATORY TESTING PROGRAM

Soil Classification

Soils encountered within the exploratory borings were initially classified in the field in general accordance with the visual-manual procedures of the Unified Soil Classification System (ASTM D 2488). The samples were re-examined in the laboratory and classifications reviewed and then revised where appropriate. The assigned group symbols are presented on the Exploration Logs provided in Appendix A.

In-Situ Moisture Content and Dry Density

Moisture content and dry density of in-place soil materials were determined in representative strata. Test data are summarized on the Exploration Logs, Appendix A.

Atterberg Limits

Atterberg Limits (Liquid Limit, Plastic Limit, and Plasticity Index) were performed in accordance with Test Method ASTM D 4318. Pertinent test values are presented within Table B-1.

Maximum Dry Density and Optimum Moisture Content

Maximum dry density and optimum moisture content were performed on a representative sample of the site materials obtained from our field explorations. The test was performed in accordance with ASTM D 1557. Pertinent test values are given in Table B-1.

Expansion Potential

Expansion index testing was performed on a selected sample. The test was performed in accordance with ASTM D4829. The test result and expansion potential are presented in Table B-1.

Direct Shear

The Coulomb shear strength parameters, angle of internal friction and cohesion, were determined for a bulk sample and intact samples obtained from one our borings. The tests were performed in general conformance with Test Method ASTM D 3080. The bulk sample was remolded to 90 percent of maximum dry density and at the optimum moisture content. Three specimens were prepared for each test, artificially saturated, and then sheared under varied loads at an appropriate constant rate of strain. Results are graphically presented on Plate B-5.

Consolidation

Consolidation tests were performed for selected soil samples in general conformance with ASTM D 2435. Axial loads were applied in several increments to a laterally restrained 1-inch-high sample. Loads were applied in geometric progression by doubling the previous load, and the resulting deformations were recorded at selected time intervals. The specific test samples were inundated at selected loads to evaluate the effects of a sudden increase in moisture content (hydro-consolidation potential). Results of the tests are graphically presented on Plates B-1 to B-4.

Soluble Sulfate Content

A chemical analysis was performed on a selected sample to determine soluble sulfate content. This test was performed in our soil laboratory in accordance with California Test Method No 417. The test result is included on Table B-1.

Corrosion

Select samples were tested for minimum resistivity, chloride, pH in accordance with California Test Method 643. Results of these tests are provided in Table B-1.

R-Value

A sample of soil was tested for R-value in accordance with California Test Method (CTM) 301. The results are summarized in Plate B-6.

TABLE B-1
SUMMARY OF LABORATORY TEST RESULTS

Boring No.	Sample Depth (ft.)	Soil Description	Test Results	
B-1	0-5	Sandy Silt trace Clay	Maximum Dry Density (pcf): Optimum Moisture (%): Expansion Index: Expansion Potential: Soluble Sulfate Content (%): Sulfate Exposure: R-Value (By Exudation): Resistivity (ohm-cm): Chloride (ppm): pH:	113.5 15.5 23 Low 0.002 Negligible 43 2500 160 9.45
B-1	2	Sandy Silt	Liquid Limit (%): Plasticity Index (%):	32.7 9
B-1	20	Sandy Silt	Passing No. 200 Sieve (%):	53.4
B-2	20	Silty Sand	Passing No. 200 Sieve (%):	46.6
B-2	30	Silty Sand	Passing No. 200 Sieve (%):	38.5
B-2	40	Sand trace Silt	Passing No. 200 Sieve (%):	7.2
B-3	20	Silty Sand with Clay	Passing No. 200 Sieve (%):	53.2

Note: Additional laboratory test results are provided on the boring logs provided in Appendix A.

CONSOLIDATION



Job Number	Location	Depth	Description
3027.00	B-1	2	Sandy Silt (ML)

Initial Dry Density (pcf)	Initial Moisture Content (%)	Final Moisture Concent (%)
99	23.4	24.8

CONSOLIDATION



Job Number	Location	Depth	Description
3027.00	B-2	2	Sandy Silt (ML)

Initial Dry Density (pcf)	Initial Moisture Content (%)	Final Moisture Concent (%)
100.1	22.3	25.5

CONSOLIDATION



Job Number	Location	Depth	Description
3027.00	B-2	10	Sandy Silt (ML)

Initial Dry Density (pcf)	Initial Moisture Content (%)	Final Moisture Concent (%)
94.7	17.1	28.3

CONSOLIDATION



Job Number	Location	Depth	Description
3027.00	B-3	6	Silty Sand (SM)

Initial Dry Density (pcf)	Initial Moisture Content (%)	Final Moisture Concent (%)
98.9	9	18.3

DIRECT SHEAR







Sample Type:	Remolded, Saturated		
Normal Stress (ksf)	1	2	4
Peak Shear Stress (ksf)	0.9	1.296	2.28
Peak Displacement (in)	0.007	0.003	0.004
Ultimate Shear Stress (ksf)	0.744	1.248	2.28
Ultimate Displacement (in)	0.25	0.25	0.25
Initial Dry Density (pcf)	95.9	95.5	95.5
Initial Moisture Content (%)	23.2	23.2	23.2
Final Moisture Content (%)	32	32	32.7
Strain Rate (in/min)	0.05		

Job Number	Location	Depth	Description
3027.00	B-1	0-5	Sandy Silt

'R' VALUE CA 301

Client: Albus | Date: 11/9/21 | By: LD

Client's Job No.: 3027.00 | Sample : B-1 @ 0 - 5'

GLA Reference: 2005-011 | Soil Type: Brown, Sandy Clay

TEST SPECIMEN		A	B	C	D
Compactor Air Pressure	psi	**200**	**300**	**250**	
Initial Moisture Content	%	**17.3**	**17.3**	**17.3**	
Water Added	ml	**0**	**-15**	**-8**	
Moisture at Compaction	%	17.3	15.9	16.5	
Sample & Mold Weight	gms	**3174**	**3192**	**3163**	
Mold Weight	gms	**2103**	**2098**	**2099**	
Net Sample Weight	gms	1071	1094	1064	
Sample Height	in.	**2.5**	**2.511**	**2.466**	
Dry Density	pcf	110.6	113.9	112.2	
Pressure	lbs	**2835**	**7550**	**4620**	
Exudation Pressure	psi	226	601	368	
Expansion Dial	x 0.0001	**27**	**115**	**70**	
Expansion Pressure	psf	117	498	303	
Ph at 1000lbs	psi	**38**	**22**	**30**	
Ph at 2000lbs	psi	**82**	**48**	**60**	
Displacement	turns	**4.69**	**4.05**	**4.29**	
R' Value		34	59	49	
Corrected 'R' Value		**34**	**59**	**49**	

FINAL 'R' VALUE	
By Exudation Pressure (@ 300 psi):	**43**
By Epansion Pressure :	**33**
TI = 5	

Geo-Logic ASSOCIATES

APPENDIX C

LIQUEFACTION ANALYSIS

Albus & Associates, Inc.
Geotechnical Consultants
1011 N. Armando Street, Anaheim, CA
albus-keefe.net

LIQUEFACTION ANALYSIS REPORT

Project title : 3027.00 **Location : Artesia, CA**

CPT file : CPT-1

Input parameters and analysis data

Analysis method:	NCEER (1998)	G.W.T. (in-situ):	14.00 ft	Use fill:	No	Clay like behavior applied:	Sands only
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	10.00 ft	Fill height:	N/A	Limit depth applied:	No
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth:	N/A
Earthquake magnitude M_w:	6.83	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	MSF method:	Method based
Peak ground acceleration:	0.73	Unit weight calculation:	Based on SBT	K_σ applied:	Yes		







Zone A_1: Cyclic liquefaction likely depending on size and duration of cyclic loading
Zone A_2: Cyclic liquefaction and strength loss likely depending on loading and ground geometry
Zone B: Liquefaction and post-earthquake strength loss unlikely, check cyclic softening
Zone C: Cyclic liquefaction and strength loss possible depending on soil plasticity, brittleness/sensitivity, strain to peak undrained strength and ground geometry

Liquefaction analysis summary plots







Input parameters and analysis data

Analysis method:	NCEER (1998)	Depth to water table (erthq.):	10.00 ft	Fill weight:	N/A
Fines correction method:	NCEER (1998)	Average results interval:	3	Transition detect. applied:	Yes
Points to test:	Based on Ic value	Ic cut-off value:	2.60	K_σ applied:	Yes
Earthquake magnitude M_w:	6.83	Unit weight calculation:	Based on SBT	Clay like behavior applied:	Sands only
Peak ground acceleration:	0.73	Use fill:	No	Limit depth applied:	No
Depth to water table (insitu):	14.00 ft	Fill height:	N/A	Limit depth:	N/A

Estimation of post-earthquake settlements



Abbreviations

q_t:	Total cone resistance (cone resistance q_c corrected for pore water effects)
I_c:	Soil Behaviour Type Index
FS:	Calculated Factor of Safety against liquefaction
Volumentric strain:	Post-liquefaction volumentric strain

Albus & Associates, Inc.
Geotechnical Consultants
1011 N. Armando Street, Anaheim, CA
albus-keefe.net

LIQUEFACTION ANALYSIS REPORT

Project title : 3027.00 **Location : Artesia, CA**

CPT file : CPT-2

Input parameters and analysis data

Analysis method:	NCEER (1998)	G.W.T. (in-situ):	14.00 ft	Use fill:	No	Clay like behavior applied:	Sands only
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	10.00 ft	Fill height:	N/A	Limit depth applied:	No
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth:	N/A
Earthquake magnitude M_w:	6.83	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	MSF method:	Method based
Peak ground acceleration:	0.73	Unit weight calculation:	Based on SBT	K_σ applied:	Yes		







Zone A_1: Cyclic liquefaction likely depending on size and duration of cyclic loading
Zone A_2: Cyclic liquefaction and strength loss likely depending on loading and ground geometry
Zone B: Liquefaction and post-earthquake strength loss unlikely, check cyclic softening
Zone C: Cyclic liquefaction and strength loss possible depending on soil plasticity, brittleness/sensitivity, strain to peak undrained strength and ground geometry

Liquefaction analysis summary plots







Input parameters and analysis data

Analysis method:	NCEER (1998)	Depth to water table (erthq.):	10.00 ft	Fill weight:	N/A
Fines correction method:	NCEER (1998)	Average results interval:	3	Transition detect. applied:	Yes
Points to test:	Based on Ic value	Ic cut-off value:	2.60	K_σ applied:	Yes
Earthquake magnitude M_w:	6.83	Unit weight calculation:	Based on SBT	Clay like behavior applied:	Sands only
Peak ground acceleration:	0.73	Use fill:	No	Limit depth applied:	No
Depth to water table (insitu):	14.00 ft	Fill height:	N/A	Limit depth:	N/A

Estimation of post-earthquake settlements



Abbreviations

q_t:	Total cone resistance (cone resistance q_c corrected for pore water effects)
I_c:	Soil Behaviour Type Index
FS:	Calculated Factor of Safety against liquefaction
Volumentric strain:	Post-liquefaction volumentric strain

Albus & Associates, Inc.
Geotechnical Consultants
1011 N. Armando Street, Anaheim, CA
albus-keefe.net

LIQUEFACTION ANALYSIS REPORT

Project title : 3027.00 **Location : Artesia, CA**

CPT file : CPT-3

Input parameters and analysis data

Analysis method:	NCEER (1998)	G.W.T. (in-situ):	14.00 ft	Use fill:	No	Clay like behavior applied:	Sands only
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	10.00 ft	Fill height:	N/A		
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth applied:	No
Earthquake magnitude M_w:	6.83	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	Limit depth:	N/A
Peak ground acceleration:	0.73	Unit weight calculation:	Based on SBT	K_σ applied:	Yes	MSF method:	Method based







Zone A_1: Cyclic liquefaction likely depending on size and duration of cyclic loading
Zone A_2: Cyclic liquefaction and strength loss likely depending on loading and ground geometry
Zone B: Liquefaction and post-earthquake strength loss unlikely, check cyclic softening
Zone C: Cyclic liquefaction and strength loss possible depending on soil plasticity, brittleness/sensitivity, strain to peak undrained strength and ground geometry

Liquefaction analysis summary plots







Input parameters and analysis data

Analysis method:	NCEER (1998)	Depth to water table (erthq.):	10.00 ft	Fill weight:	N/A
Fines correction method:	NCEER (1998)	Average results interval:	3	Transition detect. applied:	Yes
Points to test:	Based on Ic value	Ic cut-off value:	2.60	K_σ applied:	Yes
Earthquake magnitude M_w:	6.83	Unit weight calculation:	Based on SBT	Clay like behavior applied:	Sands only
Peak ground acceleration:	0.73	Use fill:	No	Limit depth applied:	No
Depth to water table (insitu):	14.00 ft	Fill height:	N/A	Limit depth:	N/A

Estimation of post-earthquake settlements



Abbreviations

q_t:	Total cone resistance (cone resistance q_c corrected for pore water effects)
I_c:	Soil Behaviour Type Index
FS:	Calculated Factor of Safety against liquefaction
Volumentric strain:	Post-liquefaction volumentric strain

Albus & Associates, Inc.
Geotechnical Consultants
1011 N. Armando Street, Anaheim, CA
albus-keefe.net

LIQUEFACTION ANALYSIS REPORT

Project title : 3027.00 **Location : Artesia, CA**

CPT file : CPT-4

Input parameters and analysis data

Analysis method:	NCEER (1998)	G.W.T. (in-situ):	14.00 ft	Use fill:	No	Clay like behavior applied:	Sands only
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	10.00 ft	Fill height:	N/A	Limit depth applied:	No
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth:	N/A
Earthquake magnitude M_w:	6.83	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	MSF method:	Method based
Peak ground acceleration:	0.73	Unit weight calculation:	Based on SBT	K_σ applied:	Yes		







Zone A_1: Cyclic liquefaction likely depending on size and duration of cyclic loading
Zone A_2: Cyclic liquefaction and strength loss likely depending on loading and ground geometry
Zone B: Liquefaction and post-earthquake strength loss unlikely, check cyclic softening
Zone C: Cyclic liquefaction and strength loss possible depending on soil plasticity, brittleness/sensitivity, strain to peak undrained strength and ground geometry

Liquefaction analysis summary plots







Input parameters and analysis data

Analysis method:	NCEER (1998)	Depth to water table (erthq.):	10.00 ft	Fill weight:	N/A
Fines correction method:	NCEER (1998)	Average results interval:	3	Transition detect. applied:	Yes
Points to test:	Based on Ic value	Ic cut-off value:	2.60	K_σ applied:	Yes
Earthquake magnitude M_w:	6.83	Unit weight calculation:	Based on SBT	Clay like behavior applied:	Sands only
Peak ground acceleration:	0.73	Use fill:	No	Limit depth applied:	No
Depth to water table (insitu):	14.00 ft	Fill height:	N/A	Limit depth:	N/A

Estimation of post-earthquake settlements



Abbreviations

q_t:	Total cone resistance (cone resistance q_c corrected for pore water effects)
I_c:	Soil Behaviour Type Index
FS:	Calculated Factor of Safety against liquefaction
Volumentric strain:	Post-liquefaction volumentric strain

Appendix B

Phase I Environmental Site Assessment and Phase II Subsurface Investigation

PHASE I ENVIRONMENTAL SITE ASSESSMENT AND PHASE II SUBSURFACE INVESTIGATION

11709 ARTESIA BOULEVARD
17208 AND 17212 ALBURTIS AVENUE
ARTESIA, CALIFORNIA

Prepared for:
Artesia & Flallon, LLC and Borstein Enterprises

Prepared by:
Ramboll US Consulting Inc.
Irvine, California

Date:
December 20, 2021

Project Number:
1690009964

RAMBOLL

ENVIRONMENT
& HEALTH

SIGNATURE AND ENVIRONMENTAL PROFESSIONAL STATEMENT

We declare that, to the best of our professional knowledge and belief, we meet the definition of Environmental Professional as defined in §312.10 of 40 CFR 312.

We have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. We have developed and performed All Appropriate Inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.

Stephanie Eckelman

Stephanie Eckelman
Senior Consultant

Brian Bauer, PG
Senior Managing Consultant

Leo Rebele
Principal

CONTENTS

		Page
1.	**SUMMARY OF CONCLUSIONS**	**1**
1.1	Site Summary	1
1.2	Recognized Environmental Conditions	1
1.3	Other Findings	1
2.	**INTRODUCTION**	**4**
2.1	Scope of Work	4
2.2	Significant Assumptions	5
2.3	Reliance and General Limitations	6
3.	**SITE DESCRIPTION**	**7**
3.1	Site Setting	7
3.2	Current Use of Site	10
3.2.1	Current Operations	10
3.2.2	Waste Management	11
3.2.3	Wastewater and Storm Water	11
3.2.4	Air Emissions	12
4.	**REVIEW OF PUBLIC RECORDS AND OTHER INFORMATION SOURCES**	**13**
4.1	Environmental Regulatory Database Review	13
4.1.1	Database Review for Site	13
4.1.2	Database Review for Adjoining Properties	14
4.1.3	Database Review for Other Surrounding Properties	18
4.2	Historical Uses of the Site and Adjacent Properties	18
4.2.1	Past Uses of the Site	18
4.2.2	Past Uses of Adjacent Properties	20
4.3	Review of Local and State Agency Information	20
4.4	Previous Environmental Assessments and Activities	21
4.5	Interviews	22
4.6	User-Provided Information	22
5.	**SITE RECONNAISSANCE**	**23**
5.1	Methodology and Limiting Conditions	23
5.2	General Site Setting and Observations	23
5.2.1	Hazardous Substances and Petroleum Products	25
5.2.2	Underground Storage Tanks	25
5.2.3	Aboveground Storage Tanks	26
5.2.4	Pools of liquid, standing surface water or sumps	27
5.2.5	Polychlorinated Biphenyls (PCBs)	28
5.2.6	Stains or Corrosion on Interior Floors, Walls or Ceilings	28
5.2.7	Asbestos-Containing Materials (ACMs)	28
5.2.8	Lead-Based Paint	29
5.2.9	Water Intrusion	29
5.2.10	Radon	29
7.	**FINDINGS, OPINION, AND CONCLUSIONS**	**33**
7.1	Findings, Opinions, and Conclusions	33
7.1.1	Recognized Environmental Conditions	33
7.2	Other Findings	33

CONTENTS *(CONTINUED)*

		Page
7.3	*De Minimis* Conditions	34
7.4	Non-Scope Considerations	34
7.5	Analysis of Data Gaps	35
8.	**ASTM DEFINITIONS**	**37**

TABLES

Table 1:	Building Operations Descriptions	7
Table 2:	Physical Setting and Utility Information	8
Table 3:	Summary of Environmental Database Listings for the Site	13
Table 4:	Contamination-Related Database Listings for Adjoining Properties [1]	15
Table 5:	Summary of Key Observations from Historical Sources for the Site	19
Table 6:	Local Agency Information for the Site	20
Table 7:	Summary of Site Reconnaissance Observations	23
Table 8:	Underground Storage Tanks	26
Table 9:	Aboveground Chemical and Petroleum Storage Tanks and Bulk Containers	26

FIGURES

Figure 1: Site Location Map
Figure 2: Site Layout
Figure 3: Soil Vapor and Soil Sampling Locations
Figure 4: Summary of VOC Results in Soil Vapor

APPENDICES

Appendix A: Site Photographs
Appendix B: Environmental Database Report
Appendix C: Historical Research Documentation
C.1: Topographic Maps
C.2: Aerial Photographs2021 Ramboll Subsurface Investigation Results – Soil and Soil Vapor Analytical Summary Tables and Analytical Laboratory Reports
C.3: Abstract of City Directories
C.4: Historical Fire Insurance Maps
Appendix D: 2021 Ramboll Subsurface Investigation Results – Soil and Soil Vapor Analytical Summary Tables and Analytical Laboratory Reports
Appendix E: Boring Logs
Appendix F: Qualifications of Environmental Professionals

1. SUMMARY OF CONCLUSIONS

Ramboll US Consulting Inc. (Ramboll) was retained by Artesia & Flallon, LLC and Borstein Enterprises (the Client) to perform a Phase I Environmental Site Assessment (ESA) and Phase II subsurface investigation of the vacant, former dairy product processing facility and associated parking lot located at 11709 Artesia Boulevard and 17208 and 17212 Alburtis Avenue in Artesia, California (herein referred to as the "facility" or the "site;" see Figures 1 and 2).

Ramboll's assessment was conducted in connection with a potential purchase of the site. The objective of the Phase I ESA, which was conducted in conformance with the scope and limitations of ASTM International's *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process* E1527-13 (the "ASTM Standard"), and the Environmental Protection Agency Standards and Practices for All Appropriate Inquiries (AAI) (40 CFR Part 312), was to identify Recognized Environmental Conditions (RECs), as defined in the ASTM Standard, and the scope of services identified in the August 2021 Master Environmental Consulting Services Agreement (MSA) between the Client and Ramboll, was to identify Recognized Environmental Conditions (RECs) as defined in the ASTM Standard (see Section 8).

1.1 Site Summary

California Dairies Inc. (formerly known as California Milk Producers) owns and maintains a vacant, former dairy product processing facility and associated parking lot in Artesia, California. The parcel located along Artesia Boulevard is approximately 3.33 acres and is currently improved as the former California Dairy manufacturing facility with five buildings totaling over 50,000 square feet. The buildings include a milk and milk product processing plant, two story office building, United States Department of Agriculture (USDA) certified testing laboratory, evaporating, drying and bagging building, a warehouse, and a parts storage building (former fleet garage).

The site was naturally vegetated land from the late 1800s through the early 1940s. By the mid-1950s, the southern and eastern portions of the site were constructed as a dairy processing facility. Residences occupied the northern and western portions of the site between the 1950s and the 1970s. The western portion of the site appears to be occupied by the present day diary manufacturing facility since at least the mid-1970s. The north-eastern portion of the site includes an employee parking lot. The eastern portion of the site was residential between the early 1940s through the 1980s when the parking lot was constructed. The Protected Milk Producers Association owned the site in the 1970s and merged with two other dairy cooperatives in 1974 to form the California Milk Producers. The California Milk Producers (merged to become known as California Dairies Inc. in 1999) has owned the site since 1974 and conducted milk manufacturing operations.

1.2 Recognized Environmental Conditions

Ramboll performed a Phase I ESA of the vacant, former dairy product processing facility and associated parking lot at 11709 Artesia Boulevard and 17208 and 17212 Alburtis Avenue in Artesia, California, in conformance with the scope and limitations of the ASTM Standard. Any exceptions to, or deletions from, this practice are described in Section 7.5 of this report. This assessment has revealed no RECs in connection with the site. Ramboll recommends no further investigation regarding the environmental condition of the site.

1.3 Other Findings

Although not considered to be RECs, Ramboll identified the following notable other findings. The term "other finding" is not defined by ASTM; rather, Ramboll uses the term to connote areas of contingent risk that are not clearly defined by the ASTM Standard.

- **Past Manufacturing Operations at the Site.** Since the early 1950s, the site has been used for milk manufacturing purposes. From the 1970s through at least the 1990s, a tanker truck fleet operated at (and was repaired at) the facility. Milk manufacturing activities may have included the use of petroleum products, acids, caustics, and other chemicals. Multiple subsurface investigations have been conducted at the site, including an August 2020 sampling event conducted by GHD Inc. The results of the GHD sampling indicated that limited concentrations of pesticides (e.g., 4,4'-Dichlorodiphenyldichloroethylene [DDE] at 12 micrograms per kilogram [µg/kg]) and volatile organic compounds (VOCs) are present in soil; however, none of the concentrations exceeded applicable San Francisco Bay Regional Water Quality Control Board Environmental Screening Levels (ESLs) for the site (i.e., industrial/commercial land use). Metals detected in soil which exceeded the applicable ESLs included arsenic, lead, and vanadium (maximum levels 197 milligrams per kilogram [mg/kg], 57.8 mg/kg, and 47.7 mg/kg respectively). No VOCs were detected in groundwater; metals detected in groundwater which exceeded California Maximum Contaminant Levels (MCLs) were limited to mercury (3.31 micrograms per liter [µg/L]). Ammonia and nitrate (maximum concentrations of 648 µg/L and, 94,00 µg/L, respectively) were also detected in the groundwater, and in some locations, nitrate exceeded Environmental Protection Agency (EPA) Maximum Contaminant Levels (MCLs).

  GHD indicated that lead in soils was likely associated with a former waste oil underground storage tank (UST) located in the same area. The mercury and pesticide detections were attributed to historical pesticide use in agricultural activities. Metal detections appeared to be insoluble forms and did not appear to present a risk. Ammonia appeared present at naturally occurring levels, however nitrate was observed at higher concentrations. GHD indicated that elevated nitrate levels were located in the northern portion of the site boundary and attributed the concentrations to an off-site source.

  Based on the results from the previous Phase II subsurface investigation, Ramboll conducted a subsequent subsurface investigation at the site that included collection of soil and soil vapor samples throughout the site. Samples were collected in areas including former employee and truck parking areas, the former underground storage tank (UST) area, the former truck wash area, former chemical storage area, former main plant chemical storage area, former boiler area storage, and former sump pump area. Soil samples were analyzed for total petroleum hydrocarbons (TPH) and pH, while soil vapor was analyzed for VOCs by United States Environmental Protection Agency's (USEPA) Method 8260. Results from the subsurface investigation indicated that total petroleum hydrocarbons (TPH) were not detected in soil above applicable screening criteria and the pH in soil generally appears to be consistent with normal background conditions. While the sampling results from this investigation did not identify chemicals in soil at concentrations above applicable screening criteria, and the issues described above do not rise to the level of being a Recognized Environmental Condition under ASTM E1527-13, as a precautionary measure Ramboll recommends that the soil be managed in accordance with applicable state and federal regulations during potential future soil disturbance activities.

  In soil vapor, benzene, tetrachloroethene (PCE) and chloroform were the only VOCs detected above applicable Department of Toxic Substances Control (DTSC)/USEPA residential and commercial screening levels using 0.03 as an attenuation factor (AF), which is used for screening purposes but which is neither an official nor controlling standard. Chloroform was the only VOC detected above applicable DTSC/USEPA residential screening levels using 0.001 as an AF (which is the official / adopted attenuation factor). No VOCs in soil vapor were detected above applicable DTSC/USEPA commercial screening levels using 0.001 as an attenuation factor.

- **Former Diesel Fuel and Gasoline USTs.** Two 10,000-diesel fuel, one 10,000-gallon gasoline, and one 500-gallon waste oil USTs were formerly located along the northern site boundary adjacent to the former truck wash area. According to the GeoTracker website, the site is listed on the Leaking Underground Storage Tank (LUST) database. A gasoline release was reported in August 1987 which impacted groundwater. The Los Angeles Regional Water Quality Control Board (RWQCB) closed the case in February 1997. No records were available regarding the cleanup and subsequent closure of the USTs. Site representatives reported that soil excavation activities were conducted, however, a copy of the report was not available for Ramboll's review. Records regarding the UST closure were requested from the Fire Department but have not yet been received. Therefore, Ramboll is unable to evaluate the adequacy of the UST closure. However, there is no apparent current regulatory requirement to evaluate the area, nor is there scrutiny of the site by regulatory officials. Furthermore, Ramboll's subsurface investigation did not indicate the presence of contamination in the vicinity of the UST – and, therefore, actual data shows the former USTs do not represent a Recognized Environmental Condition. Ramboll recommends no further investigation regarding this issue.

  A discussion of *de minimis* conditions and Non-Scope Considerations identified during this review is presented in Section 7.0 of this report.

2. INTRODUCTION

2.1 Scope of Work

Ramboll was retained by Artesia & Flallon, LLC and Borstein Enterprises to conduct a Phase I ESA of the vacant, former dairy product processing facility and associated parking lot in Artesia, California. The Phase I ESA relied upon the references noted below and included the following tasks consistent with the ASTM Standard and the scope of services identified in the Master Environmental Consulting Services Agreement (MSA) between the Artesia & Flallon, LLC and Borstein Enterprises and Ramboll:

- A visit to the site by Stephanie Eckelman and Kelly Chen of Ramboll on December 13, 2021 to observe the exterior and interior features of the site and to identify the uses and conditions specified in Sections 9.4.1 through 9.4.4.7 of the ASTM Standard. In addition, Ramboll observed the adjoining properties from the site or adjacent public thoroughfares. Photographs taken during the site visit are presented in Appendix A.
- An interview during the site visit with the following individual (year of initial hire at the site indicated in parentheses): Frank Noriega, assistant Plant Manager with California Dairies Inc. (1980). The aforementioned individual is referred to herein as "facility personnel." The facility personnel interviewed by Ramboll was identified by the Company as having good knowledge of the uses and physical characteristics of the site.
- A review of information contained in federal and state environmental databases, as obtained from the sources noted below:
  - A radius report prepared by EDR (see Appendix B), which presents the results of searches of federal and state databases for the site, as well as properties near the site. The radius searched for each database, as well as the databases themselves, was selected in accordance with the ASTM Standard.
  - The USEPA's Envirofacts database, which provides site information contained in multiple USEPA regulatory databases.
  - A review of GeoTracker, which provides information with respect to sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater. GeoTracker contains records for sites that require cleanup, such as Leaking Underground Storage Tank (LUST) Sites, Department of Defense Sites, and Cleanup Program Sites. GeoTracker also contains records for various unregulated projects as well as permitted facilities including: Irrigated Lands, Oil and Gas production, operating Permitted USTs, and Land Disposal Sites.
  - A review of the California Department of Toxic Substances Control's (DTSC's) EnviroStor website (EnviroStor), which provides information cleanup, permitting, enforcement and investigation efforts at hazardous waste facilities and sites with known contamination or sites where there may be reasons to investigate further.
  - A review of the California Geologic Energy Management Division (CalGEM) website, which provides information regarding the locations of oil and gas wells.
  - A review of the California EPA Regulated Site Portal available online, which provides information regarding environmentally regulated sites and facilities in California.
  - A review of the National Pipeline Mapping System (NPMS) Public Viewer website, which provides information regarding the locations of hazardous liquid and gas pipelines on and in the vicinity of the Site.

- A review of standard historical sources (included as Appendix C) and local agency inquiries, as defined in the ASTM Standard. The following resources were reviewed:
  - Readily available historical sources (as identified in Section 4.2 of this report and included as Appendix C) to develop a history of the previous uses of the site and surrounding area.
  - Local building permit information for the site, as obtained via EDR's Lightbox application.
  - Historical and site-specific information obtained from the following local agency: County of Los Angeles Office of the Assessor (Assessor). Ramboll also requested information from the City of Artesia Building and Safety Department (Building Department), and the County of Los Angeles Fire Department (Fire Department); however, a response had not been received at the time this report was completed.
  - The Los Angeles County Public Health Inspector no longer maintains hazardous materials business plans/inventory, hazardous waste generator license, California accidental release prevention program as well as spill, and site remediation information. The files are maintained by the Los Angeles County Fire Department-Health Hazardous Materials Division.
- A review of documents obtained during the site visit, including building site plans. Facility personnel reported that underground storage tank excavations, asbestos containing materials, and lead based paint surveys have previously been conducted for the site, however Ramboll was not provided with a copy of the reports.
- A review of physical setting sources, as defined in the ASTM Standard, including:
  - The current United States Geological Survey (USGS) 7.5-minute topographic map that shows the area on which the site is located.
  - Geologic, hydrogeologic, and/or hydrologic sources as provided in the EDR database report and collected during Ramboll subsurface investigation.
- A review of any information provided by the User of this assessment, including information consistent with Appendix X3 of the ASTM Standard. Pertinent information, if any, is discussed in the appropriate sections of this report

This assessment was conducted in accordance with ASTM Standard E1527-13. The standard ASTM scope was expanded to include a limited review of asbestos-containing materials, lead-based paint, mold, and radon based solely on: (i) the ages of the buildings for the potential presence of asbestos and lead-based paint; (ii) information and answers provided on a water intrusion questionnaire completed during the site walk with site representatives for the potential presence of mold; and (iii) information provided in the EDR report relating to the potential presence of radon.

2.2 Significant Assumptions

In conducting this review, no significant assumptions were made, except for the following:

- Site-specific field measurements or other detailed hydrogeological information was not publicly available or reasonably ascertainable. In the absence of such data, Ramboll has assumed that the flow direction of shallow groundwater beneath the site and in the local vicinity generally reflects surface topography. Therefore, in evaluating potential on-site impacts from off-site sources, those off-site facilities not located adjacent to or within one-quarter mile upgradient of the site are not considered likely to represent an environmental concern to the site. This interpretation is based on the assumption that a hazardous material released to the subsurface generally does not migrate laterally within the unsaturated soil for a significant distance, although a hazardous material can

migrate in the groundwater in a generally downgradient direction. The lack of information discussed above does not represent a significant data gap.

2.3 Reliance and General Limitations

This report has been prepared for the exclusive use of Artesia & Flallon, LLC and Borstein Enterprises and may not be relied upon by any other person or entity without Ramboll's prior express written permission. In the event of any conflict between the terms and conditions of this report and the terms and conditions of the Master Services Agreement between Ramboll and the Client (the "MSA"), the MSA shall control.

This report is considered current only for a period of 180 days from the site inspection. The conclusions presented in this report represent Ramboll's professional judgment based upon the information available and conditions existing as of the date of this report. In performing its assignment, Ramboll relied upon publicly available information, information provided by the client, and information provided by third parties. Accordingly, Ramboll can neither warrant nor guarantee the extent to which the information provided to Ramboll was accurate and complete. This review is not intended as legal advice, nor is it an exhaustive review of site conditions or facility compliance. Ramboll makes no representations or warranties, expressed or implied, about the condition of the site.

The scope of work for this assignment that included collecting samples of environmental media is detailed in Section 6.0. As such, this review cannot rule out the existence of latent conditions including contamination not identified and defined by the data and information available for Ramboll's review; however, this report is intended, consistent with normal standards of practice and care, to assist the client in identifying the risks of such latent conditions – and, as noted, did in fact include sampling and analyzing soil and soil vapor in connection with the Phase II subsurface investigation.

The scope of work for this assessment did not include an asbestos survey or inspection. According to federal OSHA regulations (29 CFR §1910.1001) and the Model Accreditation Plan (MAP; 40 CFR Part 763, Subpart E, Appendix C), the inspection, testing, evaluation, and/or sampling of suspect asbestos-containing materials must be conducted by an accredited inspector; these activities were not performed as part of this environmental review. Comments in this report regarding the condition of building materials at the site, including presumed or suspect ACM, represent only Ramboll's observations at the time of the site visit and are not intended to be consistent with definitions regarding ACM condition in the Asbestos Hazard Emergency Response Act (AHERA) or in other federal or state asbestos regulations or industry standards.

Other issues considered outside the scope of the ASTM Standard and this review include regulatory compliance, lead in drinking water, wetlands, PCBs in building materials, cultural and historical resources, ecological resources, endangered species, fire safety, and high voltage power lines.

3. SITE DESCRIPTION

3.1 Site Setting

California Dairies Inc. (formerly known as California Milk Producers) owns and formerly operated a dairy product processing facility and associated parking lot located at 11709 Artesia Boulevard and 17208 and 17212 Alburtis Avenue in Artesia, Los Angeles County, California. The approximately 3.33-acre processing facility and 0.248-acre parking lot parcels that comprise the site are located approximately 20 miles southeast of the City of Los Angeles (Figure 1).

According to LA County Assessor Portal, the assessor identification number (AIN) for the processing facility located along Artesia Boulevard is 7035-016-064, and the AINs for the conjoined parking lot parcels located east of Alburtis Avenue are 7035-020-057 (northern parcel) and 7035-020-056 (southern parcel).

The main portion of the site is improved as the former California Dairies Inc. manufacturing facility. Structures include approximately five (5) buildings totaling over 50,000-square-feet. Operations conducted at the buildings include the following:

Table 1: Building Operations Descriptions

Building	Former Operations Conducted
Office and Dispatch	Accounting and dispatch operator office, and raw milk silo room
Main Plant	Offices, United States Department of Agriculture (USDA) Certified Laboratory, main milk product processing plant, evaporators, facility maintenance shop, ammonia and glycol chiller storage room, and small parts storage room
Dryer and Evaporator	Four-story powdered milk dryer and bagging room, evaporator, and wastewater Dissolved Air Flotation (D.A.F.) control room and treatment areas
Dry Storage	Warehouse storage for dry goods
Parts Room	Storage for equipment parts, former fleet garage and repair area

Additional features on the site include two truck parking areas, two employee parking areas, two truck scales, a chemical storage area, truck washing area, as well as multiple silos, aboveground chemical storage tanks, and a boiler area. The eastern portion of the property located along Alburtis Avenue is currently improved as a parking lot used for employee parking with approximately 28 parking spaces that is secured with motorized gates, lighting, and block walls.

The former tanker truck route included entrance off Alburtis Street along the northeastern portion of the site and exit along Artesia Boulevard. Additional tanker truck exit routes included an exit along Fallon Avenue. One small area of landscaping is located along the northwestern corner of the site along Fallon Avenue adjacent to the employee parking lot. There are no on-site surface water bodies.

Table 2 provides an overview of physical setting and utility information for the site.

Table 2: Physical Setting and Utility Information

Conditions	Source	Description
Topography		
Elevation (above mean sea level)	USGS topographic map; Google Earth	The perimeter of the site is approximately 55 to 56 feet, while the center of the site (near the drain inlet) is approximately 54 feet.
Topographic Gradient	USGS topographic map; visual observations; Google Earth	Relatively flat on-site with graded contours directing groundwater flow to the center of the site. Regional topography slopes gently downward to the south.
Local Land Use	Visual observations	The facility is located in a mixed residential and industrial/commercial land use area. North: Property owned by RMH Enterprise, LLC (occupied by Pro-Tech Knives), beyond which is Alburtis Avenue, followed by industrial/ commercial businesses including Pack-Aid (a packaging supply store) and ERS Industrial Cleaning Equipment (a truck/equipment dealer). East: Alburtis Ave, beyond which is an office building owned by Artesia City, the parking area associated with the subject site, and commercial/industrial businesses (including Socal Diesel Repair [truck repair shop], RC Body & Paint [auto body shop], and National Ready-Mix Concrete). South: Artesia Boulevard, beyond which are commercial businesses including an autobody shop, tax preparation service, sports medicine clinic. West: Fallon Avenue, beyond which are a number of commercial businesses (including London's Pub and Grill, Ree's Mask Shop, Cal Plate [printing equipment and supplies], A&Z Electric) and multi-family residences. Vicinity properties are further discussed in Section 7.
Nearest Residence	Visual observations	Adjacent to the west of the site across Fallon Avenue.
Hydrology		
Storm Water Runoff	Visual observations	The site maintains a storm water discharge permit. Storm water is directed from the rooftops and into to a main sewer system drain located within the center of the site. The channeled storm water is analyzed for certain substances (pH, total dissolved solids, etc.) prior to release into the sewer system. In the event of a large rainfall event, a storm water diverter system diverts excess storm water via sheet flow to Artesia Boulevard, where is it diverted into to the municipal storm sewer system.

Table 2: Physical Setting and Utility Information

Conditions	Source	Description
Nearest Surface Water Body to the Site	USGS topographic map; Visual observations	San Gabriel River located approximate 1.25 miles east of the site at its nearest point. The San Gabriel River ultimately discharges to the Pacific Ocean near Long Beach.
Flood Plain	FEMA*; Facility personnel	Facility personnel reported no known occurrences of flooding at the site. The site is located within a 500-year flood zone but outside of a 100-year flood zone.
Wetlands	NWI*; Visual observations	There are no federally-designated wetlands on-site. Ramboll did not identify any obvious suspected wetlands at the site during the site visit.
Geology and Hydrogeology		
Presumed Direction of Shallow Groundwater Flow	USGS topographic map; 2020 Phase II ESA, GeoTracker database	Based on topography and a review of environmental reports from nearby properties found in the California GeoTracker database, groundwater is anticipated to flow in a southwesterly direction.
Depth to Groundwater	2020 Phase II Environmental Site Assessment	During the 2020 Phase II ESA conducted by GHD Services Inc. (GHD), groundwater was encountered at depths ranging from 11 to 17 feet below ground surface (bgs). The 2020 Phase II ESA report also indicates that based on environmental reports from nearby properties found in the California GeoTracker database, groundwater was anticipated to be encountered at 10 to 20 feet bgs.
On-site Wells	Facility personnel; Visual observations	No production, monitoring, or oil or gas wells are located on the site.
Nearest Groundwater Supply Wells	Database report	Nine federally registered wells are present within one mile of the site. One is registered as a public supply well. Approximately 150 private or municipal wells that may be used for water supply are located within one mile in all directions from the site. The database report also identified three oil and gas wells located northwest (2,933 feet), east-northeast (3,401 feet), and northwest (4,904 feet) of the subject site.
Geologic Conditions	Ramboll 2021 Subsurface Sampling	During Ramboll's Phase II soil vapor investigation, on-site soils were described as primarily gravel, sand, sandy silt, and silty sand from the surface to 5 feet. Regional soils are well drained sandy loams with moderate infiltration rates.

Table 2: Physical Setting and Utility Information

Conditions	Source	Description
Site Utility Information		
Heating and Cooling Equipment	Facility personnel	The majority of the site is not heated. Office areas are heated by packaged units. The building is cooled with four cooling towers located in the central portion of the site as well as multiple packaged air conditioning units. A fifth cooling tower contains ammonia and is used in connection with the processing plant.
Natural Gas Service	Facility personnel	The site is provided with natural gas service.
Use of Fuel Oil for Building Heat	Facility personnel	No known current or former use of fuel oil for building heat.
Foam-based Fire Suppression System	Facility personnel	According to facility personnel, the site is not equipped with a built-in foam-based fire suppression system.
Water Supply	Facility personnel; City personnel	The facility receives drinking and process water from the City of Artesia.
Sanitary Sewer	Facility personnel	The facility discharges sanitary wastewater and treated process water to the municipal sanitary sewer system. See Section 3.2.3 for more information on the discharge of process wastewater.
Septic Systems	Facility personnel	No identified current or former septic systems.

Notes:

FEMA = Federal Emergency Management Agency; NCSS = National Cooperative Soil Survey; NWI = National Wetlands Inventory

* - Source was provided in the environmental database report.

During the site visit, Ramboll walked or drove by the borders of the properties that are adjacent to the site. Ramboll did not enter the neighboring properties.

3.2 Current Use of Site

3.2.1 Current Operations

California Dairies Inc. owns and formerly operated a dairy product processing facility and associated parking lot in Artesia, California. The parcel located along Artesia Boulevard is approximately 3.33-acres and is currently improved as the former California Dairies Inc. manufacturing facility with five buildings totaling over 50,000-square-feet. The buildings include the following: a main processing plant with a maintenance area, office and dispatch building, dryer, evaporator, bagging and dissolved air flotation (D.A.F.) treatment area, dry storage warehouse, and a parts room (former fleet garage). Additional features include tanker truck parking areas, employee parking areas, two truck scales, a

main chemical storage area, DAF control room, a number of silos (raw milk, cow water, finished product and wastewater), a 50,000-gallon wastewater holding tank, various aboveground chemical storage tanks, and a boiler room with a water treatment area. The site includes a 0.248-acre property located across Alburtis Avenue which was utilized as employee parking.

The site has been vacant since operations ceased in June 2020. Maintenance-related chemicals and janitorial supplies (e.g., bleach, hand soap, latex paint, hand sanitizer), were used in small quantities (containers of one gallon and smaller). Facility personnel knew of no use of chlorinated solvents by the facility and the use of such chemicals would not be expected based on the nature of current site operations. According to facility personnel, dairy product processing operations remained generally consistent since at least the 1980s until operations ceased in 2020. Since 2020, the site has remained vacant.

3.2.2 Waste Management

Hazardous wastes were not routinely generated at the site, other than the generation of limited amounts of universal wastes (e.g., fluorescent light bulbs, batteries) and waste oil from processing equipment. The site is registered as a small quantity generator (SQG) of hazardous waste (CAL000008617). Sharp's containers located in the USDA certified laboratory area were removed by a third-party medical waste disposal company. The majority of chemical use at the site included descaling and sanitization of equipment and an ammonia and glycol milk product cooling system. Empty/used chemical drums, totes and cylinders were returned to the manufacturer for reuse.

Nonhazardous waste generated at the site consisted of general trash (paper cardboard, office trash) and spent non-hazardous parts washer. Safety Kleen serviced the parts washer. General facility trash was collected in on-site uncovered dumpsters for removal by CR&R Environmental Services. The dumpsters were located on pavement near the point of generation around the site. One remaining dumpster was observed adjacent to the boiler area during the site visit.

3.2.3 Wastewater and Storm Water

Sanitary wastewater, which included wastewater from bathroom and kitchen areas, was discharged to the municipal sanitary sewer system without treatment.

Process wastewater formerly generated by the facility consisted primarily of milk water (*i.e.*, water generated when milk products are evaporated or concentrated), floor wash water, and silo wash water that was used to clean and sterilize the silos between use. Silo wash water was generated when the silo was emptied of liquid substance (e.g., raw milk, cow water, milk product) and the silo required cleaning and sterilization. Sump pumps are used throughout the site to transfer water from discharge area to a treatment area. A mixture of cow water, caustics and/or acids, and City of Artesia water was released into the silo to clean and disinfect the silo and associated piping before reuse. All wash water was reused or directed to either the DAF system or a 50,000-gallon holding tank located along the southwestern edge of the site. The DAF system treated the wash water using chemical coagulation and flocculation. Process wastewater was then pumped into a series of tanks where pH was adjusted prior to discharge to the City of Artesia sewer system. The effluent was monitored and sampled on a routine basis by the City of Artesia and Innovative Consultants Incorporated.

The site maintains a storm water discharge permit. Storm water is directed from the rooftops and into a main sewer system drain located within the center of the site through. The directed storm water is analyzed for certain substances (pH, total dissolved solids, etc.) prior to release into the sewer system. Additional stormwater discharge points are located on the southeastern and southwestern portions of the site.

In the event of a large rainfall event, a storm water diverter system diverts excess storm water from the discharge drain inlet in the center of the site to sheet flow to Artesia Boulevard, where it is diverted into the municipal storm sewer system.

The site was issued a Notice of Violation (NOV) for Waste Discharge System (WDS) effluent limitation violations associated with the discharge of biological oxygen demand (BOD) and chlorine containing wastewater in 2006. In 2008, the site terminated the WDS permit because the wastewater from the milk evaporators was directed to the sanitary sewer system after treatment instead of the stormwater system.

3.2.4 Air Emissions

Air emissions from the facility included combustion products resulting from the operation of the site's two natural gas-fired boilers, four evaporators, a four-story high dryer, as well as cyclones and scrubbers. Additional emissions included limited emissions from minor welding operations and dry goods bagging operations.

4. REVIEW OF PUBLIC RECORDS AND OTHER INFORMATION SOURCES

4.1 Environmental Regulatory Database Review

Ramboll contracted with EDR in December 2021 to prepare a summary of listings in federal and state agency databases for the site and facilities within applicable radii of the site, as specified by the ASTM standard.[1] A copy of the EDR database search report is presented in Appendix B.

4.1.1 Database Review for Site

Ramboll reviewed the results of the state and federal environmental database searches performed by the third-party database provider (see Appendix B) and searched the California GeoTracker and EnviroStor databases. The site is listed on several environmental databases, as discussed in Table 3.

Table 3: Summary of Environmental Database Listings for the Site

Summary of Information Contained in Database	Ramboll's Comments
The site is listed on the GeoTracker database as a Leaking Underground Storage Tank (LUST) cleanup site. According to the listing, a gasoline leak was discovered on 7/30/1987 which potentially impacted groundwater. California Milk Producers is listed as the claimant under the LUST CUF Claim Status. The status for the incident is listed as completed – as closed as of 2/7/1997.	According to the previous Ph I prepared for the site, four historical USTs were removed from the site, however closure documentation was not available. The Ph I indicated all former USTs were removed from the site. The site received closure from the RWQCB on 2/7/1997. This matter is further discussed in Section 7.
California Milk Producers is also listed on the UST, Statewide Environmental Evaluation and Planning System (SWEEPS UST), Historical UST (HIST UST), HIST CORTESE, and CORTESE Hazardous Waste & Substances Sites List databases. The historical SWEEPS UST database lists seven tanks formerly located at the site. The contents listed vary from diesel to not reported. The HIST UST listing notes seven tanks including four 10,000-gallon tanks containing diesel (year installed not reported), two 10,000-gallon tanks containing diesel (installed in 1978, likely two of the same tanks listed previously), and a 500-gallon tank containing waste oil (installed in 1981). The CA Facility Inventory Database UST database (facility ID 19001558) listing status is listed as active. The HIST CORTESE database (registration ID I-01249), CORTESE, and California Environmental Reporting System (CERS) database listings pertain to the previously discussed LUST cleanup site with the cleanup status listed as completed – case closed (global ID T0603702769).	As noted above, at least four USTs were located and removed from the site. Although both the SWEEPS UST and HIST UST listings state seven historical USTs, it is likely multiple listings were issued for the same tank. Facility personnel indicated no remaining tanks were at the site.

[1] EDR uses the term "radii" to refer to the ASTM terminology "approximate minimum search distance" in the environmental database report.

Table 3: Summary of Environmental Database Listings for the Site

Summary of Information Contained in Database	Ramboll's Comments
California Milk Products is listed on the Enforcement (ENF), Waste Discharge System (WDS), and California Integrated Water Quality System (CIWQS) databases.	The site was listed on the ENF database associated with WDS effluent limitation violations in 2006. The site terminated its WDS permit that allowed for discharge of treated condensate water from milk evaporators to the storm drain because the wastewater was redirected to the sanitary sewer system following treatment. No other violations were associated with the CIWQS.
1x California Milk Producers Inc is listed in the HWTS and RCRA databases as a non-generator/no longer regulated (NonGen/NLR). The generator numbers noted on the HTWS database include EPA ID CAC000072629 (inactive date of 10/25/2000) and EPA ID CAC000857104 (inactive date of 10/25/2000). The NonGen/NLR (EPA ID: CAL000008617) was issued on 11/14/1989. Owner/operators include Thomas Williams and California Dairies, Inc.; California Dairies, Inc. is also listed as a historic generator (not a generator as of 11/14/1989). No violations or evaluations are listed.	The listing does not suggest a contamination concern to the site. Hazardous waste generation is further discussed in Section 3.2.2.

Notes:

* The site is also listed on the following databases related to regulatory compliance: Toxics Release Inventory System (TRIS), Enforcement and Compliance History Online (ECHO), Emissions Inventory (EMI), California Environmental Reporting System (CERS), Integrated Compliance Information System (ICIS), National Pollutant Discharge Elimination System (NPDES), hazardous facility and manifest system (HAZNET), and Facility Index System/Facility Registration System (FINDS). Listings on these databases, by themselves, are not necessarily indicative of contamination.

4.1.2 Database Review for Adjoining Properties

Based on a review of the environmental database search report, Ramboll identified the adjoining sites listed in Table 4 on databases indicative of a potential contamination concern.

Table 4: Contamination-Related Database Listings for Adjoining Properties [1]

Listing Name or Address and Location Relative to the Subject Site	Summary of Information Contained in Database	Ramboll's Comments
JMC Truck Repair/SoCal Diesel Repair 17224 Alburtis St (Adjoining to the east across Alburtis Street, and adjacent to the south of the parking lot parcel)	JMC Truck Repair is listed in the CERS database (name includes SOCAL DIESEL REPAIR, LLC) with the CERS description listed as chemical storage facilities (CERS ID 10279633 and site ID 437836). The listing includes a number of violations which the facility has returned to compliance. JMC Truck Repair is also listed in the CERS HAZ WASTE database as a hazardous waste generator. Social Diesel Repair LLC is also listed in the RCRA NonGen/NLR database.	The listings do not suggest a contamination concern to the site. Ramboll recommends no further investigation regarding this issue.
National Ready Mixed Concrete 11725 Artesia Blvd (Adjoining to the east across Alburtis Street)	The property is listed in the CERS HAZ WASTE database as a hazardous waste generator. The property is also listed in the SWEEPS UST, CA Facility Inventory Database (FID) UST, LOS ANGELES CO. Industrial Waste and Underground Storage Tank (HMS) and CERS TANKS databases. The property is listed in the CERS database for maintaining and reporting storing hazardous waste and chemicals at the property. The listing includes a number of violations.	The property is not listed on databases indicative of an environmental release, thus these listings do not suggest a contamination concern to the site. Ramboll recommends no further investigation regarding this issue.

Table 4: Contamination-Related Database Listings for Adjoining Properties [1]

Listing Name or Address and Location Relative to the Subject Site	Summary of Information Contained in Database	Ramboll's Comments
George Veroeven Feed Co 11735 E Artesia Blvd (Adjoining to the east across Alburtis Street)	The property is listed on the LUST, LOS ANGELS CO HMS, SWEEPS UST, HIST UST, CA FID UST, CORTESE, HIST CORTESE, and CERS databases. The property experienced a gasoline release which impacted groundwater in 1996. The property received closure from the RWQCB on December 12, 1996. No further information is available on the GeoTracker database.	Ramboll reviewed records available on the Geotracker database. Because the gasoline release to the groundwater was granted regulatory closure, it is reasonable to assume the matter was appropriately evaluated in accordance with regulations in place at the time, and that remaining contamination from the cross-gradient property, if any, is localized and unlikely to migrate at significant concentrations onto the site. Ramboll recommends no further investigation regarding this issue.
Cal Plate 17110 Jersey Ave (Adjoining to the northwest)	The property is listed in the HWTS, CERS, LOS ANGELES CO. HMS, CERS HAZ WASTE and RCRA-SQG database. The CERS listing includes a number of violations from 2014 2018 for which the facility appears to have returned to compliance. The property is listed as a RCRA-SQG of hazardous wastes (EPA ID: CAD983636242). No violations or evaluations re listed.	These listings do not suggest a contamination concern to the site. Ramboll recommends no further investigation regarding this issue.
Strongbox Industries 17203 Fallon Ave (Adjoining to the west across Fallon Avenue)	The property is listed in the LUST, CORTESE, HIST CORTESE, and SWEEPS UST databases. A leak was discovered from piping on 12/08/1988 during tank closure, and it was reported on 5/11/1989 (facility ID R-14475). The potential contaminant of concern is listed as gasoline with soil being listed as the potential media impacted. The status is listed as completed – case closed as of 10/01/1990 (old case # is listed as 102089-03.	Ramboll reviewed records available on the Geotracker database. Because the gasoline release to the soil was granted regulatory closure, it is reasonable to assume the matter was appropriately evaluated in accordance with regulations in place at the time, and that remaining contamination, if any, is localized and unlikely to migrate at significant concentrations onto the site. Ramboll recommends no further investigation regarding this issue.

Table 4: Contamination-Related Database Listings for Adjoining Properties [1]

Listing Name or Address and Location Relative to the Subject Site	Summary of Information Contained in Database	Ramboll's Comments
Elroy Painting Contractor 17220 Jersey (Adjoining to the west across Fallon Avenue)	The property is listed in the Cleanup Program Sites (CPS; also known as Site Cleanups [SC] and formerly known as Spills, Leaks, Investigations, and Cleanups [SLIC] sites) (SLIC: 0135) as a cleanup program site related to VOCs (global ID SLT4307977) in 1965. Shallow soil contamination was noted in the no further action (NFA) letter. The facility status is listed as no further action required as of 6/16/1965. The property is also listed in the CERS database as a cleanup program site (site ID 188691 and CERS ID SLT4307977).	Based on the case closed status and the soil only impacts, it's unlikely that this cased closed property has adversely impacted the site. Ramboll recommends no further investigation regarding this issue.
O'Brien Cal Cogen Ltd 17306 Fallon Ave (Adjoining to the west) John Wynega 11645 Artesia Blvd (Adjoining to the west) Ms Claudia Covert 11655 Artesia Blvd (Adjoining to the west)	The three properties are listed on either the UST or SWEEPS UST databases only.	Based on the lack of listing on a database of environmental concern, these off-site properties are unlikely to pose a contamination concern to the site and is not discussed further herein. Ramboll recommends no further investigation regarding this issue.

Notes:

[1] Ramboll's analysis of adjoining sites was based on observations made during the site reconnaissance (as discussed in Table 2) and location information for off-site listings as presented in the database report. Also, for purposes of this analysis, Ramboll considers as "adjoining" properties that are adjacent, even if separated by a road or other physical barrier. Ramboll has not included a discussion of compliance-related databases in this table, as Ramboll considers it unlikely that off-site properties listed on compliance-related databases without indication of a release or chemical mishandling represent a potential risk for contamination to the subject site.

[2] The RGA databases are EDR proprietary databases that identify prior versions of the database in which a site was listed. Recovery Act (RCRA) database as a non-generator of hazardous waste.

4.1.3 Database Review for Other Surrounding Properties

There are several listings in the environmental database report for non-adjoining off-site facilities within applicable ASTM search radii; however, Ramboll has only identified one property that is likely to represent a potential contamination concern to the site.

PRL Glass Systems 177004 Alburtis Avenue is located approximately 364 feet north-northwest of the site. The property is listed on the CPS-SLIC database due to a release of VOCs (namely PCE and trichloroethene [TCE]) to soil and groundwater. The property is under active oversight of the RWQCB. According to documents reviewed on GeoTracker, the property is conducting groundwater and subsurface soil vapor monitoring activities. The area of concern appears to be limited to the northeast portion of the property. The extent of the groundwater contamination has not been delineated, however groundwater flow reported at the property is from the northeast to the southwest, away from the site. Based on the available information, there is no indication that contamination from the off-site property is migrating to the site. The contamination is being addressed with regulatory oversight. There were no poor or inadequate addresses ("orphan sites") listed on the EDR database. Ramboll concludes that this facility is unlikely to represent an environmental concern to the site and recommends no further investigation regarding this issue.

4.2 Historical Uses of the Site and Adjacent Properties

4.2.1 Past Uses of the Site

The site was either utilized for agriculture or naturally vegetated land from the late 1800s through the early 1940s. By 1947, the south-eastern portion of the site appears utilized for either warehousing or light industrial purposes. The southern and eastern portions of the dairy processing facility were first developed in the early 1950s, while the central and northern portions of the site appear utilized as residential land. The site appears to be occupied by the present day diary manufacturing facility since at least the mid-1970s. The parking lot property along the eastern portion of the site across from Alburtis Avenue appears as residential from at least the 1950s through the 1980s when it was converted into a parking lot.

A summary of Ramboll's key observations from the available historical sources is presented in Table 5.

Table 5: Summary of Key Observations from Historical Sources for the Site

Historical Source	Key Observations Regarding Site History
Aerial Photographs (1928, 1938, 1947, 1952, 1963, 1970, 1977, 1983, 1989, 1994, 2002, 2005, 2009, 2012 and 2016) Satellite Imagery [1] (1985 to 2021)	1709 Artesia Boulevard The 1928 and 1938 aerial photographs depict the parcel as either naturally vegetated or agricultural land. In 1947, a rectangular industrial or warehouse structure is depicted at the southeast corner of the parcel, and a dirt road appears present that extends from the northern parcel boundary. By 1952, the industrial or warehouse structure appears larger in configuration. Additional structures on the site appear to be approximately five residential dwellings located along the western and northern portions of the site. The 1963 and 1970 photographs depict the southern portion of the site as developed with commercial and/or industrial buildings while the central and northern portions of the site appear occupied by single and multi-family residences. The southwestern corner of the site appears utilized as a paved parking lot. Multiple tanker trucks appear along the eastern portion of the site adjacent to the industrial building. Silos first appear at the site in 1970. The 1977 photograph depicts the site with multiple structures similar to present day configuration, however a rectangular building appears in the northwestern portion of the site in the present day employee parking lot and the southwestern corner of the site remains a parking lot. Additional silos appear in the 1983 photograph. The 1989 and subsequent photographs depict the site similar to present day configuration. 17208 And 17212 Alburtis Avenue The 1928 and 1938 aerial photographs depict the present-day parcels as either naturally vegetated or agricultural land. By 1952, the parcels appear to be developed for residential use with two residential sized structures. The parcel appears to remain residential until 1989. In the 1989 aerial photograph, the parcels appear to be developed as a parking lot. The aerial photographs are limited in quality but appear to depict the parking lot with no structures through 2016. An approximately forty square foot area of staining appears visible in satellite imagery in September 2018. No staining is depicted in September 2019. No environmental concerns are noted.
Topographic Maps (1896 to 2018)	1709 Artesia Boulevard A residential sized structure is depicted at the western portion of the site from as early as 1896 through 1902. No development is depicted from 1923 to 1945. By 1947, a structure appears at the southern portion of the parcel. By 1949, one rectangular shaped structure is present at the southeast corner of the parcel. In the 1964 and subsequent maps, the site is depicted as located within a built up area and no structures are depicted at the site. 17208 And 17212 Alburtis Avenue A small residential sized structure appears at the parcel from 1896 through 1902. The 1923 through 1949 maps do not depict structures at the parcel. By 1950 the site is depicted as part of a developed area. No environmental concerns are noted.
City Directory Abstracts (1965, 1994, 1999, 2000, 2006, 2009, and 2004)	The occupants of the site are listed as: 171709 Artesia Boulevard. California Milk Producers (1994), California Milk Producers Main Plant (1999), CA Dairies Inc (2006), and California Milk Producers (2009), California Dairies Inc (2014) 11709 Artesia Boulevard East CA Milk Producers (2000)

Table 5: Summary of Key Observations from Historical Sources for the Site

Historical Source	Key Observations Regarding Site History
	17212 Alburtis Avenue: Mary L Castodio (1964) City directory information was not provided for 17208 Alburtis Venue.
Chicago Title Company	According to the preliminary report from the Chicago Title Company, the title to the property at Artesia Boulevard (APN 7035-016-064) and the property at Alburtis Avenue (APNs: 7035-020-056 and 7035-020-057) comprising the subject site is said to be vested in California Milk Producers, a California corporation.
Los Angeles County Assessor Portal	Los Angeles County Assessor records available online indicate that the AINs for the site are 7035-016-064 for the western parcel and 7035-020-057, and 7035-020-056 for the eastern parking lot parcels.

Notes:

[1] In addition to aerial photographs provided by EDR, Ramboll viewed historical satellite imagery provided via Google Earth. Printed copies were not obtained, and imagery dates were not independently verified.

EDR reported that Sanborn fire insurance map coverage is not available for the site.

4.2.2 Past Uses of Adjacent Properties

The properties in the vicinity of the site have primarily been used for agricultural or residential purposes from the early 1920s through the 1950s. By 1952 the vicinity appears a mix of residential properties to the west and commercial or light industrial to the east. A concrete manufacturing plant appears east of the site by the 1960s. The vicinity appears largely a mix of light industrial (north and east), commercial (south) and residential (west) properties from the 1980s to present day.

4.3 Review of Local and State Agency Information

Ramboll visited or otherwise contacted local governmental agencies and regulatory bodies for information relating to the site. An overview of the findings of this review is presented in Table 6.

Table 6: Local Agency Information for the Site

Agency Contacted / Document Reviewed	Information Obtained
Los Angeles County Assessor Portal	Los Angeles County Assessor records available online indicate that the AINs for the site are 7035-016-064 for the western parcel and 7035-020-057, and 7035-020-056 for the eastern parking lot parcels. The western parcel's "use code" listed a one story beverage industrial food processing plant. Additional "use codes" include a commercial office building, a parking lot, and a warehouse. The initial 12,272 square foot processing plant was constructed in 1950. A 14,000-square foot parking lot was constructed at the site in 1958. The 6,814 square foot warehouse and additional 1,057 square foot industrial plant buildings were constructed in 1960. The 7,147 square foot commercial office building is listed as constructed in 1966 and renovated in 1976. The eastern parking lot parcels were constructed as a 10,800 square foot conjoined parking lot in 1989.

Table 6: Local Agency Information for the Site

Agency Contacted / Document Reviewed	Information Obtained
City of Cypress Building Department/City Clerk's Office	Ramboll requested information from the building department regarding building records including all building permits and certificates of occupancy. As of the date of this report, a response had not been received from the building department
Los Angeles County Fire Department-Health Hazardous Materials Division	Ramboll requested information from the fire department health hazardous materials division concerning the utilization, manufacture, storage and/or discharge of hazardous materials/waste, and any information concerning previous or on-going site investigations/remediations pertaining to hazardous materials/waste. As of the date of this report, a response had not been received from the fire department.

4.4 Previous Environmental Assessments and Activities

Based on a review of historical site documents and interviews with facility personnel, prior environmental assessment and UST removal activities have been conducted at the site, as summarized below. Pertinent historical and site-related information contained in the prior report has been incorporated into other sections of this report.

- **2020 Phase I ESA**. In July 2020, GHD, in association with investigating Business Environmental Risk (BER), conducted a Phase I ESA at the site. The Phase I ESA report did not identify the presence of any RECs at the site, however GHD did note five findings. The findings included historical on-site structures, historical site use, potential agricultural chemical impacts form historical operations, former on-site diesel and gasoline UST releases, and potential migration of impacts from an adjoining concrete manufacturing facility.
- **2021 Phase II Environmental Site Assessment (ESA)**. Based on information gathered during the prior Phase I ESA, GHD conducted a Phase II subsurface investigation at the property located at 11709 East Artesia Boulevard that included the drilling of six soil borings throughout the parcel which were advanced to 25 feet bgs; grab groundwater samples were collected from each boring. The soil samples were analyzed for VOCs, semi-volatile organic compounds (SVOCs), organochlorine pesticides, polychlorinated biphenyls (PCBs), herbicides, CAM 17 metals, and Total Petroleum Hydrocarbons (TPH). Groundwater samples were analyzed for ammonia, nitrates and nitrites, CAM 17 metals, TPH, VOCs, and SVOCs.

  GHD results indicated that limited amounts of pesticides (e.g., 4,4'-DDE maximum detection-12 µg/kg) and VOCs are present in soil; however, none of the concentrations exceed appropriate ESLs for the site (i.e., industrial/commercial land use). Metals detected in soils which exceeded the appropriate ESLs included arsenic, lead and vanadium (maximum detection-197,000 micrograms per kilogram [µg/kg], 57,800 µg/kg, and 47,700 µg/kg respectively). No VOCs were detected in groundwater; metals detected in groundwater which exceeded MCLs were limited to mercury (3.31 micrograms per liter [µg/L]). Ammonia and nitrate (maximum levels 648 µg/L, 94,00 µg/L) were also present in the groundwater, and in some locations, nitrate exceeded EPA MCLs.

4.5 Interviews

During the site inspection, an interview was conducted with personnel responsible for management of the site. Frank Noriega, the Assistant Plant Manager of California Dairies Inc. since 1980, indicated the site has been a diary processing facility since at least 1980.

4.6 User-Provided Information

Ramboll provided Artesia & Flallon, LLC and Borstein Enterprises with a User Questionnaire (consistent with Appendix X3 of the ASTM Standard) that requested information relating to environmental liens, activity use limitations (AULs), specialized knowledge of the site, property value diminution, chain-of-title, or any other commonly known or obvious indications of site contamination, that was not otherwise provided to Ramboll. The User did not provide any information that was not otherwise obtained and reviewed by Ramboll.

5. SITE RECONNAISSANCE

5.1 Methodology and Limiting Conditions

Ramboll conducted a visit to the site on December 13, 2021. During the site visit, observations of both the interior of the buildings and exterior portions of the site were made to evaluate if any RECs, as defined in Chapter 7, are present. Ramboll did not observe the roofs of the buildings.

5.2 General Site Setting and Observations

Ramboll made observations concerning the interior and exterior issues specified in Sections 9.4.2 through 9.4.4 of the ASTM E1527-13 Standard. The presence or absence of each issue of environmental interest or concern is noted in Table 7. Additional information regarding observed and historical items is provided in the sections following the table.

Table 7: Summary of Site Reconnaissance Observations

ASTM Section	Issue	Observation
Interior and Exterior Issues		
9.4.2.1	Current use(s) of the site	See Section 3.2
9.4.2.2	Past use(s) of the site	See Section 4.2
9.4.2.3	Hazardous substances and petroleum products used, treated, stored, disposed of, or generated on the property in connection with identified present or past uses	**Present/Formerly Present** (see Section 5.2.1)
9.4.2.4	Storage tanks: Underground storage tanks (fill ports, vent pipes, manholes) Aboveground storage tanks	(see Sections 5.2.2 and 5.2.3) **Formerly Present** **Present**
9.4.2.5	Odors (strong, pungent or noxious)	Absent
9.4.2.6	Pools of liquid, standing surface water or sumps	**Present** (see Section 5.2.4)
9.4.2.7	Drums of hazardous substances or petroleum products (five-gallon, 55-gallon or totes)	**Formerly Present** (see Section 5.2.1)
9.4.2.8	Hazardous substance and petroleum product containers (not necessarily in connection with identified uses)	**Present** (see Section 5.2.1)
9.4.2.9	Unidentified substance containers suspected of containing hazardous substances or petroleum products	Absent

Table 7: Summary of Site Reconnaissance Observations

ASTM Section	Issue	Observation
9.4.2.10	Polychlorinated biphenyls (PCBs) Electrical equipment on-site (e.g., transformers, capacitors) Electrical equipment known or likely to contain PCBs Hydraulic equipment on-site (e.g., elevators, truck dock lifts) Hydraulic equipment known or likely to contain PCBs	(see Section 5.2.5) **Present** Unlikely **Present** Unlikely
Interior Issues		
9.4.3.1	Heating/cooling systems	**Present** (see Table 2)
9.4.3.2	Stains or corrosion on interior floors, walls or ceilings (except for staining from water)	**Present** (see Section 5.2.6)
9.4.3.3	Floor drains and interior sumps	**Present** (see Section 3.2.3)
Exterior Issues		
9.4.4.1	Pits, ponds or lagoons on property or adjacent sites	Absent
9.4.4.2	Stained soil or pavement	Absent
9.4.4.3	Stressed vegetation (from other than insufficient water)	Absent
9.4.4.4	On-site solid waste disposal; areas apparently filled or graded by non-natural causes; or mounds or depressions suggesting solid waste disposal	Absent
9.4.4.5	Wastewater or other liquid (including storm water) or any discharge into a drain, ditch, underground injection system or stream on or adjacent to the property	**Present** (see Section 3.2.3)
9.4.4.6	Wells (including dry wells, irrigation wells, injection wells, abandoned wells, or other wells)	Absent
9.4.4.7	Septic systems or cesspools	Absent
Non-Scope Considerations		
N/A	Asbestos Containing Materials	(see Section 5.2.7)
N/A	Lead-Based Paint	(see Section 5.2.8)
N/A	Water Intrusion	(see Section 5.2.9)

Table 7: Summary of Site Reconnaissance Observations

ASTM Section	Issue	Observation
N/A	Radon	(see Section 5.2.10)

Notes:

Observations noted in this table and discussed further below are based on information obtained during the site visit and from a review of the sources summarized in Section 4.

See the ASTM Standard for a detailed description of the issues included in each referenced ASTM section.

Per the ASTM Standard, fluorescent light ballasts likely to contain PCBs are not considered.

N/A – Not applicable.

5.2.1 Hazardous Substances and Petroleum Products

The majority of the hazardous wastes and chemicals present at the site were removed by Chemco after operations on the site were halted in June 2020. Limited amounts of retail-sized quantities of maintenance chemicals and janitorial chemicals remained in fire safety cabinets and within storage rooms at the site. Small quantities of propylene glycol remain in the cooling system at the site.

Historical hazardous materials and chemicals used at the site included the following: acetylene, propylene glycol, powdered floor treat, citric acid, phosphoric acid, Camco 717 HT, lubricant oil, acid sanitizer 6552, sodium bicarbonate, Chemco 51 (alcohols), surfactant, Flo-Quat, Subdue Plus (alcohols), Commence (benzyl sulfonic acid, sodium carbonate peroxyhydrate, trisodium orthophosphate), Adhere (sodium hydroxide mixture), Enerex 9900C (sodium hydroxide sulfite), Enerex 205L (potassium hydroxide), motor oil, argon, argon/CO2 mixture, oxygen, Tornado (soda ash, sodium hydroxide, pine oil), Chemquest 11596 (etidronic acid), salt crystals, aluminum chlorohydrate water, and ethoxylated alcohol (2020 Phase I).

At the time of the site visit, only empty containers which had previously stored chemicals were present. Pavement beneath all the chemical storage containers and ASTs appeared to be in good condition and no evidence of releases was apparent. Facility personnel indicated that no hazardous wastes are generated currently due to the dairy processing facility being closed (See Section 4.2.1 for previous site activities).

5.2.2 Underground Storage Tanks

A total of four USTs were formerly located at the site and were removed around 1997. Pertinent information regarding these USTs is provided in Table 8. The site is listed on the LUST database for a release which impacted groundwater. Further information regarding sampling and closure activities is included in Section 4.1.1.

Table 8: Underground Storage Tanks

Number and Size (gal.)	Contents	Location	Key Dates	Regulatory Closure Granted?	Notes
Decommissioned/Closed-in-Place/Removed					
2 x 10,000	Diesel fuel	North of Truck Bays	Year of installation unknown, removed by 1997	Yes	Provided fuel for trucks
1 x 10,000	Gasoline	North of Truck Bays	Year of installation unknown, removed by 1997	Yes	Provided fuel for trucks
1 x 500	Used Oil	North of Truck Bays	Installed 1981; removed by 1997	Yes	Non-vaulted, single-walled

5.2.3 Aboveground Storage Tanks

Several aboveground storage tanks (ASTs) were formerly maintained at the site, as summarized in the table below. Facility personnel knew of no leaks or spills relating to the tanks, and Ramboll observed no evidence of staining or past releases at the time of the site visit. Facility personnel indicated that all ASTs were decommissioned and emptied by Chemco when the facility ended all operations in June 2020.

Table 9: Aboveground Chemical and Petroleum Storage Tanks and Bulk Containers

Location	# of tanks	Contents	Sizes	Observations
Between Dry Storage and Silo Room	1	Sodium Hydroxide (Dominate)	6,000 gallons	Concrete beneath AST is in good condition and no evidence of spills or releases were observed.
Between Dry Storage and Silo Room	1	Nitric Acid/Phosphoric Acid (Dazzle)	5,000 gallons	Concrete beneath AST is in good condition and no evidence of spills or releases were observed.
In Main Plant	1	Hydrogen Peroxide/Acetic Acid/Peracetic Acid (Chemco PAA)	600 gallons	Tank is located in a bermed area, and the concrete is in good condition. No evidence of spills or releases were observed.

Table 9: Aboveground Chemical and Petroleum Storage Tanks and Bulk Containers

Location	# of tanks	Contents	Sizes	Observations
In Main Plant	1	Sodium Hypochlorite (Flo-Klor)	500 gallons	Tank is located in a bermed area, and the concrete is in good condition. No evidence of spills or releases were observed.
In Ammonia Room	1	Anhydrous Ammonia	2,400 gallons	Concrete beneath AST is in good condition and no evidence of spills or releases were observed.
In Receiving Bay	1	Potassium Hydroxide/Acrylic Acid Sodium Salt Polymer/Sodium Hypochlorite (Triumph NP)	1,000 gallons	Concrete beneath AST is in good condition and no evidence of spills or releases were observed.
In Main Plant	1	Sodium Hydroxide	1,100 gallons	Concrete beneath AST is in good condition and no evidence of spills or releases were observed.
In Main Plant	1	Sulfuric Acid	16,880 gallons	Concrete beneath AST is in good condition and no evidence of spills or releases were observed.
In Hazardous Waste and Chemical Storage area	1	Used oil	600 gallons	The tank is double-walled and is on top of secondary containment. No evidence or spills or releases were observed.
Cow Water Silos	7	Cow water (water removed from raw milk)	5,000-10,000 gallons	Concrete beneath ASTs is in good condition and no evidence of spills or releases were observed.
Around Silo Room	11	Raw milk	30,000-50,000 gallons	Concrete beneath ASTs is in good condition and no evidence of spills or releases were observed.
West of Silo Room	1	Wastewater	50,000 gallons	Concrete beneath ASTs is in good condition and no evidence of spills or releases were observed.

5.2.4 Pools of liquid, standing surface water or sumps

Multiple areas of shallow standing water were present within the silo room and bagging area. This water, which is present in a low-lying area within the pavement, was the result of either a precipitation event during the site visit or from historical equipment wash water. A visual evaluation of the water surface identified no oil sheen or loose debris.

5.2.5 Polychlorinated Biphenyls (PCBs)

Facility personnel knew of no on-site equipment that is known to contain polychlorinated biphenyls (PCBs). Four pad-mounted and four pole-mounted transformers are present on the site and are owned by Southern California Edison. The units are not labeled as to their PCB content. Because the installation dates of the units are unknown and may predate the 1979 federal ban on the manufacture of PCBs, it is possible that the transformer oils contain PCBs. However, manufacturing dates of two of the transformers located in the central portion of the site indicate a manufacturing date after 1979.

As noted above, one hydraulic elevator is located in the office area in the southwestern corner of the site. Given that the hydraulic oil for the elevator is expected to have been routinely replaced by the elevator service company, it is unlikely that the hydraulic oil contains PCBs. No evidence of staining or releases was observed near the hydraulic oil reservoirs. Facility personnel indicated that no spills or releases have occurred within the elevator room and the elevator is maintained by a third-party.

Because the buildings were constructed prior to the 1979 federal ban on the manufacture of PCBs, it is possible that hydraulic oils, or other types of electrical equipment, such as capacitors, contain PCBs. Ramboll observed no indication of leaks or releases from electrical equipment during the site visit.

5.2.6 Stains or Corrosion on Interior Floors, Walls or Ceilings

Ramboll observed evidence of minor pavement staining in the evaporator rooms, the hydraulic elevator room, the silo rooms, the maintenance shop, and the ammonia room. This staining appeared to be leaked milk products is likely not indicative of widespread releases or losses. Brick-paved and concrete floors in the vicinity of the observed staining appeared to be in good condition, with no visual evidence of cracking.

5.2.7 Asbestos-Containing Materials (ACMs)

Although an asbestos inspection and sampling of suspect building materials in conformance with established protocols (as outlined in 40 CFR §763), applicable state or local regulations, or industry standards, were beyond our scope of work, Ramboll made limited visual observations[2] of representative building materials in those areas accessed during the site tour to identify readily apparent PACM and suspect ACM. OSHA's definition of PACM is limited to thermal system insulation (TSI) and surfacing materials present in buildings constructed before 1981. Vinyl floor tiles are not considered PACM, but OSHA nonetheless requires that asphalt and vinyl floor tiles present in buildings constructed before 1981 be treated similarly to PACM. The term suspect ACM is not defined by OSHA but can include numerous building materials manufactured using asbestos currently or in the past (e.g., ceiling tiles, roofing materials, joint compound), as well as TSI, surfacing materials, and flooring materials installed after 1981. Facility personnel indicated a recent ACM survey was conducted at the site, however Ramboll was not provided with a copy of the report or the results of the survey.

Because the buildings at the site were constructed prior to 1981, TSI, surfacing materials and vinyl/asphalt flooring must be treated as PACM. During the site visit, PACM observed by Ramboll included vinyl floor tile in the office building and TSI associated with the piping. In addition, Ramboll observed other materials potentially considered suspect ACM (e.g., ceiling tile and building insulation). Also, based on the building age, the roofing materials may be considered suspect ACM. According to the EDR database, the site exported an unreported amount of asbestos containing waste in 1988.

[2] Ramboll did not observe all building materials or formally survey the facility to determine the presence and condition of PACM and suspect ACM.

There are no regulatory requirements to remove PACM, suspect ACM and known ACM or to confirm whether building materials contain asbestos, unless the materials are damaged and have the potential to release fibers or the materials have the potential to be disturbed during renovation or demolition activities. Ramboll observed certain building materials that were damaged or deteriorating, specifically including patches of deteriorating ceiling tile on the second story of the office building. OSHA requires building owners and employers to identify locations of PACM and confirmed ACM at the facility and comply with certain employee notification, training, labeling and recordkeeping requirements (29 CFR §1910.1001(j)) and housekeeping programs (1910.1001(k)).

5.2.8 Lead-Based Paint

Lead was a major ingredient in paint pigment prior to and through the 1940s. While other pigments were used in the 1950s, the use of lead in paint continued until the early 1970s. In 1978, the Consumer Products Safety Commission banned paint and other surfacing coating materials that are "lead-containing paint." Based on the construction date of on-site buildings dating back to approximately 1950, it is possible that lead-based paint was used historically on facility structures. Facility personnel knew of no lead-based paint on structures at the facility. Ramboll observed the paint to be in good condition. According to facility personnel, a LBP survey was conducted at the site, however Ramboll was not provided with a copy of the report to review.

5.2.9 Water Intrusion

Ramboll did not perform a mold survey at the site; however, facility personnel provided information regarding past water intrusion events. According to facility personnel, only minor roof leaks have occurred, and roof leaks were addressed by third-party contractors. Facility personnel also indicated that there have not been any problems with mold in the past.

5.2.10 Radon

Based on information included in the environmental database report, the site is located in an area categorized as Zone 2, which has average indoor radon levels between 2 and 4 picoCuries per liter (pCi/L). The United States Environmental Protection Agency's (USEPA's) continuous exposure limit, which is the limit at which further testing or remedial action is suggested, is 4.0 pCi/L. This USEPA continuous exposure limit applies to residential, not commercial, properties. According to the California Radon database, for 8 sites surveyed in the 90701 zip code, no sites had radon present at greater than 4.0 pCi/L. A USEPA survey conducted in the same zip code as the site found that the average radon level of a first-floor room at one site was 0.000 pCi/L.

6. PHASE II SUBSURFACE INVESTIGATION

Ramboll conducted a subsurface investigation at the site that included collection of soil and soil vapor samples. The scope for the subsurface investigation focused on areas of concern identified through the course of conducting the Phase I ESA, as described further below.

6.1 Pre-field Activities

Prior to commencement of sampling activities, Ramboll contacted Underground Service Alert (USA) to mark the locations of all major utilities near the site boundaries. In addition to the services provided by USA, Ramboll contracted with Ground Penetrating Radar Systems, LLC (GPRS) of Toledo, Ohio, a private utility locating company, to conduct a geophysical survey in the immediate vicinity of the boring locations to identify subsurface structures or underground obstructions.

Ramboll also prepared a site-specific Health and Safety Plan (HASP), designed to minimize exposure of Ramboll field personnel to potentially hazardous materials and coronavirus disease (COVID-19). Field personnel involved in the project were required to implement the procedures presented in the HASP while conducting the fieldwork. All drilling activities were conducted under the direct supervision of a California-registered Professional Geologist. Field activities and sampling results are described below.

6.2 Advancement of Soil Borings and Soil Sample Results

On November 2, 2021, Ramboll collected soil samples from three borings (B1 through B3) as depicted on Figure 3. Soil samples were collected at approximately 2, 4, and 6 feet bgs at each of the boring locations. Soil samples were screened using visual and olfactory methods, and by using a photoionization detector (PID). Soil sample containers were labeled, sealed in zip-closure bags, stored on ice in an insulated container, and delivered to Eurofins Calscience of Irvine California, under chain-of-custody documentation. Soil samples were analyzed for total petroleum hydrocarbons (TPH) and pH. It is Ramboll's understanding the proposed use for the site is a mixed-use residential and commercial setting. Accordingly, soil sampling results were compared to both residential and commercial screening levels as presented in Table 10 in Appendix D. Laboratory reports are included in Appendix D. In summary:

- TPH concentrations were reported above laboratory reporting limits in several samples but at low concentrations. No TPH were detected in soil above applicable DTSC/USEPA commercial or residential screening levels.
- pH in soil ranged from 7.7 to 8.9. Soil in California generally ranges in pH from 5 to 8.5, but most are higher than 7. Based on the sampling results, the pH in soil generally appears to be consistent with normal background soil conditions.

6.3 Soil Vapor Probe Installation and Sampling Results

On December 1, 2021, ABC Liovin, under the oversight of Ramboll, installed nine (9) soil vapor probes (RSV-1 through RSV-5, and RSV-7 through RSV-10) at the locations depicted on Figure 3. Various attempts were made to install RSV-6, however due to thick concrete and multiple concrete layers, a vapor probe was not installed at location RSV-6. Vapor probes were installed at a depth of approximately 5 feet bgs. Soil vapor probes were installed and sampled in accordance with the "Advisory – Active Soil Gas Investigations", jointly developed by the California EPA (CAL EPA), DTSC, and LARWQCB/SFRWQCB, dated July 2015. On December 3, 2021, the soil vapor samples were collected and analyzed by A&R Laboratories under the supervision of Ramboll. The soil vapor samples

were analyzed for volatile organic compounds (VOCs) by USEPA Method 8260. The sampling results are summarized in Table 11 in Appendix D and depicted on Figure 4. Laboratory reports are included in Appendix D. Results were compared to the screening thresholds listed on Table 11. Ramboll compared the soil vapor sampling results to residential and commercial screening levels using the official attenuation factor (AF) of 0.001 and, for screening purposes, an attenuation factor of 0.03. Multiple VOCs were detected in soil vapor in samples RSV-3, RSV-5 and RSV-10 at low concentrations above their respective screening criteria (Figure 4). RSV-3 is located in the northwestern portion or the site, RSV-5 is located in the central portion of the site, and RSV-10 is located in the southern portion of the site. The sampling results are summarized below:

Commercial Scenario with Attenuation Factor 0.001

No VOCs in soil vapor were detected above applicable DTSC/USEPA commercial building screening levels using the official attenuation factor of 0.001.

Residential Scenario with Attenuation Factor 0.001

Chloroform was the only VOC detected in soil vapor above applicable DTSC/USEPA residential building screening levels using an attenuation factor of 0.001. Chloroform was detected in one soil vapor sample location (RSV-10) at a concentration of 0.27 micrograms per liter (µg/L), exceeding its residential screening threshold of 0.12 µg/L.

Commercial Scenario with Attenuation Factor 0.03

Benzene, PCE and chloroform were the only VOCs detected in soil vapor above applicable DTSC/USEPA commercial building screening levels using 0.03 as an attenuation factor for screening purposes. Benzene was detected in RSV-5 at a concentration of 0.030 µg/l, exceeding the screening level of 0.014 µg/l. PCE was detected in RSV-3 at a concentration of 0.13 µg/l, exceeding the screening level of 0.067 µg/l. Chloroform was detected in RSV-10 at a concentration of 0.27 µg/l, exceeding the screening level of 0.018 µg/l.

Residential Scenario with Attenuation Factor 0.03

Benzene, PCE, and chloroform were the only VOCs detected in soil vapor above applicable DTSC/USEPA residential building screening levels using an attenuation factor of 0.03. PCE was detected in two samples at concentrations of 0.13 µg/l in RSV-3 and 0.050 µg/l in RSV-5, exceeding the screening level of 0.015 µg/l. Benzene was detected in RSV-5 at a concentration of 0.030 µg/l, exceeding the screening level is 0.003 µg/l. Chloroform was detected in RSV-10 at a concentration of 0.27 µg/L, exceeding the screening level of 0.004 µg/L.

6.4 Lithology and Hydrogeology

The lithology encountered consisted of primarily sandy silt, silty sand and some gravel from the surface to 5 feet bgs. Groundwater was not encountered during this investigation. Boring logs are included in Appendix E.

6.5 Summary of Subsurface Investigation Findings

Based on the results of the limited soil and soil vapor sampling conducted as part of this subsurface investigation, Ramboll has made the following findings:

- TPH were not detected in soil above applicable screening criteria and the pH in soil generally appears to be consistent with normal background conditions. While the sampling results from this investigation did not identify chemicals in soil above applicable screening criteria, the soil should

be managed in accordance with applicable state and federal regulations during potential future soil disturbance activities.

- In soil vapor, benzene, PCE and chloroform were the only VOCs detected above applicable DTSC/USEPA residential and commercial screening levels using 0.03 as an AF. Chloroform was the only VOC detected above applicable DTSC/USEPA residential screening levels using 0.001 as an AF. No VOCs in soil vapor were detected above applicable DTSC/USEPA commercial screening levels using 0.001 as an attenuation factor. The presence of VOCs above screening levels indicate a potential vapor intrusion concern that should be further evaluated through the performance of a human health risk assessment.

7. FINDINGS, OPINION, AND CONCLUSIONS

Ramboll performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E1527-13 and a Phase II subsurface investigation of the site located at 11709 Artesia Boulevard, 17208 and 17212 Alburtis Avenue in Artesia, California in December 2021. The objective of the ESA was to identify RECs, as defined in the ASTM Standard. A list of key definitions presented in the ASTM Standard is provided in Chapter 8 at the end of this report. Any exceptions to, or deletions from, this practice are described in Section 7.5.

7.1 Findings, Opinions, and Conclusions

7.1.1 Recognized Environmental Conditions

Ramboll has performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E1527-13 of the dairy product processing facility located 11709 Artesia Boulevard, 17208 and 17212 Alburtis Avenue in Artesia, Los Angeles County. Any exceptions to, or deletions from, this practice are described in Section 7.5 of this report. This assessment has revealed no RECs in connection with the site.

7.2 Other Findings

Although not considered to be a REC, Ramboll identified the following notable other finding. The term "other finding" is not defined by ASTM; rather, Ramboll uses the term to connote areas of contingent risk that are not clearly defined by the ASTM Standard.

- **Past Manufacturing Operations at the Site.** Since the early 1950s, the site has been used for milk manufacturing purposes. From the 1970s through at least the 1990s, a tanker truck fleet operated at (and was repaired at) the facility. Milk manufacturing activities may have included the use of petroleum products, acids, caustics, and other chemicals. Multiple subsurface investigations have been conducted at the site, including an August 2020 sampling event conducted by GHD Inc. The results of the GHD sampling indicated that limited concentrations of pesticides (e.g., 4,4'-Dichlorodiphenyldichloroethylene [DDE] at 12 micrograms per kilogram [µg/kg]) and volatile organic compounds (VOCs) are present in soil; however, none of the concentrations exceeded applicable San Francisco Bay Regional Water Quality Control Board Environmental Screening Levels (ESLs) for the site (i.e., industrial/commercial land use). Metals detected in soil which exceeded the applicable ESLs included arsenic, lead, and vanadium (maximum levels 197 milligrams per kilogram [mg/kg], 57.8 mg/kg, and 47.7 mg/kg respectively). No VOCs were detected in groundwater; metals detected in groundwater which exceeded California Maximum Contaminant Levels (MCLs) were limited to mercury (3.31 micrograms per liter [µg/L]). Ammonia and nitrate (maximum concentrations of 648 µg/L and, 94,00 µg/L, respectively) were also detected in the groundwater, and in some locations, nitrate exceeded Environmental Protection Agency (EPA) Maximum Contaminant Levels (MCLs).

  GHD indicated that lead in soils was likely associated with a former waste oil underground storage tank (UST) located in the same area. The mercury and pesticide detections were attributed to historical pesticide use in agricultural activities. Metal detections appeared to be insoluble forms and did not appear to present a risk. Ammonia appeared present at naturally occurring levels, however nitrate was observed at higher concentrations. GHD indicated that elevated nitrate levels were located in the northern portion of the site boundary and attributed the concentrations to an off-site source.

  Based on the results from the previous Phase II subsurface investigation, Ramboll conducted a subsequent subsurface investigation at the site that included collection of soil and soil vapor

samples throughout the site. Samples were collected in areas including former employee and truck parking areas, the former underground storage tank (UST) area, the former truck wash area, former chemical storage area, former main plant chemical storage area, former boiler area storage, and former sump pump area. Soil samples were analyzed for total petroleum hydrocarbons (TPH) and pH, while soil vapor was analyzed for VOCs by United States Environmental Protection Agency's (USEPA) Method 8260. Results from the subsurface investigation indicated that total petroleum hydrocarbons (TPH) were not detected in soil above applicable screening criteria and the pH in soil generally appears to be consistent with normal background conditions. While the sampling results from this investigation did not identify chemicals in soil at concentrations above applicable screening criteria, and the issues described above do not rise to the level of being a Recognized Environmental Condition under ASTM E1527-13, as a precautionary measure Ramboll recommends that the soil be managed in accordance with applicable state and federal regulations during potential future soil disturbance activities.

In soil vapor, benzene, tetrachloroethene (PCE) and chloroform were the only VOCs detected above applicable Department of Toxic Substances Control (DTSC)/USEPA residential and commercial screening levels using 0.03 as an attenuation factor (AF), which is used for screening purposes but which is neither an official nor controlling standard. Chloroform was the only VOC detected above applicable DTSC/USEPA residential screening levels using 0.001 as an AF (which is the official / adopted attenuation factor). No VOCs in soil vapor were detected above applicable DTSC/USEPA commercial screening levels using 0.001 as an attenuation factor.

- **Former Diesel Fuel and Gasoline USTs.** Two 10,000-diesel fuel, one 10,000-gallon gasoline, and one 500-gallon waste oil USTs were formerly located along the northern site boundary adjacent to the former truck wash area. According to the GeoTracker website, the site is listed on the Leaking Underground Storage Tank (LUST) database. A gasoline release was reported in August 1987 which impacted groundwater. The Los Angeles Regional Water Quality Control Board (RWQCB) closed the case in February 1997. No records were available regarding the cleanup and subsequent closure of the USTs. Site representatives reported that soil excavation activities were conducted, however, a copy of the report was not available for Ramboll's review. Records regarding the UST closure were requested from the Fire Department but have not yet been received. Therefore, Ramboll is unable to evaluate the adequacy of the UST closure. However, there is no apparent current regulatory requirement to evaluate the area, nor is there scrutiny of the site by regulatory officials. Furthermore, Ramboll's subsurface investigation did not indicate the presence of contamination in the vicinity of the UST – and, therefore, actual data shows the former USTs do not represent a Recognized Environmental Condition. Ramboll recommends no further investigation regarding this issue.

7.3 *De Minimis* Conditions

De minimis conditions are those that do not represent a material risk of harm to public health or the environment and that generally would not be the subject of enforcement action if brought to the attention of appropriate governmental agencies. Ramboll identified no *de minimis* conditions related to the site.

7.4 Non-Scope Considerations

Ramboll identified the following findings that relate to non-scope considerations (as discussed in Section 2.2), as detailed below:

- **Asbestos-Containing Materials (ACMs).** Given the date of construction of the buildings at the site, it is possible that ACMs are present in building materials. A formal asbestos survey reportedly

has been conducted at the facility, however Ramboll was not provided with a copy of the report. Ramboll conducted visual observations of limited areas of the buildings at the site and noted PACMs (e.g., vinyl floor tile, pipe insulation) and other materials that may contain asbestos (e.g., ceiling tiles, roofing materials). The PACMs and suspect ACMs that were observed by Ramboll did not appear to be extensively damaged, broken, or deteriorated. Facility personnel indicated an ACM survey was recently conducted at the site, however Ramboll was not provided with a copy of the report.

- **Water Intrusion/Mold.** Ramboll did not perform a mold survey at the site; however, facility personnel provided information regarding past water intrusion events. According to facility personnel, only minor roof leaks have occurred, and roof leaks were addressed by third-party contractors. Facility personnel also indicated that there have not been any problems with mold in the past.
- **Lead-Based Paint.** Lead was a major ingredient in paint pigment prior to and through the 1940s. While other pigments were used in the 1950s, the use of lead in paint continued until the early 1970s. In 1978, the Consumer Products Safety Commission banned paint and other surfacing coating materials that are "lead-containing paint." Based on the construction date of on-site buildings dating back to approximately 1950, it is possible that lead-based paint was used historically on facility structures. Facility personnel knew of no lead-based paint on structures at the facility. Ramboll observed the paint to be in good condition. According to facility personnel, a LBP survey was conducted at the site (but no report was available at the time of this report).
- **Radon.** Based on information included in the environmental database report, the site is located in an area categorized as Zone 2, which has average indoor radon levels between 2 and 4 pCi/L. The USEPA's continuous exposure limit, which is the limit at which further testing or remedial action is suggested, is 4.0 pCi/L. This USEPA continuous exposure limit applies to residential, not commercial, properties. According to the California Radon database, for 8 sites surveyed in the 90701 zip code, no sites had radon present at greater than 4.0 pCi/L. A USEPA survey conducted in the same zip code as the site found that the average radon level of a first-floor room at one site was 0.000 pCi/L. Radon appears unlikely to represent an environmental concern to the site and Ramboll recommends no further investigation regarding this issue.

7.5 Analysis of Data Gaps

The ASTM Standard defines a data gap as "a lack of or inability to obtain information required by the practice despite good faith efforts by the environmental professional to gather such information." A data gap is only significant if other information obtained during the ESA, or professional experience, raises reasonable concerns and affects the ability of the environmental professional to identify whether a given issue is a REC. The ASTM Standard requires that the ESA report identify and comment on significant data gaps.

Limiting conditions and deviations to the ASTM Standard for the assessment are discussed below.

- Facility personnel did not have current contact information for representatives of former site owners/occupants. Thus, Ramboll was unable to interview former owners/occupants about historical operations and site conditions. However, Ramboll conducted interviews with representatives of California Dairies Inc. with tenure at the site dating back to 1980 and reviewed other historical sources regarding former uses of the site.
- During the site visit, Ramboll did not observe the roofs of the buildings due to access and safety constraints.

- As it is a user requirement, Ramboll did not conduct a review of records to identify whether any environmental liens or AULs have been imposed on the site.
- Between 1987 and 1997 four USTs were removed from the site. During the removal, a subsurface release of gasoline was reported which impacted groundwater. The site received closure in 1997, however copies of these records have not yet been received by Ramboll from the Fire Department.
- Ramboll has requested site-related information, but not yet received a response, from the City of Artesia Building and Safety Department or the County of Los Angeles Fire Department.

None of the exceptions, deletions, deviations, or site reconnaissance limitations noted above are considered to represent significant data gaps. The previous LUST site investigation reports that were not available for Ramboll's review would have represented a significant data gap – but for the Phase II subsurface investigation data generated by Ramboll and discussed herein (therefore, based on the Phase II subsurface investigation data, the lack of LUST-related reports does not represent a significant data gap).

8. ASTM DEFINITIONS

The following definitions are presented in the ASTM Standard:

REC - Recognized Environmental Condition:

The presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: 1) due to release to the environment; 2) under conditions indicative of a release to the environment; or 3) under conditions that pose a material threat of a future release to the environment.

CREC - Controlled Recognized Environmental Condition:

A recognized environmental condition resulting from a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority, with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls.

HREC - Historical Recognized Environmental Condition:

A past release of any hazardous substances or petroleum products that has occurred in connection with the property and has been addressed to the satisfaction of the applicable regulatory authority or meeting unrestricted use criteria established by a regulatory authority, without subjecting the property to any required controls.

***De minimis* Condition:**

A condition that generally does not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies.

Data Gap / Significant Data Gap:

A lack of or inability to obtain information required by the practice despite good faith efforts by the environmental professional to gather such information. A data gap is significant if other information and/or professional experience raises concerns involving the data gap.

Please note that the term "other finding" is not defined by ASTM; rather, Ramboll uses the term to connote areas of contingent risk that are not clearly defined by the ASTM Standard.

FIGURES



C:\Users\CWILLIAMSFREIER\Ramboll\Melody Kneale - Projects\Borstein\Artesia Dairies\03_GIS\PhaseIFigures\PhaseIFigures.aprx\Figure 01 - Site Location

Map Scale: 1:24,000 | Map Center: 118°5'1"W 33°52'27"N

KEY MAP (not to scale)

Property Boundary

0 1,000 2,000 Feet

SITE LOCATION

Artesia Dairies
11709 East Artesia Boulevard
Artesia, California

FIGURE 01

RAMBOLL US CONSULTING, INC.
A RAMBOLL COMPANY

RAMBOLL



C:\Users\CWILLIAMSFREIER\Ramboll\Melody Kneale - Projects\Borstein\Artesia Dairies\03_GIS\PhaseIFigures\PhaseIFigures.aprx\Figure 02 - Site Layout

Property Boundary
T Pad-Mounted Transformer
P Pole-Mounted Transformer

0 40 80 Feet

SITE LAYOUT

FIGURE 02

Artesia Dairies
11709 East Artesia Boulevard
Artesia, California

RAMBOLL US CONSULTING, INC.
A RAMBOLL COMPANY

RAMBOLL



C:\Users\CWILLIAMSFREIER\Ramboll\Melody Kneale - Projects\BorsteinArtesia Dairies\03_GIS\20211102_Figures\20211102_FigureCreation.aprx\Figure 03 - Soil Vapor and Soil Sampling Locations

Property Boundary

Soil Vapor Probe Locations (Ramboll, December 2021)

Soil Sample Location (Ramboll, November 2021)

0 50 100 Feet

SOIL VAPOR AND SOIL SAMPLING LOCATIONS

Artesia Dairies
11709 East Artesia Boulevard
Artesia, California

FIGURE 03

RAMBOLL US CONSULTING, INC.
A RAMBOLL COMPANY

RAMBOLL



RSV-3			
Depth (ft bgs)	PCE	Benzene	Chloroform
5	**0.13**	<0.025	<0.025

RSV-5			
Depth (ft bgs)	PCE	Benzene	Chloroform
5	**0.050**	**0.030**	<0.025

RSV-10			
Depth (ft bgs)	PCE	Benzene	Chloroform
5	<0.025	<0.025	**0.27**

Notes

1. < X - value not reported above the laboratory reporting limit
2. AF - attenuation factor
3. ft bgs - feet below ground surface
4. Only compounds reported exceeding screening levels are shown. Sample locations without a summary box reported non-detect concentrations for those compounds.
5. PCE - Tetrachloroethylene
6. Units reported in micrograms per liter (µg/L)
7. Indicates compounds exceed soil gas residential scenario screening levels using a 0.001 AF, and less stringent screening levels.
8. Indicates compounds exceed soil gas commercial building scenario screening levels using a 0.03 AF, and less stringent screening levels.
9. Indicates compounds exceed soil gas residential building scenario screening levels using a 0.03 AF.

Property Boundary

Soil Vapor Probe Locations (Ramboll, December 2021)

0 50 100 Feet

SUMMARY OF VOC RESULTS IN SOIL VAPOR

Artesia Dairies
11709 East Artesia Boulevard
Artesia, California

FIGURE 04

RAMBOLL US CONSULTING, INC.
A RAMBOLL COMPANY

RAMBOLL

C:\Users\CWILLIAMSFREIER\Ramboll\Melody Kneale - Projects\BorsteinArtesia Dairies\03_GIS\20211102_Figures\20211102_FigureCreation.aprx\Figure 04 - Summary of VOC Results in Soil Vapor

APPENDIX A
SITE PHOTOGRAPHS

Photo 1: View of 50,000-gallon waste water tank looking west.

Photo 2: View USDA Certified lab and product testing area.

Photo 3: View of a portion of the silo room area.

Photo 4: View of one of the sump pumps located in the main office area.

Photo 5: Typical example of caustic and acid chemical storage used to sanitize silos.

Photo 6: View of former hazardous chemical storage cabinet in the maintenance room.

Photo 7: View of the wastewater tanks, truck scale, and portions of the former glycol system looking north.

Photo 8: View of the former glycol storage area in the Ammonia Room.

Photo 9: View of AST former chemical storage area used to treat the wastewater pH.

Photo 10: Photo of the hydraulic oil elevator room with minor staining.

Photo 11: One of two on-site natural gas boilers located in the boiler area.

Photo 12: View of the former hazardous waste and chemical storage area and waste oil AST looking southwest.

Photo 13: View of the former hazardous waste and chemical storage area looking northwest.

Photo 14: View of the site including truck wash area, the De Laval Dryer, and truck parking looking southwest.

Photo 15: View of the parking lot across Alburtis Street looking southeast.

Photo 16: View of the main sewer drain connection, product silos, cooling towers and the eastern portion of the site looking east.



Photo 17: View of the center and southern portions of the site looking south including transformers, a portion of the boiler area, the raw-milk silos and the tanker truck exit.

Photo 18: View of empty water treatment chemicals formerly located in the boiler room.

APPENDIX B
ENVIRONMENTAL DATABASE REPORT

NOTES ON ENVIRONMENTAL DATABASE REPORT

EDR conducted its searches for the standard environmental record sources and the minimum search distances, as specified by the ASTM Standard. The ASTM Standard uses the terminology "approximate minimum search distance" to refer to the radii searched in the environmental database report.

EDR conducted the search of environmental databases in December 2021. Because the environmental databases themselves are sometimes not updated by the specific regulatory agencies for periods of up to one year or more (depending on the database and the state), the database search conducted herein will not necessarily list any facility or site for which an environmental investigation/listing has been initiated subsequent to the last update.

11709 Artesia Boulevard
11709 Artesia Boulevard
Artesia, CA 90701

Inquiry Number: 6777008.2s
December 06, 2021

The EDR Radius Map™ Report with GeoCheck®

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	9
Orphan Summary	893
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-11
Physical Setting Source Map Findings	A-12
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527-21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

11709 ARTESIA BOULEVARD
ARTESIA, CA 90701

COORDINATES

Latitude (North):	33.8740310 - 33ˆ 52' 26.51''
Longitude (West):	118.0844780 - 118ˆ 5' 4.12''
Universal Tranverse Mercator:	Zone 11
UTM X (Meters):	399698.7
UTM Y (Meters):	3748524.0
Elevation:	64 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	11997954 LOS ALAMITOS, CA
Version Date:	2018
North Map:	11997982 WHITTIER, CA
Version Date:	2018

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	20140513
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
11709 ARTESIA BOULEVARD
ARTESIA, CA 90701

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	CALIFORNIA MILK PROD	11709 ARTESIA BLVD E	RGA LUST		TP
A2	CALIFORNIA MILK PROD	11709 ARTESIA BLVD E	RGA LUST		TP
A3	CALIFORNIA MILK PROD	11709 ARTESIA BLVD E	FINDS		TP
A4	CALIF MILK PRODUCERS	11709 ARTESIA BLVD	UST		TP
A5	1X CALIFORNIA MILK P	11709 E ARTESIA BLVD	HAZNET, HWTS		TP
A6	1X CALIFORNIA MILK P	11709 EAST ARTESIA B	HAZNET, HWTS		TP
A7	CALIFORNIA DAIRIES I	11709 E ARTESIA BLVD	HAZNET, HWTS		TP
A8	CALIFORNIA DAIRIES,	11709 ARTESIA BOULEV	TRIS, FINDS, ECHO		TP
A9	CALIF MILK PRODUCERS	11709 ARTESIA BLVD	LOS ANGELES CO. HMS		TP
A10	CALIFORNIA MILK PROD	11709 ARTESIA BLVD E	LUST, SWEEPS UST, HIST UST, CA FID UST, Cortese,...		TP
A11	CALIFORNIA MILK PROD	11709 ARTESIA BLVD E	RGA LUST		TP
A12	CALIFORNIA DAIRIES I	11709 E ARTESIA BLVD	RCRA NonGen / NLR		TP
A13	CALIFORNIA DAIRIES,	11709 EAST ARTESIA B	ICIS		TP
A14	1X CALIFORNIA MILK P	11709 E ARTESIA BLVD	HAZNET, HWTS		TP
A15	CALIFORNIA DAIRIES I	PO BOX 6210 11709 AR	CIWQS		TP
A16	CALIFORNIA DAIRIES I	PO BOX 6210	NPDES, CERS	Higher	1 ft.
A17	O'BRIEN CAL COGEN LT	17306 FLALLON AVE	UST, SWEEPS UST	Lower	7, 0.001, SW
B18	PRO TECH KNIVES LLC	17115 ALBURTIS AVE	RCRA NonGen / NLR	Lower	51, 0.010, North
A19	SOCAL DIESEL REPAIR	17224 ALBURTIS AVE	RCRA NonGen / NLR	Higher	82, 0.016, ENE
A20	JMC TRUCK REPAIR	17224 ALBURTIS ST	CERS HAZ WASTE, EMI, CERS	Higher	82, 0.016, ENE
B21	CITY OF ARTESIA PUBL	17202 ALBURTIS AVE	RCRA NonGen / NLR	Higher	87, 0.016, NE
B22	GULF STATES INC	17160 ALBURTIS AVE	EDR Hist Auto	Lower	89, 0.017, NNE
B23	ENVIRONMENTAL RENTAL	17160 ALBURTIS	RCRA NonGen / NLR	Lower	89, 0.017, NNE
B24	ENVIRONMENTAL RENTAL	17160 ALBURTIS AVE	RCRA NonGen / NLR	Lower	89, 0.017, NNE
B25	ENVIRONMENTAL RENTAL	17160 ALBURTIS AVE	RCRA NonGen / NLR	Lower	89, 0.017, NNE
B26	STRONGBOX INDUSTRIES	17203 FLALLON AVE	LUST, SWEEPS UST, Cortese, HIST CORTESE	Higher	89, 0.017, NW
A27	NATIONAL READY MIXED	11725 ARTESIA BLVD	CERS HAZ WASTE, CERS TANKS, LOS ANGELES CO. HMS,..	Lower	95, 0.018, SE
A28	NATIONAL READY MIXED	11725 ARTESIA BLVD	SWEEPS UST, CA FID UST, WDS	Lower	95, 0.018, SE
A29	NATIONAL READY MIXED	11725 E ARTESIA BLVD	RCRA NonGen / NLR	Lower	95, 0.018, SE
A30	NATIONAL READY MIXED	11725 ARTESIA BLVD	UST	Lower	95, 0.018, SE
A31	NATIONAL READY MIXED	11725 ARTESIA BLVD.	LUST, HIST UST, Cortese, LOS ANGELES CO. HMS,...	Lower	95, 0.018, SE
A32	UNITED READY MIXED C	11725 ARTESIA BLVD	UST	Lower	95, 0.018, SE
C33	JOHN WYNEGA	11645 ARTESIA BLVD	SWEEPS UST	Lower	148, 0.028, SW
D34	CAL PLATE	17110 JERSEY AVE	RCRA-SQG, CERS HAZ WASTE, FINDS, ECHO, HAZNET, LOS	Lower	198, 0.038, NW
35	PACIFIC COAST LINES	17203 CORBY ST	RCRA-SQG, FINDS, ECHO	Higher	202, 0.038, NE
E36	GEORGE VEROEVEN FEED	11735 E ARTESIA BLVD	SWEEPS UST, HIST UST, CA FID UST, LOS ANGELES CO....	Lower	212, 0.040, SE
E37	GEORGE VERHOEVEN FEE	11735 ARTESIA BLVD E	LUST, Cortese, ENF, HIST CORTESE, CERS	Lower	212, 0.040, SE
E38	GEORGE VERHOEVEN FEE	11735 ARTESIA BLVD	HIST UST	Lower	212, 0.040, SE
F39	ELROY PAINTING CONTR	17220 JERSEY	CPS-SLIC, CERS	Higher	215, 0.041, WNW

MAPPED SITES SUMMARY

Target Property Address:
11709 ARTESIA BOULEVARD
ARTESIA, CA 90701

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
C40	MS CLAUDIA COVERT	11655 ARTESIA BLVD	SWEEPS UST	Lower	230, 0.044, SW
C41	JASPERS AUTO SERVICE	11648 ARTESIA BLVD	CERS HAZ WASTE, HAZNET, CERS, HWTS	Lower	255, 0.048, SW
C42	JASPER'S AUTO SERVIC	11648 ARTESIA BLVD	RCRA-SQG, FINDS	Lower	255, 0.048, SW
C43	JASPER'S AUTO SERVIC	11648 ARTESIA BOULEV	RCRA NonGen / NLR	Lower	255, 0.048, SW
G44	CERRITOS AUTO BODY	11656 E ARTESIA BLVD	CERS HAZ WASTE, CERS	Lower	277, 0.052, SSW
G45	CERRITOS AUTO BODY I	11656 ARTESIA BLVD	RCRA NonGen / NLR	Lower	277, 0.052, SSW
G46	CERRITOS AUTO COLLIS	11656 ARTESIA	RCRA-SQG, FINDS, ECHO, EMI, HAZNET, LOS ANGELES...	Lower	277, 0.052, SSW
D47	INSIGHT SHOOTING RAN	17020 ALBURTIS AVE	RCRA NonGen / NLR	Lower	285, 0.054, NNW
D48	INSIGHT SHOOTING RAN	17020 ALBURTIS AVE	CERS HAZ WASTE, HAZNET, HWTS	Lower	285, 0.054, NNW
E49	MIKE'S SHELL SERVICE	11754 ARTESIA BLVD	EDR Hist Auto	Lower	335, 0.063, SE
E50	KOEUN PRINTING	11754 ARTESIA BLVD #	CERS HAZ WASTE, LOS ANGELES CO. HMS	Lower	335, 0.063, SE
F51	ELITE CONSTRUCTION E	17223 JERSEY AVE	RCRA NonGen / NLR	Higher	348, 0.066, West
F52	ELITE CONSTRUCTION E	17223 JERSEY AVE	CERS HAZ WASTE, HAZNET, CERS, HWTS	Higher	348, 0.066, West
D53	MANFIELD PARTNERSHIP	17004 ALBURTIS AVENU	RCRA-LQG	Lower	364, 0.069, NNW
D54	PRL GLASS SYSTEMS	17004 ALBURTIS AVE	CPS-SLIC, LOS ANGELES CO. HMS, CERS	Lower	364, 0.069, NNW
E55	SHELL SERVICE STATIO	17325 PIONEER BLVD	RCRA NonGen / NLR, FINDS, HAZNET, HWTS	Lower	455, 0.086, ESE
E56	SHELL SERVICE STATIO	17325 PIONEER UNIT C	LUST, RCRA NonGen / NLR, Cortese	Lower	455, 0.086, ESE
E57	SHELL NICK SERVICE	17325 PIONEER BLVD	EDR Hist Auto	Lower	455, 0.086, ESE
E58	SHELL #204-0348-0500	17325 PIONEER BLVD	LUST, Cortese, CERS	Lower	455, 0.086, ESE
E59	SHELL #135062 (NICK'	17325 PIONEER BLVD	UST	Lower	455, 0.086, ESE
E60	CAL CRYSTAL INC DBA	17325 PIONEER BLVD	LUST, CERS HAZ WASTE, CERS TANKS, HAZNET, HIST...	Lower	455, 0.086, ESE
E61	NICK'S SHELL SERVICE	17325 PIONEER BLVD	UST	Lower	455, 0.086, ESE
E62	NICKS SHELL SERVICE	17325 PIONEER BLVD	SWEEPS UST, LOS ANGELES CO. HMS	Lower	455, 0.086, ESE
H63	L&K AUTO SERVICE	11618 ARTESIA BLVD	CERS HAZ WASTE, HAZNET, LOS ANGELES CO. HMS, CERS	Lower	499, 0.095, SW
H64	L & K AUTO SERVICE	11618 ARTESIA BLVD S	RCRA NonGen / NLR	Lower	499, 0.095, SW
I65	ROBINSON LEROY	17235 PIONEER BLVD	EDR Hist Auto	Lower	501, 0.095, East
J66	VANDENBERG MFG CO IN	17306 ROSETON AVE	HIST UST, NPDES	Higher	609, 0.115, West
J67	VANDENBERG MFG CO. I	17306 ROSETON AVE	RCRA NonGen / NLR	Higher	609, 0.115, West
J68	VANDENBERG MFG CO	17306 ROSETON AVE	SWEEPS UST, CA FID UST	Higher	609, 0.115, West
K69	FORMER MOBIL #18-GP9	17122 PIONEER BLVD S	LUST, Cortese, CERS	Lower	630, 0.119, ENE
K70	NADER W OIL LLC	17122 PIONEER BLVD	CERS HAZ WASTE, CERS TANKS, HAZNET, LOS ANGELES...	Lower	630, 0.119, ENE
K71	NADER W OIL LLC	17122 PIONEER BLVD	RCRA NonGen / NLR	Lower	630, 0.119, ENE
K72	MOBIL OIL CORP S/S #	17122 PIONEER BLVD	UST	Lower	630, 0.119, ENE
K73	FORMER MOBIL #18-GP9	17122 SOUTH PIONEER	UST	Lower	630, 0.119, ENE
K74	MOBIL #18-GP9 (FORME	17122 PIONEER	ENF, HIST CORTESE, LOS ANGELES CO. HMS	Lower	630, 0.119, ENE
K75	NADER WAREH	17122 PIONEER BLVD	HIST UST, CHMIRS	Lower	630, 0.119, ENE
K76	NADER W OIL LLC	17122 PIONEER BLVD	UST	Lower	630, 0.119, ENE
K77	CIRCLE K STORES INC.	17122 PIONEER BLVD	RCRA-SQG, FINDS	Lower	630, 0.119, ENE
K78	EXXONMOBIL OIL CORP	17122 PIONEER BLVD	RCRA-SQG	Lower	630, 0.119, ENE

MAPPED SITES SUMMARY

Target Property Address:
11709 ARTESIA BOULEVARD
ARTESIA, CA 90701

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
K79	MOBIL OIL CORP	17122 PIONEER BLVD	SWEEPS UST, LOS ANGELES CO. HMS	Lower	630, 0.119, ENE
K80	NADERS MOBILE STATIO	17122 PIONEER BLVD	EDR Hist Auto	Lower	630, 0.119, ENE
I81	MARTIN WAYNE	17326 PIONEER	EDR Hist Auto	Lower	631, 0.120, ESE
L82	SUNSTON EQUIPMENT IN	17128 ROSETON AVE	RCRA-SQG, FINDS, ECHO	Lower	650, 0.123, WNW
M83	BIG PENNY CAR WASH	17509 PIONEER BLVD	CA FID UST, CERS	Lower	677, 0.128, SE
M84	BIG PENNY CAR WASH	17509 PIONEER BLVD	LUST, UST, SWEEPS UST, HIST UST, ENF, HIST...	Lower	677, 0.128, SE
M85	BIG PENNY CAR-WASH #	17509 PIONEER BLVD	EDR Hist Auto	Lower	677, 0.128, SE
M86	BIG PENNY CAR WASH	17509 PIONEER BOULEV	UST	Lower	677, 0.128, SE
M87	BIG PENNY CAR WASH	17509 POINEER BL	HIST UST	Lower	677, 0.128, SE
M88	BIG PENNY CAR WASH	17509 PIONEER BLVD	Cortese, HAZNET, HWTS	Lower	677, 0.128, SE
L89	TRUK PROS INC	17106 ROSETON AVE	RCRA NonGen / NLR	Lower	697, 0.132, NW
L90	A.N.J. RV-TRAILER SE	17106 ROSETON AV	CERS HAZ WASTE, EMI, CERS	Lower	697, 0.132, NW
L91	C3 TRUCK COLLISION C	17106 ROSETON AVE	RCRA-SQG	Lower	697, 0.132, NW
N92	WALGREENS #5773	11800 ARTESIA BLVD	RCRA-LQG, RCRA-SQG	Lower	727, 0.138, SE
N93	EVERGREEN PIONEER IN	11800 ARTESIA BLVD	UST	Lower	727, 0.138, SE
N94	WALGREENS #5773	11800 ARTESIA BLVD	CERS HAZ WASTE, HAZNET, HWTS	Lower	727, 0.138, SE
N95	MONTGOMERY & CLARK	11800 E ARTESIA	EDR Hist Auto	Lower	727, 0.138, SE
N96	IDEAL FLORIST (FORME	11800 E ARTESIA BLVD	LUST, Cortese, LOS ANGELES CO. HMS, CERS	Lower	727, 0.138, SE
N97	IDEAL FLORIST	11800 ARTESIA	HIST CORTESE	Lower	727, 0.138, SE
N98	IDEAL FLORIST (FORME	11800 ARTESIA BLVD	LUST	Lower	727, 0.138, SE
O99	GOLDEN STATE WATER C	17456 ROSETON AVE.	RCRA NonGen / NLR	Lower	767, 0.145, SW
O100	GOLDEN STATE WATER C	17456 ROSETON AVE	RCRA NonGen / NLR	Lower	767, 0.145, SW
J101	MCDONALD MFG INC	17311 ROSETON	RCRA NonGen / NLR	Higher	775, 0.147, West
L102	MID CITYS ELECTRIC I	17117 ROSETON AVE	RCRA NonGen / NLR	Lower	790, 0.150, WNW
L103	J & N ELECTRIC	17107 ROSETON AVE	LUST, SWEEPS UST, HIST UST, Cortese, HIST CORTESE,...	Lower	820, 0.155, WNW
104	M G WATANBE INC DBA	17031 ROSETON AVE	RCRA NonGen / NLR	Lower	847, 0.160, NW
P105	BOULEVARD CLEANERS	11831 ARTESIA BLVD	RCRA-SQG, CERS HAZ WASTE, FINDS, ECHO,...	Lower	882, 0.167, ESE
P106	BOULEVARD CLEANERS	11831 ARTESIA BLVD	EDR Hist Cleaner	Lower	882, 0.167, ESE
P107	ARTESIA CENTER CLEAN	11831 ARTESIA BLVD	DRYCLEANERS	Lower	882, 0.167, ESE
P108	ARTESIA CENTER CLEAN	11831 ARTESIA BLVD	RCRA NonGen / NLR	Lower	882, 0.167, ESE
P109	AJAY CLEANERS, JAYES	11831 ARTESIA BLVD	DRYCLEANERS	Lower	882, 0.167, ESE
P110	DOLLAR TREE #04575	11837 ARTESIA BLVD	RCRA NonGen / NLR	Lower	906, 0.172, ESE
P111	DOLLAR TREE #04575	11837 ARTESIA BLVD	CERS HAZ WASTE, HAZNET, CERS, HWTS	Lower	906, 0.172, ESE
Q112	SHIL PARK PAINT INC	11521 ARTESIA BLVD	RCRA NonGen / NLR	Lower	948, 0.180, WSW
Q113	SHIL PARK PAINT	11521 ARTESIA BLVD	CERS HAZ WASTE, CERS	Lower	948, 0.180, WSW
P114	CVS PHARMACY NO 9488	11851 ARTESIA BLVD	RCRA-LQG, FINDS, ECHO	Lower	961, 0.182, ESE
P115	CVS PHARMACY # 9488	11851 ARTESIA BLVD	CERS HAZ WASTE, HAZNET, HWTS	Lower	961, 0.182, ESE
116	ANNA BELLE A CUYONG	17510 PIONEER BLVD S	RCRA NonGen / NLR	Lower	962, 0.182, SE
R117	ALBERTSONS #0651	11815 ARTESIA BLVD	CERS HAZ WASTE, LOS ANGELES CO. HMS, CERS	Lower	1012, 0.192, East

MAPPED SITES SUMMARY

Target Property Address:
11709 ARTESIA BOULEVARD
ARTESIA, CA 90701

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
R118	STATER BROS MARKETS	11815 ARTESIA BLVD	RCRA NonGen / NLR	Lower	1012, 0.192, East
S119	TALLY HO APARTMENTS	17701 PIONEER BLVD	RCRA NonGen / NLR	Lower	1052, 0.199, SSE
T120	ARTESIA ICE SERVICE	17119 CLARKDALE AVE	HIST UST, LOS ANGELES CO. HMS	Lower	1059, 0.201, ENE
T121	ARTESIA ICE	11846 FRAMPTON CT	RCRA NonGen / NLR	Lower	1059, 0.201, ENE
T122	ARTESIA ICE SERVICE	11846 FRAMPTON CT	UST, LOS ANGELES CO. HMS	Lower	1059, 0.201, ENE
S123	99 RANCH MARKET #17	17713 PIONEER BLVD	CERS HAZ WASTE, HAZNET, LOS ANGELES CO. HMS, CERS	Lower	1059, 0.201, SSE
S124	99 RANCH MARKET #17	17713 PIONEER BLVD	RCRA NonGen / NLR	Lower	1059, 0.201, SSE
125	BOER BACKHOE INC	11836 ARTESIA BLVD	RCRA NonGen / NLR	Lower	1075, 0.204, ESE
U126	CHIP LAO	17213 GARD AVENUE	RCRA NonGen / NLR	Higher	1084, 0.205, West
U127	CHIP LAO	17213 GARD AVENUE	RCRA NonGen / NLR	Higher	1084, 0.205, West
T128	LINOTYPE CO	17100 PIONEER BLVD	RCRA NonGen / NLR, FINDS, ECHO	Lower	1091, 0.207, ENE
V129	MARYANNE POPPE	17117 GARD AVE	RCRA NonGen / NLR	Lower	1147, 0.217, WNW
V130	MARYANNE POPPE	17117 GARD AVE	RCRA NonGen / NLR	Lower	1147, 0.217, WNW
W131	JOHAL OIL CORPORATIO	16809 S PIONEER BLVD	RCRA NonGen / NLR	Lower	1150, 0.218, NNE
W132	JOHAL OIL CORPORATIO	16809 S PIONEER BLVD	CERS HAZ WASTE, SWEEPS UST, CERS TANKS, LOS...	Lower	1150, 0.218, NNE
W133	EXXON #7-3314 (FORME	16809 PIONEER BLVD S	LUST, Cortese, CERS	Lower	1150, 0.218, NNE
W134	YARALIANS SERVICES	16809 PIONEER BLVD	EDR Hist Auto	Lower	1150, 0.218, NNE
W135	YARALIAN TEXACO	16809 PIONEER BLVD	LUST, HIST CORTESE	Lower	1150, 0.218, NNE
W136	EXXON SERVICE STATIO	16809 PIONEER	HIST UST	Lower	1150, 0.218, NNE
W137	YARALIAN TEXACO	16809 PIONEER BLVD	LUST, UST, Cortese	Lower	1150, 0.218, NNE
W138	JOHAL OIL CORPORATIO	16809 S PIONEER BLVD	UST	Lower	1150, 0.218, NNE
W139	OSBORNS EXXON SERVIC	16809 PIONEER BLVD	RCRA-SQG, FINDS, ECHO	Lower	1150, 0.218, NNE
140	CERVANTES, LAWRENCE	11663 E. 168TH STREE	RCRA NonGen / NLR	Lower	1186, 0.225, North
V141	JORDAN, LEROY	17105 GARD AVENUE	RCRA NonGen / NLR	Lower	1192, 0.226, WNW
X142	BRIAN CURTISS	11550 168TH STREET	RCRA NonGen / NLR	Lower	1223, 0.232, NNW
X143	THOMAS HEATH	11603 168TH ST	RCRA NonGen / NLR	Lower	1225, 0.232, NNW
W144	PIONEER CHEVRON	16725 PIONEER BLVD	UST	Lower	1312, 0.248, NNE
W145	95619	16725 PIONEER BLVD	HIST UST	Lower	1312, 0.248, NNE
W146	CHEVRON STATION NO 9	16725 PIONEER BLVD	RCRA NonGen / NLR, FINDS, ECHO	Lower	1312, 0.248, NNE
W147	BOB'S CHEVRON STATIO	16725 S PIONEER BLVD	EDR Hist Auto	Lower	1312, 0.248, NNE
W148	CHEVRON #9-5619	16725 PIONEER BLVD S	LUST, Cortese, CERS	Lower	1312, 0.248, NNE
W149	PIONEER CHEVRON	16725 PIONEER BLVD	CERS HAZ WASTE, SWEEPS UST, CERS TANKS, LOS...	Lower	1312, 0.248, NNE
W150	CHEVRON USA SS 09561	16725 PIONEER BLVD	UST	Lower	1312, 0.248, NNE
W151	CHEVRON #9-5619	16725 PIONEER	HIST CORTESE	Lower	1312, 0.248, NNE
Y152	PIONEER HOSPITAL	17831 PIONEER BLVD	LUST, UST, Cortese, CERS	Lower	1702, 0.322, SSE
Y153	SEE 002056-002133	17831 PIONEER BLVD	LUST, SWEEPS UST, EMI, HIST CORTESE, LOS ANGELES...	Lower	1702, 0.322, SSE
Z154	VALUE CLEANERS	11414 ARTESIA BLVD	CPS-SLIC, DRYCLEANERS, CERS	Lower	1757, 0.333, WSW
155	ABC UNIFIED SCHOOL D	11865 178TH ST E	LUST, Cortese, HIST CORTESE, CERS	Lower	1765, 0.334, SE
AA156	ARTESIA BUILDING MAT	16632 PIONEER BLVD S	LUST, Cortese, LOS ANGELES CO. HMS, CERS	Higher	1805, 0.342, NNE

MAPPED SITES SUMMARY

Target Property Address:
11709 ARTESIA BOULEVARD
ARTESIA, CA 90701

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
Z157	VALUE CLEANERS	11402 ARTESIA	CPS-SLIC	Lower	1846, 0.350, WSW
158	UNOCAL #5659	11355 ARTESIA BLVD	LUST, Cortese, HIST CORTESE, CERS	Higher	1971, 0.373, West
AA159	DIAMOND TIRE CENTER	16604 PIONEER	LUST, ENF, HIST CORTESE	Higher	1978, 0.375, NNE
AA160	DIAMOND TIRE CENTER	16604 PIONEER BLVD	SWEEPS UST, Cortese, LOS ANGELES CO. HMS, CERS	Higher	1978, 0.375, NNE
AA161	DIAMOND TIRE CENTER	16604 PIONEER BLVD	LUST, UST, HWTS	Higher	1978, 0.375, NNE
AB162	UNITED OIL # 46	16516 PIONEER BLVD,	LUST, Cortese, CERS	Higher	2258, 0.428, NNE
AB163	TEXACO (FORMER)	16516 PIONEER	LUST, HIST CORTESE	Higher	2258, 0.428, NNE
AB164	TEXACO (FORMER)	16516 PIONEER BLVD	LUST, Cortese, CERS	Higher	2258, 0.428, NNE
165	DEL TACO	15911 PIONEER BLVD.	Notify 65	Higher	4534, 0.859, North

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 9 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
CALIFORNIA MILK PROD 11709 ARTESIA BLVD E ARTESIA, CA	RGA LUST	N/A
CALIFORNIA MILK PROD 11709 ARTESIA BLVD E ARTESIA, CA	RGA LUST	N/A
CALIFORNIA MILK PROD 11709 ARTESIA BLVD E ARTESIA, CA 90701	FINDS Registry ID:: 110066167276	N/A
CALIF MILK PRODUCERS 11709 ARTESIA BLVD ARTESIA, CA 90701	UST Database: UST, Date of Government Version: 09/07/2021 Facility Id: 1249	N/A
1X CALIFORNIA MILK P 11709 E ARTESIA BLVD ARTESIA, CA 90701	HAZNET GEPAID: CAC000072629 HWTS	N/A
1X CALIFORNIA MILK P 11709 EAST ARTESIA B ARTESIA, CA 90701	HAZNET GEPAID: CAC000857104 HWTS	N/A
CALIFORNIA DAIRIES I 11709 E ARTESIA BLVD ARTESIA, CA 90701	HAZNET GEPAID: CAL000008617 HWTS	N/A
CALIFORNIA DAIRIES, 11709 ARTESIA BOULEV ARTESIA, CA 90701	TRIS TRIS ID: 90701CLFRN11709 FINDS Registry ID:: 110002424902 ECHO Registry ID: 110002424902	90701CLFRN11709
CALIF MILK PRODUCERS 11709 ARTESIA BLVD ARTESIA, CA 90701	LOS ANGELES CO. HMS	N/A

EXECUTIVE SUMMARY

Facility ID: 001190-001249

CALIFORNIA MILK PROD
11709 ARTESIA BLVD E
ARTESIA, CA 90701

LUST N/A
Database: LUST REG 4, Date of Government Version: 09/07/2004
Database: LUST, Date of Government Version: 09/07/2021
Global Id: T0603702769
Global ID: T0603702769
Status: Completed - Case Closed
Facility Id: I-01249
Status: Case Closed

SWEEPS UST
Status: A
Tank Status: A
Comp Number: 1249

HIST UST
Facility Id: 00000005415

CA FID UST
Facility Id: 19001558
Status: A

Cortese
Cleanup Status: COMPLETED - CASE CLOSED

EMI
Facility Id: 22607

ENF
Status: Withdrawn
Status: Historical
Status: Historical
Facility Id: 216600

HIST CORTESE
Reg Id: I-01249

LOS ANGELES CO. HMS
Facility ID: 001190-I01249
Facility ID: 001190-047286

WDS
Facility Status: A
Facility Id: 4B192454001

CIWQS
CERS

CALIFORNIA MILK PROD
11709 ARTESIA BLVD E
ARTESIA, CA

RGA LUST N/A

CALIFORNIA DAIRIES I
11709 E ARTESIA BLVD
ARTESIA, CA 90701

RCRA NonGen / NLR CAL000008617
EPA ID:: CAL000008617

CALIFORNIA DAIRIES,
11709 EAST ARTESIA B
ARTESIA, CA 90701

ICIS N/A

EXECUTIVE SUMMARY

FRS ID:: 110002424902

1X CALIFORNIA MILK P 11709 E ARTESIA BLVD ARTESIA, CA 90701	HAZNET GEPAID: CAC000015909 HWTS	N/A
CALIFORNIA DAIRIES I PO BOX 6210 11709 AR ARTESIA, CA 90702	CIWQS	N/A

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL ---- National Priority List
Proposed NPL ---- Proposed National Priority List Sites
NPL LIENS ---- Federal Superfund Liens

Lists of Federal Delisted NPL sites

Delisted NPL ---- National Priority List Deletions

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY ---- Federal Facility Site Information listing
SEMS ---- Superfund Enterprise Management System

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE ---- Superfund Enterprise Management System Archive

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS ---- Corrective Action Report

Lists of Federal RCRA TSD facilities

RCRA-TSDF ---- RCRA - Treatment, Storage and Disposal

Lists of Federal RCRA generators

RCRA-VSQG ---- RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

Federal institutional controls / engineering controls registries

LUCIS ---- Land Use Control Information System
US ENG CONTROLS ---- Engineering Controls Sites List
US INST CONTROLS ---- Institutional Controls Sites List

Federal ERNS list

ERNS ---- Emergency Response Notification System

Lists of state- and tribal (Superfund) equivalent sites

RESPONSE ---- State Response Sites

Lists of state- and tribal hazardous waste facilities

ENVIROSTOR ---- EnviroStor Database

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF ---- Solid Waste Information System

Lists of state and tribal leaking storage tanks

INDIAN LUST ---- Leaking Underground Storage Tanks on Indian Land

Lists of state and tribal registered storage tanks

FEMA UST ---- Underground Storage Tank Listing
AST ---- Aboveground Petroleum Storage Tank Facilities
INDIAN UST ---- Underground Storage Tanks on Indian Land

Lists of state and tribal voluntary cleanup sites

VCP ---- Voluntary Cleanup Program Properties
INDIAN VCP ---- Voluntary Cleanup Priority Listing

Lists of state and tribal brownfield sites

BROWNFIELDS ---- Considered Brownfieds Sites Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS ---- A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

WMUDS/SWAT ---- Waste Management Unit Database
SWRCY ---- Recycler Database
HAULERS ---- Registered Waste Tire Haulers Listing
INDIAN ODI ---- Report on the Status of Open Dumps on Indian Lands

ODI ---- Open Dump Inventory
DEBRIS REGION 9 ---- Torres Martinez Reservation Illegal Dump Site Locations
IHS OPEN DUMPS ---- Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

AOCONCERN ---- Key Areas of Concerns in Los Angeles County
US HIST CDL ---- Delisted National Clandestine Laboratory Register
HIST Cal-Sites ---- Historical Calsites Database
SCH ---- School Property Evaluation Program
CDL ---- Clandestine Drug Labs
Toxic Pits ---- Toxic Pits Cleanup Act Sites
US CDL ---- National Clandestine Laboratory Register
AQUEOUS FOAM ---- Former Fire Training Facility Assessments Listing
PFAS ---- PFAS Contamination Site Location Listing

Local Land Records

LIENS ---- Environmental Liens Listing
LIENS 2 ---- CERCLA Lien Information
DEED ---- Deed Restriction Listing

Records of Emergency Release Reports

HMIRS ---- Hazardous Materials Information Reporting System
CHMIRS ---- California Hazardous Material Incident Report System
LDS ---- Land Disposal Sites Listing
MCS ---- Military Cleanup Sites Listing
SPILLS 90 ---- SPILLS 90 data from FirstSearch

Other Ascertainable Records

FUDS ---- Formerly Used Defense Sites
DOD ---- Department of Defense Sites
SCRD DRYCLEANERS ---- State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR ---- Financial Assurance Information
EPA WATCH LIST ---- EPA WATCH LIST
2020 COR ACTION ---- 2020 Corrective Action Program List
TSCA ---- Toxic Substances Control Act
SSTS ---- Section 7 Tracking Systems
ROD ---- Records Of Decision
RMP ---- Risk Management Plans
RAATS ---- RCRA Administrative Action Tracking System
PRP ---- Potentially Responsible Parties
PADS ---- PCB Activity Database System
FTTS ---- FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS ---- Material Licensing Tracking System
COAL ASH DOE ---- Steam-Electric Plant Operation Data
COAL ASH EPA ---- Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER ---- PCB Transformer Registration Database
RADINFO ---- Radiation Information Database
HIST FTTS ---- FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS ---- Incident and Accident Data
CONSENT ---- Superfund (CERCLA) Consent Decrees

INDIAN RESERV - Indian Reservations
FUSRAP - Formerly Utilized Sites Remedial Action Program
UMTRA - Uranium Mill Tailings Sites
LEAD SMELTERS - Lead Smelter Sites
US AIRS - Aerometric Information Retrieval System Facility Subsystem
US MINES - Mines Master Index File
ABANDONED MINES - Abandoned Mines
UXO - Unexploded Ordnance Sites
DOCKET HWC - Hazardous Waste Compliance Docket Listing
FUELS PROGRAM - EPA Fuels Program Registered Listing
CA BOND EXP. PLAN - Bond Expenditure Plan
CUPA Listings - CUPA Resources List
Financial Assurance - Financial Assurance Information Listing
ICE - ICE
HWP - EnviroStor Permitted Facilities Listing
HWT - Registered Hazardous Waste Transporter Database
MINES - Mines Site Location Listing
MWMP - Medical Waste Management Program Listing
PEST LIC - Pesticide Regulation Licenses Listing
PROC - Certified Processors Database
LA Co. Site Mitigation - Site Mitigation List
UIC - UIC Listing
UIC GEO - UIC GEO (GEOTRACKER)
WASTEWATER PITS - Oil Wastewater Pits Listing
WIP - Well Investigation Program Case List
MILITARY PRIV SITES - MILITARY PRIV SITES (GEOTRACKER)
PROJECT - PROJECT (GEOTRACKER)
WDR - Waste Discharge Requirements Listing
NON-CASE INFO - NON-CASE INFO (GEOTRACKER)
OTHER OIL GAS - OTHER OIL & GAS (GEOTRACKER)
PROD WATER PONDS - PROD WATER PONDS (GEOTRACKER)
SAMPLING POINT - SAMPLING POINT (GEOTRACKER)
WELL STIM PROJ - Well Stimulation Project (GEOTRACKER)
LOS ANGELES CO LF METHANE - Methane Producing Landfills
MINES MRDS - Mineral Resources Data System

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP - EDR Proprietary Manufactured Gas Plants

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF - Recovered Government Archive Solid Waste Facilities List

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

EXECUTIVE SUMMARY

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal RCRA generators

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 09/13/2021 has revealed that there are 3 RCRA-LQG sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
MANFIELD PARTNERSHIP EPA ID:: CAR000284182	17004 ALBURTIS AVENU	NNW 0 - 1/8 (0.069 mi.)	D53	367
WALGREENS #5773 EPA ID:: CAL000322884	***11800 ARTESIA BLVD***	***SE 1/8 - 1/4 (0.138 mi.)***	***N92***	***521***
CVS PHARMACY NO 9488 EPA ID:: CAR000235754	***11851 ARTESIA BLVD***	***ESE 1/8 - 1/4 (0.182 mi.)***	***P114***	***666***

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 09/13/2021 has revealed that there are 11 RCRA-SQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
PACIFIC COAST LINES EPA ID:: CAD981442049	***17203 CORBY ST***	***NE 0 - 1/8 (0.038 mi.)***	***35***	***279***

Lower Elevation	Address	Direction / Distance	Map ID	Page
CAL PLATE EPA ID:: CAD983636242	***17110 JERSEY AVE***	***NW 0 - 1/8 (0.038 mi.)***	***D34***	***191***
JASPER'S AUTO SERVIC	***11648 ARTESIA BLVD***	***SW 0 - 1/8 (0.048 mi.)***	***C42***	***296***

EPA ID:: CAD981446289				
CERRITOS AUTO COLLIS	***11656 ARTESIA***	***SSW 0 - 1/8 (0.052 mi.)***	***G46***	***311***
EPA ID:: CAD094441581				
CIRCLE K STORES INC.	***17122 PIONEER BLVD***	***ENE 0 - 1/8 (0.119 mi.)***	***K77***	***472***
EPA ID:: CAL000056233				
EXXONMOBIL OIL CORP	17122 PIONEER BLVD	ENE 0 - 1/8 (0.119 mi.)	K78	475
EPA ID:: CAR000239616				
SUNSTON EQUIPMENT IN	***17128 ROSETON AVE***	***WNW 0 - 1/8 (0.123 mi.)***	***L82***	***481***
EPA ID:: CAD097459549				
C3 TRUCK COLLISION C	17106 ROSETON AVE	NW 1/8 - 1/4 (0.132 mi.)	L91	518
EPA ID:: CAR000179135				
WALGREENS #5773	***11800 ARTESIA BLVD***	***SE 1/8 - 1/4 (0.138 mi.)***	***N92***	***521***
EPA ID:: CAL000322884				
BOULEVARD CLEANERS	***11831 ARTESIA BLVD***	***ESE 1/8 - 1/4 (0.167 mi.)***	***P105***	***607***
EPA ID:: CAD981621964				
OSBORNS EXXON SERVIC	***16809 PIONEER BLVD***	***NNE 1/8 - 1/4 (0.218 mi.)***	***W139***	***783***
EPA ID:: CAD982014375				

Lists of state and tribal leaking storage tanks

LUST: Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

A review of the LUST list, as provided by EDR, has revealed that there are 25 LUST sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
STRONGBOX INDUSTRIES	***17203 FLALLON AVE***	***NW 0 - 1/8 (0.017 mi.)***	***B26***	***125***
Database: LUST REG 4, Date of Government Version: 09/07/2004				
Database: LUST, Date of Government Version: 09/07/2021				
Global Id: T0603705229				
Global ID: T0603705229				
Status: Completed - Case Closed				
Facility Id: R-14475				
Status: Case Closed				
ARTESIA BUILDING MAT	***16632 PIONEER BLVD S***	***NNE 1/4 - 1/2 (0.342 mi.)***	***AA156***	***855***
Database: LUST, Date of Government Version: 09/07/2021				
Global Id: T0603750351				
Status: Open - Site Assessment				
UNOCAL #5659	***11355 ARTESIA BLVD***	***W 1/4 - 1/2 (0.373 mi.)***	***158***	***863***
Database: LUST REG 4, Date of Government Version: 09/07/2004				
Database: LUST, Date of Government Version: 09/07/2021				
Global Id: T0603704601				
Global ID: T0603704601				
Status: Completed - Case Closed				
Facility Id: R-02640				
Status: Case Closed				
DIAMOND TIRE CENTER	***16604 PIONEER***	***NNE 1/4 - 1/2 (0.375 mi.)***	***AA159***	***866***
Database: LUST, Date of Government Version: 09/07/2021				

Global Id: T0603704070
Status: Open - Remediation

DIAMOND TIRE CENTER ***16604 PIONEER BLVD*** ***NNE 1/4 - 1/2 (0.375 mi.)*** ***AA161*** ***882***
Database: LUST REG 4, Date of Government Version: 09/07/2004
Global ID: T0603704070
Facility Id: I-13467
Status: Remedial action (cleanup) Underway

UNITED OIL # 46 ***16516 PIONEER BLVD,*** ***NNE 1/4 - 1/2 (0.428 mi.)*** ***AB162*** ***886***
Database: LUST, Date of Government Version: 09/07/2021
Global Id: T0603796520
Status: Completed - Case Closed

TEXACO (FORMER) ***16516 PIONEER*** ***NNE 1/4 - 1/2 (0.428 mi.)*** ***AB163*** ***889***
Database: LUST, Date of Government Version: 09/07/2021
Global Id: T0603702701
Status: Completed - Case Closed

TEXACO (FORMER) ***16516 PIONEER BLVD*** ***NNE 1/4 - 1/2 (0.428 mi.)*** ***AB164*** ***890***
Database: LUST REG 4, Date of Government Version: 09/07/2004
Global ID: T0603702701
Facility Id: I-00305
Status: Case Closed

Lower Elevation	Address	Direction / Distance	Map ID	Page

NATIONAL READY MIXED ***11725 ARTESIA BLVD.*** ***SE 0 - 1/8 (0.018 mi.)*** ***A31*** ***180***
Database: LUST, Date of Government Version: 09/07/2021
Global Id: T0603793298
Status: Completed - Case Closed

GEORGE VERHOEVEN FEE ***11735 ARTESIA BLVD E*** ***SE 0 - 1/8 (0.040 mi.)*** ***E37*** ***284***
Database: LUST REG 4, Date of Government Version: 09/07/2004
Database: LUST, Date of Government Version: 09/07/2021
Global Id: T0603703805
Global ID: T0603703805
Status: Completed - Case Closed
Facility Id: I-11487
Status: Case Closed

SHELL SERVICE STATIO ***17325 PIONEER UNIT C*** ***ESE 0 - 1/8 (0.086 mi.)*** ***E56*** ***385***
Database: LUST REG 4, Date of Government Version: 09/07/2004
Global ID: T0603724499
Facility Id: I-02242A
Status: Leak being confirmed

SHELL #204-0348-0500 ***17325 PIONEER BLVD*** ***ESE 0 - 1/8 (0.086 mi.)*** ***E58*** ***390***
Database: LUST REG 4, Date of Government Version: 09/07/2004
Global ID: T0603702841
Facility Id: I-02242
Status: Case Closed

CAL CRYSTAL INC DBA ***17325 PIONEER BLVD*** ***ESE 0 - 1/8 (0.086 mi.)*** ***E60*** ***392***
Database: LUST, Date of Government Version: 09/07/2021
Global Id: T0603724499
Global Id: T0603702841
Status: Completed - Case Closed

FORMER MOBIL #18-GP9 ***17122 PIONEER BLVD S*** ***ENE 0 - 1/8 (0.119 mi.)*** ***K69*** ***434***
Database: LUST REG 4, Date of Government Version: 09/07/2004
Database: LUST, Date of Government Version: 09/07/2021

Global Id: T0603702870
Global ID: T0603702870
Status: Open - Verification Monitoring
Facility Id: I-02871
Status: Remediation Plan

BIG PENNY CAR WASH ***17509 PIONEER BLVD*** ***SE 1/8 - 1/4 (0.128 mi.)*** ***M84*** ***485***
Database: LUST REG 4, Date of Government Version: 09/07/2004
Database: LUST, Date of Government Version: 09/07/2021
Global Id: T0603704529
Global ID: T0603704529
Status: Completed - Case Closed
Facility Id: R-00456
Status: Remediation Plan

IDEAL FLORIST (FORME ***11800 E ARTESIA BLVD*** ***SE 1/8 - 1/4 (0.138 mi.)*** ***N96*** ***583***
Database: LUST, Date of Government Version: 09/07/2021
Global Id: T0603705214
Status: Completed - Case Closed

IDEAL FLORIST (FORME 11800 ARTESIA BLVD SE 1/8 - 1/4 (0.138 mi.) N98 589
Database: LUST REG 4, Date of Government Version: 09/07/2004
Global ID: T0603705214
Facility Id: R-13915
Status: Preliminary site assessment workplan submitted

J & N ELECTRIC ***17107 ROSETON AVE*** ***WNW 1/8 - 1/4 (0.155 mi.)*** ***L103*** ***600***
Database: LUST REG 4, Date of Government Version: 09/07/2004
Database: LUST, Date of Government Version: 09/07/2021
Global Id: T0603703852
Global ID: T0603703852
Status: Completed - Case Closed
Facility Id: I-11805
Status: Case Closed

EXXON #7-3314 (FORME ***16809 PIONEER BLVD S*** ***NNE 1/8 - 1/4 (0.218 mi.)*** ***W133*** ***770***
Database: LUST REG 4, Date of Government Version: 09/07/2004
Database: LUST, Date of Government Version: 09/07/2021
Global Id: T0603702863
Global ID: T0603702863
Status: Completed - Case Closed
Facility Id: I-02660
Status: Case Closed

YARALIAN TEXACO ***16809 PIONEER BLVD*** ***NNE 1/8 - 1/4 (0.218 mi.)*** ***W135*** ***774***
Database: LUST, Date of Government Version: 09/07/2021
Global Id: T0603713730
Status: Completed - Case Closed

YARALIAN TEXACO ***16809 PIONEER BLVD*** ***NNE 1/8 - 1/4 (0.218 mi.)*** ***W137*** ***780***
Database: LUST REG 4, Date of Government Version: 09/07/2004
Global ID: T0603713730
Facility Id: I-02660A
Status: Preliminary site assessment workplan submitted

CHEVRON #9-5619 ***16725 PIONEER BLVD S*** ***NNE 1/8 - 1/4 (0.248 mi.)*** ***W148*** ***802***
Database: LUST REG 4, Date of Government Version: 09/07/2004
Database: LUST, Date of Government Version: 09/07/2021
Global Id: T0603704541
Global Id: SL0603798449

Global ID: T0603704541
Status: Completed - Case Closed
Facility Id: R-00737
Status: Case Closed

PIONEER HOSPITAL ***17831 PIONEER BLVD*** ***SSE 1/4 - 1/2 (0.322 mi.)*** ***Y152*** ***837***
Database: LUST REG 4, Date of Government Version: 09/07/2004
Global ID: T0603701582
Global ID: T0603713113
Facility Id: 907010061
Facility Id: 907010061A
Status: Case Closed

SEE 002056-002133 ***17831 PIONEER BLVD*** ***SSE 1/4 - 1/2 (0.322 mi.)*** ***Y153*** ***841***
Database: LUST, Date of Government Version: 09/07/2021
Global Id: T0603701582
Global Id: T0603713113
Status: Completed - Case Closed

ABC UNIFIED SCHOOL D ***11865 178TH ST E*** ***SE 1/4 - 1/2 (0.334 mi.)*** ***155*** ***848***
Database: LUST REG 4, Date of Government Version: 09/07/2004
Database: LUST, Date of Government Version: 09/07/2021
Global Id: T0603705086
Global Id: T0603706974
Global ID: T0603705086
Status: Completed - Case Closed
Facility Id: R-11981
Status: Case Closed

CPS-SLIC: Cleanup Program Sites (CPS; also known as Site Cleanups [SC] and formerly known as Spills, Leaks, Investigations, and Cleanups [SLIC] sites) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

A review of the CPS-SLIC list, as provided by EDR, has revealed that there are 4 CPS-SLIC sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ELROY PAINTING CONTR	***17220 JERSEY***	***WNW 0 - 1/8 (0.041 mi.)***	***F39***	***290***

Database: SLIC REG 4, Date of Government Version: 11/17/2004
Database: CPS-SLIC, Date of Government Version: 09/07/2021
Global Id: SLT4307977
Facility Status: No further action required
Facility Status: Completed - Case Closed

Lower Elevation	Address	Direction / Distance	Map ID	Page
PRL GLASS SYSTEMS	***17004 ALBURTIS AVE***	***NNW 0 - 1/8 (0.069 mi.)***	***D54***	***370***

Database: CPS-SLIC, Date of Government Version: 09/07/2021
Global Id: T10000011761
Facility Status: Open - Site Assessment

VALUE CLEANERS ***11414 ARTESIA BLVD*** ***WSW 1/4 - 1/2 (0.333 mi.)*** ***Z154*** ***847***
Database: CPS-SLIC, Date of Government Version: 09/07/2021
Global Id: SL204CJ2373

Facility Status: Open - Remediation

VALUE CLEANERS	11402 ARTESIA	WSW 1/4 - 1/2 (0.350 mi.)	Z157	863
Database: SLIC REG 4, Date of Government Version: 11/17/2004				
Facility Status: Site Assessment				

Lists of state and tribal registered storage tanks

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the State Water Resources Control Board's Hazardous Substance Storage Container Database.

A review of the UST list, as provided by EDR, has revealed that there are 16 UST sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
O'BRIEN CAL COGEN LT	***17306 FLALLON AVE***	***SW 0 - 1/8 (0.001 mi.)***	***A17***	***95***
Database: UST, Date of Government Version: 09/07/2021				
Facility Id: 8768				
NATIONAL READY MIXED	11725 ARTESIA BLVD	SE 0 - 1/8 (0.018 mi.)	A30	180
Database: UST, Date of Government Version: 09/07/2021				
Facility Id: LACoFA0003414				
UNITED READY MIXED C	11725 ARTESIA BLVD	SE 0 - 1/8 (0.018 mi.)	A32	190
Database: UST, Date of Government Version: 09/07/2021				
Facility Id: 3246				
SHELL #135062 (NICK'	17325 PIONEER BLVD	ESE 0 - 1/8 (0.086 mi.)	E59	392
Database: UST, Date of Government Version: 09/07/2021				
Facility Id: LACoFA0020969				
NICK'S SHELL SERVICE	17325 PIONEER BLVD	ESE 0 - 1/8 (0.086 mi.)	E61	418
Database: UST, Date of Government Version: 09/07/2021				
Facility Id: 26233				
MOBIL OIL CORP S/S #	17122 PIONEER BLVD	ENE 0 - 1/8 (0.119 mi.)	K72	466
Database: UST, Date of Government Version: 09/07/2021				
Facility Id: 2871				
FORMER MOBIL #18-GP9	17122 SOUTH PIONEER	ENE 0 - 1/8 (0.119 mi.)	K73	467
Database: UST CLOSURE, Date of Government Version: 08/18/2021				
NADER W OIL LLC	17122 PIONEER BLVD	ENE 0 - 1/8 (0.119 mi.)	K76	472
Database: UST, Date of Government Version: 09/07/2021				
BIG PENNY CAR WASH	***17509 PIONEER BLVD***	***SE 1/8 - 1/4 (0.128 mi.)***	***M84***	***485***
Database: UST, Date of Government Version: 09/07/2021				
Facility Id: 456				
BIG PENNY CAR WASH	17509 PIONEER BOULEV	SE 1/8 - 1/4 (0.128 mi.)	M86	505
Database: UST CLOSURE, Date of Government Version: 08/18/2021				
EVERGREEN PIONEER IN	11800 ARTESIA BLVD	SE 1/8 - 1/4 (0.138 mi.)	N93	538
Database: UST, Date of Government Version: 09/07/2021				
Facility Id: 32571				
ARTESIA ICE SERVICE	***11846 FRAMPTON CT***	***ENE 1/8 - 1/4 (0.201 mi.)***	***T122***	***718***
Database: UST, Date of Government Version: 09/07/2021				

Facility Id: 26759

YARALIAN TEXACO	***16809 PIONEER BLVD***	***NNE 1/8 - 1/4 (0.218 mi.)***	***W137***	***780***
Database: UST, Date of Government Version: 09/07/2021 Facility Id: 2660				
JOHAL OIL CORPORATIO	16809 S PIONEER BLVD	NNE 1/8 - 1/4 (0.218 mi.)	W138	782
Database: UST, Date of Government Version: 09/07/2021 Facility Id: LACoFA0020941				
PIONEER CHEVRON	16725 PIONEER BLVD	NNE 1/8 - 1/4 (0.248 mi.)	W144	796
Database: UST, Date of Government Version: 09/07/2021 Facility Id: LACoFA0020945				
CHEVRON USA SS 09561	16725 PIONEER BLVD	NNE 1/8 - 1/4 (0.248 mi.)	W150	837
Database: UST, Date of Government Version: 09/07/2021 Facility Id: 737				

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Hazardous waste / Contaminated Sites

CERS HAZ WASTE: List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

A review of the CERS HAZ WASTE list, as provided by EDR, and dated 07/15/2021 has revealed that there are 21 CERS HAZ WASTE sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
JMC TRUCK REPAIR	***17224 ALBURTIS ST***	***ENE 0 - 1/8 (0.016 mi.)***	***A20***	***101***
ELITE CONSTRUCTION E	***17223 JERSEY AVE***	***W 0 - 1/8 (0.066 mi.)***	***F52***	***363***

Lower Elevation	Address	Direction / Distance	Map ID	Page
NATIONAL READY MIXED	***11725 ARTESIA BLVD***	***SE 0 - 1/8 (0.018 mi.)***	***A27***	***128***
CAL PLATE	***17110 JERSEY AVE***	***NW 0 - 1/8 (0.038 mi.)***	***D34***	***191***
JASPERS AUTO SERVICE	***11648 ARTESIA BLVD***	***SW 0 - 1/8 (0.048 mi.)***	***C41***	***291***
CERRITOS AUTO BODY	***11656 E ARTESIA BLVD***	***SSW 0 - 1/8 (0.052 mi.)***	***G44***	***301***
INSIGHT SHOOTING RAN	***17020 ALBURTIS AVE***	***NNW 0 - 1/8 (0.054 mi.)***	***D48***	***348***
KOEUN PRINTING	***11754 ARTESIA BLVD #***	***SE 0 - 1/8 (0.063 mi.)***	***E50***	***359***
CAL CRYSTAL INC DBA	***17325 PIONEER BLVD***	***ESE 0 - 1/8 (0.086 mi.)***	***E60***	***392***
L&K AUTO SERVICE	***11618 ARTESIA BLVD***	***SW 0 - 1/8 (0.095 mi.)***	***H63***	***420***
NADER W OIL LLC	***17122 PIONEER BLVD***	***ENE 0 - 1/8 (0.119 mi.)***	***K70***	***449***
A.N.J. RV-TRAILER SE	***17106 ROSETON AV***	***NW 1/8 - 1/4 (0.132 mi.)***	***L90***	***510***
WALGREENS #5773	***11800 ARTESIA BLVD***	***SE 1/8 - 1/4 (0.138 mi.)***	***N94***	***538***
BOULEVARD CLEANERS	***11831 ARTESIA BLVD***	***ESE 1/8 - 1/4 (0.167 mi.)***	***P105***	***607***
DOLLAR TREE #04575	***11837 ARTESIA BLVD***	***ESE 1/8 - 1/4 (0.172 mi.)***	***P111***	***633***
SHIL PARK PAINT	***11521 ARTESIA BLVD***	***WSW 1/8 - 1/4 (0.180 mi.)***	***Q113***	***663***
CVS PHARMACY # 9488	***11851 ARTESIA BLVD***	***ESE 1/8 - 1/4 (0.182 mi.)***	***P115***	***675***
ALBERTSONS #0651	***11815 ARTESIA BLVD***	***E 1/8 - 1/4 (0.192 mi.)***	***R117***	***705***
99 RANCH MARKET #17	***17713 PIONEER BLVD***	***SSE 1/8 - 1/4 (0.201 mi.)***	***S123***	***718***
JOHAL OIL CORPORATIO	***16809 S PIONEER BLVD***	***NNE 1/8 - 1/4 (0.218 mi.)***	***W132***	***746***
PIONEER CHEVRON	***16725 PIONEER BLVD***	***NNE 1/8 - 1/4 (0.248 mi.)***	***W149***	***808***

Local Lists of Registered Storage Tanks

SWEEPS UST: Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

A review of the SWEEPS UST list, as provided by EDR, and dated 06/01/1994 has revealed that there are 13 SWEEPS UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
STRONGBOX INDUSTRIES Status: A Comp Number: 14475	***17203 FLALLON AVE***	***NW 0 - 1/8 (0.017 mi.)***	***B26***	***125***
VANDENBERG MFG CO Status: A Tank Status: A Comp Number: 11324	***17306 ROSETON AVE***	***W 0 - 1/8 (0.115 mi.)***	***J68***	***433***

Lower Elevation	Address	Direction / Distance	Map ID	Page
O'BRIEN CAL COGEN LT Status: A Tank Status: A Comp Number: 8768	***17306 FLALLON AVE***	***SW 0 - 1/8 (0.001 mi.)***	***A17***	***95***
NATIONAL READY MIXED Status: A Tank Status: A Comp Number: 3246	***11725 ARTESIA BLVD***	***SE 0 - 1/8 (0.018 mi.)***	***A28***	***176***
JOHN WYNEGA Status: A Comp Number: 13199	11645 ARTESIA BLVD	SW 0 - 1/8 (0.028 mi.)	C33	190
GEORGE VEROEVEN FEED Comp Number: 11487	***11735 E ARTESIA BLVD***	***SE 0 - 1/8 (0.040 mi.)***	***E36***	***282***
MS CLAUDIA COVERT Status: A Comp Number: 14310	11655 ARTESIA BLVD	SW 0 - 1/8 (0.044 mi.)	C40	291
NICKS SHELL SERVICE Status: A Tank Status: A Comp Number: 2242	***17325 PIONEER BLVD***	***ESE 0 - 1/8 (0.086 mi.)***	***E62***	***418***
MOBIL OIL CORP Status: A Tank Status: A Comp Number: 2871	***17122 PIONEER BLVD***	***ENE 0 - 1/8 (0.119 mi.)***	***K79***	***478***
BIG PENNY CAR WASH Status: A Tank Status: A Comp Number: 456	***17509 PIONEER BLVD***	***SE 1/8 - 1/4 (0.128 mi.)***	***M84***	***485***
J & N ELECTRIC Status: A	***17107 ROSETON AVE***	***WNW 1/8 - 1/4 (0.155 mi.)***	***L103***	***600***

Comp Number: 11805

JOHAL OIL CORPORATIO — ***16809 S PIONEER BLVD*** — ***NNE 1/8 - 1/4 (0.218 mi.)*** — ***W132*** — ***746***
Status: A
Tank Status: A
Comp Number: 2660

PIONEER CHEVRON — ***16725 PIONEER BLVD*** — ***NNE 1/8 - 1/4 (0.248 mi.)*** — ***W149*** — ***808***
Status: A
Tank Status: A
Comp Number: 737

HIST UST: Historical UST Registered Database.

A review of the HIST UST list, as provided by EDR, and dated 10/15/1990 has revealed that there are 11 HIST UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
VANDENBERG MFG CO IN Facility Id: 00000046906	***17306 ROSETON AVE***	***W 0 - 1/8 (0.115 mi.)***	***J66***	***428***

Lower Elevation	Address	Direction / Distance	Map ID	Page
NATIONAL READY MIXED Facility Id: 00000020474	***11725 ARTESIA BLVD.***	***SE 0 - 1/8 (0.018 mi.)***	***A31***	***180***
GEORGE VEROEVEN FEED	***11735 E ARTESIA BLVD***	***SE 0 - 1/8 (0.040 mi.)***	***E36***	***282***
GEORGE VERHOEVEN FEE Facility Id: 00000007603	11735 ARTESIA BLVD	SE 0 - 1/8 (0.040 mi.)	E38	289
NADER WAREH Facility Id: 00000039801	***17122 PIONEER BLVD***	***ENE 0 - 1/8 (0.119 mi.)***	***K75***	***469***
BIG PENNY CAR WASH Facility Id: 00000005157	***17509 PIONEER BLVD***	***SE 1/8 - 1/4 (0.128 mi.)***	***M84***	***485***
BIG PENNY CAR WASH	17509 POINEER BL	SE 1/8 - 1/4 (0.128 mi.)	M87	505
J & N ELECTRIC Facility Id: 00000005076	***17107 ROSETON AVE***	***WNW 1/8 - 1/4 (0.155 mi.)***	***L103***	***600***
ARTESIA ICE SERVICE Facility Id: 00000041411	***17119 CLARKDALE AVE***	***ENE 1/8 - 1/4 (0.201 mi.)***	***T120***	***714***
EXXON SERVICE STATIO Facility Id: 00000029132	16809 PIONEER	NNE 1/8 - 1/4 (0.218 mi.)	W136	779
95619 Facility Id: 00000062785	16725 PIONEER BLVD	NNE 1/8 - 1/4 (0.248 mi.)	W145	796

CERS TANKS: List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Aboveground Petroleum Storage and Underground Storage Tank regulatory programs.

A review of the CERS TANKS list, as provided by EDR, and dated 07/15/2021 has revealed that there are 5 CERS TANKS sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
NATIONAL READY MIXED	***11725 ARTESIA BLVD***	***SE 0 - 1/8 (0.018 mi.)***	***A27***	***128***
CAL CRYSTAL INC DBA	***17325 PIONEER BLVD***	***ESE 0 - 1/8 (0.086 mi.)***	***E60***	***392***

Lower Elevation	Address	Direction / Distance	Map ID	Page
NADER W OIL LLC	***17122 PIONEER BLVD***	***ENE 0 - 1/8 (0.119 mi.)***	***K70***	***449***
JOHAL OIL CORPORATIO	***16809 S PIONEER BLVD***	***NNE 1/8 - 1/4 (0.218 mi.)***	***W132***	***746***
PIONEER CHEVRON	***16725 PIONEER BLVD***	***NNE 1/8 - 1/4 (0.248 mi.)***	***W149***	***808***

CA FID UST: The Facility Inventory Database contains active and inactive underground storage tank locations. The source is the State Water Resource Control Board.

A review of the CA FID UST list, as provided by EDR, and dated 10/31/1994 has revealed that there are 4 CA FID UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
VANDENBERG MFG CO Facility Id: 19054944 Status: A	***17306 ROSETON AVE***	***W 0 - 1/8 (0.115 mi.)***	***J68***	***433***

Lower Elevation	Address	Direction / Distance	Map ID	Page
NATIONAL READY MIXED Facility Id: 19042049 Status: A	***11725 ARTESIA BLVD***	***SE 0 - 1/8 (0.018 mi.)***	***A28***	***176***
GEORGE VEROEVEN FEED Facility Id: 19002259 Status: I	***11735 E ARTESIA BLVD***	***SE 0 - 1/8 (0.040 mi.)***	***E36***	***282***
BIG PENNY CAR WASH Facility Id: 19027752 Status: A	***17509 PIONEER BLVD***	***SE 1/8 - 1/4 (0.128 mi.)***	***M83***	***484***

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 09/13/2021 has revealed that there are 42 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
SOCAL DIESEL REPAIR	17224 ALBURTIS AVE	ENE 0 - 1/8 (0.016 mi.)	A19	99
CITY OF ARTESIA PUBL EPA ID:: CAL000452180	17202 ALBURTIS AVE	NE 0 - 1/8 (0.016 mi.)	B21	114
ELITE CONSTRUCTION E EPA ID:: CAL000411485	17223 JERSEY AVE	W 0 - 1/8 (0.066 mi.)	F51	360
VANDENBERG MFG CO. I EPA ID:: CAC003013809	17306 ROSETON AVE	W 0 - 1/8 (0.115 mi.)	J67	431
MCDONALD MFG INC	17311 ROSETON	W 1/8 - 1/4 (0.147 mi.)	J101	595

EPA ID:: CAL000172579				
CHIP LAO EPA ID:: CAC003007515	17213 GARD AVENUE	W 1/8 - 1/4 (0.205 mi.)	U126	730
CHIP LAO EPA ID:: CAC003009319	17213 GARD AVENUE	W 1/8 - 1/4 (0.205 mi.)	U127	733

Lower Elevation	Address	Direction / Distance	Map ID	Page
PRO TECH KNIVES LLC EPA ID:: CAL000393864	17115 ALBURTIS AVE	N 0 - 1/8 (0.010 mi.)	B18	96
ENVIRONMENTAL RENTAL EPA ID:: CAC003025551	17160 ALBURTIS	NNE 0 - 1/8 (0.017 mi.)	B23	116
ENVIRONMENTAL RENTAL EPA ID:: CAL000381818	17160 ALBURTIS AVE	NNE 0 - 1/8 (0.017 mi.)	B24	119
ENVIRONMENTAL RENTAL EPA ID:: CAC003000476	17160 ALBURTIS AVE	NNE 0 - 1/8 (0.017 mi.)	B25	122
NATIONAL READY MIXED EPA ID:: CAL000216188	11725 E ARTESIA BLVD	SE 0 - 1/8 (0.018 mi.)	A29	177
JASPER'S AUTO SERVIC EPA ID:: CAL000046736	11648 ARTESIA BOULEV	SW 0 - 1/8 (0.048 mi.)	C43	299
CERRITOS AUTO BODY I EPA ID:: CAL000284807	11656 ARTESIA BLVD	SSW 0 - 1/8 (0.052 mi.)	G45	308
INSIGHT SHOOTING RAN EPA ID:: CAL000303717	17020 ALBURTIS AVE	NNW 0 - 1/8 (0.054 mi.)	D47	345
SHELL SERVICE STATIO EPA ID:: CAR000125807	***17325 PIONEER BLVD***	***ESE 0 - 1/8 (0.086 mi.)***	***E55***	***371***
SHELL SERVICE STATIO EPA ID:: CAR000125674	***17325 PIONEER UNIT C***	***ESE 0 - 1/8 (0.086 mi.)***	***E56***	***385***
L & K AUTO SERVICE EPA ID:: CAL000296051	11618 ARTESIA BLVD S	SW 0 - 1/8 (0.095 mi.)	H64	425
NADER W OIL LLC EPA ID:: CAL000400861	17122 PIONEER BLVD	ENE 0 - 1/8 (0.119 mi.)	K71	464
TRUK PROS INC EPA ID:: CAL000366937	17106 ROSETON AVE	NW 1/8 - 1/4 (0.132 mi.)	L89	508
GOLDEN STATE WATER C	17456 ROSETON AVE.	SW 1/8 - 1/4 (0.145 mi.)	O99	590
GOLDEN STATE WATER C	17456 ROSETON AVE	SW 1/8 - 1/4 (0.145 mi.)	O100	592
MID CITYS ELECTRIC I EPA ID:: CAL000403074	17117 ROSETON AVE	WNW 1/8 - 1/4 (0.150 mi.)	L102	597
M G WATANBE INC DBA EPA ID:: CAL000342662	17031 ROSETON AVE	NW 1/8 - 1/4 (0.160 mi.)	104	604
ARTESIA CENTER CLEAN EPA ID:: CAL000306979	11831 ARTESIA BLVD	ESE 1/8 - 1/4 (0.167 mi.)	P108	627
DOLLAR TREE #04575 EPA ID:: CAL000378449	11837 ARTESIA BLVD	ESE 1/8 - 1/4 (0.172 mi.)	P110	630
SHIL PARK PAINT INC EPA ID:: CAL000350641	11521 ARTESIA BLVD	WSW 1/8 - 1/4 (0.180 mi.)	Q112	660
ANNA BELLE A CUYONG	17510 PIONEER BLVD S	SE 1/8 - 1/4 (0.182 mi.)	116	702

EPA ID:: CAL000181159				
STATER BROS MARKETS EPA ID:: CAL000340344	11815 ARTESIA BLVD	E 1/8 - 1/4 (0.192 mi.)	R118	709
TALLY HO APARTMENTS EPA ID:: CAC003046940	17701 PIONEER BLVD	SSE 1/8 - 1/4 (0.199 mi.)	S119	711
ARTESIA ICE EPA ID:: CAP00007991	11846 FRAMPTON CT	ENE 1/8 - 1/4 (0.201 mi.)	T121	715
99 RANCH MARKET #17 EPA ID:: CAL000394792	17713 PIONEER BLVD	SSE 1/8 - 1/4 (0.201 mi.)	S124	725
BOER BACKHOE INC EPA ID:: CAL000371420	11836 ARTESIA BLVD	ESE 1/8 - 1/4 (0.204 mi.)	125	728
LINOTYPE CO EPA ID:: CAD981432800	***17100 PIONEER BLVD***	***ENE 1/8 - 1/4 (0.207 mi.)***	***T128***	***735***
MARYANNE POPPE	17117 GARD AVE	WNW 1/8 - 1/4 (0.217 mi.)	V129	738
MARYANNE POPPE	17117 GARD AVE	WNW 1/8 - 1/4 (0.217 mi.)	V130	741
JOHAL OIL CORPORATIO EPA ID:: CAL000436440	16809 S PIONEER BLVD	NNE 1/8 - 1/4 (0.218 mi.)	W131	743
CERVANTES, LAWRENCE EPA ID:: CAC002975206	11663 E. 168TH STREE	N 1/8 - 1/4 (0.225 mi.)	140	786
JORDAN, LEROY EPA ID:: CAC002997408	17105 GARD AVENUE	WNW 1/8 - 1/4 (0.226 mi.)	V141	788
BRIAN CURTISS	11550 168TH STREET	NNW 1/8 - 1/4 (0.232 mi.)	X142	791
THOMAS HEATH EPA ID:: CAC003016015	11603 168TH ST	NNW 1/8 - 1/4 (0.232 mi.)	X143	793
CHEVRON STATION NO 9 EPA ID:: CAR000119180	***16725 PIONEER BLVD***	***NNE 1/8 - 1/4 (0.248 mi.)***	***W146***	***797***

Cortese: The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

A review of the Cortese list, as provided by EDR, and dated 06/17/2021 has revealed that there are 19 Cortese sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
STRONGBOX INDUSTRIES Cleanup Status: COMPLETED - CASE CLOSED	***17203 FLALLON AVE***	***NW 0 - 1/8 (0.017 mi.)***	***B26***	***125***
ARTESIA BUILDING MAT Cleanup Status: OPEN - SITE ASSESSMENT	***16632 PIONEER BLVD S***	***NNE 1/4 - 1/2 (0.342 mi.)***	***AA156***	***855***
UNOCAL #5659 Cleanup Status: COMPLETED - CASE CLOSED	***11355 ARTESIA BLVD***	***W 1/4 - 1/2 (0.373 mi.)***	***158***	***863***
DIAMOND TIRE CENTER Cleanup Status: OPEN - REMEDIATION	***16604 PIONEER BLVD***	***NNE 1/4 - 1/2 (0.375 mi.)***	***AA160***	***878***
UNITED OIL # 46 Cleanup Status: COMPLETED - CASE CLOSED	***16516 PIONEER BLVD,***	***NNE 1/4 - 1/2 (0.428 mi.)***	***AB162***	***886***
TEXACO (FORMER) Cleanup Status: COMPLETED - CASE CLOSED	***16516 PIONEER BLVD***	***NNE 1/4 - 1/2 (0.428 mi.)***	***AB164***	***890***

Lower Elevation	Address	Direction / Distance	Map ID	Page
NATIONAL READY MIXED	***11725 ARTESIA BLVD.***	***SE 0 - 1/8 (0.018 mi.)***	***A31***	***180***

Cleanup Status: COMPLETED - CASE CLOSED

GEORGE VERHOEVEN FEE	***11735 ARTESIA BLVD E***	***SE 0 - 1/8 (0.040 mi.)***	***E37***	***284***
Cleanup Status: COMPLETED - CASE CLOSED				
SHELL SERVICE STATIO	***17325 PIONEER UNIT C***	***ESE 0 - 1/8 (0.086 mi.)***	***E56***	***385***
Cleanup Status: COMPLETED - CASE CLOSED				
SHELL #204-0348-0500	***17325 PIONEER BLVD***	***ESE 0 - 1/8 (0.086 mi.)***	***E58***	***390***
Cleanup Status: COMPLETED - CASE CLOSED				
FORMER MOBIL #18-GP9	***17122 PIONEER BLVD S***	***ENE 0 - 1/8 (0.119 mi.)***	***K69***	***434***
Cleanup Status: OPEN - VERIFICATION MONITORING				
BIG PENNY CAR WASH	***17509 PIONEER BLVD***	***SE 1/8 - 1/4 (0.128 mi.)***	***M88***	***506***
Cleanup Status: COMPLETED - CASE CLOSED				
IDEAL FLORIST (FORME	***11800 E ARTESIA BLVD***	***SE 1/8 - 1/4 (0.138 mi.)***	***N96***	***583***
Cleanup Status: COMPLETED - CASE CLOSED				
J & N ELECTRIC	***17107 ROSETON AVE***	***WNW 1/8 - 1/4 (0.155 mi.)***	***L103***	***600***
Cleanup Status: COMPLETED - CASE CLOSED				
EXXON #7-3314 (FORME	***16809 PIONEER BLVD S***	***NNE 1/8 - 1/4 (0.218 mi.)***	***W133***	***770***
Cleanup Status: COMPLETED - CASE CLOSED				
YARALIAN TEXACO	***16809 PIONEER BLVD***	***NNE 1/8 - 1/4 (0.218 mi.)***	***W137***	***780***
Cleanup Status: COMPLETED - CASE CLOSED				
CHEVRON #9-5619	***16725 PIONEER BLVD S***	***NNE 1/8 - 1/4 (0.248 mi.)***	***W148***	***802***
Cleanup Status: COMPLETED - CASE CLOSED				
PIONEER HOSPITAL	***17831 PIONEER BLVD***	***SSE 1/4 - 1/2 (0.322 mi.)***	***Y152***	***837***
Cleanup Status: COMPLETED - CASE CLOSED				
ABC UNIFIED SCHOOL D	***11865 178TH ST E***	***SE 1/4 - 1/2 (0.334 mi.)***	***155***	***848***
Cleanup Status: COMPLETED - CASE CLOSED				

DRYCLEANERS: A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaners' agents; linen supply; coin-operated laundries and cleaning; drycleaning plants except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

A review of the DRYCLEANERS list, as provided by EDR, has revealed that there are 3 DRYCLEANERS sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
BOULEVARD CLEANERS	***11831 ARTESIA BLVD***	***ESE 1/8 - 1/4 (0.167 mi.)***	***P105***	***607***
Database: DRYCLEANERS, Date of Government Version: 08/27/2021				
Database: DRYCLEAN SOUTH COAST, Date of Government Version: 08/18/2021				
EPA Id: CAL000297623				
EPA Id: CAL000306979				
ARTESIA CENTER CLEAN	11831 ARTESIA BLVD	ESE 1/8 - 1/4 (0.167 mi.)	P107	627
Database: DRYCLEAN SOUTH COAST, Date of Government Version: 08/18/2021				
AJAY CLEANERS, JAYES	11831 ARTESIA BLVD	ESE 1/8 - 1/4 (0.167 mi.)	P109	630
Database: DRYCLEAN SOUTH COAST, Date of Government Version: 08/18/2021				

HIST CORTESE: The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

A review of the HIST CORTESE list, as provided by EDR, and dated 04/01/2001 has revealed that there are 14 HIST CORTESE sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
STRONGBOX INDUSTRIES Reg Id: R-14475	***17203 FLALLON AVE***	***NW 0 - 1/8 (0.017 mi.)***	***B26***	***125***
UNOCAL #5659 Reg Id: R-02640	***11355 ARTESIA BLVD***	***W 1/4 - 1/2 (0.373 mi.)***	***158***	***863***
DIAMOND TIRE CENTER Reg Id: I-13467	***16604 PIONEER***	***NNE 1/4 - 1/2 (0.375 mi.)***	***AA159***	***866***
TEXACO (FORMER) Reg Id: I-00305	***16516 PIONEER***	***NNE 1/4 - 1/2 (0.428 mi.)***	***AB163***	***889***

Lower Elevation	Address	Direction / Distance	Map ID	Page
GEORGE VERHOEVEN FEE Reg Id: I-11487	***11735 ARTESIA BLVD E***	***SE 0 - 1/8 (0.040 mi.)***	***E37***	***284***
CAL CRYSTAL INC DBA	***17325 PIONEER BLVD***	***ESE 0 - 1/8 (0.086 mi.)***	***E60***	***392***
MOBIL #18-GP9 (FORME Reg Id: I-02871	***17122 PIONEER***	***ENE 0 - 1/8 (0.119 mi.)***	***K74***	***467***
BIG PENNY CAR WASH Reg Id: R-00456	***17509 PIONEER BLVD***	***SE 1/8 - 1/4 (0.128 mi.)***	***M84***	***485***
IDEAL FLORIST Reg Id: R-13915	11800 ARTESIA	SE 1/8 - 1/4 (0.138 mi.)	N97	588
J & N ELECTRIC Reg Id: I-11805	***17107 ROSETON AVE***	***WNW 1/8 - 1/4 (0.155 mi.)***	***L103***	***600***
YARALIAN TEXACO Reg Id: I-02660	***16809 PIONEER BLVD***	***NNE 1/8 - 1/4 (0.218 mi.)***	***W135***	***774***
CHEVRON #9-5619 Reg Id: R-00737	16725 PIONEER	NNE 1/8 - 1/4 (0.248 mi.)	W151	837
SEE 002056-002133 Reg Id: 907010061	***17831 PIONEER BLVD***	***SSE 1/4 - 1/2 (0.322 mi.)***	***Y153***	***841***
ABC UNIFIED SCHOOL D Reg Id: R-11981	***11865 178TH ST E***	***SE 1/4 - 1/2 (0.334 mi.)***	***155***	***848***

NPDES: A listing of NPDES permits, including stormwater.

A review of the NPDES list, as provided by EDR, and dated 05/10/2021 has revealed that there is 1 NPDES site within approximately 0.001 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CALIFORNIA DAIRIES I Facility Status: Terminated	***PO BOX 6210***	***0 - 1/8 (0.000 mi.)***	***A16***	***88***

Notify 65: Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

A review of the Notify 65 list, as provided by EDR, and dated 03/12/2021 has revealed that there is 1 Notify 65 site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
DEL TACO	15911 PIONEER BLVD.	N 1/2 - 1 (0.859 mi.)	165	892

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 10 EDR Hist Auto sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
GULF STATES INC	17160 ALBURTIS AVE	NNE 0 - 1/8 (0.017 mi.)	B22	116
MIKE'S SHELL SERVICE	11754 ARTESIA BLVD	SE 0 - 1/8 (0.063 mi.)	E49	358
SHELL NICK SERVICE	17325 PIONEER BLVD	ESE 0 - 1/8 (0.086 mi.)	E57	389
ROBINSON LEROY	17235 PIONEER BLVD	E 0 - 1/8 (0.095 mi.)	I65	428
NADERS MOBILE STATIO	17122 PIONEER BLVD	ENE 0 - 1/8 (0.119 mi.)	K80	480
MARTIN WAYNE	17326 PIONEER	ESE 0 - 1/8 (0.120 mi.)	I81	480
BIG PENNY CAR-WASH #	17509 PIONEER BLVD	SE 1/8 - 1/4 (0.128 mi.)	M85	504
MONTGOMERY & CLARK	11800 E ARTESIA	SE 1/8 - 1/4 (0.138 mi.)	N95	583
YARALIANS SERVICES	16809 PIONEER BLVD	NNE 1/8 - 1/4 (0.218 mi.)	W134	774
BOB'S CHEVRON STATIO	16725 S PIONEER BLVD	NNE 1/8 - 1/4 (0.248 mi.)	W147	801

EDR Hist Cleaner: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there is 1 EDR Hist Cleaner site within approximately 0.25 miles of the target property.

EXECUTIVE SUMMARY

Lower Elevation	Address	Direction / Distance	Map ID	Page
BOULEVARD CLEANERS	11831 ARTESIA BLVD	ESE 1/8 - 1/4 (0.167 mi.)	P106	626

EXECUTIVE SUMMARY

There were no unmapped sites in this report.

OVERVIEW MAP - 6777008.2S



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Power transmission lines
- Special Flood Hazard Area (1%)
- 0.2% Annual Chance Flood Hazard
- National Wetland Inventory
- State Wetlands
- Areas of Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	11709 Artesia Boulevard	CLIENT:	Ramboll
ADDRESS:	11709 Artesia Boulevard Artesia CA 90701	CONTACT:	Cara Thomann
		INQUIRY #:	6777008.2s
LAT/LONG:	33.874031 / 118.084478	DATE:	December 06, 2021 5:13 pm

Copyright © 2021 EDR, Inc. © 2015 TomTom Rel. 2015.

DETAIL MAP - 6777008.2S



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	11709 Artesia Boulevard	CLIENT:	Ramboll
ADDRESS:	11709 Artesia Boulevard Artesia CA 90701	CONTACT:	Cara Thomann
		INQUIRY #:	6777008.2s
LAT/LONG:	33.874031 / 118.084478	DATE:	December 06, 2021 5:17 pm

Copyright © 2021 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Lists of Federal NPL (Superfund) sites								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	0.001		0	NR	NR	NR	NR	0
Lists of Federal Delisted NPL sites								
Delisted NPL	1.000		0	0	0	0	NR	0
Lists of Federal sites subject to CERCLA removals and CERCLA orders								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
Lists of Federal CERCLA sites with NFRAP								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
Lists of Federal RCRA facilities undergoing Corrective Action								
CORRACTS	1.000		0	0	0	0	NR	0
Lists of Federal RCRA TSD facilities								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Lists of Federal RCRA generators								
RCRA-LQG	0.250		1	2	NR	NR	NR	3
RCRA-SQG	0.250		7	4	NR	NR	NR	11
RCRA-VSQG	0.250		0	0	NR	NR	NR	0
Federal institutional controls / engineering controls registries								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	0.001		0	NR	NR	NR	NR	0
Lists of state- and tribal (Superfund) equivalent sites								
RESPONSE	1.000		0	0	0	0	NR	0
Lists of state- and tribal hazardous waste facilities								
ENVIROSTOR	1.000		0	0	0	0	NR	0
Lists of state and tribal landfills and solid waste disposal facilities								
SWF/LF	0.500		0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
Lists of state and tribal leaking storage tanks								
LUST	0.500	1	7	8	10	NR	NR	26
INDIAN LUST	0.500		0	0	0	NR	NR	0
CPS-SLIC	0.500		2	0	2	NR	NR	4
Lists of state and tribal registered storage tanks								
FEMA UST	0.250		0	0	NR	NR	NR	0
UST	0.250	1	8	8	NR	NR	NR	17
AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
Lists of state and tribal voluntary cleanup sites								
VCP	0.500		0	0	0	NR	NR	0
INDIAN VCP	0.500		0	0	0	NR	NR	0
Lists of state and tribal brownfield sites								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
WMUDS/SWAT	0.500		0	0	0	NR	NR	0
SWRCY	0.500		0	0	0	NR	NR	0
HAULERS	0.001		0	NR	NR	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
AOCONCERN	1.000		0	0	0	0	NR	0
US HIST CDL	0.001		0	NR	NR	NR	NR	0
HIST Cal-Sites	1.000		0	0	0	0	NR	0
SCH	0.250		0	0	NR	NR	NR	0
CDL	0.001		0	NR	NR	NR	NR	0
CERS HAZ WASTE	0.250		11	10	NR	NR	NR	21
Toxic Pits	1.000		0	0	0	0	NR	0
US CDL	0.001		0	NR	NR	NR	NR	0
AQUEOUS FOAM	TP		NR	NR	NR	NR	NR	0
PFAS	0.500		0	0	0	NR	NR	0
Local Lists of Registered Storage Tanks								
SWEEPS UST	0.250	1	9	4	NR	NR	NR	14
HIST UST	0.250	1	5	6	NR	NR	NR	12

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
CERS TANKS	0.250		3	2	NR	NR	NR	5
CA FID UST	0.250	1	3	1	NR	NR	NR	5
Local Land Records								
LIENS	0.001		0	NR	NR	NR	NR	0
LIENS 2	0.001		0	NR	NR	NR	NR	0
DEED	0.500		0	0	0	NR	NR	0
Records of Emergency Release Reports								
HMIRS	0.001		0	NR	NR	NR	NR	0
CHMIRS	0.001		0	NR	NR	NR	NR	0
LDS	0.001		0	NR	NR	NR	NR	0
MCS	0.001		0	NR	NR	NR	NR	0
SPILLS 90	0.001		0	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250	1	16	26	NR	NR	NR	43
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	0.001		0	NR	NR	NR	NR	0
EPA WATCH LIST	0.001		0	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	0.001		0	NR	NR	NR	NR	0
TRIS	0.001	1	0	NR	NR	NR	NR	1
SSTS	0.001		0	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	0.001		0	NR	NR	NR	NR	0
RAATS	0.001		0	NR	NR	NR	NR	0
PRP	0.001		0	NR	NR	NR	NR	0
PADS	0.001		0	NR	NR	NR	NR	0
ICIS	0.001	1	0	NR	NR	NR	NR	1
FTTS	0.001		0	NR	NR	NR	NR	0
MLTS	0.001		0	NR	NR	NR	NR	0
COAL ASH DOE	0.001		0	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	0.001		0	NR	NR	NR	NR	0
RADINFO	0.001		0	NR	NR	NR	NR	0
HIST FTTS	0.001		0	NR	NR	NR	NR	0
DOT OPS	0.001		0	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	0.001		0	NR	NR	NR	NR	0
US AIRS	0.001		0	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	TP		NR	NR	NR	NR	NR	0
FINDS	0.001	2	0	NR	NR	NR	NR	2
ECHO	TP	1	NR	NR	NR	NR	NR	1
UXO	1.000		0	0	0	0	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
CA BOND EXP. PLAN	1.000		0	0	0	0	NR	0
Cortese	0.500	1	6	6	7	NR	NR	20
CUPA Listings	0.250		0	0	NR	NR	NR	0
DRYCLEANERS	0.250		0	3	NR	NR	NR	3
EMI	0.001	1	0	NR	NR	NR	NR	1
ENF	0.001	1	0	NR	NR	NR	NR	1
Financial Assurance	0.001		0	NR	NR	NR	NR	0
HAZNET	0.001	4	0	NR	NR	NR	NR	4
ICE	TP		NR	NR	NR	NR	NR	0
HIST CORTESE	0.500	1	4	5	5	NR	NR	15
LOS ANGELES CO. HMS	0.001	2	0	NR	NR	NR	NR	2
HWP	1.000		0	0	0	0	NR	0
HWT	0.250		0	0	NR	NR	NR	0
MINES	TP		NR	NR	NR	NR	NR	0
MWMP	0.250		0	0	NR	NR	NR	0
NPDES	0.001		1	NR	NR	NR	NR	1
PEST LIC	TP		NR	NR	NR	NR	NR	0
PROC	0.500		0	0	0	NR	NR	0
Notify 65	1.000		0	0	0	1	NR	1
LA Co. Site Mitigation	0.001		0	NR	NR	NR	NR	0
UIC	0.001		0	NR	NR	NR	NR	0
UIC GEO	TP		NR	NR	NR	NR	NR	0
WASTEWATER PITS	0.500		0	0	0	NR	NR	0
WDS	0.001	1	0	NR	NR	NR	NR	1
WIP	0.250		0	0	NR	NR	NR	0
MILITARY PRIV SITES	TP		NR	NR	NR	NR	NR	0
PROJECT	TP		NR	NR	NR	NR	NR	0
WDR	TP		NR	NR	NR	NR	NR	0
CIWQS	TP	2	NR	NR	NR	NR	NR	2
CERS	TP	1	NR	NR	NR	NR	NR	1
NON-CASE INFO	TP		NR	NR	NR	NR	NR	0
OTHER OIL GAS	TP		NR	NR	NR	NR	NR	0
PROD WATER PONDS	TP		NR	NR	NR	NR	NR	0
SAMPLING POINT	TP		NR	NR	NR	NR	NR	0
WELL STIM PROJ	TP		NR	NR	NR	NR	NR	0
LOS ANGELES CO LF METHANE	0.500		0	0	0	NR	NR	0
HWTS	TP	4	NR	NR	NR	NR	NR	4
MINES MRDS	TP		NR	NR	NR	NR	NR	0

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.250		6	4	NR	NR	NR	10
EDR Hist Cleaner	0.250		0	1	NR	NR	NR	1

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF	0.001		0	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
RGA LUST	0.001	3	0	NR	NR	NR	NR	3
- Totals --		32	89	90	24	1	0	236

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

A1 **CALIFORNIA MILK PRODUCERS** **RGA LUST** **S114590092**
Target **11709 ARTESIA BLVD E** **N/A**
Property **ARTESIA, CA**

Site 1 of 25 in cluster A

Actual: **64 ft.**

RGA LUST:
Name: CALIFORNIA MILK PRODUCERS
Address: 11709 ARTESIA BLVD E
City: ARTESIA
State: ARTESIA
1996 CALIFORNIA MILK PRODUCERS 11709 ARTESIA BLVD E
Name: CALIFORNIA MILK PRODUCERS
Address: 11709 ARTESIA BLVD E
City: ARTESIA
State: ARTESIA
1995 CALIFORNIA MILK PRODUCERS 11709 ARTESIA BLVD E
Name: CALIFORNIA MILK PRODUCERS
Address: 11709 ARTESIA BLVD E
City: ARTESIA
State: ARTESIA
1994 CALIFORNIA MILK PRODUCERS 11709 ARTESIA BLVD E

A2 **CALIFORNIA MILK PRODUCTS** **RGA LUST** **S114590099**
Target **11709 ARTESIA BLVD E** **N/A**
Property **ARTESIA, CA**

Site 2 of 25 in cluster A

Actual: **64 ft.**

RGA LUST:
Name: CALIFORNIA MILK PRODUCTS
Address: 11709 ARTESIA BLVD E
City: ARTESIA
State: ARTESIA
2012 CALIFORNIA MILK PRODUCTS 11709 ARTESIA BLVD E
Name: CALIFORNIA MILK PRODUCTS
Address: 11709 ARTESIA BLVD E
City: ARTESIA
State: ARTESIA
2011 CALIFORNIA MILK PRODUCTS 11709 ARTESIA BLVD E
Name: CALIFORNIA MILK PRODUCTS
Address: 11709 ARTESIA BLVD E
City: ARTESIA
State: ARTESIA
2010 CALIFORNIA MILK PRODUCTS 11709 ARTESIA BLVD E
Name: CALIFORNIA MILK PRODUCTS
Address: 11709 ARTESIA BLVD E
City: ARTESIA
State: ARTESIA
2009 CALIFORNIA MILK PRODUCTS 11709 ARTESIA BLVD E
Name: CALIFORNIA MILK PRODUCTS
Address: 11709 ARTESIA BLVD E
City: ARTESIA
State: ARTESIA
2008 CALIFORNIA MILK PRODUCTS 11709 ARTESIA BLVD E
Name: CALIFORNIA MILK PRODUCTS
Address: 11709 ARTESIA BLVD E
City: ARTESIA
State: ARTESIA
2007 CALIFORNIA MILK PRODUCTS 11709 ARTESIA BLVD E

CALIFORNIA MILK PRODUCTS (Continued) **S114590099**

Name: CALIFORNIA MILK PRODUCTS
Address: 11709 ARTESIA BLVD E
City: ARTESIA
State: ARTESIA
2006 CALIFORNIA MILK PRODUCTS 11709 ARTESIA BLVD E
Name: CALIFORNIA MILK PRODUCTS
Address: 11709 ARTESIA BLVD E
City: ARTESIA
State: ARTESIA
2005 CALIFORNIA MILK PRODUCTS 11709 ARTESIA BLVD E
Name: CALIFORNIA MILK PRODUCTS
Address: 11709 ARTESIA BLVD E
City: ARTESIA
State: ARTESIA
2003 CALIFORNIA MILK PRODUCTS 11709 ARTESIA BLVD E
Name: CALIFORNIA MILK PRODUCTS
Address: 11709 ARTESIA BLVD E
City: ARTESIA
State: ARTESIA
2002 CALIFORNIA MILK PRODUCTS 11709 ARTESIA BLVD E
Name: CALIFORNIA MILK PRODUCTS
Address: 11709 ARTESIA BLVD E
City: ARTESIA
State: ARTESIA
2001 CALIFORNIA MILK PRODUCTS 11709 ARTESIA BLVD E
Name: CALIFORNIA MILK PRODUCTS
Address: 11709 ARTESIA BLVD E
City: ARTESIA
State: ARTESIA
2000 CALIFORNIA MILK PRODUCTS 11709 ARTESIA BLVD E
Name: CALIFORNIA MILK PRODUCTS
Address: 11709 ARTESIA BLVD E
City: ARTESIA
State: ARTESIA
1998 CALIFORNIA MILK PRODUCTS 11709 ARTESIA BLVD E
Name: CALIFORNIA MILK PRODUCTS
Address: 11709 ARTESIA BLVD E
City: ARTESIA
State: ARTESIA
1997 CALIFORNIA MILK PRODUCTS 11709 ARTESIA BLVD E

A3 **CALIFORNIA MILK PRODUCTS** **FINDS** **1023322832**
Target **11709 ARTESIA BLVD E** **N/A**
Property **ARTESIA, CA 90701**

Site 3 of 25 in cluster A

Actual:
64 ft.

FINDS:
Registry ID: 110066167276

Click Here:

Environmental Interest/Information System:
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

A4 **CALIF MILK PRODUCERS** **UST** **U003775871**
Target **11709 ARTESIA BLVD** **N/A**
Property **ARTESIA, CA 90701**

Site 4 of 25 in cluster A

Actual: **64 ft.**

UST:

Name:	CALIF MILK PRODUCERS
Address:	11709 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Facility ID:	1249
Permitting Agency:	LOS ANGELES COUNTY
CERSID:	Not reported
Latitude:	33.875375
Longitude:	-118.083117

A5 **1X CALIFORNIA MILK PRODUCERS INC** **HAZNET** **S123706806**
Target **11709 E ARTESIA BLVD** **HWTS** **N/A**
Property **ARTESIA, CA 90701**

Site 5 of 25 in cluster A

Actual: **64 ft.**

HAZNET:

Name:	1X CALIFORNIA MILK PRODUCERS INC
Address:	11709 E ARTESIA BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907010000
Contact:	GROVER JOHNS
Telephone:	2138651251
Mailing Name:	Not reported
Mailing Address:	11709 E ARTESIA BLVD
Year:	1988
Gepaid:	CAC000072629
TSD EPA ID:	CAD067786748
CA Waste Code:	151 - Asbestos containing waste
Disposal Method:	03 -
Tons:	0

HWTS:

Name:	1X CALIFORNIA MILK PRODUCERS INC
Address:	11709 E ARTESIA BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907010000
EPA ID:	CAC000072629
Inactive Date:	10/25/2000
Create Date:	03/16/1988
Last Act Date:	10/25/2000
Mailing Name:	Not reported
Mailing Address:	11709 E ARTESIA BLVD
Mailing Address 2:	Not reported
Mailing City,State,Zip:	ARTESIA, CA 907010000
Owner Name:	CALIFORNIA MILK PRODUCERS INC
Owner Address:	--
Owner Address 2:	Not reported
Owner City,State,Zip:	--, 99 --
Contact Name:	GROVER JOHNS
Contact Address:	--

1X CALIFORNIA MILK PRODUCERS INC (Continued) **S123706806**

Contact Address 2:	Not reported
City,State,Zip:	--, 99 --

A6 Target Property **1X CALIFORNIA MILK PRODUCERS**
11709 EAST ARTESIA BLVD
ARTESIA, CA 90701

HAZNET S123749270
HWTS N/A

Site 6 of 25 in cluster A

Actual: 64 ft.

HAZNET:

Name:	1X CALIFORNIA MILK PRODUCERS
Address:	11709 EAST ARTESIA BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907010000
Contact:	KEN MILLER/ENGINEERING MANAGER
Telephone:	3108651291
Mailing Name:	Not reported
Mailing Address:	11709 EAST ARTESIA BLVD
Year:	1992
Gepaid:	CAC000857104
TSD EPA ID:	CAD089446710
CA Waste Code:	131 - Aqueous solution (2 < pH < 12.5) containing reactive anions ...
Disposal Method:	H01 - Transfer Station
Tons:	0.015

HWTS:

Name:	1X CALIFORNIA MILK PRODUCERS
Address:	11709 EAST ARTESIA BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907010000
EPA ID:	CAC000857104
Inactive Date:	10/25/2000
Create Date:	11/10/1992
Last Act Date:	10/25/2000
Mailing Name:	Not reported
Mailing Address:	11709 EAST ARTESIA BLVD
Mailing Address 2:	Not reported
Mailing City,State,Zip:	ARTESIA, CA 907010000
Owner Name:	CO-OP
Owner Address:	--
Owner Address 2:	Not reported
Owner City,State,Zip:	--, 99 --
Contact Name:	KEN MILLER/ENGINEERING MANAGER
Contact Address:	--
Contact Address 2:	Not reported
City,State,Zip:	--, 99 --

A7 Target Property — **CALIFORNIA DAIRIES INC**, **11709 E ARTESIA BLVD**, **ARTESIA, CA 90701** — **HAZNET** **S113024599**; **HWTS** **N/A**

Site 7 of 25 in cluster A

Actual: 64 ft.

HAZNET:

Name:	CALIFORNIA DAIRIES INC
Address:	11709 E ARTESIA BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 932919358
Contact:	DANA HORNE
Telephone:	5592335154
Mailing Name:	Not reported
Mailing Address:	2000 N PLAZA DR
Year:	2019
Gepaid:	CAL000008617
TSD EPA ID:	CAD099452708
CA Waste Code:	221 - Waste oil and mixed oil
Disposal Method:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons:	0.05000
Year:	2018
Gepaid:	CAL000008617
TSD EPA ID:	ARD069748192
CA Waste Code:	181 - Other inorganic solid waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.15000
Year:	2018
Gepaid:	CAL000008617
TSD EPA ID:	CAD044429835
CA Waste Code:	141 - Off-specification, aged or surplus inorganics
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.90000
Year:	2018
Gepaid:	CAL000008617
TSD EPA ID:	CAD044429835
CA Waste Code:	221 - Waste oil and mixed oil
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	1.10000
Year:	2018
Gepaid:	CAL000008617
TSD EPA ID:	CAD099452708
CA Waste Code:	221 - Waste oil and mixed oil
Disposal Method:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons:	0.00000
Year:	2018
Gepaid:	CAL000008617
TSD EPA ID:	AZD081705402

CALIFORNIA DAIRIES INC (Continued) **S113024599**

CA Waste Code: 791 - Liquids with pH <= 2
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.03750

Year: 2016
Gepaid: CAL000008617
TSD EPA ID: CAD044429835
CA Waste Code: 331 - Off-specification, aged or surplus organics
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.15

Year: 2016
Gepaid: CAL000008617
TSD EPA ID: TXD055141378
CA Waste Code: 181 - Other inorganic solid waste
Disposal Method: H040 - Incineration--Thermal Destruction Other Than Use As A Fuel
Tons: 0.14

Year: 2015
Gepaid: CAL000008617
TSD EPA ID: AZD081705402
CA Waste Code: 791 - Liquids with pH <= 2
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.075

Year: 2015
Gepaid: CAL000008617
TSD EPA ID: CAD044429835
CA Waste Code: 352 - Other organic solids
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.0375

Click this hyperlink while viewing on your computer to access
24 additional CA HAZNET: record(s) in the EDR Site Report.

Additional Info:
Year: 2012
Gen EPA ID: CAL000008617

Shipment Date: 20120606
Creation Date: 12/11/2012 22:16:18
Receipt Date: 20120721
Manifest ID: 000489881WAS
Trans EPA ID: IND058484114
Trans Name: HERITAGE TRANSPORT LLC
Trans 2 EPA ID: OKD981588791
Trans 2 Name: TRIAD TRANSPORT INC
TSDF EPA ID: IND093219012
Trans Name: HERITAGE ENVIRONMENTAL SERVICES
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: - Not reported

CALIFORNIA DAIRIES INC (Continued) **S113024599**

RCRA Code:	D011
Meth Code:	H010 - Metals Recovery Including Retoring,Smelting,Chemicals,Ect
Quantity Tons:	0.0375
Waste Quantity:	75
Quantity Unit:	P
Additional Code 1:	D009
Additional Code 2:	D007
Additional Code 3:	D002
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120409
Creation Date:	12/6/2012 22:15:45
Receipt Date:	20120519
Manifest ID:	000446094WAS
Trans EPA ID:	IND058484114
Trans Name:	HERITAGE TRANSPORT LLC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT
TSDF EPA ID:	IND093219012
Trans Name:	HERITAGE ENVIRONMENTAL SERVICES
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	D011
Meth Code:	H010 - Metals Recovery Including Retoring,Smelting,Chemicals,Ect
Quantity Tons:	0.0125
Waste Quantity:	25
Quantity Unit:	P
Additional Code 1:	D009
Additional Code 2:	D007
Additional Code 3:	D002
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120218
Creation Date:	12/6/2012 22:15:45
Receipt Date:	20120307
Manifest ID:	000446796WAS
Trans EPA ID:	IND058484114
Trans Name:	HERITAGE TRANSPORT LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	IND093219012
Trans Name:	HERITAGE ENVIRONMENTAL SERVICES
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	D011
Meth Code:	H010 - Metals Recovery Including Retoring,Smelting,Chemicals,Ect
Quantity Tons:	0.0125
Waste Quantity:	25
Quantity Unit:	P
Additional Code 1:	D009
Additional Code 2:	D007
Additional Code 3:	D002
Additional Code 4:	Not reported

CALIFORNIA DAIRIES INC (Continued) **S113024599**

Additional Code 5: Not reported

Additional Info:
Year: 2016
Gen EPA ID: CAL000008617

Shipment Date: 20150929
Creation Date: 12/21/2015 22:15:08
Receipt Date: 20151008
Manifest ID: 004735140SKS
Trans EPA ID: TXR000081205
Trans Name: SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD044429835
Trans Name: CLEAN HARBORS WILMINGTON LLC
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 792 - Not reported
RCRA Code: D008
Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons: 0.0225
Waste Quantity: 45
Quantity Unit: P
Additional Code 1: D002
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Shipment Date: 20150929
Creation Date: 12/21/2015 22:15:08
Receipt Date: 20151008
Manifest ID: 004735140SKS
Trans EPA ID: TXR000081205
Trans Name: SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD044429835
Trans Name: CLEAN HARBORS WILMINGTON LLC
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 352 - Other organic solids
RCRA Code: Not reported
Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons: 0.0375
Waste Quantity: 75
Quantity Unit: P
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Shipment Date: 20150929

CALIFORNIA DAIRIES INC (Continued) **S113024599**

Creation Date:	5/4/2016 22:15:36
Receipt Date:	20151009
Manifest ID:	004844453SKS
Trans EPA ID:	TXR000081205
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	ALR000007237
Trans 2 Name:	ACTION RESOURCES INC
TSDF EPA ID:	NED981723513
Trans Name:	CLEAN HARBORS ENVIRONMENTAL SERVICES IN
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	Not reported
Meth Code:	H040 - Incineration--Thermal Destruction Other Than Use As A Fuel
Quantity Tons:	0.05
Waste Quantity:	100
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20150910
Creation Date:	4/7/2016 22:15:27
Receipt Date:	20150921
Manifest ID:	000585618WAS
Trans EPA ID:	IND058484114
Trans Name:	HERITAGE TRANSPORT LLC-TS SIGNAL HILL
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZD081705402
Trans Name:	HERITAGE ENVIRONMENTAL SERVICES
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	791 - Liquids with pH < 2 792 Liquids with pH < 2 with metals
RCRA Code:	D011
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0375
Waste Quantity:	75
Quantity Unit:	P
Additional Code 1:	D009
Additional Code 2:	D007
Additional Code 3:	D002
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20150910
Creation Date:	4/7/2016 22:15:27
Receipt Date:	20150921
Manifest ID:	000585618WAS
Trans EPA ID:	IND058484114
Trans Name:	HERITAGE TRANSPORT LLC-TS SIGNAL HILL
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZD081705402

CALIFORNIA DAIRIES INC (Continued) **S113024599**

Trans Name:	HERITAGE ENVIRONMENTAL SERVICES
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	791 - Liquids with pH < 2 792 Liquids with pH < 2 with metals
RCRA Code:	D011
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0375
Waste Quantity:	75
Quantity Unit:	P
Additional Code 1:	D009
Additional Code 2:	D007
Additional Code 3:	D002
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150616
Creation Date:	1/20/2016 22:15:43
Receipt Date:	20150702
Manifest ID:	004735141SKS
Trans EPA ID:	TXR000081205
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	NJD986607380
Trans 2 Name:	MAUMEE EXPRESS INC
TSDF EPA ID:	NED981723513
Trans Name:	CLEAN HARBORS ENVIRONMENTAL SERVICES IN
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.075
Waste Quantity:	150
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2015
Gen EPA ID:	CAL000008617
Shipment Date:	20150929
Creation Date:	12/21/2015 22:15:08
Receipt Date:	20151008
Manifest ID:	004735140SKS
Trans EPA ID:	TXR000081205
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD044429835
Trans Name:	CLEAN HARBORS WILMINGTON LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported

CALIFORNIA DAIRIES INC (Continued) **S113024599**

Waste Code Description:	792 - Not reported
RCRA Code:	D008
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0225
Waste Quantity:	45
Quantity Unit:	P
Additional Code 1:	D002
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150929
Creation Date:	5/4/2016 22:15:36
Receipt Date:	20151009
Manifest ID:	004844453SKS
Trans EPA ID:	TXR000081205
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	ALR000007237
Trans 2 Name:	ACTION RESOURCES INC
TSDF EPA ID:	NED981723513
Trans Name:	CLEAN HARBORS ENVIRONMENTAL SERVICES IN
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	Not reported
Meth Code:	H040 - Incineration--Thermal Destruction Other Than Use As A Fuel
Quantity Tons:	0.05
Waste Quantity:	100
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150929
Creation Date:	12/21/2015 22:15:08
Receipt Date:	20151008
Manifest ID:	004735140SKS
Trans EPA ID:	TXR000081205
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD044429835
Trans Name:	CLEAN HARBORS WILMINGTON LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0375
Waste Quantity:	75
Quantity Unit:	P
Additional Code 1:	Not reported

CALIFORNIA DAIRIES INC (Continued) **S113024599**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150910
Creation Date:	4/7/2016 22:15:27
Receipt Date:	20150921
Manifest ID:	000585618WAS
Trans EPA ID:	IND058484114
Trans Name:	HERITAGE TRANSPORT LLC-TS SIGNAL HILL
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZD081705402
Trans Name:	HERITAGE ENVIRONMENTAL SERVICES
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	791 - Liquids with pH < 2 792 Liquids with pH < 2 with metals
RCRA Code:	D011
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0375
Waste Quantity:	75
Quantity Unit:	P
Additional Code 1:	D009
Additional Code 2:	D007
Additional Code 3:	D002
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150910
Creation Date:	4/7/2016 22:15:27
Receipt Date:	20150921
Manifest ID:	000585618WAS
Trans EPA ID:	IND058484114
Trans Name:	HERITAGE TRANSPORT LLC-TS SIGNAL HILL
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZD081705402
Trans Name:	HERITAGE ENVIRONMENTAL SERVICES
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	791 - Liquids with pH < 2 792 Liquids with pH < 2 with metals
RCRA Code:	D011
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0375
Waste Quantity:	75
Quantity Unit:	P
Additional Code 1:	D009
Additional Code 2:	D007
Additional Code 3:	D002
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150616
Creation Date:	1/20/2016 22:15:43

CALIFORNIA DAIRIES INC (Continued) **S113024599**

Receipt Date:	20150702
Manifest ID:	004735141SKS
Trans EPA ID:	TXR000081205
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	NJD986607380
Trans 2 Name:	MAUMEE EXPRESS INC
TSDF EPA ID:	NED981723513
Trans Name:	CLEAN HARBORS ENVIRONMENTAL SERVICES IN
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.075
Waste Quantity:	150
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2009
Gen EPA ID:	CAL000008617

Shipment Date:	20090317
Creation Date:	7/20/2009 18:30:18
Receipt Date:	20090330
Manifest ID:	001750006SKS
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY NEVADA
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	141 - Off-specification, aged, or surplus inorganics
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.4
Waste Quantity:	800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2001
Gen EPA ID:	CAL000008617

CALIFORNIA DAIRIES INC (Continued) **S113024599**

Shipment Date:	20011012
Creation Date:	12/17/2001 0:00:00
Receipt Date:	20011017
Manifest ID:	21394159
Trans EPA ID:	SCR000075150
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613893
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0588
Waste Quantity:	14
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1996
Gen EPA ID:	CAL000008617

Shipment Date:	19960905
Creation Date:	5/30/1997 0:00:00
Receipt Date:	19960905
Manifest ID:	96278459
Trans EPA ID:	CAD981694664
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAL000113451
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.17
Waste Quantity:	50
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2011
Gen EPA ID:	CAL000008617

CALIFORNIA DAIRIES INC (Continued) **S113024599**

Shipment Date:	20111229
Creation Date:	5/25/2012 20:30:23
Receipt Date:	20120105
Manifest ID:	002955766SKS
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY NEVADA
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	Not reported
Meth Code:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Quantity Tons:	0.04
Waste Quantity:	80
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20111229
Creation Date:	5/25/2012 20:30:23
Receipt Date:	20120109
Manifest ID:	002955765SKS
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	TXD077603371
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0225
Waste Quantity:	45
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20111229
Creation Date:	5/25/2012 20:30:23
Receipt Date:	20120105
Manifest ID:	002955766SKS
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported

CALIFORNIA DAIRIES INC (Continued) **S113024599**

Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY NEVADA
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Quantity Tons:	0.07
Waste Quantity:	140
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20111229
Creation Date:	5/25/2012 20:30:23
Receipt Date:	20120109
Manifest ID:	002955765SKS
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	TXD077603371
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.02
Waste Quantity:	40
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20111229
Creation Date:	5/25/2012 20:30:23
Receipt Date:	20120109
Manifest ID:	002955765SKS
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	TXD077603371
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D008

CALIFORNIA DAIRIES INC (Continued) **S113024599**

Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.045
Waste Quantity:	90
Quantity Unit:	P
Additional Code 1:	D002
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111222
Creation Date:	4/26/2012 20:30:19
Receipt Date:	20120102
Manifest ID:	002955679SKS
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	TXD077603371
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	F005
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.155
Waste Quantity:	310
Quantity Unit:	P
Additional Code 1:	F003
Additional Code 2:	D035
Additional Code 3:	D001
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111222
Creation Date:	4/26/2012 20:30:19
Receipt Date:	20120102
Manifest ID:	002955679SKS
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	TXD077603371
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	141 - Off-specification, aged, or surplus inorganics
RCRA Code:	D009
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.045
Waste Quantity:	90
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported

CALIFORNIA DAIRIES INC (Continued) **S113024599**

Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111222
Creation Date:	4/26/2012 20:30:19
Receipt Date:	20120102
Manifest ID:	002955679SKS
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	TXD077603371
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	F005
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.3
Waste Quantity:	600
Quantity Unit:	P
Additional Code 1:	F003
Additional Code 2:	D035
Additional Code 3:	D001
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111221
Creation Date:	4/26/2012 20:30:19
Receipt Date:	20111229
Manifest ID:	002955711SKS
Trans EPA ID:	TXR000050930
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY NEVADA
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.08
Waste Quantity:	160
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111221
Creation Date:	4/26/2012 20:30:19
Receipt Date:	20111229
Manifest ID:	002955711SKS
Trans EPA ID:	TXR000050930

CALIFORNIA DAIRIES INC (Continued) **S113024599**

Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY NEVADA
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.275
Waste Quantity:	550
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2002
Gen EPA ID:	CAL000008617
Shipment Date:	20020710
Creation Date:	1/21/2003 18:31:48
Receipt Date:	20020713
Manifest ID:	21864312
Trans EPA ID:	CAT080016116
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.76
Waste Quantity:	200
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2014
Gen EPA ID:	CAL000008617
Shipment Date:	20141211
Creation Date:	3/6/2015 22:15:05
Receipt Date:	20141223
Manifest ID:	004388323SKS

CALIFORNIA DAIRIES INC (Continued) **S113024599**

Trans EPA ID:	TXR000081205
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD044429835
Trans Name:	CLEAN HARBORS WILMINGTON LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.1
Waste Quantity:	200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20141031
Creation Date:	1/15/2015 22:14:55
Receipt Date:	20141113
Manifest ID:	004503715SKS
Trans EPA ID:	TXR000081205
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD044429835
Trans Name:	CLEAN HARBORS WILMINGTON LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	792 - Not reported
RCRA Code:	D008
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.03
Waste Quantity:	60
Quantity Unit:	P
Additional Code 1:	D002
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20141031
Creation Date:	5/27/2015 22:15:25
Receipt Date:	20141113
Manifest ID:	004503714SKS
Trans EPA ID:	TXR000081205
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	MOR000501973
Trans 2 Name:	R & R TRUCKING
TSDF EPA ID:	NED981723513
Trans Name:	CLEAN HARBORS ENVIRONMENTAL SERVICES IN
TSDF Alt EPA ID:	Not reported

CALIFORNIA DAIRIES INC (Continued) **S113024599**

TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.125
Waste Quantity:	250
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140430
Creation Date:	11/11/2014 22:15:05
Receipt Date:	20140515
Manifest ID:	000586835WAS
Trans EPA ID:	IND058484114
Trans Name:	HERITAGE TRANSPORT LLC-TS SIGNAL HILL
Trans 2 EPA ID:	AZR000512343
Trans 2 Name:	SRE TRANSPORT
TSDF EPA ID:	AZD081705402
Trans Name:	HERITAGE ENVIRONMENTAL SERVICES
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	D011
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0375
Waste Quantity:	75
Quantity Unit:	P
Additional Code 1:	D009
Additional Code 2:	D007
Additional Code 3:	D002
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140428
Creation Date:	7/12/2014 22:15:17
Receipt Date:	20140514
Manifest ID:	004274298SKS
Trans EPA ID:	TXR000081205
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD044429835
Trans Name:	CLEAN HARBORS WILMINGTON LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.1125
Waste Quantity:	225

CALIFORNIA DAIRIES INC (Continued) **S113024599**

Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140408
Creation Date:	9/6/2014 22:15:06
Receipt Date:	20140423
Manifest ID:	004161379SKS
Trans EPA ID:	TXR000081205
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	AZR000508515
Trans 2 Name:	SLT
TSDF EPA ID:	NED981723513
Trans Name:	CLEAN HARBORS ENVIRONMENTAL SERVICES IN
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	223 - Unspecified oil-containing waste
RCRA Code:	Not reported
Meth Code:	H040 - Incineration--Thermal Destruction Other Than Use As A Fuel
Quantity Tons:	0.35
Waste Quantity:	700
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2013
Gen EPA ID:	CAL000008617
Shipment Date:	20130827
Creation Date:	11/4/2013 22:15:04
Receipt Date:	20130909
Manifest ID:	003815300SKS
Trans EPA ID:	TXR000081205
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD044429835
Trans Name:	CLEAN HARBORS WILMINGTON LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D008
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.045
Waste Quantity:	90
Quantity Unit:	P
Additional Code 1:	D002
Additional Code 2:	Not reported
Additional Code 3:	Not reported

CALIFORNIA DAIRIES INC (Continued) **S113024599**

Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130827
Creation Date:	1/6/2014 22:15:06
Receipt Date:	20130903
Manifest ID:	003815301SKS
Trans EPA ID:	TXR000081205
Trans Name:	SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613893
Trans Name:	SAFETY-KLEEN SYSTEMS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.15
Waste Quantity:	300
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130121
Creation Date:	6/28/2013 22:15:05
Receipt Date:	20130222
Manifest ID:	000489311WAS
Trans EPA ID:	IND058484114
Trans Name:	HERITAGE TRANSPORT LLC-TS SIGNAL HILL
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	IND093219012
Trans Name:	HERITAGE ENVIRONMENTAL SERVICES
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	D011
Meth Code:	H010 - Metals Recovery Including Retoring,Smelting,Chemicals,Ect
Quantity Tons:	0.0375
Waste Quantity:	75
Quantity Unit:	P
Additional Code 1:	D009
Additional Code 2:	D007
Additional Code 3:	D002
Additional Code 4:	Not reported
Additional Code 5:	Not reported

HWTS:

Name:	CALIFORNIA DAIRIES INC
Address:	11709 E ARTESIA BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907010000

CALIFORNIA DAIRIES INC (Continued) **S113024599**

EPA ID: CAL000008617
Inactive Date: Not reported
Create Date: 11/14/1989
Last Act Date: 07/07/2020
Mailing Name: Not reported
Mailing Address: 2000 N PLAZA DR
Mailing Address 2: Not reported
Mailing City,State,Zip: VISALIA, CA 932919358
Owner Name: CALIFORNIA DAIRIES, INC.
Owner Address: 2000 N PLAZA DR
Owner Address 2: Not reported
Owner City,State,Zip: VISALIA, CA 932919358
Contact Name: DANA HORNE
Contact Address: PO BOX 11865
Contact Address 2: Not reported
City,State,Zip: FRESNO, CA 937751865

NAICS:
EPA ID: CAL000008617
Create Date: 2006-11-27 18:30:15.000
NAICS Code: 311514
NAICS Description: Dry, Condensed, and Evaporated Dairy Product Manufacturing
Issued EPA ID Date: 1989-11-14 00:00:00
Inactive Date: Not reported
Facility Name: CALIFORNIA DAIRIES INC
Facility Address: 11709 E ARTESIA BLVD
Facility Address 2: Not reported
Facility City: ARTESIA
Facility County: Not reported
Facility State: CA
Facility Zip: 907010000

A8 Target Property **CALIFORNIA DAIRIES, INC**
11709 ARTESIA BOULEVARD
ARTESIA, CA 90701

TRIS 1004439059
FINDS 90701CLFRN11709
ECHO

Site 8 of 25 in cluster A

Actual: 64 ft.

Facility, Chemical, Releases and Other Waste Management Summary Information:
TRI ID: 90701CLFRN11709
Form Type: Form R
Reporting year: 2018
Trade secret indicator: NO
Sanitized indicator: NO
Title of certifying official: COMPLIANCE MANAGER DANA HORNE
Certifying officials signature indicator: ELECTRONIC
Date signed: 2019-06-12
Name: CALIFORNIA DAIRIES INC ARTESIA
Address: 11709 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
BIA code: Not reported
Tribe name: Not reported
Mailing name: CALIFORNIA DAIRIES INC ARTESIA
Mailing street: PO BOX 6210
Mailing province: Not reported
Mailing City,State,Zip: ARTESIA, CA 90702
Entire facility ind: YES

CALIFORNIA DAIRIES, INC (Continued) **1004439059**

Partial facility ind:		NO
Federal facility ind:		NO
Goco facility ind:		NO
Assigned fed facility flag:		NO
Public contact name:		DANA HORNE
Public contact phone and Ext:		5592335154 119
Public contact email:		DHORNE@CALIFORNIADAIRIES.COM
Primary sic code:		Not reported
Sic code 2:		Not reported
Sic code 3:		Not reported
Sic code 4:		Not reported
Sic code 5:		Not reported
Sic code 6:		Not reported
Naics origin:		Not reported
Primary naics code:		311514
Naics code 2:		Not reported
Naics code 3:		Not reported
Naics code 4:		Not reported
Naics code 5:		Not reported
Naics code 6:		Not reported
Latitude:		33.87308
Longitude:		-118.08475
D and B number A:		Not reported
D and B number B:		Not reported
RCRA number A:		CAL000008617
RCRA number B:		Not reported
RCRA number C:		Not reported
RCRA number D:		Not reported
RCRA number E:		Not reported
RCRA number F:		Not reported
RCRA number G:		Not reported
RCRA number H:		Not reported
NPDES number A:		Not reported
NPDES number B:		Not reported
NPDES number C:		Not reported
NPDES number D:		Not reported
NPDES number E:		Not reported
NPDES number F:		Not reported
NPDES number G:		Not reported
Parent company name:		CALIFORNIA DAIRIES INC
Parent company D and B number:		009868035
Standardized parent company name:		CALIFORNIA DAIRIES INC
Document control number:		1318216862870
TRI ID:		90701CLFRN11709
Cas number:		007697372
Chemical name:	NITRIC ACID	
Classification:		TRI
Unit of measure:		Pounds
Metal ind:		NO
Revision code 1:		Not reported
Revision code 2:		Not reported
Maximum amount on site:		03
Fugitive air emissions - total release pounds:		NA
Fugitive air emissions - total release range code:		Not reported
Total fugitive air emissions:		0
Fugitive air emissions - basis of estimate:		Not reported
Stack air emissions - release pounds:		NA

CALIFORNIA DAIRIES, INC (Continued) **1004439059**

Stack air emissions - release range code:	Not reported
Total stack air emissions:	0
Stack air emissions - basis of estimate:	Not reported
Total air emissions:	0
Discharges to stream a - stream name:	NA
Total discharges to stream a:	0
Discharges to stream a - basis of estimate:	Not reported
Discharges to stream a - % from stormwater:	Not reported
Discharges to stream b - stream name:	Not reported
Total discharges to stream b:	Not reported
Discharges to stream b - basis of estimate:	Not reported
Discharges to stream b - % from stormwater:	Not reported
Discharges to stream c - stream name:	Not reported
Total discharges to stream c:	Not reported
Discharges to stream c - basis of estimate:	Not reported
Discharges to stream c - % from stormwater:	Not reported
Discharges to stream d - stream name:	Not reported
Total discharges to stream d:	Not reported
Discharges to stream d - basis of estimate:	Not reported
Discharges to stream d - % from stormwater:	Not reported
Discharges to stream e - stream name:	Not reported
Total discharges to stream e:	Not reported
Discharges to stream e - basis of estimate:	Not reported
Discharges to stream e - % from stormwater:	Not reported
Discharges to stream f - stream name:	Not reported
Total discharges to stream f:	Not reported
Discharges to stream f - basis of estimate:	Not reported
Discharges to stream f - % from stormwater:	Not reported
Discharges to stream g - stream name:	Not reported
Total discharges to stream g:	Not reported
Discharges to stream g - basis of estimate:	Not reported
Discharges to stream g - % from stormwater:	Not reported
Total number of receiving streams:	0
Total surface water discharge:	0
Total on-site underground inj - pounds:	Not reported
On-site underground inj - basis of estimate:	Not reported
Total on-site ugrnd inj to cl i wells - pounds:	0
On-site underground inj to c1 i wells - basis of estimate:	Not reported
Total on-site ugrnd inj to cl ii-v wells - pounds:	0
On-site ungrnd inj to cl ii-v wells - basis of estimate:	Not reported
Total on-site underground injection:	0
Total on-site landfills:	Not reported
On-site landfills - basis of estimate:	Not reported
Total on-site RCRA subtitle c landfills:	0
On-site RCRA subtitle c landfills - basis of estimate:	Not reported
Total other on-site landfills:	0
Other landfills - basis of estimate:	Not reported
Total on-site land treatment:	0
Land trtmt/appl farming - basis of estimate:	Not reported
Total surface impoundments:	Not reported
Surface impoundment - basis of estimate:	Not reported
Total RCRA c surface impoundments:	0
RCRA c Surface impoundment - basis of estimate:	Not reported
Total other surface impoundments:	0
Other surface impoundment - basis of estimate:	Not reported
Total other disposal:	0
Other disposal - basis of estimate:	Not reported

CALIFORNIA DAIRIES, INC (Continued) **1004439059**

Total on-site land releases:	0
Total on-site releases:	0
Off-site - POTW releases:	0
Off-site - storage only:	0
Off-site - solid/stab - metals:	0
Off-site - wastewater treatment release - metals:	0
Off-site - solid/stab - release - metals:	0
Off-site - wastewater treatment - metals:	0
Off-site - underground injection:	0
Off-site - underground injection - class 1 wells:	0
Off-site - underground injection - class ii-v wells:	0
Off-site - landfills/disposal surface impoundments:	0
Off-site - surface impoundment:	0
Off-site - RCRA subtitle c surface impoundments:	0
Off-site - other surface impoundments:	0
Off-site - other landfills:	0
Off-site - RCRA subtitle c landfills:	0
Off-site - disposal - land treatment:	0
Off-site - disposal - other land disposal:	0
Off-site - disposal - other off-site management:	0
Off-site - disposal - transfer to waste broker:	0
Off-site - disposal - unknown:	0
Total transferred off site for disposal:	0
Off-site - recycling - solvents/organics recovery:	0
Off-site - recycling -metals recovery:	0
Off-site - recycling - other reuse or recovery:	0
Off-site - recycling - acid regeneration:	0
Off-site - recycling - transfer to waste broker:	0
Total transferred off site for recycling:	0
Off-site - energy recovery:	0
Off-site - transfer to waste broker for energy recovery:	0
Total transferred off site for energy recovery:	0
Off-site - POTW treatment:	0
Off-site - solid/stab treatment - non metals:	0
Off-site -incineration/thermal treatment:	0
Off-site - incineration/insignificant heat value:	0
Off-site - wastewater treatment - non-metals:	0
Off-site - other waste treatment:	0
Off-site - transfer to waste broker - waste treatment:	0
Total transferred off site for treatment:	0
Off-site - transfer to waste broker:	0
Total transferred off site for further waste management:	0
Total POTW transfer:	0
Energy recovery on site current year:	0
Recycled on site current year:	0
Treated on site current year:	120255
Total on-site waste management:	120255
On-site energy recovery method 1:	Not Applicable
On-site energy recovery method 2:	Not reported
On-site energy recovery method 3:	Not Applicable
On-site energy recovery method 4:	Not reported
On-site recycling processes method 1:	Not Applicable
On-site recycling processes method 2:	Not reported
On-site recycling processes method 3:	Not reported
On-site recycling processes method 4:	Not reported
On-site recycling processes method 5:	Not reported
On-site recycling processes method 6:	Not reported

CALIFORNIA DAIRIES, INC (Continued) **1004439059**

On-site recycling processes method 7:		Not reported
FRS Facility ID:		110002424902
Elemental Metal Included:		NO
Waste Rock Pile managed Indicator:		0
Waste Rock Quantity:		Not reported
Off Site - POTW Releases 81C:		0
Off Site - POTW Releases 81D:		0
Chemical Activities and Uses:		
Cas number:		007697372
Document control number:		1318216862870
Chemical name:	NITRIC ACID	
Classification:		TRI
Unit of measure:		Pounds
Produce the chemical:		No
Import the chemical:		No
On-site use of the chemical:		No
Sale or distribution of the chemical:		No
As a byproduct:		No
As a manufactured impurity:		No
Used as a reactant:		No
P101 feedstocks:		No
P102 raw materials:		No
P103 intermediates:		No
P104 initiators:		No
P199 other:		No
Added as a formulation component:		No
P201 additives:		No
P202 dyes:		No
P203 reaction diluents:		No
P204 initiators:		No
P205 solvents:		No
P206 inhibitors:		No
P207 emulsifiers:		No
P208 surfactants:		No
P209 lubricants:		No
P210 flame retardants:		No
P211 rheological modifiers:		No
P299 other:		No
Used as an article component:		No
Repackaging:		No
As a process impurity:		No
Processed / recycling:		No
Used as a chemical processing aid:		No
Z101 process solvents:		No
Z102 catalysts:		No
Z103 inhibitors:		No
Z104 initiators:		No
Z105 reaction terminators:		No
Z106 solution buffers:		No
Z199 other:		No
Used as a manufacturing aid:		No
Z201 process lubricants:		No
Z202 metalworking fluids:		No
Z203 coolants:		No
Z204 refrigerants:		No
Z205 hydraulic fluids:		No
Z299 other:		No

CALIFORNIA DAIRIES, INC (Continued) **1004439059**

Ancillary or other use:	Yes
Z301 cleaner:	No
Z302 degreaser:	No
Z303 lubricant:	No
Z304 fuel:	No
Z305 flame retardant:	No
Z306 waste treatment:	No
Z307 water treatment:	No
Z308 construction materials:	No
Z399 other:	No

Submitted Facility Name:	CALIFORNIA DAIRIES INC ARTESIA
Submitted Street:	11709 ARTESIA BLVD
Submitted City:	ARTESIA
Submitted County:	LOS ANGELES
Submitted State:	CA
Submitted Zip Code:	90701
Submitted BIA Code:	Not reported
Submitted Tribe Name:	Not reported
Submitted Parent Company Name:	CALIFORNIA DAIRIES INC
Submitted Parent Company DB Number:	009868035
Submitted Standardized Parent Company Name:	CALIFORNIA DAIRIES INC
Submitted Primary NAICS Code:	311514
Submitted Industry Code:	311
Submitted Industry Name:	Food
Industry Code:	311
Industry Name:	Food
Last year the facility reported:	2019
First year the facility reported:	1991
Number of forms submitted:	2
Total number of forms submitted:	74 20200808

Detailed Source Reduction Activities and Methods:

Cas number:	007697372
Document control number:	1318216862870
Chemical name: NITRIC ACID	
Classification:	TRI
Unit of measure:	Pounds
On-site limited releases - prior year:	0
On-site limited releases - current year:	0
On-site limited releases - following year:	0
On-site limited releases - 2nd-following year:	0
Other on-site releases - prior year:	0
Other on-site releases - current year:	0
Other on-site releases - following year:	0
Other on-site releases - 2nd-following year:	0
Off-site limited releases - prior year:	0
Off-site limited releases - current year:	0
Off-site limited releases - following year:	0
Off-site limited releases - 2nd-following year:	0
Other off-site releases - previous year:	0
Other off-site releases - current year:	0
Other off-site releases - following year:	0
Other off-site releases - 2nd-following year:	0
Energy recovery on site prior year:	0
Energy recovery on site current year:	0
Energy recovery on site following year:	0

CALIFORNIA DAIRIES, INC (Continued) **1004439059**

Energy recovery on site 2nd-following year:	0
Energy recovery off site prior year:	0
Energy recovery off site current year:	0
Energy recovery off site following year:	0
Energy recovery off site 2nd-following year:	0
Quantity recycled on site prior year:	0
Quantity recycled on site current year:	0
Quantity recycled on site following year:	0
Quantity recycled on site 2nd-following year:	0
Quantity recycled off site prior year:	0
Quantity recycled off site current year:	0
Quantity recycled off site following year:	0
Quantity recycled off site 2nd-following year:	0
Quantity treated on site prior year:	86196
Quantity treated on site current year:	120255
Quantity treated on site following year:	120255
Quantity treated on site 2nd-following year:	120255
Quantity treated off site prior year:	0
Quantity treated off site current year:	0
Quantity treated off site following year:	0
Quantity treated off site 2nd-following year:	0
Catastrophic releases or other one-time events:	Not reported
Prod ratio/activity index:	1.85
Prod ratio or activity:	PRODUCTION
1st SR reduction activity:	NA-NA
1st SR activity ID meth code and desc 1:	Not reported
1st SR activity ID meth code and desc 2:	Not reported
1st SR activity ID meth code and desc 3:	Not reported
EST Ann REDN 1st source REDN act code and desc:	Not reported
2nd SR activity code and desc:	Not reported
2nd SR activity ID meth code and desc 1:	Not reported
2nd SR activity ID meth code and desc 2:	Not reported
2nd SR activity ID meth code and desc 3:	Not reported
EST Ann REDN 2nd source REDN act code and desc:	Not reported
3rd SR activity code and desc:	Not reported
3rd SR activity ID meth code and desc 1:	Not reported
3rd SR activity ID meth code and desc 2:	Not reported
3rd SR activity ID meth code and desc 3:	Not reported
EST Ann REDN 3rd source REDN act code and desc:	Not reported
4th SR activity code and desc:	Not reported
4th SR activity ID meth code and desc 1:	Not reported
4th SR activity ID meth code and desc 2:	Not reported
4th SR activity ID meth code and desc 3:	Not reported
EST Ann REDN 4th source REDN act code and desc:	Not reported

Detailed On-site Waste Treatment Methods and Efficiency:

Cas number:		007697372
Document control number:		1318216862870
Chemical name:	NITRIC ACID	
Classification:		TRI
Unit of measure:		Pounds
Stream 1 - waste stream code:		Wastewater (aqueous waste)
Stream 1 - trtmt method - sequence 1:		Other chemical precipitation with or without pre-treatment
Stream 1 - trtmt method - sequence 2:		Neutralization
Stream 1 - trtmt method - sequence 3:		Not reported
Stream 1 - trtmt method - sequence 4:		Not reported
Stream 1 - trtmt method - sequence 5:		Not reported

CALIFORNIA DAIRIES, INC (Continued) **1004439059**

Stream 1 - trtmt method - sequence 6:	Not reported
Stream 1 - trtmt method - sequence 7:	Not reported
Stream 1 - trtmt method - sequence 8:	Not reported
Stream 1 - based on operating data:	NO
Stream 2 - waste stream code:	Not reported
Stream 2 - trtmt method - sequence 1:	Not reported
Stream 2 - trtmt method - sequence 2:	Not reported
Stream 2 - trtmt method - sequence 3:	Not reported
Stream 2 - trtmt method - sequence 4:	Not reported
Stream 2 - trtmt method - sequence 5:	Not reported
Stream 2 - trtmt method - sequence 6:	Not reported
Stream 2 - trtmt method - sequence 7:	Not reported
Stream 2 - trtmt method - sequence 8:	Not reported
Stream 2 - based on operating data:	Not reported
Stream 3 - waste stream code:	Not reported
Stream 3 - trtmt method - sequence 1:	Not reported
Stream 3 - trtmt method - sequence 2:	Not reported
Stream 3 - trtmt method - sequence 3:	Not reported
Stream 3 - trtmt method - sequence 4:	Not reported
Stream 3 - trtmt method - sequence 5:	Not reported
Stream 3 - trtmt method - sequence 6:	Not reported
Stream 3 - trtmt method - sequence 7:	Not reported
Stream 3 - trtmt method - sequence 8:	Not reported
Stream 3 - based on operating data:	Not reported
Stream 4 - waste stream code:	Not reported
Stream 4 - trtmt method - sequence 1:	Not reported
Stream 4 - trtmt method - sequence 2:	Not reported
Stream 4 - trtmt method - sequence 3:	Not reported
Stream 4 - trtmt method - sequence 4:	Not reported
Stream 4 - trtmt method - sequence 5:	Not reported
Stream 4 - trtmt method - sequence 6:	Not reported
Stream 4 - trtmt method - sequence 7:	Not reported
Stream 4 - trtmt method - sequence 8:	Not reported
Stream 4 - based on operating data:	Not reported
Stream 5 - waste stream code:	Not reported
Stream 5 - trtmt method - sequence 1:	Not reported
Stream 5 - trtmt method - sequence 2:	Not reported
Stream 5 - trtmt method - sequence 3:	Not reported
Stream 5 - trtmt method - sequence 4:	Not reported
Stream 5 - trtmt method - sequence 5:	Not reported
Stream 5 - trtmt method - sequence 6:	Not reported
Stream 5 - trtmt method - sequence 7:	Not reported
Stream 5 - trtmt method - sequence 8:	Not reported
Stream 5 - based on operating data:	Not reported

Details of Transfers to Publicly Owned Treatment Works:

Cas number:		007697372
Document control number:		1318216862870
Chemical name:	NITRIC ACID	
Classification:		TRI
Unit of measure:		Pounds
POTW name:		LONG BEACH WATER RECLAMATION PLANT
POTW address:		7400 E WILLOW STREET
POTW City,State,Zip:		LONG BEACH, CA 90815
POTW county:		LOS ANGELES
Quantity transferred:		0
Basis of estimate:		Not reported

CALIFORNIA DAIRIES, INC (Continued) **1004439059**

Discharges to water streams:	0
Discharges to water streams - basis of estimate:	Not reported
Discharges to other activities:	0
Discharges to other activities - basis of estimate:	Not reported
Released to air:	0
Released to air - basis of estimate:	Not reported
Sludge to disposal:	0
Sludge to disposal - basis of estimate:	Not reported
Sludge to incineration - metals:	0
Sludge to incineration - metals - basis of estimate:	Not reported
Sludge to agricultural applications:	0
Sludge to agricultural applications - basis of estimate:	Not reported
Other or unknown disposal:	0
Other or unknown disposal - basis of estimate:	Not reported
Other or unknown treatment:	0
Other or unknown treatment - basis of estimate:	Continuous Monitoring Data
Sludge to incineration - nonmetals:	0
Sludge to incineration - nonmetals - basis of estimate:	Not reported
Total treated:	0
POTW Registry ID:	Not reported
Off Site - POTW Releases 81C:	0
Off Site - POTW Releases 81D:	0
Off Site - POTW Releases:	0
Experimental and Est. Treatment:	0
Experimental and Est. Treatment - Basis of Est.:	Not reported

TRI ID:	90701CLFRN11709
Cas number:	N511
Chemical name:	NITRATE COMPOUNDS
Classification:	TRI
Unit of measure:	Pounds
Metal ind:	NO
Revision code 1:	Not reported
Revision code 2:	Not reported
Maximum amount on site:	02
Fugitive air emissions - total release pounds:	NA
Fugitive air emissions - total release range code:	Not reported
Total fugitive air emissions:	0
Fugitive air emissions - basis of estimate:	Not reported
Stack air emissions - release pounds:	NA
Stack air emissions - release range code:	Not reported
Total stack air emissions:	0
Stack air emissions - basis of estimate:	Not reported
Total air emissions:	0
Discharges to stream a - stream name:	NA
Total discharges to stream a:	0
Discharges to stream a - basis of estimate:	Not reported
Discharges to stream a - % from stormwater:	Not reported
Discharges to stream b - stream name:	Not reported
Total discharges to stream b:	Not reported
Discharges to stream b - basis of estimate:	Not reported
Discharges to stream b - % from stormwater:	Not reported
Discharges to stream c - stream name:	Not reported
Total discharges to stream c:	Not reported
Discharges to stream c - basis of estimate:	Not reported
Discharges to stream c - % from stormwater:	Not reported

CALIFORNIA DAIRIES, INC (Continued) **1004439059**

Discharges to stream d - stream name:	Not reported
Total discharges to stream d:	Not reported
Discharges to stream d - basis of estimate:	Not reported
Discharges to stream d - % from stormwater:	Not reported
Discharges to stream e - stream name:	Not reported
Total discharges to stream e:	Not reported
Discharges to stream e - basis of estimate:	Not reported
Discharges to stream e - % from stormwater:	Not reported
Discharges to stream f - stream name:	Not reported
Total discharges to stream f:	Not reported
Discharges to stream f - basis of estimate:	Not reported
Discharges to stream f - % from stormwater:	Not reported
Discharges to stream g - stream name:	Not reported
Total discharges to stream g:	Not reported
Discharges to stream g - basis of estimate:	Not reported
Discharges to stream g - % from stormwater:	Not reported
Total number of receiving streams:	0
Total surface water discharge:	0
Total on-site underground inj - pounds:	Not reported
On-site underground inj - basis of estimate:	Not reported
Total on-site ugrnd inj to cl i wells - pounds:	0
On-site underground inj to c1 i wells - basis of estimate:	Not reported
Total on-site ugrnd inj to cl ii-v wells - pounds:	0
On-site ungrnd inj to cl ii-v wells - basis of estimate:	Not reported
Total on-site underground injection:	0
Total on-site landfills:	Not reported
On-site landfills - basis of estimate:	Not reported
Total on-site RCRA subtitle c landfills:	0
On-site RCRA subtitle c landfills - basis of estimate:	Not reported
Total other on-site landfills:	0
Other landfills - basis of estimate:	Not reported
Total on-site land treatment:	0
Land trtmt/appl farming - basis of estimate:	Not reported
Total surface impoundments:	Not reported
Surface impoundment - basis of estimate:	Not reported
Total RCRA c surface impoundments:	0
RCRA c Surface impoundment - basis of estimate:	Not reported
Total other surface impoundments:	0
Other surface impoundment - basis of estimate:	Not reported
Total other disposal:	0
Other disposal - basis of estimate:	Not reported
Total on-site land releases:	0
Total on-site releases:	0
Off-site - POTW releases:	11836.8
Off-site - storage only:	0
Off-site - solid/stab - metals:	0
Off-site - wastewater treatment release - metals:	0
Off-site - solid/stab - release - metals:	0
Off-site - wastewater treatment - metals:	0
Off-site - underground injection:	0
Off-site - underground injection - class 1 wells:	0
Off-site - underground injection - class ii-v wells:	0
Off-site - landfills/disposal surface impoundments:	0
Off-site - surface impoundment:	0
Off-site - RCRA subtitle c surface impoundments:	0
Off-site - other surface impoundments:	0
Off-site - other landfills:	0

CALIFORNIA DAIRIES, INC (Continued) **1004439059**

Off-site - RCRA subtitle c landfills:	0
Off-site - disposal - land treatment:	0
Off-site - disposal - other land disposal:	0
Off-site - disposal - other off-site management:	0
Off-site - disposal - transfer to waste broker:	0
Off-site - disposal - unknown:	0
Total transferred off site for disposal:	11836.8
Off-site - recycling - solvents/organics recovery:	0
Off-site - recycling -metals recovery:	0
Off-site - recycling - other reuse or recovery:	0
Off-site - recycling - acid regeneration:	0
Off-site - recycling - transfer to waste broker:	0
Total transferred off site for recycling:	0
Off-site - energy recovery:	0
Off-site - transfer to waste broker for energy recovery:	0
Total transferred off site for energy recovery:	0
Off-site - POTW treatment:	106531.2
Off-site - solid/stab treatment - non metals:	0
Off-site -incineration/thermal treatment:	0
Off-site - incineration/insignificant heat value:	0
Off-site - wastewater treatment - non-metals:	0
Off-site - other waste treatment:	0
Off-site - transfer to waste broker - waste treatment:	0
Total transferred off site for treatment:	106531.2
Off-site - transfer to waste broker:	0
Total transferred off site for further waste management:	106531.2
Total POTW transfer:	118368
Energy recovery on site current year:	0
Recycled on site current year:	0
Treated on site current year:	0
Total on-site waste management:	0
On-site energy recovery method 1:	Not Applicable
On-site energy recovery method 2:	Not reported
On-site energy recovery method 3:	Not Applicable
On-site energy recovery method 4:	Not reported
On-site recycling processes method 1:	Not Applicable
On-site recycling processes method 2:	Not reported
On-site recycling processes method 3:	Not reported
On-site recycling processes method 4:	Not reported
On-site recycling processes method 5:	Not reported
On-site recycling processes method 6:	Not reported
On-site recycling processes method 7:	Not reported
FRS Facility ID:	110002424902
Elemental Metal Included:	NO
Waste Rock Pile managed Indicator:	0
Waste Rock Quantity:	Not reported
Off Site - POTW Releases 81C:	0
Off Site - POTW Releases 81D:	11836.8

Chemical Activities and Uses:

Cas number:	N511
Document control number:	1318216862882
Chemical name:	NITRATE COMPOUNDS
Classification:	TRI
Unit of measure:	Pounds
Produce the chemical:	Yes
Import the chemical:	No
On-site use of the chemical:	No

CALIFORNIA DAIRIES, INC (Continued) **1004439059**

Sale or distribution of the chemical:	No
As a byproduct:	Yes
As a manufactured impurity:	No
Used as a reactant:	No
P101 feedstocks:	No
P102 raw materials:	No
P103 intermediates:	No
P104 initiators:	No
P199 other:	No
Added as a formulation component:	No
P201 additives:	No
P202 dyes:	No
P203 reaction diluents:	No
P204 initiators:	No
P205 solvents:	No
P206 inhibitors:	No
P207 emulsifiers:	No
P208 surfactants:	No
P209 lubricants:	No
P210 flame retardants:	No
P211 rheological modifiers:	No
P299 other:	No
Used as an article component:	No
Repackaging:	No
As a process impurity:	No
Processed / recycling:	No
Used as a chemical processing aid:	No
Z101 process solvents:	No
Z102 catalysts:	No
Z103 inhibitors:	No
Z104 initiators:	No
Z105 reaction terminators:	No
Z106 solution buffers:	No
Z199 other:	No
Used as a manufacturing aid:	No
Z201 process lubricants:	No
Z202 metalworking fluids:	No
Z203 coolants:	No
Z204 refrigerants:	No
Z205 hydraulic fluids:	No
Z299 other:	No
Ancillary or other use:	No
Z301 cleaner:	No
Z302 degreaser:	No
Z303 lubricant:	No
Z304 fuel:	No
Z305 flame retardant:	No
Z306 waste treatment:	No
Z307 water treatment:	No
Z308 construction materials:	No
Z399 other:	No

Submitted Facility Name:	CALIFORNIA DAIRIES INC ARTESIA
Submitted Street:	11709 ARTESIA BLVD
Submitted City:	ARTESIA
Submitted County:	LOS ANGELES
Submitted State:	CA

CALIFORNIA DAIRIES, INC (Continued) **1004439059**

Submitted Zip Code:	90701
Submitted BIA Code:	Not reported
Submitted Tribe Name:	Not reported
Submitted Parent Company Name:	CALIFORNIA DAIRIES INC
Submitted Parent Company DB Number:	009868035
Submitted Standardized Parent Company Name:	CALIFORNIA DAIRIES INC
Submitted Primary NAICS Code:	311514
Submitted Industry Code:	311
Submitted Industry Name:	Food
Industry Code:	311
Industry Name:	Food
Last year the facility reported:	2019
First year the facility reported:	1991
Number of forms submitted:	2
Total number of forms submitted:	74 20200808

Detailed Source Reduction Activities and Methods:

Cas number:	N511
Document control number:	1318216862882
Chemical name:	NITRATE COMPOUNDS
Classification:	TRI
Unit of measure:	Pounds
On-site limited releases - prior year:	0
On-site limited releases - current year:	0
On-site limited releases - following year:	0
On-site limited releases - 2nd-following year:	0
Other on-site releases - prior year:	0
Other on-site releases - current year:	0
Other on-site releases - following year:	0
Other on-site releases - 2nd-following year:	0
Off-site limited releases - prior year:	0
Off-site limited releases - current year:	0
Off-site limited releases - following year:	0
Off-site limited releases - 2nd-following year:	0
Other off-site releases - previous year:	8484.4
Other off-site releases - current year:	11836.8
Other off-site releases - following year:	11836.8
Other off-site releases - 2nd-following year:	11836.8
Energy recovery on site prior year:	0
Energy recovery on site current year:	0
Energy recovery on site following year:	0
Energy recovery on site 2nd-following year:	0
Energy recovery off site prior year:	0
Energy recovery off site current year:	0
Energy recovery off site following year:	0
Energy recovery off site 2nd-following year:	0
Quantity recycled on site prior year:	0
Quantity recycled on site current year:	0
Quantity recycled on site following year:	0
Quantity recycled on site 2nd-following year:	0
Quantity recycled off site prior year:	0
Quantity recycled off site current year:	0
Quantity recycled off site following year:	0
Quantity recycled off site 2nd-following year:	0
Quantity treated on site prior year:	0
Quantity treated on site current year:	0
Quantity treated on site following year:	0

CALIFORNIA DAIRIES, INC (Continued) **1004439059**

Quantity treated on site 2nd-following year:	0
Quantity treated off site prior year:	76359.6
Quantity treated off site current year:	106531.2
Quantity treated off site following year:	106531.2
Quantity treated off site 2nd-following year:	106531.2
Catastrophic releases or other one-time events:	Not reported
Prod ratio/activity index:	1.85
Prod ratio or activity:	PRODUCTION
1st SR reduction activity:	NA-NA
1st SR activity ID meth code and desc 1:	Not reported
1st SR activity ID meth code and desc 2:	Not reported
1st SR activity ID meth code and desc 3:	Not reported
EST Ann REDN 1st source REDN act code and desc:	Not reported
2nd SR activity code and desc:	Not reported
2nd SR activity ID meth code and desc 1:	Not reported
2nd SR activity ID meth code and desc 2:	Not reported
2nd SR activity ID meth code and desc 3:	Not reported
EST Ann REDN 2nd source REDN act code and desc:	Not reported
3rd SR activity code and desc:	Not reported
3rd SR activity ID meth code and desc 1:	Not reported
3rd SR activity ID meth code and desc 2:	Not reported
3rd SR activity ID meth code and desc 3:	Not reported
EST Ann REDN 3rd source REDN act code and desc:	Not reported
4th SR activity code and desc:	Not reported
4th SR activity ID meth code and desc 1:	Not reported
4th SR activity ID meth code and desc 2:	Not reported
4th SR activity ID meth code and desc 3:	Not reported
EST Ann REDN 4th source REDN act code and desc:	Not reported

Detailed On-site Waste Treatment Methods and Efficiency:

Cas number:	N511
Document control number:	1318216862882
Chemical name:	NITRATE COMPOUNDS
Classification:	TRI
Unit of measure:	Pounds
Stream 1 - waste stream code:	NA
Stream 1 - trtmt method - sequence 1:	Not reported
Stream 1 - trtmt method - sequence 2:	Not reported
Stream 1 - trtmt method - sequence 3:	Not reported
Stream 1 - trtmt method - sequence 4:	Not reported
Stream 1 - trtmt method - sequence 5:	Not reported
Stream 1 - trtmt method - sequence 6:	Not reported
Stream 1 - trtmt method - sequence 7:	Not reported
Stream 1 - trtmt method - sequence 8:	Not reported
Stream 1 - based on operating data:	Not reported
Stream 2 - waste stream code:	Not reported
Stream 2 - trtmt method - sequence 1:	Not reported
Stream 2 - trtmt method - sequence 2:	Not reported
Stream 2 - trtmt method - sequence 3:	Not reported
Stream 2 - trtmt method - sequence 4:	Not reported
Stream 2 - trtmt method - sequence 5:	Not reported
Stream 2 - trtmt method - sequence 6:	Not reported
Stream 2 - trtmt method - sequence 7:	Not reported
Stream 2 - trtmt method - sequence 8:	Not reported
Stream 2 - based on operating data:	Not reported
Stream 3 - waste stream code:	Not reported
Stream 3 - trtmt method - sequence 1:	Not reported

CALIFORNIA DAIRIES, INC (Continued) **1004439059**

Stream 3 - trtmt method - sequence 2:	Not reported
Stream 3 - trtmt method - sequence 3:	Not reported
Stream 3 - trtmt method - sequence 4:	Not reported
Stream 3 - trtmt method - sequence 5:	Not reported
Stream 3 - trtmt method - sequence 6:	Not reported
Stream 3 - trtmt method - sequence 7:	Not reported
Stream 3 - trtmt method - sequence 8:	Not reported
Stream 3 - based on operating data:	Not reported
Stream 4 - waste stream code:	Not reported
Stream 4 - trtmt method - sequence 1:	Not reported
Stream 4 - trtmt method - sequence 2:	Not reported
Stream 4 - trtmt method - sequence 3:	Not reported
Stream 4 - trtmt method - sequence 4:	Not reported
Stream 4 - trtmt method - sequence 5:	Not reported
Stream 4 - trtmt method - sequence 6:	Not reported
Stream 4 - trtmt method - sequence 7:	Not reported
Stream 4 - trtmt method - sequence 8:	Not reported
Stream 4 - based on operating data:	Not reported
Stream 5 - waste stream code:	Not reported
Stream 5 - trtmt method - sequence 1:	Not reported
Stream 5 - trtmt method - sequence 2:	Not reported
Stream 5 - trtmt method - sequence 3:	Not reported
Stream 5 - trtmt method - sequence 4:	Not reported
Stream 5 - trtmt method - sequence 5:	Not reported
Stream 5 - trtmt method - sequence 6:	Not reported
Stream 5 - trtmt method - sequence 7:	Not reported
Stream 5 - trtmt method - sequence 8:	Not reported
Stream 5 - based on operating data:	Not reported

Details of Transfers to Publicly Owned Treatment Works:

Cas number:	N511
Document control number:	1318216862882
Chemical name:	NITRATE COMPOUNDS
Classification:	TRI
Unit of measure:	Pounds
POTW name:	LONG BEACH WATER RECLAMATION PLANT
POTW address:	7400 E WILLOW STREET
POTW City,State,Zip:	LONG BEACH, CA 90815
POTW county:	LOS ANGELES
Quantity transferred:	118368
Basis of estimate:	Not reported
Discharges to water streams:	0
Discharges to water streams - basis of estimate:	Not reported
Discharges to other activities:	0
Discharges to other activities - basis of estimate:	Not reported
Released to air:	0
Released to air - basis of estimate:	Not reported
Sludge to disposal:	0
Sludge to disposal - basis of estimate:	Not reported
Sludge to incineration - metals:	0
Sludge to incineration - metals - basis of estimate:	Not reported
Sludge to agricultural applications:	0
Sludge to agricultural applications - basis of estimate:	Not reported
Other or unknown disposal:	11836.8
Other or unknown disposal - basis of estimate:	Published Emission Factors
Other or unknown treatment:	0
Other or unknown treatment - basis of estimate:	Not reported

CALIFORNIA DAIRIES, INC (Continued) **1004439059**

Sludge to incineration - nonmetals:	0
Sludge to incineration - nonmetals - basis of estimate:	Not reported
Total treated:	106531.2
POTW Registry ID:	Not reported
Off Site - POTW Releases 81C:	0
Off Site - POTW Releases 81D:	11836.8
Off Site - POTW Releases:	11836.8
Experimental and Est. Treatment:	106531.2
Experimental and Est. Treatment - Basis of Est.:	E1

FINDS:
Registry ID: 110002424902

Click Here:

Environmental Interest/Information System:
AIR EMISSIONS CLASSIFICATION UNKNOWN
US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.
STATE MASTER
US EPA RACT/BACT/LAER Clearinghouse (RBLC) database contains case-specific information on the "Best Available" air pollution technologies that have been required to reduce the emission of air pollutants from stationary sources (e.g., power plants, steel mills, chemical plants, etc.). RACT, or Reasonably Available Control Technology, is required on existing sources in areas that are not meeting national ambient air quality standards. BACT, or Best Available Control Technology, is required on major new or modified sources in clean areas. LAER, or Lowest Achievable Emission Rate, is required on major new or modified sources in non-attainment areas.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1004439059
Registry ID:	110002424902
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002424902
Name:	CALIFORNIA DAIRIES, INC
Address:	11709 ARTESIA BOULEVARD
City,State,Zip:	ARTESIA, CA 90701

A9
Target Property
CALIF MILK PRODUCERS
11709 ARTESIA BLVD
ARTESIA, CA 90701

LOS ANGELES CO. HMS

U002278088
N/A

Site 9 of 25 in cluster A

Actual: 64 ft.

LOS ANGELES CO. HMS:
Name: CALIF MILK PRODUCERS
Address: 11709 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 907013803
Region: LA
Permit Category: T
Facility Id: 001190-001249
Facility Type: 0
Facility Status: Removed
Area: 1D
Permit Number: 00003928T
Permit Status: Removed

A10
Target Property
CALIFORNIA MILK PRODUCTS
11709 ARTESIA BLVD E
ARTESIA, CA 90701

Site 10 of 25 in cluster A

Actual: 64 ft.

LUST
SWEEPS UST
HIST UST
CA FID UST
Cortese
EMI
ENF
HIST CORTESE
LOS ANGELES CO. HMS
WDS
CIWQS
CERS

1000853746
N/A

LUST:
Name: CALIFORNIA MILK PRODUCTS
Address: 11709 ARTESIA BLVD E
City,State,Zip: ARTESIA, CA 90701
Lead Agency: LOS ANGELES RWQCB (REGION 4)
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603702769
Global Id: T0603702769
Latitude: 33.874024
Longitude: -118.084467
Status: Completed - Case Closed
Status Date: 02/07/1997
Case Worker: YR
RB Case Number: I-01249
Local Agency: LOS ANGELES COUNTY
File Location: Not reported
Local Case Number: Not reported
Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0603702769
Contact Type: Local Agency Caseworker
Contact Name: JOHN AWUJO
Organization Name: LOS ANGELES COUNTY
Address: 900 S FREMONT AVE
City: ALHAMBRA

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Email: jawujo@dpw.lacounty.gov
Phone Number: 6264583507

Global Id: T0603702769
Contact Type: Regional Board Caseworker
Contact Name: YUE RONG
Organization Name: LOS ANGELES RWQCB (REGION 4)
Address: 320 W. 4TH ST., SUITE 200
City: Los Angeles
Email: yrong@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0603702769
Action Type: Other
Date: 08/18/1987
Action: Leak Reported

Global Id: T0603702769
Action Type: Other
Date: 07/30/1987
Action: Leak Discovery

LUST:
Global Id: T0603702769
Status: Open - Case Begin Date
Status Date: 07/30/1987

Global Id: T0603702769
Status: Open - Site Assessment
Status Date: 03/18/1988

Global Id: T0603702769
Status: Completed - Case Closed
Status Date: 02/07/1997

LUST REG 4:
Region: 4
Regional Board: 04
County: Los Angeles
Facility Id: I-01249
Status: Case Closed
Substance: Gasoline
Substance Quantity: Not reported
Local Case No: Not reported
Case Type: Groundwater
Abatement Method Used at the Site: Not reported
Global ID: T0603702769
W Global ID: Not reported
Staff: UNK
Local Agency: 19000
Cross Street: PIONEER BLVD
Enforcement Type: Not reported
Date Leak Discovered: 7/30/1987
Date Leak First Reported: 8/18/1987

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Date Leak Record Entered: 3/18/1988
Date Confirmation Began: Not reported
Date Leak Stopped: Not reported
Date Case Last Changed on Database: 1/30/1997
Date the Case was Closed: 2/7/1997
How Leak Discovered: Not reported
How Leak Stopped: Not reported
Cause of Leak: Not reported
Leak Source: Not reported
Operator: Not reported
Water System: Not reported
Well Name: Not reported
Approx. Dist To Production Well (ft): 853.23182160529983342178677 4
Source of Cleanup Funding: Not reported
Preliminary Site Assessment Workplan Submitted: Not reported
Preliminary Site Assessment Began: Not reported
Pollution Characterization Began: 3/18/1988
Remediation Plan Submitted: Not reported
Remediation Action Underway: Not reported
Post Remedial Action Monitoring Began: Not reported
Enforcement Action Date: Not reported
Historical Max MTBE Date: Not reported
Hist Max MTBE Conc in Groundwater: Not reported
Hist Max MTBE Conc in Soil: Not reported
Significant Interim Remedial Action Taken: Yes
GW Qualifier: Not reported
Soil Qualifier: Not reported
Organization: Not reported
Owner Contact: Not reported
Responsible Party: CALIFORNIA MILK PRODUCTS
RP Address: 11709 EAST ARTESIA BLVD, ARTESIA, CA 90701
Program: LUST
Lat/Long: 33.873157 / -1
Local Agency Staff: Not reported
Beneficial Use: Not reported
Priority: Not reported
Cleanup Fund Id: Not reported
Suspended: Not reported
Assigned Name: Not reported
Summary: SPACE PROBLEM FOR NEW LOCATION. RWQCB EXPECTED SAR 5/88. SAR DELAYED

SWEEPS UST:
Name: CALIFORNIA MILK PRODUCERS
Address: 11709 E ARTESIA BLVD
City: ARTESIA
Status: Active
Comp Number: 1249
Number: 1
Board Of Equalization: Not reported
Referral Date: 05-16-90
Action Date: 05-16-90
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-001249-000001
Tank Status: A
Capacity: 12000
Active Date: 03-15-90

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Tank Use: M.V. FUEL
STG: P
Content: DIESEL
Number Of Tanks: 4

Name: CALIFORNIA MILK PRODUCERS
Address: 11709 E ARTESIA BLVD
City: ARTESIA
Status: Active
Comp Number: 1249
Number: 1
Board Of Equalization: Not reported
Referral Date: 05-16-90
Action Date: 05-16-90
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-001249-000005
Tank Status: A
Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W
Content: Not reported
Number Of Tanks: Not reported

Name: CALIFORNIA MILK PRODUCERS
Address: 11709 E ARTESIA BLVD
City: ARTESIA
Status: Active
Comp Number: 1249
Number: 1
Board Of Equalization: Not reported
Referral Date: 05-16-90
Action Date: 05-16-90
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-001249-000006
Tank Status: A
Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W
Content: Not reported
Number Of Tanks: Not reported

Name: CALIFORNIA MILK PRODUCERS
Address: 11709 E ARTESIA BLVD
City: ARTESIA
Status: Active
Comp Number: 1249
Number: 1
Board Of Equalization: Not reported
Referral Date: 05-16-90
Action Date: 05-16-90
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-001249-000007

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Tank Status: A
Capacity: 500
Active Date: 05-16-90
Tank Use: OIL
STG: W
Content: Not reported
Number Of Tanks: Not reported

Name: CALIFORNIA MILK PRODUCERS
Address: 11709 E ARTESIA BLVD
City: ARTESIA
Status: Not reported
Comp Number: 1249
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-001249-000002
Tank Status: Not reported
Capacity: 1
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: DIESEL
Number Of Tanks: 3

Name: CALIFORNIA MILK PRODUCERS
Address: 11709 E ARTESIA BLVD
City: ARTESIA
Status: Not reported
Comp Number: 1249
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported
Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-001249-000003
Tank Status: Not reported
Capacity: 1
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: DIESEL
Number Of Tanks: Not reported

Name: CALIFORNIA MILK PRODUCERS
Address: 11709 E ARTESIA BLVD
City: ARTESIA
Status: Not reported
Comp Number: 1249
Number: Not reported
Board Of Equalization: Not reported
Referral Date: Not reported
Action Date: Not reported

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-001249-000004
Tank Status: Not reported
Capacity: 1
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: DIESEL
Number Of Tanks: Not reported

HIST UST:
Name: CALIFORNIA MILK PRODUCERS
Address: 11709 E ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
File Number: 00026989
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00026989.pdf
Region: STATE
Facility ID: 00000005415
Facility Type: Other
Other Type: PRIVATE USE
Contact Name: DALE R. ENNIS
Telephone: 2138651291
Owner Name: CALIFORNIA MILK PRODUCERS
Owner Address: 11709 E. ARTESIA BLVD
Owner City,St,Zip: ARTESIA, CA 90701
Total Tanks: 0007

Tank Num: 001
Container Num: 1
Year Installed: Not reported
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: 2
Year Installed: Not reported
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 003
Container Num: 3
Year Installed: 1978
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 004
Container Num: 4

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Year Installed: 1978
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 005
Container Num: 5
Year Installed: Not reported
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 006
Container Num: 6
Year Installed: Not reported
Tank Capacity: 00001000
Tank Used for: PRODUCT
Type of Fuel: REGULAR
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 007
Container Num: 7
Year Installed: 1981
Tank Capacity: 00000500
Tank Used for: WASTE
Type of Fuel: WASTE OIL
Container Construction Thickness: Not reported
Leak Detection: None

Click here for Geo Tracker PDF:

CA FID UST:
Facility ID: 19001558
Regulated By: UTNKA
Regulated ID: 00005415
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 2138651291
Mail To: Not reported
Mailing Address: 11709 E ARTESIA BLVD
Mailing Address 2: Not reported
Mailing City,St,Zip: ARTESIA 90701
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

CORTESE:

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Name:	CALIFORNIA MILK PRODUCTS
Address:	11709 ARTESIA BLVD E
City,State,Zip:	ARTESIA, CA 90701
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0603702769
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

EMI:

Name:	CALIFORNIA MILK PRODUCERS
Address:	11709 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Year:	1987
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	5
NOX - Oxides of Nitrogen Tons/Yr:	19
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	1
Part. Matter 10 Micrometers and Smllr Tons/Yr:	1

Name:	CALIFORNIA MILK PRODUCERS
Address:	11709 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Year:	1990
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	1
NOX - Oxides of Nitrogen Tons/Yr:	3
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	CALIFORNIA MILK PRODUCERS
Address:	11709 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Year:	1993
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	2
NOX - Oxides of Nitrogen Tons/Yr:	8
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	CALIFORNIA MILK PRODUCERS
Address:	11709 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Year:	1995
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	2
NOX - Oxides of Nitrogen Tons/Yr:	8
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	CALIFORNIA MILK PRODUCERS
Address:	11709 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Year:	1996
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	1
NOX - Oxides of Nitrogen Tons/Yr:	1
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Year:	1997
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	2
NOX - Oxides of Nitrogen Tons/Yr:	3
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Year:	1998
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	2
NOX - Oxides of Nitrogen Tons/Yr:	3
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Year:	1999
County Code:	19

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	2
NOX - Oxides of Nitrogen Tons/Yr:	3
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Year:	2000
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	2
NOX - Oxides of Nitrogen Tons/Yr:	3
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Year:	2001
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	9
NOX - Oxides of Nitrogen Tons/Yr:	6
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	1
Part. Matter 10 Micrometers and Smllr Tons/Yr:	1

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 ARTESIA BLVD

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

City,State,Zip:	ARTESIA, CA 90701
Year:	2002
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	2
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	12
NOX - Oxides of Nitrogen Tons/Yr:	6
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	1
Part. Matter 10 Micrometers and Smllr Tons/Yr:	1

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Year:	2003
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	2
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	12
NOX - Oxides of Nitrogen Tons/Yr:	6
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	1
Part. Matter 10 Micrometers and Smllr Tons/Yr:	1

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Year:	2004
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	2.11104
Reactive Organic Gases Tons/Yr:	0.87
Carbon Monoxide Emissions Tons/Yr:	12.35706
NOX - Oxides of Nitrogen Tons/Yr:	5.74988
SOX - Oxides of Sulphur Tons/Yr:	0.0985042
Particulate Matter Tons/Yr:	1.193805
Part. Matter 10 Micrometers and Smllr Tons/Yr:	1.18

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Year:	2005
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.67413
Reactive Organic Gases Tons/Yr:	.284617686
Carbon Monoxide Emissions Tons/Yr:	9.5756
NOX - Oxides of Nitrogen Tons/Yr:	2.93196
SOX - Oxides of Sulphur Tons/Yr:	.071885
Particulate Matter Tons/Yr:	.91032
Part. Matter 10 Micrometers and Smllr Tons/Yr:	.906504

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 E ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Year:	2006
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1.622453813358597820
Reactive Organic Gases Tons/Yr:	.685
Carbon Monoxide Emissions Tons/Yr:	10.22
NOX - Oxides of Nitrogen Tons/Yr:	4.138
SOX - Oxides of Sulphur Tons/Yr:	.072
Particulate Matter Tons/Yr:	.938
Part. Matter 10 Micrometers and Smllr Tons/Yr:	.93685

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 E ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Year:	2007
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1.622453813358597820
Reactive Organic Gases Tons/Yr:	.685
Carbon Monoxide Emissions Tons/Yr:	10.22
NOX - Oxides of Nitrogen Tons/Yr:	4.138
SOX - Oxides of Sulphur Tons/Yr:	.072

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Particulate Matter Tons/Yr: .938
Part. Matter 10 Micrometers and Smllr Tons/Yr: .93685

Name: CALIFORNIA DAIRIES, INC
Address: 11709 E ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90702
Year: 2008
County Code: 19
Air Basin: SC
Facility ID: 22607
Air District Name: SC
SIC Code: 2026
Air District Name: SOUTH COAST AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 2.147773567029843675
Reactive Organic Gases Tons/Yr: .90679
Carbon Monoxide Emissions Tons/Yr: 12.8
NOX - Oxides of Nitrogen Tons/Yr: 5.65
SOX - Oxides of Sulphur Tons/Yr: .080582
Particulate Matter Tons/Yr: 1.25728
Part. Matter 10 Micrometers and Smllr Tons/Yr: 1.235116

Name: CALIFORNIA DAIRIES, INC
Address: 11709 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Year: 2009
County Code: 19
Air Basin: SC
Facility ID: 22607
Air District Name: SC
SIC Code: 2026
Air District Name: SOUTH COAST AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 2.0040028422548501
Reactive Organic Gases Tons/Yr: 0.84609000000000001
Carbon Monoxide Emissions Tons/Yr: 12.15
NOX - Oxides of Nitrogen Tons/Yr: 4.8899999999999997
SOX - Oxides of Sulphur Tons/Yr: 7.8822000000000003E-2
Particulate Matter Tons/Yr: 1.1665300000000001
Part. Matter 10 Micrometers and Smllr Tons/Yr: 1.1510035000000001

Name: CALIFORNIA DAIRIES, INC
Address: 11709 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Year: 2010
County Code: 19
Air Basin: SC
Facility ID: 22607
Air District Name: SC
SIC Code: 2026
Air District Name: SOUTH COAST AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 1.5256987209853099
Reactive Organic Gases Tons/Yr: 0.64415

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Carbon Monoxide Emissions Tons/Yr:	9.4691100000000006
NOX - Oxides of Nitrogen Tons/Yr:	2.988
SOX - Oxides of Sulphur Tons/Yr:	6.9409999999999999E-2
Particulate Matter Tons/Yr:	0.92906
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.90158039999999995

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Year:	2011
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1.53342018
Reactive Organic Gases Tons/Yr:	0.64741
Carbon Monoxide Emissions Tons/Yr:	9.43998
NOX - Oxides of Nitrogen Tons/Yr:	3.05088
SOX - Oxides of Sulphur Tons/Yr:	0.0696
Particulate Matter Tons/Yr:	0.89314
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.8846488

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 E ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90702
Year:	2012
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	2.0271435339
Reactive Organic Gases Tons/Yr:	0.85586
Carbon Monoxide Emissions Tons/Yr:	12.11504
NOX - Oxides of Nitrogen Tons/Yr:	4.53698
SOX - Oxides of Sulphur Tons/Yr:	0.09117
Particulate Matter Tons/Yr:	1.18123
Part. Matter 10 Micrometers and Smllr Tons/Yr:	1.1622231

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 E ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90702
Year:	2013
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1.9448839413
Reactive Organic Gases Tons/Yr:	0.82113
Carbon Monoxide Emissions Tons/Yr:	11.53431
NOX - Oxides of Nitrogen Tons/Yr:	0.0022
SOX - Oxides of Sulphur Tons/Yr:	0.08727
Particulate Matter Tons/Yr:	1.30207
Part. Matter 10 Micrometers and Smllr Tons/Yr:	1.1959221

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 E ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90702
Year:	2014
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1.7324090909
Reactive Organic Gases Tons/Yr:	0.76226
Carbon Monoxide Emissions Tons/Yr:	10.80558
NOX - Oxides of Nitrogen Tons/Yr:	5.23848
SOX - Oxides of Sulphur Tons/Yr:	0.08117
Particulate Matter Tons/Yr:	1.05247
Part. Matter 10 Micrometers and Smllr Tons/Yr:	1.0469184

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 E ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90702
Year:	2015
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1.5981949205
Reactive Organic Gases Tons/Yr:	0.782156273
Carbon Monoxide Emissions Tons/Yr:	9.35756386
NOX - Oxides of Nitrogen Tons/Yr:	3.275471395
SOX - Oxides of Sulphur Tons/Yr:	0.06887723
Particulate Matter Tons/Yr:	0.885642656
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.882649596

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 E ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90702
Year:	2016
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1.0982477273
Reactive Organic Gases Tons/Yr:	0.483229
Carbon Monoxide Emissions Tons/Yr:	7.4617
NOX - Oxides of Nitrogen Tons/Yr:	1.7363
SOX - Oxides of Sulphur Tons/Yr:	0.0402771
Particulate Matter Tons/Yr:	0.664148
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.6639656

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 E ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90702
Year:	2017
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	0.95487545455
Reactive Organic Gases Tons/Yr:	0.4201452
Carbon Monoxide Emissions Tons/Yr:	6.540726
NOX - Oxides of Nitrogen Tons/Yr:	1.60268
SOX - Oxides of Sulphur Tons/Yr:	0.04001245
Particulate Matter Tons/Yr:	0.5901558
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0.59015

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 E ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90702
Year:	2018
County Code:	19
Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2023
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	2.3017818182
Reactive Organic Gases Tons/Yr:	1.012784
Carbon Monoxide Emissions Tons/Yr:	9.896245
NOX - Oxides of Nitrogen Tons/Yr:	12.031
SOX - Oxides of Sulphur Tons/Yr:	0.0978064
Particulate Matter Tons/Yr:	1.2471344
Part. Matter 10 Micrometers and Smllr Tons/Yr:	1.246494344

Name:	CALIFORNIA DAIRIES, INC
Address:	11709 E ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90702
Year:	2019
County Code:	19

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Air Basin:	SC
Facility ID:	22607
Air District Name:	SC
SIC Code:	2026
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1.0274347045
Reactive Organic Gases Tons/Yr:	0.45207127
Carbon Monoxide Emissions Tons/Yr:	6.36858185
NOX - Oxides of Nitrogen Tons/Yr:	2.3623493
SOX - Oxides of Sulphur Tons/Yr:	0.048097656
Particulate Matter Tons/Yr:	2.070938425
Part. Matter 10 Micrometers and Smllr Tons/Yr:	1.320494745

ENF:

Name:	CALIFORNIA DAIRIES INC.
Address:	11709 ARTESIA
City,State,Zip:	ARTESIA, CA 90701
Region:	4
Facility Id:	216600
Agency Name:	California Dairies Inc
Place Type:	Industrial and Commercial Services
Place Subtype:	Food Processor
Facility Type:	All other facilities
Agency Type:	Privately-Owned Business
# Of Agencies:	1
Place Latitude:	33.873089
Place Longitude:	-118.08448
SIC Code 1:	2023
SIC Desc 1:	Dry, Condensed, and Evaporated Dairy Products
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	0.22
Threat To Water Quality:	3
Complexity:	C
Pretreatment:	X - Facility is not a POTW
Facility Waste Type:	Miscellaneous
Facility Waste Type 2:	Process waste, NEC
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	NPDESWW
Program Category1:	NPDESWW
Program Category2:	NPDESWW
# Of Programs:	1
WDID:	4B192454001
Reg Measure Id:	146676

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Reg Measure Type:	NPDES Permits
Region:	4
Order #:	99-136
Npdes# CA#:	CA0057371
Major-Minor:	Minor
Npdes Type:	OTH
Reclamation:	N - No
Dredge Fill Fee:	Not reported
301H:	N
Application Fee Amt Received:	1000
Status:	Historical
Status Date:	11/02/2005
Effective Date:	12/09/1999
Expiration/Review Date:	12/09/2004
Termination Date:	11/02/2005
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	N
Individual/General:	I
Fee Code:	Not reported
Direction/Voice:	Passive
Enforcement Id(EID):	377101
Region:	4
Order / Resolution Number:	SWB-2008-4-0018
Enforcement Action Type:	Expedited Payment Letter
Effective Date:	12/09/2008
Adoption/Issuance Date:	Not reported
Achieve Date:	Not reported
Termination Date:	10/29/2009
ACL Issuance Date:	Not reported
EPL Issuance Date:	12/09/2008
Status:	Withdrawn
Title:	Expedited Payment Letter for California Dairies Inc
Description:	EPL SWB-2008-4-0018 issued 10/30/09 for $6,000 for a Mandatory Minimum Penalty Amount for 2 Serious Effluent Violations
Program:	NPDESWW
Latest Milestone Completion Date:	Not reported
# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability $ Amount:	0
Project $ Amount:	0
Liability $ Paid:	0
Project $ Completed:	0
Total $ Paid/Completed Amount:	0
Name:	CALIFORNIA DAIRIES INC.
Address:	11709 ARTESIA
City,State,Zip:	ARTESIA, CA 90701
Region:	4
Facility Id:	216600
Agency Name:	California Dairies Inc

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Place Type:	Industrial and Commercial Services
Place Subtype:	Food Processor
Facility Type:	All other facilities
Agency Type:	Privately-Owned Business
# Of Agencies:	1
Place Latitude:	33.873089
Place Longitude:	-118.08448
SIC Code 1:	2023
SIC Desc 1:	Dry, Condensed, and Evaporated Dairy Products
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	0.22
Threat To Water Quality:	3
Complexity:	C
Pretreatment:	X - Facility is not a POTW
Facility Waste Type:	Miscellaneous
Facility Waste Type 2:	Process waste, NEC
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	NPDESWW
Program Category1:	NPDESWW
Program Category2:	NPDESWW
# Of Programs:	1
WDID:	4B192454001
Reg Measure Id:	146676
Reg Measure Type:	NPDES Permits
Region:	4
Order #:	99-136
Npdes# CA#:	CA0057371
Major-Minor:	Minor
Npdes Type:	OTH
Reclamation:	N - No
Dredge Fill Fee:	Not reported
301H:	N
Application Fee Amt Received:	1000
Status:	Historical
Status Date:	11/02/2005
Effective Date:	12/09/1999
Expiration/Review Date:	12/09/2004
Termination Date:	11/02/2005
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	N

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Individual/General:	I
Fee Code:	Not reported
Direction/Voice:	Passive
Enforcement Id(EID):	357273
Region:	4
Order / Resolution Number:	SWB-2008-4-0018
Enforcement Action Type:	Admin Civil Liability
Effective Date:	10/30/2009
Adoption/Issuance Date:	Not reported
Achieve Date:	Not reported
Termination Date:	11/17/2009
ACL Issuance Date:	10/30/2009
EPL Issuance Date:	Not reported
Status:	Historical
Title:	ACLC for California Dairies Inc
Description:	ACL SWB-2008-4-0018 issued 10/30/09 for $6,000 for a Mandatory Minimum Penalty Amount for 2 Serious Effluent Violations
Program:	NPDESWW
Latest Milestone Completion Date:	11/16/2009
# Of Programs1:	1
Total Assessment Amount:	6000
Initial Assessed Amount:	6000
Liability $ Amount:	6000
Project $ Amount:	0
Liability $ Paid:	6000
Project $ Completed:	0
Total $ Paid/Completed Amount:	6000

Name:	CALIFORNIA DAIRIES INC.
Address:	11709 ARTESIA
City,State,Zip:	ARTESIA, CA 90701
Region:	4
Facility Id:	216600
Agency Name:	California Dairies Inc
Place Type:	Industrial and Commercial Services
Place Subtype:	Food Processor
Facility Type:	All other facilities
Agency Type:	Privately-Owned Business
# Of Agencies:	1
Place Latitude:	33.873089
Place Longitude:	-118.08448
SIC Code 1:	2023
SIC Desc 1:	Dry, Condensed, and Evaporated Dairy Products
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	0.22

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Threat To Water Quality:	3
Complexity:	C
Pretreatment:	X - Facility is not a POTW
Facility Waste Type:	Miscellaneous
Facility Waste Type 2:	Process waste, NEC
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	NPDESWW
Program Category1:	NPDESWW
Program Category2:	NPDESWW
# Of Programs:	1
WDID:	4B192454001
Reg Measure Id:	146676
Reg Measure Type:	NPDES Permits
Region:	4
Order #:	99-136
Npdes# CA#:	CA0057371
Major-Minor:	Minor
Npdes Type:	OTH
Reclamation:	N - No
Dredge Fill Fee:	Not reported
301H:	N
Application Fee Amt Received:	1000
Status:	Historical
Status Date:	11/02/2005
Effective Date:	12/09/1999
Expiration/Review Date:	12/09/2004
Termination Date:	11/02/2005
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	N
Individual/General:	I
Fee Code:	Not reported
Direction/Voice:	Passive
Enforcement Id(EID):	254758
Region:	4
Order / Resolution Number:	NOV
Enforcement Action Type:	Notice of Violation
Effective Date:	02/02/2005
Adoption/Issuance Date:	02/02/2005
Achieve Date:	Not reported
Termination Date:	02/02/2005
ACL Issuance Date:	Not reported
EPL Issuance Date:	Not reported
Status:	Historical
Title:	NOV sent 2/2/05 for overdue 2Q04 DMR.
Description:	NOV sent 2/2/05 for overdue 2Q04 DMR.
Program:	NPDESWW
Latest Milestone Completion Date:	Not reported
# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability $ Amount:	0

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Project $ Amount:	0
Liability $ Paid:	0
Project $ Completed:	0
Total $ Paid/Completed Amount:	0
Name:	CALIFORNIA DAIRIES INC.
Address:	11709 ARTESIA
City,State,Zip:	ARTESIA, CA 90701
Region:	4
Facility Id:	216600
Agency Name:	California Dairies Inc
Place Type:	Industrial and Commercial Services
Place Subtype:	Food Processor
Facility Type:	All other facilities
Agency Type:	Privately-Owned Business
# Of Agencies:	1
Place Latitude:	33.873089
Place Longitude:	-118.08448
SIC Code 1:	2023
SIC Desc 1:	Dry, Condensed, and Evaporated Dairy Products
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	0.22
Threat To Water Quality:	3
Complexity:	C
Pretreatment:	X - Facility is not a POTW
Facility Waste Type:	Miscellaneous
Facility Waste Type 2:	Process waste, NEC
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	NPDESWW
Program Category1:	NPDESWW
Program Category2:	NPDESWW
# Of Programs:	1
WDID:	4B192454001
Reg Measure Id:	146676
Reg Measure Type:	NPDES Permits
Region:	4
Order #:	99-136
Npdes# CA#:	CA0057371
Major-Minor:	Minor
Npdes Type:	OTH
Reclamation:	N - No
Dredge Fill Fee:	Not reported
301H:	N
Application Fee Amt Received:	1000
Status:	Historical

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Status Date:	11/02/2005
Effective Date:	12/09/1999
Expiration/Review Date:	12/09/2004
Termination Date:	11/02/2005
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	N
Individual/General:	I
Fee Code:	Not reported
Direction/Voice:	Passive
Enforcement Id(EID):	229003
Region:	4
Order / Resolution Number:	Field Notice to Comply
Enforcement Action Type:	Notice to Comply
Effective Date:	04/14/2000
Adoption/Issuance Date:	Not reported
Achieve Date:	Not reported
Termination Date:	04/14/2000
ACL Issuance Date:	Not reported
EPL Issuance Date:	Not reported
Status:	Historical
Title:	Field Notice to Comply issued 4/14/00 for accumulation of solids in storm drain
Description:	Field Notice to Comply issued 4/14/00 for accumulation of solids in storm drain connection.
Program:	NPDESWW
Latest Milestone Completion Date:	Not reported
# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability $ Amount:	0
Project $ Amount:	0
Liability $ Paid:	0
Project $ Completed:	0
Total $ Paid/Completed Amount:	0

HIST CORTESE:

edr_fname:	CALIFORNIA MILK PRODUCTS
edr_fadd1:	11709 ARTESIA
City,State,Zip:	ARTESIA, CA 90701
Region:	CORTESE
Facility County Code:	19
Reg By:	LTNKA
Reg Id:	I-01249

LOS ANGELES CO. HMS:

Name:	CALIFORNIA DAIRIES INC
Address:	11709 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 907013803
Region:	LA
Permit Category:	I
Facility Id:	001190-I01249

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Facility Type: 01
Facility Status: Permit
Area: 1D
Permit Number: 00003087J
Permit Status: Removed

Name: CALIFORNIA DAIRIES INC
Address: 11709 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 907013803
Region: LA
Permit Category: I
Facility Id: 001190-I01249
Facility Type: 01
Facility Status: Permit
Area: 1D
Permit Number: 000003088
Permit Status: Removed

Name: CALIFORNIA DAIRIES INC
Address: 11709 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 907013803
Region: LA
Permit Category: I
Facility Id: 001190-I01249
Facility Type: 01
Facility Status: Permit
Area: 1D
Permit Number: 000005124
Permit Status: Permit

Name: CALIFORNIA DAIRIES INC
Address: 11709 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 907013803
Region: LA
Permit Category: I
Facility Id: 001190-I01249
Facility Type: 09
Facility Status: Permit
Area: 1D
Permit Number: 00021014J
Permit Status: Permit

Name: CALIFORNIA DAIRIES INC
Address: 11709 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 907013803
Region: LA
Permit Category: S
Facility Id: 001190-047286
Facility Type: S6
Facility Status: Closed
Area: 1D
Permit Number: CGI001433
Permit Status: Closed

WDS:
Name: CALIFORNIA DAIRIES INC.
Address: 11709 E Artesia Blvd

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

City:	ARTESIA
Facility ID:	Los Angeles River 192454001
Facility Type:	Other - Does not fall into the category of Municipal/Domestic, Industrial, Agricultural or Solid Waste (Class I, II or III)
Facility Status:	Active - Any facility with a continuous or seasonal discharge that is under Waste Discharge Requirements.
NPDES Number:	CA0057371 The 1st 2 characters designate the state. The remaining 7 are assigned by the Regional Board
Subregion:	4
Facility Telephone:	5628651291
Facility Contact:	Randy Ellis
Agency Name:	CALIFORNIA DAIRIES INC.
Agency Address:	Not reported
Agency City,St,Zip:	0
Agency Contact:	Not reported
Agency Telephone:	Not reported
Agency Type:	Private
SIC Code:	2023
SIC Code 2:	Not reported
Primary Waste Type:	Designated/Influent or Solid Wastes that pose a significant threat to water quality because of their high concentrations (E.G., BOD, Hardness, TRF, Chloride). 'Manageable' hazardous wastes (E.G., inorganic salts and heavy metals) are included in this category.
Primary Waste:	MISCEL
Waste Type2:	D
Waste2:	Miscellaneous (Includes wastes from dewatering, recreational lake overflow, swimming pool wastes, water ride wastewater, ground water seepage and other wastes of this type)
Primary Waste Type:	Designated/Influent or Solid Wastes that pose a significant threat to water quality because of their high concentrations (E.G., BOD, Hardness, TRF, Chloride). 'Manageable' hazardous wastes (E.G., inorganic salts and heavy metals) are included in this category.
Secondary Waste:	Process Waste (Waste produced as part of the industrial/manufacturing process)
Secondary Waste Type:	Designated/Influent or Solid Wastes that pose a significant threat to water quality because of their high concentrations (E.G., BOD, Hardness, TRF, Chloride). 'Manageable' hazardous wastes (E.G., inorganic salts and heavy metals) are included in this category.
Design Flow:	0
Baseline Flow:	0
Reclamation:	No reclamation requirements associated with this facility.
POTW:	The facility is not a POTW.
Treat To Water:	Minor Threat to Water Quality. A violation of a regional board order should cause a relatively minor impairment of beneficial uses compared to a major or minor threat. Not: All nurds without a TTWQ will be considered a minor threat to water quality unless coded at a higher Level. A Zero (0) may be used to code those NURDS that are found to represent no threat to water quality.
Complexity:	Category C - Facilities having no waste treatment systems, such as cooling water dischargers or thosewho must comply through best management practices, facilities with passive waste treatment and disposal systems, such as septic systems with subsurface disposal, or dischargers having waste storage systems with land disposal such as dairy waste ponds.

CIWQS:

Name:	CALIFORNIA DAIRIES INC.

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Address:	11709 ARTESIA
City,State,Zip:	ARTESIA, CA 90701
Agency:	California Dairies Inc
Agency Address:	11709 Artesia Blvd, Artesia, CA 90701
Place/Project Type:	Food Processor
SIC/NAICS:	2023
Region:	4
Program:	NPDESWW
Regulatory Measure Status:	Historical
Regulatory Measure Type:	NPDES Permit
Order Number:	R4-2005-0070
WDID:	4B192454001
NPDES Number:	CA0057371
Adoption Date:	11/03/2005
Effective Date:	12/05/2005
Termination Date:	05/06/2009
Expiration/Review Date:	11/03/2010
Design Flow:	0.22
Major/Minor:	Minor
Complexity:	C
TTWQ:	3
Enforcement Actions within 5 years:	0
Violations within 5 years:	0
Latitude:	33.873089
Longitude:	-118.08448

CERS:

Name:	CALIFORNIA MILK PRODUCTS
Address:	11709 ARTESIA BLVD E
City,State,Zip:	ARTESIA, CA 90701
Site ID:	202183
CERS ID:	T0603702769
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	YUE RONG - LOS ANGELES RWQCB (REGION 4)
Entity Title:	Not reported
Affiliation Address:	320 W. 4TH ST., SUITE 200
Affiliation City:	Los Angeles
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	JOHN AWUJO - LOS ANGELES COUNTY
Entity Title:	Not reported
Affiliation Address:	900 S FREMONT AVE
Affiliation City:	ALHAMBRA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	6264583507

Name:	CALIFORNIA DAIRIES INC

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Address: 11709 ARTESIA BOULEVARD
City,State,Zip: ARTESIA, CA 90701-3803
Site ID: 456887
CERS ID: 110002424902
CERS Description: US EPA Air Emission Inventory System (EIS)

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: Tom Williams
Entity Title: Not reported
Affiliation Address: POBOX 11865
Affiliation City: FRESNO
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: RICO HINOJOSA EXT 205
Entity Title: PLANT MANAGER
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: SY D LE
Entity Title: ENVIRONMENTAL CONTACT
Affiliation Address: 2000 N PLAZA DRIVE
Affiliation City: VISALIA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Owner
Entity Name: CA DAIRIES
Entity Title: OWNER
Affiliation Address: POBOX 6210
Affiliation City: ARTESIA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: CA DAIRIES
Entity Title: Not reported
Affiliation Address: POBOX 6210
Affiliation City: ARTESIA
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Public Contact

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Entity Name: Tom Williams
Entity Title: Not reported
Affiliation Address: POBOX 6210
Affiliation City: ARTESIA
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: BOB WHEELER
Entity Title: FACILITIES SUPERINTENDANT
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: Thomas Williams
Entity Title: Director of Environmental Compliance
Affiliation Address: POBOX 6210
Affiliation City: ARTESIA
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Operator
Entity Name: SY LE
Entity Title: OPERATOR
Affiliation Address: 2000 N PLAZA DR
Affiliation City: VISALIA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Name: CALIFORNIA DAIRIES INC ARTESIA
Address: 11709 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 101878
CERS ID: 90701CLFRN11709
CERS Description: Toxic Release Inventory

Affiliation:
Affiliation Type Desc: Public Contact
Entity Name: DANA HORNE
Entity Title: Not reported
Affiliation Address: PO BOX 6210
Affiliation City: ARTESIA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90701
Affiliation Phone: 5592335154

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Affiliation Type Desc:	Technical Contact
Entity Name:	DANA HORNE
Entity Title:	Not reported
Affiliation Address:	PO BOX 6210
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	5592335154

Affiliation Type Desc:	Company Official
Entity Name:	Dana Horne
Entity Title:	Compliance Manager
Affiliation Address:	PO BOX 6210
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported

Affiliation Type Desc:	Parent Company
Entity Name:	California Dairies Inc
Entity Title:	Not reported
Affiliation Address:	PO BOX 6210
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported

Name:	CALIFORNIA DAIRIES INC.
Address:	11709 ARTESIA
City,State,Zip:	ARTESIA, CA 90701
Site ID:	349076
CERS ID:	216600
CERS Description:	NPDES Wastewater and Stormwater

Violations:

Site ID:	349076
Site Name:	California Dairies Inc.
Violation Date:	01-25-2000
Citation:	California Water Code
Violation Description:	Not reported
Violation Notes:	Effluent violation (1/25/00): BOD.
Violation Division:	Water Boards
Violation Program:	NPDESWW
Violation Source:	CIWQS

Site ID:	349076
Site Name:	California Dairies Inc.
Violation Date:	05-22-2002
Citation:	California Water Code
Violation Description:	Not reported
Violation Notes:	Deficient 4Q01 DMR. FTS daily flow results and one time annual sampling results of priority pollutants.
Violation Division:	Water Boards
Violation Program:	NPDESWW

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Violation Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Violation Date: 06-02-2004
Citation: California Water Code
Violation Description: Not reported
Violation Notes: 1Q04 effluent violation (1/23/04): BOD monthly average (35.6 / 20 mg/L).
Violation Division: Water Boards
Violation Program: NPDESWW
Violation Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Violation Date: 04-22-2005
Citation: California Water Code
Violation Description: Not reported
Violation Notes: 1Q05 DMR: Temperature not reported monthly. pH, Oil and Grease, Settleable Solids, Total suspended solids, turbidity residual chlorine, BOD not reported quarterly.
Violation Division: Water Boards
Violation Program: NPDESWW
Violation Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Violation Date: 07-21-2003
Citation: California Water Code
Violation Description: Not reported
Violation Notes: 2Q03 effluent violation (4/30/03): Oil & grease monthly average.
Violation Division: Water Boards
Violation Program: NPDESWW
Violation Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Violation Date: 11-24-2003
Citation: California Water Code
Violation Description: Not reported
Violation Notes: 3Q03 effluent violation (9/8/03): BOD.
Violation Division: Water Boards
Violation Program: NPDESWW
Violation Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Violation Date: 07-21-2003
Citation: California Water Code
Violation Description: Not reported
Violation Notes: Deficient 2Q03 DMR: Temperature not reported monthly for May & June.
Violation Division: Water Boards
Violation Program: NPDESWW
Violation Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Violation Date: 06-02-2004
Citation: California Water Code
Violation Description: Not reported
Violation Notes: Deficient 1Q04 DMR: TWF not reported.
Violation Division: Water Boards
Violation Program: NPDESWW
Violation Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Violation Date: 05-22-2002
Citation: California Water Code
Violation Description: Not reported
Violation Notes: Deficient 2001 Annual DMR. FTS annual acute toxicity results.
Violation Division: Water Boards
Violation Program: NPDESWW
Violation Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Violation Date: 06-20-2004
Citation: California Water Code
Violation Description: Not reported
Violation Notes: Deficient 4Q03 DMR: TWF not reported daily.
Violation Division: Water Boards
Violation Program: NPDESWW
Violation Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Violation Date: 01-24-2003
Citation: California Water Code
Violation Description: Not reported
Violation Notes: Deficient 2002 Annual DMR. FTS annual acute toxicity results.
Violation Division: Water Boards
Violation Program: NPDESWW
Violation Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Violation Date: 04-14-2000
Citation: California Water Code
Violation Description: Not reported
Violation Notes: 4/14/00 Inspection: Accumulation of solids in storm drain connection.
Violation Division: Water Boards
Violation Program: NPDESWW
Violation Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Violation Date: 03-24-2005
Citation: California Water Code
Violation Description: Not reported
Violation Notes: 2Q04 DMR >30 days late.
Violation Division: Water Boards
Violation Program: NPDESWW
Violation Source: CIWQS

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Site ID: 349076
Site Name: California Dairies Inc.
Violation Date: 02-25-2005
Citation: California Water Code
Violation Description: Not reported
Violation Notes: 4Q04 effluent violation (12/7/04): pH minimum (5.68 / 6.0).
Violation Division: Water Boards
Violation Program: NPDESWW
Violation Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Violation Date: 02-25-2005
Citation: California Water Code
Violation Description: Not reported
Violation Notes: Deficient 2004 annual report: Acute toxicity not reported annually.
Violation Division: Water Boards
Violation Program: NPDESWW
Violation Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Violation Date: 06-02-2004
Citation: California Water Code
Violation Description: Not reported
Violation Notes: 1Q04 effluent violation (1/23/04): BOD daily max (35.6 / 30 mg/L).
Violation Division: Water Boards
Violation Program: NPDESWW
Violation Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Violation Date: 08-07-2006
Citation: California Water Code
Violation Description: Not reported
Violation Notes: 2 Q 06 effluent viol (6/2/06): residual chlorine daily 0.2/0.1 mg/L
Violation Division: Water Boards
Violation Program: NPDESWW
Violation Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Violation Date: 06-20-2004
Citation: California Water Code
Violation Description: Not reported
Violation Notes: Deficient 4Q03 DMR: Toxicity not reported annually.
Violation Division: Water Boards
Violation Program: NPDESWW
Violation Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Violation Date: 03-24-2005
Citation: California Water Code
Violation Description: Not reported
Violation Notes: 2Q04 effluent violation (4/19/04): pH 5.79 / 6.0 minimum.
Violation Division: Water Boards

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Violation Program: NPDESWW
Violation Source: CIWQS

Enforcement Action:
Site ID: 349076
Site Name: California Dairies Inc.
Site Address: 11709 ARTESIA
Site City: ARTESIA
Site Zip: 90701
Enf Action Date: 02-02-2005
Enf Action Type: Notice of Violation (Water)
Enf Action Description: Notice of Violation Letter (Informal)
Enf Action Notes: Not reported
Enf Action Division: Water Boards
Enf Action Program: UNSPEC
Enf Action Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Site Address: 11709 ARTESIA
Site City: ARTESIA
Site Zip: 90701
Enf Action Date: 04-14-2000
Enf Action Type: Notice to Comply (Minor Violations)
Enf Action Description: Notice to Comply for Minor Violations
Enf Action Notes: Not reported
Enf Action Division: Water Boards
Enf Action Program: UNSPEC
Enf Action Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Site Address: 11709 ARTESIA
Site City: ARTESIA
Site Zip: 90701
Enf Action Date: 10-30-2009
Enf Action Type: Administrative Enforcement with Penality
Enf Action Description: Administrative Enforcement with Civil Liability (Penality)
Enf Action Notes: Not reported
Enf Action Division: Water Boards
Enf Action Program: UNSPEC
Enf Action Source: CIWQS

Site ID: 349076
Site Name: California Dairies Inc.
Site Address: 11709 ARTESIA
Site City: ARTESIA
Site Zip: 90701
Enf Action Date: 12-09-2008
Enf Action Type: Expedited Payment Letter
Enf Action Description: Expedited Payment Letter where the Discharger Acknowledges Violations
Enf Action Notes: Not reported
Enf Action Division: Water Boards
Enf Action Program: UNSPEC
Enf Action Source: CIWQS

CALIFORNIA MILK PRODUCTS (Continued) **1000853746**

Coordinates:
Site ID: 349076
Facility Name: California Dairies Inc.
Env Int Type Code: CIWQS_NPDE
Program ID: 216600
Coord Name: Not reported
Ref Point Type Desc: Unknown
Latitude: 33.873089
Longitude: -118.084480

A11 **CALIFORNIA MILK PRODUCERS** **RGA LUST** **S114590091**
Target **11709 ARTESIA BLVD E.** **N/A**
Property **ARTESIA, CA**

Site 11 of 25 in cluster A

Actual: **64 ft.**

RGA LUST:
Name: CALIFORNIA MILK PRODUCERS
Address: 11709 ARTESIA BLVD E.
City: ARTESIA
State: ARTESIA
1993 CALIFORNIA MILK PRODUCERS 11709 ARTESIA BLVD E.

A12 **CALIFORNIA DAIRIES INC** **RCRA NonGen / NLR** **1024785863**
Target **11709 E ARTESIA BLVD** **CAL000008617**
Property **ARTESIA, CA 90701**

Site 12 of 25 in cluster A

Actual: **64 ft.**

RCRA NonGen / NLR:
Date Form Received by Agency: 19891114
Handler Name: CALIFORNIA DAIRIES INC
Handler Address: 11709 E ARTESIA BLVD
Handler City,State,Zip: ARTESIA, CA 90701-0000
EPA ID: CAL000008617
Contact Name: THOMAS WILLIAMS
Contact Address: PO BOX 11865
Contact City,State,Zip: FRESNO, CA 93775-1865
Contact Telephone: 559-233-5154
Contact Fax: 559-268-5101
Contact Email: TWILLIAMS@CALIFORNIADAIRIES.COM
Contact Title: Not reported
EPA Region: 09
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: Not reported
State District: Not reported
Mailing Address: 2000 N PLAZA DR
Mailing City,State,Zip: VISALIA, CA 93291-9358
Owner Name: CALIFORNIA DAIRIES, INC.
Owner Type: Other

CALIFORNIA DAIRIES INC (Continued) **1024785863**

Operator Name:	THOMAS WILLIAMS
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

CALIFORNIA DAIRIES INC (Continued) **1024785863**

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	THOMAS WILLIAMS
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 11865
Owner/Operator City,State,Zip:	FRESNO, CA 93775-1865
Owner/Operator Telephone:	559-233-5154
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CALIFORNIA DAIRIES, INC.
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	2000 N PLAZA DR
Owner/Operator City,State,Zip:	VISALIA, CA 93291-9358
Owner/Operator Telephone:	559-625-2200
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19891114
Handler Name: CALIFORNIA DAIRIES INC	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	311514
NAICS Description:	DRY, CONDENSED, AND EVAPORATED DAIRY PRODUCT MANUFACTURING

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

A13 **CALIFORNIA DAIRIES, INC.** **ICIS** **1018289183**
Target **11709 EAST ARTESIA BLVD.** **N/A**
Property **ARTESIA, CA 90701**

Site 13 of 25 in cluster A

Actual: **64 ft.**

ICIS:

Enforcement Action ID:	CA-N00001496
FRS ID:	110002424902
Action Name:	CALIFORNIA DAIRIES, INC. (Permit CA0057371) Viol. Notice To Regultd Entity
Facility Name:	CALIFORNIA DAIRIES, INC.
Facility Address:	11709 EAST ARTESIA BLVD. ARTESIA, CA 90701
Enforcement Action Type:	Notice of Violation
Facility County:	LOS ANGELES
Program System Acronym:	NPDES
Enforcement Action Forum Desc:	Administrative - Informal
EA Type Code:	NOV
Facility SIC Code:	2023
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	33.872917
Longitude in Decimal Degrees:	-118.083139
Permit Type Desc:	NPDES Individual Permit
Program System Acronym:	CA0057371
Facility NAICS Code:	Not reported
Tribal Land Code:	Not reported

Enforcement Action ID:	CA-N00001495
FRS ID:	110002424902
Action Name:	CALIFORNIA DAIRIES, INC. (Permit CA0057371) Viol. Notice To Regultd Entity
Facility Name:	CALIFORNIA DAIRIES, INC.
Facility Address:	11709 EAST ARTESIA BLVD. ARTESIA, CA 90701
Enforcement Action Type:	Notice of Violation
Facility County:	LOS ANGELES
Program System Acronym:	NPDES
Enforcement Action Forum Desc:	Administrative - Informal
EA Type Code:	NOV
Facility SIC Code:	2023
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	33.872917
Longitude in Decimal Degrees:	-118.083139
Permit Type Desc:	NPDES Individual Permit
Program System Acronym:	CA0057371
Facility NAICS Code:	Not reported
Tribal Land Code:	Not reported

Enforcement Action ID:	CA-2010-1164
FRS ID:	110002424902
Action Name:	California Dairies, Artesia - MMP
Facility Name:	CALIFORNIA DAIRIES, INC.
Facility Address:	11709 EAST ARTESIA BLVD. ARTESIA, CA 90701
Enforcement Action Type:	State CWA Penalty AO
Facility County:	LOS ANGELES
Program System Acronym:	NPDES
Enforcement Action Forum Desc:	Administrative - Formal

CALIFORNIA DAIRIES, INC. (Continued) **1018289183**

EA Type Code:	SCWAAPO
Facility SIC Code:	2023
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	33.872917
Longitude in Decimal Degrees:	-118.083139
Permit Type Desc:	NPDES Individual Permit
Program System Acronym:	CA0057371
Facility NAICS Code:	Not reported
Tribal Land Code:	Not reported
Enforcement Action ID:	CA-200018590
FRS ID:	110002424902
Action Name:	California Dairies Inc. - Expedited Payment Letter
Facility Name:	CALIFORNIA DAIRIES, INC.
Facility Address:	11709 EAST ARTESIA BLVD. ARTESIA, CA 90701
Enforcement Action Type:	Letter to Regulated Entity
Facility County:	LOS ANGELES
Program System Acronym:	NPDES
Enforcement Action Forum Desc:	Administrative - Informal
EA Type Code:	LRE
Facility SIC Code:	2023
Federal Facility ID:	Not reported
Latitude in Decimal Degrees:	33.872917
Longitude in Decimal Degrees:	-118.083139
Permit Type Desc:	NPDES Individual Permit
Program System Acronym:	CA0057371
Facility NAICS Code:	Not reported
Tribal Land Code:	Not reported

A14 **1X CALIFORNIA MILK PRODUCERS** **HAZNET** **S123702371**
Target **11709 E ARTESIA BLVD** **HWTS** **N/A**
Property **ARTESIA, CA 90701**

Site 14 of 25 in cluster A

Actual: **64 ft.**

HAZNET:

Name:	1X CALIFORNIA MILK PRODUCERS
Address:	11709 E ARTESIA BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907010000
Contact:	SCOTT PICKLE
Telephone:	2138651291
Mailing Name:	Not reported
Mailing Address:	11709 E ARTESIA BLVD
Year:	1987
Gepaid:	CAC000015909
TSD EPA ID:	CAD028409019
CA Waste Code:	241 - Tank bottom waste
Disposal Method:	R01 - Recycler
Tons:	4.587

HWTS:

Name:	1X CALIFORNIA MILK PRODUCERS

1X CALIFORNIA MILK PRODUCERS (Continued) **S123702371**

Address:	11709 E ARTESIA BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907010000
EPA ID:	CAC000015909
Inactive Date:	10/25/2000
Create Date:	06/05/1987
Last Act Date:	10/25/2000
Mailing Name:	Not reported
Mailing Address:	11709 E ARTESIA BLVD
Mailing Address 2:	Not reported
Mailing City,State,Zip:	ARTESIA, CA 917010000
Owner Name:	--
Owner Address:	--
Owner Address 2:	Not reported
Owner City,State,Zip:	--, 99 --
Contact Name:	SCOTT PICKLE
Contact Address:	--
Contact Address 2:	Not reported
City,State,Zip:	--, 99 --

A15 **CALIFORNIA DAIRIES INC** **CIWQS** **S120026681**
Target **PO BOX 6210 11709 ARTESIA BLVD** **N/A**
Property **ARTESIA, CA 90702**

Site 15 of 25 in cluster A

Actual:
64 ft.

CIWQS:

Name:	CALIFORNIA DAIRIES INC
Address:	PO BOX 6210 11709 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90702
Agency:	California Dairies Inc
Agency Address:	2000 N Plaza Drive, Visalia, CA 93291
Place/Project Type:	Industrial - Fluid Milk
SIC/NAICS:	2026(+)
Region:	4
Program:	INDSTW
Regulatory Measure Status:	Terminated
Regulatory Measure Type:	Storm water industrial
Order Number:	2014-0057-DWQ
WDID:	4 19I001433
NPDES Number:	CAS000001
Adoption Date:	Not reported
Effective Date:	03/27/1992
Termination Date:	02/17/2021
Expiration/Review Date:	Not reported
Design Flow:	Not reported
Major/Minor:	Not reported
Complexity:	Not reported
TTWQ:	Not reported
Enforcement Actions within 5 years:	0
Violations within 5 years:	0
Latitude:	33.87403
Longitude:	-118.08447

A16 **CALIFORNIA DAIRIES INC** **NPDES S117542517**
PO BOX 6210 **CERS N/A**
< 1/8 **ARTESIA, CA 90702**
1 ft.

Site 16 of 25 in cluster A

Relative: Higher

Actual: 64 ft.

NPDES:

Name:	CALIFORNIA DAIRIES INC
Address:	PO BOX 6210
City,State,Zip:	ARTESIA, CA 90702
Facility Status:	Terminated
NPDES Number:	CAS000001
Region:	4
Agency Number:	0
Regulatory Measure ID:	188805
Place ID:	Not reported
Order Number:	97-03-DWQ
WDID:	4 19I001433
Regulatory Measure Type:	Enrollee
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	03/27/1992
Termination Date Of Regulatory Measure:	02/17/2021
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	2000 N Plaza Drive
Discharge Name:	California Dairies Inc
Discharge City:	Visalia
Discharge State:	California
Discharge Zip:	93291
Status:	Not reported
Status Date:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported

NPDES as of 03/2018:

NPDES Number:	CAS000001
Status:	Active
Agency Number:	0
Region:	4
Regulatory Measure ID:	188805
Order Number:	97-03-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	4 19I001433
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	03/27/1992
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	California Dairies Inc
Discharge Address:	2000 N Plaza Drive
Discharge City:	Visalia
Discharge State:	California
Discharge Zip:	93291
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported

CALIFORNIA DAIRIES INC (Continued) **S117542517**

Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported

CALIFORNIA DAIRIES INC (Continued) **S117542517**

Region:	4
Regulatory Measure ID:	188805
Order Number:	Not reported
Regulatory Measure Type:	Industrial
Place ID:	Not reported
WDID:	4 19I001433
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	05/09/2008
Processed Date:	03/27/1992
Status:	Active
Status Date:	03/27/1992
Place Size:	4
Place Size Unit:	Acres
Contact:	Malene Hay
Contact Title:	Quality Assurance Manager
Contact Phone:	562-865-1291
Contact Phone Ext:	204
Contact Email:	mhay@californiadairies.com
Operator Name:	California Dairies Inc
Operator Address:	2000 N Plaza Drive
Operator City:	Visalia
Operator State:	California
Operator Zip:	93291
Operator Contact:	Thomas Williams
Operator Contact Title:	Director Environmental Compliance
Operator Contact Phone:	559-233-5154
Operator Contact Phone Ext:	119
Operator Contact Email:	twilliams@californiadairies.com
Operator Type:	Private Business
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	California
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	562-865-1291
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported

CALIFORNIA DAIRIES INC (Continued) **S117542517**

Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	N
Receiving Water Name:	Los Coyotes Creek
Certifier:	Thomas Williams
Certifier Title:	Director of Environmental Compliance
Certification Date:	23-JAN-15
Primary Sic:	2026-Fluid Milk
Secondary Sic:	2023-Dry, Condensed, and Evaporated Dairy Products
Tertiary Sic:	4212-Local Trucking Without Storage

Name:	CALIFORNIA DAIRIES INC
Address:	PO BOX 6210
City,State,Zip:	ARTESIA, CA 90702
Facility Status:	Not reported
NPDES Number:	Not reported
Region:	Not reported
Agency Number:	Not reported
Regulatory Measure ID:	Not reported
Place ID:	Not reported
Order Number:	Not reported
WDID:	4 19I001433
Regulatory Measure Type:	Industrial
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	Not reported
Discharge Name:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Status:	Terminated
Status Date:	03/29/2021
Operator Name:	California Dairies Inc
Operator Address:	2000 N Plaza Drive
Operator City:	Visalia
Operator State:	California
Operator Zip:	93291

NPDES as of 03/2018:

NPDES Number:	CAS000001
Status:	Active
Agency Number:	0
Region:	4
Regulatory Measure ID:	188805
Order Number:	97-03-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	4 19I001433
Program Type:	Industrial

CALIFORNIA DAIRIES INC (Continued) **S117542517**

Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	03/27/1992
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	California Dairies Inc
Discharge Address:	2000 N Plaza Drive
Discharge City:	Visalia
Discharge State:	California
Discharge Zip:	93291
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported

CALIFORNIA DAIRIES INC (Continued) **S117542517**

Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	4
Regulatory Measure ID:	188805
Order Number:	Not reported
Regulatory Measure Type:	Industrial
Place ID:	Not reported
WDID:	4 19I001433
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	05/09/2008
Processed Date:	03/27/1992
Status:	Active
Status Date:	03/27/1992
Place Size:	4
Place Size Unit:	Acres
Contact:	Malene Hay
Contact Title:	Quality Assurance Manager
Contact Phone:	562-865-1291
Contact Phone Ext:	204
Contact Email:	mhay@californiadairies.com
Operator Name:	California Dairies Inc
Operator Address:	2000 N Plaza Drive
Operator City:	Visalia
Operator State:	California
Operator Zip:	93291
Operator Contact:	Thomas Williams
Operator Contact Title:	Director Environmental Compliance
Operator Contact Phone:	559-233-5154
Operator Contact Phone Ext:	119
Operator Contact Email:	twilliams@californiadairies.com
Operator Type:	Private Business
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	California
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported

CALIFORNIA DAIRIES INC (Continued) **S117542517**

Constype Linear Utility Ind:	Not reported
Emergency Phone:	562-865-1291
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	N
Receiving Water Name:	Los Coyotes Creek
Certifier:	Thomas Williams
Certifier Title:	Director of Environmental Compliance
Certification Date:	23-JAN-15
Primary Sic:	2026-Fluid Milk
Secondary Sic:	2023-Dry, Condensed, and Evaporated Dairy Products
Tertiary Sic:	4212-Local Trucking Without Storage

CERS:

Name:	CALIFORNIA DAIRIES INC
Address:	PO BOX 6210
City,State,Zip:	ARTESIA, CA 90702
Site ID:	528327
CERS ID:	212688
CERS Description:	Industrial Facility Storm Water

Violations:

Site ID:	528327
Site Name:	California Dairies Inc
Violation Date:	11-26-2008
Citation:	2014-0057-DWQ - Industrial General Permit
Violation Description:	SW - Deficient BMP Implementation
Violation Notes:	200 mg/L of TSS and 241 -+mhos/cm of SC were detected at the sample location, Site A, on 11/26/2008.
Violation Division:	Water Boards
Violation Program:	INDSTW
Violation Source:	SMARTS

Site ID:	528327
Site Name:	California Dairies Inc
Violation Date:	07-02-1999
Citation:	2014-0057-DWQ - Industrial General Permit
Violation Description:	SW - Deficient Report
Violation Notes:	Non-submittal of Annual Report. Due 7//1/1999
Violation Division:	Water Boards
Violation Program:	INDSTW

CALIFORNIA DAIRIES INC (Continued) **S117542517**

Violation Source: SMARTS

Enforcement Action:
Site ID: 528327
Site Name: California Dairies Inc
Site Address: PO BOX 6210
Site City: ARTESIA
Site Zip: 90702
Enf Action Date: 06-29-2010
Enf Action Type: Staff Enforcement Letter
Enf Action Description: Staff Enforcement Letter
Enf Action Notes: The letter, AR Review - Benchmark Exceedance, was sent to ensure that the permittee will develop and implement the BMPs to reduce or prevent pollutants in SW discharges. Letter also required permittee to submit evidence of implemented additional BMPs and SWPPP amendments if the permittee is already implementing the BMPs.
Enf Action Division: Water Boards
Enf Action Program: INDSTW
Enf Action Source: SMARTS

Affiliation:
Affiliation Type Desc: Owner/Operator
Entity Name: California Dairies Inc
Entity Title: Operator
Affiliation Address: 2000 N Plaza Drive
Affiliation City: Visalia
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 93291
Affiliation Phone: Not reported

A17 **O'BRIEN CAL COGEN LTD** **UST U003984197**
SW **17306 FLALLON AVE** **SWEEPS UST N/A**
< 1/8 **ARTESIA, CA 90701**
0.001 mi.
7 ft. **Site 17 of 25 in cluster A**

Relative:
Lower

Actual:
63 ft.

UST:
Name: O'BRIEN CAL COGEN LTD
Address: 17306 FLALLON AVE
City,State,Zip: ARTESIA, CA 90701
Facility ID: 8768
Permitting Agency: LOS ANGELES COUNTY
CERSID: Not reported
Latitude: 33.87375
Longitude: -118.08493

SWEEPS UST:
Name: O'BRIEN CAL COGEN LTD
Address: 17306 FLALLON AVE
City: ARTESIA
Status: Active
Comp Number: 8768
Number: 9
Board Of Equalization: 44-008265

O'BRIEN CAL COGEN LTD (Continued) **U003984197**

Referral Date:	06-30-89
Action Date:	Not reported
Created Date:	06-30-89
Owner Tank Id:	Not reported
SWRCB Tank Id:	19-000-008768-000001
Tank Status:	A
Capacity:	Not reported
Active Date:	06-30-89
Tank Use:	UNKNOWN
STG:	W
Content:	Not reported
Number Of Tanks:	2
Name:	O'BRIEN CAL COGEN LTD
Address:	17306 FLALLON AVE
City:	ARTESIA
Status:	Active
Comp Number:	8768
Number:	9
Board Of Equalization:	44-008265
Referral Date:	06-30-89
Action Date:	Not reported
Created Date:	06-30-89
Owner Tank Id:	Not reported
SWRCB Tank Id:	19-000-008768-000002
Tank Status:	A
Capacity:	Not reported
Active Date:	06-30-89
Tank Use:	UNKNOWN
STG:	W
Content:	Not reported
Number Of Tanks:	Not reported

B18 **PRO TECH KNIVES LLC** **RCRA NonGen / NLR** **1024842940**
North **17115 ALBURTIS AVE** **CAL000393864**
< 1/8 **ARTESIA, CA 90701**
0.010 mi.
51 ft. **Site 1 of 7 in cluster B**

Relative: RCRA NonGen / NLR:
Lower

Actual: Date Form Received by Agency:		20140204
63 ft. Handler Name:	PRO TECH KNIVES LLC	
Handler Address:		17115 ALBURTIS AVE
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAL000393864
Contact Name:		DAVE WATTENBERG
Contact Address:		17115 ALBURTIS AVE
Contact City,State,Zip:		ARTESIA, CA 90701
Contact Telephone:		562-860-0678
Contact Fax:		562-860-8510
Contact Email:		DAVE@PROTECHKNIVES.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported

PRO TECH KNIVES LLC (Continued) **1024842940**

Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	17115 ALBURTIS AVE
Mailing City,State,Zip:	ARTESIA, CA 90701
Owner Name:	DAVE WATTENBERG
Owner Type:	Other
Operator Name:	DAVE WATTENBERG
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180906

PRO TECH KNIVES LLC (Continued) **1024842940**

Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	DAVE WATTENBERG
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17115 ALBURTIS AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-833-5643
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	DAVE WATTENBERG
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17115 ALBURTIS AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-860-0678
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20140204
Handler Name: PRO TECH KNIVES LLC	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	56299
NAICS Description:	ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:

Violations:	No Violations Found

PRO TECH KNIVES LLC (Continued) **1024842940**

Evaluation Action Summary:
Evaluations: No Evaluations Found

A19 **SOCAL DIESEL REPAIR LLC** **RCRA NonGen / NLR** **1026721920**
ENE **17224 ALBURTIS AVE** **CAL000458959**
< 1/8 **ARTESIA, CA 90701**
0.016 mi.
82 ft. **Site 18 of 25 in cluster A**

Relative:
Higher

Actual:
64 ft.

RCRA NonGen / NLR:

Date Form Received by Agency:	20201223
Handler Name:	SOCAL DIESEL REPAIR LLC
Handler Address:	17224 ALBURTIS AVE
Handler City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAL000458959
Contact Name:	SALVADOR COBARRUBIA
Contact Address:	17224 ALBURTIS AVE
Contact City,State,Zip:	ARTESIA, CA 90701
Contact Telephone:	562-712-2145
Contact Fax:	Not reported
Contact Email:	SAL@SOCALDIESEL-REPAIR.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	17224 ALBURTIS AVE
Mailing City,State,Zip:	ARTESIA, CA 90701
Owner Name:	SOCAL DIESEL REPAIR LLC
Owner Type:	Other
Operator Name:	SALVADOR COBARRUBIA
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N

SOCAL DIESEL REPAIR LLC (Continued) **1026721920**

Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20210226
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	SALVADOR COBARRUBIA
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17224 ALBURTIS AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-712-2145
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	SOCAL DIESEL REPAIR LLC
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	6018 1/2 BUELL ST

SOCAL DIESEL REPAIR LLC (Continued) **1026721920**

Owner/Operator City,State,Zip: BELL GARDENS, CA 90201
Owner/Operator Telephone: 562-712-2145
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20201223
Handler Name: SOCAL DIESEL REPAIR LLC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 811111
NAICS Description: GENERAL AUTOMOTIVE REPAIR

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

A20 **JMC TRUCK REPAIR** **CERS HAZ WASTE** **S103972214**
ENE **17224 ALBURTIS ST** **EMI** **N/A**
< 1/8 **ARTESIA, CA 90701** **CERS**
0.016 mi.
82 ft. **Site 19 of 25 in cluster A**

Relative: Higher
Actual: 64 ft.

CERS HAZ WASTE:
Name: SOCAL DIESEL REPAIR, LLC
Address: 17224 ALBURTIS ST
City,State,Zip: ARTESIA, CA 90701
Site ID: 437836
CERS ID: 10279633
CERS Description: Hazardous Waste Generator

EMI:
Name: JMC TRUCK REPAIR
Address: 17224 ALBURTIS ST
City,State,Zip: ARTESIA, CA 907010000
Year: 2002
County Code: 19
Air Basin: SC
Facility ID: 90544
Air District Name: SC
SIC Code: 7532

JMC TRUCK REPAIR (Continued) **S103972214**

Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	2
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	JMC TRUCK REPAIR
Address:	17224 ALBURTIS ST
City,State,Zip:	ARTESIA, CA 907010000
Year:	2003
County Code:	19
Air Basin:	SC
Facility ID:	90544
Air District Name:	SC
SIC Code:	7532
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	2
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	JMC TRUCK REPAIR
Address:	17224 ALBURTIS ST
City,State,Zip:	ARTESIA, CA 907010000
Year:	2004
County Code:	19
Air Basin:	SC
Facility ID:	90544
Air District Name:	SC
SIC Code:	7532
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1.599435
Reactive Organic Gases Tons/Yr:	1.06
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	JMC TRUCK REPAIR
Address:	17224 ALBURTIS ST
City,State,Zip:	ARTESIA, CA 907010000
Year:	2006
County Code:	19
Air Basin:	SC

JMC TRUCK REPAIR (Continued) **S103972214**

Facility ID:	90544
Air District Name:	SC
SIC Code:	7532
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.1579107197084725174
Reactive Organic Gases Tons/Yr:	.156
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	JMC TRUCK REPAIR
Address:	17224 ALBURTIS ST
City,State,Zip:	ARTESIA, CA 907010000
Year:	2007
County Code:	19
Air Basin:	SC
Facility ID:	90544
Air District Name:	SC
SIC Code:	7532
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	.1579107197084725174
Reactive Organic Gases Tons/Yr:	.156
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

CERS:

Name:	SOCAL DIESEL REPAIR, LLC
Address:	17224 ALBURTIS ST
City,State,Zip:	ARTESIA, CA 90701
Site ID:	437836
CERS ID:	10279633
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	437836
Site Name:	SOCAL DIESEL REPAIR, LLC
Violation Date:	12-11-2020
Citation:	22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description:	Failure to obtain an Identification Number prior to treating, storing, disposing of, transporting or offering for transportation any hazardous waste.
Violation Notes:	Returned to compliance on 12/23/2020. OBSERVATION: Current owner generates used motor oil, waste antifreeze, used oil and fuel filters in the facility and does not have an Environmental Protection Agency (EPA) Identification (ID) noted in the DTSC database. DTSC Form 1358 provided and emailed to owner/operator. CORRECTIVE ACTION: A hazardous waste generator shall not treat, store, dispose of, transport or offer

JMC TRUCK REPAIR (Continued) **S103972214**

for transportation, hazardous waste without an active EPA ID number. Submit the Certification of Compliance, attached to this report, and/or any supporting documentation/photo to CUPA by compliance date.

Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 437836
Site Name: SOCAL DIESEL REPAIR, LLC
Violation Date: 03-26-2019
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 05/30/2019. Observed a 30 gallon drum containing waste paint solvent with a blank hazardous waste label. CORRECTIVE ACTION: All hazardous waste containers shall be marked with the following information: 1) the words "Hazardous Waste"; 2) name and address of generator; 3) hazardous properties; 4) physical state; 5) composition (contents); 6) accumulation start date. Fill in the required information on the label and affix to the drum. Provide photo to CUPA via email.
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 437836
Site Name: SOCAL DIESEL REPAIR, LLC
Violation Date: 05-12-2014
Citation: 22 CCR 12 66262.34(d) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(d)
Violation Description: Failure to dispose of hazardous waste within 180 days (or 270 if waste is transported over 200 miles) for the generator who generates less than 1000 kilogram per month, but more than 100 kilograms per month.
Violation Notes: Returned to compliance on 07/12/2014. OBSERVATION: 4x55 gallon drums. Facilities who generate less than 1000 kg of hazardous waste per month and do not exceed 6000 kg of waste stored on site at any time may store waste on site up to 180 days. CORRECTIVE ACTION: Immediately contact a licensed hazardous waste hauler to dispose of this waste under manifest and submit a copy of the manifest to the CUPA by 06/20/2014.
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 437836
Site Name: SOCAL DIESEL REPAIR, LLC
Violation Date: 08-26-2015
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.

JMC TRUCK REPAIR (Continued) **S103972214**

Violation Notes:	Returned to compliance on 08/26/2015. OBSERVATION: Observed one 30-gallon paint waste drum with incorrect facility address on the label. All hazardous waste containers shall be marked with the following information: 1) the words G Hazardous WasteG ; 2) name and address of generator; 3) hazardous properties; 4) physical state; 5) composition (contents); 6) accumulation start date. CORRECTIVE ACTION: Immediately label these containers and ensure that all hazardous waste containers are marked with all the required information. Operator put a new label on the drum at the time of inspection.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS
Site ID:	437836
Site Name:	SOCAL DIESEL REPAIR, LLC
Violation Date:	05-12-2014
Citation:	22 CCR 12 66262.40(a) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(a)
Violation Description:	Failure to maintain uniform hazardous waste manifest, consolidated manifest, or bills of lading copies for three years.
Violation Notes:	Returned to compliance on 07/12/2014. OBSERVATION: Copies of hazardous waste disposal records for 3 were not found on site. Hazardous waste generators shall retain copies of all manifests signed off by the disposal facility and all receipts used in a consolidated manifesting procedure on site for three years and have them readily available for review. CORRECTIVE ACTION: Immediately locate a copy of all manifests and receipts for the last three years, maintain them on site, and submit copies to the CUPA by 06/20/2014.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS
Site ID:	437836
Site Name:	SOCAL DIESEL REPAIR, LLC
Violation Date:	05-12-2014
Citation:	19 CCR 4 2729.5 - California Code of Regulations, Title 19, Chapter 4, Section(s) 2729.5
Violation Description:	Failure to submit inventory reports (Activities, Owner/Operator, Hazardous Materials Descriptions and Map pages, if required. Documentation must be resubmitted (for facilities which exceed EPCRA thresholds) or re-certified (for facilities which do not exceed EPCRA thresholds) by March 1.
Violation Notes:	Returned to compliance on 07/12/2014. OBSERVATION: Owner/Operator failed to submit inventory reports (Activities, Owner/Operator, Hazardous Materials Descriptions and Map pages, if required. Documentation must be resubmitted (for facilities which exceed EPCRA thresholds) or re-certified (for facilities which do not exceed EPCRA thresholds) by March 1. CORRECTIVE ACTION: Owner/Operator shall submit inventory reports (Activities, Owner/Operator, Hazardous Materials Descriptions and Map pages, if required. Documentation must be resubmitted (for facilities which exceed EPCRA thresholds) or re-certified (for facilities which do not exceed EPCRA thresholds) by March 1.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HMRRP
Violation Source:	CERS

JMC TRUCK REPAIR (Continued) **S103972214**

Site ID:	437836
Site Name:	SOCAL DIESEL REPAIR, LLC
Violation Date:	03-26-2019
Citation:	HSC 6.5 25123.3(h)(1) - California Health and Safety Code, Chapter 6.5, Section(s) 25123.3(h)(1)
Violation Description:	Failure to send hazardous waste offsite for treatment, storage, or disposal within 180 days (or 270 days if waste is transported over 200 miles) for a generator who generates less than 1000 kilogram per month if all of the following conditions are met: (1) The quantity of hazardous waste accumulated onsite never exceeds 6,000 kilograms. (2) The generator complies with the requirements of 40 Code of Federal Regulations section 262.34(d), (e) and (f). (3) The generator does not hold acutely hazardous waste or extremely hazardous waste in an amount greater than one kilogram for more than 90 days.
Violation Notes:	Returned to compliance on 12/11/2020. OBSERVATION: Observed a 30 gallon drum containing waste paint solvent without an accumulation date. Operator did not have a copy of the most current manifest at the time of inspection. CORRECTIVE ACTION: Immediately label these containers and ensure that all containers are marked with all the required information. All hazardous waste containers shall be marked with the following information: 1) the words "Hazardous Waste"; 2) name and address of generator; 3) hazardous properties; 4) physical state; 5) composition (contents); 6) accumulation start date. Since it cannot be determined how long the containers of waste paint solvent have been on site, immediately contact a licensed hazardous waste hauler to dispose of this waste and submit a copy of the manifest to the CUPA by 4/25/2019.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS

Site ID:	437836
Site Name:	SOCAL DIESEL REPAIR, LLC
Violation Date:	08-26-2015
Citation:	HSC 6.95 25507 - California Health and Safety Code, Chapter 6.95, Section(s) 25507
Violation Description:	Failure to adequately establish and implement a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes:	Returned to compliance on 04/25/2019. OBSERVATION: Owner/Operator failed to establish and implement a Hazardous Materials Business Plan when storing hazardous materials at or above the thresholds quantities of 55 gallons/500 lbs/200 cubic feet. Observed 283 cubic feet acetylene gas. CORRECTIVE ACTION: Establish and implement a Hazardous Materials Business Plan when storing hazardous materials at or above the thresholds quantities of 55 gallons/500 lbs/200 cubic feet.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	437836
Site Name:	SOCAL DIESEL REPAIR, LLC
Violation Date:	12-11-2020
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste",

JMC TRUCK REPAIR (Continued) **S103972214**

	name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 01/06/2021. OBSERVATION: Observed the following containers missing the accumulation start date and other required markings: 250 gallon tote containing used motor oil 55 gallon drum containing waste antifreeze 55 gallon drum containing used motor oil CORRECTIVE ACTION: Immediately label these containers and ensure that all containers are marked with all the required information. All hazardous waste containers shall be marked with the following information: 1) the words "Hazardous Waste"; 2) name and address of generator; 3) hazardous properties; 4) physical state; 5) composition (contents); 6) accumulation start date. Since it cannot be determined how long the containers of ---- have been on site, immediately contact a licensed hazardous waste hauler to dispose of this waste. Submit the completed Certification of Compliance and any supporting documentation/photo to CUPA inspector.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS
Site ID:	437836
Site Name:	SOCAL DIESEL REPAIR, LLC
Violation Date:	05-12-2014
Citation:	40 CFR 1 265.171 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.171
Violation Description:	Failure to accumulate hazardous waste in a container that is in good condition.
Violation Notes:	Returned to compliance on 07/12/2014. OBSERVATION: Generator failed to accumulate hazardous waste in a container(s) that are in good condition. Portable container for waste oil not on stable surface. CORRECTIVE ACTION: Immediately transfer all hazardous wastes into containers that are in good condition or have hazardous wastes properly disposed of by a licensed hazardous waste hauler under a proper manifest.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS
Site ID:	437836
Site Name:	SOCAL DIESEL REPAIR, LLC
Violation Date:	03-26-2019
Citation:	22 CCR 11 66261.7 - California Code of Regulations, Title 22, Chapter 11, Section(s) 66261.7
Violation Description:	Failure to manage empty containers greater than 5 gallons in capacity that previously held a hazardous material/waste in accordance with 22 CCR 11 66261.7 including but not limited to the following: (e)(2)By reclaiming its scrap value onsite or shipping the container or inner liner to a person who reclaims its scrap value; or (3) By reconditioning or re manufacturing the container or inner liner onsite for subsequent reuse, or shipping the container or inner liner to a person who reconditions or re-manufactures the container or inner liner; or (4) By shipping the container or inner liner to a supplier or to another intermediate collection location for accumulation prior to managing the container or inner liner pursuant to subsections (e)(2) or (e)(3) of 22 CCR 11 66261.7; or (i) By shipping the container or inner liner back to the supplier for the purpose of being

JMC TRUCK REPAIR (Continued) **S103972214**

refilled. (f) A container or an inner liner removed from a container larger than five gallons in capacity which is managed pursuant to subsection (e) of 22 CCR 11 66261.7 shall be marked with the date it has been emptied and shall be managed within one year of being emptied.

Violation Notes: Returned to compliance on 05/30/2019. OBSERVATION: 2 x 55 gallon empty drum were observed next to the paint booth without labels. CORRECTIVE ACTION: Submit photos/documentation to this department demonstrating that the empty containers listed above have been marked with the date they were emptied and are being properly managed pursuant to 22 CCR 11 66261.7.
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 437836
Site Name: SOCAL DIESEL REPAIR, LLC
Violation Date: 08-26-2015
Citation: HSC 6.95 25508(d) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(d)
Violation Description: Failure to complete and/or electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes: Returned to compliance on 04/25/2019. OBSERVATION: A business plan has not been received by the CUPA. Observed 283 cubic feet acetylene gas. CORRECTIVE ACTION: Submit the business plan electronically in the California Environmental Reporting System (CERS) and implement immediately.
Violation Division: Los Angeles County Fire Department
Violation Program: HMRRP
Violation Source: CERS

Site ID: 437836
Site Name: SOCAL DIESEL REPAIR, LLC
Violation Date: 03-26-2019
Citation: 22 CCR 12 66262.40(a) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(a)
Violation Description: Failure to keep a copy of each properly signed manifest for at least three years from the date the waste was accepted by the initial transporter. The manifest signed at the time the waste was accepted for transport shall be kept until receiving a signed copy from the designated facility which received the waste.
Violation Notes: Returned to compliance on 05/30/2019. OBSERVATION: Uniform Hazardous Waste Manifests for waste paint solvent and receipt/documentation for paint booth filter disposal was not available at the time of inspection. CORRECTIVE ACTION: Locate a copy of all manifests/bill of lading/receipt for waste paint solvent and submit copies to the CUPA by 4/25/2019
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 437836
Site Name: SOCAL DIESEL REPAIR, LLC
Violation Date: 12-11-2020
Citation: HSC 6.95 25507 - California Health and Safety Code, Chapter 6.95, Section(s) 25507

JMC TRUCK REPAIR (Continued) **S103972214**

Violation Description:	Failure to adequately establish and implement a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes:	Returned to compliance on 01/06/2021. OBSERVATION: The following were observed at the time of site visit. 1 / 250 gallon tote containing used motor oil 1 / 55 gallon drum containing waste antifreeze 1 / 55 gallon drum containing new antifreeze CORRECTIVE ACTION: Electronically submit and certify that the business plan is complete, accurate, and in compliance with Emergency Planning & Community Right-to-Know Act (EPCRA) on or before the annual due date. On an ongoing basis, electronically submit and certify the business plan annually on or before the annual due date.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	437836
Site Name:	SOCAL DIESEL REPAIR, LLC
Violation Date:	05-12-2014
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 07/12/2014. OBSERVATION: 4x55 gallons dums. All hazardous waste containers shall be marked with the following information: 1) the words G Hazardous WasteG ; 2) name and address of generator; 3) hazardous properties; 4) physical state; 5) composition (contents); 6) accumulation start date. CORRECTIVE ACTION: Immediately label these containers and ensure that all containers are marked with all the required information. Since it cannot be determined how long the [describe containers lacking accumulation start date] have [or has been] been on site, immediately contact a licensed hazardous waste hauler to dispose of this waste under manifest and submit a copy of the manifest to the CUPA by [06/20/14].
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS
Site ID:	437836
Site Name:	SOCAL DIESEL REPAIR, LLC
Violation Date:	03-26-2019
Citation:	HSC 6.5 25201.16(e) - California Health and Safety Code, Chapter 6.5, Section(s) 25201.16(e)
Violation Description:	Failure of the universal waste handler to manage universal waste aerosol cans in a manner that prevents fire, explosion, and the unauthorized release of any universal waste or component of a universal waste to the environment.
Violation Notes:	Returned to compliance on 10/01/2020. OBSERVATION: Owner/Operator failed to manage universal waste aerosol cans in a manner that prevents fire, explosion, and the unauthorized release of any universal waste or component of a universal waste to the environment. At the time of inspection, observed 3 non-empty aerosol spray cans in the shop storage area and 2 non-empty aerosol spray cans in the paint booth. Conversation with employee and operator stated they do not put the aerosol spray cans in the trash but they were not able to show

JMC TRUCK REPAIR (Continued) **S103972214**

where they store the aerosol spray cans. No non-empty aerosol spray cans observed in the trash bin at the time of inspection. CORRECTIVE ACTION: Properly manage universal waste aerosol cans in a manner that prevents fire, explosion, and the unauthorized release of any universal waste or component of a universal waste to the environment.

Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 437836
Site Name: SOCAL DIESEL REPAIR, LLC
Violation Date: 12-11-2020
Citation: HSC 6.5 25250.22 - California Health and Safety Code, Chapter 6.5, Section(s) 25250.22
Violation Description: Failure to properly manage used oil and/or fuel filters in accordance with the requirements.
Violation Notes: Returned to compliance on 01/06/2021. OBSERVATION: A 55 gallon drum containing used/drained metal oil filters was observed without the required markings and missing the accumulation start date CORRECTIVE ACTION: Properly manage the used and drained metal oil filters. Submit via email to CUPA inspector, the Certification of Compliance along with the supporting photo demonstrating that the used/drained metal filters are being properly managed.
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 437836
Site Name: SOCAL DIESEL REPAIR, LLC
Violation Date: 03-26-2019
Citation: HSC 6.95 25507 - California Health and Safety Code, Chapter 6.95, Section(s) 25507
Violation Description: Failure to adequately establish and implement a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes: Returned to compliance on 10/01/2020. OBSERVATION: An owner/operator is required to establish and implement a Hazardous Materials Business Plan (HMBP) for storing hazardous materials/wastes at or above the threshold quantities of 55 gallons of liquid/500 pound of solids/200 cubic feet of gas. The following were observed at the time of inspection: 1 x 272 cf cylinder Oxygen 1 x 80 cf cylinder Argon mix CORRECTIVE ACTIONS: Establish and implement your HMBP; submit your HMBP via California Environmental Reporting System (CERS) http://cers.calepa.ca.gov/.
Violation Division: Los Angeles County Fire Department
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-26-2019
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: KEVIN CASTRO CEO
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

JMC TRUCK REPAIR (Continued) **S103972214**

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-12-2014
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	08-26-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Kevin Castro, Manager
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-26-2019
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	KEVIN CASTRO CEO
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-12-2014
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	08-26-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Kevin Castro, Manager
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	12-11-2020
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	SAL COBARRUBIA OWNER/TRUCK TECHNICIAN
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Other/Unknown
Eval Date:	06-27-2014
Violations Found:	No

JMC TRUCK REPAIR (Continued) **S103972214**

Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-11-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: SAL COBARRUBIA OWNER/TRUCK TECHNICIAN
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Los Angeles County Fire
Entity Title: Not reported
Affiliation Address: 5825 Rickenbacker Road
Affiliation City: Commerce
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90040-3027
Affiliation Phone: (323) 890-4000

Affiliation Type Desc: Document Preparer
Entity Name: Salvador Cobarrubia
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: SALVADOR COBARRUBIA
Entity Title: Not reported
Affiliation Address: 17224 ALBURTIS AVE
Affiliation City: ARTESIA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90701
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 17224 ALBURTIS AVE
Affiliation City: ARTESIA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90701
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer

JMC TRUCK REPAIR (Continued) **S103972214**

Entity Name:	SALVADOR COBARRUBIA
Entity Title:	OWNER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	DANIEL BERNS
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	United States
Affiliation Zip:	Not reported
Affiliation Phone:	(562) 533-5535
Affiliation Type Desc:	Parent Corporation
Entity Name:	SOCAL DIESEL REPAIR, LLC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	SOCAL DIESEL REPAIR, LLC
Entity Title:	Not reported
Affiliation Address:	17224 ALBURTIS AVE
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(888) 506-3194
Affiliation Type Desc:	Operator
Entity Name:	SOCAL DIESEL REPAIR, LLC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(888) 506-3194

B21
NE
< 1/8
0.016 mi.
87 ft.

CITY OF ARTESIA PUBLIC SERVICE CENTER
17202 ALBURTIS AVE
ARTESIA, CA 90701

Site 2 of 7 in cluster B

RCRA NonGen / NLR | **1026055994** | **CAL000452180**

Relative:
Higher

Actual:
64 ft.

RCRA NonGen / NLR:

Date Form Received by Agency:	20200127
Handler Name:	CITY OF ARTESIA PUBLIC SERVICE CENTER
Handler Address:	17202 ALBURTIS AVE
Handler City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAL000452180
Contact Name:	GLENN NEWBRANDER
Contact Address:	17203 CORBY AVE
Contact City,State,Zip:	ARTESIA, CA 90701
Contact Telephone:	562-755-8909
Contact Fax:	562-809-5170
Contact Email:	GNEWBRANDER@CITYOFARTESIA.US
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	CLARKDALE AVE
Mailing City,State,Zip:	ARTESIA, CA 90701
Owner Name:	CITY OF ARTESIA
Owner Type:	Other
Operator Name:	GLENN NEWBRANDER
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

CITY OF ARTESIA PUBLIC SERVICE CENTER (Continued) **1026055994**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20200211
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	GLENN NEWBRANDER
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17203 CORBY AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-755-8909
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CITY OF ARTESIA
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	18747 CLARKDALE AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-865-6262
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

CITY OF ARTESIA PUBLIC SERVICE CENTER (Continued) **1026055994**

Historic Generators:
Receive Date: 20200127
Handler Name: CITY OF ARTESIA PUBLIC SERVICE CENTER
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 921190
NAICS Description: OTHER GENERAL GOVERNMENT SUPPORT

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

B22 **GULF STATES INC** **EDR Hist Auto** **1021487806**
NNE **17160 ALBURTIS AVE** **N/A**
< 1/8 **ARTESIA, CA 90701**
0.017 mi.
89 ft. **Site 3 of 7 in cluster B**

Relative: EDR Hist Auto
Lower

Actual:
63 ft.

Year:	Name:	Type:
1989	GULF STATES INC	Gasoline Service Stations
1991	GULF STATES INC	Gasoline Service Stations

B23 **ENVIRONMENTAL RENTAL SERVICES** **RCRA NonGen / NLR** **1025845928**
NNE **17160 ALBURTIS** **CAC003025551**
< 1/8 **ARTESIA, CA 90701**
0.017 mi.
89 ft. **Site 4 of 7 in cluster B**

Relative: RCRA NonGen / NLR:
Lower
Date Form Received by Agency: 20190724

Actual:
63 ft.
Handler Name: ENVIRONMENTAL RENTAL SERVICES
Handler Address: 17160 ALBURTIS
Handler City,State,Zip: ARTESIA, CA 90701
EPA ID: CAC003025551
Contact Name: MIKE LINDSEY
Contact Address: 17160 ALBURTIS
Contact City,State,Zip: ARTESIA, CA 90701
Contact Telephone: 562-924-2324
Contact Fax: Not reported

ENVIRONMENTAL RENTAL SERVICES (Continued) **1025845928**

Contact Email:	MIKE.LINDSEY@ERSVACRENT.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	17160 ALBURTIS
Mailing City,State,Zip:	ARTESIA, CA 90701
Owner Name:	KEITH DEBAULT
Owner Type:	Other
Operator Name:	MIKE LINDSEY
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A

ENVIRONMENTAL RENTAL SERVICES (Continued) **1025845928**

Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20190729
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	MIKE LINDSEY
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17160 ALBURTIS
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-924-2324
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	KEITH DEBAULT
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17160 ALBURTIS
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-924-2324
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20190724
Handler Name:	ENVIRONMENTAL RENTAL SERVICES
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

ENVIRONMENTAL RENTAL SERVICES (Continued) **1025845928**

List of NAICS Codes and Descriptions:
NAICS Code: 811111
NAICS Description: GENERAL AUTOMOTIVE REPAIR

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

B24 **ENVIRONMENTAL RENTAL SERVICES INC** **RCRA NonGen / NLR** **1025868725**
NNE **17160 ALBURTIS AVE** **CAL000381818**
< 1/8 **ARTESIA, CA 90701**
0.017 mi.
89 ft. **Site 5 of 7 in cluster B**

Relative: **Lower**
Actual: **63 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:	20201210
Handler Name:	ENVIRONMENTAL RENTAL SERVICES INC
Handler Address:	17160 ALBURTIS AVE
Handler City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAL000381818
Contact Name:	RICARDO AMBRIZ
Contact Address:	2375 W ESTHER ST
Contact City,State,Zip:	LONG BEACH, CA 90813
Contact Telephone:	562-708-9324
Contact Fax:	Not reported
Contact Email:	RICARDO.AMBRIZ@ERSVACRENT.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	2375 W ESTHER ST
Mailing City,State,Zip:	LONG BEACH, CA 90813
Owner Name:	ENVIRONMENTAL RENTAL SERVICES INC
Owner Type:	Other
Operator Name:	ENVIRONMENTAL RENTAL SERVICES INC
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No

ENVIRONMENTAL RENTAL SERVICES INC (Continued) **1025868725**

Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20201217
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	ENVIRONMENTAL RENTAL SERVICES INC
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	855 E HWY 79
Owner/Operator City,State,Zip:	ROCKDALE, TX 76567
Owner/Operator Telephone:	512-446-7011
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

ENVIRONMENTAL RENTAL SERVICES INC (Continued) **1025868725**

Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: ENVIRONMENTAL RENTAL SERVICES INC
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 855 E HWY 79
Owner/Operator City,State,Zip: ROCKDALE, TX 76567
Owner/Operator Telephone: 512-446-7011
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: ENVIRONMENTAL RENTAL SERVICES INC
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 855 E HWY 79
Owner/Operator City,State,Zip: ROCKDALE, TX 76567
Owner/Operator Telephone: 512-446-7011
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: FIDEL GUTIERREZ
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 17160 ALBURTIS AVENUE
Owner/Operator City,State,Zip: ARTESIA, CA 90701
Owner/Operator Telephone: 562-537-7608
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20201210
Handler Name: ENVIRONMENTAL RENTAL SERVICES INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20130123
Handler Name: ENVIRONMENTAL RENTAL SERVICES INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No

ENVIRONMENTAL RENTAL SERVICES INC (Continued) **1025868725**

Recognized Trader Importer:	Not reported
Recognized Trader Exporter:	Not reported
Spent Lead Acid Battery Importer:	Not reported
Spent Lead Acid Battery Exporter:	Not reported
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	811111
NAICS Description:	GENERAL AUTOMOTIVE REPAIR

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

B25 **ENVIRONMENTAL RENTAL SERVICES** **RCRA NonGen / NLR** **1024780514**
NNE **17160 ALBURTIS AVE** **CAC003000476**
< 1/8 **CALIFORNIA CITY, CA 90701**
0.017 mi.
89 ft. **Site 6 of 7 in cluster B**

Relative:
Lower

Actual:
63 ft.

RCRA NonGen / NLR:

Date Form Received by Agency:	20190211
Handler Name:	ENVIRONMENTAL RENTAL SERVICES
Handler Address:	17160 ALBURTIS AVE
Handler City,State,Zip:	CALIFORNIA CITY, CA 90701
EPA ID:	CAC003000476
Contact Name:	MIKE LINDSEY
Contact Address:	17160 ALBURTIS AVE
Contact City,State,Zip:	CALIFORNIA CITY, CA 90701
Contact Telephone:	562-537-7608
Contact Fax:	Not reported
Contact Email:	MIKE.LINDSEY@ERSVACRENT.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	17160 ALBURTIS AVE
Mailing City,State,Zip:	CALIFORNIA CITY, CA 90701
Owner Name:	KIETH DEBAULT
Owner Type:	Other
Operator Name:	MIKE LINDSEY
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No

ENVIRONMENTAL RENTAL SERVICES (Continued) **1024780514**

Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20190222
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	MIKE LINDSEY

ENVIRONMENTAL RENTAL SERVICES (Continued) **1024780514**

Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17160 ALBURTIS AVE
Owner/Operator City,State,Zip:	CALIFORNIA CITY, CA 90701
Owner/Operator Telephone:	562-537-7608
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	KIETH DEBAULT
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17160 ALBURTIS AVE
Owner/Operator City,State,Zip:	CALIFORNIA CITY, CA 90701
Owner/Operator Telephone:	562-537-7608
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20190211
Handler Name:	ENVIRONMENTAL RENTAL SERVICES
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	56299
NAICS Description:	ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

B26 **STRONGBOX INDUSTRIES** **LUST** **S100227960**
NW **17203 FLALLON AVE** **SWEEPS UST** **N/A**
< 1/8 **ARTESIA, CA 90701** **Cortese**
0.017 mi. **HIST CORTESE**
89 ft. **Site 7 of 7 in cluster B**

Relative: Higher
Actual: 64 ft.

LUST:

Name:	STRONGBOX INDUSTRIES
Address:	17203 FLALLON AVE
City,State,Zip:	ARTESIA, CA 90701
Lead Agency:	LOS ANGELES COUNTY
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603705229
Global Id:	T0603705229
Latitude:	33.874733
Longitude:	-118.085157
Status:	Completed - Case Closed
Status Date:	10/02/1990
Case Worker:	JOA
RB Case Number:	R-14475
Local Agency:	LOS ANGELES COUNTY
File Location:	Not reported
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0603705229
Contact Type:	Local Agency Caseworker
Contact Name:	JOHN AWUJO
Organization Name:	LOS ANGELES COUNTY
Address:	900 S FREMONT AVE
City:	ALHAMBRA
Email:	jawujo@dpw.lacounty.gov
Phone Number:	6264583507

Global Id:	T0603705229
Contact Type:	Regional Board Caseworker
Contact Name:	YUE RONG
Organization Name:	LOS ANGELES RWQCB (REGION 4)
Address:	320 W. 4TH ST., SUITE 200
City:	Los Angeles
Email:	yrong@waterboards.ca.gov
Phone Number:	Not reported

LUST:

Global Id:	T0603705229
Action Type:	Other
Date:	05/11/1989
Action:	Leak Reported

Global Id:	T0603705229
Action Type:	Other
Date:	12/08/1988
Action:	Leak Discovery

LUST:

Global Id:	T0603705229

STRONGBOX INDUSTRIES (Continued) **S100227960**

Status: Open - Case Begin Date
Status Date: 12/08/1988

Global Id: T0603705229
Status: Open - Remediation
Status Date: 05/11/1989

Global Id: T0603705229
Status: Completed - Case Closed
Status Date: 10/02/1990

LUST REG 4:
Region: 4
Regional Board: 04
County: Los Angeles
Facility Id: R-14475
Status: Case Closed
Substance: Gasoline
Substance Quantity: Not reported
Local Case No: Not reported
Case Type: Soil
Abatement Method Used at the Site: Not reported
Global ID: T0603705229
W Global ID: Not reported
Staff: UNK
Local Agency: 19000
Cross Street: ARTESIA
Enforcement Type: Not reported
Date Leak Discovered: 12/8/1988
Date Leak First Reported: 5/11/1989
Date Leak Record Entered: 10/20/1989
Date Confirmation Began: Not reported
Date Leak Stopped: Not reported
Date Case Last Changed on Database: 10/2/1990
Date the Case was Closed: 10/2/1990
How Leak Discovered: Tank Closure
How Leak Stopped: Not reported
Cause of Leak: UNK
Leak Source: Piping
Operator: MILLS, STEVEN
Water System: Not reported
Well Name: Not reported
Approx. Dist To Production Well (ft): 1076.03114284205914619201960 43
Source of Cleanup Funding: Piping
Preliminary Site Assessment Workplan Submitted: Not reported
Preliminary Site Assessment Began: Not reported
Pollution Characterization Began: Not reported
Remediation Plan Submitted: 5/11/1989
Remedial Action Underway: Not reported
Post Remedial Action Monitoring Began: Not reported
Enforcement Action Date: Not reported
Historical Max MTBE Date: Not reported
Hist Max MTBE Conc in Groundwater: Not reported
Hist Max MTBE Conc in Soil: Not reported
Significant Interim Remedial Action Taken: Not reported
GW Qualifier: Not reported

STRONGBOX INDUSTRIES (Continued) **S100227960**

Soil Qualifier:	Not reported
Organization:	Not reported
Owner Contact:	Not reported
Responsible Party:	MILLS, STEVEN
RP Address:	17203 FLALLON AVE, ARTESIA, 90701
Program:	LUST
Lat/Long:	33.874887 / -1
Local Agency Staff:	Not reported
Beneficial Use:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Suspended:	Not reported
Assigned Name:	Not reported
Summary:	OLD CASE #102089-03

SWEEPS UST:

Name:	STEVE MILLS
Address:	17203 FLALLON AVE
City:	ARTESIA
Status:	Active
Comp Number:	14475
Number:	9
Board Of Equalization:	Not reported
Referral Date:	06-30-89
Action Date:	Not reported
Created Date:	06-30-89
Owner Tank Id:	Not reported
SWRCB Tank Id:	Not reported
Tank Status:	Not reported
Capacity:	Not reported
Active Date:	Not reported
Tank Use:	Not reported
STG:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

CORTESE:

Name:	STRONGBOX INDUSTRIES
Address:	17203 FLALLON AVE
City,State,Zip:	ARTESIA, CA 90701
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0603705229
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported

STRONGBOX INDUSTRIES (Continued) **S100227960**

Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

HIST CORTESE:
edr_fname: STRONGBOX INDUSTRIES
edr_fadd1: 17203 FLALLON
City,State,Zip: ARTESIA, CA 90701
Region: CORTESE
Facility County Code: 19
Reg By: LTNKA
Reg Id: R-14475

A27 **NATIONAL READY MIXED CONCRETE** **CERS HAZ WASTE** **S106410065**
SE **11725 ARTESIA BLVD** **CERS TANKS** **N/A**
< 1/8 **ARTESIA, CA 90701** **LOS ANGELES CO. HMS**
0.018 mi. **CIWQS**
95 ft. **Site 20 of 25 in cluster A** **CERS**

Relative:
Lower

Actual:
63 ft.

CERS HAZ WASTE:
Name: NATIONAL READY MIXED CONCRETE
Address: 11725 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 137399
CERS ID: 10267279
CERS Description: Hazardous Waste Generator

CERS TANKS:
Name: NATIONAL READY MIXED CONCRETE
Address: 11725 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 137399
CERS ID: 10267279
CERS Description: Underground Storage Tank

LOS ANGELES CO. HMS:
Name: NATIONAL READY MIXED CONCRETE
Address: 11725 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 907013850
Region: LA
Permit Category: S
Facility Id: 003134-027370
Facility Type: S6
Facility Status: Closed
Area: 1D
Permit Number: CGI016391
Permit Status: Closed

Name: NATIONAL READY MIXED CONCRETE
Address: 11725 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 907013850
Region: LA
Permit Category: I
Facility Id: 003134-051382

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Facility Type: S4
Facility Status: Permit
Area: 1D
Permit Number: 000615864
Permit Status: Permit

CIWQS:

Name:	NATIONAL READY MIXED CONCRETE
Address:	11725 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Agency:	National Ready Mixed Concrete Company
Agency Address:	15821 Ventura Blvd Ste 475, Encino, CA 91436
Place/Project Type:	Industrial - Ready-Mixed Concrete
SIC/NAICS:	3273
Region:	4
Program:	INDSTW
Regulatory Measure Status:	Active
Regulatory Measure Type:	Storm water industrial
Order Number:	2014-0057-DWQ
WDID:	4 19I016391
NPDES Number:	CAS000001
Adoption Date:	Not reported
Effective Date:	03/02/2001
Termination Date:	Not reported
Expiration/Review Date:	Not reported
Design Flow:	Not reported
Major/Minor:	Not reported
Complexity:	Not reported
TTWQ:	Not reported
Enforcement Actions within 5 years:	0
Violations within 5 years:	0
Latitude:	33.8731
Longitude:	-118.08379

CERS:

Name:	NATIONAL READY MIXED CONCRETE
Address:	11725 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Site ID:	137399
CERS ID:	10267279
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-08-2021
Citation:	23 CCR 16 2715(a)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(2)
Violation Description:	Failure to submit the G Underground Storage Tank Statement of Understanding and Compliance Form.G
Violation Notes:	Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-20-2015
Citation: HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description: Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2016
Citation: HSC 6.11 25404(e)(4) - California Health and Safety Code, Chapter 6.11, Section(s) 25404(e)(4)
Violation Description: Failure to report program data electronically.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-20-2015
Citation: 23 CCR 16 2637 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637
Violation Description: Failure to comply with one or more of the following: conduct secondary containment testing, within six months of installation and every 36 months thereafter, conducted in accordance with proper practices, protocols, or test methods.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description: Failure to implement the corrections specified in the inspection report within 30 days of receiving an inspection report from either the UPA or special inspector.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	04-02-2019
Citation:	40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description:	Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes:	Returned to compliance on 04/02/2019. OBSERVATION: Accumulation of used oil was observed on the secondary containment of the used oil tank in the shop. CORRECTIVE ACTION: Submit photos/documentation to the CUPA demonstrating the spill has been properly removed and managed. Corrective actions completed
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-08-2021
Citation:	23 CCR 16 2712(b)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(2)
Violation Description:	Failure to maintain monitoring records for release detection and/or maintain records of appropriate follow-up actions.
Violation Notes:	Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-08-2021
Citation:	23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description:	Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes:	Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-20-2015
Citation:	23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description:	Failure to comply with one or more of the designated operator monthly inspection requirements: failed to inspect the monthly alarm history

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

report; attach a copy of the alarm history; failed to inspect for the presence of liquid or debris in the spill container/spill bucket and under dispenser containment; failed to inspect the under dispenser containment to ensure that monitoring equipment is placed in the proper position; failure to inspect for liquid or debris in the containment sump where an alarm occurred or for which there is no record of a service visit; or failure to check that all testing and maintenance has been completed and documented.

Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 09-24-2013
Citation: 2014-0057-DWQ - Industrial General Permit
Violation Description: SW - Deficient BMP Implementation
Violation Notes: During a compliance inspection rusted metal was observed exposed to precipitation without best management practices and tracking soil debris onto the street.
Violation Division: Water Boards
Violation Program: INDSTW
Violation Source: SMARTS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-20-2015
Citation: HSC 6.7 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25292(e)
Violation Description: Failure to maintain secondary containment, as evidenced by failure of secondary containment testing.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-13-2018
Citation: 23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description: Failure to submit or maintain a current facility plot plan.
Violation Notes: Returned to compliance on 03/18/2019.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2715(c)(4) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)(4)
Violation Description: Failure to maintain a list of employees trained by the designated operator on-site or off-site at a readily available location, if approved by the UPA. For training that occurs on or after October 1, 2018, failure to maintain a copy of the "Facility Employee Training

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Certificate" on-site or off-site at a readily available location, if approved by the UPA.

Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-13-2018
Citation: 23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description: Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the UPA or special inspector.
Violation Notes: Returned to compliance on 03/18/2019.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-20-2015
Citation: 23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description: Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the local agency or the special inspector.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2017
Citation: 23 CCR 16 2715(c) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)
Violation Description: Failure to comply with one or more of the following designated operator (DO) monthly inspection requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been properly trained.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-14-2017
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain a valid permit to operate from the CUPA.
Violation Notes:	Returned to compliance on 03/13/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS

Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	04-02-2019
Citation:	22 CCR 11 66261.7 - California Code of Regulations, Title 22, Chapter 11, Section(s) 66261.7
Violation Description:	Failure to manage empty containers greater than 5 gallons in capacity that previously held a hazardous material/waste in accordance with 22 CCR 11 66261.7 including but not limited to the following: (e)(2)By reclaiming its scrap value onsite or shipping the container or inner liner to a person who reclaims its scrap value; or (3) By reconditioning or re manufacturing the container or inner liner onsite for subsequent reuse, or shipping the container or inner liner to a person who reconditions or re-manufactures the container or inner liner; or (4) By shipping the container or inner liner to a supplier or to another intermediate collection location for accumulation prior to managing the container or inner liner pursuant to subsections (e)(2) or (e)(3) of 22 CCR 11 66261.7; or (i) By shipping the container or inner liner back to the supplier for the purpose of being refilled. (f) A container or an inner liner removed from a container larger than five gallons in capacity which is managed pursuant to subsection (e) of 22 CCR 11 66261.7 shall be marked with the date it has been emptied and shall be managed within one year of being emptied.
Violation Notes:	Returned to compliance on 04/02/2019. OBSERVATION: At the time of inspection, the following containers were empty: 10/55 gallon empty drums 1/30 gallon empty drum 2/250 gallons empty tote CORRECTIVE ACTION: A container which previously held hazmat/hazwaste is empty if no hazardous materials can be poured or drained when the container is held in any orientation (e.g. tilted, inverted, etc.) and no hazardous materials remains in or on the container that can feasibly be removed by approved physical methods (except rinsing) wherein the top, bottom and sidewalls of the container shall not contain any remaining adhered or crusted material resulting from buildup of successive layers of materials or a mass of solidified material. A container larger than 5 gallons in capacity which previously held hazardous materials shall be marked empty and the date it has been emptied. Empty container shall be managed within one year of being emptied CCR 66261.7 Affix the labels to the empty containers and submit the [Truncated]
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS

Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-14-2016
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code,

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2716(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(e)
Violation Description: For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30 days.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2016
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description: The owner/operator has failed to designate an UST operator or to inform the CUPA or any change in the designated UST operator(s) within 30 days after a change.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to have current UST Monitoring Plan available on site.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT

Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: HSC 6.7 25293 - California Health and Safety Code, Chapter 6.7, Section(s) 25293
Violation Description: Failure to maintain UST records in sufficient detail to enable the UPA to determine whether the UST systems are in compliance.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Monitoring Plan.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 11-12-2014
Citation: HSC 6.95 25508(d) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(d)
Violation Description: Failure to complete and/or electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes: Returned to compliance on 11/25/2014. OBSERVATION: A business plan has not been received by the CUPA. The facility was previously sent a notice/request from the CUPA for the submittal of a business plan by 12/12/2014. CORRECTIVE ACTION: Submit the business plan electronically in the California Environmental Reporting System (CERS) and implement immediately.Update facility inventory to include hazardous materials in quantities above 55 gallons, 500 lbs, or 200 cubic feet.
Violation Division: Los Angeles County Fire Department
Violation Program: HMRRP
Violation Source: CERS

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2016
Citation: 23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description: Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the local agency or the special inspector.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-03-2020
Citation: 23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description: Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes: MISSING CURRENT FACILITY EMPLOYEE TRAINING CERTIFICATE
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2016
Citation: 23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description: Failure of service technician, designated operator, installer, and/or employee to obtain and maintain a proper and current International Code Council certification.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-03-2020
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes: MISSING CURRENT FACILITY EMPLOYEE TRAINING CERTIFICATE
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-20-2015
Citation: 23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description: Failure to submit, obtain approval, or maintain a complete/accurate plot plan.

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Violation Notes:	Returned to compliance on 03/13/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-08-2021
Citation:	23 CCR 16 2715(c)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)(2)
Violation Description:	Failure to have at least one facility employee present during operating hours that has been trained in the proper operation and maintenance of the UST system by a designated operator (DO).
Violation Notes:	Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-08-2021
Citation:	23 CCR 16 2716(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(f)
Violation Description:	Failure to maintain on-site, or off-site at a readily available location if approved by the UPA, copies of Designated Operator inspection records as follows: Designated operator monthly inspection records for inspections performed before October 1, 2018 must be kept for 12 months from the month of inspection. For inspections performed on or after October 1, 2018, copies of the "Designated Underground Storage Tank Operator Visual Inspection Report" must be kept for 36 months from the month of inspection.
Violation Notes:	Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-14-2016
Citation:	23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description:	Failure to submit statement of UST compliance and/or Designated Operator certification.
Violation Notes:	Returned to compliance on 03/13/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2715(a)(1)(B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(1)(B)
Violation Description: Failure to submit the G Designated Underground Storage Tank Operator Identification FormG within 30 days of installing a UST system or within 30 days of a change in DO.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-13-2018
Citation: 23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description: Failure to submit the Annual Monitoring System Certification Form to the UPA within 30 days of completion of the test.
Violation Notes: Returned to compliance on 03/18/2019.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2016
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to submit, obtain approval, or maintain a complete/accurate response plan.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-18-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: NO CURRENT ALARM CONDITION ON SITE.
Eval Division: Los Angeles County Department of Public Works
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-02-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: PAT CATLIN SHOP FOREMAN
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-12-2014
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-08-2021
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC:1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)03/21 DO RP NO ALM HIST 5)OLD DO FORM BEING USED 6)18&20 CTLS NOT ONSITE 7)CERS
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-20-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-03-2020
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	MISSING CURRENT FACILITY EMPLOYEE TRAINING CERTIFICATE>> BOTH SUMPS/ UDC/VENT BOX DRY W/ 208'S;MLLD;VR PANEL WITH ALL FUNCTIONS NORMAL
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-14-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC: UPDATE UST FACILITY INFO ON CERS: OSDO, FRCT PLUS CFO LETTER.
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-14-2017
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC: FEB 2017 MONTHLY D.O. RPRT MISSING ALARM HIST RPRT>>>F/P/UDC/ VENT BOX SUMPS DRY W/ VR208;ANN W/ VR409;MLLD;HLA
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-13-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: NOVC-CERS, RAISED VENT BOX SENSOR 4 1/2".
Eval Division: Los Angeles County Department of Public Works
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-02-2019
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: PAT CATLIN SHOP FOREMAN
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-24-2013
Violations Found: Yes
Eval Type: Industrial Storm Water Compliance Evaluation
Eval Notes: Performed a compliance inspection on September 24, 2013, the facility is fairly clean with minor violations. The facility received a Notice to comply for metal exposed to precipitation without BMPs and tracking soil onto the street.
Eval Division: Water Boards
Eval Program: INDSTW
Eval Source: SMARTS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-12-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-13-2001
Violations Found: No
Eval Type: Industrial Storm Water Compliance Evaluation
Eval Notes: Facility’s SWPPP pollution prevention team information needs to be updated due to arecent death. I didn’t ovserve a problem but detention basins could potentially overflow in a storm if operators aren’t diligent. -I am going to drop off a business card on 12/21/01, at which time facility operators promised to have revised SWPPP.
Eval Division: Water Boards
Eval Program: INDSTW
Eval Source: SMARTS

Enforcement Action:
Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Site Address:	11725 ARTESIA BLVD
Site City:	ARTESIA
Site Zip:	90701
Enf Action Date:	09-24-2013
Enf Action Type:	Notice to Comply
Enf Action Description:	Notice to Comply
Enf Action Notes:	During a compliance inspection rusted metal was observed exposed to precipitation without best management practices and tracking soil debris onto the street.
Enf Action Division:	Water Boards
Enf Action Program:	INDSTW
Enf Action Source:	SMARTS

Coordinates:

Site ID:	137399
Facility Name:	NATIONAL READY MIXED CONCRETE
Env Int Type Code:	HWG
Program ID:	10267279
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	33.873640
Longitude:	-118.083770

Affiliation:

Affiliation Type Desc:	Document Preparer
Entity Name:	Russell H Morton
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Environmental Contact
Entity Name:	RUSSELL H MORTON
Entity Title:	Not reported
Affiliation Address:	15821 VENTURA BLVD, #475
Affiliation City:	ENCINO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	91436
Affiliation Phone:	Not reported

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	15821 VENTURA BLVD #475
Affiliation City:	ENCINO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	91436
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	NATIONAL READY MIXED CONCRETE

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Entity Title:	Not reported
Affiliation Address:	15821 VENTURA BLVD #475
Affiliation City:	ENCINO
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	91436
Affiliation Phone:	(818) 728-5200
Affiliation Type Desc:	Parent Corporation
Entity Name:	NATIONAL READY MIX CONCRETE
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	NHAN BAO - LOS ANGELES RWQCB (REGION 4)
Entity Title:	Not reported
Affiliation Address:	320 WEST 4TH STREET, SUITE 200
Affiliation City:	LOS ANGELES
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	2135766703
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	NATIONAL READY MIXED SERVICES
Entity Title:	Not reported
Affiliation Address:	15821 Ventura Blvd. Suite 475
Affiliation City:	Encino
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	91436
Affiliation Phone:	(818) 728-5200
Affiliation Type Desc:	Operator
Entity Name:	Russell Morton
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(562) 865-6211
Affiliation Type Desc:	UST Tank Owner
Entity Name:	NATIONAL READY MIXED SERVICES
Entity Title:	Not reported
Affiliation Address:	15821 Ventura Blvd. Suite 475
Affiliation City:	Encino
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	91436
Affiliation Phone:	(818) 728-5200

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Affiliation Type Desc:	UST Permit Applicant
Entity Name:	Russell H Morton
Entity Title:	Environ / Safety
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(818) 768-0050

Affiliation Type Desc:	CUPA District
Entity Name:	Los Angeles County Fire
Entity Title:	Not reported
Affiliation Address:	5825 Rickenbacker Road
Affiliation City:	Commerce
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90040-3027
Affiliation Phone:	(323) 890-4000

Affiliation Type Desc:	Identification Signer
Entity Name:	Russell H Morton
Entity Title:	Environ / Safety
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	RANI IYER - LOS ANGELES COUNTY
Entity Title:	Not reported
Affiliation Address:	900 S. FREMONT AVE.
Affiliation City:	ALHAMBRA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Owner/Operator
Entity Name:	National Ready Mixed Concrete Company
Entity Title:	Operator
Affiliation Address:	15821 Ventura Blvd Ste 475
Affiliation City:	Encino
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	91436
Affiliation Phone:	Not reported

Affiliation Type Desc:	UST Tank Operator
Entity Name:	NATIONAL READY MIXED SERVICES
Entity Title:	Not reported
Affiliation Address:	15821 Ventura Blvd. Suite 475
Affiliation City:	Encino
Affiliation State:	CA
Affiliation Country:	United States

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Affiliation Zip: 91436
Affiliation Phone: (818) 728-5200

Name: NATIONAL READY MIXED CONCRETE
Address: 11725 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 137399
CERS ID: T0603793298
CERS Description: Leaking Underground Storage Tank Cleanup Site

Violations:

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2715(a)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(2)
Violation Description: Failure to submit the G Underground Storage Tank Statement of Understanding and Compliance Form.G
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-20-2015
Citation: HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description: Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2016
Citation: HSC 6.11 25404(e)(4) - California Health and Safety Code, Chapter 6.11, Section(s) 25404(e)(4)
Violation Description: Failure to report program data electronically.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-20-2015
Citation: 23 CCR 16 2637 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637
Violation Description: Failure to comply with one or more of the following: conduct secondary containment testing, within six months of installation and every 36

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

	months thereafter, conducted in accordance with proper practices, protocols, or test methods.
Violation Notes:	Returned to compliance on 03/13/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-08-2021
Citation:	23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description:	Failure to implement the corrections specified in the inspection report within 30 days of receiving an inspection report from either the UPA or special inspector.
Violation Notes:	Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	04-02-2019
Citation:	40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description:	Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes:	Returned to compliance on 04/02/2019. OBSERVATION: Accumulation of used oil was observed on the secondary containment of the used oil tank in the shop. CORRECTIVE ACTION: Submit photos/documentation to the CUPA demonstrating the spill has been properly removed and managed. Corrective actions completed
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-08-2021
Citation:	23 CCR 16 2712(b)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(2)
Violation Description:	Failure to maintain monitoring records for release detection and/or maintain records of appropriate follow-up actions.
Violation Notes:	Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description: Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-20-2015
Citation: 23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description: Failure to comply with one or more of the designated operator monthly inspection requirements: failed to inspect the monthly alarm history report; attach a copy of the alarm history; failed to inspect for the presence of liquid or debris in the spill container/spill bucket and under dispenser containment; failed to inspect the under dispenser containment to ensure that monitoring equipment is placed in the proper position; failure to inspect for liquid or debris in the containment sump where an alarm occurred or for which there is no record of a service visit; or failure to check that all testing and maintenance has been completed and documented.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 09-24-2013
Citation: 2014-0057-DWQ - Industrial General Permit
Violation Description: SW - Deficient BMP Implementation
Violation Notes: During a compliance inspection rusted metal was observed exposed to precipitation without best management practices and tracking soil debris onto the street.
Violation Division: Water Boards
Violation Program: INDSTW
Violation Source: SMARTS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-20-2015
Citation: HSC 6.7 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25292(e)
Violation Description: Failure to maintain secondary containment, as evidenced by failure of secondary containment testing.

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Violation Notes:	Returned to compliance on 03/13/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-13-2018
Citation:	23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description:	Failure to submit or maintain a current facility plot plan.
Violation Notes:	Returned to compliance on 03/18/2019.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-08-2021
Citation:	23 CCR 16 2715(c)(4) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)(4)
Violation Description:	Failure to maintain a list of employees trained by the designated operator on-site or off-site at a readily available location, if approved by the UPA. For training that occurs on or after October 1, 2018, failure to maintain a copy of the "Facility Employee Training Certificate" on-site or off-site at a readily available location, if approved by the UPA.
Violation Notes:	Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-13-2018
Citation:	23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description:	Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the UPA or special inspector.
Violation Notes:	Returned to compliance on 03/18/2019.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-20-2015
Citation:	23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description:	Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the local agency or the special inspector.

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2017
Citation: 23 CCR 16 2715(c) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)
Violation Description: Failure to comply with one or more of the following designated operator (DO) monthly inspection requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been properly trained.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2017
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain a valid permit to operate from the CUPA.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 04-02-2019
Citation: 22 CCR 11 66261.7 - California Code of Regulations, Title 22, Chapter 11, Section(s) 66261.7
Violation Description: Failure to manage empty containers greater than 5 gallons in capacity that previously held a hazardous material/waste in accordance with 22 CCR 11 66261.7 including but not limited to the following: (e)(2)By reclaiming its scrap value onsite or shipping the container or inner liner to a person who reclaims its scrap value; or (3) By reconditioning or re manufacturing the container or inner liner onsite for subsequent reuse, or shipping the container or inner liner to a person who reconditions or re-manufactures the container or inner liner; or (4) By shipping the container or inner liner to a supplier or to another intermediate collection location for accumulation prior to managing the container or inner liner pursuant to subsections (e)(2) or (e)(3) of 22 CCR 11 66261.7; or (i) By shipping the container or inner liner back to the supplier for the purpose of being refilled. (f) A container or an inner liner removed from a container larger than five gallons in capacity which is managed pursuant to

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

subsection (e) of 22 CCR 11 66261.7 shall be marked with the date it has been emptied and shall be managed within one year of being emptied.

Violation Notes: Returned to compliance on 04/02/2019. OBSERVATION: At the time of inspection, the following containers were empty: 10/55 gallon empty drums 1/30 gallon empty drum 2/250 gallons empty tote CORRECTIVE ACTION: A container which previously held hazmat/hazwaste is empty if no hazardous materials can be poured or drained when the container is held in any orientation (e.g. tilted, inverted, etc.) and no hazardous materials remains in or on the container that can feasibly be removed by approved physical methods (except rinsing) wherein the top, bottom and sidewalls of the container shall not contain any remaining adhered or crusted material resulting from buildup of successive layers of materials or a mass of solidified material. A container larger than 5 gallons in capacity which previously held hazardous materials shall be marked empty and the date it has been emptied. Empty container shall be managed within one year of being emptied CCR 66261.7 Affix the labels to the empty containers and submit the [Truncated]
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2016
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2716(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(e)
Violation Description: For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30 days.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2016
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description: The owner/operator has failed to designate an UST operator or to inform the CUPA or any change in the designated UST operator(s) within 30 days after a change.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to have current UST Monitoring Plan available on site.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: HSC 6.7 25293 - California Health and Safety Code, Chapter 6.7, Section(s) 25293
Violation Description: Failure to maintain UST records in sufficient detail to enable the UPA to determine whether the UST systems are in compliance.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Monitoring Plan.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT

Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 11-12-2014
Citation: HSC 6.95 25508(d) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(d)
Violation Description: Failure to complete and/or electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes: Returned to compliance on 11/25/2014. OBSERVATION: A business plan has not been received by the CUPA. The facility was previously sent a notice/request from the CUPA for the submittal of a business plan by 12/12/2014. CORRECTIVE ACTION: Submit the business plan electronically in the California Environmental Reporting System (CERS) and implement immediately.Update facility inventory to include hazardous materials in quantities above 55 gallons, 500 lbs, or 200 cubic feet.
Violation Division: Los Angeles County Fire Department
Violation Program: HMRRP
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2016
Citation: 23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description: Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the local agency or the special inspector.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-03-2020
Citation: 23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description: Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes: MISSING CURRENT FACILITY EMPLOYEE TRAINING CERTIFICATE
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2016
Citation: 23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Violation Description:	Failure of service technician, designated operator, installer, and/or employee to obtain and maintain a proper and current International Code Council certification.
Violation Notes:	Returned to compliance on 03/13/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-03-2020
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes:	MISSING CURRENT FACILITY EMPLOYEE TRAINING CERTIFICATE
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-20-2015
Citation:	23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description:	Failure to submit, obtain approval, or maintain a complete/accurate plot plan.
Violation Notes:	Returned to compliance on 03/13/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-08-2021
Citation:	23 CCR 16 2715(c)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)(2)
Violation Description:	Failure to have at least one facility employee present during operating hours that has been trained in the proper operation and maintenance of the UST system by a designated operator (DO).
Violation Notes:	Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-08-2021
Citation:	23 CCR 16 2716(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(f)
Violation Description:	Failure to maintain on-site, or off-site at a readily available location if approved by the UPA, copies of Designated Operator inspection records as follows: Designated operator monthly inspection

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

records for inspections performed before October 1, 2018 must be kept for 12 months from the month of inspection. For inspections performed on or after October 1, 2018, copies of the "Designated Underground Storage Tank Operator Visual Inspection Report" must be kept for 36 months from the month of inspection.

Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2016
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description: Failure to submit statement of UST compliance and/or Designated Operator certification.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2715(a)(1)(B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(1)(B)
Violation Description: Failure to submit the G Designated Underground Storage Tank Operator Identification FormG within 30 days of installing a UST system or within 30 days of a change in DO.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-13-2018
Citation: 23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description: Failure to submit the Annual Monitoring System Certification Form to the UPA within 30 days of completion of the test.
Violation Notes: Returned to compliance on 03/18/2019.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Violation Date:	03-14-2016
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to submit, obtain approval, or maintain a complete/accurate response plan.
Violation Notes:	Returned to compliance on 03/13/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-18-2019
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	NO CURRENT ALARM CONDITION ON SITE.
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-02-2019
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	PAT CATLIN SHOP FOREMAN
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-12-2014
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-08-2021
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC:1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)03/21 DO RP NO ALM HIST 5)OLD DO FORM BEING USED 6)18&20 CTLS NOT ONSITE 7)CERS
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-20-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-03-2020
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	MISSING CURRENT FACILITY EMPLOYEE TRAINING CERTIFICATE>> BOTH SUMPS/ UDC/VENT BOX DRY W/ 208'S;MLLD;VR PANEL WITH ALL FUNCTIONS NORMAL
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-14-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC: UPDATE UST FACILITY INFO ON CERS: OSDO, FRCT PLUS CFO LETTER.
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-14-2017
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC: FEB 2017 MONTHLY D.O. RPRT MISSING ALARM HIST RPRT>>>F/P/UDC/ VENT BOX SUMPS DRY W/ VR208;ANN W/ VR409;MLLD;HLA
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-13-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC-CERS, RAISED VENT BOX SENSOR 4 1/2".
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-02-2019
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	PAT CATLIN SHOP FOREMAN
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-24-2013
Violations Found:	Yes
Eval Type:	Industrial Storm Water Compliance Evaluation
Eval Notes:	Performed a compliance inspection on September 24, 2013, the facility is fairly clean with minor violations. The facility received a Notice to comply for metal exposed to precipitation without BMPs and tracking soil onto the street.
Eval Division:	Water Boards
Eval Program:	INDSTW

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Eval Source: SMARTS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-12-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-13-2001
Violations Found: No
Eval Type: Industrial Storm Water Compliance Evaluation
Eval Notes: Facility's SWPPP pollution prevention team information needs to be updated due to arecent death. I didn't ovserve a problem but detention basins could potentially overflow in a storm if operators aren't diligent. -I am going to drop off a business card on 12/21/01, at which time facility operators promised to have revised SWPPP.
Eval Division: Water Boards
Eval Program: INDSTW
Eval Source: SMARTS

Enforcement Action:
Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Site Address: 11725 ARTESIA BLVD
Site City: ARTESIA
Site Zip: 90701
Enf Action Date: 09-24-2013
Enf Action Type: Notice to Comply
Enf Action Description: Notice to Comply
Enf Action Notes: During a compliance inspection rusted metal was observed exposed to precipitation without best management practices and tracking soil debris onto the street.
Enf Action Division: Water Boards
Enf Action Program: INDSTW
Enf Action Source: SMARTS

Coordinates:
Site ID: 137399
Facility Name: NATIONAL READY MIXED CONCRETE
Env Int Type Code: HWG
Program ID: 10267279
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 33.873640
Longitude: -118.083770

Affiliation:
Affiliation Type Desc: Document Preparer
Entity Name: Russell H Morton
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Environmental Contact
Entity Name:	RUSSELL H MORTON
Entity Title:	Not reported
Affiliation Address:	15821 VENTURA BLVD, #475
Affiliation City:	ENCINO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	91436
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	15821 VENTURA BLVD #475
Affiliation City:	ENCINO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	91436
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	NATIONAL READY MIXED CONCRETE
Entity Title:	Not reported
Affiliation Address:	15821 VENTURA BLVD #475
Affiliation City:	ENCINO
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	91436
Affiliation Phone:	(818) 728-5200
Affiliation Type Desc:	Parent Corporation
Entity Name:	NATIONAL READY MIX CONCRETE
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	NHAN BAO - LOS ANGELES RWQCB (REGION 4)
Entity Title:	Not reported
Affiliation Address:	320 WEST 4TH STREET, SUITE 200
Affiliation City:	LOS ANGELES
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	2135766703
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	NATIONAL READY MIXED SERVICES

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Entity Title:	Not reported
Affiliation Address:	15821 Ventura Blvd. Suite 475
Affiliation City:	Encino
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	91436
Affiliation Phone:	(818) 728-5200
Affiliation Type Desc:	Operator
Entity Name:	Russell Morton
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(562) 865-6211
Affiliation Type Desc:	UST Tank Owner
Entity Name:	NATIONAL READY MIXED SERVICES
Entity Title:	Not reported
Affiliation Address:	15821 Ventura Blvd. Suite 475
Affiliation City:	Encino
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	91436
Affiliation Phone:	(818) 728-5200
Affiliation Type Desc:	UST Permit Applicant
Entity Name:	Russell H Morton
Entity Title:	Environ / Safety
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(818) 768-0050
Affiliation Type Desc:	CUPA District
Entity Name:	Los Angeles County Fire
Entity Title:	Not reported
Affiliation Address:	5825 Rickenbacker Road
Affiliation City:	Commerce
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90040-3027
Affiliation Phone:	(323) 890-4000
Affiliation Type Desc:	Identification Signer
Entity Name:	Russell H Morton
Entity Title:	Environ / Safety
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Affiliation Type Desc: Local Agency Caseworker
Entity Name: RANI IYER - LOS ANGELES COUNTY
Entity Title: Not reported
Affiliation Address: 900 S. FREMONT AVE.
Affiliation City: ALHAMBRA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Owner/Operator
Entity Name: National Ready Mixed Concrete Company
Entity Title: Operator
Affiliation Address: 15821 Ventura Blvd Ste 475
Affiliation City: Encino
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 91436
Affiliation Phone: Not reported

Affiliation Type Desc: UST Tank Operator
Entity Name: NATIONAL READY MIXED SERVICES
Entity Title: Not reported
Affiliation Address: 15821 Ventura Blvd. Suite 475
Affiliation City: Encino
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 91436
Affiliation Phone: (818) 728-5200

Name: NATIONAL READY MIXED CONCRETE
Address: 11725 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 137399
CERS ID: 244891
CERS Description: Industrial Facility Storm Water

Violations:
Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2715(a)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(2)
Violation Description: Failure to submit the G Underground Storage Tank Statement of Understanding and Compliance Form.G
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-20-2015

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Citation:	HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description:	Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes:	Returned to compliance on 03/13/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-14-2016
Citation:	HSC 6.11 25404(e)(4) - California Health and Safety Code, Chapter 6.11, Section(s) 25404(e)(4)
Violation Description:	Failure to report program data electronically.
Violation Notes:	Returned to compliance on 03/13/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-20-2015
Citation:	23 CCR 16 2637 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637
Violation Description:	Failure to comply with one or more of the following: conduct secondary containment testing, within six months of installation and every 36 months thereafter, conducted in accordance with proper practices, protocols, or test methods.
Violation Notes:	Returned to compliance on 03/13/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-08-2021
Citation:	23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description:	Failure to implement the corrections specified in the inspection report within 30 days of receiving an inspection report from either the UPA or special inspector.
Violation Notes:	Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	04-02-2019
Citation:	40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description:	Failure to maintain and operate the facility to minimize the

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.

Violation Notes: Returned to compliance on 04/02/2019. OBSERVATION: Accumulation of used oil was observed on the secondary containment of the used oil tank in the shop. CORRECTIVE ACTION: Submit photos/documentation to the CUPA demonstrating the spill has been properly removed and managed. Corrective actions completed
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2712(b)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(2)
Violation Description: Failure to maintain monitoring records for release detection and/or maintain records of appropriate follow-up actions.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description: Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-20-2015
Citation: 23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description: Failure to comply with one or more of the designated operator monthly inspection requirements: failed to inspect the monthly alarm history report; attach a copy of the alarm history; failed to inspect for the presence of liquid or debris in the spill container/spill bucket and under dispenser containment; failed to inspect the under dispenser containment to ensure that monitoring equipment is placed in the proper position; failure to inspect for liquid or debris in the

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

containment sump where an alarm occurred or for which there is no record of a service visit; or failure to check that all testing and maintenance has been completed and documented.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 09-24-2013
Citation: 2014-0057-DWQ - Industrial General Permit
Violation Description: SW - Deficient BMP Implementation
Violation Notes: During a compliance inspection rusted metal was observed exposed to precipitation without best management practices and tracking soil debris onto the street.
Violation Division: Water Boards
Violation Program: INDSTW
Violation Source: SMARTS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-20-2015
Citation: HSC 6.7 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25292(e)
Violation Description: Failure to maintain secondary containment, as evidenced by failure of secondary containment testing.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-13-2018
Citation: 23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description: Failure to submit or maintain a current facility plot plan.
Violation Notes: Returned to compliance on 03/18/2019.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2715(c)(4) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)(4)
Violation Description: Failure to maintain a list of employees trained by the designated operator on-site or off-site at a readily available location, if approved by the UPA. For training that occurs on or after October 1, 2018, failure to maintain a copy of the "Facility Employee Training Certificate" on-site or off-site at a readily available location, if approved by the UPA.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-13-2018
Citation: 23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description: Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the UPA or special inspector.
Violation Notes: Returned to compliance on 03/18/2019.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-20-2015
Citation: 23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description: Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the local agency or the special inspector.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2017
Citation: 23 CCR 16 2715(c) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)
Violation Description: Failure to comply with one or more of the following designated operator (DO) monthly inspection requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been properly trained.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2017
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7,

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Section(s) 25284
Violation Description: Failure to obtain a valid permit to operate from the CUPA.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 04-02-2019
Citation: 22 CCR 11 66261.7 - California Code of Regulations, Title 22, Chapter 11, Section(s) 66261.7
Violation Description: Failure to manage empty containers greater than 5 gallons in capacity that previously held a hazardous material/waste in accordance with 22 CCR 11 66261.7 including but not limited to the following: (e)(2)By reclaiming its scrap value onsite or shipping the container or inner liner to a person who reclaims its scrap value; or (3) By reconditioning or re manufacturing the container or inner liner onsite for subsequent reuse, or shipping the container or inner liner to a person who reconditions or re-manufactures the container or inner liner; or (4) By shipping the container or inner liner to a supplier or to another intermediate collection location for accumulation prior to managing the container or inner liner pursuant to subsections (e)(2) or (e)(3) of 22 CCR 11 66261.7; or (i) By shipping the container or inner liner back to the supplier for the purpose of being refilled. (f) A container or an inner liner removed from a container larger than five gallons in capacity which is managed pursuant to subsection (e) of 22 CCR 11 66261.7 shall be marked with the date it has been emptied and shall be managed within one year of being emptied.
Violation Notes: Returned to compliance on 04/02/2019. OBSERVATION: At the time of inspection, the following containers were empty: 10/55 gallon empty drums 1/30 gallon empty drum 2/250 gallons empty tote CORRECTIVE ACTION: A container which previously held hazmat/hazwaste is empty if no hazardous materials can be poured or drained when the container is held in any orientation (e.g. tilted, inverted, etc.) and no hazardous materials remains in or on the container that can feasibly be removed by approved physical methods (except rinsing) wherein the top, bottom and sidewalls of the container shall not contain any remaining adhered or crusted material resulting from buildup of successive layers of materials or a mass of solidified material. A container larger than 5 gallons in capacity which previously held hazardous materials shall be marked empty and the date it has been emptied. Empty container shall be managed within one year of being emptied CCR 66261.7 Affix the labels to the empty containers and submit the [Truncated]
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2016
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 03/13/2018.

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2716(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(e)
Violation Description: For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30 days.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2016
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description: The owner/operator has failed to designate an UST operator or to inform the CUPA or any change in the designated UST operator(s) within 30 days after a change.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to have current UST Monitoring Plan available on site.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-08-2021
Citation:	HSC 6.7 25293 - California Health and Safety Code, Chapter 6.7, Section(s) 25293
Violation Description:	Failure to maintain UST records in sufficient detail to enable the UPA to determine whether the UST systems are in compliance.
Violation Notes:	Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-08-2021
Citation:	23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description:	Failure to have an approved UST Monitoring Plan.
Violation Notes:	Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	11-12-2014
Citation:	HSC 6.95 25508(d) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(d)
Violation Description:	Failure to complete and/or electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes:	Returned to compliance on 11/25/2014. OBSERVATION: A business plan has not been received by the CUPA. The facility was previously sent a notice/request from the CUPA for the submittal of a business plan by 12/12/2014. CORRECTIVE ACTION: Submit the business plan electronically in the California Environmental Reporting System (CERS) and implement immediately.Update facility inventory to include hazardous materials in quantities above 55 gallons, 500 lbs, or 200 cubic feet.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-14-2016

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Citation:	23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description:	Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the local agency or the special inspector.
Violation Notes:	Returned to compliance on 03/13/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-03-2020
Citation:	23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description:	Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes:	MISSING CURRENT FACILITY EMPLOYEE TRAINING CERTIFICATE
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-14-2016
Citation:	23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description:	Failure of service technician, designated operator, installer, and/or employee to obtain and maintain a proper and current International Code Council certification.
Violation Notes:	Returned to compliance on 03/13/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-03-2020
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes:	MISSING CURRENT FACILITY EMPLOYEE TRAINING CERTIFICATE
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Violation Date:	03-20-2015
Citation:	23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description:	Failure to submit, obtain approval, or maintain a complete/accurate plot plan.
Violation Notes:	Returned to compliance on 03/13/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2715(c)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)(2)
Violation Description: Failure to have at least one facility employee present during operating hours that has been trained in the proper operation and maintenance of the UST system by a designated operator (DO).
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2716(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(f)
Violation Description: Failure to maintain on-site, or off-site at a readily available location if approved by the UPA, copies of Designated Operator inspection records as follows: Designated operator monthly inspection records for inspections performed before October 1, 2018 must be kept for 12 months from the month of inspection. For inspections performed on or after October 1, 2018, copies of the "Designated Underground Storage Tank Operator Visual Inspection Report" must be kept for 36 months from the month of inspection.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2016
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description: Failure to submit statement of UST compliance and/or Designated Operator certification.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-08-2021
Citation: 23 CCR 16 2715(a)(1)(B) - California Code of Regulations, Title 23,

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Chapter 16, Section(s) 2715(a)(1)(B)
Violation Description: Failure to submit the G Designated Underground Storage Tank Operator Identification FormG within 30 days of installing a UST system or within 30 days of a change in DO.
Violation Notes: Returned to compliance on 03/22/2021. 1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)MARCH 2021 DO RP MISSING ALM HISTORY 5)OLD DO FORMS 6)20&18 CTLS NOT ONSITE 6)CERS 1)REMOVE 2)TRAIN AND SUBMIT 3)ACK ALL FUTURE ALMS 4)ATTACH ALM PRINT OUT TO ALL DO RPTS 5)USE CURRENT FORM 6)OBTAIN&MAINTAIN 7)CORRECT
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-13-2018
Citation: 23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description: Failure to submit the Annual Monitoring System Certification Form to the UPA within 30 days of completion of the test.
Violation Notes: Returned to compliance on 03/18/2019.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137399
Site Name: NATIONAL READY MIXED CONCRETE
Violation Date: 03-14-2016
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to submit, obtain approval, or maintain a complete/accurate response plan.
Violation Notes: Returned to compliance on 03/13/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-18-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: NO CURRENT ALARM CONDITION ON SITE.
Eval Division: Los Angeles County Department of Public Works
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-02-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: PAT CATLIN SHOP FOREMAN
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Eval Date:	11-12-2014
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-08-2021
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC:1)LIQ IN VENT SUMP 2)EMP TRAIN EXP 3)ALMS NOT ACK 4)03/21 DO RP NO ALM HIST 5)OLD DO FORM BEING USED 6)18&20 CTLS NOT ONSITE 7)CERS
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-20-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-03-2020
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	MISSING CURRENT FACILITY EMPLOYEE TRAINING CERTIFICATE>> BOTH SUMPS/ UDC/VENT BOX DRY W/ 208'S;MLLD;VR PANEL WITH ALL FUNCTIONS NORMAL
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-14-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC: UPDATE UST FACILITY INFO ON CERS: OSDO, FRCT PLUS CFO LETTER.
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	03-14-2017
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC: FEB 2017 MONTHLY D.O. RPRT MISSING ALARM HIST RPRT>>>F/P/UDC/ VENT BOX SUMPS DRY W/ VR208;ANN W/ VR409;MLLD;HLA
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Eval Date:	03-13-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC-CERS, RAISED VENT BOX SENSOR 4 1/2".
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-02-2019
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	PAT CATLIN SHOP FOREMAN
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-24-2013
Violations Found:	Yes
Eval Type:	Industrial Storm Water Compliance Evaluation
Eval Notes:	Performed a compliance inspection on September 24, 2013, the facility is fairly clean with minor violations. The facility received a Notice to comply for metal exposed to precipitation without BMPs and tracking soil onto the street.
Eval Division:	Water Boards
Eval Program:	INDSTW
Eval Source:	SMARTS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-12-2014
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	12-13-2001
Violations Found:	No
Eval Type:	Industrial Storm Water Compliance Evaluation
Eval Notes:	Facility's SWPPP pollution prevention team information needs to be updated due to arecent death. I didn't ovserve a problem but detention basins could potentially overflow in a storm if operators aren't diligent. -I am going to drop off a business card on 12/21/01, at which time facility operators promised to have revised SWPPP.
Eval Division:	Water Boards
Eval Program:	INDSTW
Eval Source:	SMARTS

Enforcement Action:

Site ID:	137399
Site Name:	NATIONAL READY MIXED CONCRETE
Site Address:	11725 ARTESIA BLVD
Site City:	ARTESIA
Site Zip:	90701

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Enf Action Date:	09-24-2013
Enf Action Type:	Notice to Comply
Enf Action Description:	Notice to Comply
Enf Action Notes:	During a compliance inspection rusted metal was observed exposed to precipitation without best management practices and tracking soil debris onto the street.
Enf Action Division:	Water Boards
Enf Action Program:	INDSTW
Enf Action Source:	SMARTS

Coordinates:

Site ID:	137399
Facility Name:	NATIONAL READY MIXED CONCRETE
Env Int Type Code:	HWG
Program ID:	10267279
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	33.873640
Longitude:	-118.083770

Affiliation:

Affiliation Type Desc:	Document Preparer
Entity Name:	Russell H Morton
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Environmental Contact
Entity Name:	RUSSELL H MORTON
Entity Title:	Not reported
Affiliation Address:	15821 VENTURA BLVD, #475
Affiliation City:	ENCINO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	91436
Affiliation Phone:	Not reported

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	15821 VENTURA BLVD #475
Affiliation City:	ENCINO
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	91436
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	NATIONAL READY MIXED CONCRETE
Entity Title:	Not reported
Affiliation Address:	15821 VENTURA BLVD #475
Affiliation City:	ENCINO

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	91436
Affiliation Phone:	(818) 728-5200
Affiliation Type Desc:	Parent Corporation
Entity Name:	NATIONAL READY MIX CONCRETE
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	NHAN BAO - LOS ANGELES RWQCB (REGION 4)
Entity Title:	Not reported
Affiliation Address:	320 WEST 4TH STREET, SUITE 200
Affiliation City:	LOS ANGELES
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	2135766703
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	NATIONAL READY MIXED SERVICES
Entity Title:	Not reported
Affiliation Address:	15821 Ventura Blvd. Suite 475
Affiliation City:	Encino
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	91436
Affiliation Phone:	(818) 728-5200
Affiliation Type Desc:	Operator
Entity Name:	Russell Morton
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(562) 865-6211
Affiliation Type Desc:	UST Tank Owner
Entity Name:	NATIONAL READY MIXED SERVICES
Entity Title:	Not reported
Affiliation Address:	15821 Ventura Blvd. Suite 475
Affiliation City:	Encino
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	91436
Affiliation Phone:	(818) 728-5200
Affiliation Type Desc:	UST Permit Applicant
Entity Name:	Russell H Morton

NATIONAL READY MIXED CONCRETE (Continued) **S106410065**

Entity Title:	Environ / Safety
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(818) 768-0050
Affiliation Type Desc:	CUPA District
Entity Name:	Los Angeles County Fire
Entity Title:	Not reported
Affiliation Address:	5825 Rickenbacker Road
Affiliation City:	Commerce
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90040-3027
Affiliation Phone:	(323) 890-4000
Affiliation Type Desc:	Identification Signer
Entity Name:	Russell H Morton
Entity Title:	Environ / Safety
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	RANI IYER - LOS ANGELES COUNTY
Entity Title:	Not reported
Affiliation Address:	900 S. FREMONT AVE.
Affiliation City:	ALHAMBRA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Owner/Operator
Entity Name:	National Ready Mixed Concrete Company
Entity Title:	Operator
Affiliation Address:	15821 Ventura Blvd Ste 475
Affiliation City:	Encino
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	91436
Affiliation Phone:	Not reported
Affiliation Type Desc:	UST Tank Operator
Entity Name:	NATIONAL READY MIXED SERVICES
Entity Title:	Not reported
Affiliation Address:	15821 Ventura Blvd. Suite 475
Affiliation City:	Encino
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	91436
Affiliation Phone:	(818) 728-5200

A28 **NATIONAL READY MIXED CONCRETE** **SWEEPS UST** **S101617886**
SE **11725 ARTESIA BLVD** **CA FID UST** **N/A**
< 1/8 **ARTESIA, CA 90701** **WDS**
0.018 mi.
95 ft. **Site 21 of 25 in cluster A**

Relative:
Lower

Actual:
63 ft.

SWEEPS UST:

Name:	UNITED READY MIX CONCRETE
Address:	11725 ARTESIA BLVD
City:	ARTESIA
Status:	Active
Comp Number:	3246
Number:	9
Board Of Equalization:	44-007701
Referral Date:	06-30-89
Action Date:	Not reported
Created Date:	06-30-89
Owner Tank Id:	Not reported
SWRCB Tank Id:	19-000-003246-000001
Tank Status:	A
Capacity:	Not reported
Active Date:	06-30-89
Tank Use:	UNKNOWN
STG:	W
Content:	Not reported
Number Of Tanks:	1

CA FID UST:

Facility ID:	19042049
Regulated By:	UTNKA
Regulated ID:	00020474
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	8180000000
Mail To:	Not reported
Mailing Address:	4988 FIRESTONE BLVD
Mailing Address 2:	Not reported
Mailing City,St,Zip:	ARTESIA
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

WDS:

Name:	NATIONAL READY MIXED CONCRETE
Address:	11725 Artesia Blvd
City:	ARTESIA
Facility ID:	4 19I016391
Facility Type:	Industrial - Facility that treats and/or disposes of liquid or semisolid wastes from any servicing, producing, manufacturing or processing operation of whatever nature, including mining, gravel washing, geothermal operations, air conditioning, ship building and repairing, oil production, storage and disposal operations, water pumping.
Facility Status:	Active - Any facility with a continuous or seasonal discharge that is

NATIONAL READY MIXED CONCRETE (Continued) **S101617886**

	under Waste Discharge Requirements.
NPDES Number:	CAS000001 The 1st 2 characters designate the state. The remaining 7 are assigned by the Regional Board
Subregion:	4
Facility Telephone:	5628656211
Facility Contact:	CATLIN PAT
Agency Name:	CONCRETE HOLDING CO CA
Agency Address:	15821 Ventura Blvd Ste 475
Agency City,St,Zip:	Encino 914364778
Agency Contact:	GREEN HORACE L
Agency Telephone:	8187680050
Agency Type:	Private
SIC Code:	0
SIC Code 2:	Not reported
Primary Waste Type:	Not reported
Primary Waste:	Not reported
Waste Type2:	Not reported
Waste2:	Not reported
Primary Waste Type:	Not reported
Secondary Waste:	Not reported
Secondary Waste Type:	Not reported
Design Flow:	0
Baseline Flow:	0
Reclamation:	Not reported
POTW:	Not reported
Treat To Water:	Minor Threat to Water Quality. A violation of a regional board order should cause a relatively minor impairment of beneficial uses compared to a major or minor threat. Not: All nurds without a TTWQ will be considered a minor threat to water quality unless coded at a higher Level. A Zero (0) may be used to code those NURDS that are found to represent no threat to water quality.
Complexity:	Category C - Facilities having no waste treatment systems, such as cooling water dischargers or thosewho must comply through best management practices, facilities with passive waste treatment and disposal systems, such as septic systems with subsurface disposal, or dischargers having waste storage systems with land disposal such as dairy waste ponds.

A29 **NATIONAL READY MIXED CONCRETE CO** **RCRA NonGen / NLR** **1024800005**
SE **11725 E ARTESIA BLVD** **CAL000216188**
< 1/8 **ARTESIA, CA 90701**
0.018 mi.
95 ft. **Site 22 of 25 in cluster A**

Relative: RCRA NonGen / NLR:
Lower

Date Form Received by Agency:	20000119
Handler Name:	NATIONAL READY MIXED CONCRETE CO
Handler Address:	11725 E ARTESIA BLVD
Handler City,State,Zip:	ARTESIA, CA 90701-0000
EPA ID:	CAL000216188
Contact Name:	RUSS MORTON
Contact Address:	9010 NORRIS AVE.
Contact City,State,Zip:	SUN VALLEY, CA 91352
Contact Telephone:	818-768-0050
Contact Fax:	818-768-8306
Contact Email:	RMORTON@NATCEM.COM
Contact Title:	Not reported
EPA Region:	09

Actual:
63 ft.

NATIONAL READY MIXED CONCRETE CO (Continued) **1024800005**

Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	15821 VENTURA BLVD STE 475
Mailing City,State,Zip:	ENCINO, CA 91436-4778
Owner Name:	CONCRETE HOLDING CO OF CA INC
Owner Type:	Other
Operator Name:	RUSS MORTON
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No

NATIONAL READY MIXED CONCRETE CO (Continued) **1024800005**

Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONCRETE HOLDING CO OF CA INC
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	15821 VENTURA BLVD STE 475
Owner/Operator City,State,Zip:	ENCINO, CA 91436-4778
Owner/Operator Telephone:	818-728-5200
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	RUSS MORTON
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	9010 NORRIS AVE.
Owner/Operator City,State,Zip:	SUN VALLEY, CA 91352
Owner/Operator Telephone:	818-768-0050
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20000119
Handler Name:	NATIONAL READY MIXED CONCRETE CO
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	32732
NAICS Description:	READY-MIX CONCRETE MANUFACTURING

NATIONAL READY MIXED CONCRETE CO (Continued) **1024800005**

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

A30 **NATIONAL READY MIXED CONCRETE** **UST** **U004356589**
SE **11725 ARTESIA BLVD** **N/A**
< 1/8 **ARTESIA, CA 90701**
0.018 mi.
95 ft. **Site 23 of 25 in cluster A**

Relative:
Lower

Actual:
63 ft.

UST:
Name: NATIONAL READY MIXED CONCRETE
Address: 11725 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Facility ID: LACoFA0003414
Permitting Agency: Los Angeles County Fire Department
CERSID: 10267279
Latitude: 33.87364
Longitude: -118.08377

A31 **NATIONAL READY MIXED CONCRETE** **LUST** **U001565267**
SE **11725 ARTESIA BLVD.** **HIST UST** **N/A**
< 1/8 **ARTESIA, CA 90701** **Cortese**
0.018 mi. **LOS ANGELES CO. HMS**
95 ft. **Site 24 of 25 in cluster A** **NPDES**

Relative:
Lower

Actual:
63 ft.

LUST:
Name: NATIONAL READY MIXED CONCRETE
Address: 11725 ARTESIA BLVD.
City,State,Zip: ARTESIA, CA 90701
Lead Agency: LOS ANGELES RWQCB (REGION 4)
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603793298
Global Id: T0603793298
Latitude: 33.873639
Longitude: -118.083772
Status: Completed - Case Closed
Status Date: 08/09/2017
Case Worker: NB
RB Case Number: R-37820
Local Agency: LOS ANGELES COUNTY
File Location: Regional Board
Local Case Number: 003134-037820
Potential Media Affect: Soil, Under Investigation
Potential Contaminants of Concern: Diesel, Gasoline
Site History: Not reported

LUST:
Global Id: T0603793298
Contact Type: Local Agency Caseworker
Contact Name: RANI IYER
Organization Name: LOS ANGELES COUNTY
Address: 900 S. FREMONT AVE.

NATIONAL READY MIXED CONCRETE (Continued) **U001565267**

City: ALHAMBRA
Email: riyer@dpw.lacounty.gov
Phone Number: Not reported

Global Id: T0603793298
Contact Type: Regional Board Caseworker
Contact Name: NHAN BAO
Organization Name: LOS ANGELES RWQCB (REGION 4)
Address: 320 WEST 4TH STREET, SUITE 200
City: LOS ANGELES
Email: nbao@waterboards.ca.gov
Phone Number: 2135766703

LUST:
Global Id: T0603793298
Action Type: ENFORCEMENT
Date: 08/09/2017
Action: Closure/No Further Action Letter

Global Id: T0603793298
Action Type: Other
Date: 11/14/2002
Action: Leak Reported

Global Id: T0603793298
Action Type: RESPONSE
Date: 08/17/2009
Action: Other Report / Document

Global Id: T0603793298
Action Type: RESPONSE
Date: 12/22/2008
Action: Other Report / Document

Global Id: T0603793298
Action Type: ENFORCEMENT
Date: 11/04/2015
Action: Health and Safety Code Section 25296.10(c)

Global Id: T0603793298
Action Type: RESPONSE
Date: 01/15/2016
Action: Other Report / Document

Global Id: T0603793298
Action Type: ENFORCEMENT
Date: 09/23/2009
Action: Referral to Regional Board

Global Id: T0603793298
Action Type: ENFORCEMENT
Date: 11/30/2009
Action: Staff Letter

Global Id: T0603793298
Action Type: ENFORCEMENT
Date: 03/06/2017

NATIONAL READY MIXED CONCRETE (Continued) **U001565267**

Action: Notification - Preclosure

Global Id: T0603793298
Action Type: ENFORCEMENT
Date: 05/13/2016
Action: Notice of Violation

Global Id: T0603793298
Action Type: Other
Date: 10/29/2002
Action: Leak Discovery

Global Id: T0603793298
Action Type: REMEDIATION
Date: 11/14/2002
Action: Not reported

LUST:
Global Id: T0603793298
Status: Open - Case Begin Date
Status Date: 10/29/2002

Global Id: T0603793298
Status: Open - Referred
Status Date: 09/28/2009

Global Id: T0603793298
Status: Open - Site Assessment
Status Date: 11/30/2009

Global Id: T0603793298
Status: Open - Eligible for Closure
Status Date: 06/09/2017

Global Id: T0603793298
Status: Completed - Case Closed
Status Date: 08/09/2017

HIST UST:
Name: UNITED READY MIX CONCRETE CO
Address: 11725 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
File Number: 000283F7
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/000283F7.pdf
Region: STATE
Facility ID: 00000020474
Facility Type: Other
Other Type: CONCRETE PLANT
Contact Name: T.S. TEDESCO
Telephone: 2138656211
Owner Name: UNITED CONCRETE COMPANIES
Owner Address: 4988 FIRESTONE BLVD.
Owner City,St,Zip: SOUTH GATE, CA 90280
Total Tanks: 0001

NATIONAL READY MIXED CONCRETE (Continued) **U001565267**

Tank Num:	001
Container Num:	1
Year Installed:	Not reported
Tank Capacity:	00007500
Tank Used for:	PRODUCT
Type of Fuel:	DIESEL
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor

Click here for Geo Tracker PDF:

CORTESE:

Name:	NATIONAL READY MIXED CONCRETE
Address:	11725 ARTESIA BLVD.
City,State,Zip:	ARTESIA, CA 90701
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0603793298
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

LOS ANGELES CO. HMS:

Name:	UNITED READY MIX CONCRETE
Address:	11725 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 907013850
Region:	LA
Permit Category:	T
Facility Id:	003134-003246
Facility Type:	0
Facility Status:	Closed
Area:	1D
Permit Number:	00003417T
Permit Status:	Closed

NPDES:

Name:	NATIONAL READY MIXED CONCRETE
Address:	11725 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Facility Status:	Active
NPDES Number:	CAS000001

NATIONAL READY MIXED CONCRETE (Continued) **U001565267**

Region:	4
Agency Number:	0
Regulatory Measure ID:	191148
Place ID:	Not reported
Order Number:	97-03-DWQ
WDID:	4 19I016391
Regulatory Measure Type:	Enrollee
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	03/02/2001
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	15821 Ventura Blvd Ste 475
Discharge Name:	National Ready Mixed Concrete Company
Discharge City:	Encino
Discharge State:	California
Discharge Zip:	91436
Status:	Not reported
Status Date:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported

NPDES as of 03/2018:

NPDES Number:	CAS000001
Status:	Active
Agency Number:	0
Region:	4
Regulatory Measure ID:	191148
Order Number:	97-03-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	4 19I016391
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	03/02/2001
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	National Ready Mixed Concrete Company
Discharge Address:	15821 Ventura Blvd Ste 475
Discharge City:	Encino
Discharge State:	California
Discharge Zip:	91436
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported

NATIONAL READY MIXED CONCRETE (Continued) **U001565267**

Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	4
Regulatory Measure ID:	191148
Order Number:	Not reported
Regulatory Measure Type:	Industrial
Place ID:	Not reported
WDID:	4 19I016391
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported

NATIONAL READY MIXED CONCRETE (Continued) **U001565267**

Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	05/09/2008
Processed Date:	03/02/2001
Status:	Active
Status Date:	03/02/2001
Place Size:	36177
Place Size Unit:	SqFt
Contact:	Russell H Morton
Contact Title:	Not reported
Contact Phone:	562-865-6211
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	National Ready Mixed Concrete Company
Operator Address:	15821 Ventura Blvd Ste 475
Operator City:	Encino
Operator State:	California
Operator Zip:	91436
Operator Contact:	Dave Ollis
Operator Contact Title:	Not reported
Operator Contact Phone:	818-728-5222
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	dollis@natcem.com
Operator Type:	Private Business
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	California
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	562-865-6211
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	N
Receiving Water Name:	San Gabriel River
Certifier:	Russell Morton

NATIONAL READY MIXED CONCRETE (Continued) **U001565267**

Certifier Title:	Environ Safety
Certification Date:	05-MAR-15
Primary Sic:	3273-Ready-Mixed Concrete
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

Name:	NATIONAL READY MIXED CONCRETE
Address:	11725 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Facility Status:	Not reported
NPDES Number:	Not reported
Region:	Not reported
Agency Number:	Not reported
Regulatory Measure ID:	Not reported
Place ID:	Not reported
Order Number:	Not reported
WDID:	4 19I016391
Regulatory Measure Type:	Industrial
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	Not reported
Discharge Name:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Status:	Active
Status Date:	03/02/2001
Operator Name:	National Ready Mixed Concrete Company
Operator Address:	15821 Ventura Blvd Ste 475
Operator City:	Encino
Operator State:	California
Operator Zip:	91436

NPDES as of 03/2018:

NPDES Number:	CAS000001
Status:	Active
Agency Number:	0
Region:	4
Regulatory Measure ID:	191148
Order Number:	97-03-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	4 19I016391
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	03/02/2001
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	National Ready Mixed Concrete Company
Discharge Address:	15821 Ventura Blvd Ste 475
Discharge City:	Encino
Discharge State:	California
Discharge Zip:	91436
Received Date:	Not reported

NATIONAL READY MIXED CONCRETE (Continued) **U001565267**

Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported

NATIONAL READY MIXED CONCRETE (Continued) **U001565267**

Status:	Not reported
Agency Number:	Not reported
Region:	4
Regulatory Measure ID:	191148
Order Number:	Not reported
Regulatory Measure Type:	Industrial
Place ID:	Not reported
WDID:	4 19I016391
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	05/09/2008
Processed Date:	03/02/2001
Status:	Active
Status Date:	03/02/2001
Place Size:	36177
Place Size Unit:	SqFt
Contact:	Russell H Morton
Contact Title:	Not reported
Contact Phone:	562-865-6211
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	National Ready Mixed Concrete Company
Operator Address:	15821 Ventura Blvd Ste 475
Operator City:	Encino
Operator State:	California
Operator Zip:	91436
Operator Contact:	Dave Ollis
Operator Contact Title:	Not reported
Operator Contact Phone:	818-728-5222
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	dollis@natcem.com
Operator Type:	Private Business
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	California
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	562-865-6211
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commertial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported

NATIONAL READY MIXED CONCRETE (Continued) **U001565267**

Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	N
Receiving Water Name:	San Gabriel River
Certifier:	Russell Morton
Certifier Title:	Environ Safety
Certification Date:	05-MAR-15
Primary Sic:	3273-Ready-Mixed Concrete
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

A32 **UNITED READY MIXED CONCRETE** **UST** **U004346908**
SE **11725 ARTESIA BLVD** **N/A**
< 1/8 **ARTESIA, CA 90701**
0.018 mi.
95 ft. **Site 25 of 25 in cluster A**

Relative: UST:
Lower

Name:	UNITED READY MIXED CONCRETE
Address:	11725 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Facility ID:	3246
Permitting Agency:	LOS ANGELES COUNTY
CERSID:	Not reported
Latitude:	33.874988
Longitude:	-118.082423

Actual:
63 ft.

C33 **JOHN WYNEGA** **SWEEPS UST** **S106927942**
SW **11645 ARTESIA BLVD** **N/A**
< 1/8 **ARTESIA, CA**
0.028 mi.
148 ft. **Site 1 of 5 in cluster C**

Relative: SWEEPS UST:
Lower

Name:	JOHN WYNEGA
Address:	11645 ARTESIA BLVD
City:	ARTESIA
Status:	Active
Comp Number:	13199
Number:	9
Board Of Equalization:	Not reported
Referral Date:	06-30-89
Action Date:	Not reported
Created Date:	06-30-89
Owner Tank Id:	Not reported
SWRCB Tank Id:	Not reported
Tank Status:	Not reported
Capacity:	Not reported

Actual:
62 ft.

JOHN WYNEGA (Continued) **S106927942**

Active Date: Not reported
Tank Use: Not reported
STG: Not reported
Content: Not reported
Number Of Tanks: Not reported

D34 **CAL PLATE** **RCRA-SQG** **1000686351**
NW **17110 JERSEY AVE** **CERS HAZ WASTE** **CAD983636242**
< 1/8 **ARTESIA, CA 90701** **FINDS**
0.038 mi. **ECHO**
198 ft. **Site 1 of 5 in cluster D** **HAZNET**
LOS ANGELES CO. HMS
Relative: Lower **NPDES**
CERS
Actual: 63 ft. **HWTS**

RCRA-SQG:

Date Form Received by Agency:		19920410
Handler Name:	CAL PLATE	
Handler Address:		17110 JERSEY AVE
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAD983636242
Contact Name:		RICHARD HEIBERG
Contact Address:		PO BOX 2093
Contact City,State,Zip:		ARTESIA, CA 90702-2093
Contact Telephone:		310-403-3000
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		17110 JERSEY AVE
Mailing City,State,Zip:		ARTESIA, CA 90701
Owner Name:		THOMAS R KORZENECKI
Owner Type:		Private
Operator Name:		Not reported
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported

CAL PLATE (Continued) **1000686351**

Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20020627
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	THOMAS R KORZENECKI
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	895 S GRAND
Owner/Operator City,State,Zip:	PASADENA, CA 91155
Owner/Operator Telephone:	818-441-2169
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

CAL PLATE (Continued) **1000686351**

Historic Generators:
Receive Date: 19920410
Handler Name: CAL PLATE
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 332212
NAICS Description: HAND AND EDGE TOOL MANUFACTURING

NAICS Code: 333293
NAICS Description: PRINTING MACHINERY AND EQUIPMENT MANUFACTURING

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

CERS HAZ WASTE:
Name: CAL PLATE INC
Address: 17110 JERSEY AVE
City,State,Zip: ARTESIA, CA 90701
Site ID: 101471
CERS ID: 10289191
CERS Description: Hazardous Waste Generator

FINDS:
Registry ID: 110002876255

Click Here:

Environmental Interest/Information System:
NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

CAL PLATE (Continued) **1000686351**

program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000686351
Registry ID:	110002876255
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002876255
Name:	CAL PLATE
Address:	17110 JERSEY AVE
City,State,Zip:	ARTESIA, CA 90701

HAZNET:

Name:	CAL PLATE
Address:	17110 JERSEY AVE
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907010000
Contact:	CINDY PHILLIPS
Telephone:	5624033000
Mailing Name:	Not reported
Mailing Address:	17110 JERSEY AVENUE
Year:	2019
Gepaid:	CAD983636242
TSD EPA ID:	AZR000520304
CA Waste Code:	223 - Unspecified oil-containing waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.91740
Year:	2019
Gepaid:	CAD983636242
TSD EPA ID:	AZR000520304
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	30.93750
Year:	2019
Gepaid:	CAD983636242
TSD EPA ID:	AZR000520304
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	-
Tons:	4.40000
Year:	2018

CAL PLATE (Continued) **1000686351**

Gepaid:	CAD983636242
TSD EPA ID:	AZR000501510
CA Waste Code:	223 - Unspecified oil-containing waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.91740
Year:	2018
Gepaid:	CAD983636242
TSD EPA ID:	AZR000520304
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	33.25000
Year:	2018
Gepaid:	CAD983636242
TSD EPA ID:	AZR000501510
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	4.00000
Year:	2017
Gepaid:	CAD983636242
TSD EPA ID:	AZR000501510
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	11.6
Year:	2016
Gepaid:	CAD983636242
TSD EPA ID:	AZR000501510
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	9.17
Year:	2016
Gepaid:	CAD983636242
TSD EPA ID:	AZR000501510
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	-
Tons:	8
Year:	2016
Gepaid:	CAD983636242
TSD EPA ID:	AZR000501510
CA Waste Code:	223 - Unspecified oil-containing waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.9174

Click this hyperlink while viewing on your computer to access
57 additional CA HAZNET: record(s) in the EDR Site Report.

CAL PLATE (Continued) **1000686351**

Additional Info:

Year:	1998
Gen EPA ID:	CAD983636242
Shipment Date:	19981111
Creation Date:	1/13/1999 0:00:00
Receipt Date:	19981119
Manifest ID:	98540068
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19981111
Creation Date:	1/13/1999 0:00:00
Receipt Date:	19981119
Manifest ID:	98540068
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.002
Waste Quantity:	4
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19980715
Creation Date:	9/15/1998 0:00:00
Receipt Date:	19980721
Manifest ID:	97375407
Trans EPA ID:	CAD131838849

CAL PLATE (Continued) **1000686351**

Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0015
Waste Quantity:	3
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19980715
Creation Date:	9/15/1998 0:00:00
Receipt Date:	19980721
Manifest ID:	97375407
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19980127
Creation Date:	4/16/1998 0:00:00
Receipt Date:	19980205
Manifest ID:	96809396
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011

CAL PLATE (Continued) **1000686351**

Meth Code:	R01 - Recycler
Quantity Tons:	0.0015
Waste Quantity:	3
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19980127
Creation Date:	4/16/1998 0:00:00
Receipt Date:	19980205
Manifest ID:	96809396
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2012
Gen EPA ID:	CAD983636242
Shipment Date:	20121227
Creation Date:	4/10/2014 13:17:03
Receipt Date:	20130102
Manifest ID:	005624155FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	5.625
Waste Quantity:	11250
Quantity Unit:	P

CAL PLATE (Continued) **1000686351**

Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20121108
Creation Date:	4/8/2013 15:43:32
Receipt Date:	20121114
Manifest ID:	006115420FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	2.4
Waste Quantity:	4800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20121108
Creation Date:	4/8/2013 15:43:32
Receipt Date:	20121114
Manifest ID:	006115420FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.075
Waste Quantity:	150
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120918

CAL PLATE (Continued) **1000686351**

Creation Date:	4/10/2014 13:29:20
Receipt Date:	20120920
Manifest ID:	006117633FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.6
Waste Quantity:	7200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20120918
Creation Date:	4/10/2014 13:29:20
Receipt Date:	20120920
Manifest ID:	006117633FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.125
Waste Quantity:	250
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20120801
Creation Date:	4/8/2013 15:42:53
Receipt Date:	20120809
Manifest ID:	005589526FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported

CAL PLATE (Continued) **1000686351**

TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	4.725
Waste Quantity:	9450
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120529
Creation Date:	4/10/2014 13:56:49
Receipt Date:	20120606
Manifest ID:	005304698FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.045
Waste Quantity:	90
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120529
Creation Date:	4/10/2014 13:56:49
Receipt Date:	20120606
Manifest ID:	005304698FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No

CAL PLATE (Continued) **1000686351**

	Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	4.05
Waste Quantity:	8100
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120410
Creation Date:	4/8/2013 15:42:10
Receipt Date:	20120419
Manifest ID:	005291112FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	223 - Unspecified oil-containing waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.22935
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120410
Creation Date:	4/8/2013 15:42:10
Receipt Date:	20120419
Manifest ID:	005291112FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.135
Waste Quantity:	270
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported

CAL PLATE (Continued) **1000686351**

Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2015
Gen EPA ID:	CAD983636242
Shipment Date:	20151130
Creation Date:	7/14/2016 18:31:06
Receipt Date:	20151202
Manifest ID:	009004064FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.4
Waste Quantity:	6800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20151106
Creation Date:	5/23/2016 18:30:23
Receipt Date:	20151116
Manifest ID:	009091634FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3
Waste Quantity:	6000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CAL PLATE (Continued) **1000686351**

Shipment Date:	20150904
Creation Date:	2/5/2016 22:15:23
Receipt Date:	20150914
Manifest ID:	008738754FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.4
Waste Quantity:	6800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20150806
Creation Date:	1/20/2016 22:15:31
Receipt Date:	20150813
Manifest ID:	008738478FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	4.2
Waste Quantity:	8400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20150701
Creation Date:	2/8/2016 22:17:34
Receipt Date:	20150711
Manifest ID:	008789675FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported

CAL PLATE (Continued) **1000686351**

Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	5
Waste Quantity:	10000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150519
Creation Date:	11/5/2015 22:15:08
Receipt Date:	20150521
Manifest ID:	008399843FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	4.4
Waste Quantity:	8800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150416
Creation Date:	9/11/2015 22:15:30
Receipt Date:	20150426
Manifest ID:	008399565FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported

CAL PLATE (Continued) **1000686351**

Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	5.6
Waste Quantity:	11200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2017
Gen EPA ID:	CAD983636242
Shipment Date:	20171220
Creation Date:	10/16/2018 18:31:31
Receipt Date:	20171228
Manifest ID:	011197905FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	4.2
Waste Quantity:	8400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20171115
Creation Date:	7/20/2018 18:30:15
Receipt Date:	20171116
Manifest ID:	009887732FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	4.2

CAL PLATE (Continued) **1000686351**

Waste Quantity:	8400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20171005
Creation Date:	7/10/2018 18:30:28
Receipt Date:	20171012
Manifest ID:	011090207FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.8
Waste Quantity:	7600
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20170831
Creation Date:	8/2/2018 18:30:37
Receipt Date:	20170908
Manifest ID:	011089974FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.6
Waste Quantity:	7200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CAL PLATE (Continued) **1000686351**

Additional Info:

Year:	2009
Gen EPA ID:	CAD983636242
Shipment Date:	20091021
Creation Date:	12/30/2010 10:14:21
Receipt Date:	20091026
Manifest ID:	002951749FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.032
Waste Quantity:	64
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20091021
Creation Date:	12/30/2010 10:14:21
Receipt Date:	20091026
Manifest ID:	002951749FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	2.4
Waste Quantity:	4800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090824
Creation Date:	12/30/2010 10:13:52
Receipt Date:	20090827

CAL PLATE (Continued) **1000686351**

Manifest ID:	003008745FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.6
Waste Quantity:	7200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090824
Creation Date:	12/30/2010 10:13:52
Receipt Date:	20090827
Manifest ID:	003008745FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.05
Waste Quantity:	100
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090625
Creation Date:	12/30/2010 10:13:05
Receipt Date:	20090701
Manifest ID:	002560274FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC

CAL PLATE (Continued) **1000686351**

TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	2.6
Waste Quantity:	5200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090625
Creation Date:	12/30/2010 10:13:05
Receipt Date:	20090701
Manifest ID:	002560274FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.8
Waste Quantity:	1600
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090506
Creation Date:	12/31/2010 8:51:59
Receipt Date:	20090513
Manifest ID:	002199961FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.1

CAL PLATE (Continued) **1000686351**

Waste Quantity:	200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090506
Creation Date:	12/31/2010 8:51:59
Receipt Date:	20090513
Manifest ID:	002199961FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	2.2
Waste Quantity:	4400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090109
Creation Date:	12/31/2010 8:51:37
Receipt Date:	20090119
Manifest ID:	002213370FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.2
Waste Quantity:	6400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CAL PLATE (Continued) **1000686351**

Shipment Date:	20090109
Creation Date:	12/31/2010 8:51:37
Receipt Date:	20090119
Manifest ID:	002213370FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.0175
Waste Quantity:	35
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2013
Gen EPA ID:	CAD983636242
Shipment Date:	20131210
Creation Date:	2/9/2015 10:11:15
Receipt Date:	20131219
Manifest ID:	006154801FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	6.3
Waste Quantity:	12600
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20131101
Creation Date:	4/9/2014 14:42:47
Receipt Date:	20131106

CAL PLATE (Continued) **1000686351**

Manifest ID:	006117897FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	4.05
Waste Quantity:	8100
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20131011
Creation Date:	4/9/2014 14:52:28
Receipt Date:	20131015
Manifest ID:	005587276FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	4.05
Waste Quantity:	8100
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130911
Creation Date:	4/9/2014 15:10:33
Receipt Date:	20130917
Manifest ID:	005586970FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC

CAL PLATE (Continued) **1000686351**

TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	4.05
Waste Quantity:	8100
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130812
Creation Date:	4/9/2014 15:27:31
Receipt Date:	20130814
Manifest ID:	006156093FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.5775
Waste Quantity:	1155
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130715
Creation Date:	4/9/2014 15:46:01
Receipt Date:	20130718
Manifest ID:	006561983FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	4.8

CAL PLATE (Continued) **1000686351**

Waste Quantity:	9600
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130715
Creation Date:	4/9/2014 15:46:01
Receipt Date:	20130718
Manifest ID:	006561983FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0125
Waste Quantity:	25
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130617
Creation Date:	4/9/2014 15:57:22
Receipt Date:	20130624
Manifest ID:	006561750FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	2.4
Waste Quantity:	4800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CAL PLATE (Continued) **1000686351**

Shipment Date:	20130503
Creation Date:	4/10/2014 10:28:52
Receipt Date:	20130507
Manifest ID:	006521839FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	4.725
Waste Quantity:	9450
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20130503
Creation Date:	4/10/2014 10:28:52
Receipt Date:	20130507
Manifest ID:	006521839FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.1
Waste Quantity:	200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1995
Gen EPA ID:	CAD983636242

Shipment Date:	19951213
Creation Date:	7/29/1996 0:00:00
Receipt Date:	19951213

CAL PLATE (Continued) **1000686351**

Manifest ID:	95868504
Trans EPA ID:	CAD008364432
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.25
Waste Quantity:	500
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19951005
Creation Date:	7/26/1996 0:00:00
Receipt Date:	19951009
Manifest ID:	95692099
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19951005
Creation Date:	7/26/1996 0:00:00
Receipt Date:	19951009
Manifest ID:	95692099
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported

CAL PLATE (Continued) **1000686351**

Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0045
Waste Quantity:	9
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19950720
Creation Date:	4/2/1996 0:00:00
Receipt Date:	19950720
Manifest ID:	95415386
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613976
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613976
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0075
Waste Quantity:	15
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19950501
Creation Date:	10/24/1995 0:00:00
Receipt Date:	19950501
Manifest ID:	95175354
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613976
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613976
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.004
Waste Quantity:	8
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported

CAL PLATE (Continued) **1000686351**

Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19950501
Creation Date:	10/24/1995 0:00:00
Receipt Date:	19950501
Manifest ID:	95175354
Trans EPA ID:	ILD984908202
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613976
Trans Name:	Not reported
TSDF Alt EPA ID:	CAT000613976
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19950123
Creation Date:	3/28/1996 0:00:00
Receipt Date:	19950130
Manifest ID:	95169447
Trans EPA ID:	CAD982524613
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982524613
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19950123
Creation Date:	3/28/1996 0:00:00
Receipt Date:	19950130
Manifest ID:	95169447
Trans EPA ID:	CAD982524613
Trans Name:	Not reported

CAL PLATE (Continued) **1000686351**

Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982524613
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.002
Waste Quantity:	4
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2001
Gen EPA ID:	CAD983636242
Shipment Date:	20011217
Creation Date:	2/20/2002 0:00:00
Receipt Date:	20011217
Manifest ID:	20609995
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	2
Waste Quantity:	4000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20010807
Creation Date:	10/23/2001 0:00:00
Receipt Date:	20010807
Manifest ID:	20417564
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported

CAL PLATE (Continued) **1000686351**

TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	1.5
Waste Quantity:	3000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2003
Gen EPA ID:	CAD983636242
Shipment Date:	20031029
Creation Date:	8/5/2004 10:14:17
Receipt Date:	20031029
Manifest ID:	21954809
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.1375
Waste Quantity:	275
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20031029
Creation Date:	8/5/2004 10:14:17
Receipt Date:	20031029
Manifest ID:	21954809
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	4

CAL PLATE (Continued) **1000686351**

Waste Quantity:	8000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20030710
Creation Date:	7/23/2004 13:23:15
Receipt Date:	20030710
Manifest ID:	22013517
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.06
Waste Quantity:	120
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20030710
Creation Date:	7/23/2004 13:23:15
Receipt Date:	20030710
Manifest ID:	22013517
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	2.7
Waste Quantity:	5400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20030429

CAL PLATE (Continued) **1000686351**

Creation Date:	6/23/2004 9:59:25
Receipt Date:	20030429
Manifest ID:	21952620
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	2.4
Waste Quantity:	4800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20030324
Creation Date:	5/9/2007 18:30:21
Receipt Date:	20030324
Manifest ID:	21955745
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	3.179
Waste Quantity:	935
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20030207
Creation Date:	5/19/2003 18:32:02
Receipt Date:	20030207
Manifest ID:	21950442
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported

CAL PLATE (Continued) **1000686351**

TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.01
Waste Quantity:	20
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20030207
Creation Date:	5/19/2003 18:32:02
Receipt Date:	20030207
Manifest ID:	21950442
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.034
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20030207
Creation Date:	5/19/2003 18:32:02
Receipt Date:	20030207
Manifest ID:	21950442
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.108
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported

CAL PLATE (Continued) **1000686351**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20030207
Creation Date:	5/19/2003 18:32:02
Receipt Date:	20030207
Manifest ID:	21950442
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.05
Waste Quantity:	100
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2004
Gen EPA ID:	CAD983636242
Shipment Date:	20041105
Creation Date:	1/20/2005 18:30:36
Receipt Date:	20041105
Manifest ID:	21955502
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	3.5
Waste Quantity:	7000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CAL PLATE (Continued) **1000686351**

Shipment Date:	20041105
Creation Date:	1/20/2005 18:30:36
Receipt Date:	20041105
Manifest ID:	21955502
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.125
Waste Quantity:	250
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20040816
Creation Date:	12/28/2004 14:46:39
Receipt Date:	20040816
Manifest ID:	22891841
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.0075
Waste Quantity:	15
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20040816
Creation Date:	12/28/2004 14:46:39
Receipt Date:	20040816
Manifest ID:	22891841
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405

CAL PLATE (Continued) **1000686351**

Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.18
Waste Quantity:	360
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20040816
Creation Date:	12/28/2004 14:46:39
Receipt Date:	20040816
Manifest ID:	22891841
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.187
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20040816
Creation Date:	12/28/2004 14:46:39
Receipt Date:	20040816
Manifest ID:	22891841
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	3.2
Waste Quantity:	6400
Quantity Unit:	P

CAL PLATE (Continued) **1000686351**

Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040528
Creation Date:	10/15/2004 15:16:06
Receipt Date:	20040528
Manifest ID:	21956232
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	29.92
Waste Quantity:	8800
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040211
Creation Date:	9/10/2004 9:51:11
Receipt Date:	20040211
Manifest ID:	21955040
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.1
Waste Quantity:	200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040211
Creation Date:	9/10/2004 9:51:11
Receipt Date:	20040211

CAL PLATE (Continued) **1000686351**

Manifest ID:	21955040
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	5
Waste Quantity:	10000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2007
Gen EPA ID:	CAD983636242
Shipment Date:	20071119
Creation Date:	4/22/2008 18:30:17
Receipt Date:	20071119
Manifest ID:	000573555JJK
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	2.8
Waste Quantity:	5600
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20071119
Creation Date:	4/22/2008 18:30:17
Receipt Date:	20071119
Manifest ID:	000573555JJK
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported

CAL PLATE (Continued) **1000686351**

Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.075
Waste Quantity:	150
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20071003
Creation Date:	3/18/2008 18:30:19
Receipt Date:	20071003
Manifest ID:	000574386JJK
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	2.244
Waste Quantity:	660
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20071003
Creation Date:	3/18/2008 18:30:19
Receipt Date:	20071003
Manifest ID:	000574386JJK
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported

CAL PLATE (Continued) **1000686351**

Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.05
Waste Quantity:	100
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20070814
Creation Date:	3/4/2008 18:30:48
Receipt Date:	20070814
Manifest ID:	000574198JJK
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0875
Waste Quantity:	175
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20070814
Creation Date:	3/4/2008 18:30:48
Receipt Date:	20070814
Manifest ID:	000574198JJK
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3
Waste Quantity:	6000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported

CAL PLATE (Continued) **1000686351**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20070629
Creation Date:	2/4/2008 18:30:39
Receipt Date:	20070629
Manifest ID:	000574078JJK
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	2.2
Waste Quantity:	4400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20070525
Creation Date:	12/20/2007 18:30:41
Receipt Date:	20070525
Manifest ID:	000575989JJK
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	2.7
Waste Quantity:	5400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20070525
Creation Date:	12/20/2007 18:30:41
Receipt Date:	20070525

CAL PLATE (Continued) **1000686351**

Manifest ID:	000575989JJK
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20070503
Creation Date:	12/20/2007 18:30:14
Receipt Date:	20070503
Manifest ID:	000575884JJK
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.85
Waste Quantity:	7700
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2006
Gen EPA ID:	CAD983636242

Shipment Date:	20061214
Creation Date:	9/24/2007 18:30:06
Receipt Date:	20061214
Manifest ID:	000577952JJK
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER

CAL PLATE (Continued) **1000686351**

Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.1
Waste Quantity:	200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20061214
Creation Date:	9/24/2007 18:30:06
Receipt Date:	20061214
Manifest ID:	000577952JJK
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	2
Waste Quantity:	4000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20061031
Creation Date:	6/29/2007 18:30:27
Receipt Date:	20061031
Manifest ID:	000577794JJK
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more

CAL PLATE (Continued) **1000686351**

RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.175
Waste Quantity:	350
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20061031
Creation Date:	6/29/2007 18:30:27
Receipt Date:	20061031
Manifest ID:	000577794JJK
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.375
Waste Quantity:	6750
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20060907
Creation Date:	3/30/2007 13:31:35
Receipt Date:	20060907
Manifest ID:	000577560JJK
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H040 - Incineration--Thermal Destruction Other Than Use As A Fuel
Quantity Tons:	0.1225
Waste Quantity:	245
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported

CAL PLATE (Continued) **1000686351**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20060907
Creation Date:	3/30/2007 13:31:35
Receipt Date:	20060907
Manifest ID:	000577560JJK
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H040 - Incineration--Thermal Destruction Other Than Use As A Fuel
Quantity Tons:	2.6
Waste Quantity:	5200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20060804
Creation Date:	9/27/2006 18:34:58
Receipt Date:	20060804
Manifest ID:	22945343
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	2.244
Waste Quantity:	660
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20060804
Creation Date:	9/27/2006 18:34:58
Receipt Date:	20060804
Manifest ID:	22945343
Trans EPA ID:	CAD008252405

CAL PLATE (Continued) **1000686351**

Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.1
Waste Quantity:	200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20060620
Creation Date:	9/8/2006 18:31:20
Receipt Date:	20060620
Manifest ID:	22946292
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.15
Waste Quantity:	300
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20060620
Creation Date:	9/8/2006 18:31:20
Receipt Date:	20060620
Manifest ID:	22946292
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported

CAL PLATE (Continued) **1000686351**

Meth Code:	H01 - Transfer Station
Quantity Tons:	3
Waste Quantity:	6000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2010
Gen EPA ID:	CAD983636242
Shipment Date:	20101104
Creation Date:	2/10/2012 9:17:13
Receipt Date:	20101110
Manifest ID:	003924831FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.09
Waste Quantity:	180
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101104
Creation Date:	2/10/2012 9:17:13
Receipt Date:	20101110
Manifest ID:	003924831FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.65
Waste Quantity:	7300

CAL PLATE (Continued) **1000686351**

Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101004
Creation Date:	2/10/2012 9:16:45
Receipt Date:	20101006
Manifest ID:	003924505FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	2.5875
Waste Quantity:	5175
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101004
Creation Date:	2/10/2012 9:16:45
Receipt Date:	20101006
Manifest ID:	003924505FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.13
Waste Quantity:	260
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CAL PLATE (Continued) **1000686351**

Shipment Date:	20100726
Creation Date:	2/10/2012 9:31:02
Receipt Date:	20100728
Manifest ID:	007697627JJK
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	2.2
Waste Quantity:	4400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20100726
Creation Date:	2/10/2012 9:31:02
Receipt Date:	20100728
Manifest ID:	007697627JJK
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.075
Waste Quantity:	150
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20100726
Creation Date:	2/10/2012 9:31:02
Receipt Date:	20100728
Manifest ID:	007697627JJK
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported

CAL PLATE (Continued) **1000686351**

Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.04
Waste Quantity:	80
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20100702
Creation Date:	2/10/2012 9:30:24
Receipt Date:	20100709
Manifest ID:	007697513JJK
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.06
Waste Quantity:	120
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20100702
Creation Date:	2/10/2012 9:30:24
Receipt Date:	20100709
Manifest ID:	007697513JJK
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported

CAL PLATE (Continued) **1000686351**

Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons: 3
Waste Quantity: 6000
Quantity Unit: P
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Shipment Date: 20100521
Creation Date: 12/30/2010 10:44:16
Receipt Date: 20100525
Manifest ID: 003446262FLE
Trans EPA ID: CAD980585293
Trans Name: INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: AZR000501510
Trans Name: AA SYDCOL LLC
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 512 - Other empty containers 30 gallons or more
RCRA Code: Not reported
Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons: 0.12
Waste Quantity: 240
Quantity Unit: P
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Additional Info:
Year: 2000
Gen EPA ID: CAD983636242

Shipment Date: 20001024
Creation Date: 1/9/2001 0:00:00
Receipt Date: 20001024
Manifest ID: 99498379
Trans EPA ID: CAD008252405
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD008252405
Trans Name: Not reported
TSDF Alt EPA ID: CAD008252405
TSDF Alt Name: Not reported
Waste Code Description: 343 - Unspecified organic liquid mixture
RCRA Code: Not reported
Meth Code: H01 - Transfer Station
Quantity Tons: 1.25
Waste Quantity: 2500

CAL PLATE (Continued) **1000686351**

Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20000711
Creation Date:	9/11/2000 0:00:00
Receipt Date:	20000711
Manifest ID:	98725236
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.6
Waste Quantity:	1200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20000223
Creation Date:	5/3/2000 0:00:00
Receipt Date:	20000223
Manifest ID:	98728271
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	1.75
Waste Quantity:	3500
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20000223
Creation Date:	5/3/2000 0:00:00

CAL PLATE (Continued) **1000686351**

Receipt Date:	20000223
Manifest ID:	98728271
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.175
Waste Quantity:	350
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1996
Gen EPA ID:	CAD983636242
Shipment Date:	19961002
Creation Date:	5/20/1997 0:00:00
Receipt Date:	19961007
Manifest ID:	96385210
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19961002
Creation Date:	5/20/1997 0:00:00
Receipt Date:	19961007
Manifest ID:	96385210
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575

CAL PLATE (Continued) **1000686351**

Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19960806
Creation Date:	5/20/1997 0:00:00
Receipt Date:	19960812
Manifest ID:	95733022
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.002
Waste Quantity:	4
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19960806
Creation Date:	5/20/1997 0:00:00
Receipt Date:	19960812
Manifest ID:	95733022
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417

CAL PLATE (Continued) **1000686351**

Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19960426
Creation Date:	10/4/1996 0:00:00
Receipt Date:	19960429
Manifest ID:	96209773
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19960426
Creation Date:	10/4/1996 0:00:00
Receipt Date:	19960429
Manifest ID:	96209773
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.002
Waste Quantity:	4
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19960108

CAL PLATE (Continued) **1000686351**

Creation Date:	10/9/1996 0:00:00
Receipt Date:	19960115
Manifest ID:	95692373
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19960108
Creation Date:	10/9/1996 0:00:00
Receipt Date:	19960115
Manifest ID:	95692373
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0015
Waste Quantity:	3
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1994
Gen EPA ID:	CAD983636242

Shipment Date:	19941011
Creation Date:	3/26/1996 0:00:00
Receipt Date:	19941013
Manifest ID:	93585930
Trans EPA ID:	CAD982524613
Trans Name:	Not reported

CAL PLATE (Continued) **1000686351**

Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982524613
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19941011
Creation Date:	3/26/1996 0:00:00
Receipt Date:	19941013
Manifest ID:	93585930
Trans EPA ID:	CAD982524613
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982524613
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19940711
Creation Date:	3/26/1996 0:00:00
Receipt Date:	19940713
Manifest ID:	93181831
Trans EPA ID:	CAD982524613
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982524613
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler

CAL PLATE (Continued) **1000686351**

Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19940711
Creation Date:	3/26/1996 0:00:00
Receipt Date:	19940713
Manifest ID:	93181831
Trans EPA ID:	CAD982524613
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982524613
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19940425
Creation Date:	3/25/1996 0:00:00
Receipt Date:	19940428
Manifest ID:	93181672
Trans EPA ID:	CAD982524613
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982524613
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CAL PLATE (Continued) **1000686351**

Shipment Date:	19940421
Creation Date:	3/25/1996 0:00:00
Receipt Date:	19940425
Manifest ID:	93182316
Trans EPA ID:	CAD982524613
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982524613
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1993
Gen EPA ID:	CAD983636242

Shipment Date:	19931025
Creation Date:	9/13/1995 0:00:00
Receipt Date:	19931028
Manifest ID:	93178995
Trans EPA ID:	CAD982524613
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982524613
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19931025
Creation Date:	9/13/1995 0:00:00
Receipt Date:	19931028
Manifest ID:	93178995
Trans EPA ID:	CAD982524613

CAL PLATE (Continued) **1000686351**

Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982524613
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19930805
Creation Date:	9/11/1995 0:00:00
Receipt Date:	19930810
Manifest ID:	93179243
Trans EPA ID:	CAD982524613
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982524613
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.006
Waste Quantity:	12
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19930805
Creation Date:	9/11/1995 0:00:00
Receipt Date:	19930810
Manifest ID:	93179243
Trans EPA ID:	CAD982524613
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982524613
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011

CAL PLATE (Continued) **1000686351**

Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19930505
Creation Date:	9/14/1995 0:00:00
Receipt Date:	Not reported
Manifest ID:	92749878
Trans EPA ID:	CAD982524613
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982524613
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0085
Waste Quantity:	17
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19930505
Creation Date:	9/14/1995 0:00:00
Receipt Date:	Not reported
Manifest ID:	92749878
Trans EPA ID:	CAD982524613
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982524613
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CAL PLATE (Continued) **1000686351**

Shipment Date:	19930121
Creation Date:	9/6/1995 0:00:00
Receipt Date:	19930122
Manifest ID:	92419614
Trans EPA ID:	CAD982524613
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982524613
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2014
Gen EPA ID:	CAD983636242
Shipment Date:	20140716
Creation Date:	2/9/2015 10:12:59
Receipt Date:	20140721
Manifest ID:	007780955FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	4
Waste Quantity:	8000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140604
Creation Date:	2/9/2015 10:12:41
Receipt Date:	20140609
Manifest ID:	007763603FLE

CAL PLATE (Continued) **1000686351**

Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	2.8
Waste Quantity:	5600
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140502
Creation Date:	12/2/2014 11:24:21
Receipt Date:	20140506
Manifest ID:	007763348FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.2
Waste Quantity:	6400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140402
Creation Date:	2/9/2015 10:12:20
Receipt Date:	20140407
Manifest ID:	007484956FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported

CAL PLATE (Continued) **1000686351**

TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.6
Waste Quantity:	7200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140226
Creation Date:	2/9/2015 10:11:53
Receipt Date:	20140303
Manifest ID:	007484676FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	2.7
Waste Quantity:	5400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140124
Creation Date:	2/9/2015 10:11:35
Receipt Date:	20140203
Manifest ID:	007472441FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	5.4
Waste Quantity:	10800

CAL PLATE (Continued) **1000686351**

Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2011
Gen EPA ID:	CAD983636242
Shipment Date:	20111202
Creation Date:	7/31/2012 12:48:17
Receipt Date:	20111206
Manifest ID:	004855658FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.1575
Waste Quantity:	315
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111202
Creation Date:	7/31/2012 12:48:17
Receipt Date:	20111206
Manifest ID:	004855658FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	5.4
Waste Quantity:	10800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported

CAL PLATE (Continued) **1000686351**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20110928
Creation Date:	4/25/2012 14:05:38
Receipt Date:	20111006
Manifest ID:	004935834FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	4.2
Waste Quantity:	8400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20110928
Creation Date:	4/25/2012 14:05:38
Receipt Date:	20111006
Manifest ID:	004935834FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.1
Waste Quantity:	200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20110928
Creation Date:	4/25/2012 14:05:38
Receipt Date:	20111006

CAL PLATE (Continued) **1000686351**

Manifest ID:	004935834FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.05
Waste Quantity:	100
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20110810
Creation Date:	2/10/2012 9:16:16
Receipt Date:	20110818
Manifest ID:	004935362FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	1.65
Waste Quantity:	3300
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20110718
Creation Date:	2/10/2012 9:14:56
Receipt Date:	20110726
Manifest ID:	004461550FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC

CAL PLATE (Continued) **1000686351**

TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.2425
Waste Quantity:	485
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20110718
Creation Date:	2/10/2012 9:14:56
Receipt Date:	20110726
Manifest ID:	004461550FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3
Waste Quantity:	6000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20110526
Creation Date:	2/10/2012 9:15:45
Receipt Date:	20110602
Manifest ID:	007697877JJK
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.8

CAL PLATE (Continued) **1000686351**

Waste Quantity:	7600
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20110526
Creation Date:	2/10/2012 9:14:30
Receipt Date:	20110601
Manifest ID:	004461262FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.05
Waste Quantity:	100
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1997
Gen EPA ID:	CAD983636242
Shipment Date:	19971010
Creation Date:	7/23/1998 0:00:00
Receipt Date:	19971013
Manifest ID:	96809529
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0015
Waste Quantity:	3
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported

CAL PLATE (Continued) **1000686351**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19971010
Creation Date:	7/23/1998 0:00:00
Receipt Date:	19971013
Manifest ID:	96809529
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19970703
Creation Date:	12/4/1997 0:00:00
Receipt Date:	19970708
Manifest ID:	96809225
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0015
Waste Quantity:	3
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19970703
Creation Date:	12/4/1997 0:00:00
Receipt Date:	19970708
Manifest ID:	96809225
Trans EPA ID:	CAD131838849

CAL PLATE (Continued) **1000686351**

Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19970411
Creation Date:	6/26/1997 0:00:00
Receipt Date:	19970415
Manifest ID:	96811763
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19970411
Creation Date:	6/26/1997 0:00:00
Receipt Date:	19970415
Manifest ID:	96811763
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011

CAL PLATE (Continued) **1000686351**

Meth Code:	R01 - Recycler
Quantity Tons:	0.0015
Waste Quantity:	3
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19970108
Creation Date:	5/20/1997 0:00:00
Receipt Date:	19970113
Manifest ID:	96385501
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0417
Waste Quantity:	10
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19970108
Creation Date:	5/20/1997 0:00:00
Receipt Date:	19970113
Manifest ID:	96385501
Trans EPA ID:	CAD131838849
Trans Name:	Not reported
Trans 2 EPA ID:	CAD982433575
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981402522
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D011
Meth Code:	R01 - Recycler
Quantity Tons:	0.0015
Waste Quantity:	3
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CAL PLATE (Continued) **1000686351**

Additional Info:

Year:	2002
Gen EPA ID:	CAD983636242
Shipment Date:	20021122
Creation Date:	3/27/2003 18:31:27
Receipt Date:	20021122
Manifest ID:	21643473
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	3
Waste Quantity:	6000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20020912
Creation Date:	1/28/2003 18:31:46
Receipt Date:	20020912
Manifest ID:	21643367
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	3.74
Waste Quantity:	1100
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20020520
Creation Date:	7/19/2002 15:57:28
Receipt Date:	20020520
Manifest ID:	21645287
Trans EPA ID:	CAD008252405

CAL PLATE (Continued) **1000686351**

Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.01
Waste Quantity:	20
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20020520
Creation Date:	7/19/2002 15:57:28
Receipt Date:	20020520
Manifest ID:	21645287
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.6
Waste Quantity:	1200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20020411
Creation Date:	1/8/2003 18:31:12
Receipt Date:	20020411
Manifest ID:	21642528
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported

CAL PLATE (Continued) **1000686351**

Meth Code:	H01 - Transfer Station
Quantity Tons:	2
Waste Quantity:	4000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20020311
Creation Date:	7/22/2002 18:32:38
Receipt Date:	20020311
Manifest ID:	20779048
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.175
Waste Quantity:	350
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2005
Gen EPA ID:	CAD983636242
Shipment Date:	20051214
Creation Date:	3/22/2006 18:31:02
Receipt Date:	20051214
Manifest ID:	21953175
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.135
Waste Quantity:	270
Quantity Unit:	P
Additional Code 1:	Not reported

CAL PLATE (Continued) **1000686351**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20051214
Creation Date:	3/22/2006 18:31:02
Receipt Date:	20051214
Manifest ID:	21953175
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	2.7
Waste Quantity:	5400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20051026
Creation Date:	5/24/2006 18:32:16
Receipt Date:	20051026
Manifest ID:	21953034
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.11
Waste Quantity:	220
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20051026
Creation Date:	5/24/2006 18:32:16
Receipt Date:	20051026
Manifest ID:	21953034

CAL PLATE (Continued) **1000686351**

Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	3.4
Waste Quantity:	6800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20050803
Creation Date:	10/27/2005 10:10:50
Receipt Date:	20050803
Manifest ID:	22900660
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	2.925
Waste Quantity:	5850
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20050714
Creation Date:	10/11/2005 18:32:36
Receipt Date:	20050714
Manifest ID:	22612709
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more

CAL PLATE (Continued) **1000686351**

RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.1875
Waste Quantity:	375
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20050606
Creation Date:	9/13/2005 18:30:54
Receipt Date:	20050606
Manifest ID:	22562200
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	NONE
Meth Code:	H01 - Transfer Station
Quantity Tons:	4.275
Waste Quantity:	8550
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20050408
Creation Date:	7/20/2005 18:30:55
Receipt Date:	20050408
Manifest ID:	22562141
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	133 - Aqueous solution with 10% or more total organic residues
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.6255
Waste Quantity:	150
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported

CAL PLATE (Continued) **1000686351**

Additional Code 5:	Not reported
Shipment Date:	20050321
Creation Date:	6/1/2005 18:31:04
Receipt Date:	20050321
Manifest ID:	22613068
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.105
Waste Quantity:	210
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20050321
Creation Date:	6/1/2005 18:31:04
Receipt Date:	20050321
Manifest ID:	22613068
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	343 - Unspecified organic liquid mixture
RCRA Code:	Not reported
Meth Code:	H01 - Transfer Station
Quantity Tons:	2.6
Waste Quantity:	5200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2016
Gen EPA ID:	CAD983636242
Shipment Date:	20151130
Creation Date:	7/14/2016 18:31:06
Receipt Date:	20151202

CAL PLATE (Continued) **1000686351**

Manifest ID:	009004064FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.4
Waste Quantity:	6800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20151106
Creation Date:	5/23/2016 18:30:23
Receipt Date:	20151116
Manifest ID:	009091634FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3
Waste Quantity:	6000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150904
Creation Date:	2/5/2016 22:15:23
Receipt Date:	20150914
Manifest ID:	008738754FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC

CAL PLATE (Continued) **1000686351**

TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	3.4
Waste Quantity:	6800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150806
Creation Date:	1/20/2016 22:15:31
Receipt Date:	20150813
Manifest ID:	008738478FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	4.2
Waste Quantity:	8400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150701
Creation Date:	2/8/2016 22:17:34
Receipt Date:	20150711
Manifest ID:	008789675FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	5

CAL PLATE (Continued) **1000686351**

Waste Quantity:	10000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150519
Creation Date:	11/5/2015 22:15:08
Receipt Date:	20150521
Manifest ID:	008399843FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	4.4
Waste Quantity:	8800
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150416
Creation Date:	9/11/2015 22:15:30
Receipt Date:	20150426
Manifest ID:	008399565FLE
Trans EPA ID:	CAD980585293
Trans Name:	INDUSTRIAL WASTE UTILIZATION INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	AZR000501510
Trans Name:	AA SYDCOL LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	5.6
Waste Quantity:	11200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CAL PLATE (Continued) **1000686351**

LOS ANGELES CO. HMS:
Name: CAL PLATE
Address: 17110 JERSEY AVE
City,State,Zip: ARTESIA, CA 907012637
Region: LA
Permit Category: I
Facility Id: 008685-I15933
Facility Type: 01
Facility Status: Permit
Area: 1D
Permit Number: 000012548
Permit Status: Permit

NPDES:

Name:	CAL PLATE
Address:	17110 JERSEY AVENUE
City,State,Zip:	ARTESIA, CA 90701
Facility Status:	Not reported
NPDES Number:	Not reported
Region:	Not reported
Agency Number:	Not reported
Regulatory Measure ID:	Not reported
Place ID:	Not reported
Order Number:	Not reported
WDID:	4 19IN605747
Regulatory Measure Type:	Industrial
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	Not reported
Discharge Name:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Status:	NEC Required
Status Date:	10/24/2019
Operator Name:	Cal Plate
Operator Address:	17110 Jersey Avenue
Operator City:	Artesia
Operator State:	California
Operator Zip:	90701

CERS:

Name:	CAL PLATE INC
Address:	17110 JERSEY AVE
City,State,Zip:	ARTESIA, CA 90701
Site ID:	101471
CERS ID:	10289191
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	101471
Site Name:	CAL PLATE INC
Violation Date:	06-27-2014

CAL PLATE (Continued) **1000686351**

Citation: HSC 6.95 25503.5(a) - California Health and Safety Code, Chapter 6.95, Section(s) 25503.5(a)
Violation Description: Owner/Operator failed to establish and implement a Hazardous Materials Business Plan when storing hazardous materials at or above the thresholds quantities of 55 gallons/500 lbs/200 cubic feet.
Violation Notes: Returned to compliance on 07/21/2018. OBSERVATION: Owner/Operator failed to establish and implement a Hazardous Materials Business Plan when storing hazardous materials at or above the thresholds quantities of 55 gallons/500 lbs/200 cubic feet. CORRECTIVE ACTION: Establish and implement a Hazardous Materials Business Plan when storing hazardous materials at or above the thresholds quantities of 55 gallons/500 lbs/200 cubic feet.
Violation Division: Los Angeles County Fire Department
Violation Program: HMRRP
Violation Source: CERS

Site ID: 101471
Site Name: CAL PLATE INC
Violation Date: 06-21-2018
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 06/21/2018. OBSERVATION: All hazardous waste containers shall be marked with the following information: 1) the words "Hazardous Waste"; 2) name and address of generator; 3) hazardous properties; 4) physical state; 5) composition (contents); 6) accumulation start date. Six 55 gallon drums containing waste heptyl acetate solids located across from the PRI machine was observed without labels. CORRECTIVE ACTION: Submit photos to the CUPA demonstrating that the container listed above has been properly labeled. Operator, Juan, affixed the yellow Haz Waste labels at the time of inspection. This item was corrected on site.
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 101471
Site Name: CAL PLATE INC
Violation Date: 06-21-2018
Citation: HSC 6.95 25507 - California Health and Safety Code, Chapter 6.95, Section(s) 25507
Violation Description: Failure to adequately establish and implement a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes: Returned to compliance on 06/05/2019. OBSERVATION: The business failed to establish and implement a business plan when handling hazardous materials at or above the reportable threshold quantities. CERS review revealed no submittal for the current and previous years. Observed the following at the time of inspection: 11 / ~200 CF cylinders of Nitrogen 1 / 55 gallon drum for waste solids 6 / 55 gallon drums containing waste solids (bentyl acetate solids) 7 / 55 gallon drums empty 8 / 55 gallon drums Cyrel Cylosol washout solution 4 / 55 gallon drums C-Component 2 / 55 gallon drums of Injection Oil 2 / 55 gallon

CAL PLATE (Continued) **1000686351**

drums of heat transfer fluid 4 / 5 gallon containers of Acetone
CORRECTIVE ACTION: Establish and implement a business plan for the facility. Submit documentation of correction to the unified program agency.

Violation Division: Los Angeles County Fire Department
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-21-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: STEVE BRADY, PLANT MANAGER Discussed observed corrections with Cindy Phillips, CFO
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-27-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-21-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: STEVE BRADY, PLANT MANAGER Discussed observed corrections with Cindy Phillips, CFO
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 06-27-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 08-02-2018
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Follow up CERS review revealed no submittals noted as of 8/2/2018. Email sent to Cindy via cindy@calplate.com for follow up.
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

CAL PLATE (Continued) **1000686351**

Eval General Type:	Other/Unknown
Eval Date:	10-25-2018
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Telephone call to office. Left message for Cindy Phillips to follow up on status of CERS submittal
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Coordinates:

Site ID:	101471
Facility Name:	CAL PLATE INC
Env Int Type Code:	HWG
Program ID:	10289191
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	33.875120
Longitude:	-118.085460

Affiliation:

Affiliation Type Desc:	Environmental Contact
Entity Name:	CINDY PHILLIPS
Entity Title:	Not reported
Affiliation Address:	17110 JERSEY AVE
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer
Entity Name:	Cindy Phillips
Entity Title:	CFO
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	CAL PLATE INC
Entity Title:	Not reported
Affiliation Address:	17110 JERSEY AV
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(818) 441-2169

Affiliation Type Desc:	Parent Corporation
Entity Name:	CAL PLATE INC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported

CAL PLATE (Continued) **1000686351**

Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: CUPA District
Entity Name: Los Angeles County Fire
Entity Title: Not reported
Affiliation Address: 5825 Rickenbacker Road
Affiliation City: Commerce
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90040-3027
Affiliation Phone: (323) 890-4000

Affiliation Type Desc: Document Preparer
Entity Name: Cindy Phillips
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 17110 JERSEY AVE
Affiliation City: ARTESIA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90701
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: T R Korzenecki
Entity Title: Not reported
Affiliation Address: 180 S Lake Ave, Suite 2015
Affiliation City: Pasadena
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 91101
Affiliation Phone: (626) 405-1500

HWTS:
Name: CAL PLATE
Address: 17110 JERSEY AVE
Address 2: Not reported
City,State,Zip: ARTESIA, CA 907010000
EPA ID: CAD983636242
Inactive Date: 06/30/2016
Create Date: 04/10/1992
Last Act Date: 01/12/2017
Mailing Name: Not reported
Mailing Address: 17110 JERSEY AVENUE

CAL PLATE (Continued) **1000686351**

Mailing Address 2:	Not reported
Mailing City,State,Zip:	ARTESIA, CA 907010000
Owner Name:	CAL PLATE ACQUISITION
Owner Address:	17110 JERSEY AVE
Owner Address 2:	Not reported
Owner City,State,Zip:	ARTESIA, CA 907010000
Contact Name:	CINDY PHILLIPS
Contact Address:	17110 JERSEY AVE
Contact Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 90701

NAICS:

EPA ID:	CAD983636242
Create Date:	2002-03-14 16:36:27.000
NAICS Code:	323122
NAICS Description:	Prepress Services
Issued EPA ID Date:	1992-04-10 00:00:00
Inactive Date:	2016-06-30 00:00:00
Facility Name:	CAL PLATE
Facility Address:	17110 JERSEY AVE
Facility Address 2:	Not reported
Facility City:	ARTESIA
Facility County:	Not reported
Facility State:	CA
Facility Zip:	907010000

---

35 **PACIFIC COAST LINES** **RCRA-SQG** **1000250136**
NE **17203 CORBY ST** **FINDS** **CAD981442049**
< 1/8 **ARTESIA, CA 90701** **ECHO**
0.038 mi.
202 ft.

Relative:
Higher

Actual:
65 ft.

RCRA-SQG:

Date Form Received by Agency:		19860904
Handler Name:	PACIFIC COAST LINES	
Handler Address:		17203 CORBY ST
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAD981442049
Contact Name:		ENVIRONMENTAL MANAGER
Contact Address:		17203 CORBY ST
Contact City,State,Zip:		ARTESIA, CA 90701
Contact Telephone:		213-860-7613
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Other
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		CA
State District:		4
Mailing Address:		17203 CORBY ST
Mailing City,State,Zip:		ARTESIA, CA 90701
Owner Name:		WILLIAM KENDALL

PACIFIC COAST LINES (Continued) **1000250136**

Owner Type:	Private
Operator Name:	NOT REQUIRED
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20020627
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported

PACIFIC COAST LINES (Continued) **1000250136**

Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: NOT REQUIRED
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, ME 99999
Owner/Operator Telephone: 415-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: WILLIAM KENDALL
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, ME 99999
Owner/Operator Telephone: 415-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19860904
Handler Name: PACIFIC COAST LINES
Federal Waste Generator Description: Small Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 48411
NAICS Description: GENERAL FREIGHT TRUCKING, LOCAL

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:

PACIFIC COAST LINES (Continued) **1000250136**

Registry ID: 110002707107

Click Here:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000250136
Registry ID:	110002707107
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002707107
Name:	PACIFIC COAST LINES
Address:	17203 CORBY ST
City,State,Zip:	ARTESIA, CA 90701

E36 **GEORGE VEROEVEN FEED CO** **SWEEPS UST** **S101617883**
SE **11735 E ARTESIA BLVD** **HIST UST** **N/A**
< 1/8 **ARTESIA, CA 90701** **CA FID UST**
0.040 mi. **LOS ANGELES CO. HMS**
212 ft. **Site 1 of 13 in cluster E**

Relative: Lower
Actual: 61 ft.

SWEEPS UST:

Name:	GEORGE VEROEVEN FEED CO
Address:	11735 E ARTESIA BLVD
City:	ARTESIA
Status:	Not reported
Comp Number:	11487
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported
Created Date:	Not reported
Owner Tank Id:	Not reported
SWRCB Tank Id:	19-000-011487-000001
Tank Status:	Not reported
Capacity:	10000
Active Date:	Not reported
Tank Use:	M.V. FUEL
STG:	PRODUCT
Content:	DIESEL
Number Of Tanks:	2

Name:	GEORGE VEROEVEN FEED CO
Address:	11735 E ARTESIA BLVD
City:	ARTESIA
Status:	Not reported
Comp Number:	11487
Number:	Not reported
Board Of Equalization:	Not reported
Referral Date:	Not reported
Action Date:	Not reported

GEORGE VEROEVEN FEED CO (Continued) **S101617883**

Created Date: Not reported
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-011487-000002
Tank Status: Not reported
Capacity: 2000
Active Date: Not reported
Tank Use: M.V. FUEL
STG: PRODUCT
Content: REG UNLEADED
Number Of Tanks: Not reported

HIST UST:
Name: GEORGE VERHOEVEN FEED CO INC
Address: 11735 E ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
File Number: 00026B47
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00026B47.pdf
Region: Not reported
Facility ID: Not reported
Facility Type: Not reported
Other Type: Not reported
Contact Name: Not reported
Telephone: Not reported
Owner Name: Not reported
Owner Address: Not reported
Owner City,St,Zip: Not reported
Total Tanks: Not reported

Tank Num: Not reported
Container Num: Not reported
Year Installed: Not reported
Tank Capacity: Not reported
Tank Used for: Not reported
Type of Fuel: Not reported
Container Construction Thickness: Not reported
Leak Detection: Not reported

Click here for Geo Tracker PDF:

CA FID UST:
Facility ID: 19002259
Regulated By: UTNKI
Regulated ID: 00007603
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: Not reported
Mail To: Not reported
Mailing Address: 11735 E P O BOX
Mailing Address 2: Not reported
Mailing City,St,Zip: ARTESIA 90701
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported

GEORGE VEROEVEN FEED CO (Continued) **S101617883**

Status: Inactive

LOS ANGELES CO. HMS:
Name: GEORGE VEROEVEN FEED CO
Address: 11735 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Region: LA
Permit Category: T
Facility Id: 011447-011487
Facility Type: 0
Facility Status: Removed
Area: 1D
Permit Number: 00003027T
Permit Status: Removed

E37 **GEORGE VERHOEVEN FEED COMPANY** **LUST** **S104159882**
SE **11735 ARTESIA BLVD E** **Cortese** **N/A**
< 1/8 **ARTESIA, CA 90701** **ENF**
0.040 mi. **HIST CORTESE**
212 ft. **Site 2 of 13 in cluster E** **CERS**

Relative: **Lower**
Actual: **61 ft.**

LUST:
Name: GEORGE VERHOEVEN FEED COMPANY
Address: 11735 ARTESIA BLVD E
City,State,Zip: ARTESIA, CA 90701
Lead Agency: LOS ANGELES RWQCB (REGION 4)
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603703805
Global Id: T0603703805
Latitude: 33.873712
Longitude: -118.083385
Status: Completed - Case Closed
Status Date: 12/12/1996
Case Worker: YR
RB Case Number: I-11487
Local Agency: LOS ANGELES COUNTY
File Location: Not reported
Local Case Number: Not reported
Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0603703805
Contact Type: Local Agency Caseworker
Contact Name: JOHN AWUJO
Organization Name: LOS ANGELES COUNTY
Address: 900 S FREMONT AVE
City: ALHAMBRA
Email: jawujo@dpw.lacounty.gov
Phone Number: 6264583507

Global Id: T0603703805
Contact Type: Regional Board Caseworker
Contact Name: YUE RONG
Organization Name: LOS ANGELES RWQCB (REGION 4)
Address: 320 W. 4TH ST., SUITE 200
City: Los Angeles

GEORGE VERHOEVEN FEED COMPANY (Continued) **S104159882**

Email: yrong@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0603703805
Action Type: Other
Date: 02/26/1990
Action: Leak Reported

Global Id: T0603703805
Action Type: Other
Date: 01/30/1990
Action: Leak Stopped

Global Id: T0603703805
Action Type: Other
Date: 01/30/1990
Action: Leak Discovery

LUST:
Global Id: T0603703805
Status: Open - Case Begin Date
Status Date: 09/01/1989

Global Id: T0603703805
Status: Open - Site Assessment
Status Date: 09/01/1989

Global Id: T0603703805
Status: Open - Site Assessment
Status Date: 12/11/1989

Global Id: T0603703805
Status: Open - Remediation
Status Date: 02/06/1990

Global Id: T0603703805
Status: Open - Remediation
Status Date: 11/12/1996

Global Id: T0603703805
Status: Completed - Case Closed
Status Date: 12/12/1996

LUST REG 4:
Region: 4
Regional Board: 04
County: Los Angeles
Facility Id: I-11487
Status: Case Closed
Substance: Gasoline
Substance Quantity: Not reported
Local Case No: Not reported
Case Type: Groundwater
Abatement Method Used at the Site: Not reported

GEORGE VERHOEVEN FEED COMPANY (Continued) **S104159882**

Global ID:	T0603703805	
W Global ID:	Not reported	
Staff:	UNK	
Local Agency:	19000	
Cross Street:	CORBY AVE	
Enforcement Type:	Not reported	
Date Leak Discovered:	1/30/1990	
Date Leak First Reported:		2/26/1990
Date Leak Record Entered:	2/19/1990	
Date Confirmation Began:	Not reported	
Date Leak Stopped:	1/30/1990	
Date Case Last Changed on Database:		1/27/1997
Date the Case was Closed:		12/12/1996
How Leak Discovered:	Tank Closure	
How Leak Stopped:	Not reported	
Cause of Leak:	UNK	
Leak Source:	Tank	
Operator:	VERHOEVEN, ROBERT	
Water System:	Not reported	
Well Name:	Not reported	
Approx. Dist To Production Well (ft):		1054.489005870659307940338 6535
Source of Cleanup Funding:		Tank
Preliminary Site Assessment Workplan Submitted:		9/1/1989
Preliminary Site Assessment Began:		12/11/1989
Pollution Characterization Began:		Not reported
Remediation Plan Submitted:		2/6/1990
Remedial Action Underway:		11/12/1996
Post Remedial Action Monitoring Began:		Not reported
Enforcement Action Date:		Not reported
Historical Max MTBE Date:		Not reported
Hist Max MTBE Conc in Groundwater:		Not reported
Hist Max MTBE Conc in Soil:		Not reported
Significant Interim Remedial Action Taken:		Not reported
GW Qualifier:	Not reported	
Soil Qualifier:	Not reported	
Organization:	Not reported	
Owner Contact:	Not reported	
Responsible Party:	GEORGE VERHOEVEN FEED COMPANY	
RP Address:	7000 MERRILL AVE, #5, CHINO CA 91710	
Program:	LUST	
Lat/Long:	33.873172 / -1	
Local Agency Staff:	Not reported	
Beneficial Use:	Not reported	
Priority:	Not reported	
Cleanup Fund Id:	Not reported	
Suspended:	Not reported	
Assigned Name:	Not reported	
Summary:	THIS IS AN USTCF SITE. 10/31/96 QUARTERLY G/W MONITORING RPT 01/27/97 FINAL REPORT OF GW REMEDIATION & DESTRUCTION OF GW MONITORING WELLS	

CORTESE:

Name:	GEORGE VERHOEVEN FEED COMPANY
Address:	11735 ARTESIA BLVD E
City,State,Zip:	ARTESIA, CA 90701
Region:	CORTESE

GEORGE VERHOEVEN FEED COMPANY (Continued) **S104159882**

Envirostor Id:	Not reported
Global ID:	T0603703805
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

ENF:

Name:	J.W.L. TRANSPORTATION
Address:	11735 ARTESIA
City,State,Zip:	ARTESIA, CA 90703
Region:	4
Facility Id:	233303
Agency Name:	JWL Transportation
Place Type:	Facility
Place Subtype:	Not reported
Facility Type:	All other facilities
Agency Type:	Privately-Owned Business
# Of Agencies:	1
Place Latitude:	Not reported
Place Longitude:	Not reported
SIC Code 1:	Not reported
SIC Desc 1:	Not reported
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	Not reported
Threat To Water Quality:	Not reported
Complexity:	Not reported
Pretreatment:	Not reported
Facility Waste Type:	Not reported
Facility Waste Type 2:	Not reported
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported

GEORGE VERHOEVEN FEED COMPANY (Continued) **S104159882**

Program:	AGT
Program Category1:	TANKS
Program Category2:	TANKS
# Of Programs:	1
WDID:	4CUPA000204
Reg Measure Id:	167179
Reg Measure Type:	Unregulated
Region:	4
Order #:	Not reported
Npdes# CA#:	Not reported
Major-Minor:	Not reported
Npdes Type:	Not reported
Reclamation:	Not reported
Dredge Fill Fee:	Not reported
301H:	Not reported
Application Fee Amt Received:	Not reported
Status:	Never Active
Status Date:	02/20/2013
Effective Date:	Not reported
Expiration/Review Date:	Not reported
Termination Date:	Not reported
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	N
Individual/General:	I
Fee Code:	Not reported
Direction/Voice:	Passive
Enforcement Id(EID):	236505
Region:	4
Order / Resolution Number:	Notice of Noncompliance
Enforcement Action Type:	Staff Enforcement Letter
Effective Date:	04/03/2001
Adoption/Issuance Date:	Not reported
Achieve Date:	Not reported
Termination Date:	04/03/2001
ACL Issuance Date:	Not reported
EPL Issuance Date:	Not reported
Status:	Historical
Title:	Notice of Noncompliance sent 4/3/01for overdue semiannual fee. - 4CUPA000204
Description:	Notice of Noncompliance sent 4/3/01for overdue semiannual fee.
Program:	AGT
Latest Milestone Completion Date:	Not reported
# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability $ Amount:	0
Project $ Amount:	0
Liability $ Paid:	0
Project $ Completed:	0
Total $ Paid/Completed Amount:	0

GEORGE VERHOEVEN FEED COMPANY (Continued) **S104159882**

HIST CORTESE:

edr_fname:	GEORGE VERHOEVEN FEED COM
edr_fadd1:	11735 ARTESIA
City,State,Zip:	ARTESIA, CA 90701
Region:	CORTESE
Facility County Code:	19
Reg By:	LTNKA
Reg Id:	I-11487

CERS:

Name:	GEORGE VERHOEVEN FEED COMPANY
Address:	11735 ARTESIA BLVD E
City,State,Zip:	ARTESIA, CA 90701
Site ID:	259176
CERS ID:	T0603703805
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	YUE RONG - LOS ANGELES RWQCB (REGION 4)
Entity Title:	Not reported
Affiliation Address:	320 W. 4TH ST., SUITE 200
Affiliation City:	Los Angeles
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	JOHN AWUJO - LOS ANGELES COUNTY
Entity Title:	Not reported
Affiliation Address:	900 S FREMONT AVE
Affiliation City:	ALHAMBRA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	6264583507

E38 **GEORGE VERHOEVEN FEED CO. INC.** **HIST UST** **U001565236**
SE **11735 ARTESIA BLVD** **N/A**
< 1/8 **ARTESIA, CA 90701**
0.040 mi.
212 ft. **Site 3 of 13 in cluster E**

Relative:
Lower

Actual:
61 ft.

HIST UST:

Name:	GEORGE VERHOEVEN FEED CO. INC.
Address:	11735 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000007603
Facility Type:	Other
Other Type:	FEED MANUFACTURER
Contact Name:	Not reported
Telephone:	2138651391

GEORGE VERHOEVEN FEED CO. INC. (Continued) **U001565236**

Owner Name:	GEORGE VERHOEVEN FEED CO., INC
Owner Address:	11735 E. ARTESIA BLVD.
Owner City,St,Zip:	ARTESIA, CA 90701
Total Tanks:	0002
Tank Num:	001
Container Num:	A01
Year Installed:	Not reported
Tank Capacity:	00009943
Tank Used for:	PRODUCT
Type of Fuel:	DIESEL
Container Construction Thickness:	1/4
Leak Detection:	Visual, Stock Inventor
Tank Num:	002
Container Num:	A02
Year Installed:	Not reported
Tank Capacity:	00001994
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	1/4
Leak Detection:	Visual, Stock Inventor

F39 **ELROY PAINTING CONTRACTOR** **CPS-SLIC S101539929**
WNW **17220 JERSEY** **CERS N/A**
< 1/8 **ARTESIA, CA 90701**
0.041 mi.
215 ft. **Site 1 of 3 in cluster F**

Relative:
Higher

Actual:
64 ft.

SLIC REG 4:

Region:	4
Facility Status:	No further action required
SLIC:	0135
Substance:	VOCs
Staff:	Not reported

CPS-SLIC:

Name:	ELROY PAINTING CONTRACTOR
Address:	17220 JERSEY AVE
City,State,Zip:	ARTESIA, CA 90701
Region:	STATE
Facility Status:	**Completed - Case Closed**
Status Date:	06/16/1965
Global Id:	SLT4307977
Lead Agency:	LOS ANGELES RWQCB (REGION 4)
Lead Agency Case Number:	Not reported
Latitude:	33.873018
Longitude:	-118.084763
Case Type:	Cleanup Program Site
Case Worker:	Not reported
Local Agency:	Not reported
RB Case Number:	0135
File Location:	Not reported
Potential Media Affected:	Not reported
Potential Contaminants of Concern:	Not reported
Site History:	Not reported

ELROY PAINTING CONTRACTOR (Continued) **S101539929**

Click here to access the California GeoTracker records for this facility:

CERS:
Name: ELROY PAINTING CONTRACTOR
Address: 17220 JERSEY AVE
City,State,Zip: ARTESIA, CA 90701
Site ID: 188691
CERS ID: SLT4307977
CERS Description: Cleanup Program Site

C40 **MS CLAUDIA COVERT** **SWEEPS UST** **S106929704**
SW **11655 ARTESIA BLVD** **N/A**
< 1/8 **ARTESIA, CA**
0.044 mi.
230 ft. **Site 2 of 5 in cluster C**

Relative: **Lower**
Actual: **61 ft.**

SWEEPS UST:
Name: MS CLAUDIA COVERT
Address: 11655 ARTESIA BLVD
City: ARTESIA
Status: Active
Comp Number: 14310
Number: 9
Board Of Equalization: Not reported
Referral Date: 06-30-89
Action Date: Not reported
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: Not reported
Tank Status: Not reported
Capacity: Not reported
Active Date: Not reported
Tank Use: Not reported
STG: Not reported
Content: Not reported
Number Of Tanks: Not reported

C41 **JASPERS AUTO SERVICE** **CERS HAZ WASTE** **S113006504**
SW **11648 ARTESIA BLVD** **HAZNET** **N/A**
< 1/8 **ARTESIA, CA 90701** **CERS**
0.048 mi. **HWTS**
255 ft. **Site 3 of 5 in cluster C**

Relative: **Lower**
Actual: **60 ft.**

CERS HAZ WASTE:
Name: JASPER'S AUTO SERVICE
Address: 11648 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 125626
CERS ID: 10279264
CERS Description: Hazardous Waste Generator

HAZNET:
Name: JASPERS AUTO SERVICE
Address: 11648 ARTESIA BLVD

JASPERS AUTO SERVICE (Continued) **S113006504**

Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907010000
Contact:	VALID #CAL000046736
Telephone:	--
Mailing Name:	Not reported
Mailing Address:	11648 ARTESIA BLVD
Year:	2001
Gepaid:	CAD981446289
TSD EPA ID:	CAT000613893
CA Waste Code:	134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method:	H01 - Transfer Station
Tons:	0.2226

Additional Info:

Year:	2001
Gen EPA ID:	CAD981446289
Shipment Date:	20011018
Creation Date:	1/16/2002 0:00:00
Receipt Date:	20011023
Manifest ID:	21377270
Trans EPA ID:	SCR000075150
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT000613893
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D039
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.2226
Waste Quantity:	53
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	JASPER'S AUTO SERVICE
Address:	11648 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Site ID:	125626
CERS ID:	10279264
CERS Description:	Chemical Storage Facilities

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-07-2014
Violations Found:	No
Eval Type:	Routine done by local agency

JASPERS AUTO SERVICE (Continued) **S113006504**

Eval Notes:	Not reported
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-22-2021
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	PEDRO "PETE" FERREIRA SECRETARY-TREASURER
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-15-2017
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Pedro Ferreira, President No significant violations observed.
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-07-2014
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-07-2014
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Inspected by Eric Poomiwatracanont Consent given by Pedro Ferreira
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-07-2014
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Inspected by Eric Poomiwatracanont Consent given by Pedro Ferreira
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	01-22-2021
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	PEDRO "PETE" FERREIRA SECRETARY-TREASURER
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP

JASPERS AUTO SERVICE (Continued) **S113006504**

Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-15-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Pedro Ferreira, President No significant violations observed.
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Coordinates:
Site ID: 125626
Facility Name: Jasper's Auto Service
Env Int Type Code: HWG
Program ID: 10279264
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 33.872910
Longitude: -118.085280

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Los Angeles County Fire
Entity Title: Not reported
Affiliation Address: 5825 Rickenbacker Road
Affiliation City: Commerce
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90040-3027
Affiliation Phone: (323) 890-4000

Affiliation Type Desc: Identification Signer
Entity Name: Pedro S. Ferreira
Entity Title: Secretary-Treasurer
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: Pedro S. Ferreira
Entity Title: Not reported
Affiliation Address: 11648 Artesia Blvd
Affiliation City: Artesia
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 90701
Affiliation Phone: (562) 865-1761

Affiliation Type Desc: Environmental Contact
Entity Name: Pedro S. Ferreira
Entity Title: Not reported
Affiliation Address: 11648 Artesia Blvd

JASPERS AUTO SERVICE (Continued) **S113006504**

Affiliation City:	Artesia
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	Jasper's Auto Service, Inc.
Entity Title:	Not reported
Affiliation Address:	11648 Artesia Blvd
Affiliation City:	Artesia
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(562) 865-1761
Affiliation Type Desc:	Parent Corporation
Entity Name:	JASPER'S AUTO SERVICES INC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Pacific Engineering & Consulting
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	11648 Artesia Blvd
Affiliation City:	Artesia
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Jasper's Auto Service, Inc.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(562) 865-1761

JASPERS AUTO SERVICE (Continued) **S113006504**

HWTS:

Name:	JASPERS AUTO SERVICE
Address:	11648 ARTESIA BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907010000
EPA ID:	CAD981446289
Inactive Date:	06/30/2002
Create Date:	04/10/1987
Last Act Date:	08/10/2004
Mailing Name:	Not reported
Mailing Address:	11648 ARTESIA BLVD
Mailing Address 2:	Not reported
Mailing City,State,Zip:	ARTESIA, CA 907010000
Owner Name:	--
Owner Address:	--
Owner Address 2:	Not reported
Owner City,State,Zip:	--, 99 --
Contact Name:	VALID #CAL000046736
Contact Address:	--
Contact Address 2:	Not reported
City,State,Zip:	--, 99 --

C42 **JASPER'S AUTO SERVICE INC** **RCRA-SQG** **1000346592**
SW **11648 ARTESIA BLVD** **FINDS** **CAD981446289**
< 1/8 **ARTESIA, CA 90701**
0.048 mi.
255 ft. **Site 4 of 5 in cluster C**

Relative: **Lower**

Actual: **60 ft.**

RCRA-SQG:

Date Form Received by Agency:		20010727
Handler Name:	JASPERS AUTO REPAIR	
Handler Address:		11648 ARTESIA BLVD
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAD981446289
Contact Name:		DEBBIE FERREIRA
Contact Address:		11648 ARTESIA BLVD
Contact City,State,Zip:		ARTESIA, CA 90701
Contact Telephone:		562-865-1761
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		11648 ARTESIA BLVD
Mailing City,State,Zip:		ARTESIA, CA 90701
Owner Name:		JASPERS AUTO REPAIR
Owner Type:		Private
Operator Name:		NOT REQUIRED
Operator Type:		Private
Short-Term Generator Activity:		No

JASPER'S AUTO SERVICE INC (Continued) **1000346592**

Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20021007
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

JASPER'S AUTO SERVICE INC (Continued) **1000346592**

Hazardous Waste Summary:
Waste Code: D001
Waste Description: IGNITABLE WASTE

Waste Code: D039
Waste Description: TETRACHLOROETHYLENE

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NOT REQUIRED
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	JASPERS AUTO REPAIR
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	11648 ARTESIA BLVD
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-865-1761
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20010727
Handler Name: JASPERS AUTO REPAIR	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

JASPER'S AUTO SERVICE INC (Continued) **1000346592**

FINDS:
Registry ID: 110002709864

Click Here:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

C43 **JASPER'S AUTO SERVICE INC** **RCRA NonGen / NLR** **1024788540**
SW **11648 ARTESIA BOULEVARD** **CAL000046736**
< 1/8 **ARTESIA, CA 90701**
0.048 mi.
255 ft. **Site 5 of 5 in cluster C**

Relative: **Lower**
Actual: **60 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:	19910215
Handler Name:	JASPER'S AUTO SERVICE INC
Handler Address:	11648 ARTESIA BOULEVARD
Handler City,State,Zip:	ARTESIA, CA 90701-0000
EPA ID:	CAL000046736
Contact Name:	PETE FERREIRA
Contact Address:	11648 ARTESIA BLVD
Contact City,State,Zip:	ARTESIA, CA 90701
Contact Telephone:	562-865-1761
Contact Fax:	000-000-0000
Contact Email:	DTSC@PACIFICMGT.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	11648 ARTESIA BLVD
Mailing City,State,Zip:	ARTESIA, CA 90701-3802
Owner Name:	JASPER'S AUTO SERVICE, INC.
Owner Type:	Other
Operator Name:	PETE FERREIRA
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No

JASPER'S AUTO SERVICE INC (Continued) **1024788540**

Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	JASPER'S AUTO SERVICE, INC.
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	11648 ARTESIA BLVD
Owner/Operator City,State,Zip:	ARTESIA, CA 90701-3820

JASPER'S AUTO SERVICE INC (Continued) **1024788540**

Owner/Operator Telephone:	562-865-1761
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	PETE FERREIRA
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	11648 ARTESIA BLVD
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-865-1761
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19910215
Handler Name:	JASPER'S AUTO SERVICE INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	811111
NAICS Description:	GENERAL AUTOMOTIVE REPAIR

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

G44 **CERRITOS AUTO BODY** **CERS HAZ WASTE** **S123498664**
SSW **11656 E ARTESIA BLVD** **CERS** **N/A**
< 1/8 **ARTESIA, CA 90701**
0.052 mi.
277 ft. **Site 1 of 3 in cluster G**

Relative: **Lower**

Actual: **59 ft.**

CERS HAZ WASTE:

Name:	CERRITOS AUTO BODY
Address:	11656 E ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Site ID:	104297
CERS ID:	10289719
CERS Description:	Hazardous Waste Generator

CERRITOS AUTO BODY (Continued) **S123498664**

CERS:

Name:	CERRITOS AUTO BODY
Address:	11656 E ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Site ID:	104297
CERS ID:	10289719
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	104297
Site Name:	CERRITOS AUTO BODY
Violation Date:	11-13-2017
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 11/13/2017. OBSERVATION: Observed one 55-gallon used oil and one 55-gallon waste antifreeze with faded and incomplete labels. CORRECTIVE ACTION: Submit photos to the CUPA demonstrating that the container listed above has been properly labeled. Operator re-labeled the containers at the time of inspection.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS

Site ID:	104297
Site Name:	CERRITOS AUTO BODY
Violation Date:	10-21-2014
Citation:	HSC 6.95 25508(d) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(d)
Violation Description:	Failure to complete and/or electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes:	Returned to compliance on 01/15/2015. OBSERVATION: A business plan has not been received by the CUPA. The facility was previously sent a notice/request from the CUPA for the submittal of a business plan by 11/20/2014]. CORRECTIVE ACTION: Submit the business plan electronically in the California Environmental Reporting System (CERS) and implement immediately.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	104297
Site Name:	CERRITOS AUTO BODY
Violation Date:	01-22-2021
Citation:	22 CCR 12 66262.40(a) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(a)
Violation Description:	Failure to keep a copy of each properly signed manifest for at least three years from the date the waste was accepted by the initial transporter. The manifest signed at the time the waste was accepted for transport shall be kept until receiving a signed copy from the designated facility which received the waste.
Violation Notes:	OBSERVATION: Copies of hazardous waste disposal records (manifest/bill

CERRITOS AUTO BODY (Continued) **S123498664**

of lading/receipts, etc) were not available at the time of inspection for the following: - used oil - waste antifreeze - waste paint solvent - waste paint Hazardous waste generators shall retain copies of all manifests signed off by the disposal facility and all receipts used in a consolidated manifesting procedure on site for three (3) years and have them readily available for review. CORRECTIVE ACTION: Locate the copies of the hazardous waste disposal records (manifest/bill of lading/receipts, etc) for the last 3 years and send a copy via email to CUPA inspector. Complete then submit the Certification of Compliance via email to CUPA inspector on or before the compliance date

Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 104297
Site Name: CERRITOS AUTO BODY
Violation Date: 11-13-2017
Citation: 40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description: Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes: Returned to compliance on 11/13/2017. OBSERVATION: Observed accumulation of waste antifreeze on top of the 55-gallon waste antifreeze drum. CORRECTIVE ACTION: Submit photos/documentation to the CUPA demonstrating the spill has been properly removed and managed. Operator cleanup the spill at the time of inspection.
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 104297
Site Name: CERRITOS AUTO BODY
Violation Date: 01-22-2021
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 02/19/2021. OBSERVATION: One 55-gallon metal drum containing used oil and one 55-gallon drum containing waste antifreeze stored inside a HW shed with faded HazWaste label, markings including the accumulation start date is unclear. CORRECTIVE ACTION: Immediately label these containers and ensure that all containers are marked with all the required information. All hazardous waste containers shall be marked with the following information: 1) the words "Hazardous Waste"; 2) name and address of generator; 3) hazardous properties; 4) physical state; 5) composition (contents); 6) accumulation start date. If the accumulation date can be determined, affix the required markings and submit a photo to CUPA demonstrating that the containers listed above have been properly labeled. However, if the accumulation date cannot be determined, properly dispose of the

CERRITOS AUTO BODY (Continued) **S123498664**

hazardous wastes listed above and send a copy of the hazardous waste disposal record/manifest via email to CUPA [Truncated]

Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 104297
Site Name: CERRITOS AUTO BODY
Violation Date: 01-22-2021
Citation: 40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31
Violation Description: Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes: Returned to compliance on 02/19/2021. OBSERVATION: Observed accumulation of possible oil/antifreeze inside the spill containment pallet for the two 55-gallon drums containing used oil and/or waste antifreeze. CORRECTIVE ACTION: Electronically submit to CUPA inspector, the photo(s) demonstrating the the spill containment pallet have been properly managed, along with the completed and signed Certification of Compliance.
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 104297
Site Name: CERRITOS AUTO BODY
Violation Date: 10-21-2014
Citation: 22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description: Failure to obtain and/or maintain an Active EPA ID.
Violation Notes: Returned to compliance on 01/15/2015. OBSERVATION: This facility does not have a valid EPA ID number to manage hazardous waste. A hazardous waste generator shall not treat, store, dispose of, transport or offer for transportation, hazardous waste without an EPA ID number. CORRECTIVE ACTION: Immediately obtain an EPA ID number through DTSC to manage hazardous waste and submit evidence to the CUPA by 11/20/2014.
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 104297
Site Name: CERRITOS AUTO BODY
Violation Date: 11-13-2017
Citation: 40 CFR 1 265.173 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.173
Violation Description: Failure to meet the following container management requirements: (a) A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste. (b) A container holding hazardous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.
Violation Notes: Returned to compliance on 01/17/2018. OBSERVATION: One 55-gallon used oil and one 55-gallon waste antifreeze were observed open. CORRECTIVE ACTION: Submit photos to the CUPA demonstrating that the container

CERRITOS AUTO BODY (Continued) **S123498664**

listed above has been properly closed.
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 104297
Site Name: CERRITOS AUTO BODY
Violation Date: 11-13-2017
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes: Returned to compliance on 11/13/2017. OBSERVATION: The business failed to electronically submit and certify that the business plan is complete, accurate, and in compliance with EPCRA on or before the annual due date. CORRECTIVE ACTION: Electronically submit and certify that the business plan is complete, accurate, and in compliance with EPCRA on or before the annual due date. Operator completed the annual certification at the time of inspection.
Violation Division: Los Angeles County Fire Department
Violation Program: HMRRP
Violation Source: CERS

Site ID: 104297
Site Name: CERRITOS AUTO BODY
Violation Date: 11-13-2017
Citation: 22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description: Failure to obtain an Identification Number prior to treating, storing, disposing of, transporting or offering for transportation any hazardous waste.
Violation Notes: Returned to compliance on 11/13/2017. OBSERVATION: The generator's EPA ID number (CAL000284807) is inactive. A hazardous waste generator shall not treat, store, dispose of, transport or offer for transportation, hazardous waste without an active EPA ID number. CORRECTIVE ACTION: Submit documentation to the CUPA demonstrating that you have reactivated the facility's EPA ID number. Operator completed the application for re-activating the facility's EPA ID at the time of inspection.
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-21-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 01-15-2015
Violations Found: No

CERRITOS AUTO BODY (Continued) **S123498664**

Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-22-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: MARCOS RAMOS ADJUSTER
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-13-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Roger Patel, Owner Moises Romero, Estimator
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 01-15-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-22-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: MARCOS RAMOS ADJUSTER
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-21-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-13-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Roger Patel, Owner Moises Romero, Estimator
Eval Division: Los Angeles County Fire Department

CERRITOS AUTO BODY (Continued) **S123498664**

Eval Program: HW
Eval Source: CERS

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: ROGER PATEL
Entity Title: Not reported
Affiliation Address: 11656 E. ARTESIA BLVD
Affiliation City: ARTESIA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90701
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: ROGER PATEL
Entity Title: Not reported
Affiliation Address: 11656 E ARTESIA BLVD
Affiliation City: ARTESIA
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 90701
Affiliation Phone: (714) 608-1951

Affiliation Type Desc: Operator
Entity Name: ROGER PATEL
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (714) 608-1951

Affiliation Type Desc: Document Preparer
Entity Name: ROGER PATEL
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: CUPA District
Entity Name: Los Angeles County Fire
Entity Title: Not reported
Affiliation Address: 5825 Rickenbacker Road
Affiliation City: Commerce
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90040-3027
Affiliation Phone: (323) 890-4000

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported

CERRITOS AUTO BODY (Continued) **S123498664**

Affiliation Address:	11656 ARTESIA BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	ROGER PATEL
Entity Title:	OWNER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	CERRITOS AUTO BODY
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

G45 **CERRITOS AUTO BODY INC** **RCRA NonGen / NLR** **1026054274**
SSW **11656 ARTESIA BLVD** **CAL000284807**
< 1/8 **ARTESIA, CA 90701**
0.052 mi.
277 ft. **Site 2 of 3 in cluster G**

Relative: **Lower**

Actual: **59 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:		20040721
Handler Name:	CERRITOS AUTO BODY INC	
Handler Address:		11656 ARTESIA BLVD
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAL000284807
Contact Name:		RAJESH PATEL
Contact Address:		11656 ARTESIA BLVD
Contact City,State,Zip:		ARTESIA, CA 90701
Contact Telephone:		562-860-4448
Contact Fax:		562-860-4835
Contact Email:		RPATEL@CERRITOSAUTOBODY.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		11656 ARTESIA BLVD
Mailing City,State,Zip:		ARTESIA, CA 90701

CERRITOS AUTO BODY INC (Continued) **1026054274**

Owner Name:	RAJESH PATEL
Owner Type:	Other
Operator Name:	RAJESH PATEL
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20200210
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No

CERRITOS AUTO BODY INC (Continued) **1026054274**

Manifest Broker: No
Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: RAJESH PATEL
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 11656 ARTESIA BLVD
Owner/Operator City,State,Zip: ARTESIA, CA 90701
Owner/Operator Telephone: 562-860-4448
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: RAJESH PATEL
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 7002 SOMERSET CIR
Owner/Operator City,State,Zip: LA PALMA, CA 90623-1112
Owner/Operator Telephone: 714-608-1951
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20040721
Handler Name: CERRITOS AUTO BODY INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: Not reported
Recognized Trader Exporter: Not reported
Spent Lead Acid Battery Importer: Not reported
Spent Lead Acid Battery Exporter: Not reported
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 811121
NAICS Description: AUTOMOTIVE BODY, PAINT, AND INTERIOR REPAIR AND MAINTENANCE

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

G46
SSW
< 1/8
0.052 mi.
277 ft.

Relative:
Lower

Actual:
59 ft.

CERRITOS AUTO COLLISION INC
11656 ARTESIA
ARTESIA, CA 90701

Site 3 of 3 in cluster G

Database(s): RCRA-SQG, FINDS, ECHO, EMI, HAZNET, LOS ANGELES CO. HMS, HWTS

EDR ID Number: 1000363048
EPA ID Number: CAD094441581

RCRA-SQG:

Date Form Received by Agency:	19860822
Handler Name:	CERRITOS AUTO COLLISION INC
Handler Address:	11656 ARTESIA
Handler City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAD094441581
Contact Name:	Not reported
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	09
Land Type:	Other
Federal Waste Generator Description:	Small Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	CA
State District:	4
Mailing Address:	11656 ARTESIA BLVD
Mailing City,State,Zip:	ARTESIA, CA 90701
Owner Name:	CHRIS PAPPAS
Owner Type:	Private
Operator Name:	NOT REQUIRED
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20020627
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NOT REQUIRED
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CHRIS PAPPAS
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19860822
Handler Name: CERRITOS AUTO COLLISION INC
Federal Waste Generator Description: Small Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 811121
NAICS Description: AUTOMOTIVE BODY, PAINT, AND INTERIOR REPAIR AND MAINTENANCE

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110002424760

Click Here:

Environmental Interest/Information System:
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000363048
Registry ID: 110002424760
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110002424760
Name: CERRITOS AUTO BODY INC
Address: 11656 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

EMI:

Name:	CERRITOS AUTO COLLISION INC
Address:	11656 ARTESIA BL
City,State,Zip:	ARTESIA, CA 907010000
Year:	1987
County Code:	19
Air Basin:	SC
Facility ID:	48009
Air District Name:	SC
SIC Code:	7538
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	4
Reactive Organic Gases Tons/Yr:	3
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	CERRITOS AUTO COLLISION INC
Address:	11656 ARTESIA BL
City,State,Zip:	ARTESIA, CA 907010000
Year:	1990
County Code:	19
Air Basin:	SC
Facility ID:	48009
Air District Name:	SC
SIC Code:	7532
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	CERRITOS AUTO COLLISION INC
Address:	11656 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 907010000
Year:	1996
County Code:	19
Air Basin:	SC
Facility ID:	48009
Air District Name:	SC
SIC Code:	7532
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

Name: CERRITOS AUTO BODY
Address: 11656 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Year: 2016
County Code: 19
Air Basin: SC
Facility ID: 141128
Air District Name: SC
SIC Code: 7532
Air District Name: SOUTH COAST AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.74949672445
Reactive Organic Gases Tons/Yr: 0.72097
Carbon Monoxide Emissions Tons/Yr: 0.00486
NOX - Oxides of Nitrogen Tons/Yr: 0.01802
SOX - Oxides of Sulphur Tons/Yr: 8.32e-005
Particulate Matter Tons/Yr: 0.00617
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0.0059128

HAZNET:
Name: CERRITOS AUTO COLLISION INC
Address: 11656 ARTESIA
Address 2: Not reported
City,State,Zip: ARTESIA, CA 907010000
Contact: CHRIS PAPPAS
Telephone: 5628604448
Mailing Name: Not reported
Mailing Address: 11656 ARTESIA BLVD

Year: 2005
Gepaid: CAD094441581
TSD EPA ID: CAD008302903
CA Waste Code: 214 - Unspecified solvent mixture
Disposal Method: R01 - Recycler
Tons: 0.234

Year: 2005
Gepaid: CAD094441581
TSD EPA ID: CAD008252405
CA Waste Code: 214 - Unspecified solvent mixture
Disposal Method: R01 - Recycler
Tons: 0.108

Year: 2004
Gepaid: CAD094441581
TSD EPA ID: CAD008302963
CA Waste Code: 214 - Unspecified solvent mixture
Disposal Method: R01 - Recycler
Tons: 0.072

Year: 2004
Gepaid: CAD094441581

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

TSD EPA ID: CAD008302903
CA Waste Code: 214 - Unspecified solvent mixture
Disposal Method: R01 - Recycler
Tons: 1.3068

Year: 2003
Gepaid: CAD094441581
TSD EPA ID: CAD008302903
CA Waste Code: 214 - Unspecified solvent mixture
Disposal Method: R01 - Recycler
Tons: 1.7316

Year: 2002
Gepaid: CAD094441581
TSD EPA ID: CAD008302903
CA Waste Code: 214 - Unspecified solvent mixture
Disposal Method: R01 - Recycler
Tons: 1.8108

Year: 2001
Gepaid: CAD094441581
TSD EPA ID: CAD008302903
CA Waste Code: 214 - Unspecified solvent mixture
Disposal Method: R01 - Recycler
Tons: 1.35

Year: 2001
Gepaid: CAD094441581
TSD EPA ID: CAD008252405
CA Waste Code: 214 - Unspecified solvent mixture
Disposal Method: R01 - Recycler
Tons: 0.252

Year: 2000
Gepaid: CAD094441581
TSD EPA ID: CAD008252405
CA Waste Code: 214 - Unspecified solvent mixture
Disposal Method: R01 - Recycler
Tons: 0.1152

Year: 2000
Gepaid: CAD094441581
TSD EPA ID: CAD008302903
CA Waste Code: 461 - Paint sludge
Disposal Method: R01 - Recycler
Tons: 0.9838

Click this hyperlink while viewing on your computer to access
12 additional CA HAZNET: record(s) in the EDR Site Report.

Additional Info:
Year: 2002
Gen EPA ID: CAD094441581

Shipment Date: 20021230
Creation Date: 4/1/2003 18:31:07

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Receipt Date:	20030102
Manifest ID:	22132665
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.1368
Waste Quantity:	38
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20021202
Creation Date:	2/25/2003 18:31:38
Receipt Date:	20021202
Manifest ID:	22132458
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.144
Waste Quantity:	40
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20021031
Creation Date:	2/10/2003 18:31:16
Receipt Date:	20021106
Manifest ID:	21979300
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.162
Waste Quantity:	45
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20020923
Creation Date:	1/27/2003 18:33:26
Receipt Date:	20020925
Manifest ID:	21988381
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.108
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20020826
Creation Date:	3/14/2003 18:31:30
Receipt Date:	20020828
Manifest ID:	21988271
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.1656
Waste Quantity:	46
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20020729
Creation Date:	1/21/2003 18:30:55
Receipt Date:	20020731
Manifest ID:	21988104
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.1692
Waste Quantity:	47
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20020612
Creation Date:	7/19/2002 15:57:28
Receipt Date:	20020612
Manifest ID:	21617598
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.1512
Waste Quantity:	42
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20020520
Creation Date:	7/17/2002 18:35:51
Receipt Date:	20020522
Manifest ID:	21617484
Trans EPA ID:	CAD982440364

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.162
Waste Quantity:	45
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20020422
Creation Date:	7/29/2002 18:39:34
Receipt Date:	20020423
Manifest ID:	21282787
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.144
Waste Quantity:	40
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20020325
Creation Date:	7/29/2002 18:35:10
Receipt Date:	20020327
Manifest ID:	21278790
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Meth Code:	R01 - Recycler
Quantity Tons:	0.1512
Waste Quantity:	42
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2004
Gen EPA ID:	CAD094441581
Shipment Date:	20041206
Creation Date:	2/17/2005 18:31:05
Receipt Date:	20041206
Manifest ID:	22762641
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.0648
Waste Quantity:	18
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20041011
Creation Date:	12/21/2004 18:30:50
Receipt Date:	20041012
Manifest ID:	23762266
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302963
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.072
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040830
Creation Date:	1/6/2005 18:30:52
Receipt Date:	20040902
Manifest ID:	23762103
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.108
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040802
Creation Date:	1/6/2005 9:07:07
Receipt Date:	20040805
Manifest ID:	23762009
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.0828
Waste Quantity:	23
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040714
Creation Date:	11/1/2004 9:00:46
Receipt Date:	20040714
Manifest ID:	23761916

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.108
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20040621
Creation Date:	10/15/2004 15:16:06
Receipt Date:	20040621
Manifest ID:	23761764
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.108
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20040527
Creation Date:	10/15/2004 10:47:43
Receipt Date:	20040527
Manifest ID:	23761704
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.0972
Waste Quantity:	27
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040510
Creation Date:	10/15/2004 8:41:08
Receipt Date:	20040512
Manifest ID:	23761636
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.09
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040419
Creation Date:	10/14/2004 7:35:58
Receipt Date:	20040419
Manifest ID:	22767042
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.144
Waste Quantity:	40
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Additional Code 5:	Not reported
Shipment Date:	20040317
Creation Date:	8/23/2004 8:25:08
Receipt Date:	20040319
Manifest ID:	22766973
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.198
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1993
Gen EPA ID:	CAD094441581
Shipment Date:	19930713
Creation Date:	9/11/1995 0:00:00
Receipt Date:	19930713
Manifest ID:	92600240
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.126
Waste Quantity:	35
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19930602
Creation Date:	9/7/1995 0:00:00
Receipt Date:	Not reported

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Manifest ID:	92589071
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0864
Waste Quantity:	24
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19930511
Creation Date:	9/7/1995 0:00:00
Receipt Date:	19930511
Manifest ID:	92515673
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.0936
Waste Quantity:	26
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19930419
Creation Date:	9/6/1995 0:00:00
Receipt Date:	19930419
Manifest ID:	92513802
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.126
Waste Quantity:	35
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19930329
Creation Date:	9/6/1995 0:00:00
Receipt Date:	19930329
Manifest ID:	92040643
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.09
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19930308
Creation Date:	9/1/1995 0:00:00
Receipt Date:	19930308
Manifest ID:	92037343
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.09
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19930216
Creation Date:	9/7/1995 0:00:00
Receipt Date:	19930216
Manifest ID:	92035534
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.09
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19930125
Creation Date:	9/6/1995 0:00:00
Receipt Date:	19930125
Manifest ID:	92033561
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.126
Waste Quantity:	35
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2000
Gen EPA ID:	CAD094441581
Shipment Date:	20001229
Creation Date:	3/22/2001 0:00:00

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Receipt Date:	20001229
Manifest ID:	20609861
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.1152
Waste Quantity:	32
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20001204
Creation Date:	1/24/2001 0:00:00
Receipt Date:	20001208
Manifest ID:	20495518
Trans EPA ID:	CAR000036673
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	461 - Paint sludge
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.1
Waste Quantity:	24
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20001115
Creation Date:	1/9/2001 0:00:00
Receipt Date:	20001117
Manifest ID:	20495459
Trans EPA ID:	CAR000036673
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

TSDF Alt Name:	Not reported
Waste Code Description:	461 - Paint sludge
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.0625
Waste Quantity:	15
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20001026
Creation Date:	12/13/2000 0:00:00
Receipt Date:	20001027
Manifest ID:	20495347
Trans EPA ID:	CAR000036673
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	461 - Paint sludge
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.1334
Waste Quantity:	32
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20001004
Creation Date:	12/8/2000 0:00:00
Receipt Date:	20001006
Manifest ID:	20495275
Trans EPA ID:	CAR000036673
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	461 - Paint sludge
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.0959
Waste Quantity:	23
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20000922
Creation Date:	11/14/2000 0:00:00
Receipt Date:	20000929
Manifest ID:	20495206
Trans EPA ID:	CAR000036673
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	461 - Paint sludge
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.0959
Waste Quantity:	23
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20000906
Creation Date:	10/23/2000 0:00:00
Receipt Date:	20000908
Manifest ID:	20263929
Trans EPA ID:	CAR000036673
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	461 - Paint sludge
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.1084
Waste Quantity:	26
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20000816
Creation Date:	9/25/2000 0:00:00
Receipt Date:	20000818
Manifest ID:	20263819
Trans EPA ID:	CAR000036673

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	461 - Paint sludge
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.1
Waste Quantity:	24
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20000724
Creation Date:	9/11/2000 0:00:00
Receipt Date:	20000728
Manifest ID:	20263740
Trans EPA ID:	CAR000036673
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	461 - Paint sludge
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.1793
Waste Quantity:	43
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20000628
Creation Date:	8/14/2000 0:00:00
Receipt Date:	20000630
Manifest ID:	20263614
Trans EPA ID:	CAR000036673
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	461 - Paint sludge
RCRA Code:	D001

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Meth Code:	R01 - Recycler
Quantity Tons:	0.1084
Waste Quantity:	26
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2005
Gen EPA ID:	CAD094441581
Shipment Date:	20050812
Creation Date:	10/28/2005 18:30:54
Receipt Date:	20050812
Manifest ID:	24102034
Trans EPA ID:	CAD008252405
Trans Name:	PACIFIC COAST LACQUER
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	PACIFIC RESOURCE RECOVERY
TSDF Alt EPA ID:	CAD008252405
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.108
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20050615
Creation Date:	8/17/2005 18:33:44
Receipt Date:	20050617
Manifest ID:	23762480
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.108
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20050321
Creation Date:	5/29/2005 18:31:56
Receipt Date:	20050325
Manifest ID:	24153217
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.0612
Waste Quantity:	17
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20050207
Creation Date:	6/3/2005 18:31:06
Receipt Date:	20050207
Manifest ID:	24152606
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.0648
Waste Quantity:	18
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1999
Gen EPA ID:	CAD094441581

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Shipment Date:	19990309
Creation Date:	5/17/1999 0:00:00
Receipt Date:	19990309
Manifest ID:	98724146
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.0625
Waste Quantity:	125
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2003
Gen EPA ID:	CAD094441581

Shipment Date:	20031222
Creation Date:	7/30/2004 18:31:14
Receipt Date:	20031230
Manifest ID:	22762524
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.09
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20031124
Creation Date:	8/5/2004 10:14:17
Receipt Date:	20031201
Manifest ID:	22762470
Trans EPA ID:	CAD982440364

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.072
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20031110
Creation Date:	8/20/2004 8:27:39
Receipt Date:	20031114
Manifest ID:	22768376
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.072
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20031027
Creation Date:	8/3/2004 15:03:33
Receipt Date:	20031031
Manifest ID:	22768231
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Meth Code:	R01 - Recycler
Quantity Tons:	0.126
Waste Quantity:	35
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20030929
Creation Date:	8/3/2004 7:33:04
Receipt Date:	20031003
Manifest ID:	22768174
Trans EPA ID:	CAD982440364
Trans Name:	PFR ENVIRONMENTAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	ONYX ENVIRONMENTAL SERVICES LLC
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.09
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20030915
Creation Date:	7/29/2004 7:46:19
Receipt Date:	20030915
Manifest ID:	22768092
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.072
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Shipment Date:	20030903
Creation Date:	7/29/2004 7:46:19
Receipt Date:	20030909
Manifest ID:	22768032
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.072
Waste Quantity:	20
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20030825
Creation Date:	7/28/2004 10:48:03
Receipt Date:	20030826
Manifest ID:	22417559
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.09
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20030811
Creation Date:	7/26/2004 18:31:36
Receipt Date:	20030812
Manifest ID:	22417482
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.09
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20030728
Creation Date:	7/23/2004 13:22:40
Receipt Date:	20030730
Manifest ID:	22417417
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.09
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1994
Gen EPA ID:	CAD094441581

Shipment Date:	19940713
Creation Date:	10/11/1995 0:00:00
Receipt Date:	Not reported
Manifest ID:	90400774
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	F003

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Meth Code:	- Not reported
Quantity Tons:	0
Waste Quantity:	0
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19940713
Creation Date:	10/11/1995 0:00:00
Receipt Date:	Not reported
Manifest ID:	90400774
Trans EPA ID:	CAD008252405
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008252405
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	212 - Oxygenated solvents (acetone, butanol, ethyl acetate, etc.
RCRA Code:	F003
Meth Code:	- Not reported
Quantity Tons:	0.0957
Waste Quantity:	29
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2001
Gen EPA ID:	CAD094441581
Shipment Date:	20011217
Creation Date:	2/13/2002 0:00:00
Receipt Date:	20011218
Manifest ID:	20756784
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.108
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20011119
Creation Date:	1/16/2002 0:00:00
Receipt Date:	20011120
Manifest ID:	21142305
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.1332
Waste Quantity:	37
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20011022
Creation Date:	1/16/2002 0:00:00
Receipt Date:	20011023
Manifest ID:	20756488
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.162
Waste Quantity:	45
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20010910
Creation Date:	10/23/2001 0:00:00
Receipt Date:	20010911
Manifest ID:	21142087

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.1332
Waste Quantity:	37
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20010813
Creation Date:	10/1/2001 0:00:00
Receipt Date:	20010813
Manifest ID:	21041068
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.09
Waste Quantity:	25
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20010730
Creation Date:	10/1/2001 0:00:00
Receipt Date:	20010730
Manifest ID:	21040999
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.126
Waste Quantity:	35
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20010702
Creation Date:	8/24/2001 0:00:00
Receipt Date:	20010702
Manifest ID:	20823852
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.0936
Waste Quantity:	26
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20010604
Creation Date:	7/20/2001 0:00:00
Receipt Date:	20010604
Manifest ID:	20760645
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.108
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Additional Code 5:	Not reported
Shipment Date:	20010507
Creation Date:	6/27/2001 0:00:00
Receipt Date:	20010507
Manifest ID:	20748635
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.162
Waste Quantity:	45
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20010326
Creation Date:	5/16/2001 0:00:00
Receipt Date:	20010327
Manifest ID:	20748629
Trans EPA ID:	CAD982440364
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD008302903
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.108
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

LOS ANGELES CO. HMS:

Name:	CERRITOS AUTO BODY
Address:	11656 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Region:	LA
Permit Category:	I
Facility Id:	000407-I00409

CERRITOS AUTO COLLISION INC (Continued) **1000363048**

Facility Type: 01
Facility Status: Closed
Area: 1D
Permit Number: 000007059
Permit Status: Closed

Name: CERRITOS AUTO BODY
Address: 11656 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Region: LA
Permit Category: I
Facility Id: 000407-045041
Facility Type: 01
Facility Status: Permit
Area: 1D
Permit Number: 000564148
Permit Status: Permit

HWTS:
Name: CERRITOS AUTO COLLISION INC
Address: 11656 ARTESIA
Address 2: Not reported
City,State,Zip: ARTESIA, CA 907010000
EPA ID: CAD094441581
Inactive Date: 06/30/2005
Create Date: 04/10/1987
Last Act Date: 05/25/2007
Mailing Name: Not reported
Mailing Address: 11656 ARTESIA BLVD
Mailing Address 2: Not reported
Mailing City,State,Zip: ARTESIA, CA 907010000
Owner Name: CHRIS PAPPAS
Owner Address: 11656 ARTESIA BLVD
Owner Address 2: Not reported
Owner City,State,Zip: ARTESIA, CA 907013802
Contact Name: CHRIS PAPPAS
Contact Address: 11656 ARTESIA BLVD
Contact Address 2: Not reported
City,State,Zip: ARTESIA, CA 907013802

D47 **INSIGHT SHOOTING RANGE INC** **RCRA NonGen / NLR** **1024813363**
NNW **17020 ALBURTIS AVE** **CAL000303717**
< 1/8 **ARTESIA, CA 90701**
0.054 mi.
285 ft. **Site 2 of 5 in cluster D**

Relative: **Lower**
Actual: **63 ft.**

RCRA NonGen / NLR:
Date Form Received by Agency: 20060222
Handler Name: INSIGHT SHOOTING RANGE INC
Handler Address: 17020 ALBURTIS AVE
Handler City,State,Zip: ARTESIA, CA 90701-2615
EPA ID: CAL000303717
Contact Name: MIKE PAK
Contact Address: 17020 ALBURTIS AVE
Contact City,State,Zip: ARTESIA, CA 90701
Contact Telephone: 562-860-4365
Contact Fax: 562-860-4355

INSIGHT SHOOTING RANGE INC (Continued) **1024813363**

Contact Email:	INSIGHTRANGE@YAHOO.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	17020 ALBURTIS AVE
Mailing City,State,Zip:	ARTESIA, CA 90701-2615
Owner Name:	INSIGHT SHOOTING RANGE INC
Owner Type:	Other
Operator Name:	MIKE PAK
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A

INSIGHT SHOOTING RANGE INC (Continued) **1024813363**

Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	INSIGHT SHOOTING RANGE INC
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17020 ALBURTIS AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	213-503-2794
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	MIKE PAK
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17020 ALBURTIS AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-860-4365
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20060222
Handler Name:	INSIGHT SHOOTING RANGE INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

INSIGHT SHOOTING RANGE INC (Continued) **1024813363**

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

D48 INSIGHT SHOOTING RANGE INC **CERS HAZ WASTE** **S113141285**
NNW 17020 ALBURTIS AVE **HAZNET** **N/A**
< 1/8 ARTESIA, CA 90701 **HWTS**
0.054 mi.
285 ft. **Site 3 of 5 in cluster D**

Relative: Lower
Actual: 63 ft.

CERS HAZ WASTE:
Name: INSIGHT SHOOTING RANGE INC
Address: 17020 ALBURTIS AVE
City,State,Zip: ARTESIA, CA 90701
Site ID: 124403
CERS ID: 10304071
CERS Description: Hazardous Waste Generator

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-20-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 08-22-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: MIKE PAK OPERATOR
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Coordinates:
Site ID: 124403
Facility Name: INSIGHT SHOOTING RANGE INC
Env Int Type Code: HWG
Program ID: 10304071
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 33.875760
Longitude: -118.085140

Affiliation:
Affiliation Type Desc: Property Owner

INSIGHT SHOOTING RANGE INC (Continued) **S113141285**

Entity Name:	MIKE PAK
Entity Title:	Not reported
Affiliation Address:	17020 ALBURITS AVE
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(562) 860-4365
Affiliation Type Desc:	Environmental Contact
Entity Name:	RAYMOND ROSALES
Entity Title:	Not reported
Affiliation Address:	1540 W FIRST STREET
Affiliation City:	AZUSA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	91702
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	NAE CHAN PAK
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(213) 503-2794
Affiliation Type Desc:	Parent Corporation
Entity Name:	INSIGHT SHOOTING RANGE INC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	Los Angeles County Fire
Entity Title:	Not reported
Affiliation Address:	5825 Rickenbacker Road
Affiliation City:	Commerce
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90040-3027
Affiliation Phone:	(323) 890-4000
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	17020 ALBURTIS AVE
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701

INSIGHT SHOOTING RANGE INC (Continued) **S113141285**

Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: MIKE PAK
Entity Title: PRESIDENT
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: INSIGHT SHOOTING RANGE INC
Entity Title: Not reported
Affiliation Address: 17020 ALBURTIS AVE
Affiliation City: ARTESIA
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 90701
Affiliation Phone: (562) 860-4365

HAZNET:
Name: INSIGHT SHOOTING RANGE INC
Address: 17020 ALBURTIS AVE
Address 2: Not reported
City,State,Zip: ARTESIA, CA 907012615
Contact: MIKE PAK
Telephone: 5628604365
Mailing Name: Not reported
Mailing Address: 17020 ALBURTIS AVE

Year: 2018
Gepaid: CAL000303717
TSD EPA ID: NVT330010000
CA Waste Code: 181 - Other inorganic solid waste
Disposal Method: H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons: 1.00000

Year: 2017
Gepaid: CAL000303717
TSD EPA ID: NVT330010000
CA Waste Code: 181 - Other inorganic solid waste
Disposal Method: H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons: 0.3

Year: 2016
Gepaid: CAL000303717
TSD EPA ID: NVT330010000
CA Waste Code: 181 - Other inorganic solid waste
Disposal Method: H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons: 0.049

INSIGHT SHOOTING RANGE INC (Continued) **S113141285**

Year:	2015
Gepaid:	CAL000303717
TSD EPA ID:	NVT330010000
CA Waste Code:	181 - Other inorganic solid waste
Disposal Method:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons:	0.15
Year:	2014
Gepaid:	CAL000303717
TSD EPA ID:	NVT330010000
CA Waste Code:	181 - Other inorganic solid waste
Disposal Method:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons:	0.1
Year:	2013
Gepaid:	CAL000303717
TSD EPA ID:	NVT330010000
CA Waste Code:	181 - Other inorganic solid waste
Disposal Method:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Tons:	0.2
Year:	2012
Gepaid:	CAL000303717
TSD EPA ID:	CAD044429835
CA Waste Code:	352 - Other organic solids
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.07
Year:	2011
Gepaid:	CAL000303717
TSD EPA ID:	CAD003963592
CA Waste Code:	181 - Other inorganic solid waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.0815
Year:	2010
Gepaid:	CAL000303717
TSD EPA ID:	CAD003963592
CA Waste Code:	171 - Metal sludge (Alkaline solution (pH >= 12.5) with metals)
Disposal Method:	H010 - Metals Recovery Including Retoring,Smelting,Chemicals,Ect
Tons:	0.0645
Year:	2009
Gepaid:	CAL000303717
TSD EPA ID:	CAD003963592
CA Waste Code:	181 - Other inorganic solid waste
Disposal Method:	H010 - Metals Recovery Including Retoring,Smelting,Chemicals,Ect
Tons:	0.049

Click this hyperlink while viewing on your computer to access
2 additional CA HAZNET: record(s) in the EDR Site Report.

INSIGHT SHOOTING RANGE INC (Continued) **S113141285**

Additional Info:

Year:	2012
Gen EPA ID:	CAL000303717
Shipment Date:	20120716
Creation Date:	10/19/2012 22:15:36
Receipt Date:	20120717
Manifest ID:	005330001FLE
Trans EPA ID:	MAD039322250
Trans Name:	CLEAN HARBORS ENVIRONMENTAL SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD044429835
Trans Name:	CLEAN HARBORS WILMINGTON LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D008
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.07
Waste Quantity:	140
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2017
Gen EPA ID:	CAL000303717
Shipment Date:	20171027
Creation Date:	10/16/2018 18:31:43
Receipt Date:	20171106
Manifest ID:	017304966JJK
Trans EPA ID:	CAR000172189
Trans Name:	AMBERWICK CORPORATION
Trans 2 EPA ID:	CAR000045963
Trans 2 Name:	ARO TRUCKING
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D008
Meth Code:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Quantity Tons:	1
Waste Quantity:	2000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported

INSIGHT SHOOTING RANGE INC (Continued) **S113141285**

Additional Code 5:	Not reported
Shipment Date:	20170413
Creation Date:	5/12/2018 18:32:16
Receipt Date:	20170501
Manifest ID:	017119274JJK
Trans EPA ID:	CAD981377864
Trans Name:	IDR ENVIRONMENTAL SERVICES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION INC
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY NEVADA INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D008
Meth Code:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Quantity Tons:	0.3
Waste Quantity:	600
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2011
Gen EPA ID:	CAL000303717
Shipment Date:	20110425
Creation Date:	10/19/2011 18:30:46
Receipt Date:	20110505
Manifest ID:	006055123JJK
Trans EPA ID:	CAD003963592
Trans Name:	ECS REFINING
Trans 2 EPA ID:	CAR000188201
Trans 2 Name:	ENVIRONMENTAL RECOVERY SERVICES
TSDF EPA ID:	CAD003963592
Trans Name:	ECS REFINING TEXAS LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D008
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0815
Waste Quantity:	163
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

INSIGHT SHOOTING RANGE INC (Continued) **S113141285**

Additional Info:

Year:	2006
Gen EPA ID:	CAL000303717
Shipment Date:	20061107
Creation Date:	3/30/2007 13:34:23
Receipt Date:	20061121
Manifest ID:	000027623WAS
Trans EPA ID:	CAD108040858
Trans Name:	TSM RECYCLING & RECOVERY
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	GENERAL ENVIRONMENT MANAGEMENT
TSDF EPA ID:	CAD980884183
Trans Name:	GEM RANCHO CONDOVA LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0075
Waste Quantity:	15
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20060725
Creation Date:	10/5/2006 18:32:01
Receipt Date:	20060804
Manifest ID:	21538032
Trans EPA ID:	CAD982492399
Trans Name:	ALL CHEMICAL DISPOSAL INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD003963592
Trans Name:	ECS REFINING
TSDF Alt EPA ID:	CAD003963592
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D008
Meth Code:	R01 - Recycler
Quantity Tons:	0.02
Waste Quantity:	40
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2013
Gen EPA ID:	CAL000303717

INSIGHT SHOOTING RANGE INC (Continued) **S113141285**

Shipment Date:	20130514
Creation Date:	9/30/2013 22:15:07
Receipt Date:	20130524
Manifest ID:	011252726JJK
Trans EPA ID:	CAD981377864
Trans Name:	IDR ENVIRONMENTAL SERVICES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D008
Meth Code:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2010
Gen EPA ID:	CAL000303717

Shipment Date:	20100318
Creation Date:	6/29/2010 18:30:25
Receipt Date:	20100331
Manifest ID:	005775103JJK
Trans EPA ID:	CAD003963592
Trans Name:	ECS REFINING
Trans 2 EPA ID:	CAR000188201
Trans 2 Name:	ENVIRONMENTAL RECOVERY SERVICES
TSDF EPA ID:	CAD003963592
Trans Name:	ECS REFINING TEXAS LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	171 - Metal sludge (see 121
RCRA Code:	Not reported
Meth Code:	H010 - Metals Recovery Including Retoring,Smelting,Chemicals,Ect
Quantity Tons:	0.0645
Waste Quantity:	129
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2015
Gen EPA ID:	CAL000303717

INSIGHT SHOOTING RANGE INC (Continued) **S113141285**

Shipment Date:	20150420
Creation Date:	9/11/2015 22:15:30
Receipt Date:	20150501
Manifest ID:	013737168JJK
Trans EPA ID:	CAD981377864
Trans Name:	IDR ENVIRONMENTAL SERVICES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION INC
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D008
Meth Code:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Quantity Tons:	0.15
Waste Quantity:	300
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2014
Gen EPA ID:	CAL000303717

Shipment Date:	20140411
Creation Date:	9/6/2014 22:15:06
Receipt Date:	20140425
Manifest ID:	012528822JJK
Trans EPA ID:	CAD981377864
Trans Name:	IDR ENVIRONMENTAL SERVICES
Trans 2 EPA ID:	CAD980585293
Trans 2 Name:	INDUSTRIAL WASTE UTILIZATION INC
TSDF EPA ID:	NVT330010000
Trans Name:	US ECOLOGY
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	D008
Meth Code:	H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Quantity Tons:	0.1
Waste Quantity:	200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2009

INSIGHT SHOOTING RANGE INC (Continued) **S113141285**

Gen EPA ID: CAL000303717

Shipment Date: 20090408
Creation Date: 5/29/2009 18:30:32
Receipt Date: 20090409
Manifest ID: 004467079JJK
Trans EPA ID: CAD003963592
Trans Name: ECS REFINING
Trans 2 EPA ID: CAR000188201
Trans 2 Name: ENVIROSERV
TSDF EPA ID: CAD003963592
Trans Name: ECS REFINING TEXAS LLC
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 181 - Other inorganic solid waste Organics
RCRA Code: D008
Meth Code: H010 - Metals Recovery Including Retoring,Smelting,Chemicals,Ect
Quantity Tons: 0.049
Waste Quantity: 98
Quantity Unit: P
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Additional Info:
Year: 2016
Gen EPA ID: CAL000303717

Shipment Date: 20150420
Creation Date: 9/11/2015 22:15:30
Receipt Date: 20150501
Manifest ID: 013737168JJK
Trans EPA ID: CAD981377864
Trans Name: IDR ENVIRONMENTAL SERVICES
Trans 2 EPA ID: CAD980585293
Trans 2 Name: INDUSTRIAL WASTE UTILIZATION INC
TSDF EPA ID: NVT330010000
Trans Name: US ECOLOGY
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 181 - Other inorganic solid waste Organics
RCRA Code: D008
Meth Code: H132 - Landfill Or Surface Impoundment That Will Be Closed As Landfill(To Include On-Site Treatment And/Or Stabilization)
Quantity Tons: 0.15
Waste Quantity: 300
Quantity Unit: P
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

HWTS:

INSIGHT SHOOTING RANGE INC (Continued) **S113141285**

Name:	INSIGHT SHOOTING RANGE INC
Address:	17020 ALBURTIS AVE
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907012615
EPA ID:	CAL000303717
Inactive Date:	Not reported
Create Date:	02/22/2006
Last Act Date:	08/24/2020
Mailing Name:	Not reported
Mailing Address:	17020 ALBURTIS AVE
Mailing Address 2:	Not reported
Mailing City,State,Zip:	ARTESIA, CA 907012615
Owner Name:	INSIGHT SHOOTING RANGE INC
Owner Address:	17020 ALBURTIS AVE
Owner Address 2:	Not reported
Owner City,State,Zip:	ARTESIA, CA 90701
Contact Name:	MIKE PAK
Contact Address:	17020 ALBURTIS AVE
Contact Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 90701

NAICS:

EPA ID:	CAL000303717
Create Date:	2006-02-22 14:58:55.553
NAICS Code:	99999
NAICS Description:	Not Otherwise Specified
Issued EPA ID Date:	2006-02-22 14:58:55.49000
Inactive Date:	Not reported
Facility Name:	INSIGHT SHOOTING RANGE INC
Facility Address:	17020 ALBURTIS AVE
Facility Address 2:	Not reported
Facility City:	ARTESIA
Facility County:	Not reported
Facility State:	CA
Facility Zip:	907012615

E49 **MIKE'S SHELL SERVICE** **EDR Hist Auto** **1008993530**
SE **11754 ARTESIA BLVD** **N/A**
< 1/8 **ARTESIA, CA 90701**
0.063 mi.
335 ft. **Site 4 of 13 in cluster E**

Relative: EDR Hist Auto
Lower

Actual:
61 ft.

Year:	Name:	Type:
1970	MIKE'S SHELL SERVICE	Not reported

E50
SE
< 1/8
0.063 mi.
335 ft.

KOEUN PRINTING
11754 ARTESIA BLVD # C
ARTESIA, CA 90701

Site 5 of 13 in cluster E

CERS HAZ WASTE **S103944685**
LOS ANGELES CO. HMS **N/A**

Relative:
Lower

Actual:
61 ft.

CERS HAZ WASTE:

Name:	KOEUN PRINTING
Address:	11754 ARTESIA BLVD # C
City,State,Zip:	ARTESIA, CA 90701
Site ID:	42015
CERS ID:	10304521
CERS Description:	Hazardous Waste Generator

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-13-2014
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	No significant violations. No hazardous waste pick ups since 2008.
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS

Affiliation:

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	11754 ARTESIA BLVD #C
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported

Affiliation Type Desc:	CUPA District
Entity Name:	Los Angeles County Fire
Entity Title:	Not reported
Affiliation Address:	5825 Rickenbacker Road
Affiliation City:	Commerce
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90040-3027
Affiliation Phone:	(323) 890-4000

Affiliation Type Desc:	Parent Corporation
Entity Name:	KOEUN PRINTING
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	SHIN KWANG SIK
Entity Title:	Not reported
Affiliation Address:	11754 ARTESIA BLVD #C

KOEUN PRINTING (Continued) **S103944685**

Affiliation City: ARTESIA
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 90701
Affiliation Phone: (562) 809-8907

LOS ANGELES CO. HMS:
Name: KOEUN PRINTING
Address: 11754 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Region: LA
Permit Category: Not reported
Facility Id: 019083-027372
Facility Type: Not reported
Facility Status: OPEN
Area: 1D
Permit Number: Not reported
Permit Status: Not reported

F51 **ELITE CONSTRUCTION EQUIPMENT INC** **RCRA NonGen / NLR** **1024852392**
West **17223 JERSEY AVE** **CAL000411485**
< 1/8 **ARTESIA, CA 90701**
0.066 mi.
348 ft. **Site 2 of 3 in cluster F**

Relative: **Higher**

Actual: **64 ft.**

RCRA NonGen / NLR:
Date Form Received by Agency: 20151022
Handler Name: ELITE CONSTRUCTION EQUIPMENT INC
Handler Address: 17223 JERSEY AVE
Handler City,State,Zip: ARTESIA, CA 90701-2638
EPA ID: CAL000411485
Contact Name: GARY RUCK
Contact Address: 17223 JERSEY AVE
Contact City,State,Zip: ARTESIA, CA 90701
Contact Telephone: 562-924-0444
Contact Fax: 562-924-0442
Contact Email: GRUCK@ELITECONSTRUCTIONEQUIPMENT.COM
Contact Title: Not reported
EPA Region: 09
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: Not reported
State District: Not reported
Mailing Address: 17223 JERSEY AVE
Mailing City,State,Zip: ARTESIA, CA 90701-2638
Owner Name: ELITE CONSTRUCTION EQUIPMENT INC
Owner Type: Other
Operator Name: GARY RUCK
Operator Type: Other
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No

ELITE CONSTRUCTION EQUIPMENT INC (Continued) **1024852392**

Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180906
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	ELITE CONSTRUCTION EQUIPMENT INC

ELITE CONSTRUCTION EQUIPMENT INC (Continued) **1024852392**

Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	468 N ROSEMEAD BLVD
Owner/Operator City,State,Zip:	PASADENA, CA 91107
Owner/Operator Telephone:	626-351-8800
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	GARY RUCK
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17223 JERSEY AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-924-0444
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20151022
Handler Name:	ELITE CONSTRUCTION EQUIPMENT INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	56299
NAICS Description:	ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

F52 **ELITE CONSTRUCTION EQUIPMENT INC** **CERS HAZ WASTE** **S124907339**
West **17223 JERSEY AVE** **HAZNET** **N/A**
< 1/8 **ARTESIA, CA 90701** **CERS**
0.066 mi. **HWTS**
348 ft. **Site 3 of 3 in cluster F**

Relative: Higher
Actual: 64 ft.

CERS HAZ WASTE:
Name: ELITE CONSTRUCTION EQUIPMENT
Address: 17223 JERSEY AVE
City,State,Zip: ARTESIA, CA 90701
Site ID: 572143
CERS ID: 10864483
CERS Description: Hazardous Waste Generator

HAZNET:
Name: ELITE CONSTRUCTION EQUIPMENT INC
Address: 17223 JERSEY AVE
Address 2: Not reported
City,State,Zip: ARTESIA, CA 907012638
Contact: GARY RUCK
Telephone: 5629240444
Mailing Name: Not reported
Mailing Address: 17223 JERSEY AVE

Year: 2019
Gepaid: CAL000411485
TSD EPA ID: CAT080013352
CA Waste Code: 343 - Unspecified organic liquid mixture
Disposal Method: H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons: 0.18700

CERS:
Name: ELITE CONSTRUCTION EQUIPMENT
Address: 17223 JERSEY AVE
City,State,Zip: ARTESIA, CA 90701
Site ID: 572143
CERS ID: 10864483
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 572143
Site Name: ELITE CONSTRUCTION EQUIPMENT
Violation Date: 01-14-2021
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 02/15/2021. OBSERVATION: The following hazardous waste containers were missing the required markings: - Two 55 gallon drums used to store used motor oil - One 55 gallon drum used to store waste coolant CORRECTIVE ACTION: All hazardous waste containers shall be marked with the following information: 1) the words "Hazardous Waste"; 2) name and address of generator; 3) hazardous properties; 4) physical state; 5) composition (contents); 6)

ELITE CONSTRUCTION EQUIPMENT INC (Continued) **S124907339**

accumulation start date. If the accumulation date can be determined, affix the required markings and provide a photo to CUPA inspector via email demonstrating that the containers listed above have been properly labeled. However, if the accumulation date cannot be determined, properly dispose of the hazardous wastes listed above and provide a copy of the manifest via email to CUPA Inspector. Complete and electronically submit the Certification of Compliance to CUPA Inspector via email

Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 572143
Site Name: ELITE CONSTRUCTION EQUIPMENT
Violation Date: 01-14-2021
Citation: HSC 6.95 25507 - California Health and Safety Code, Chapter 6.95, Section(s) 25507
Violation Description: Failure to adequately establish and implement a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes: Returned to compliance on 02/17/2021. OBSERVATION: An owner/operator is required to establish and implement a Hazardous Materials Business Plan (HMBP) for storing hazardous materials/wastes at or above the threshold quantities of 55 gallons of liquid/500 pound of solids/200 cubic feet of gas. The following were observed at the time of inspection: Two 55 gallon drums used to store used motor oil Three 55 gallon drums containing new motor oil One 55 gallon drum containing new coolant One 125 gallon (4,550 cubic feet) of propane CORRECTIVE ACTIONS: Establish and implement your HMBP; submit your HMBP via California Environmental Reporting System (CERS) http://cers.calepa.ca.gov/. Complete and submit the Certification of Compliance to CUPA inspector.
Violation Division: Los Angeles County Fire Department
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-14-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: GARY RUCK PARTS MANAGER
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-14-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: GARY RUCK PARTS MANAGER
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Affiliation:

ELITE CONSTRUCTION EQUIPMENT INC (Continued) **S124907339**

Affiliation Type Desc:	Environmental Contact
Entity Name:	GARY RUCK
Entity Title:	Not reported
Affiliation Address:	17223 jeresy ave
Affiliation City:	Artesia
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer
Entity Name:	GARY RUCK
Entity Title:	PARTS MNAGER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	ELITE CONSTRUCTION EQUIPMENT LLC.
Entity Title:	Not reported
Affiliation Address:	17223 jeresy ave
Affiliation City:	Artesia
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(562) 924-0444

Affiliation Type Desc:	Parent Corporation
Entity Name:	elite construction equipment
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Property Owner
Entity Name:	ELITE CONSTRUCTION EQUIPMENT LLC
Entity Title:	Not reported
Affiliation Address:	17223 jeresy ave
Affiliation City:	Artesia
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(562) 924-0444

Affiliation Type Desc:	Document Preparer
Entity Name:	Joseph
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported

ELITE CONSTRUCTION EQUIPMENT INC (Continued) **S124907339**

Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 17223 jeresy ave
Affiliation City: Artesia
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90701
Affiliation Phone: Not reported

Affiliation Type Desc: Operator
Entity Name: ELITE CONSTRUCTION EQUIPMENT LLC.
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (562) 924-0444

Affiliation Type Desc: CUPA District
Entity Name: Los Angeles County Fire
Entity Title: Not reported
Affiliation Address: 5825 Rickenbacker Road
Affiliation City: Commerce
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90040-3027
Affiliation Phone: (323) 890-4000

HWTS:
Name: ELITE CONSTRUCTION EQUIPMENT INC
Address: 17223 JERSEY AVE
Address 2: Not reported
City,State,Zip: ARTESIA, CA 907012638
EPA ID: CAL000411485
Inactive Date: Not reported
Create Date: 10/22/2015
Last Act Date: 07/20/2020
Mailing Name: Not reported
Mailing Address: 17223 JERSEY AVE
Mailing Address 2: Not reported
Mailing City,State,Zip: ARTESIA, CA 907012638
Owner Name: ELITE CONSTRUCTION EQUIPMENT INC
Owner Address: 468 N ROSEMEAD BLVD
Owner Address 2: Not reported
Owner City,State,Zip: PASADENA, CA 91107
Contact Name: GARY RUCK
Contact Address: 17223 JERSEY AVE
Contact Address 2: Not reported
City,State,Zip: ARTESIA, CA 90701

NAICS:

ELITE CONSTRUCTION EQUIPMENT INC (Continued) **S124907339**

EPA ID:	CAL000411485
Create Date:	2015-10-22 11:53:59.390
NAICS Code:	99999
NAICS Description:	Not Otherwise Specified
Issued EPA ID Date:	2015-10-22 11:53:59.37700
Inactive Date:	Not reported
Facility Name:	ELITE CONSTRUCTION EQUIPMENT INC
Facility Address:	17223 JERSEY AVE
Facility Address 2:	Not reported
Facility City:	ARTESIA
Facility County:	Not reported
Facility State:	CA
Facility Zip:	907012638

D53 **MANFIELD PARTNERSHIP #2** **RCRA-LQG** **1024876928**
NNW **17004 ALBURTIS AVENUE** **CAR000284182**
< 1/8 **ARTESIA, CA 90701**
0.069 mi.
364 ft. **Site 4 of 5 in cluster D**

Relative: **Lower**

Actual: **62 ft.**

RCRA-LQG:

Date Form Received by Agency:	20180525
Handler Name:	MANFIELD PARTNERSHIP #2
Handler Address:	17004 ALBURTIS AVENUE
Handler City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAR000284182
Contact Name:	JEREMY WEINSTEIN
Contact Address:	N CAMDEN DRIVE STE 820
Contact City,State,Zip:	BEVERLY HILLS, CA 90210
Contact Telephone:	310-550-1570 230
Contact Fax:	310-550-1826
Contact Email:	JWEINSTEIN@NSBINC.COM
Contact Title:	PROPERTY MANAGER
EPA Region:	09
Land Type:	Private
Federal Waste Generator Description:	Large Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	N CAMDEN DRIVE STE 820
Mailing City,State,Zip:	BEVERLY HILLS, CA 90210
Owner Name:	MANFIELD PARTNERSHIP #2
Owner Type:	Private
Operator Name:	DEVRAJ P. KERAY
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No

MANFIELD PARTNERSHIP #2 (Continued) **1024876928**

Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180530
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D039
Waste Description:	TETRACHLOROETHYLENE
Waste Code:	D040
Waste Description:	TRICHLORETHYLENE

Handler - Owner Operator:

MANFIELD PARTNERSHIP #2 (Continued) **1024876928**

Owner/Operator Indicator:	Operator
Owner/Operator Name:	DEVRAJ P. KERAY
Legal Status:	Private
Date Became Current:	20091101
Date Ended Current:	Not reported
Owner/Operator Address:	18601 PIONEER BLVD
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-809-9433
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	PIONEERCASHCARRY@AOL.COM

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MANFIELD PARTNERSHIP #2
Legal Status:	Private
Date Became Current:	19901221
Date Ended Current:	Not reported
Owner/Operator Address:	433 N CAMDEN DRIVE STE 820
Owner/Operator City,State,Zip:	BEVERLY HILLS, CA 90210
Owner/Operator Telephone:	310-550-1570
Owner/Operator Telephone Ext:	230
Owner/Operator Fax:	310-550-1826
Owner/Operator Email:	JWEINSTEIN@NSBINC.COM

Historic Generators:

Receive Date:	20180525
Handler Name:	MANFIELD PARTNERSHIP #2
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

List of NAICS Codes and Descriptions:

NAICS Code:	493110
NAICS Description:	GENERAL WAREHOUSING AND STORAGE

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

D54 **PRL GLASS SYSTEMS** **CPS-SLIC** **S102063553**
NNW **17004 ALBURTIS AVE** **LOS ANGELES CO. HMS** **N/A**
< 1/8 **ARTESIA, CA 90701** **CERS**
0.069 mi.
364 ft. **Site 5 of 5 in cluster D**

Relative:
Lower

Actual:
62 ft.

CPS-SLIC:

Name:	17004 ALBURTIS - (APN 7035-022-049)
Address:	17004 ALBURTIS AVENUE
City,State,Zip:	ARTESIA, CA 90701
Region:	STATE
Facility Status:	**Open - Site Assessment**
Status Date:	06/26/2018
Global Id:	T10000011761
Lead Agency:	LOS ANGELES RWQCB (REGION 4)
Lead Agency Case Number:	Not reported
Latitude:	33.87574
Longitude:	-118.08579
Case Type:	Cleanup Program Site
Case Worker:	AF
Local Agency:	Not reported
RB Case Number:	1426
File Location:	All Files are on GeoTracker or in the Local Agency Database
Potential Media Affected:	Indoor Air, Other Groundwater (uses other than drinking water), Soil, Soil Vapor
Potential Contaminants of Concern:	Tetrachloroethylene (PCE), Trichloroethylene (TCE)
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

LOS ANGELES CO. HMS:

Name:	PRL GLASS SYSTEMS
Address:	17004 ALBURTIS AVE
City,State,Zip:	ARTESIA, CA 907012615
Region:	LA
Permit Category:	I
Facility Id:	006702-020654
Facility Type:	01
Facility Status:	Closed
Area:	1D
Permit Number:	000013596
Permit Status:	Closed

CERS:

Name:	17004 ALBURTIS - (APN 7035-022-049)
Address:	17004 ALBURTIS AVENUE
City,State,Zip:	ARTESIA, CA 90701
Site ID:	440162
CERS ID:	T10000011761
CERS Description:	Cleanup Program Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	Anita FANG - LOS ANGELES RWQCB (REGION 4)
Entity Title:	Not reported
Affiliation Address:	320 West 4th Street, Suite 200
Affiliation City:	LOS ANGELES
Affiliation State:	CA
Affiliation Country:	Not reported

PRL GLASS SYSTEMS (Continued) **S102063553**

Affiliation Zip: Not reported
Affiliation Phone: 2135766730

E55 **SHELL SERVICE STATION** **RCRA NonGen / NLR** **1006805316**
ESE **17325 PIONEER BLVD** **FINDS** **CAR000125807**
< 1/8 **ARTESIA, CA 90701** **HAZNET**
0.086 mi. **HWTS**
455 ft. **Site 6 of 13 in cluster E**

Relative: **Lower**
Actual: **62 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:		20181217
Handler Name:	SHELL SERVICE STATION	
Handler Address:		17325 PIONEER BLVD
Handler City,State,Zip:		ARTESIA, CA 90701-2707
EPA ID:		CAR000125807
Contact Name:		TESSA BEMIS
Contact Address:		285 DELAWARE AVE STE 500
Contact City,State,Zip:		BUFFALO, NY 14202
Contact Telephone:		716-362-8847
Contact Fax:		Not reported
Contact Email:		TESSA.BEMIS@GHD.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		P O BOX 2648
Mailing City,State,Zip:		HOUSTON, TX 77252-2648
Owner Name:		EQUILON ENTERPRISES LLC DBA
Owner Type:		Private
Operator Name:		Not reported
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported

SHELL SERVICE STATION (Continued) **1006805316**

Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20190107
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D018
Waste Description:	BENZENE

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	EQUILON ENTERPRISES LLC DBA
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	P O BOX 2648
Owner/Operator City,State,Zip:	HOUSTON, TX 77252-2648
Owner/Operator Telephone:	713-241-5036
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

SHELL SERVICE STATION (Continued) **1006805316**

Owner/Operator Indicator: Owner
Owner/Operator Name: EQUILON ENTERPRISES LLC DBA
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: P O BOX 2648
Owner/Operator City,State,Zip: HOUSTON, TX 77252-2648
Owner/Operator Telephone: 713-241-5036
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20181217
Handler Name: SHELL SERVICE STATION
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20020814
Handler Name: SHELL SERVICE STATION
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110070590212

Click Here:

Environmental Interest/Information System:

SHELL SERVICE STATION (Continued) **1006805316**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Registry ID: 110055896473

Click Here:

Environmental Interest/Information System:
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

HAZNET:

Name:	SHELL SERVICE STATION
Address:	17325 PIONEER BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907012707
Contact:	J. Traylor/ENV REPORTING ANALYST
Telephone:	7132416992
Mailing Name:	Not reported
Mailing Address:	PO BOX 3127
Year:	2009
Gepaid:	CAR000125807
TSD EPA ID:	CAT080013352
CA Waste Code:	133 - Aqueous solution with total organic residues 10 percent or more
Disposal Method:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons:	0.22935
Year:	2009
Gepaid:	CAR000125807
TSD EPA ID:	CAD008302903
CA Waste Code:	352 - Other organic solids
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.045
Year:	2005
Gepaid:	CAR000125807
TSD EPA ID:	CAT080013352
CA Waste Code:	221 - Waste oil and mixed oil
Disposal Method:	R01 - Recycler
Tons:	0.38
Year:	2004
Gepaid:	CAR000125807
TSD EPA ID:	CAD008364432
CA Waste Code:	352 - Other organic solids
Disposal Method:	R01 - Recycler
Tons:	0.09
Year:	2004
Gepaid:	CAR000125807

SHELL SERVICE STATION (Continued) **1006805316**

TSD EPA ID: CAT080013352
CA Waste Code: 134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method: R01 - Recycler
Tons: 0.021

Year: 2003
Gepaid: CAR000125807
TSD EPA ID: CAD008364432
CA Waste Code: 352 - Other organic solids
Disposal Method: R01 - Recycler
Tons: 0.015

Year: 2003
Gepaid: CAR000125807
TSD EPA ID: CAT080013352
CA Waste Code: 134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method: R01 - Recycler
Tons: 0.4074

Year: 2003
Gepaid: CAR000125807
TSD EPA ID: CAD028409019
CA Waste Code: 134 - Aqueous solution with total organic residues less than 10 percent
Disposal Method: -
Tons: 0.168

Year: 2003
Gepaid: CAR000125807
TSD EPA ID: CAD028409019
CA Waste Code: -
Disposal Method: T01 - Treatment, Tank
Tons: Not reported

Year: 2003
Gepaid: CAR000125807
TSD EPA ID: CAD982484933
CA Waste Code: 512 - Other empty containers 30 gallons or more
Disposal Method: D99 - Disposal, Other
Tons: 0.1

Click this hyperlink while viewing on your computer to access
2 additional CA HAZNET: record(s) in the EDR Site Report.

Additional Info:
Year: 2009
Gen EPA ID: CAR000125807

Shipment Date: 20090903
Creation Date: 10/29/2009 18:30:19
Receipt Date: 20090904
Manifest ID: 005729262JJK
Trans EPA ID: CAR000148338
Trans Name: AMERICAN INTEGRATED SERVICES INC

SHELL SERVICE STATION (Continued) **1006805316**

Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO KERDOON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	133 - Aqueous solution with 10% or more total organic residues
RCRA Code:	D018
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.22935
Waste Quantity:	55
Quantity Unit:	G
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20090521
Creation Date:	6/17/2009 18:30:35
Receipt Date:	20090522
Manifest ID:	005956818JJK
Trans EPA ID:	CAR000148338
Trans Name:	AMERICAN INTEGRATED SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	VEOLIA ES TECHNICAL SOLUTIONS
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	D018
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.045
Waste Quantity:	90
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2003
Gen EPA ID:	CAR000125807

Shipment Date:	20031125
Creation Date:	8/5/2004 10:14:17
Receipt Date:	20031125
Manifest ID:	22785179
Trans EPA ID:	CAD008364432
Trans Name:	RHO-CHEM
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432

SHELL SERVICE STATION (Continued) **1006805316**

Trans Name:	RHO-CHEM CORPORATION
TSDF Alt EPA ID:	CAD008364432
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.015
Waste Quantity:	30
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20031106
Creation Date:	8/9/2004 8:48:13
Receipt Date:	20031107
Manifest ID:	22508127
Trans EPA ID:	CAR000031211
Trans Name:	CALIFORNIA HAZARDOUS SERVICES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO KERDOON
TSDF Alt EPA ID:	CAT080013352
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.4074
Waste Quantity:	97
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20031001
Creation Date:	7/13/2004 10:48:19
Receipt Date:	20031002
Manifest ID:	22050799
Trans EPA ID:	CAD982030173
Trans Name:	ECOLOGY CONTROL INDUSTRIES
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982484933
Trans Name:	ECOLOGY CONTROL INDUSTRIES
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	D99 - Disposal, Other
Quantity Tons:	0.1
Waste Quantity:	200
Quantity Unit:	P

SHELL SERVICE STATION (Continued) **1006805316**

Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20030129
Creation Date:	5/21/2003 18:32:18
Receipt Date:	20030203
Manifest ID:	22248660
Trans EPA ID:	CAR000031211
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD028409019
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	T01 - Treatment, Tank
Quantity Tons:	Not reported
Waste Quantity:	Not reported
Quantity Unit:	Not reported
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20030129
Creation Date:	5/21/2003 18:32:18
Receipt Date:	20030203
Manifest ID:	22248660
Trans EPA ID:	CAR000031211
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD028409019
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD028409019
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D001
Meth Code:	- Not reported
Quantity Tons:	0.168
Waste Quantity:	40
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2005
Gen EPA ID:	CAR000125807

SHELL SERVICE STATION (Continued) **1006805316**

Shipment Date:	20051129
Creation Date:	1/4/2007 18:30:12
Receipt Date:	20051202
Manifest ID:	24778875
Trans EPA ID:	CAL922125668
Trans Name:	ADAMS SERVICES INC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO/KERDOON
TSDF Alt EPA ID:	CAT080013352
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.38
Waste Quantity:	100
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2002
Gen EPA ID:	CAR000125807

Shipment Date:	20021104
Creation Date:	2/13/2003 18:31:35
Receipt Date:	20021104
Manifest ID:	22241873
Trans EPA ID:	CAD982030173
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982484933
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	D99 - Disposal, Other
Quantity Tons:	3
Waste Quantity:	6000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20021014
Creation Date:	2/10/2003 18:31:16
Receipt Date:	20021014
Manifest ID:	22241877
Trans EPA ID:	CAD982030173

SHELL SERVICE STATION (Continued) **1006805316**

Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982484933
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	D99 - Disposal, Other
Quantity Tons:	3
Waste Quantity:	6000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20021014
Creation Date:	2/10/2003 18:31:16
Receipt Date:	20021014
Manifest ID:	22241876
Trans EPA ID:	CAD982030173
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982484933
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	D99 - Disposal, Other
Quantity Tons:	2.5
Waste Quantity:	5000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20021014
Creation Date:	2/7/2003 18:31:45
Receipt Date:	20021014
Manifest ID:	22241874
Trans EPA ID:	CAD982030173
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D001

SHELL SERVICE STATION (Continued) **1006805316**

Meth Code:	R01 - Recycler
Quantity Tons:	1.68
Waste Quantity:	400
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20021014
Creation Date:	2/10/2003 18:31:16
Receipt Date:	20021014
Manifest ID:	22241875
Trans EPA ID:	CAD982030173
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD982484933
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	512 - Other empty containers 30 gallons or more
RCRA Code:	Not reported
Meth Code:	D99 - Disposal, Other
Quantity Tons:	3
Waste Quantity:	6000
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2004
Gen EPA ID:	CAR000125807
Shipment Date:	20041206
Creation Date:	2/17/2005 18:31:05
Receipt Date:	20041206
Manifest ID:	23786039
Trans EPA ID:	CAD008364432
Trans Name:	RHO-CHEM
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM CORPORATION
TSDF Alt EPA ID:	CAD008364432
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	NA
Meth Code:	R01 - Recycler
Quantity Tons:	0.02
Waste Quantity:	40
Quantity Unit:	P
Additional Code 1:	Not reported

SHELL SERVICE STATION (Continued) **1006805316**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20041105
Creation Date:	1/11/2005 18:30:51
Receipt Date:	20041105
Manifest ID:	23765913
Trans EPA ID:	CAD008364432
Trans Name:	RHO-CHEM
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM CORPORATION
TSDF Alt EPA ID:	CAD008364432
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	NA
Meth Code:	R01 - Recycler
Quantity Tons:	0.02
Waste Quantity:	40
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040730
Creation Date:	11/1/2004 12:36:11
Receipt Date:	20040730
Manifest ID:	23770895
Trans EPA ID:	CAD008364432
Trans Name:	RHO-CHEM
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM CORPORATION
TSDF Alt EPA ID:	CAD008364432
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	NA
Meth Code:	R01 - Recycler
Quantity Tons:	0.02
Waste Quantity:	40
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040730
Creation Date:	11/1/2004 12:36:11
Receipt Date:	20040730
Manifest ID:	23770895

SHELL SERVICE STATION (Continued) **1006805316**

Trans EPA ID:	CAD008364432
Trans Name:	RHO-CHEM
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM CORPORATION
TSDF Alt EPA ID:	CAD008364432
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	NA
Meth Code:	R01 - Recycler
Quantity Tons:	0.015
Waste Quantity:	30
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20040706
Creation Date:	1/18/2005 9:36:15
Receipt Date:	20040714
Manifest ID:	23615050
Trans EPA ID:	CAD983584681
Trans Name:	BESI
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO KERDOON
TSDF Alt EPA ID:	CAT080013352
TSDF Alt Name:	Not reported
Waste Code Description:	134 - Aqueous solution with <10% total organic residues
RCRA Code:	D001
Meth Code:	R01 - Recycler
Quantity Tons:	0.021
Waste Quantity:	5
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20040405
Creation Date:	10/1/2004 18:31:09
Receipt Date:	20040405
Manifest ID:	22785813
Trans EPA ID:	CAD008364432
Trans Name:	RHO-CHEM
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM CORPORATION
TSDF Alt EPA ID:	CAD008364432
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids

SHELL SERVICE STATION (Continued) **1006805316**

RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	0.015
Waste Quantity:	30
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

HWTS:

Name:	SHELL SERVICE STATION
Address:	17325 PIONEER BLVD
Address 2:	S A P NO 135062
City,State,Zip:	ARTESIA, CA 907012707
EPA ID:	CAR000125807
Inactive Date:	11/03/2010
Create Date:	03/04/2003
Last Act Date:	01/07/2019
Mailing Name:	Not reported
Mailing Address:	285 DELAWARE AVE STE 500
Mailing Address 2:	Not reported
Mailing City,State,Zip:	BUFFALO, NY 14202
Owner Name:	SHELL OIL PRODUCTS US
Owner Address:	PO BOX 3127
Owner Address 2:	Not reported
Owner City,State,Zip:	HOUSTON, TX 772530000
Contact Name:	TESSA BEMIS
Contact Address:	285 DELAWARE AVE STE 500
Contact Address 2:	Not reported
City,State,Zip:	BUFFALO, NY 14202

NAICS:

EPA ID:	CAR000125807
Create Date:	2003-10-23 13:13:52.000
NAICS Code:	44711
NAICS Description:	Gasoline Stations with Convenience Stores
Issued EPA ID Date:	2003-03-04 14:25:35.18700
Inactive Date:	2010-11-03 00:00:00
Facility Name:	SHELL SERVICE STATION
Facility Address:	17325 PIONEER BLVD
Facility Address 2:	S A P NO 135062
Facility City:	ARTESIA
Facility County:	Not reported
Facility State:	CA
Facility Zip:	907012707

E56 **SHELL SERVICE STATION** **LUST** **1006805303**
ESE **17325 PIONEER UNIT C** **RCRA NonGen / NLR** **CAR000125674**
< 1/8 **ARTESIA, CA 90701** **Cortese**
0.086 mi.
455 ft. **Site 7 of 13 in cluster E**

Relative: **Lower**

Actual: **62 ft.**

LUST REG 4:

Region:	4	
Regional Board:	04	
County:	Los Angeles	
Facility Id:	I-02242A	
Status:	Leak being confirmed	
Substance:	Gasoline	
Substance Quantity:	Not reported	
Local Case No:	02165-026233	
Case Type:	Groundwater	
Abatement Method Used at the Site:		Not reported
Global ID:	T0603724499	
W Global ID:	Not reported	
Staff:	JFL	
Local Agency:	19000	
Cross Street:	ARTESIA BLVD.	
Enforcement Type:	SEL	
Date Leak Discovered:	11/8/2001	
Date Leak First Reported:		7/31/2003
Date Leak Record Entered:	Not reported	
Date Confirmation Began:	7/31/2003	
Date Leak Stopped:	Not reported	
Date Case Last Changed on Database:		Not reported
Date the Case was Closed:		Not reported
How Leak Discovered:	Subsurface Monitoring	
How Leak Stopped:	Not reported	
Cause of Leak:	UNK	
Leak Source:	UNK	
Operator:	Not reported	
Water System:	Not reported	
Well Name:	Not reported	
Approx. Dist To Production Well (ft):		Not reported
Source of Cleanup Funding:		UNK
Preliminary Site Assessment Workplan Submitted:		Not reported
Preliminary Site Assessment Began:		Not reported
Pollution Characterization Began:		Not reported
Remediation Plan Submitted:		Not reported
Remedial Action Underway:		Not reported
Post Remedial Action Monitoring Began:		Not reported
Enforcement Action Date:		Not reported
Historical Max MTBE Date:		6/19/2003
Hist Max MTBE Conc in Groundwater:		310
Hist Max MTBE Conc in Soil:		Not reported
Significant Interim Remedial Action Taken:		Not reported
GW Qualifier:	Not reported	
Soil Qualifier:	Not reported	
Organization:	Not reported	
Owner Contact:	Not reported	
Responsible Party:	JOE LENTINI	
RP Address:	P.O. BOX 7869	
Program:	LUST	
Lat/Long:	0 / 0	
Local Agency Staff:	Not reported	

SHELL SERVICE STATION (Continued) **1006805303**

Beneficial Use:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Suspended:	Not reported
Assigned Name:	Not reported
Summary:	Not reported

RCRA NonGen / NLR:

Date Form Received by Agency:		20020814
Handler Name:	SHELL SERVICE STATION	
Handler Address:		17325 PIONEER UNIT C
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAR000125674
Contact Name:		NORA CORTEZ
Contact Address:		12700 NORTHBOROUGH DR
Contact City,State,Zip:		HOUSTON, TX 77067-2508
Contact Telephone:		281-874-2224
Contact Fax:		Not reported
Contact Email:		NCCORTEZ@SHELLOPUS.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		12700 NORTHBOROUGH DR
Mailing City,State,Zip:		HOUSTON, TX 77067-2508
Owner Name:		EQUILON ENTERPRISES LLC DBA
Owner Type:		Private
Operator Name:		Not reported
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported

SHELL SERVICE STATION (Continued) **1006805303**

2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20041214
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D018
Waste Description:	BENZENE

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	EQUILON ENTERPRISES LLC DBA
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	P O BOX 2648
Owner/Operator City,State,Zip:	HOUSTON, TX 77252-2648
Owner/Operator Telephone:	713-241-5036
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

SHELL SERVICE STATION (Continued) **1006805303**

Historic Generators:
- Receive Date: 20020814
- Handler Name: SHELL SERVICE STATION
- Federal Waste Generator Description: Not a generator, verified
- State District Owner: Not reported
- Large Quantity Handler of Universal Waste: No
- Recognized Trader Importer: No
- Recognized Trader Exporter: No
- Spent Lead Acid Battery Importer: No
- Spent Lead Acid Battery Exporter: No
- Current Record: Yes
- Non Storage Recycler Activity: Not reported
- Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
- NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
- Violations: No Violations Found

Evaluation Action Summary:
- Evaluations: No Evaluations Found

CORTESE:
- Name: SHELL OIL PRODUCTS US
- Address: 17325 PIONEER BLVD.
- City,State,Zip: ARTESIA, CA 90701
- Region: CORTESE
- Envirostor Id: Not reported
- Global ID: T0603724499
- Site/Facility Type: LUST CLEANUP SITE
- Cleanup Status: COMPLETED - CASE CLOSED
- Status Date: Not reported
- Site Code: Not reported
- Latitude: Not reported
- Longitude: Not reported
- Owner: Not reported
- Enf Type: Not reported
- Swat R: Not reported
- Flag: active
- Order No: Not reported
- Waste Discharge System No: Not reported
- Effective Date: Not reported
- Region 2: Not reported
- WID Id: Not reported
- Solid Waste Id No: Not reported
- Waste Management Uit Name: Not reported
- File Name: Active Open

E57
ESE
< 1/8
0.086 mi.
455 ft.

SHELL NICK SERVICE
17325 PIONEER BLVD
ARTESIA, CA 90701

Site 8 of 13 in cluster E

EDR Hist Auto **1020883046**
N/A

Relative:
Lower

Actual:
62 ft.

EDR Hist Auto

Year:	Name:	Type:
1977	SAMPLE KENNETH	Gasoline Service Stations
1978	SAMPLE KENNETH	Gasoline Service Stations
1979	SAMPLE KENNETH	Gasoline Service Stations
1980	T & S SHELL STATION	Gasoline Service Stations
1982	T & S SHELL STATION	Gasoline Service Stations
1983	T & S SHELL STATION	Gasoline Service Stations
1985	T & S SHELL STATION	Gasoline Service Stations
1986	T & S SHELL STATION	Gasoline Service Stations
1987	T & S SHELL STATION	Gasoline Service Stations
1988	T & S SHELL STATION	Gasoline Service Stations
1989	T & S SHELL STATION	Gasoline Service Stations, NEC
1994	PIONEER & ARTESIA SHELL	Gasoline Service Stations
1994	NICK SHELL SERVICE	Gasoline Service Stations
1995	PIONEER & ARTESIA SHELL	Gasoline Service Stations
1995	NICK SHELL SERVICE	Gasoline Service Stations
1996	PIONEER & ARTESIA SHELL	Gasoline Service Stations
1996	NICK SHELL SERVICE	Gasoline Service Stations
1997	SHELL NICK SERVICE	Gasoline Service Stations
1997	PIONEER & ARTESIA SHELL	Gasoline Service Stations
1998	SHELL NICK SERVICE	Gasoline Service Stations
1999	SHELL NICK SERVICE	Gasoline Service Stations
2000	SHELL NICK SERVICE	Gasoline Service Stations
2000	ALLIANCE FLEET SERVICES	Gasoline Service Stations
2001	SHELL NICK SERVICE	Gasoline Service Stations
2001	ALLIANCE FLEET SERVICES	Gasoline Service Stations
2002	ALLIANCE FLEET SERVICES	Gasoline Service Stations
2002	SHELL NICK SERVICE	Gasoline Service Stations
2003	SHELL NICK SERVICE	Gasoline Service Stations
2003	ALLIANCE FLEET SERVICES	Gasoline Service Stations
2004	ALLIANCE FLEET SERVICES	Gasoline Service Stations
2004	SHELL NICK SERVICE	Gasoline Service Stations
2005	ALLIANCE FLEET SERVICES	Gasoline Service Stations
2005	SHELL NICK SERVICE	Gasoline Service Stations, NEC
2006	SHELL NICK SERVICE	Gasoline Service Stations, NEC
2006	ALLIANCE FLEET SERVICES	Gasoline Service Stations
2007	ALLIANCE FLEET SERVICES	Gasoline Service Stations
2007	SHELL NICK SERVICE	Gasoline Service Stations, NEC
2008	SHELL NICK SERVICE	Gasoline Service Stations, NEC
2008	ALLIANCE FLEET SERVICES	Gasoline Service Stations
2009	ALLIANCE FLEET SERVICES	Gasoline Service Stations
2009	SHELL NICK SERVICE	Gasoline Service Stations, NEC
2010	ALLIANCE FLEET SERVICES	Gasoline Service Stations
2010	SHELL NICK SERVICE	Gasoline Service Stations, NEC
2011	SHELL NICK SERVICE	Gasoline Service Stations, NEC
2011	ALLIANCE FLEET SERVICES	Gasoline Service Stations
2012	SHELL NICK SERVICE	Gasoline Service Stations, NEC
2012	ALLIANCE FLEET SERVICES	Gasoline Service Stations
2013	SHELL NICK SERVICE	Gasoline Service Stations, NEC
2014	SHELL NICK SERVICE	Gasoline Service Stations, NEC

E58 **SHELL #204-0348-0500** **LUST** **S102436970**
ESE **17325 PIONEER BLVD** **Cortese** **N/A**
< 1/8 **ARTESIA, CA 90701** **CERS**
0.086 mi.
455 ft. **Site 9 of 13 in cluster E**

Relative: LUST REG 4:
Lower

Actual: Region: 4
62 ft. Regional Board: 04
County: Los Angeles
Facility Id: I-02242
Status: Case Closed
Substance: Gasoline
Substance Quantity: Not reported
Local Case No: Not reported
Case Type: Groundwater
Abatement Method Used at the Site: Not reported
Global ID: T0603702841
W Global ID: Not reported
Staff: UNK
Local Agency: 19000
Cross Street: ARTESIA BLVD
Enforcement Type: Not reported
Date Leak Discovered: 10/25/1993
Date Leak First Reported: 7/24/1995
Date Leak Record Entered: 9/12/1995
Date Confirmation Began: 1/25/1994
Date Leak Stopped: Not reported
Date Case Last Changed on Database: 8/12/1996
Date the Case was Closed: 8/12/1996
How Leak Discovered: Subsurface Monitoring
How Leak Stopped: Not reported
Cause of Leak: UNK
Leak Source: Piping
Operator: Not reported
Water System: Not reported
Well Name: Not reported
Approx. Dist To Production Well (ft): 684.526918373475477861627763 46
Source of Cleanup Funding: Piping
Preliminary Site Assessment Workplan Submitted: 10/31/1994
Preliminary Site Assessment Began: 4/21/1995
Pollution Characterization Began: Not reported
Remediation Plan Submitted: Not reported
Remedial Action Underway: Not reported
Post Remedial Action Monitoring Began: Not reported
Enforcement Action Date: Not reported
Historical Max MTBE Date: Not reported
Hist Max MTBE Conc in Groundwater: Not reported
Hist Max MTBE Conc in Soil: Not reported
Significant Interim Remedial Action Taken: Not reported
GW Qualifier: Not reported
Soil Qualifier: Not reported
Organization: Not reported
Owner Contact: Not reported
Responsible Party: SHELL OIL COMPANY
RP Address: 511 BROOKHURST AVE N, ANAHEIM 92803
Program: LUST
Lat/Long: 33.873862 / -1
Local Agency Staff: Not reported

SHELL #204-0348-0500 (Continued) **S102436970**

Beneficial Use: Not reported
Priority: Not reported
Cleanup Fund Id: Not reported
Suspended: Not reported
Assigned Name: Not reported
Summary: 24FEB95 SOIL @ GW DEPTH 15FT BGS CONTAMINATION TPH(G)6908PPMBTEX 4,774/25,148/7,169/40,646 PPB @ 15FT BGS

CORTESE:
Name: SHELL #204-0348-0500
Address: 17325 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0603702841
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

CERS:
Name: SHELL #204-0348-0500
Address: 17325 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 250880
CERS ID: T0603702841
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: JOHN AWUJO - LOS ANGELES COUNTY
Entity Title: Not reported
Affiliation Address: 900 S FREMONT AVE
Affiliation City: ALHAMBRA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 6264583507

Affiliation Type Desc: Regional Board Caseworker
Entity Name: YUE RONG - LOS ANGELES RWQCB (REGION 4)
Entity Title: Not reported
Affiliation Address: 320 W. 4TH ST., SUITE 200

SHELL #204-0348-0500 (Continued) **S102436970**

Affiliation City:	Los Angeles
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

E59 **SHELL #135062 (NICK'S SHELL)** **UST** **U004357360**
ESE **17325 PIONEER BLVD** **N/A**
< 1/8 **ARTESIA, CA 90701**
0.086 mi.
455 ft. **Site 10 of 13 in cluster E**

Relative:
Lower

Actual:
62 ft.

UST:

Name:	SHELL #135062 (NICK'S SHELL)
Address:	17325 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Facility ID:	LACoFA0020969
Permitting Agency:	Los Angeles County Fire Department
CERSID:	10279009
Latitude:	33.87344
Longitude:	-118.08265

E60 **CAL CRYSTAL INC DBA NICK SHELL SERVICE** **LUST** **S105126309**
ESE **17325 PIONEER BLVD** **CERS HAZ WASTE** **N/A**
< 1/8 **ARTESIA, CA 90701** **CERS TANKS**
0.086 mi. **HAZNET**
455 ft. **Site 11 of 13 in cluster E** **HIST CORTESE**
LOS ANGELES CO. HMS

Relative:
Lower

CERS
HWTS

Actual:
62 ft.

LUST:

Name:	SHELL OIL PRODUCTS US
Address:	17325 PIONEER BLVD.
City,State,Zip:	ARTESIA, CA 90701
Lead Agency:	LOS ANGELES RWQCB (REGION 4)
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603724499
Global Id:	T0603724499
Latitude:	33.8734
Longitude:	-118.0826
Status:	Completed - Case Closed
Status Date:	01/23/2009
Case Worker:	JFL
RB Case Number:	I-02242A
Local Agency:	LOS ANGELES COUNTY
File Location:	Regional Board
Local Case Number:	02165-026233
Potential Media Affect:	Aquifer used for drinking water supply
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0603724499
Contact Type:	Local Agency Caseworker
Contact Name:	LAURA GAJDOS

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Organization Name: LOS ANGELES COUNTY
Address: 900 S. FREMONT AVE.
City: ALHAMBRA
Email: Not reported
Phone Number: Not reported

Global Id: T0603724499
Contact Type: Regional Board Caseworker
Contact Name: JOE F. LUERA
Organization Name: LOS ANGELES RWQCB (REGION 4)
Address: 320 W. 4TH STREET, SUITE 200
City: LOS ANGELES
Email: joe.luera@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0603724499
Action Type: ENFORCEMENT
Date: 01/23/2009
Action: Closure/No Further Action Letter

Global Id: T0603724499
Action Type: Other
Date: 07/31/2003
Action: Leak Reported

Global Id: T0603724499
Action Type: RESPONSE
Date: 04/15/2006
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: RESPONSE
Date: 01/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: RESPONSE
Date: 07/15/2006
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: RESPONSE
Date: 04/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: RESPONSE
Date: 01/15/2006
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: ENFORCEMENT
Date: 01/13/2009
Action: Notification - Preclosure

Global Id: T0603724499

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Action Type: RESPONSE
Date: 04/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: RESPONSE
Date: 07/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: RESPONSE
Date: 10/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: RESPONSE
Date: 10/15/2006
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: RESPONSE
Date: 07/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: RESPONSE
Date: 01/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: RESPONSE
Date: 10/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: RESPONSE
Date: 01/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: ENFORCEMENT
Date: 03/03/2004
Action: Staff Letter

Global Id: T0603724499
Action Type: RESPONSE
Date: 01/15/2009
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: RESPONSE
Date: 07/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: RESPONSE
Date: 10/15/2008

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: RESPONSE
Date: 04/15/2004
Action: Other Report / Document

Global Id: T0603724499
Action Type: RESPONSE
Date: 04/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: RESPONSE
Date: 04/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: RESPONSE
Date: 07/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: RESPONSE
Date: 10/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0603724499
Action Type: Other
Date: 11/08/2001
Action: Leak Discovery

Global Id: T0603724499
Action Type: REMEDIATION
Date: 11/08/2001
Action: Other (Use Description Field)

LUST:
Global Id: T0603724499
Status: Open - Case Begin Date
Status Date: 11/08/2001

Global Id: T0603724499
Status: Open - Site Assessment
Status Date: 07/31/2003

Global Id: T0603724499
Status: Completed - Case Closed
Status Date: 01/23/2009

Name: SHELL #204-0348-0500
Address: 17325 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Lead Agency: LOS ANGELES RWQCB (REGION 4)
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603702841

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Global Id:	T0603702841
Latitude:	33.873507783
Longitude:	-118.0825801
Status:	Completed - Case Closed
Status Date:	08/12/1996
Case Worker:	YR
RB Case Number:	I-02242
Local Agency:	LOS ANGELES COUNTY
File Location:	Not reported
Local Case Number:	Not reported
Potential Media Affect:	Aquifer used for drinking water supply
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0603702841
Contact Type:	Local Agency Caseworker
Contact Name:	JOHN AWUJO
Organization Name:	LOS ANGELES COUNTY
Address:	900 S FREMONT AVE
City:	ALHAMBRA
Email:	jawujo@dpw.lacounty.gov
Phone Number:	6264583507

Global Id:	T0603702841
Contact Type:	Regional Board Caseworker
Contact Name:	YUE RONG
Organization Name:	LOS ANGELES RWQCB (REGION 4)
Address:	320 W. 4TH ST., SUITE 200
City:	Los Angeles
Email:	yrong@waterboards.ca.gov
Phone Number:	Not reported

LUST:

Global Id:	T0603702841
Action Type:	Other
Date:	07/24/1995
Action:	Leak Reported

Global Id:	T0603702841
Action Type:	Other
Date:	10/25/1993
Action:	Leak Discovery

LUST:

Global Id:	T0603702841
Status:	Open - Case Begin Date
Status Date:	10/25/1993

Global Id:	T0603702841
Status:	Open - Site Assessment
Status Date:	01/25/1994

Global Id:	T0603702841
Status:	Open - Site Assessment
Status Date:	10/31/1994

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Global Id: T0603702841
Status: Open - Site Assessment
Status Date: 04/21/1995

Global Id: T0603702841
Status: Completed - Case Closed
Status Date: 08/12/1996

CERS HAZ WASTE:
Name: SHELL #135062 (NICK'S SHELL)
Address: 17325 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 152989
CERS ID: 10279009
CERS Description: Hazardous Waste Generator

CERS TANKS:
Name: SHELL #135062 (NICK'S SHELL)
Address: 17325 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 152989
CERS ID: 10279009
CERS Description: Underground Storage Tank

HAZNET:
Name: CAL CRYSTAL INC DBA NICK SHELL SERVICE
Address: 17325 PIONEER BLVD
Address 2: Not reported
City,State,Zip: ARTESIA, CA 90701
Contact: FAROOQ MEMON
Telephone: 5628655555
Mailing Name: Not reported
Mailing Address: 17325 PIONEER BLVD

Year: 2015
Gepaid: CAL000410514
TSD EPA ID: CAT080013352
CA Waste Code: 241 - Tank bottom waste
Disposal Method: H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons: 10.49172

Additional Info:
Year: 2015
Gen EPA ID: CAL000410514

Shipment Date: 20151223
Creation Date: 3/5/2016 22:15:15
Receipt Date: 20151223
Manifest ID: 014287138JJK
Trans EPA ID: CAR000172874
Trans Name: ABLE ENVIRONMENTAL SERVICES
Trans 2 EPA ID: Not reported

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	DEMENNO KERDOON
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	241 - Tank bottom waste 251 Still bottoms with halogenated organics
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	10.49172
Waste Quantity:	2516
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

HIST CORTESE:

edr_fname:	SHELL #204-0348-0500
edr_fadd1:	17325 PIONEER
City,State,Zip:	ARTESIA, CA 90701
Region:	CORTESE
Facility County Code:	Not reported
Reg By:	Not reported
Reg Id:	Not reported

LOS ANGELES CO. HMS:

Name:	NICKS SHELL SERVICE
Address:	17325 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 907012707
Region:	LA
Permit Category:	I
Facility Id:	002165-062676
Facility Type:	01
Facility Status:	Permit
Area:	1D
Permit Number:	000922353
Permit Status:	Permit

CERS:

Name:	SHELL #135062 (NICK'S SHELL)
Address:	17325 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Site ID:	152989
CERS ID:	10279009
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-09-2020
Citation:	23 CCR 16 2637.1(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637.1(e)
Violation Description:	Failure to submit a copy of the spill containment test results on the G Spill Container Testing Report FormG to the UPA within 30 days after

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

	the test.
Violation Notes:	1)2019 CTLS MISSING/NOT SUBMITTED TO LA CO DPW NOR UPLOADED IN CERS 1)SUBMIT/UPLOAD
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-18-2018
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes:	Returned to compliance on 05/04/2020. CERS- FIBERGLASS SUMPS AT FILL RISER.DELETE FLAPPER VALVE USING ATG.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-10-2019
Citation:	23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description:	Failure to implement the corrections specified in the inspection report within 30 days of receiving an inspection report from either the UPA or special inspector.
Violation Notes:	Returned to compliance on 05/04/2020. 1)101818 OVFL REJECTED DUE TO MISSING TECH NAME/SIG 2)CERS 3)OVFL TEST DONE LATE
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-20-2015
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Returned to compliance on 02/05/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	04-18-2018
Citation:	HSC 6.5 25250.22 - California Health and Safety Code, Chapter 6.5, Section(s) 25250.22
Violation Description:	Failure to properly manage used oil and/or fuel filters in accordance with the requirements.
Violation Notes:	Returned to compliance on 05/17/2018. OBSERVATION: Used oil/fuel filters must be properly managed accordingly to 22 CCR 16 66266.130; HSC 6.5 25250.22. The filters must be drained of free-flowing used oil, stored in an approved container with lid, labeled "Drained

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

used/fuel filters with accumulation date, and a bill of lading shall used to record the transder of used filters. -Observed a small pool of oil accumlating at the bottom of a drained used oil filter drum indicatin that the filters were not properly drained piror to placement inside the drum/ CORRECTIVE ACTION: Submit photos to the CUPA demonstrating that the used oil and fuel filters are being properly managed by 05/18/18.

Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 05-13-2021
Citation: 22 CCR 15 66265.31 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.31
Violation Description: Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.
Violation Notes: Returned to compliance on 05/21/2021. OBSERVATION: Observed the following: * Accumulation of oil inside the spill containment pallet for the six 55 gallon drums containing used oil located near the dumpster * Accumulation of oil / debris inside the spill containment pallet under the 55 gallon drums containing used oil filter * Accumulation of oil inside the storage area: - on the floor around and behind the 275 gallon aboveground tank containing new oil - on top of the 275 gallon aboveground storage tank containing new oil - on the floor directly under the wall-mounted metal filter crusher - on the floor around the 55 gallon drum containing waste antifreeze CORRECTIVE ACTION: Properly dispose of all used oil; provide photo via email to CUPA inspector demonstrating the the spill containment pallet have been properly managed, along with the completed and signed Certification of Compliance.
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 10-03-2016
Citation: 23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description: Failure to submit the Annual Monitoring System Certification Form to the CUPA within 30 days of completion of the test.
Violation Notes: Returned to compliance on 02/05/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 03-19-2020
Citation: 23 CCR 16 2715(a)(1)(B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(1)(B)
Violation Description: Failure to submit the G Designated Underground Storage Tank Operator

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

	Identification FormG within 30 days of installing a UST system or within 30 days of a change in DO.
Violation Notes:	Returned to compliance on 05/04/2020. CERS-FACILITY,TANK INFO,FRCT,CFO LETTER,OSDO
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	03-19-2020
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Returned to compliance on 05/04/2020. CERS-FACILITY,TANK INFO,FRCT,CFO LETTER,OSDO
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-09-2020
Citation:	23 CCR 16 2716(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(e)
Violation Description:	For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30 days.
Violation Notes:	1)2019 CTLS MISSING/NOT SUBMITTED TO LA CO DPW NOR UPLOADED IN CERS 1)SUBMIT/UPLOAD
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-15-2014
Citation:	23 CCR 16 2638 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638
Violation Description:	Failure to test leak detection equipment as required every 12 months (VPH, sensor, LLD, ATG, etc.) and/or submit monitoring system certification to the CUPA within 30 days of completion of the test
Violation Notes:	Returned to compliance on 11/25/2014.
Violation Division:	Los Angeles County Department of Public Works

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 10-15-2014
Citation: 23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description: Failure to comply with one or more of the designated operator monthly inspection requirements: failed to inspect the monthly alarm history report; attach a copy of the alarm history; failed to inspect for the presence of liquid or debris in the spill container/spill bucket and under dispenser containment; failed to inspect the under dispenser containment to ensure that monitoring equipment is placed in the proper position; failure to inspect for liquid or debris in the containment sump where an alarm occurred or for which there is no record of a service visit; or failure to check that all testing and maintenance has been completed and documented.
Violation Notes: Returned to compliance on 11/25/2014.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 10-03-2017
Citation: 23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description: Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the CUPA or special inspector.
Violation Notes: Returned to compliance on 02/05/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 10-15-2014
Citation: 23 CCR 16 2638(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(f)
Violation Description: Failure to properly affix tag/sticker on monitoring equipment being certified, repaired, or replaced.
Violation Notes: Returned to compliance on 11/25/2014.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 10-10-2019
Citation: 23 CCR 16 2715(a)(1)(B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(1)(B)
Violation Description: Failure to submit the G Designated Underground Storage Tank Operator Identification FormG within 30 days of installing a UST system or within 30 days of a change in DO.
Violation Notes: Returned to compliance on 05/04/2020. 1)101818 OVFL REJECTED DUE TO

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

	MISSING TECH NAME/SIG 2)CERS 3)OVFL TEST DONE LATE
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-20-2015
Citation:	HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description:	Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes:	Returned to compliance on 02/05/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-10-2019
Citation:	23 CCR 16 2665(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665(b)
Violation Description:	"Failure to submit a copy of the overfill prevention equipment inspection results on the G Overfill Prevention Equipment Inspection Report FormG to the UPA within 30 days after the inspection. "
Violation Notes:	Returned to compliance on 05/04/2020. 1)101818 OVFL REJECTED DUE TO MISSING TECH NAME/SIG 2)CERS 3)OVFL TEST DONE LATE
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	05-13-2021
Citation:	HSC 6.95 25508(a)(3) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(3)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	OBSERVATION: Hazardous Materials Inventory submitted to CERS on 2/17/2021 - indicated Largest container of 550 gallon drum for Used lubricating oil; observed on site 9 / 55 gallon drums used to store used oil - missing the 55 gallon drum containing waste antifreeze CORRECTIVE ACTION: Log in to CERS via cers.calepa.ca.gov, update and electronically submit the chemical inventory information for all reportable hazardous materials on site at or above reportable quantities with accurate information.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-20-2015
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain and maintain a valid operation permit from the CUPA.

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Violation Notes: Returned to compliance on 02/05/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 10-10-2019
Citation: 23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description: Failure to submit or maintain a current facility plot plan.
Violation Notes: Returned to compliance on 05/04/2020. 1)101818 OVFL REJECTED DUE TO MISSING TECH NAME/SIG 2)CERS 3)OVFL TEST DONE LATE
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 03-19-2020
Citation: 23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description: Failure to submit or maintain a current facility plot plan.
Violation Notes: Returned to compliance on 05/04/2020. CERS-FACILITY,TANK INFO,FRCT,CFO LETTER,OSDO
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 10-03-2016
Citation: 23 CCR 16 2715(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(i)
Violation Description: Failure to have a properly qualified service technician test leak detection equipment as required every 12 months (vapor, pressure, hydrostatic (VPH) system, sensors, line-leak detectors (LLD), automatic tank gauge (ATG), etc.).
Violation Notes: Returned to compliance on 02/05/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 10-03-2016
Citation: 23 CCR 6.7 25284, 25286 - California Code of Regulations, Title 23, Chapter 6.7, Section(s) 25284, 25286
Violation Description: Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes: Returned to compliance on 02/05/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Violation Date:	10-03-2017
Citation:	HSC 6.7 25284.2 - California Health and Safety Code, Chapter 6.7, Section(s) 25284.2
Violation Description:	Failure to test the spill bucket annually.
Violation Notes:	Returned to compliance on 02/05/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	03-19-2020
Citation:	HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description:	Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes:	Returned to compliance on 05/04/2020. CERS-FACILITY,TANK INFO,FRCT,CFO LETTER,OSDO
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	04-18-2018
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 05/17/2018. OBSERVATION: The business failed to complete and electronically submit chemical inventory accurate information for all reportable hazardous materials on site. -Review of CERS shows the following materials: clean motor oil @ 500 gallons and used oil @ 25 gallons. However, the following amounts were observed during time of inspection: clean oil (275 gallons) and used oil (550 gallons). CORRECTIVE ACTION: Update the chemical inventory information in CERS to reflect the actual amount of hazardous materials stored/used at the site by 05/18/18.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	04-18-2018
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 05/17/2018. OBSERVATION: All hazardous waste containers shall be marked with the following information: 1) the words G Hazardous WasteG ; 2) name and address of generator; 3) hazardous properties; 4) physical state; 5) composition (contents); 6)

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

	accumulation start date. -Observed incomplete labels on all the used oil drums. CORRECTIVE ACTION: Immediately label these containers and ensure that all containers are marked with all the required information by 05/18/18.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-10-2019
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Returned to compliance on 05/04/2020. 1)101818 OVFL REJECTED DUE TO MISSING TECH NAME/SIG 2)CERS 3)OVFL TEST DONE LATE
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-15-2014
Citation:	HSC 6.7 25284.2 - California Health and Safety Code, Chapter 6.7, Section(s) 25284.2
Violation Description:	Failure to test the spill bucket annually.
Violation Notes:	Returned to compliance on 11/25/2014.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-03-2016
Citation:	23 CCR 16 2632(d)(1)(C), 2641(h), 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632(d)(1)(C), 2641(h), 2711(a)(8)
Violation Description:	Failure to submit or update a plot plan.
Violation Notes:	Returned to compliance on 02/05/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-09-2020
Citation:	23 CCR 16 2715(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)
Violation Description:	Failure to have a properly qualified service technician test leak detection equipment as required every 12 months (vapor, pressure, hydrostatic (VPH) system, sensors, line-leak detectors (LLD), automatic tank gauge (ATG), etc.).
Violation Notes:	1)2019 CTLS MISSING/NOT SUBMITTED TO LA CO DPW NOR UPLOADED IN CERS 1)SUBMIT/UPLOAD
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 10-03-2016
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 02/05/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 10-20-2015
Citation: HSC 6.11 25404(e)(4) - California Health and Safety Code, Chapter 6.11, Section(s) 25404(e)(4)
Violation Description: Failure to report program data electronically.
Violation Notes: Returned to compliance on 02/05/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 10-03-2017
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain a valid permit to operate from the CUPA.
Violation Notes: Returned to compliance on 02/05/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 10-20-2015
Citation: HSC 6.7 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25286
Violation Description: Failure to obtain and maintain a valid Board of Equalization account number.
Violation Notes: Returned to compliance on 02/05/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 04-18-2018
Citation: 22 CCR 15 66265.173 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.173
Violation Description: Failure to meet the following container management requirements: (a) A container holding hazardous waste must always be closed during storage, except when it is necessary to add or remove waste. (b) A container holding hazardous waste must not be opened, handled, or

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

	stored in a manner which may rupture the container or cause it to leak.
Violation Notes:	Returned to compliance on 05/17/2018. OBSERVATION: Observed missing covers to (5 out of 10) drums of used oil. All containers of hazardous wastes shall have approved covers except for adding or removing wastes. CORRECTIVE ACTION: Submit photos to the CUPA demonstrating that the container listed above has been properly closed by 05/18/18.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	09-05-2014
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 10/10/2014. OBSERVATION: Owner/Operator failed to complete and/or submit hazardous material inventory forms for all reportable hazardous materials on site. CORRECTIVE ACTION: Complete and/or submit hazardous material inventory forms for all reportable hazardous materials on site.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	05-13-2021
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 05/21/2021. OBSERVATION: The following hazardous waste containers were observed without the required markings: - 55 gallon drum containing waste antifreeze - 5 gallon bucket containing used oil CORRECTIVE ACTION: All hazardous waste containers shall be marked with the following information: 1) the words "Hazardous Waste"; 2) name and address of generator; 3) hazardous properties; 4) physical state; 5) composition (contents); 6) accumulation start date. If the accumulation date can be determined, affix the required markings and provide a photo to CUPA inspector via email demonstrating that the containers listed above have been properly labeled. However, if the accumulation date cannot be determined, properly dispose of the hazardous wastes listed above and provide a copy of the manifest via email to CUPA Inspector. Complete and submit the Certification of Compliance to CUPA Inspector via email
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS
Site ID:	152989

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-10-2019
Citation:	23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description:	Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes:	Returned to compliance on 05/04/2020. 1)101818 OVFL REJECTED DUE TO MISSING TECH NAME/SIG 2)CERS 3)OVFL TEST DONE LATE
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-09-2020
Citation:	23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description:	Failure to submit the G Monitoring System Certification FormG to the UPA within 30 days of completion of the test.
Violation Notes:	1)2019 CTLS MISSING/NOT SUBMITTED TO LA CO DPW NOR UPLOADED IN CERS 1)SUBMIT/UPLOAD
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-03-2017
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to have a UST Monitoring Plan available on site.
Violation Notes:	Returned to compliance on 02/05/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-20-2015
Citation:	23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description:	Failure to submit, obtain approval, or maintain a complete/accurate plot plan.
Violation Notes:	Returned to compliance on 02/05/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	152989
Site Name:	SHELL #135062 (NICK'S SHELL)
Violation Date:	10-10-2019
Citation:	HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description:	Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes:	Returned to compliance on 05/04/2020. 1)101818 OVFL REJECTED DUE TO MISSING TECH NAME/SIG 2)CERS 3)OVFL TEST DONE LATE

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 10-09-2020
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes: 1)2019 CTLS MISSING/NOT SUBMITTED TO LA CO DPW NOR UPLOADED IN CERS 1)SUBMIT/UPLOAD
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 10-18-2018
Citation: HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description: Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes: Returned to compliance on 05/04/2020. CERS- FIBERGLASS SUMPS AT FILL RISER.DELETE FLAPPER VALVE USING ATG.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 10-09-2020
Citation: 23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description: Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes: 1)2019 CTLS MISSING/NOT SUBMITTED TO LA CO DPW NOR UPLOADED IN CERS 1)SUBMIT/UPLOAD
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 10-10-2019
Citation: 23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)
Violation Description: Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1,- 2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October- 1,- 2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.

Violation Notes: Returned to compliance on 05/04/2020. 1)101818 OVFL REJECTED DUE TO MISSING TECH NAME/SIG 2)CERS 3)OVFL TEST DONE LATE
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 152989
Site Name: SHELL #135062 (NICK'S SHELL)
Violation Date: 10-03-2016
Citation: HSC 6.7 25284.2 - California Health and Safety Code, Chapter 6.7, Section(s) 25284.2
Violation Description: Failure to test the spill bucket annually.
Violation Notes: Returned to compliance on 02/05/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-05-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: NOVC FOR 10/15, 10/16 MONIT.CERT.,BUCKETS,LLDS.
Eval Division: Los Angeles County Department of Public Works
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 10-10-2014
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 05-17-2018
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Farooq Memon (Owner)
Eval Division: Los Angeles County Fire Department

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-15-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: NOVC PERMIT COLD START,WITH INSTALLED VR 208 SENSORS ABOUT 10/15/13. NO WORK NOTIFICATION NO MONITOR CERT SUBMITTED.
Eval Division: Los Angeles County Department of Public Works
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-18-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Jabeen Memon (Owner)
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-13-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: FAROOQ MEMON Manager/ Owner
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-05-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-09-2020
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: 1)2019 CTLS MISSING/NOT SUBMITTED TO LA CO DPW NOR UPLOADED IN CERS
Eval Division: Los Angeles County Department of Public Works
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-10-2019
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: NOVC:1)101818 OVFL REJECTED DUE TO MISSING TECH NAME/SIG 2)CERS 3)OVFL TEST DONE LATE
Eval Division: Los Angeles County Department of Public Works
Eval Program: UST

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-20-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: NOVC:(1)CHANGE OF OWNERSHIP SUBMITTAL REQD;(2)UPDATE ALL UST INFO, FRCT + CFO LETTER ON CERS;(3)UPLOAD LDS CERT'2015 ON CERS.
Eval Division: Los Angeles County Department of Public Works
Eval Program: UST
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 03-19-2020
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: INSPECTION CREATED FOR TRACKING VIOLATION CERS-FACILITY,TANK INFO,FRCT,CFO LETTER,OSDO
Eval Division: Los Angeles County Department of Public Works
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-18-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Jabeen Memon (Owner)
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-13-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: FAROOQ MEMON Manager/ Owner
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 05-17-2018
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Farooq Memon (Owner)
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-05-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-03-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: NOVC:1)100813 SP BKT TEST MISSING VAPOR RESULTS 2)CERS:OSDO (EXP'D)MP (CORRECT UDC SECTION)
Eval Division: Los Angeles County Department of Public Works
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-18-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: NOVC-CERS- RISER SECONDARY CONTAINMENT IS FIBERGLASS,DELETE FLAPPER VALVE. ALL SENSORS OPERATING PROPERLY.
Eval Division: Los Angeles County Department of Public Works
Eval Program: UST
Eval Source: CERS

Coordinates:
Site ID: 152989
Facility Name: SHELL #135062 (NICK'S SHELL)
Env Int Type Code: HWG
Program ID: 10279009
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 33.873440
Longitude: -118.082650

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: Farooq Memon
Entity Title: Not reported
Affiliation Address: 17325 PIONEER BLVD
Affiliation City: ARTESIA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90701
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 17325 Pioneer Blvd
Affiliation City: Artesia
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90701
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: Jabeen Memon
Entity Title: Not reported
Affiliation Address: 17325 Pioneer Blvd
Affiliation City: Artesia

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(562) 865-5555
Affiliation Type Desc:	Property Owner
Entity Name:	Cal Crystal, Inc
Entity Title:	Not reported
Affiliation Address:	17325 PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(562) 865-5555
Affiliation Type Desc:	Document Preparer
Entity Name:	Farooq Memon
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	SHELL #135062 (NICK'S SHELL)
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	UST Permit Applicant
Entity Name:	Jabeen Memon
Entity Title:	Owner
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(562) 865-5555
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	Cal Crystal, Inc
Entity Title:	Not reported
Affiliation Address:	17325 PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(562) 865-5555
Affiliation Type Desc:	UST Tank Owner
Entity Name:	Jabeen Memon

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Entity Title: Not reported
Affiliation Address: 17325 Pioneer Blvd
Affiliation City: Artesia
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 90701
Affiliation Phone: (562) 865-5555

Affiliation Type Desc: CUPA District
Entity Name: Los Angeles County Fire
Entity Title: Not reported
Affiliation Address: 5825 Rickenbacker Road
Affiliation City: Commerce
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90040-3027
Affiliation Phone: (323) 890-4000

Affiliation Type Desc: Identification Signer
Entity Name: Jabeen Memon
Entity Title: Owner
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: UST Tank Operator
Entity Name: Cal Crystal, Inc dba Nick shell services
Entity Title: Not reported
Affiliation Address: 17325 Pioneer Blvd
Affiliation City: Artesia
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 90701
Affiliation Phone: (562) 865-5555

Name: SHELL OIL PRODUCTS US
Address: 17325 PIONEER BLVD.
City,State,Zip: ARTESIA, CA 90701
Site ID: 207962
CERS ID: T0603724499
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: LAURA GAJDOS - LOS ANGELES COUNTY
Entity Title: Not reported
Affiliation Address: 900 S. FREMONT AVE.
Affiliation City: ALHAMBRA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Regional Board Caseworker

CAL CRYSTAL INC DBA NICK SHELL SERVICE (Continued) **S105126309**

Entity Name:	JOE F. LUERA - LOS ANGELES RWQCB (REGION 4)
Entity Title:	Not reported
Affiliation Address:	320 W. 4TH STREET, SUITE 200
Affiliation City:	LOS ANGELES
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

HWTS:

Name:	CAL CRYSTAL INC DBA NICK SHELL SERVICE
Address:	17325 PIONEER BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAL000410514
Inactive Date:	Not reported
Create Date:	09/18/2015
Last Act Date:	08/22/2020
Mailing Name:	Not reported
Mailing Address:	17325 PIONEER BLVD
Mailing Address 2:	Not reported
Mailing City,State,Zip:	ARTESIA, CA 90701
Owner Name:	CAL CRYSTAL INC
Owner Address:	11518 178TH STREET
Owner Address 2:	Not reported
Owner City,State,Zip:	ARTESIA, CA 90701
Contact Name:	FAROOQ MEMON
Contact Address:	17325 PIONEER BLVD
Contact Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 90701

NAICS:

EPA ID:	CAL000410514
Create Date:	2015-09-18 13:50:33.807
NAICS Code:	44719
NAICS Description:	Other Gasoline Stations
Issued EPA ID Date:	2015-09-18 13:50:33.80300
Inactive Date:	Not reported
Facility Name:	CAL CRYSTAL INC DBA NICK SHELL SERVICE
Facility Address:	17325 PIONEER BLVD
Facility Address 2:	Not reported
Facility City:	ARTESIA
Facility County:	Not reported
Facility State:	CA
Facility Zip:	90701

E61
ESE
< 1/8
0.086 mi.
455 ft.

NICK'S SHELL SERVICE
17325 PIONEER BLVD
ARTESIA, CA 90701

Site 12 of 13 in cluster E

Relative:
Lower

Actual:
62 ft.

UST **U004346328**
N/A

UST:

Name:	NICK'S SHELL SERVICE
Address:	17325 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Facility ID:	26233
Permitting Agency:	LOS ANGELES COUNTY
CERSID:	Not reported
Latitude:	33.874788
Longitude:	-118.081298

E62
ESE
< 1/8
0.086 mi.
455 ft.

NICKS SHELL SERVICE
17325 PIONEER BLVD
ARTESIA, CA 90701

Site 13 of 13 in cluster E

Relative:
Lower

Actual:
62 ft.

SWEEPS UST **S102063614**
LOS ANGELES CO. HMS **N/A**

SWEEPS UST:

Name:	SHELL SERV STA
Address:	17325 S PIONEER BLVD
City:	ARTESIA
Status:	Active
Comp Number:	2242
Number:	9
Board Of Equalization:	44-000074
Referral Date:	06-30-89
Action Date:	Not reported
Created Date:	06-30-89
Owner Tank Id:	Not reported
SWRCB Tank Id:	19-000-002242-000001
Tank Status:	A
Capacity:	Not reported
Active Date:	06-30-89
Tank Use:	UNKNOWN
STG:	W
Content:	Not reported
Number Of Tanks:	4

Name:	SHELL SERV STA
Address:	17325 S PIONEER BLVD
City:	ARTESIA
Status:	Active
Comp Number:	2242
Number:	9
Board Of Equalization:	44-000074
Referral Date:	06-30-89
Action Date:	Not reported
Created Date:	06-30-89
Owner Tank Id:	Not reported
SWRCB Tank Id:	19-000-002242-000002
Tank Status:	A
Capacity:	Not reported
Active Date:	06-30-89
Tank Use:	UNKNOWN
STG:	W

NICKS SHELL SERVICE (Continued) **S102063614**

Content: Not reported
Number Of Tanks: Not reported

Name: SHELL SERV STA
Address: 17325 S PIONEER BLVD
City: ARTESIA
Status: Active
Comp Number: 2242
Number: 9
Board Of Equalization: 44-000074
Referral Date: 06-30-89
Action Date: Not reported
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-002242-000003
Tank Status: A
Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W
Content: Not reported
Number Of Tanks: Not reported

Name: SHELL SERV STA
Address: 17325 S PIONEER BLVD
City: ARTESIA
Status: Active
Comp Number: 2242
Number: 9
Board Of Equalization: 44-000074
Referral Date: 06-30-89
Action Date: Not reported
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-002242-000004
Tank Status: A
Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W
Content: Not reported
Number Of Tanks: Not reported

LOS ANGELES CO. HMS:
Name: NICKS SHELL SERVICE
Address: 17325 PIONEER BLVD
City,State,Zip: ARTESIA, CA 907012707
Region: LA
Permit Category: I
Facility Id: 002165-020454
Facility Type: 01
Facility Status: Closed
Area: 1D
Permit Number: 000073249
Permit Status: Closed

Name: NICK AUTO SERVICE INC

NICKS SHELL SERVICE (Continued) **S102063614**

Address: 17325 PIONEER BLVD
City,State,Zip: ARTESIA, CA 907012707
Region: LA
Permit Category: T
Facility Id: 002165-055795
Facility Type: 0
Facility Status: Closed
Area: 1D
Permit Number: 000712104
Permit Status: Closed

H63 **L&K AUTO SERVICE** **CERS HAZ WASTE** **S103944664**
SW **11618 ARTESIA BLVD** **HAZNET** **N/A**
< 1/8 **ARTESIA, CA 90701** **LOS ANGELES CO. HMS**
0.095 mi. **CERS**
499 ft. **Site 1 of 2 in cluster H** **HWTS**

Relative: **Lower**
Actual: **61 ft.**

CERS HAZ WASTE:
Name: L&K AUTO SERVICE
Address: 11618 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 128591
CERS ID: 10279801
CERS Description: Hazardous Waste Generator

HAZNET:
Name: L & K AUTO SERVICE
Address: 11618 ARTESIA BLVD STE 2
Address 2: Not reported
City,State,Zip: ARTESIA, CA 90701
Contact: YI CHU
Telephone: 5652402786
Mailing Name: Not reported
Mailing Address: 11618 ARTESIA BLVD UNIT 2

Year: 2017
Gepaid: CAL000296051
TSD EPA ID: AZR000003681
CA Waste Code: 223 - Unspecified oil-containing waste
Disposal Method: H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Tons: 0.1

Additional Info:
Year: 2017
Gen EPA ID: CAL000296051

Shipment Date: 20170814
Creation Date: 7/19/2018 18:30:11
Receipt Date: 20170829
Manifest ID: 006155363SKS
Trans EPA ID: TXR000081205
Trans Name: SAFETY-KLEEN SYSTEMS INC
Trans 2 EPA ID: MAD039322250
Trans 2 Name: CLEAN HARBORS ENVIRONMENTAL SVC INC
TSDF EPA ID: AZR000003681

L&K AUTO SERVICE (Continued) **S103944664**

Trans Name:	THERMO FLUIDS INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	223 - Unspecified oil-containing waste
RCRA Code:	Not reported
Meth Code:	H039 - Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect
Quantity Tons:	0.1
Waste Quantity:	200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

LOS ANGELES CO. HMS:

Name:	MARK'S AUTO REPAIR
Address:	11618 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Region:	LA
Permit Category:	Not reported
Facility Id:	019120-027418
Facility Type:	Not reported
Facility Status:	OPEN
Area:	1D
Permit Number:	Not reported
Permit Status:	Not reported

CERS:

Name:	L&K AUTO SERVICE
Address:	11618 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Site ID:	128591
CERS ID:	10279801
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	128591
Site Name:	L&K Auto Service
Violation Date:	10-06-2015
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 10/07/2015. OBSERVATION: The facility has not submitted the Hazardous Materials Inventory Chemical Description page for new motor oil (170 gallon) to the CUPA. CORRECTIVE ACTION: Complete and submit the Hazardous Materials Inventory Chemical Description page for all materials listed above electronically in the California Environmental Reporting System (CERS).
Violation Division:	Los Angeles County Fire Department
Violation Program:	HMRRP
Violation Source:	CERS

Site ID: 128591

L&K AUTO SERVICE (Continued) **S103944664**

Site Name: L&K Auto Service
Violation Date: 10-06-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 10/07/2015. OBSERVATION: The annotated site map submitted to the CUPA does not include locations of emergency response equipment such as fire extinguishers and evacuation staging areas. CORRECTIVE ACTION: Revise the annotated Site Map to include all required content and submit electronically in the California Environmental Reporting System (CERS).
Violation Division: Los Angeles County Fire Department
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-30-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: YI CHU OWNER
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 11-22-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-06-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Yi Chu, Owner
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-30-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: YI CHU OWNER
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 06-12-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency

L&K AUTO SERVICE (Continued) **S103944664**

Eval Notes:	Not reported
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-06-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Yi Chu, Owner
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Coordinates:

Site ID:	128591
Facility Name:	L&K Auto Service
Env Int Type Code:	HWG
Program ID:	10279801
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	33.872910
Longitude:	-118.086490

Affiliation:

Affiliation Type Desc:	Environmental Contact
Entity Name:	Yi Chu
Entity Title:	Not reported
Affiliation Address:	11618 Artesia Blvd
Affiliation City:	Artesia
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Yi Chu
Entity Title:	Owner
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	Yi Chu
Entity Title:	Not reported
Affiliation Address:	11618 Artesia Blvd
Affiliation City:	Artesia
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(652) 402-7868
Affiliation Type Desc:	Property Owner

L&K AUTO SERVICE (Continued) **S103944664**

Entity Name:	Mark Vanderheide
Entity Title:	Not reported
Affiliation Address:	11618 Artesia Blvd Unit 8
Affiliation City:	Artesia
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(562) 303-8340
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	11618 Artesia Blvd
Affiliation City:	Artesia
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Yi Chu
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(562) 402-7868
Affiliation Type Desc:	Parent Corporation
Entity Name:	L & K AUTO SERVICE
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	CUPA District
Entity Name:	Los Angeles County Fire
Entity Title:	Not reported
Affiliation Address:	5825 Rickenbacker Road
Affiliation City:	Commerce
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90040-3027
Affiliation Phone:	(323) 890-4000
Affiliation Type Desc:	Document Preparer
Entity Name:	Pacific Engineering & Consulting
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported

L&K AUTO SERVICE (Continued) **S103944664**

Affiliation Phone: Not reported

HWTS:

Name:	L & K AUTO SERVICE
Address:	11618 ARTESIA BLVD STE 2
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAL000296051
Inactive Date:	Not reported
Create Date:	07/06/2005
Last Act Date:	08/04/2020
Mailing Name:	Not reported
Mailing Address:	11618 ARTESIA BLVD UNIT 2
Mailing Address 2:	Not reported
Mailing City,State,Zip:	ARTESIA, CA 907010000
Owner Name:	YI CHU
Owner Address:	11618 ARTESIA BLVD UNIT 2
Owner Address 2:	Not reported
Owner City,State,Zip:	ARTESIA, CA 907010000
Contact Name:	YI CHU
Contact Address:	11618 ARTESIA BLVD UNIT 2
Contact Address 2:	Not reported
City,State,Zip:	NORWALK, CA 907013864

NAICS:

EPA ID:	CAL000296051
Create Date:	2005-07-06 09:34:23.003
NAICS Code:	811111
NAICS Description:	General Automotive Repair
Issued EPA ID Date:	2005-07-06 09:34:22.89700
Inactive Date:	Not reported
Facility Name:	L & K AUTO SERVICE
Facility Address:	11618 ARTESIA BLVD STE 2
Facility Address 2:	Not reported
Facility City:	ARTESIA
Facility County:	Not reported
Facility State:	CA
Facility Zip:	90701

H64 **L & K AUTO SERVICE** **RCRA NonGen / NLR** **1024811659**
SW **11618 ARTESIA BLVD STE 2** **CAL000296051**
< 1/8 **ARTESIA, CA 90701**
0.095 mi.
499 ft. **Site 2 of 2 in cluster H**

Relative: **Lower**
Actual: **61 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:	20050706
Handler Name:	L & K AUTO SERVICE
Handler Address:	11618 ARTESIA BLVD STE 2
Handler City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAL000296051
Contact Name:	YI CHU
Contact Address:	11618 ARTESIA BLVD UNIT 2
Contact City,State,Zip:	NORWALK, CA 90701-3864
Contact Telephone:	565-240-2786
Contact Fax:	562-402-5828

L & K AUTO SERVICE (Continued) **1024811659**

Contact Email:	DTSC@PACIFICMGT.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	11618 ARTESIA BLVD UNIT 2
Mailing City,State,Zip:	ARTESIA, CA 90701-0000
Owner Name:	YI CHU
Owner Type:	Other
Operator Name:	YI CHU
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A

L & K AUTO SERVICE (Continued) **1024811659**

Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	YI CHU
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	11618 ARTESIA BLVD UNIT 2
Owner/Operator City,State,Zip:	ARTESIA, CA 90701-0000
Owner/Operator Telephone:	562-402-7868
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	YI CHU
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	11618 ARTESIA BLVD UNIT 2
Owner/Operator City,State,Zip:	NORWALK, CA 90701-3864
Owner/Operator Telephone:	565-240-2786
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20050706
Handler Name: L & K AUTO SERVICE	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

L & K AUTO SERVICE (Continued) **1024811659**

List of NAICS Codes and Descriptions:
NAICS Code: 811111
NAICS Description: GENERAL AUTOMOTIVE REPAIR

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

I65 **ROBINSON LEROY** **EDR Hist Auto** **1021735461**
East **17235 PIONEER BLVD** **N/A**
< 1/8 **ARTESIA, CA 90701**
0.095 mi.
501 ft. **Site 1 of 2 in cluster I**

Relative: EDR Hist Auto
Lower

Actual: **63 ft.**

Year:	Name:	Type:
1971	ROBINSON LEROY	Gasoline Service Stations
1972	ROBINSON LEROY	Gasoline Service Stations
1973	ROBINSON LEROY	Gasoline Service Stations
1974	ROBINSON LEROY	Gasoline Service Stations
1976	ROBINSON LEROY	Gasoline Service Stations

J66 **VANDENBERG MFG CO INC** **HIST UST** **U001565268**
West **17306 ROSETON AVE** **NPDES** **N/A**
< 1/8 **ARTESIA, CA 90701**
0.115 mi.
609 ft. **Site 1 of 4 in cluster J**

Relative: HIST UST:
Higher

Actual: **64 ft.**

Name: VANDENBERG MFG CO INC
Address: 17306 ROSETON AVE
City,State,Zip: ARTESIA, CA 90701
File Number: 0002852E
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002852E.pdf
Region: STATE
Facility ID: 00000046906
Facility Type: Other
Other Type: MANUFACTURE
Contact Name: BEN W. VANDENBERG
Telephone: 2138656000
Owner Name: VANDENBERG MFG. CO., INC.
Owner Address: 17306 ROSETON AVE.
Owner City,St,Zip: ARTESIA, CA 90701
Total Tanks: 0002

Tank Num: 001
Container Num: 001
Year Installed: Not reported
Tank Capacity: 00000500
Tank Used for: PRODUCT
Type of Fuel: UNLEADED

VANDENBERG MFG CO INC (Continued) **U001565268**

Container Construction Thickness: Not reported
Leak Detection: Visual

Tank Num: 002
Container Num: 001
Year Installed: Not reported
Tank Capacity: 00000550
Tank Used for: WASTE
Type of Fuel: 1
Container Construction Thickness: 0 1
Leak Detection: Stock Inventor

Click here for Geo Tracker PDF:

NPDES:

Name: VANDENBERG MFG CO INC
Address: 17306 ROSETON AVE
City,State,Zip: ARTESIA, CA 90701
Facility Status: Not reported
NPDES Number: Not reported
Region: Not reported
Agency Number: Not reported
Regulatory Measure ID: Not reported
Place ID: Not reported
Order Number: Not reported
WDID: 4 19NEC005442
Regulatory Measure Type: Industrial
Program Type: Not reported
Adoption Date Of Regulatory Measure: Not reported
Effective Date Of Regulatory Measure: Not reported
Termination Date Of Regulatory Measure: Not reported
Expiration Date Of Regulatory Measure: Not reported
Discharge Address: Not reported
Discharge Name: Not reported
Discharge City: Not reported
Discharge State: Not reported
Discharge Zip: Not reported
Status: Active
Status Date: 09/03/2019
Operator Name: Vandenberg Mfg Co Inc
Operator Address: 17306 roseton ave
Operator City: Artesia
Operator State: California
Operator Zip: 90701

Name: VANDENBERG MFG CO INC
Address: 17306 ROSETON AVE
City,State,Zip: ARTESIA, CA 90701
Facility Status: Not reported
NPDES Number: Not reported
Region: Not reported
Agency Number: Not reported
Regulatory Measure ID: Not reported
Place ID: Not reported
Order Number: Not reported
WDID: Not reported
Regulatory Measure Type: Industrial

VANDENBERG MFG CO INC (Continued) **U001565268**

Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	Not reported
Discharge Name:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Status:	Returned
Status Date:	01/18/2021
Operator Name:	Vandenberg Mfg co inc
Operator Address:	17306 Roseton ave
Operator City:	Artesia
Operator State:	California
Operator Zip:	90701

Name:	VANDENBERG MFG CO INC
Address:	17306 ROSETON AVE
City,State,Zip:	ARTESIA, CA 90701
Facility Status:	Active
NPDES Number:	CAS000001
Region:	4
Agency Number:	0
Regulatory Measure ID:	512246
Place ID:	Not reported
Order Number:	97-03-DWQ
WDID:	4 19NEC005442
Regulatory Measure Type:	Enrollee
Program Type:	Industrial
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	09/03/2019
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	17306 roseton ave
Discharge Name:	Vandenberg Mfg Co Inc
Discharge City:	Artesia
Discharge State:	California
Discharge Zip:	90701
Status:	Not reported
Status Date:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported

J67 **VANDENBERG MFG CO. INC.** **RCRA NonGen / NLR** **1025834230**
West **17306 ROSETON AVE** **CAC003013809**
< 1/8 **ARTESIA, CA 90701**
0.115 mi.
609 ft. **Site 2 of 4 in cluster J**

Relative: **Higher**
Actual: **64 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:	20190507
Handler Name:	VANDENBERG MFG CO. INC.
Handler Address:	17306 ROSETON AVE
Handler City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAC003013809
Contact Name:	BRADLEY VANDENBERG
Contact Address:	17306 ROSETON AVE
Contact City,State,Zip:	ARTESIA, CA 90701
Contact Telephone:	562-865-6000
Contact Fax:	562-865-7924
Contact Email:	LYNN@VANDENBERGMFG.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	17306 ROSETON AVE
Mailing City,State,Zip:	ARTESIA, CA 90701
Owner Name:	BRADLEY VANDENBERG
Owner Type:	Other
Operator Name:	BRADLEY VANDENBERG
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

VANDENBERG MFG CO. INC. (Continued) **1025834230**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20190627
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	BRADLEY VANDENBERG
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17306 ROSETON AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-865-6000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	BRADLEY VANDENBERG
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17306 ROSETON AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-865-6000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

VANDENBERG MFG CO. INC. (Continued) **1025834230**

Historic Generators:
Receive Date: 20190507
Handler Name: VANDENBERG MFG CO. INC.
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

J68 **VANDENBERG MFG CO** **SWEEPS UST** **S101587139**
West **17306 ROSETON AVE** **CA FID UST** **N/A**
< 1/8 **ARTESIA, CA**
0.115 mi.
609 ft. **Site 3 of 4 in cluster J**

Relative:
Higher

Actual:
64 ft.

SWEEPS UST:
Name: VANDENBERG MFG CO
Address: 17306 ROSETON AVE
City: ARTESIA
Status: Active
Comp Number: 11324
Number: 9
Board Of Equalization: 44-009243
Referral Date: 06-30-89
Action Date: Not reported
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-011324-000001
Tank Status: A
Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W
Content: Not reported
Number Of Tanks: 1

CA FID UST:
Facility ID: 19054944
Regulated By: UTNKA

VANDENBERG MFG CO (Continued) **S101587139**

Regulated ID:	00046906
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	8180000000
Mail To:	Not reported
Mailing Address:	17306 ROSETON AVE
Mailing Address 2:	Not reported
Mailing City,St,Zip:	ARTESIA
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

K69 **FORMER MOBIL #18-GP9** **LUST** **S103281924**
ENE **17122 PIONEER BLVD S** **Cortese** **N/A**
< 1/8 **ARTESIA, CA 90701** **CERS**
0.119 mi.
630 ft. **Site 1 of 12 in cluster K**

Relative: **Lower**

Actual: **63 ft.**

LUST:

Name:	FORMER MOBIL #18-GP9
Address:	17122 PIONEER BLVD S
City,State,Zip:	ARTESIA, CA 90701
Lead Agency:	LOS ANGELES RWQCB (REGION 4)
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603702870
Global Id:	T0603702870
Latitude:	33.875014797
Longitude:	-118.082075173
Status:	Open - Verification Monitoring
Status Date:	01/25/2018
Case Worker:	NB
RB Case Number:	I-02871
Local Agency:	LOS ANGELES COUNTY
File Location:	Regional Board
Local Case Number:	Not reported
Potential Media Affect:	Aquifer used for drinking water supply
Potential Contaminants of Concern:	Other Solvent or Non-Petroleum Hydrocarbon
Site History:	Not reported

LUST:

Global Id:	T0603702870
Contact Type:	Local Agency Caseworker
Contact Name:	JOHN AWUJO
Organization Name:	LOS ANGELES COUNTY
Address:	900 S FREMONT AVE
City:	ALHAMBRA
Email:	jawujo@dpw.lacounty.gov
Phone Number:	6264583507

Global Id:	T0603702870
Contact Type:	Regional Board Caseworker
Contact Name:	NHAN BAO
Organization Name:	LOS ANGELES RWQCB (REGION 4)
Address:	320 WEST 4TH STREET, SUITE 200

FORMER MOBIL #18-GP9 (Continued) **S103281924**

City: LOS ANGELES
Email: nbao@waterboards.ca.gov
Phone Number: 2135766703

LUST:
Global Id: T0603702870
Action Type: ENFORCEMENT
Date: 12/04/2007
Action: Staff Letter

Global Id: T0603702870
Action Type: ENFORCEMENT
Date: 06/15/2009
Action: Staff Letter

Global Id: T0603702870
Action Type: ENFORCEMENT
Date: 02/12/2016
Action: Letter - Notice

Global Id: T0603702870
Action Type: ENFORCEMENT
Date: 04/13/2021
Action: Staff Letter

Global Id: T0603702870
Action Type: ENFORCEMENT
Date: 04/27/2021
Action: Email Correspondence

Global Id: T0603702870
Action Type: Other
Date: 06/17/1992
Action: Leak Reported

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2009
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2002
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2003
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2002
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE

FORMER MOBIL #18-GP9 (Continued) **S103281924**

Date: 04/15/2005
Action: CAP/RAP - Feasibility Study Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2007
Action: Soil and Water Investigation Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2007
Action: Soil and Water Investigation Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2006
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2006
Action: Soil and Water Investigation Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2006
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2006
Action: Soil and Water Investigation Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2010
Action: Conceptual Site Model

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2012
Action: Conceptual Site Model

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2012
Action: Monitoring Report - Quarterly

FORMER MOBIL #18-GP9 (Continued) **S103281924**

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2012
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2012
Action: Conceptual Site Model

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2013
Action: Conceptual Site Model

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2013
Action: Monitoring Report - Semi-Annually

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2018
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2018
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2017
Action: Monitoring Report - Semi-Annually

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/09/2018
Action: Correspondence

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2018
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2019
Action: Monitoring Report - Semi-Annually

Global Id: T0603702870
Action Type: ENFORCEMENT
Date: 11/03/2015
Action: Notification - Public Participation Document

Global Id: T0603702870
Action Type: ENFORCEMENT

FORMER MOBIL #18-GP9 (Continued) **S103281924**

Date: 10/26/2018
Action: Staff Letter

Global Id: T0603702870
Action Type: ENFORCEMENT
Date: 06/29/2018
Action: Closure Denial Letter - #2012-0062

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2009
Action: Conceptual Site Model

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2009
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2005
Action: Soil and Water Investigation Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2006
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2006
Action: Soil and Water Investigation Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2010
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2012
Action: Conceptual Site Model

Global Id: T0603702870
Action Type: RESPONSE
Date: 06/29/2012
Action: Well Installation Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2016
Action: Email Correspondence

FORMER MOBIL #18-GP9 (Continued) **S103281924**

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2015
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2020
Action: Monitoring Report - Semi-Annually

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2020
Action: Monitoring Report - Semi-Annually

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2017
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: ENFORCEMENT
Date: 06/29/2004
Action: 13267 Requirement

Global Id: T0603702870
Action Type: ENFORCEMENT
Date: 11/30/2004
Action: Staff Letter

Global Id: T0603702870
Action Type: ENFORCEMENT
Date: 12/18/2018
Action: Staff Letter

Global Id: T0603702870
Action Type: Other
Date: 06/16/1987
Action: Leak Stopped

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2009
Action: Monitoring Report - Semi-Annually

Global Id: T0603702870
Action Type: RESPONSE

FORMER MOBIL #18-GP9 (Continued) **S103281924**

Date: 01/15/2005
Action: Soil and Water Investigation Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2005
Action: CAP/RAP - Final Remediation / Design Plan

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2005
Action: Interim Remedial Action Plan

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2005
Action: Soil and Water Investigation Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2005
Action: Soil and Water Investigation Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 08/15/2004
Action: Soil and Water Investigation Workplan

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2005
Action: Soil and Water Investigation Report

FORMER MOBIL #18-GP9 (Continued) **S103281924**

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2002
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2011
Action: Conceptual Site Model

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2011
Action: Conceptual Site Model

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/06/2011
Action: Well Installation Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2012
Action: Conceptual Site Model

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2012
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2014
Action: Monitoring Report - Semi-Annually

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2014
Action: Monitoring Report - Semi-Annually

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2015
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: ENFORCEMENT
Date: 02/22/2005
Action: Staff Letter

Global Id: T0603702870
Action Type: ENFORCEMENT

FORMER MOBIL #18-GP9 (Continued) **S103281924**

Date: 06/14/2018
Action: Staff Letter

Global Id: T0603702870
Action Type: ENFORCEMENT
Date: 02/09/2018
Action: Staff Letter

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2003
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2005
Action: Soil and Water Investigation Workplan

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2007
Action: Soil and Water Investigation Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2008
Action: Soil and Water Investigation Workplan

Global Id: T0603702870
Action Type: RESPONSE
Date: 02/15/2007
Action: Interim Remedial Action Plan

Global Id: T0603702870
Action Type: RESPONSE
Date: 02/15/2007
Action: Other Report / Document

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2011
Action: Monitoring Report - Semi-Annually

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2011
Action: Conceptual Site Model

FORMER MOBIL #18-GP9 (Continued) **S103281924**

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2011
Action: Monitoring Report - Semi-Annually

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2011
Action: Conceptual Site Model

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2013
Action: Monitoring Report - Semi-Annually

Global Id: T0603702870
Action Type: ENFORCEMENT
Date: 02/27/2001
Action: 13267 Requirement

Global Id: T0603702870
Action Type: ENFORCEMENT
Date: 01/05/2015
Action: Staff Letter

Global Id: T0603702870
Action Type: ENFORCEMENT
Date: 05/03/2019
Action: Health and Safety Code Section 25296.10(c)

Global Id: T0603702870
Action Type: ENFORCEMENT
Date: 06/04/2020
Action: Clean Up Fund - Case Closure Review Summary Report (RSR)

Global Id: T0603702870
Action Type: Other
Date: 06/16/1987
Action: Leak Discovery

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2003
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2003
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2005
Action: Soil and Water Investigation Report

Global Id: T0603702870
Action Type: RESPONSE

FORMER MOBIL #18-GP9 (Continued) **S103281924**

Date: 10/15/2004
Action: Soil and Water Investigation Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2004
Action: Soil and Water Investigation Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2004
Action: Interim Remedial Action Plan

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2006
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2006
Action: Soil and Water Investigation Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2007
Action: Soil and Water Investigation Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2008
Action: Conceptual Site Model

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0603702870
Action Type: RESPONSE
Date: 01/15/2008
Action: Soil and Water Investigation Report

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2010
Action: Conceptual Site Model

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2012
Action: Monitoring Report - Quarterly

FORMER MOBIL #18-GP9 (Continued) **S103281924**

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/15/2010
Action: Monitoring Report - Semi-Annually

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2009
Action: Monitoring Report - Semi-Annually

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/15/2010
Action: Monitoring Report - Semi-Annually

Global Id: T0603702870
Action Type: RESPONSE
Date: 06/03/2019
Action: Soil and Water Investigation Workplan

Global Id: T0603702870
Action Type: RESPONSE
Date: 04/15/2013
Action: Conceptual Site Model

Global Id: T0603702870
Action Type: RESPONSE
Date: 05/13/2021
Action: Electronic Reporting Submittal Due

Global Id: T0603702870
Action Type: RESPONSE
Date: 10/28/2014
Action: Request for Closure - Regulator Responded

Global Id: T0603702870
Action Type: RESPONSE
Date: 09/19/2017
Action: Request for Closure - Regulator Responded

Global Id: T0603702870
Action Type: RESPONSE
Date: 05/03/2018
Action: Request for Closure - Regulator Responded

Global Id: T0603702870
Action Type: RESPONSE
Date: 12/26/2018
Action: Soil and Water Investigation Workplan - Regulator Responded

Global Id: T0603702870
Action Type: RESPONSE
Date: 07/16/2018
Action: Soil and Water Investigation Workplan - Regulator Responded

Global Id: T0603702870
Action Type: RESPONSE

FORMER MOBIL #18-GP9 (Continued) **S103281924**

Date: 07/29/2019
Action: Request for Closure - Regulator Responded

Global Id: T0603702870
Action Type: RESPONSE
Date: 02/19/2021
Action: Request for Closure - Regulator Responded

Global Id: T0603702870
Action Type: REMEDIATION
Date: 01/01/1998
Action: Dual Phase Extraction

Global Id: T0603702870
Action Type: REMEDIATION
Date: 01/01/1987
Action: Excavation

Global Id: T0603702870
Action Type: REMEDIATION
Date: 10/01/2006
Action: Pump & Treat (P&T) Groundwater

LUST:
Global Id: T0603702870
Status: Open - Case Begin Date
Status Date: 06/16/1987

Global Id: T0603702870
Status: Open - Site Assessment
Status Date: 05/07/1998

Global Id: T0603702870
Status: Open - Remediation
Status Date: 10/15/2004

Global Id: T0603702870
Status: Open - Remediation
Status Date: 04/29/2011

Global Id: T0603702870
Status: Open - Verification Monitoring
Status Date: 04/14/2015

Global Id: T0603702870
Status: Open - Eligible for Closure
Status Date: 05/14/2015

Global Id: T0603702870
Status: Open - Verification Monitoring
Status Date: 06/09/2017

Global Id: T0603702870
Status: Open - Verification Monitoring
Status Date: 01/25/2018

FORMER MOBIL #18-GP9 (Continued) **S103281924**

LUST REG 4:

Region:	4	
Regional Board:	04	
County:	Los Angeles	
Facility Id:	I-02871	
Status:	Remediation Plan	
Substance:	Hydrocarbons	
Substance Quantity:	Not reported	
Local Case No:	Not reported	
Case Type:	Groundwater	
Abatement Method Used at the Site:		Not reported
Global ID:	T0603702870	
W Global ID:	Not reported	
Staff:	NB	
Local Agency:	19000	
Cross Street:	Not reported	
Enforcement Type:	DLLET	
Date Leak Discovered:	6/16/1987	
Date Leak First Reported:		6/17/1992
Date Leak Record Entered:	8/25/1992	
Date Confirmation Began:	Not reported	
Date Leak Stopped:	6/16/1987	
Date Case Last Changed on Database:		7/12/2002
Date the Case was Closed:		Not reported
How Leak Discovered:	Tank Closure	
How Leak Stopped:	Not reported	
Cause of Leak:	UNK	
Leak Source:	UNK	
Operator:	Not reported	
Water System:	Not reported	
Well Name:	Not reported	
Approx. Dist To Production Well (ft):		515.4404303494527379696348938 2
Source of Cleanup Funding:		UNK
Preliminary Site Assessment Workplan Submitted:		Not reported
Preliminary Site Assessment Began:		Not reported
Pollution Characterization Began:		5/7/1998
Remediation Plan Submitted:		2/27/2001
Remedial Action Underway:		Not reported
Post Remedial Action Monitoring Began:		6/17/1992
Enforcement Action Date:		Not reported
Historical Max MTBE Date:		10/29/1998
Hist Max MTBE Conc in Groundwater:		130000
Hist Max MTBE Conc in Soil:		2
Significant Interim Remedial Action Taken:		Not reported
GW Qualifier:	Not reported	
Soil Qualifier:	ND	
Organization:	Not reported	
Owner Contact:	Not reported	
Responsible Party:	JOHNNY MEDRANO	
RP Address:	3700 W 190TH ST. TPT2	
Program:	LUST	
Lat/Long:	33.8756119 / -1	
Local Agency Staff:	Not reported	
Beneficial Use:	Not reported	
Priority:	Not reported	
Cleanup Fund Id:	Not reported	
Suspended:	Not reported	

FORMER MOBIL #18-GP9 (Continued) **S103281924**

Assigned Name: Not reported
Summary: MTBE FOUND AT 54,000 UG/L IN MW-1A.; 10/11/00 3RD QTR GW MON RPT 2000; 10/27/00 SITE ASSESSMENT & RAP; 1/6/01 4TH QTR GW MON RPT 2000; 2/5/01 PUEL DISPENSING COMPLEX SOIL SAMPLING; 3/28/01 1ST QTR GW MON RPT 2001

CORTESE:
Name: FORMER MOBIL #18-GP9
Address: 17122 PIONEER BLVD S
City,State,Zip: ARTESIA, CA 90701
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0603702870
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: OPEN - VERIFICATION MONITORING
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

CERS:
Name: FORMER MOBIL #18-GP9
Address: 17122 PIONEER BLVD S
City,State,Zip: ARTESIA, CA 90701
Site ID: 195354
CERS ID: T0603702870
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: NHAN BAO - LOS ANGELES RWQCB (REGION 4)
Entity Title: Not reported
Affiliation Address: 320 WEST 4TH STREET, SUITE 200
Affiliation City: LOS ANGELES
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 2135766703

Affiliation Type Desc: Local Agency Caseworker
Entity Name: JOHN AWUJO - LOS ANGELES COUNTY
Entity Title: Not reported
Affiliation Address: 900 S FREMONT AVE
Affiliation City: ALHAMBRA
Affiliation State: CA
Affiliation Country: Not reported

FORMER MOBIL #18-GP9 (Continued) **S103281924**

Affiliation Zip: Not reported
Affiliation Phone: 6264583507

K70 **NADER W OIL LLC** **CERS HAZ WASTE** **S117541597**
ENE **17122 PIONEER BLVD** **CERS TANKS** **N/A**
< 1/8 **ARTESIA, CA 90701** **HAZNET**
0.119 mi. **LOS ANGELES CO. HMS**
630 ft. **Site 2 of 12 in cluster K** **CERS**
HWTS

Relative:
Lower

Actual:
63 ft.

CERS HAZ WASTE:
Name: NADER W OIL LLC
Address: 17122 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 137089
CERS ID: 10291273
CERS Description: Hazardous Waste Generator

CERS TANKS:
Name: NADER W OIL LLC
Address: 17122 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 137089
CERS ID: 10291273
CERS Description: Underground Storage Tank

HAZNET:
Name: NADER W OIL LLC
Address: 17122 PIONEER BLVD
Address 2: Not reported
City,State,Zip: ARTESIA, CA 90701
Contact: NADER WAREH
Telephone: 5628650319
Mailing Name: Not reported
Mailing Address: 17122 PIONEER BLVD

Year: 2019
Gepaid: CAL000400861
TSD EPA ID: CAD028409019
CA Waste Code: 241 - Tank bottom waste
Disposal Method: H135 - Discharge To Sewer/Potw Or Npdes(With Prior Storage--With Or Without Treatment)
Tons: 0.12510

LOS ANGELES CO. HMS:
Name: NADER W OIL LLC
Address: 17122 PIONEER BLVD
City,State,Zip: ARTESIA, CA 907012704
Region: LA
Permit Category: T
Facility Id: 002781-059957
Facility Type: 0
Facility Status: Permit
Area: 1D

NADER W OIL LLC (Continued) **S117541597**

Permit Number: 000806309
Permit Status: Permit

CERS:

Name:	NADER W OIL LLC
Address:	17122 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Site ID:	137089
CERS ID:	10291273
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	04-21-2017
Citation:	23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description:	Failure to submit the Annual Monitoring System Certification Form to the CUPA within 30 days of completion of the test.
Violation Notes:	Returned to compliance on 04/28/2017.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS

Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	06-25-2020
Citation:	23 CCR 16 2712(b)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(2)
Violation Description:	Failure to maintain monitoring records for release detection and/or maintain records of appropriate follow-up actions.
Violation Notes:	1)4/2020 CTLS MISSING 2)FACILITY EMPLOYEE TRAINING EXPIRED 032020 3)OVFL REPORT MISSING -
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS

Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	03-31-2015
Citation:	HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description:	Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes:	Returned to compliance on 04/12/2016.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS

Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	04-21-2017
Citation:	23 CCR 16 2715(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(i)
Violation Description:	Failure to have a properly qualified service technician test leak detection equipment as required every 12 months (vapor, pressure, hydrostatic (VPH) system, sensors, line-leak detectors (LLD),

NADER W OIL LLC (Continued) **S117541597**

	automatic tank gauge (ATG), etc.).
Violation Notes:	Returned to compliance on 04/28/2017.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	03-31-2015
Citation:	23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description:	Failure to submit, obtain approval, or maintain a complete/accurate plot plan.
Violation Notes:	Returned to compliance on 04/12/2016.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	06-25-2020
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes:	1)4/2020 CTLS MISSING 2)FACILITY EMPLOYEE TRAINING EXPIRED 032020 3)OVFL REPORT MISSING -
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	04-21-2017
Citation:	HSC 6.7 25284.2 - California Health and Safety Code, Chapter 6.7, Section(s) 25284.2
Violation Description:	Failure to test the spill bucket annually.
Violation Notes:	Returned to compliance on 04/28/2017.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	10-25-2017
Citation:	22 CCR 12 66262.40(a) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(a)
Violation Description:	Failure to keep a copy of each properly signed manifest for at least three years from the date the waste was accepted by the initial transporter. The manifest signed at the time the waste was accepted for transport shall be kept until receiving a signed copy from the designated facility which received the waste.
Violation Notes:	Returned to compliance on 11/14/2017. OBSERVATION: Uniform Hazardous Waste Manifests for gasoline contaminated waste liquid and solids were not available at the time of inspection. CORRECTIVE ACTION: Locate a copy of all manifests for the above wastes and submit copies to the CUPA.

NADER W OIL LLC (Continued) **S117541597**

Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	04-10-2019
Citation:	23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description:	Failure to implement the corrections specified in the inspection report within 30 days of receiving an inspection report from either the UPA or special inspector.
Violation Notes:	Returned to compliance on 08/25/2020. (1)CERS CORRECTION: CFO LETTER, PROP OWNER INFO REQD;2)OVFL TEST REQD;3)SB989 TEST DATED 5/9/16:UDC & SUMPS NOT TESTED 4" ABOVE HIGH- EST PENETRATION. RETEST REPORT REQD.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	06-25-2020
Citation:	23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description:	Failure to submit the G Monitoring System Certification FormG to the UPA within 30 days of completion of the test.
Violation Notes:	1)4/2020 CTLS MISSING 2)FACILITY EMPLOYEE TRAINING EXPIRED 032020 3)OVFL REPORT MISSING -
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	04-10-2019
Citation:	23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)
Violation Description:	Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1,- 2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October- 1,- 2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected

NADER W OIL LLC (Continued) **S117541597**

using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.
Violation Notes: Returned to compliance on 08/25/2020. (1)CERS CORRECTION: CFO LETTER, PROP OWNER INFO REQD;2)OVFL TEST REQD;3)SB989 TEST DATED 5/9/16:UDC & SUMPS NOT TESTED 4" ABOVE HIGH- EST PENETRATION. RETEST REPORT REQD.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137089
Site Name: NADER W OIL LLC
Violation Date: 04-21-2017
Citation: 23 CCR 16 2637 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637
Violation Description: Failure to conduct secondary containment testing, or one or more of the following requirements: Perform the test within six months of installation and every 36 months thereafter.Use a procedure that demonstrates the system works as well as at installation.Use applicable manufacturer guidelines, industry codes, engineering standard, or professional engineer approval.Performed by a certified service technician or a licensed tank tester.
Violation Notes: Returned to compliance on 04/28/2017.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137089
Site Name: NADER W OIL LLC
Violation Date: 04-11-2018
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Monitoring Plan.
Violation Notes: Returned to compliance on 08/14/2019.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137089
Site Name: NADER W OIL LLC
Violation Date: 04-11-2018
Citation: HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description: Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes: Returned to compliance on 08/14/2019.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137089
Site Name: NADER W OIL LLC
Violation Date: 04-10-2019
Citation: 23 CCR 16 2665(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665(b)
Violation Description: "Failure to submit a copy of the overfill prevention equipment

NADER W OIL LLC (Continued) **S117541597**

	inspection results on the G Overfill Prevention Equipment Inspection Report FormG to the UPA within 30 days after the inspection. "
Violation Notes:	Returned to compliance on 08/25/2020. (1)CERS CORRECTION: CFO LETTER, PROP OWNER INFO REQD;2)OVFL TEST REQD;3)SB989 TEST DATED 5/9/16:UDC & SUMPS NOT TESTED 4" ABOVE HIGH- EST PENETRATION. RETEST REPORT REQD.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	04-10-2019
Citation:	HSC 6.7 25290.1(c),25290.2(c),25291(a)(2),2529.1(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c),25290.2(c),25291(a)(2),2529.1(e)
Violation Description:	Failure to maintain secondary containment (e.g., failure of secondary containment testing).
Violation Notes:	Returned to compliance on 08/25/2020. (1)CERS CORRECTION: CFO LETTER, PROP OWNER INFO REQD;2)OVFL TEST REQD;3)SB989 TEST DATED 5/9/16:UDC & SUMPS NOT TESTED 4" ABOVE HIGH- EST PENETRATION. RETEST REPORT REQD.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	04-11-2018
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes:	Returned to compliance on 08/14/2019.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	04-11-2018
Citation:	HSC 6.7 25290.1(c),25290.2(c),25291(a)(2),2529.1(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c),25290.2(c),25291(a)(2),2529.1(e)
Violation Description:	Failure to maintain secondary containment (e.g., failure of secondary containment testing).
Violation Notes:	Returned to compliance on 08/14/2019.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	06-25-2020
Citation:	23 CCR 16 2665(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665(b)
Violation Description:	"Failure to submit a copy of the overfill prevention equipment inspection results on the G Overfill Prevention Equipment Inspection Report FormG to the UPA within 30 days after the inspection. "

NADER W OIL LLC (Continued) **S117541597**

Violation Notes:	1)4/2020 CTLS MISSING 2)FACILITY EMPLOYEE TRAINING EXPIRED 032020 3)OVFL REPORT MISSING -
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	06-25-2020
Citation:	23 CCR 16 2715(c)(4) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)(4)
Violation Description:	Failure to maintain a list of employees trained by the designated operator on-site or off-site at a readily available location, if approved by the UPA. For training that occurs on or after October 1, 2018, failure to maintain a copy of the "Facility Employee Training Certificate" on-site or off-site at a readily available location, if approved by the UPA.
Violation Notes:	1)4/2020 CTLS MISSING 2)FACILITY EMPLOYEE TRAINING EXPIRED 032020 3)OVFL REPORT MISSING -
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	06-25-2020
Citation:	23 CCR 16 2715(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)
Violation Description:	Failure to have a properly qualified service technician test leak detection equipment as required every 12 months (vapor, pressure, hydrostatic (VPH) system, sensors, line-leak detectors (LLD), automatic tank gauge (ATG), etc.).
Violation Notes:	1)4/2020 CTLS MISSING 2)FACILITY EMPLOYEE TRAINING EXPIRED 032020 3)OVFL REPORT MISSING -
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	06-25-2020
Citation:	23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description:	Failure to implement the corrections specified in the inspection report within 30 days of receiving an inspection report from either the UPA or special inspector.
Violation Notes:	1)4/2020 CTLS MISSING 2)FACILITY EMPLOYEE TRAINING EXPIRED 032020 3)OVFL REPORT MISSING -
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	04-21-2017
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34

NADER W OIL LLC (Continued) **S117541597**

Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Returned to compliance on 04/28/2017.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	06-25-2020
Citation:	HSC 6.7 25293 - California Health and Safety Code, Chapter 6.7, Section(s) 25293
Violation Description:	Failure to maintain UST records in sufficient detail to enable the UPA to determine whether the UST systems are in compliance.
Violation Notes:	1)4/2020 CTLS MISSING 2)FACILITY EMPLOYEE TRAINING EXPIRED 032020 3)OVFL REPORT MISSING -
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	06-25-2020
Citation:	23 CCR 16 2716(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(e)
Violation Description:	For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30 days.
Violation Notes:	1)4/2020 CTLS MISSING 2)FACILITY EMPLOYEE TRAINING EXPIRED 032020 3)OVFL REPORT MISSING -
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	04-21-2017
Citation:	23 CCR 16 2637(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637(e)
Violation Description:	Failure to submit a copy of the secondary containment test results to the CUPA within 30 days after the test.
Violation Notes:	Returned to compliance on 04/28/2017.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS

NADER W OIL LLC (Continued) **S117541597**

Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	06-25-2020
Citation:	23 CCR 16 2715(c)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)(2)
Violation Description:	Failure to have at least one facility employee present during operating hours that has been trained in the proper operation and maintenance of the UST system by a designated operator (DO).
Violation Notes:	1)4/2020 CTLS MISSING 2)FACILITY EMPLOYEE TRAINING EXPIRED 032020 3)OVFL REPORT MISSING -
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS

Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	10-25-2017
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 10/25/2017. OBSERVATION: Observed one 55-gallon drum of waste water with gasoline with faded label. CORRECTIVE ACTION: Submit photos to the CUPA demonstrating that the container listed above has been properly labeled. Operator labeled the container at the time of inspection.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS

Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	04-11-2018
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to have current UST Monitoring Plan available on site.
Violation Notes:	Returned to compliance on 08/14/2019.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS

Site ID:	137089
Site Name:	NADER W OIL LLC
Violation Date:	04-10-2019
Citation:	23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description:	Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes:	Returned to compliance on 08/25/2020. (1)CERS CORRECTION: CFO LETTER, PROP OWNER INFO REQD;2)OVFL TEST REQD;3)SB989 TEST DATED 5/9/16:UDC & SUMPS NOT TESTED 4" ABOVE HIGH- EST PENETRATION. RETEST REPORT REQD.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS

NADER W OIL LLC (Continued) **S117541597**

Site ID: 137089
Site Name: NADER W OIL LLC
Violation Date: 04-10-2019
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 08/25/2020. (1)CERS CORRECTION: CFO LETTER, PROP OWNER INFO REQD;2)OVFL TEST REQD;3)SB989 TEST DATED 5/9/16:UDC & SUMPS NOT TESTED 4" ABOVE HIGH- EST PENETRATION. RETEST REPORT REQD.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137089
Site Name: NADER W OIL LLC
Violation Date: 04-21-2017
Citation: 23 CCR 16 2632(d)(1)(C), 2641(h), 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632(d)(1)(C), 2641(h), 2711(a)(8)
Violation Description: Failure to submit or update a plot plan.
Violation Notes: Returned to compliance on 04/28/2017.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137089
Site Name: NADER W OIL LLC
Violation Date: 06-25-2020
Citation: 23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description: Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes: 1)4/2020 CTLS MISSING 2)FACILITY EMPLOYEE TRAINING EXPIRED 032020 3)OVFL REPORT MISSING -
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 137089
Site Name: NADER W OIL LLC
Violation Date: 09-30-2014
Citation: HSC 6.95 25508.1(f) - California Health and Safety Code, Chapter 6.95, Section(s) 25508.1(f)
Violation Description: Failure to electronically update the business plan within 30 days of a substantial change.
Violation Notes: Returned to compliance on 01/16/2015.
Violation Division: Los Angeles County Fire Department
Violation Program: HMRRP
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-30-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported

NADER W OIL LLC (Continued) **S117541597**

Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-25-2017
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Sami Omar, Cashier
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-25-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Sami Omar, Cashier
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 11-14-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-10-2019
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: NOVC:1)CERS CORRECTION: CFO LETTER, PROP OWNER INFO REQD;2)OVFL TEST REQD;3)SB989 TEST DATED 5/9/16:UDC & SUMPS NOT TESTED 4" ABOVE PENET
Eval Division: Los Angeles County Department of Public Works
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-21-2017
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: NOVC PAST DUE MONIT.CERT.4/16, SB989-5/2/16;REMOVE FROM CERS MISCEL. FOLDER WRONG SITE ADDRESSS REPORTS-SB989,MONIT.CERT.
Eval Division: Los Angeles County Department of Public Works
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-30-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department

NADER W OIL LLC (Continued) **S117541597**

Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-04-2020
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Farah Wareh, Cashier
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-02-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC_REJECTED_04/30/14_MONITORING_SYSTEM_CERT,_CERS_CORRECTIONS_REQ,CHANGE_OF_OWNERSHIP___
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-11-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	1)050916 SCTR NOT PERFORMED 4" ABOVE HIGHEST PENETRATION 2)FACILITY PG-PROP OWNER DOES NOT MATCH W/ HMS 3)MP
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-12-2016
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	NO UST ALARM CONDITION OBSERVED ON SITE.
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	06-25-2020
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	1)4/2020 CTLS MISSING 2)FACILITY EMPLOYEE TRAINING EXPIRED 032020 3)OVFL REPORT MISSING
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-04-2020
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Farah Wareh, Cashier
Eval Division:	Los Angeles County Fire Department

NADER W OIL LLC (Continued) **S117541597**

Eval Program: HMRRP
Eval Source: CERS

Coordinates:
Site ID: 137089
Facility Name: NADER W OIL LLC
Env Int Type Code: HWG
Program ID: 10291273
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 33.875050
Longitude: -118.081920

Affiliation:
Affiliation Type Desc: Operator
Entity Name: NADER W OIL LLC
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (562) 865-0319

Affiliation Type Desc: UST Tank Owner
Entity Name: Nader Wareh and Rania Alostwani Family Trust 2016
Entity Title: Not reported
Affiliation Address: 17122 PIONEER BLVD
Affiliation City: Corona
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 90701
Affiliation Phone: (562) 865-0319

Affiliation Type Desc: Environmental Contact
Entity Name: NADER WAREH
Entity Title: Not reported
Affiliation Address: 17122 PIONEER BLVD
Affiliation City: ARTESIA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90701
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: NADER WAREH
Entity Title: Not reported
Affiliation Address: 17122 PIONEER BLVD
Affiliation City: ARTESIA
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 90701
Affiliation Phone: (562) 865-0319

Affiliation Type Desc: Property Owner
Entity Name: NADER WAREH

NADER W OIL LLC (Continued) **S117541597**

Entity Title:	Not reported
Affiliation Address:	17122 PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(562) 865-0319
Affiliation Type Desc:	CUPA District
Entity Name:	Los Angeles County Fire
Entity Title:	Not reported
Affiliation Address:	5825 Rickenbacker Road
Affiliation City:	Commerce
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90040-3027
Affiliation Phone:	(323) 890-4000
Affiliation Type Desc:	Identification Signer
Entity Name:	NADER WAREH
Entity Title:	OWNER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	NADER WAREH
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	17122 PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	NADER W OIL LLC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

NADER W OIL LLC (Continued) **S117541597**

Affiliation Type Desc:	UST Permit Applicant
Entity Name:	Nader Wareh
Entity Title:	OWNER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(562) 865-0319

Affiliation Type Desc:	UST Property Owner Name
Entity Name:	NADER WAREH Co. TRUST
Entity Title:	Not reported
Affiliation Address:	9900 MOON RIVER CIRCLE
Affiliation City:	FOUNTAIN VALLEY
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92708
Affiliation Phone:	(562) 865-0319

Affiliation Type Desc:	UST Tank Operator
Entity Name:	NADER WAREH
Entity Title:	Not reported
Affiliation Address:	17122 PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(562) 865-0319

HWTS:

Name:	NADER W OIL LLC
Address:	17122 PIONEER BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAL000400861
Inactive Date:	Not reported
Create Date:	09/30/2014
Last Act Date:	07/28/2020
Mailing Name:	Not reported
Mailing Address:	17122 PIONEER BLVD
Mailing Address 2:	Not reported
Mailing City,State,Zip:	ARTESIA, CA 90701
Owner Name:	NADER W OIL LLC
Owner Address:	17122 PIONEER BLVD
Owner Address 2:	Not reported
Owner City,State,Zip:	ARTESIA, CA 90701
Contact Name:	NADER WAREH
Contact Address:	17122 PIONEER BLVD
Contact Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 90701

NAICS:

EPA ID:	CAL000400861
Create Date:	2014-09-30 09:25:06.033
NAICS Code:	44719

NADER W OIL LLC (Continued) **S117541597**

NAICS Description:	Other Gasoline Stations
Issued EPA ID Date:	2014-09-30 09:25:06.03000
Inactive Date:	Not reported
Facility Name:	NADER W OIL LLC
Facility Address:	17122 PIONEER BLVD
Facility Address 2:	Not reported
Facility City:	ARTESIA
Facility County:	Not reported
Facility State:	CA
Facility Zip:	90701

K71 **NADER W OIL LLC** **RCRA NonGen / NLR** **1024846618**
ENE **17122 PIONEER BLVD** **CAL000400861**
< 1/8 **ARTESIA, CA 90701**
0.119 mi.
630 ft. **Site 3 of 12 in cluster K**

Relative: RCRA NonGen / NLR:
Lower

Actual: Date Form Received by Agency:		20140930
63 ft. Handler Name:	NADER W OIL LLC	
Handler Address:		17122 PIONEER BLVD
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAL000400861
Contact Name:		NADER WAREH
Contact Address:		17122 PIONEER BLVD
Contact City,State,Zip:		ARTESIA, CA 90701
Contact Telephone:		562-865-0319
Contact Fax:		Not reported
Contact Email:		NWAHER@AOL.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		17122 PIONEER BLVD
Mailing City,State,Zip:		ARTESIA, CA 90701
Owner Name:		NADER W OIL LLC
Owner Type:		Other
Operator Name:		NADER WAREH
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes

NADER W OIL LLC (Continued) **1024846618**

Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180906
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	NADER W OIL LLC
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17122 PIONEER BLVD
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-865-0319
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

NADER W OIL LLC (Continued) **1024846618**

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NADER WAREH
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17122 PIONEER BLVD
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-865-0319
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20140930
Handler Name: NADER W OIL LLC	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	44719
NAICS Description:	OTHER GASOLINE STATIONS

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

K72 **MOBIL OIL CORP S/S #18-GP9** **UST** **U004346510**
ENE **17122 PIONEER BLVD** **N/A**
< 1/8 **ARTESIA, CA 90701**
0.119 mi.
630 ft. **Site 4 of 12 in cluster K**

Relative: **Lower**

Actual: **63 ft.**

UST:

Name:	MOBIL OIL CORP S/S #18-GP9
Address:	17122 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Facility ID:	2871
Permitting Agency:	LOS ANGELES COUNTY
CERSID:	Not reported
Latitude:	33.8764009
Longitude:	-118.080568

K73 **FORMER MOBIL #18-GP9** **UST** **U004271162**
ENE **17122 SOUTH PIONEER BOULEVARD** **N/A**
< 1/8 **ARTESIA, CA 90701**
0.119 mi.
630 ft. **Site 5 of 12 in cluster K**

Relative: UST CLOSURE:
Lower

Actual: Name:	FORMER MOBIL #18-GP9
63 ft. Address:	17122 SOUTH PIONEER BOULEVARD
City,State,Zip:	ARTESIA, CA 90701
Claim Number:	Case No. I-02871
Type:	Closure Denials and Approved Orders
Deadline Date:	1/15/2016
Documents:	17122 South Pioneer Boulevard, Artesia, CA 90701Notice Cancelled, 17122 South Pioneer Boulevard, Artesia, CA 90701Draft Order, 17122 South Pioneer Boulevard, Artesia, CA 90701Summary
Comments:	Not reported
Comments URL:	Not reported
Response:	Not reported
Response URL:	Not reported
Comments2:	Not reported
Comments2 URL:	Not reported
Response2:	Not reported
Response2 URL:	Not reported
Closure:	Not reported
Closure URL:	Not reported
Uniform:	Not reported
Uniform URL:	Not reported

K74 **MOBIL #18-GP9 (FORMER #11-GP9)** **ENF** **S101295551**
ENE **17122 PIONEER** **HIST CORTESE** **N/A**
< 1/8 **ARTESIA, CA 90701** **LOS ANGELES CO. HMS**
0.119 mi.
630 ft. **Site 6 of 12 in cluster K**

Relative: ENF:
Lower

Actual: Name:	MOBIL #18-GP9 (FORMER #11-GP9)
63 ft. Address:	17122 PIONEER
City,State,Zip:	ARTESIA, CA 90701
Region:	4
Facility Id:	243158
Agency Name:	ExxonMobil Oil Corporation Torrance
Place Type:	Facility
Place Subtype:	Not reported
Facility Type:	All other facilities
Agency Type:	Privately-Owned Business
# Of Agencies:	1
Place Latitude:	33.875022
Place Longitude:	-118.082215
SIC Code 1:	Not reported
SIC Desc 1:	Not reported
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported

MOBIL #18-GP9 (FORMER #11-GP9) (Continued) **S101295551**

NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	Not reported
Threat To Water Quality:	Not reported
Complexity:	Not reported
Pretreatment:	Not reported
Facility Waste Type:	Not reported
Facility Waste Type 2:	Not reported
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	UST
Program Category1:	TANKS
Program Category2:	TANKS
# Of Programs:	1
WDID:	I-02871
Reg Measure Id:	168118
Reg Measure Type:	Unregulated
Region:	4
Order #:	Not reported
Npdes# CA#:	Not reported
Major-Minor:	Not reported
Npdes Type:	Not reported
Reclamation:	Not reported
Dredge Fill Fee:	Not reported
301H:	Not reported
Application Fee Amt Received:	Not reported
Status:	Never Active
Status Date:	02/20/2013
Effective Date:	Not reported
Expiration/Review Date:	Not reported
Termination Date:	Not reported
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	N
Individual/General:	I
Fee Code:	Not reported
Direction/Voice:	Passive
Enforcement Id(EID):	227961
Region:	4
Order / Resolution Number:	NOV
Enforcement Action Type:	Notice of Violation
Effective Date:	09/26/2000
Adoption/Issuance Date:	Not reported
Achieve Date:	10/31/2000
Termination Date:	09/26/2000
ACL Issuance Date:	Not reported
EPL Issuance Date:	Not reported
Status:	Historical
Title:	Enforcement - I-02871
Description:	Notice of Violation sent 9/26/00 for overdue groundwater investigation & cleanup workplan.
Program:	UST

MOBIL #18-GP9 (FORMER #11-GP9) (Continued) **S101295551**

Latest Milestone Completion Date:	Not reported
# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability $ Amount:	0
Project $ Amount:	0
Liability $ Paid:	0
Project $ Completed:	0
Total $ Paid/Completed Amount:	0

HIST CORTESE:

edr_fname:	MOBIL #18-GP9 (FORMER #11
edr_fadd1:	17122 PIONEER
City,State,Zip:	ARTESIA, CA 90701
Region:	CORTESE
Facility County Code:	19
Reg By:	LTNKA
Reg Id:	I-02871

LOS ANGELES CO. HMS:

Name:	CIRCLE K STORES INC #2211230
Address:	17122 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 907012704
Region:	LA
Permit Category:	T
Facility Id:	002781-058189
Facility Type:	0
Facility Status:	Closed
Area:	1D
Permit Number:	000777243
Permit Status:	Closed

Name:	CIRCLE K STORES INC
Address:	17122 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 907012704
Region:	LA
Permit Category:	I
Facility Id:	002781-058236
Facility Type:	01
Facility Status:	Removed
Area:	1D
Permit Number:	000021335
Permit Status:	Removed

K75 **NADER WAREH** **HIST UST** **U001565245**
ENE **17122 PIONEER BLVD** **CHMIRS** **N/A**
< 1/8 **ARTESIA, CA 90701**
0.119 mi.
630 ft. **Site 7 of 12 in cluster K**

Relative: **Lower**

Actual: **63 ft.**

HIST UST:

Name:	NADER WAREH
Address:	17122 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
File Number:	00027D14
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00027D14.pdf
Region:	STATE

NADER WAREH (Continued) **U001565245**

Facility ID:	00000039801
Facility Type:	Gas Station
Other Type:	Not reported
Contact Name:	SAME
Telephone:	2138650319
Owner Name:	MOBIL OIL CORP
Owner Address:	612 S. FLOWER ST.
Owner City,St,Zip:	LOS ANGELES, CA 90017
Total Tanks:	0004
Tank Num:	001
Container Num:	3
Year Installed:	1969
Tank Capacity:	00008000
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	002
Container Num:	2
Year Installed:	1972
Tank Capacity:	00006000
Tank Used for:	PRODUCT
Type of Fuel:	PREMIUM
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	003
Container Num:	4
Year Installed:	Not reported
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	004
Container Num:	1
Year Installed:	Not reported
Tank Capacity:	00000280
Tank Used for:	WASTE
Type of Fuel:	WASTE OIL
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor

Click here for Geo Tracker PDF:

CHMIRS:

Name:	Not reported
Address:	17122 PIONEER BLVD
City,State,Zip:	ARTESIA, CA
OES Incident Number:	5-3477
OES notification:	06/10/2005
OES Date:	Not reported
OES Time:	Not reported
Date Completed:	**Not reported**

NADER WAREH (Continued) **U001565245**

Property Use:	Not reported
Agency Id Number:	Not reported
Agency Incident Number:	Not reported
Time Notified:	Not reported
Time Completed:	Not reported
Surrounding Area:	Not reported
Estimated Temperature:	Not reported
Property Management:	Not reported
More Than Two Substances Involved?:	Not reported
Resp Agncy Personel # Of Decontaminated:	Not reported
Responding Agency Personel # Of Injuries:	Not reported
Responding Agency Personel # Of Fatalities:	Not reported
Others Number Of Decontaminated:	Not reported
Others Number Of Injuries:	Not reported
Others Number Of Fatalities:	Not reported
Vehicle Make/year:	Not reported
Vehicle License Number:	Not reported
Vehicle State:	Not reported
Vehicle Id Number:	Not reported
CA DOT PUC/ICC Number:	Not reported
Company Name:	Not reported
Reporting Officer Name/ID:	Not reported
Report Date:	Not reported
Facility Telephone:	Not reported
Waterway Involved:	Not reported
Waterway:	Not reported
Spill Site:	Not reported
Cleanup By:	Unknown
Containment:	Not reported
What Happened:	Not reported
Type:	Not reported
Measure:	Not reported
Other:	Not reported
Date/Time:	Not reported
Year:	2005
Agency:	Veeder Root
Incident Date:	6/9/200512:00:00 AM
Admin Agency:	L. A. County Fire Prevention
Amount:	Not reported
Contained:	Yes
Site Type:	Service Station
E Date:	Not reported
Substance:	Gasoline
Gallons:	1
Unknown:	0
Substance #2:	Not reported
Substance #3:	Not reported
Evacuations:	0
Number of Injuries:	0
Number of Fatalities:	0
#1 Pipeline:	Not reported
#2 Pipeline:	Not reported
#3 Pipeline:	Not reported
#1 Vessel >= 300 Tons:	Not reported
#2 Vessel >= 300 Tons:	Not reported
#3 Vessel >= 300 Tons:	Not reported
Evacs:	Not reported

NADER WAREH (Continued) **U001565245**

Injuries:	Not reported
Fatals:	Not reported
Comments:	Not reported
Description:	The auto shut off failed, spilling gasoline on concrete.

K76 **NADER W OIL LLC** **UST** **U004357956**
ENE **17122 PIONEER BLVD** **N/A**
< 1/8 **ARTESIA, CA 90701**
0.119 mi.
630 ft. **Site 8 of 12 in cluster K**

Relative: **Lower**
Actual: **63 ft.**

UST:

Name:	NADER W OIL LLC
Address:	17122 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Facility ID:	Not reported
Permitting Agency:	Los Angeles County Fire Department
CERSID:	Not reported
Latitude:	33.87505
Longitude:	-118.08192

Name:	NADER W OIL LLC
Address:	17122 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Facility ID:	Not reported
Permitting Agency:	Los Angeles County Fire Department
CERSID:	10291273
Latitude:	33.87505
Longitude:	-118.08192

K77 **CIRCLE K STORES INC. SITE #2211230** **RCRA-SQG** **1007200202**
ENE **17122 PIONEER BLVD** **FINDS** **CAL000056233**
< 1/8 **ARTESIA, CA 90701**
0.119 mi.
630 ft. **Site 9 of 12 in cluster K**

Relative: **Lower**
Actual: **63 ft.**

RCRA-SQG:

Date Form Received by Agency:		20020228
Handler Name:	EXXONMOBIL OIL CORP.	
Handler Address:		17122 PIONEER BLVD
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAL000056233
Contact Name:		JOHN HOOVER
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		800-253-8054
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported

CIRCLE K STORES INC. SITE #2211230 (Continued) **1007200202**

Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	12265 WEST BAYAUD AVE.
Mailing City,State,Zip:	LAKEWOOD, CO 80228
Owner Name:	EXXONMOBIL OIL CORP.
Owner Type:	Private
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20060905

CIRCLE K STORES INC. SITE #2211230 (Continued) **1007200202**

Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Biennial: List of Years
Year: 2001

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D001
Waste Description: IGNITABLE WASTE

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	EXXONMOBIL OIL CORP.
Legal Status:	Private
Date Became Current:	20020531
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	EXXONMOBIL OIL CORP.
Legal Status:	Private
Date Became Current:	20020531
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20020228
Handler Name: EXXONMOBIL OIL CORP.	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

CIRCLE K STORES INC. SITE #2211230 (Continued) **1007200202**

Receive Date: 20020228
Handler Name: EXXONMOBIL OIL CORP.
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 44711
NAICS Description: GASOLINE STATIONS WITH CONVENIENCE STORES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110055848828

Click Here:

Environmental Interest/Information System:
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

K78 **EXXONMOBIL OIL CORP 11560** **RCRA-SQG** **1016148118**
ENE **17122 PIONEER BLVD** **CAR000239616**
< 1/8 **ARTESIA, CA 90701**
0.119 mi.
630 ft. **Site 10 of 12 in cluster K**

Relative: RCRA-SQG:
Lower
Date Form Received by Agency: 20130610
Actual: Handler Name: EXXONMOBIL OIL CORP 11560
63 ft. Handler Address: 17122 PIONEER BLVD
Handler City,State,Zip: ARTESIA, CA 90701
EPA ID: CAR000239616
Contact Name: DONNA HYMES
Contact Address: 800 E WASHINGTON ST EXXONMOBIL
Contact City,State,Zip: WEST CHESTER, PA 19380
Contact Telephone: 610-430-8151
Contact Fax: 610-430-8016
Contact Email: DHYMES@JD2ENV.COM
Contact Title: EXXONMOBIL HAZ WASTE COORD
EPA Region: 09
Land Type: Private
Federal Waste Generator Description: Small Quantity Generator

EXXONMOBIL OIL CORP 11560 (Continued) **1016148118**

Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	800 E WASHINGTON ST EXXONMOBIL
Mailing City,State,Zip:	WEST CHESTER, PA 19380
Owner Name:	EXXONMOBIL OIL CORP
Owner Type:	Private
Operator Name:	EXXONMOBIL OIL CORP
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No

EXXONMOBIL OIL CORP 11560 (Continued) **1016148118**

Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20130625
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D018
Waste Description:	BENZENE

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	EXXONMOBIL OIL CORP
Legal Status:	Private
Date Became Current:	19991201
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	EXXONMOBIL OIL CORP
Legal Status:	Private
Date Became Current:	19991201
Date Ended Current:	Not reported
Owner/Operator Address:	3225 GALLOWS RD
Owner/Operator City,State,Zip:	FAIRFAX, VA 22037
Owner/Operator Telephone:	703-846-3000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20130610
Handler Name:	EXXONMOBIL OIL CORP 11560
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

EXXONMOBIL OIL CORP 11560 (Continued) **1016148118**

List of NAICS Codes and Descriptions:
NAICS Code: 44711
NAICS Description: GASOLINE STATIONS WITH CONVENIENCE STORES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

K79 **MOBIL OIL CORP** **SWEEPS UST** **U003059101**
ENE **17122 PIONEER BLVD** **LOS ANGELES CO. HMS** **N/A**
< 1/8 **ARTESIA, CA 90701**
0.119 mi.
630 ft. **Site 11 of 12 in cluster K**

Relative: **Lower**
Actual: **63 ft.**

SWEEPS UST:
Name: MOBIL OIL CORP
Address: 17122 S PIONEER BLVD
City: ARTESIA
Status: Active
Comp Number: 2871
Number: 9
Board Of Equalization: 44-000400
Referral Date: 08-30-89
Action Date: 08-30-89
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-002871-000001
Tank Status: A
Capacity: 10000
Active Date: 08-30-89
Tank Use: M.V. FUEL
STG: P
Content: LEADED
Number Of Tanks: 4

Name: MOBIL OIL CORP
Address: 17122 S PIONEER BLVD
City: ARTESIA
Status: Active
Comp Number: 2871
Number: 9
Board Of Equalization: 44-000400
Referral Date: 08-30-89
Action Date: 08-30-89
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-002871-000002
Tank Status: A
Capacity: 10000
Active Date: 08-30-89
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED

MOBIL OIL CORP (Continued) **U003059101**

Number Of Tanks: Not reported

Name: MOBIL OIL CORP
Address: 17122 S PIONEER BLVD
City: ARTESIA
Status: Active
Comp Number: 2871
Number: 9
Board Of Equalization: 44-000400
Referral Date: 08-30-89
Action Date: 08-30-89
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-002871-000003
Tank Status: A
Capacity: 10000
Active Date: 08-30-89
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Name: MOBIL OIL CORP
Address: 17122 S PIONEER BLVD
City: ARTESIA
Status: Active
Comp Number: 2871
Number: 9
Board Of Equalization: 44-000400
Referral Date: 08-30-89
Action Date: 08-30-89
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-002871-000004
Tank Status: A
Capacity: 12000
Active Date: 08-30-89
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

LOS ANGELES CO. HMS:
Name: MOBIL OIL CORP
Address: 17122 PIONEER BLVD
City,State,Zip: ARTESIA, CA 907012704
Region: LA
Permit Category: I
Facility Id: 002781-I02871
Facility Type: 01
Facility Status: Closed
Area: 1D
Permit Number: 000002686
Permit Status: Closed

K80
ENE
< 1/8
0.119 mi.
630 ft.

NADERS MOBILE STATION
17122 PIONEER BLVD
ARTESIA, CA 90701

Site 12 of 12 in cluster K

EDR Hist Auto **1020862649**
N/A

Relative:
Lower

Actual:
63 ft.

EDR Hist Auto

Year:	Name:	Type:
1969	GAUMER KENNETH D	Gasoline Service Stations
1970	GAUMER KENNETH D	Gasoline Service Stations
1974	RUNES SERVICE CENTER	Gasoline Service Stations
1975	RUNES SERVICE CENTER	Gasoline Service Stations
1975	NORDSTROM RUNE G	Gasoline Service Stations
1976	NORDSTROM RUNE G	Gasoline Service Stations
1976	RUNES SERVICE CENTER	Gasoline Service Stations
1977	RUNES SERVICE CENTER	Gasoline Service Stations
1977	NORDSTROM RUNE G	Gasoline Service Stations
1978	NADERS MOBILE STATION	Gasoline Service Stations
1979	NADERS MOBILE STATION	Gasoline Service Stations
1979	NADERS MOBILE STATION	Gasoline Service Stations
1980	NADERS MOBILE STATION	Gasoline Service Stations
1982	NADERS MOBILE STATION	Gasoline Service Stations
1983	NADERS MOBILE STATION	Gasoline Service Stations
1985	NADERS MOBILE STATION	Gasoline Service Stations
1986	NADERS MOBILE STATION	Gasoline Service Stations
1987	NADERS MOBILE STATION	Gasoline Service Stations
1988	NADERS MOBILE STATION	Gasoline Service Stations
1989	NADERS MOBILE STATION	Gasoline Service Stations
1989	NADER WAREH MOBIL SERV	Gasoline Service Stations
1990	NADERS MOBILE STATION	Gasoline Service Stations
1991	NADERS MOBILE STATION	Gasoline Service Stations
1992	NADERS MOBILE STATION	Gasoline Service Stations
1993	NADERS MOBILE STATION	Gasoline Service Stations

I81
ESE
< 1/8
0.120 mi.
631 ft.

MARTIN WAYNE
17326 PIONEER
ARTESIA, CA 90701

Site 2 of 2 in cluster I

EDR Hist Auto **1021492206**
N/A

Relative:
Lower

Actual:
62 ft.

EDR Hist Auto

Year:	Name:	Type:
1971	MARTIN WAYNE	Gasoline Service Stations
1972	MARTIN WAYNE	Gasoline Service Stations
1973	MARTIN WAYNE	Gasoline Service Stations
1974	MARTIN WAYNE	Gasoline Service Stations
1975	MARTIN WAYNE	Gasoline Service Stations
1976	MARTIN WAYNE	Gasoline Service Stations
1977	MARTIN WAYNE	Gasoline Service Stations
1978	MARTIN WAYNE	Gasoline Service Stations
1979	MARTIN WAYNE	Gasoline Service Stations
1980	MARTIN WAYNE	Gasoline Service Stations
1982	MARTIN WAYNE	Gasoline Service Stations

L82 **SUNSTON EQUIPMENT INC** **RCRA-SQG** **1000389661**
WNW **17128 ROSETON AVE** **FINDS** **CAD097459549**
< 1/8 **ARTESIA, CA 90701** **ECHO**
0.123 mi.
650 ft. **Site 1 of 6 in cluster L**

Relative: **Lower**
Actual: **63 ft.**

RCRA-SQG:

Date Form Received by Agency:		19860822
Handler Name:	SUNSTON EQUIPMENT INC	
Handler Address:		17128 ROSETON AVE
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAD097459549
Contact Name:		Not reported
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Other
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		CA
State District:		4
Mailing Address:		17128 ROSETON AVE
Mailing City,State,Zip:		ARTESIA, CA 90701
Owner Name:		PETER WANG
Owner Type:		Private
Operator Name:		NOT REQUIRED
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

SUNSTON EQUIPMENT INC (Continued) **1000389661**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20020627
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	PETER WANG
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NOT REQUIRED
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

SUNSTON EQUIPMENT INC (Continued) **1000389661**

Historic Generators:

Receive Date:	19860822
Handler Name:	SUNSTON EQUIPMENT INC
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	CA
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

FINDS:

Registry ID:	110002665474

Click Here:

Environmental Interest/Information System:

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000389661
Registry ID:	110002665474
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002665474
Name:	SUNSTON EQUIPMENT INC
Address:	17128 ROSETON AVE
City,State,Zip:	ARTESIA, CA 90701

M83
SE
1/8-1/4
0.128 mi.
677 ft.

BIG PENNY CAR WASH
17509 PIONEER BLVD
ARTESIA, CA 90701

Site 1 of 6 in cluster M

CA FID UST **S101617882**
CERS **N/A**

Relative:
Lower

Actual:
58 ft.

CA FID UST:

Facility ID:	19027752
Regulated By:	UTNKA
Regulated ID:	00005157
Cortese Code:	Not reported
SIC Code:	Not reported
Facility Phone:	8180000000
Mail To:	Not reported
Mailing Address:	17509 S PIONEER BLVD
Mailing Address 2:	Not reported
Mailing City,St,Zip:	ARTESIA
Contact:	Not reported
Contact Phone:	Not reported
DUNs Number:	Not reported
NPDES Number:	Not reported
EPA ID:	Not reported
Comments:	Not reported
Status:	Active

CERS:

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Site ID:	12312
CERS ID:	T0603704529
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	JOHN AWUJO - LOS ANGELES COUNTY
Entity Title:	Not reported
Affiliation Address:	900 S FREMONT AVE
Affiliation City:	ALHAMBRA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	6264583507

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	AHMAD J. LAMAA - LOS ANGELES RWQCB (REGION 4)
Entity Title:	Not reported
Affiliation Address:	320 West 4th Street Suite 200
Affiliation City:	Los Angeles
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

M84 **BIG PENNY CAR WASH** **LUST** **U001565223**
SE **17509 PIONEER BLVD** **UST** **N/A**
1/8-1/4 **ARTESIA, CA 90701** **SWEEPS UST**
0.128 mi. **HIST UST**
677 ft. **Site 2 of 6 in cluster M** **ENF**
HIST CORTESE
Relative: **LOS ANGELES CO. HMS**
Lower **WDS**
WDR
Actual: **CIWQS**
58 ft. **CERS**

LUST:

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Lead Agency:	LOS ANGELES RWQCB (REGION 4)
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603704529
Global Id:	T0603704529
Latitude:	33.871994
Longitude:	-118.0823681
Status:	Completed - Case Closed
Status Date:	07/06/2016
Case Worker:	AJL
RB Case Number:	R-00456
Local Agency:	LOS ANGELES COUNTY
File Location:	Regional Board
Local Case Number:	Not reported
Potential Media Affect:	Aquifer used for drinking water supply
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0603704529
Contact Type:	Local Agency Caseworker
Contact Name:	JOHN AWUJO
Organization Name:	LOS ANGELES COUNTY
Address:	900 S FREMONT AVE
City:	ALHAMBRA
Email:	jawujo@dpw.lacounty.gov
Phone Number:	6264583507

Global Id:	T0603704529
Contact Type:	Regional Board Caseworker
Contact Name:	AHMAD J. LAMAA
Organization Name:	LOS ANGELES RWQCB (REGION 4)
Address:	320 West 4th Street Suite 200
City:	Los Angeles
Email:	alamaa@waterboards.ca.gov
Phone Number:	Not reported

LUST:

Global Id:	T0603704529
Action Type:	ENFORCEMENT
Date:	03/13/2002
Action:	Staff Letter

Global Id: T0603704529

BIG PENNY CAR WASH (Continued) **U001565223**

Action Type: ENFORCEMENT
Date: 06/15/2009
Action: Staff Letter

Global Id: T0603704529
Action Type: Other
Date: 05/10/1999
Action: Leak Reported

Global Id: T0603704529
Action Type: RESPONSE
Date: 07/15/2002
Action: CAP/RAP - Final Remediation / Design Plan

Global Id: T0603704529
Action Type: RESPONSE
Date: 10/15/2002
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 01/15/2003
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 10/15/2006
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 01/15/2012
Action: Monitoring Report - Semi-Annually

Global Id: T0603704529
Action Type: RESPONSE
Date: 07/15/2011
Action: Monitoring Report - Semi-Annually

Global Id: T0603704529
Action Type: RESPONSE
Date: 04/15/2012
Action: Conceptual Site Model

Global Id: T0603704529
Action Type: ENFORCEMENT
Date: 09/18/2008
Action: Staff Letter

Global Id: T0603704529
Action Type: ENFORCEMENT
Date: 09/27/2012
Action: Notification - Preclosure

Global Id: T0603704529
Action Type: RESPONSE
Date: 04/15/2009

BIG PENNY CAR WASH (Continued) **U001565223**

Action: Conceptual Site Model

Global Id: T0603704529
Action Type: RESPONSE
Date: 09/24/2008
Action: Other Report / Document

Global Id: T0603704529
Action Type: RESPONSE
Date: 07/15/2005
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 04/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 04/15/2005
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 10/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 10/15/2005
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 04/15/2006
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 07/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 01/15/2006
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 01/15/2006
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 04/15/2006
Action: Soil and Water Investigation Report

BIG PENNY CAR WASH (Continued) **U001565223**

Global Id: T0603704529
Action Type: RESPONSE
Date: 07/15/2010
Action: Conceptual Site Model

Global Id: T0603704529
Action Type: RESPONSE
Date: 03/22/2012
Action: Request for Closure

Global Id: T0603704529
Action Type: RESPONSE
Date: 01/15/2012
Action: Conceptual Site Model

Global Id: T0603704529
Action Type: RESPONSE
Date: 03/24/2016
Action: Well Destruction Report

Global Id: T0603704529
Action Type: ENFORCEMENT
Date: 05/03/2005
Action: Staff Letter

Global Id: T0603704529
Action Type: ENFORCEMENT
Date: 02/07/2011
Action: Clean Up Fund - Case Closure Review Summary Report (RSR)

Global Id: T0603704529
Action Type: RESPONSE
Date: 07/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 10/15/2008
Action: Conceptual Site Model

Global Id: T0603704529
Action Type: RESPONSE
Date: 10/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 01/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 01/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE

BIG PENNY CAR WASH (Continued) **U001565223**

Date: 10/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 10/15/2004
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 01/15/2005
Action: Tank Removal Report / UST Sampling Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 01/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 01/15/2005
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 07/15/2002
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 01/15/2008
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 04/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 04/15/2008
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 01/15/2003
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 04/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 01/15/2012
Action: Conceptual Site Model

BIG PENNY CAR WASH (Continued) **U001565223**

Global Id: T0603704529
Action Type: ENFORCEMENT
Date: 02/01/2000
Action: * Historical Enforcement

Global Id: T0603704529
Action Type: RESPONSE
Date: 07/15/2003
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 10/15/2003
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 01/15/2004
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 07/15/2011
Action: Conceptual Site Model

Global Id: T0603704529
Action Type: ENFORCEMENT
Date: 06/19/2015
Action: Notification - Public Participation Document

Global Id: T0603704529
Action Type: ENFORCEMENT
Date: 09/24/2015
Action: State Water Board Closure Order

Global Id: T0603704529
Action Type: ENFORCEMENT
Date: 07/06/2016
Action: Closure/No Further Action Letter

Global Id: T0603704529
Action Type: Other
Date: 01/14/1999
Action: Leak Discovery

Global Id: T0603704529
Action Type: RESPONSE
Date: 10/15/2002
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 04/15/2003
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE

BIG PENNY CAR WASH (Continued) **U001565223**

Date: 04/15/2004
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 04/15/2003
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 10/15/2003
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 07/15/2003
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 04/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 07/15/2004
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 07/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 07/15/2006
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 10/15/2006
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 01/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 01/15/2007
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 04/15/2007
Action: Soil and Water Investigation Report

BIG PENNY CAR WASH (Continued) **U001565223**

Global Id: T0603704529
Action Type: RESPONSE
Date: 07/15/2006
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 01/22/2008
Action: Interim Remedial Action Plan

Global Id: T0603704529
Action Type: RESPONSE
Date: 07/15/2007
Action: Soil and Water Investigation Report

Global Id: T0603704529
Action Type: RESPONSE
Date: 07/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 07/15/2010
Action: Monitoring Report - Semi-Annually

Global Id: T0603704529
Action Type: RESPONSE
Date: 04/15/2009
Action: Monitoring Report - Quarterly

Global Id: T0603704529
Action Type: RESPONSE
Date: 10/15/2010
Action: Monitoring Report - Semi-Annually

Global Id: T0603704529
Action Type: RESPONSE
Date: 10/15/2010
Action: Conceptual Site Model

Global Id: T0603704529
Action Type: REMEDIATION
Date: 12/14/2002
Action: Pump & Treat (P&T) Groundwater

LUST:
Global Id: T0603704529
Status: Open - Case Begin Date
Status Date: 01/14/1999

Global Id: T0603704529
Status: Open - Site Assessment
Status Date: 01/15/1999

Global Id: T0603704529
Status: Open - Site Assessment
Status Date: 02/03/1999

BIG PENNY CAR WASH (Continued) **U001565223**

Global Id: T0603704529
Status: Open - Verification Monitoring
Status Date: 05/10/1999

Global Id: T0603704529
Status: Open - Site Assessment
Status Date: 03/04/2000

Global Id: T0603704529
Status: Open - Remediation
Status Date: 02/17/2002

Global Id: T0603704529
Status: Open - Remediation
Status Date: 04/15/2003

Global Id: T0603704529
Status: Open - Remediation
Status Date: 09/07/2005

Global Id: T0603704529
Status: Open - Site Assessment
Status Date: 01/22/2008

Global Id: T0603704529
Status: Open - Eligible for Closure
Status Date: 07/08/2014

Global Id: T0603704529
Status: Open - Eligible for Closure
Status Date: 09/24/2015

Global Id: T0603704529
Status: Open - Eligible for Closure
Status Date: 05/25/2016

Global Id: T0603704529
Status: Completed - Case Closed
Status Date: 07/06/2016

LUST REG 4:
Region: 4
Regional Board: 04
County: Los Angeles
Facility Id: R-00456
Status: Remediation Plan
Substance: Gasoline
Substance Quantity: Not reported
Local Case No: Not reported
Case Type: Groundwater
Abatement Method Used at the Site: Not reported
Global ID: T0603704529
W Global ID: Not reported
Staff: AJL
Local Agency: 19000
Cross Street: Not reported

BIG PENNY CAR WASH (Continued) **U001565223**

Enforcement Type:	SEL	
Date Leak Discovered:	1/14/1999	
Date Leak First Reported:		5/10/1999
Date Leak Record Entered:	Not reported	
Date Confirmation Began:	Not reported	
Date Leak Stopped:	Not reported	
Date Case Last Changed on Database:		6/30/2002
Date the Case was Closed:		Not reported
How Leak Discovered:	Subsurface Monitoring	
How Leak Stopped:	Not reported	
Cause of Leak:	Not reported	
Leak Source:	Not reported	
Operator:	SHIRLEY J. WORKMAN	
Water System:	Not reported	
Well Name:	Not reported	
Approx. Dist To Production Well (ft):		1225.2366268041192216434529384
Source of Cleanup Funding:		S
Preliminary Site Assessment Workplan Submitted:		2/3/1999
Preliminary Site Assessment Began:		1/15/1999
Pollution Characterization Began:		3/4/2000
Remediation Plan Submitted:		4/15/2003
Remedial Action Underway:		Not reported
Post Remedial Action Monitoring Began:		5/10/1999
Enforcement Action Date:		2/1/2000
Historical Max MTBE Date:		1/1/1965
Hist Max MTBE Conc in Groundwater:		860
Hist Max MTBE Conc in Soil:		Not reported
Significant Interim Remedial Action Taken:		Not reported
GW Qualifier:	Not reported	
Soil Qualifier:	Not reported	
Organization:	Not reported	
Owner Contact:	Not reported	
Responsible Party:	RON WORKMAN	
RP Address:	5510 MOREHOUSE DR.	
Program:	LUST	
Lat/Long:	33.871994 / -1	
Local Agency Staff:	Not reported	
Beneficial Use:	Not reported	
Priority:	Not reported	
Cleanup Fund Id:	Not reported	
Suspended:	Not reported	
Assigned Name:	Not reported	
Summary:	11/14/00 ADDL GW ASSESSMENT WP PETROLEUM HYDROCARBON CONTAMINATION; 4/2/01 1ST QTR GW MON RPT 2001	

UST:

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Facility ID:	456
Permitting Agency:	LOS ANGELES COUNTY
CERSID:	Not reported
Latitude:	33.873164
Longitude:	-118.081413

SWEEPS UST:

BIG PENNY CAR WASH (Continued) **U001565223**

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER BLVD
City:	ARTESIA
Status:	Active
Comp Number:	456
Number:	9
Board Of Equalization:	44-007446
Referral Date:	06-30-89
Action Date:	Not reported
Created Date:	06-30-89
Owner Tank Id:	Not reported
SWRCB Tank Id:	19-000-000456-000001
Tank Status:	A
Capacity:	Not reported
Active Date:	06-30-89
Tank Use:	UNKNOWN
STG:	W
Content:	Not reported
Number Of Tanks:	3

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER BLVD
City:	ARTESIA
Status:	Active
Comp Number:	456
Number:	9
Board Of Equalization:	44-007446
Referral Date:	06-30-89
Action Date:	Not reported
Created Date:	06-30-89
Owner Tank Id:	Not reported
SWRCB Tank Id:	19-000-000456-000002
Tank Status:	A
Capacity:	Not reported
Active Date:	06-30-89
Tank Use:	UNKNOWN
STG:	W
Content:	Not reported
Number Of Tanks:	Not reported

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER BLVD
City:	ARTESIA
Status:	Active
Comp Number:	456
Number:	9
Board Of Equalization:	44-007446
Referral Date:	06-30-89
Action Date:	Not reported
Created Date:	06-30-89
Owner Tank Id:	Not reported
SWRCB Tank Id:	19-000-000456-000003
Tank Status:	A
Capacity:	Not reported
Active Date:	06-30-89
Tank Use:	UNKNOWN
STG:	W

BIG PENNY CAR WASH (Continued) **U001565223**

Content: Not reported
Number Of Tanks: Not reported

HIST UST:
Name: BIG PENNY CAR WASH
Address: 17509 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
File Number: Not reported
URL: Not reported
Region: STATE
Facility ID: 00000005157
Facility Type: Gas Station
Other Type: Not reported
Contact Name: RON WORKMAN
Telephone: 2138605616
Owner Name: RAY WORKMAN
Owner Address: 3833 CEDAR AVE
Owner City,St,Zip: LONG BEACH, CA 90807
Total Tanks: 0010

Tank Num: 001
Container Num: P38607
Year Installed: 1970
Tank Capacity: 00009960
Tank Used for: PRODUCT
Type of Fuel: REGULAR
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: BP010BP
Year Installed: 1970
Tank Capacity: 00009960
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 003
Container Num: BP009BP
Year Installed: 1972
Tank Capacity: 00011829
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 004
Container Num: BPOO8BP
Year Installed: 1972
Tank Capacity: 00011829
Tank Used for: PRODUCT
Type of Fuel: UNLEADED
Container Construction Thickness: Not reported
Leak Detection: Stock Inventor

Tank Num: 005

BIG PENNY CAR WASH (Continued) **U001565223**

Container Num:	BP007BP
Year Installed:	1972
Tank Capacity:	00011829
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor

Tank Num:	006
Container Num:	P38655
Year Installed:	1970
Tank Capacity:	00009960
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor

Tank Num:	007
Container Num:	P38611
Year Installed:	1970
Tank Capacity:	00009960
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor

Tank Num:	008
Container Num:	B38610
Year Installed:	1970
Tank Capacity:	00009960
Tank Used for:	PRODUCT
Type of Fuel:	DIESEL
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor

Tank Num:	009
Container Num:	P38609
Year Installed:	1970
Tank Capacity:	00009960
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor

Tank Num:	010
Container Num:	P38608
Year Installed:	1970
Tank Capacity:	00009960
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor

ENF:

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER BOULEVARD
City,State,Zip:	ARTESIA, CA 90701

BIG PENNY CAR WASH (Continued) **U001565223**

Region:	4
Facility Id:	211509
Agency Name:	Big Penny Car Wash
Place Type:	Facility
Place Subtype:	Groundwater Cleanup Site
Facility Type:	All other facilities
Agency Type:	Privately-Owned Business
# Of Agencies:	1
Place Latitude:	33.871989
Place Longitude:	-118.082358
SIC Code 1:	Not reported
SIC Desc 1:	Not reported
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	Not reported
Threat To Water Quality:	Not reported
Complexity:	Not reported
Pretreatment:	Not reported
Facility Waste Type:	Not reported
Facility Waste Type 2:	Not reported
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	UST
Program Category1:	TANKS
Program Category2:	TANKS
# Of Programs:	1
WDID:	R-00456
Reg Measure Id:	167372
Reg Measure Type:	Unregulated
Region:	4
Order #:	Not reported
Npdes# CA#:	Not reported
Major-Minor:	Not reported
Npdes Type:	Not reported
Reclamation:	Not reported
Dredge Fill Fee:	Not reported
301H:	Not reported
Application Fee Amt Received:	Not reported
Status:	Never Active
Status Date:	02/20/2013
Effective Date:	Not reported
Expiration/Review Date:	Not reported
Termination Date:	Not reported
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported

BIG PENNY CAR WASH (Continued) **U001565223**

WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	N
Individual/General:	I
Fee Code:	Not reported
Direction/Voice:	Passive
Enforcement Id(EID):	229646
Region:	4
Order / Resolution Number:	Staff enforcement letter
Enforcement Action Type:	Staff Enforcement Letter
Effective Date:	02/01/2000
Adoption/Issuance Date:	Not reported
Achieve Date:	Not reported
Termination Date:	02/01/2000
ACL Issuance Date:	Not reported
EPL Issuance Date:	Not reported
Status:	Historical
Title:	Enforcement letter sent 2/1/00 for overdue gw monitoring well installation rpt.
Description:	Level 1 enforcement letter sent 2/1/00 for FTS groundwater monitoring well installation report.
Program:	UST
Latest Milestone Completion Date:	Not reported
# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability $ Amount:	0
Project $ Amount:	0
Liability $ Paid:	0
Project $ Completed:	0
Total $ Paid/Completed Amount:	0

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER BOULEVARD
City,State,Zip:	ARTESIA, CA 90701
Region:	4
Facility Id:	211509
Agency Name:	Big Penny Car Wash
Place Type:	Facility
Place Subtype:	Groundwater Cleanup Site
Facility Type:	All other facilities
Agency Type:	Privately-Owned Business
# Of Agencies:	1
Place Latitude:	33.871989
Place Longitude:	-118.082358
SIC Code 1:	Not reported
SIC Desc 1:	Not reported
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported

BIG PENNY CAR WASH (Continued) **U001565223**

# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	0.01008
Threat To Water Quality:	3
Complexity:	A
Pretreatment:	X - Facility is not a POTW
Facility Waste Type:	Not reported
Facility Waste Type 2:	Not reported
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	WDRNONMUNIPRCS
Program Category1:	WDR
Program Category2:	WDR
# Of Programs:	1
WDID:	4B197200012
Reg Measure Id:	194174
Reg Measure Type:	Enrollee
Region:	4
Order #:	R4-2002-0030
Npdes# CA#:	Not reported
Major-Minor:	Not reported
Npdes Type:	Not reported
Reclamation:	N - No
Dredge Fill Fee:	Not reported
301H:	N
Application Fee Amt Received:	Not reported
Status:	Historical
Status Date:	02/05/2014
Effective Date:	11/20/2002
Expiration/Review Date:	12/31/2009
Termination Date:	09/21/2009
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	Y
Individual/General:	I
Fee Code:	15 - WDRs pending rescission
Direction/Voice:	Passive
Enforcement Id(EID):	371468
Region:	4
Order / Resolution Number:	NOV
Enforcement Action Type:	Notice of Violation
Effective Date:	08/20/2009
Adoption/Issuance Date:	08/20/2009
Achieve Date:	Not reported
Termination Date:	08/20/2009
ACL Issuance Date:	Not reported
EPL Issuance Date:	Not reported
Status:	Historical
Title:	NOV sent 8/20/09 for 5 overdue & 1 late monitoring reports.
Description:	NOV sent 8/20/09 for 5 overdue (4Q02-3Q03) & 1 late monitoring report (4Q03).
Program:	WDR
Latest Milestone Completion Date:	Not reported

BIG PENNY CAR WASH (Continued) **U001565223**

# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability $ Amount:	0
Project $ Amount:	0
Liability $ Paid:	0
Project $ Completed:	0
Total $ Paid/Completed Amount:	0

HIST CORTESE:

edr_fname:	BIG PENNY CAR WASH
edr_fadd1:	17509 PIONEER
City,State,Zip:	ARTESIA, CA 90701
Region:	CORTESE
Facility County Code:	19
Reg By:	LTNKA
Reg Id:	R-00456

LOS ANGELES CO. HMS:

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 907014006
Region:	LA
Permit Category:	I
Facility Id:	000454-I00456
Facility Type:	01
Facility Status:	Closed
Area:	1D
Permit Number:	000003597
Permit Status:	Closed

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 907014006
Region:	LA
Permit Category:	I
Facility Id:	000454-I00456
Facility Type:	01
Facility Status:	Closed
Area:	1D
Permit Number:	000070000
Permit Status:	Closed

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 907014006
Region:	LA
Permit Category:	T
Facility Id:	000454-000456
Facility Type:	0
Facility Status:	Removed
Area:	1D
Permit Number:	00002328T
Permit Status:	Removed

Name: BIG PENNY USA INC

BIG PENNY CAR WASH (Continued) **U001565223**

Address: 17509 PIONEER BLVD
City,State,Zip: ARTESIA, CA 907014006
Region: LA
Permit Category: I
Facility Id: 000454-040511
Facility Type: 01
Facility Status: Closed
Area: 1D
Permit Number: 000394865
Permit Status: Closed

WDS:
Name: BIG PENNY CARWASH
Address: 17509 Pioneer Blvd
City: ARTESIA
Facility ID: Los Angeles River 197200012
Facility Type: Other - Does not fall into the category of Municipal/Domestic, Industrial, Agricultural or Solid Waste (Class I, II or III)
Facility Status: Active - Any facility with a continuous or seasonal discharge that is under Waste Discharge Requirements.
NPDES Number: Not reported
Subregion: 4
Facility Telephone: 5628605616
Facility Contact: Ron Workman
Agency Name: BIG PENNY CAR WASH
Agency Address: Not reported
Agency City,St,Zip: 0
Agency Contact: Not reported
Agency Telephone: Not reported
Agency Type: Private
SIC Code: 0
SIC Code 2: Not reported
Primary Waste Type: Not reported
Primary Waste: Not reported
Waste Type2: Not reported
Waste2: Not reported
Primary Waste Type: Not reported
Secondary Waste: Not reported
Secondary Waste Type: Not reported
Design Flow: 0
Baseline Flow: 0
Reclamation: No reclamation requirements associated with this facility.
POTW: The facility is not a POTW.
Treat To Water: Minor Threat to Water Quality. A violation of a regional board order should cause a relatively minor impairment of beneficial uses compared to a major or minor threat. Not: All nurds without a TTWQ will be considered a minor threat to water quality unless coded at a higher Level. A Zero (0) may be used to code those NURDS that are found to represent no threat to water quality.
Complexity: Category A - Any major NPDES facility, any non-NPDES facility (particularly those with toxic wastes) that would be a major if discharge was made to surface or ground waters, or any Class I disposal site. Includes any small-volume complex facility (particularly those with toxicwastes) with numerous discharge points, leak detection systems or ground water monitoring wells.

BIG PENNY CAR WASH (Continued) **U001565223**

WDR:

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER BOULEVARD
City,State,Zip:	ARTESIA, CA 90701
Global ID:	WDR100000292
Status:	HISTORICAL - WDR

CIWQS:

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER BOULEVARD
City,State,Zip:	ARTESIA, CA 90701
Agency:	Big Penny Car Wash
Agency Address:	17509 Pioneer Boulevard, Artesia, CA 90701
Place/Project Type:	Groundwater Cleanup Site
SIC/NAICS:	Not reported
Region:	4
Program:	WDRNONMUNIPRCS
Regulatory Measure Status:	Historical
Regulatory Measure Type:	Enrollee
Order Number:	R4-2002-0030
WDID:	4B197200012
NPDES Number:	Not reported
Adoption Date:	Not reported
Effective Date:	11/20/2002
Termination Date:	09/21/2009
Expiration/Review Date:	12/31/2009
Design Flow:	0.01008
Major/Minor:	Not reported
Complexity:	A
TTWQ:	3
Enforcement Actions within 5 years:	0
Violations within 5 years:	0
Latitude:	33.871989
Longitude:	-118.082358

CERS:

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER
City,State,Zip:	ARTESIA, CA 90701
Site ID:	348895
CERS ID:	211509
CERS Description:	Waste Discharge Requirements

Violations:

Site ID:	348895
Site Name:	Big Penny Car Wash
Violation Date:	02-01-2000
Citation:	California Water Code
Violation Description:	Not reported
Violation Notes:	FTS groundwater monitoring well installation report.
Violation Division:	Water Boards
Violation Program:	UST
Violation Source:	CIWQS

Site ID:	348895
Site Name:	Big Penny Car Wash

BIG PENNY CAR WASH (Continued) **U001565223**

Violation Date:	03-23-2004
Citation:	California Water Code
Violation Description:	Not reported
Violation Notes:	4Q03 DMR received 14 days late on 1/29/04. Report was due 1/15/04.
Violation Division:	Water Boards
Violation Program:	WDR
Violation Source:	CIWQS

Enforcement Action:

Site ID:	348895
Site Name:	Big Penny Car Wash
Site Address:	17509 PIONEER
Site City:	ARTESIA
Site Zip:	90701
Enf Action Date:	02-01-2000
Enf Action Type:	Staff Enforcement Letter (Informal)
Enf Action Description:	Staff Enforcement Letter (Informal)
Enf Action Notes:	Not reported
Enf Action Division:	Water Boards
Enf Action Program:	UNSPEC
Enf Action Source:	CIWQS

Site ID:	348895
Site Name:	Big Penny Car Wash
Site Address:	17509 PIONEER
Site City:	ARTESIA
Site Zip:	90701
Enf Action Date:	08-20-2009
Enf Action Type:	Notice of Violation (Water)
Enf Action Description:	Notice of Violation Letter (Informal)
Enf Action Notes:	Not reported
Enf Action Division:	Water Boards
Enf Action Program:	UNSPEC
Enf Action Source:	CIWQS

M85 **BIG PENNY CAR-WASH #2** **EDR Hist Auto** **1021430971**
SE **17509 PIONEER BLVD** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.128 mi.
677 ft. **Site 3 of 6 in cluster M**

Relative: EDR Hist Auto
Lower

Actual:
58 ft.

Year:	Name:	Type:
1976	BIG PENNY CAR-WASH #2	Carwashes
1977	BIG PENNY CAR-WASH #2	Carwashes
1978	BIG PENNY CAR-WASH #2	Carwashes
1979	BIG PENNY CAR-WASH #2	Carwashes
1980	BIG PENNY CAR-WASH #2	Carwashes
1982	BIG PENNY CAR-WASH #2	Carwashes
1983	BIG PENNY CAR-WASH #2	Carwashes
1985	BIG PENNY CAR-WASH #2	Carwashes
1986	BIG PENNY CAR-WASH #2	Carwashes
1987	BIG PENNY CAR-WASH #2	Carwashes
1988	BIG PENNY CAR-WASH #2	Carwashes
1989	BIG PENNY CAR-WASH 2	Carwashes, NEC

BIG PENNY CAR-WASH #2 (Continued) **1021430971**

1990	BIG PENNY CAR-WASH 2	Carwashes, NEC
1991	BIG PENNY CAR-WASH 2	Carwashes, NEC
1992	BIG PENNY CAR-WASH 2	Carwashes, NEC
1993	BIG PENNY CAR-WASH 2	Carwashes, NEC
1994	BIG PENNY CAR-WASH 2	Carwashes, NEC
1995	BIG PENNY CAR-WASH 2	Carwashes, NEC

M86 **BIG PENNY CAR WASH** **UST** **U004271200**
SE **17509 PIONEER BOULEVARD** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.128 mi.
677 ft. **Site 4 of 6 in cluster M**

Relative: **Lower**
Actual: **58 ft.**

UST CLOSURE:

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER BOULEVARD
City,State,Zip:	ARTESIA, CA 90701
Claim Number:	Case No. R-00456
Type:	Closure Denials and Approved Orders
Deadline Date:	8/21/2015
Documents:	17509 Pioneer Boulevard, Artesia, CA 90701Notice, 17509 Pioneer Boulevard, Artesia, CA 90701Draft Order, 17509 Pioneer Boulevard, Artesia, CA 90701Summary
Comments:	No Comments Received
Comments URL:	Not reported
Response:	Not reported
Response URL:	Not reported
Comments2:	Not reported
Comments2 URL:	Not reported
Response2:	Not reported
Response2 URL:	Not reported
Closure:	No Comments ReceivedWQO 2015-0150-UST (09/24/2015)
Closure URL:	https://www.waterboards.ca.gov/board_decisions/adopted_orders/water_quality/2015/wqo2015_0150_ust.pdf
Uniform:	No Comments ReceivedWQO 2015-0150-UST (09/24/2015)Uniform Closure Letter (07/06/201
Uniform URL:	https://www.waterboards.ca.gov/water_issues/programs/ustcf/docs/prop_closure_cases/r_00456_ucl.pdf

---

M87 **BIG PENNY CAR WASH** **HIST UST** **S118407944**
SE **17509 POINEER BL** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.128 mi.
677 ft. **Site 5 of 6 in cluster M**

Relative: **Lower**
Actual: **58 ft.**

HIST UST:

Name:	BIG PENNY CAR WASH
Address:	17509 POINEER BL
City,State,Zip:	ARTESIA, CA 90701
File Number:	00027EEB
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00027EEB.pdf
Region:	Not reported
Facility ID:	Not reported
Facility Type:	Not reported
Other Type:	Not reported
Contact Name:	Not reported
Telephone:	Not reported

BIG PENNY CAR WASH (Continued) **S118407944**

Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Total Tanks:	Not reported
Tank Num:	Not reported
Container Num:	Not reported
Year Installed:	Not reported
Tank Capacity:	Not reported
Tank Used for:	Not reported
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Not reported

Click here for Geo Tracker PDF:

M88 **BIG PENNY CAR WASH** **Cortese** **S112926207**
SE **17509 PIONEER BLVD** **HAZNET** **N/A**
1/8-1/4 **ARTESIA, CA 90701** **HWTS**
0.128 mi.
677 ft. **Site 6 of 6 in cluster M**

Relative:
Lower

Actual:
58 ft.

CORTESE:

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0603704529
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

HAZNET:

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 90701
Contact:	RON WORKMAN
Telephone:	5628605616
Mailing Name:	Not reported
Mailing Address:	17509 PIONEER BLVD

BIG PENNY CAR WASH (Continued) **S112926207**

Year:	2002
Gepaid:	CAC002558920
TSD EPA ID:	CAT080013352
CA Waste Code:	221 - Waste oil and mixed oil
Disposal Method:	R01 - Recycler
Tons:	1.52

Additional Info:

Year:	2002
Gen EPA ID:	CAC002558920
Shipment Date:	20021121
Creation Date:	4/1/2003 18:31:07
Receipt Date:	20021129
Manifest ID:	22247407
Trans EPA ID:	CAT080016116
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAT080013352
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	221 - Waste oil and mixed oil
RCRA Code:	Not reported
Meth Code:	R01 - Recycler
Quantity Tons:	1.52
Waste Quantity:	400
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

HWTS:

Name:	BIG PENNY CAR WASH
Address:	17509 PIONEER BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAC002558920
Inactive Date:	08/19/2003
Create Date:	11/19/2002
Last Act Date:	08/19/2003
Mailing Name:	Not reported
Mailing Address:	17509 PIONEER BLVD
Mailing Address 2:	Not reported
Mailing City,State,Zip:	ARTESIA, CA 90701
Owner Name:	RON WORKMAN
Owner Address:	17509 PIONEER BLVD
Owner Address 2:	Not reported
Owner City,State,Zip:	ARTESIA, CA 90701
Contact Name:	RON WORKMAN
Contact Address:	17509 PIONEER BLVD
Contact Address 2:	Not reported

BIG PENNY CAR WASH (Continued) **S112926207**

City,State,Zip: ARTESIA, CA 90701

L89 **TRUK PROS INC** **RCRA NonGen / NLR** **1024831016**
NW **17106 ROSETON AVE** **CAL000366937**
1/8-1/4 **ARTESIA, CA 90701**
0.132 mi.
697 ft. **Site 2 of 6 in cluster L**

Relative: **Lower**
Actual: **62 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:		20110829
Handler Name:	TRUK PROS INC	
Handler Address:		17106 ROSETON AVE
Handler City,State,Zip:		ARTESIA, CA 90701-2644
EPA ID:		CAL000366937
Contact Name:		JOSE PINON
Contact Address:		17106 ROSETON AVE
Contact City,State,Zip:		ARTESIA, CA 90701
Contact Telephone:		562-865-3000
Contact Fax:		562-865-3088
Contact Email:		TRUKPROS@YMAIL.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		17106 ROSETON AVE
Mailing City,State,Zip:		ARTESIA, CA 90701-2644
Owner Name:		JOSE PINON
Owner Type:		Other
Operator Name:		JOSE PINON
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported

TRUK PROS INC (Continued) **1024831016**

2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20181120
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	JOSE PINON
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17106 ROSETON AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701-2644
Owner/Operator Telephone:	562-865-3000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	JOSE PINON
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17106 ROSETON AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-865-3000
Owner/Operator Telephone Ext:	Not reported

TRUK PROS INC (Continued) **1024831016**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20110829
Handler Name: TRUK PROS INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: Not reported
Recognized Trader Exporter: Not reported
Spent Lead Acid Battery Importer: Not reported
Spent Lead Acid Battery Exporter: Not reported
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 811121
NAICS Description: AUTOMOTIVE BODY, PAINT, AND INTERIOR REPAIR AND MAINTENANCE

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

L90 **A.N.J. RV-TRAILER SERV & REPAI** **CERS HAZ WASTE** **S103996372**
NW **17106 ROSETON AV** **EMI** **N/A**
1/8-1/4 **ARTESIA, CA 90701** **CERS**
0.132 mi.
697 ft. **Site 3 of 6 in cluster L**

Relative:
Lower

Actual:
62 ft.

CERS HAZ WASTE:
Name: TRUK PROS INC
Address: 17106 ROSETON AVE
City,State,Zip: ARTESIA, CA 90701
Site ID: 163678
CERS ID: 10275649
CERS Description: Hazardous Waste Generator

EMI:
Name: A.N.J. RV-TRAILER SERV & REPAI
Address: 17106 ROSETON AV
City,State,Zip: ARTESIA, CA 907010000
Year: 1987
County Code: 19
Air Basin: SC
Facility ID: 903
Air District Name: SC
SIC Code: 7538
Air District Name: SOUTH COAST AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported

A.N.J. RV-TRAILER SERV & REPAI (Continued) **S103996372**

Total Organic Hydrocarbon Gases Tons/Yr:	2
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	A.N.J. RV-TRAILER SERV & REPAI
Address:	17106 ROSETON AV
City,State,Zip:	ARTESIA, CA 907010000
Year:	1990
County Code:	19
Air Basin:	SC
Facility ID:	903
Air District Name:	SC
SIC Code:	7538
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	2
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

Name:	MICHAELS CABINETS
Address:	17106 ROSETON AV
City,State,Zip:	ARTESIA, CA 907010000
Year:	1995
County Code:	19
Air Basin:	SC
Facility ID:	78123
Air District Name:	SC
SIC Code:	2434
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	1
Carbon Monoxide Emissions Tons/Yr:	0
NOX - Oxides of Nitrogen Tons/Yr:	0
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

CERS:

Name:	TRUK PROS INC
Address:	17106 ROSETON AVE
City,State,Zip:	ARTESIA, CA 90701
Site ID:	163678
CERS ID:	10275649
CERS Description:	Chemical Storage Facilities

Violations:

A.N.J. RV-TRAILER SERV & REPAI (Continued) **S103996372**

Site ID:	163678
Site Name:	TRUK PROS INC
Violation Date:	12-18-2015
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to establish and electronically submit an adequate emergency response plan and procedures for a release or threatened release of a hazardous material.
Violation Notes:	Returned to compliance on 02/02/2016. OBSERVATION: An Emergency Response Plan and procedures has not been completed and submitted electronically to the CUPA. CORRECTIVE ACTION: Complete the emergency response plan and procedures to include all required content and submit electronically in the California Environmental Reporting System (CERS).
Violation Division:	Los Angeles County Fire Department
Violation Program:	HMRRP
Violation Source:	CERS

Site ID:	163678
Site Name:	TRUK PROS INC
Violation Date:	04-05-2019
Citation:	22 CCR 12 66262.40(a) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(a)
Violation Description:	Failure to keep a copy of each properly signed manifest for at least three years from the date the waste was accepted by the initial transporter. The manifest signed at the time the waste was accepted for transport shall be kept until receiving a signed copy from the designated facility which received the waste.
Violation Notes:	Returned to compliance on 04/30/2019. OBSERVATION: Uniform Hazardous Waste Manifests for used motor oil and waste antifreeze were not available at the time of inspection. CORRECTIVE ACTION: Locate a copy of all manifests for used motor oil and waste antifreeze. Submit the Certification of Compliance and/or any supporting documentation/photo to CUPA by 5/5/2019
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS

Site ID:	163678
Site Name:	TRUK PROS INC
Violation Date:	04-05-2019
Citation:	HSC 6.5 25123.3(h)(1) - California Health and Safety Code, Chapter 6.5, Section(s) 25123.3(h)(1)
Violation Description:	Failure to send hazardous waste offsite for treatment, storage, or disposal within 180 days (or 270 days if waste is transported over 200 miles) for a generator who generates less than 1000 kilogram per month if all of the following conditions are met: (1) The quantity of hazardous waste accumulated onsite never exceeds 6,000 kilograms. (2) The generator complies with the requirements of 40 Code of Federal Regulations section 262.34(d), (e) and (f). (3) The generator does not hold acutely hazardous waste or extremely hazardous waste in an amount greater than one kilogram for more than 90 days.
Violation Notes:	Returned to compliance on 05/03/2019. OBSERVATION: Observed the following: a) 1 x 55 gallon drum containing used oil with accumulation date 11/13/2017 b) 1 x 55 gallon drum containing waste antifreeze with no accumulation date noted c) 1 x 55 gallon drum containing waste paint solvent with accumulation date 8/28/2018 CORRECTIVE ACTION:

A.N.J. RV-TRAILER SERV & REPAI (Continued) **S103996372**

	Immediately contact a licensed hazardous waste hauler to dispose of this waste and submit the Certification of Compliance and/or any supporting documentation/photo to CUPA by 5/5/2019
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS
Site ID:	163678
Site Name:	TRUK PROS INC
Violation Date:	04-05-2019
Citation:	22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description:	Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes:	Returned to compliance on 05/03/2019. OBSERVATION: Observed a poly drum with unknown contents without the required markings. CORRECTIVE ACTION: Immediately label the poly drum and ensure that all containers are marked with all the required information. All hazardous waste containers shall be marked with the following information: 1) the words "Hazardous Waste"; 2) name and address of generator; 3) hazardous properties; 4) physical state; 5) composition (contents); 6) accumulation start date. Since it cannot be determined how long drum have been on site, immediately contact a licensed hazardous waste hauler to dispose of this waste and submit the Certification of Compliance and/or any supporting documentation/photo to CUPA by 5/5/2019
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS
Site ID:	163678
Site Name:	TRUK PROS INC
Violation Date:	12-18-2015
Citation:	22 CCR 12 66262.40(a) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(a)
Violation Description:	Failure to maintain uniform hazardous waste manifest, consolidated manifest, or bills of lading copies for three years.
Violation Notes:	Returned to compliance on 02/02/2016. OBSERVATION: Copies of hazardous waste disposal records for waste paint booth filters and waste coolant for 2015, 2014 and 2013 were not found on site. Hazardous waste generators shall retain copies of all manifests signed off by the disposal facility and all receipts used in a consolidated manifesting procedure on site for three years and have them readily available for review. CORRECTIVE ACTION: Immediately locate a copy of all manifests and receipts for the last three years, maintain them on site, and submit copies to the CUPA by 1/17/16.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS
Site ID:	163678
Site Name:	TRUK PROS INC
Violation Date:	12-18-2015
Citation:	22 CCR 12 66262.34(d) - California Code of Regulations, Title 22,

A.N.J. RV-TRAILER SERV & REPAI (Continued) **S103996372**

	Chapter 12, Section(s) 66262.34(d)
Violation Description:	Failure to dispose of hazardous waste within 180 days (or 270 if waste is transported over 200 miles) for the generator who generates less than 1000 kilogram per month, but more than 100 kilograms per month.
Violation Notes:	Returned to compliance on 01/14/2016. OBSERVATION: Observed one each of 55-gallon used oil, waste coolant and waste paint solvent accumulating for more than 180 days . Facilities who generate less than 1000 kg of hazardous waste per month and do not exceed 6000 kg of waste stored on site at any time may store waste on site up to 180 days. CORRECTIVE ACTION: Immediately contact a licensed hazardous waste hauler to dispose of this waste under manifest and submit a copy of the manifest to the CUPA by 1/17/16.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS
Site ID:	163678
Site Name:	TRUK PROS INC
Violation Date:	12-18-2015
Citation:	HSC 6.95 25508.2 - California Health and Safety Code, Chapter 6.95, Section(s) 25508.2
Violation Description:	Failure to annually review and electronically certify that the business plan is complete, accurate, and up-to-date.
Violation Notes:	Returned to compliance on 01/14/2016. OBSERVATION: The facility has not annually reviewed and certified that the business plan is complete, accurate, and up-to-date. CORRECTIVE ACTION: Review, revise, and certify the business plan electronically in the California Environmental Reporting System (CERS).
Violation Division:	Los Angeles County Fire Department
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	163678
Site Name:	TRUK PROS INC
Violation Date:	04-05-2019
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to annually review and electronically certify that the business plan is complete and accurate on or before the annual due date.
Violation Notes:	Returned to compliance on 04/05/2019. OBSERVATION: The business failed to electronically submit and certify that the business plan is complete, accurate, and in compliance with EPCRA on or before the annual due date. CERS review revealed last submittal dated 7/31/2018. CORRECTIVE ACTION: Electronically submit and certify that the business plan is complete, accurate, and in compliance with EPCRA on or before the annual due date. Owner submitted completed HMBP at the time of inspection. This item is corrected.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HMRRP
Violation Source:	CERS
Site ID:	163678
Site Name:	TRUK PROS INC
Violation Date:	12-18-2015
Citation:	40 CFR 1 265.31 - U.S. Code of Federal Regulations, Title 40, Chapter 1, Section(s) 265.31

A.N.J. RV-TRAILER SERV & REPAI (Continued) **S103996372**

Violation Description: Failure to maintain and operate the facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to the air, soil, or surface water which could threaten human health or the environment..
Violation Notes: Returned to compliance on 01/14/2016. OBSERVATION: Observed the top of the used oil and waste coolant 55-gallon drums accumulated with used oil and waste antifreeze. Facilities shall be maintained and operated to minimize the possibility of a fire, explosion, or release of hazardous waste to air, soil, or surface water which could threaten human health or the environment. CORRECTIVE ACTION: Immediately clean the waste accumulation on top of the drums and manage according to Title 22 hazardous waste regulations. Submit a statement and supporting documentation explaining how this waste was managed by 1/17/16.
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-05-2019
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: JOSE PINON OWNER
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-05-2019
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: JOSE PINON OWNER
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 02-02-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-18-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Jose Pinon, Owner
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown

A.N.J. RV-TRAILER SERV & REPAI (Continued) **S103996372**

Eval Date: 02-02-2016
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-18-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Jose Pinon, Owner
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Coordinates:
Site ID: 163678
Facility Name: TRUK PROS INC
Env Int Type Code: HWG
Program ID: 10275649
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 33.875580
Longitude: -118.086890

Affiliation:
Affiliation Type Desc: CUPA District
Entity Name: Los Angeles County Fire
Entity Title: Not reported
Affiliation Address: 5825 Rickenbacker Road
Affiliation City: Commerce
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90040-3027
Affiliation Phone: (323) 890-4000

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 17106 ROSETON AVE
Affiliation City: ARTESIA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90701
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: JOSE PINON
Entity Title: PRESIDENT
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported

A.N.J. RV-TRAILER SERV & REPAI (Continued) **S103996372**

Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	TRUK PRO INC
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	DANA ZYLA
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	Truk Pros Inc
Entity Title:	Not reported
Affiliation Address:	17106 ROSETTON AVE
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(562) 865-3000
Affiliation Type Desc:	Environmental Contact
Entity Name:	JOSE PINON
Entity Title:	Not reported
Affiliation Address:	17106 ROSETON AVE
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	JOSE PINON
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(562) 865-3003

L91 **C3 TRUCK COLLISION CENTER** **RCRA-SQG** **1010313872**
NW **17106 ROSETON AVE** **CAR000179135**
1/8-1/4 **ARTESIA, CA 90701**
0.132 mi.
697 ft. **Site 4 of 6 in cluster L**

Relative: **Lower**
Actual: **62 ft.**

RCRA-SQG:

Date Form Received by Agency:	20061113
Handler Name:	C3 TRUCK COLLISION CENTER
Handler Address:	17106 ROSETON AVE
Handler City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAR000179135
Contact Name:	CHRIS PAPPAS
Contact Address:	9853 E ALONDRA AVE
Contact City,State,Zip:	BELLFLOWER, CA 90706
Contact Telephone:	562-809-4900
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	09
Land Type:	Private
Federal Waste Generator Description:	Small Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	9853 E ALONDRA AVE
Mailing City,State,Zip:	BELLFLOWER, CA 90706
Owner Name:	CHRIS AND GLORIA PAPAS
Owner Type:	Private
Operator Name:	CALIFORNIA COLLISION CENTER INC
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

C3 TRUCK COLLISION CENTER (Continued) **1010313872**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20061120
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code: D001
Waste Description: IGNITABLE WASTE

Waste Code: F003
Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code: F005
Waste Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

C3 TRUCK COLLISION CENTER (Continued) **1010313872**

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CALIFORNIA COLLISION CENTER INC
Legal Status:	Private
Date Became Current:	20060301
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CHRIS AND GLORIA PAPAS
Legal Status:	Private
Date Became Current:	19970301
Date Ended Current:	Not reported
Owner/Operator Address:	9901 STANFORD AVE
Owner/Operator City,State,Zip:	GARDEN GROVE, CA 92841
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20061113
Handler Name: C3 TRUCK COLLISION CENTER	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	811121
NAICS Description:	AUTOMOTIVE BODY, PAINT, AND INTERIOR REPAIR AND MAINTENANCE

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

N92 **WALGREENS #5773** **RCRA-LQG** **1016954202**
SE **11800 ARTESIA BLVD** **RCRA-SQG** **CAR000314948**
1/8-1/4 **ARTESIA, CA 90701**
0.138 mi.
727 ft. **Site 1 of 7 in cluster N**

Relative: **Lower**
Actual: **60 ft.**

RCRA-SQG:

Date Form Received by Agency:		20200724
Handler Name:	WALGREENS #5773	
Handler Address:		11800 ARTESIA BLVD
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAL000322884
Contact Name:		AMBER DURKIN
Contact Address:		WILMOT RD, 5TH FL, MS#1450
Contact City,State,Zip:		DEERFIELD, IL 60015
Contact Telephone:		847-964-8816
Contact Fax:		760-918-4025
Contact Email:		AMBER.DURKIN@WALGREENS.COM
Contact Title:		APS SAFETY MANAGER, NON-RETAIL / SUPPLY CHAIN
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		2019
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		GREYHAWK CT. SUITE 200
Mailing City,State,Zip:		CARLSBAD, CA 92010
Owner Name:		MINNETONKA CAPITAL INVESTMENTS II LLC
Owner Type:		Private
Operator Name:		WALGREEN CO.
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

WALGREENS #5773 (Continued) **1016954202**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20201009
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Biennial: List of Years
Year: 2019

Click Here for Biennial Reporting System Data:
Year: 2015

Click Here for Biennial Reporting System Data:
Year: 2013

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D001
Waste Description: IGNITABLE WASTE

Waste Code: D002
Waste Description: CORROSIVE WASTE

Waste Code: D005
Waste Description: BARIUM

Waste Code: D007
Waste Description: CHROMIUM

Waste Code: D009

WALGREENS #5773 (Continued) **1016954202**

Waste Description: MERCURY

Waste Code: D010
Waste Description: SELENIUM

Waste Code: D016
Waste Description: 2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)

Waste Code: D022
Waste Description: CHLOROFORM

Waste Code: D024
Waste Description: M-CRESOL

Waste Code: P001
Waste Description: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

Waste Code: P075
Waste Description: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

Waste Code: U034
Waste Description: ACETALDEHYDE, TRICHLORO- (OR) CHLORAL

Waste Code: U058
Waste Description: 2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE

Waste Code: U129
Waste Description: CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE

Waste Code: U150
Waste Description: L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) MELPHALAN

Waste Code: U165
Waste Description: NAPHTHALENE

Waste Code: U188
Waste Description: PHENOL

Waste Code: U205
Waste Description: SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	WALGREEN CO.
Legal Status:	Private
Date Became Current:	20010824
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

WALGREENS #5773 (Continued) **1016954202**

Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	WALGREEN CO
Legal Status:	Private
Date Became Current:	20010824
Date Ended Current:	Not reported
Owner/Operator Address:	200 WILMOT RD
Owner/Operator City,State,Zip:	DEERFIELD, IL 60015
Owner/Operator Telephone:	847-914-2264
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	MINNETONKA CAPITAL INVESTMENTS II LLC
Legal Status:	Private
Date Became Current:	20010723
Date Ended Current:	Not reported
Owner/Operator Address:	50 S SIXTH ST STE 1480
Owner/Operator City,State,Zip:	MINNEAPOLIS, MN 55402
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	WALGREEN CO
Legal Status:	Private
Date Became Current:	20010824
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	WALGREEN CO.
Legal Status:	Private
Date Became Current:	20010824
Date Ended Current:	Not reported
Owner/Operator Address:	200 WILMONT RD.
Owner/Operator City,State,Zip:	DEERFIELD, IL 60015
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	MINNETONKA CAPITAL INVESTMENTS II LLC
Legal Status:	Private
Date Became Current:	20010723
Date Ended Current:	Not reported
Owner/Operator Address:	50 S SIXTH ST STE 1480
Owner/Operator City,State,Zip:	MINNEAPOLIS, MN 55402

WALGREENS #5773 (Continued) **1016954202**

Owner/Operator Telephone: 612-313-2520
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 20140301
Handler Name: WALGREENS #5773
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20160406
Handler Name: WALGREENS #5773
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20200724
Handler Name: WALGREENS #5773
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:

NAICS Code: 44611
NAICS Description: PHARMACIES AND DRUG STORES

NAICS Code: 446110
NAICS Description: PHARMACIES AND DRUG STORES

Facility Has Received Notices of Violations:

Violations: No Violations Found

WALGREENS #5773 (Continued) **1016954202**

Evaluation Action Summary:
Evaluations: No Evaluations Found

Date Form Received by Agency:		20210317
Handler Name:	WALGREENS #5773	
Handler Address:		11800 ARTESIA BLVD
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAR000314948
Contact Name:		AMBER DURKIN
Contact Address:		WILMOT ROAD 5TH FLOOR
Contact City,State,Zip:		DEERFIELD, IL 60015
Contact Telephone:		847-964-8816
Contact Fax:		Not reported
Contact Email:		AMBER.DURKIN@WALGREENS.COM
Contact Title:		APS SAFETY MGR
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Large Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		WILMOT ROAD 5TH FLOOR
Mailing City,State,Zip:		DEERFIELD, IL 60015
Owner Name:		MINNETONKA CAPITAL INVESTMENTS II LLC
Owner Type:		Private
Operator Name:		WALGREENS CO
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported
Permit Workload Universe:		Not reported

WALGREENS #5773 (Continued) **1016954202**

Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20210323
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D002
Waste Description:	CORROSIVE WASTE
Waste Code:	D007
Waste Description:	CHROMIUM
Waste Code:	D009
Waste Description:	MERCURY
Waste Code:	D010
Waste Description:	SELENIUM
Waste Code:	D016
Waste Description:	2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
Waste Code:	D035
Waste Description:	METHYL ETHYL KETONE
Waste Code:	P001
Waste Description:	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

WALGREENS #5773 (Continued) **1016954202**

Waste Code: P075
Waste Description: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MINNETONKA CAPITAL INVESTMENTS II LLC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	60 6TH STREET
Owner/Operator City,State,Zip:	MINNEAPOLIS, MN 55402
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MINNETONKA CAPITAL INVESTMENTS II LLC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	60 6TH STREET
Owner/Operator City,State,Zip:	MINNEAPOLIS, MN 55402
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	WALGREENS CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	200 WILMOT ROAD
Owner/Operator City,State,Zip:	DEERFIELD, IL 60015
Owner/Operator Telephone:	847-964-8816
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	WALGREENS CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	200 WILMOT ROAD
Owner/Operator City,State,Zip:	DEERFIELD, IL 60015
Owner/Operator Telephone:	847-964-8816
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20201112
Handler Name:	WALGREENS #5773

WALGREENS #5773 (Continued) **1016954202**

Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20210317
Handler Name: WALGREENS #5773
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 446110
NAICS Description: PHARMACIES AND DRUG STORES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

RCRA-SQG:
Date Form Received by Agency: 20200724
Handler Name: WALGREENS #5773
Handler Address: 11800 ARTESIA BLVD
Handler City,State,Zip: ARTESIA, CA 90701
EPA ID: CAL000322884
Contact Name: AMBER DURKIN
Contact Address: WILMOT RD, 5TH FL, MS#1450
Contact City,State,Zip: DEERFIELD, IL 60015
Contact Telephone: 847-964-8816
Contact Fax: 760-918-4025
Contact Email: AMBER.DURKIN@WALGREENS.COM
Contact Title: APS SAFETY MANAGER, NON-RETAIL / SUPPLY CHAIN
EPA Region: 09
Land Type: Private
Federal Waste Generator Description: Small Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: 2019
Accessibility: Not reported
Active Site Indicator: Handler Activities

WALGREENS #5773 (Continued) **1016954202**

State District Owner:	Not reported
State District:	Not reported
Mailing Address:	GREYHAWK CT. SUITE 200
Mailing City,State,Zip:	CARLSBAD, CA 92010
Owner Name:	MINNETONKA CAPITAL INVESTMENTS II LLC
Owner Type:	Private
Operator Name:	WALGREEN CO.
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20201009
Recognized Trader-Importer:	No

WALGREENS #5773 (Continued) **1016954202**

Recognized Trader-Exporter: No
Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: No
Manifest Broker: No
Sub-Part P Indicator: No

Biennial: List of Years
Year: 2019

Click Here for Biennial Reporting System Data:
Year: 2015

Click Here for Biennial Reporting System Data:
Year: 2013

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D001
Waste Description: IGNITABLE WASTE

Waste Code: D002
Waste Description: CORROSIVE WASTE

Waste Code: D005
Waste Description: BARIUM

Waste Code: D007
Waste Description: CHROMIUM

Waste Code: D009
Waste Description: MERCURY

Waste Code: D010
Waste Description: SELENIUM

Waste Code: D016
Waste Description: 2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)

Waste Code: D022
Waste Description: CHLOROFORM

Waste Code: D024
Waste Description: M-CRESOL

Waste Code: P001
Waste Description: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

Waste Code: P075
Waste Description: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

Waste Code: U034

WALGREENS #5773 (Continued) **1016954202**

Waste Description: ACETALDEHYDE, TRICHLORO- (OR) CHLORAL

Waste Code: U058
Waste Description: 2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE

Waste Code: U129
Waste Description: CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE

Waste Code: U150
Waste Description: L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) MELPHALAN

Waste Code: U165
Waste Description: NAPHTHALENE

Waste Code: U188
Waste Description: PHENOL

Waste Code: U205
Waste Description: SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	WALGREEN CO.
Legal Status:	Private
Date Became Current:	20010824
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	WALGREEN CO
Legal Status:	Private
Date Became Current:	20010824
Date Ended Current:	Not reported
Owner/Operator Address:	200 WILMOT RD
Owner/Operator City,State,Zip:	DEERFIELD, IL 60015
Owner/Operator Telephone:	847-914-2264
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MINNETONKA CAPITAL INVESTMENTS II LLC
Legal Status:	Private
Date Became Current:	20010723
Date Ended Current:	Not reported
Owner/Operator Address:	50 S SIXTH ST STE 1480
Owner/Operator City,State,Zip:	MINNEAPOLIS, MN 55402
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

WALGREENS #5773 (Continued) **1016954202**

Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	WALGREEN CO
Legal Status:	Private
Date Became Current:	20010824
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	WALGREEN CO.
Legal Status:	Private
Date Became Current:	20010824
Date Ended Current:	Not reported
Owner/Operator Address:	200 WILMONT RD.
Owner/Operator City,State,Zip:	DEERFIELD, IL 60015
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	MINNETONKA CAPITAL INVESTMENTS II LLC
Legal Status:	Private
Date Became Current:	20010723
Date Ended Current:	Not reported
Owner/Operator Address:	50 S SIXTH ST STE 1480
Owner/Operator City,State,Zip:	MINNEAPOLIS, MN 55402
Owner/Operator Telephone:	612-313-2520
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20140301
Handler Name: WALGREENS #5773	
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20160406
Handler Name: WALGREENS #5773	
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No

WALGREENS #5773 (Continued) **1016954202**

Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20200724
Handler Name: WALGREENS #5773
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 44611
NAICS Description: PHARMACIES AND DRUG STORES

NAICS Code: 446110
NAICS Description: PHARMACIES AND DRUG STORES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

Date Form Received by Agency: 20210317
Handler Name: WALGREENS #5773
Handler Address: 11800 ARTESIA BLVD
Handler City,State,Zip: ARTESIA, CA 90701
EPA ID: CAR000314948
Contact Name: AMBER DURKIN
Contact Address: WILMOT ROAD 5TH FLOOR
Contact City,State,Zip: DEERFIELD, IL 60015
Contact Telephone: 847-964-8816
Contact Fax: Not reported
Contact Email: AMBER.DURKIN@WALGREENS.COM
Contact Title: APS SAFETY MGR
EPA Region: 09
Land Type: Private
Federal Waste Generator Description: Large Quantity Generator
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: Not reported
State District: Not reported

WALGREENS #5773 (Continued) **1016954202**

Mailing Address:	WILMOT ROAD 5TH FLOOR
Mailing City,State,Zip:	DEERFIELD, IL 60015
Owner Name:	MINNETONKA CAPITAL INVESTMENTS II LLC
Owner Type:	Private
Operator Name:	WALGREENS CO
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20210323
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No

WALGREENS #5773 (Continued) **1016954202**

Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D002
Waste Description:	CORROSIVE WASTE
Waste Code:	D007
Waste Description:	CHROMIUM
Waste Code:	D009
Waste Description:	MERCURY
Waste Code:	D010
Waste Description:	SELENIUM
Waste Code:	D016
Waste Description:	2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
Waste Code:	D035
Waste Description:	METHYL ETHYL KETONE
Waste Code:	P001
Waste Description:	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
Waste Code:	P075
Waste Description:	NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MINNETONKA CAPITAL INVESTMENTS II LLC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	60 6TH STREET
Owner/Operator City,State,Zip:	MINNEAPOLIS, MN 55402
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	MINNETONKA CAPITAL INVESTMENTS II LLC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	60 6TH STREET

WALGREENS #5773 (Continued) **1016954202**

Owner/Operator City,State,Zip:	MINNEAPOLIS, MN 55402
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	WALGREENS CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	200 WILMOT ROAD
Owner/Operator City,State,Zip:	DEERFIELD, IL 60015
Owner/Operator Telephone:	847-964-8816
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	WALGREENS CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	200 WILMOT ROAD
Owner/Operator City,State,Zip:	DEERFIELD, IL 60015
Owner/Operator Telephone:	847-964-8816
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20201112
Handler Name: WALGREENS #5773	
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No
Receive Date:	20210317
Handler Name: WALGREENS #5773	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

WALGREENS #5773 (Continued) **1016954202**

List of NAICS Codes and Descriptions:
NAICS Code: 446110
NAICS Description: PHARMACIES AND DRUG STORES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

N93 **EVERGREEN PIONEER INC** **UST** **U003778235**
SE **11800 ARTESIA BLVD** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.138 mi.
727 ft. **Site 2 of 7 in cluster N**

Relative: **Lower**
Actual: **60 ft.**

UST:
Name: EVERGREEN PIONEER INC
Address: 11800 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Facility ID: 32571
Permitting Agency: LOS ANGELES COUNTY
CERSID: Not reported
Latitude: 33.873762
Longitude: -118.080519

N94 **WALGREENS #5773** **CERS HAZ WASTE** **S113148880**
SE **11800 ARTESIA BLVD** **HAZNET** **N/A**
1/8-1/4 **ARTESIA, CA 90701** **HWTS**
0.138 mi.
727 ft. **Site 3 of 7 in cluster N**

Relative: **Lower**
Actual: **60 ft.**

CERS HAZ WASTE:
Name: WALGREENS #5773
Address: 11800 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 407076
CERS ID: 10289104
CERS Description: Hazardous Waste Generator

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 09-05-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-25-2017
Violations Found: No
Eval Type: Routine done by local agency

WALGREENS #5773 (Continued) **S113148880**

Eval Notes:	John Nguyen, Manager
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-25-2017
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Christen Masciave, Assistant Manager
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-04-2020
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Elena Din, Shift Lead
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	09-05-2014
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS

Coordinates:

Site ID:	407076
Facility Name:	WALGREENS #5773
Env Int Type Code:	HWG
Program ID:	10289104
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	33.872410
Longitude:	-118.081870

Affiliation:

Affiliation Type Desc:	CUPA District
Entity Name:	Los Angeles County Fire
Entity Title:	Not reported
Affiliation Address:	5825 Rickenbacker Road
Affiliation City:	Commerce
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90040-3027
Affiliation Phone:	(323) 890-4000
Affiliation Type Desc:	Legal Owner
Entity Name:	Walgreen Co.
Entity Title:	Not reported

WALGREENS #5773 (Continued) **S113148880**

Affiliation Address:	200 Wilmot Road
Affiliation City:	Deerfield
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	60015
Affiliation Phone:	(847) 914-2264
Affiliation Type Desc:	Operator
Entity Name:	Walgreen Co.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(847) 914-2264
Affiliation Type Desc:	Parent Corporation
Entity Name:	Walgreens
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Environmental Contact
Entity Name:	Verisk 3E, Regulatory Department/Walgreen Co.
Entity Title:	Not reported
Affiliation Address:	3207 Grey Hawk Ct., Suite 200
Affiliation City:	Carlsbad
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Charles Savage, on behalf of Walgreen Co.
Entity Title:	Regulatory Compliance Specialist, Verisk 3E
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	Minnetonka Capital Inv. LLC
Entity Title:	Not reported
Affiliation Address:	50 S. Sixth, Ste. 148
Affiliation City:	Minneapolis
Affiliation State:	MN
Affiliation Country:	United States
Affiliation Zip:	55402
Affiliation Phone:	(612) 313-2520

WALGREENS #5773 (Continued) **S113148880**

Affiliation Type Desc:	Document Preparer
Entity Name:	Charles Savage, on behalf of Walgreen Co.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	Verisk 3E, Regulatory Dept/Walgreen Co, 3207 Grey Hawk Court, Ste 200
Affiliation City:	Carlsbad
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92010
Affiliation Phone:	Not reported

HAZNET:

Name:	WALGREENS #5773
Address:	11800 ARTESIA BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 920100000
Contact:	KARINA ROMERO
Telephone:	7606028700
Mailing Name:	Not reported
Mailing Address:	3207 GREY HAWK CT. SUITE 200

Year:	2019
Gepaid:	CAL000322884
TSD EPA ID:	CAD008364432
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.02800

Year:	2019
Gepaid:	CAL000322884
TSD EPA ID:	CAD008364432
CA Waste Code:	311 - Pharmaceutical waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.05650

Year:	2019
Gepaid:	CAL000322884
TSD EPA ID:	NVD980895338
CA Waste Code:	131 - Aqueous solution (2 < pH < 12.5) containing reactive anions ...
Disposal Method:	H070 -
Tons:	0.00100

Year:	2019
Gepaid:	CAL000322884
TSD EPA ID:	AZR000515924

WALGREENS #5773 (Continued) **S113148880**

CA Waste Code:	352 - Other organic solids
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.10400
Year:	2019
Gepaid:	CAL000322884
TSD EPA ID:	NVD980895338
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.01250
Year:	2019
Gepaid:	CAL000322884
TSD EPA ID:	NVD980895338
CA Waste Code:	311 - Pharmaceutical waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.06400
Year:	2019
Gepaid:	CAL000322884
TSD EPA ID:	AZR000515924
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.38950
Year:	2019
Gepaid:	CAL000322884
TSD EPA ID:	INR000110197
CA Waste Code:	311 - Pharmaceutical waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.00150
Year:	2019
Gepaid:	CAL000322884
TSD EPA ID:	CAD008364432
CA Waste Code:	122 - Alkaline solution without metals pH >= 12.5
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.06550
Year:	2018
Gepaid:	CAL000322884
TSD EPA ID:	AZR000515924
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.17500

Click this hyperlink while viewing on your computer to access
84 additional CA HAZNET: record(s) in the EDR Site Report.

WALGREENS #5773 (Continued) **S113148880**

Additional Info:

Year:	2013
Gen EPA ID:	CAL000322884
Shipment Date:	20131212
Creation Date:	5/20/2014 22:14:51
Receipt Date:	20131227
Manifest ID:	006270294FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	D010
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	D007
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20131212
Creation Date:	5/20/2014 22:14:51
Receipt Date:	20131227
Manifest ID:	006270294FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.007
Waste Quantity:	14
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20131212
Creation Date:	5/20/2014 22:14:51
Receipt Date:	20131227

WALGREENS #5773 (Continued) **S113148880**

Manifest ID:	006270294FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P075
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0025
Waste Quantity:	5
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20131212
Creation Date:	5/20/2014 22:14:51
Receipt Date:	20131227
Manifest ID:	006270294FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20131119
Creation Date:	4/24/2014 22:15:08
Receipt Date:	20131209
Manifest ID:	006272455FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC

WALGREENS #5773 (Continued) **S113148880**

TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0775
Waste Quantity:	155
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20131119
Creation Date:	4/24/2014 22:15:08
Receipt Date:	20131209
Manifest ID:	006272455FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.067
Waste Quantity:	134
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20131119
Creation Date:	4/24/2014 22:15:08
Receipt Date:	20131209
Manifest ID:	006272455FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1

WALGREENS #5773 (Continued) **S113148880**

Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20131028
Creation Date:	4/15/2014 22:15:05
Receipt Date:	20131119
Manifest ID:	006270160FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P075
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0095
Waste Quantity:	19
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20131028
Creation Date:	4/15/2014 22:15:05
Receipt Date:	20131119
Manifest ID:	006270160FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	D010
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	D007
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

WALGREENS #5773 (Continued) **S113148880**

Shipment Date:	20131028
Creation Date:	4/15/2014 22:15:05
Receipt Date:	20131119
Manifest ID:	006270160FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0055
Waste Quantity:	11
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2011
Gen EPA ID:	CAL000322884
Shipment Date:	20111020
Creation Date:	11/28/2012 22:15:25
Receipt Date:	20111101
Manifest ID:	005012417FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	131 - Aqueous solution (2 < pH < 12.5) containing reactive anions (azide, bromate, chlorate, cyanide, fluoride, hypochlorite, nitrite, perchlorate, and sulfide anions
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.005
Waste Quantity:	10
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111020

WALGREENS #5773 (Continued) **S113148880**

Creation Date:	11/28/2012 22:15:25
Receipt Date:	20111101
Manifest ID:	005012417FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P075
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	P001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20111020
Creation Date:	11/28/2012 22:15:25
Receipt Date:	20111101
Manifest ID:	005012417FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	141 - Off-specification, aged, or surplus inorganics
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20111020
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005012417FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC

WALGREENS #5773 (Continued) **S113148880**

TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	135 - Unspecified aqueous solution
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.025
Waste Quantity:	50
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111020
Creation Date:	11/28/2012 22:15:25
Receipt Date:	20111101
Manifest ID:	005012417FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.012
Waste Quantity:	24
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111020
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005012417FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0285

WALGREENS #5773 (Continued) **S113148880**

Waste Quantity:	57
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111020
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005012417FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.023
Waste Quantity:	46
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111020
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005012417FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.017
Waste Quantity:	34
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

WALGREENS #5773 (Continued) **S113148880**

Shipment Date:	20111020
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005012417FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0125
Waste Quantity:	25
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20110823
Creation Date:	11/20/2012 22:15:16
Receipt Date:	20110915
Manifest ID:	005012146FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	131 - Aqueous solution (2 < pH < 12.5) containing reactive anions (azide, bromate, chlorate, cyanide, fluoride, hypochlorite, nitrite, perchlorate, and sulfide anions
RCRA Code:	D001
Meth Code:	H071 - Chemical Reduction With Or Without Precipitation
Quantity Tons:	0.018
Waste Quantity:	36
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2012
Gen EPA ID:	CAL000322884

Shipment Date:	20120920
Creation Date:	4/3/2013 22:15:15
Receipt Date:	20121008

WALGREENS #5773 (Continued) **S113148880**

Manifest ID:	005509689FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0165
Waste Quantity:	33
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20120920
Creation Date:	4/3/2013 22:15:15
Receipt Date:	20121008
Manifest ID:	005509689FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	131 - Aqueous solution (2 < pH < 12.5) containing reactive anions (azide, bromate, chlorate, cyanide, fluoride, hypochlorite, nitrite, perchlorate, and sulfide anions
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0035
Waste Quantity:	7
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20120920
Creation Date:	4/3/2013 22:15:15
Receipt Date:	20121008
Manifest ID:	005509689FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC

WALGREENS #5773 (Continued) **S113148880**

TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.028
Waste Quantity:	56
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120920
Creation Date:	4/3/2013 22:15:15
Receipt Date:	20121008
Manifest ID:	005509689FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0085
Waste Quantity:	17
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120920
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005509689FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	- Not reported

WALGREENS #5773 (Continued) **S113148880**

Quantity Tons:	0.0025
Waste Quantity:	5
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120920
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005509689FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P075
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	P001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20120920
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005509689FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0535
Waste Quantity:	107
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

WALGREENS #5773 (Continued) **S113148880**

Shipment Date:	20120920
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005509689FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.063
Waste Quantity:	126
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20120920
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005509689FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	D010
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	D007
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20120920
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005509689FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC

WALGREENS #5773 (Continued) **S113148880**

TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2010
Gen EPA ID:	CAL000322884
Shipment Date:	20101019
Creation Date:	3/30/2011 18:30:46
Receipt Date:	20101029
Manifest ID:	005755770JJK
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0035
Waste Quantity:	7
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101019
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005755770JJK
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported

WALGREENS #5773 (Continued) **S113148880**

TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101019
Creation Date:	3/30/2011 18:30:46
Receipt Date:	20101029
Manifest ID:	005755770JJK
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0015
Waste Quantity:	3
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101019
Creation Date:	3/30/2011 18:30:46
Receipt Date:	20101029
Manifest ID:	005755770JJK
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	131 - Aqueous solution (2 < pH < 12.5) containing reactive anions (azide, bromate, chlorate, cyanide, fluoride, hypochlorite, nitrite, perchlorate, and sulfide anions
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.003

WALGREENS #5773 (Continued) **S113148880**

Waste Quantity:	6
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101019
Creation Date:	3/30/2011 18:30:46
Receipt Date:	20101029
Manifest ID:	005755770JJK
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.011
Waste Quantity:	22
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101019
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005755770JJK
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.004
Waste Quantity:	8
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

WALGREENS #5773 (Continued) **S113148880**

Shipment Date:	20101019
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005755770JJK
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.006
Waste Quantity:	12
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20101019
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005755770JJK
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	135 - Unspecified aqueous solution
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0215
Waste Quantity:	43
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20100721
Creation Date:	1/26/2011 18:30:17
Receipt Date:	20100811
Manifest ID:	007402336JJK
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	SCR000770073

WALGREENS #5773 (Continued) **S113148880**

Trans Name:	KILN DIRECT
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	135 - Unspecified aqueous solution
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0065
Waste Quantity:	13
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20100721
Creation Date:	1/26/2011 18:30:24
Receipt Date:	20100819
Manifest ID:	007402337JJK
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0055
Waste Quantity:	11
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2017
Gen EPA ID:	CAL000322884

Shipment Date:	20171116
Creation Date:	6/28/2018 18:30:17
Receipt Date:	20171205
Manifest ID:	009362879FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAR000217000
Trans 2 Name:	LA CHIQUITA TRUCKING
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	D010

WALGREENS #5773 (Continued) **S113148880**

Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	D007
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20171116
Creation Date:	6/28/2018 18:30:17
Receipt Date:	20171205
Manifest ID:	009362879FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAR000217000
Trans 2 Name:	LA CHIQUITA TRUCKING
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20171116
Creation Date:	6/28/2018 18:30:17
Receipt Date:	20171205
Manifest ID:	009362879FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAR000217000
Trans 2 Name:	LA CHIQUITA TRUCKING
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P075
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.003
Waste Quantity:	6
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported

WALGREENS #5773 (Continued) **S113148880**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20171116
Creation Date:	6/28/2018 18:30:17
Receipt Date:	20171205
Manifest ID:	009362879FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAR000217000
Trans 2 Name:	LA CHIQUITA TRUCKING
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0025
Waste Quantity:	5
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20171116
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	009362879FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAR000217000
Trans 2 Name:	LA CHIQUITA TRUCKING
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0745
Waste Quantity:	149
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20171116
Creation Date:	Not reported
Receipt Date:	Not reported

WALGREENS #5773 (Continued) **S113148880**

Manifest ID:	009362879FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAR000217000
Trans 2 Name:	LA CHIQUITA TRUCKING
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0395
Waste Quantity:	79
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20170920
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	010800774FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAR000217000
Trans 2 Name:	LA CHIQUITA TRUCKING
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.04
Waste Quantity:	80
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20170920
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	010800774FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAR000217000
Trans 2 Name:	LA CHIQUITA TRUCKING
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC

WALGREENS #5773 (Continued) **S113148880**

TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.043
Waste Quantity:	86
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20170920
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	010800774FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAR000217000
Trans 2 Name:	LA CHIQUITA TRUCKING
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	131 - Aqueous solution (2 < pH < 12.5) containing reactive anions (azide, bromate, chlorate, cyanide, fluoride, hypochlorite, nitrite, perchlorate, and sulfide anions
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20170920
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	010800774FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAR000217000
Trans 2 Name:	LA CHIQUITA TRUCKING
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	D010
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No

WALGREENS #5773 (Continued) **S113148880**

	Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.002
Waste Quantity:	4
Quantity Unit:	P
Additional Code 1:	D007
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2009
Gen EPA ID:	CAL000322884
Shipment Date:	20091026
Creation Date:	5/20/2010 18:30:40
Receipt Date:	20091113
Manifest ID:	005859783JJK
Trans EPA ID:	MNS000100924
Trans Name:	STERICYCLE SPECIALTY SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.0115
Waste Quantity:	23
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20091022
Creation Date:	9/17/2012 22:15:29
Receipt Date:	Not reported
Manifest ID:	005859782JJK
Trans EPA ID:	MNS000100924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT
TSDF EPA ID:	SCR000770073
Trans Name:	KILN DIRECT
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	135 - Unspecified aqueous solution
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0225
Waste Quantity:	45
Quantity Unit:	P
Additional Code 1:	Not reported

WALGREENS #5773 (Continued) **S113148880**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20091022
Creation Date:	9/17/2012 22:15:29
Receipt Date:	Not reported
Manifest ID:	005859782JJK
Trans EPA ID:	MNS000100924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT
TSDF EPA ID:	SCR000770073
Trans Name:	KILN DIRECT
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0385
Waste Quantity:	77
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090805
Creation Date:	3/5/2010 18:30:08
Receipt Date:	20090824
Manifest ID:	002553883FLE
Trans EPA ID:	MNS000100924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.002
Waste Quantity:	4
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20090805
Creation Date:	3/5/2010 18:30:08
Receipt Date:	20090824
Manifest ID:	002553883FLE

WALGREENS #5773 (Continued) **S113148880**

Trans EPA ID:	MNS000100924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	135 - Unspecified aqueous solution
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0135
Waste Quantity:	27
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20090805
Creation Date:	3/5/2010 18:30:08
Receipt Date:	20090824
Manifest ID:	002553883FLE
Trans EPA ID:	MNS000100924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.008
Waste Quantity:	16
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20090805
Creation Date:	3/5/2010 18:30:08
Receipt Date:	20090824
Manifest ID:	002553883FLE
Trans EPA ID:	MNS000100924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture

WALGREENS #5773 (Continued) **S113148880**

RCRA Code: D001
Meth Code: H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons: 0.0145
Waste Quantity: 29
Quantity Unit: P
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Additional Info:
Year: 2015
Gen EPA ID: CAL000322884

Shipment Date: 20151203
Creation Date: 3/2/2016 22:15:14
Receipt Date: 20151210
Manifest ID: 008657277FLE
Trans EPA ID: MNS000110924
Trans Name: STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID: CAD983649880
Trans 2 Name: PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID: CAD008364432
Trans Name: RHO CHEM LLC
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 311 - Pharmaceutical waste
RCRA Code: P075
Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons: 0.0005
Waste Quantity: 1
Quantity Unit: P
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Shipment Date: 20151203
Creation Date: 3/2/2016 22:15:14
Receipt Date: 20151210
Manifest ID: 008657277FLE
Trans EPA ID: MNS000110924
Trans Name: STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID: CAD983649880
Trans 2 Name: PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID: CAD008364432
Trans Name: RHO CHEM LLC
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 352 - Other organic solids
RCRA Code: Not reported
Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons: 0.0935

WALGREENS #5773 (Continued) **S113148880**

Waste Quantity:	187
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20151203
Creation Date:	10/14/2016 18:31:45
Receipt Date:	20151215
Manifest ID:	008657278FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD008364432
Trans 2 Name:	RHO CHEM LLC
TSDF EPA ID:	NVD980895338
Trans Name:	21ST CENTURY EMN LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20151203
Creation Date:	3/2/2016 22:15:14
Receipt Date:	20151210
Manifest ID:	008657277FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.005
Waste Quantity:	10
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

WALGREENS #5773 (Continued) **S113148880**

Shipment Date:	20151203
Creation Date:	3/2/2016 22:15:14
Receipt Date:	20151210
Manifest ID:	008657277FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.008
Waste Quantity:	16
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20151006
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	008505013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.035
Waste Quantity:	70
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20151006
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	008505013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880

WALGREENS #5773 (Continued) **S113148880**

Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20151006
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	008505013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.1
Waste Quantity:	200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20151006
Creation Date:	5/24/2016 16:38:09
Receipt Date:	20151015
Manifest ID:	008505013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001

WALGREENS #5773 (Continued) **S113148880**

Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.009
Waste Quantity:	18
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20151006
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	008505013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P075
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2016
Gen EPA ID:	CAL000322884
Shipment Date:	20151203
Creation Date:	10/14/2016 18:31:45
Receipt Date:	20151215
Manifest ID:	008657278FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD008364432
Trans 2 Name:	RHO CHEM LLC
TSDF EPA ID:	NVD980895338
Trans Name:	21ST CENTURY EMN LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.001

WALGREENS #5773 (Continued) **S113148880**

Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20151203
Creation Date:	3/2/2016 22:15:14
Receipt Date:	20151210
Manifest ID:	008657277FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.008
Waste Quantity:	16
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20151203
Creation Date:	3/2/2016 22:15:14
Receipt Date:	20151210
Manifest ID:	008657277FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0935
Waste Quantity:	187
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

WALGREENS #5773 (Continued) **S113148880**

Shipment Date:	20151203
Creation Date:	3/2/2016 22:15:14
Receipt Date:	20151210
Manifest ID:	008657277FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P075
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20151203
Creation Date:	3/2/2016 22:15:14
Receipt Date:	20151210
Manifest ID:	008657277FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.005
Waste Quantity:	10
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20151006
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	008505013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880

WALGREENS #5773 (Continued) **S113148880**

Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	352 - Other organic solids
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.1
Waste Quantity:	200
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20151006
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	008505013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.045
Waste Quantity:	90
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20151006
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	008505013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P075

WALGREENS #5773 (Continued) **S113148880**

Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20151006
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	008505013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.2
Waste Quantity:	400
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20151006
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	008505013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.035
Waste Quantity:	70
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported

WALGREENS #5773 (Continued) **S113148880**

Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Additional Info:
Year: 2014
Gen EPA ID: CAL000322884

Shipment Date: 20141218
Creation Date: Not reported
Receipt Date: Not reported
Manifest ID: 007309603FLE
Trans EPA ID: MNS000110924
Trans Name: STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID: CAD983649880
Trans 2 Name: PSC ENVIRONMENTAL SERVICES OF POMONA LP
TSDF EPA ID: CAD008364432
Trans Name: RHO CHEM LLC
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 311 - Pharmaceutical waste
RCRA Code: P001
Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons: 0.0005
Waste Quantity: 1
Quantity Unit: P
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Shipment Date: 20141218
Creation Date: 3/19/2015 22:14:50
Receipt Date: 20141223
Manifest ID: 007309603FLE
Trans EPA ID: MNS000110924
Trans Name: STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID: CAD983649880
Trans 2 Name: PSC ENVIRONMENTAL SERVICES OF POMONA LP
TSDF EPA ID: CAD008364432
Trans Name: RHO CHEM LLC
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 311 - Pharmaceutical waste
RCRA Code: D010
Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons: 0.0005
Waste Quantity: 1
Quantity Unit: P
Additional Code 1: D007
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

WALGREENS #5773 (Continued) **S113148880**

Shipment Date:	20141218
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	007309603FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES OF POMONA LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.006
Waste Quantity:	12
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20141218
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	007309603FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES OF POMONA LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0225
Waste Quantity:	45
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20141218
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	007309603FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880

WALGREENS #5773 (Continued) **S113148880**

Trans 2 Name:	PSC ENVIRONMENTAL SERVICES OF POMONA LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	141 - Off-specification, aged, or surplus inorganics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.048
Waste Quantity:	96
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20141218
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	007309603FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES OF POMONA LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P075
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20141218
Creation Date:	3/19/2015 22:14:50
Receipt Date:	20141223
Manifest ID:	007309603FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES OF POMONA LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001

WALGREENS #5773 (Continued) **S113148880**

Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0015
Waste Quantity:	3
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20141218
Creation Date:	3/19/2015 22:14:50
Receipt Date:	20141223
Manifest ID:	007309603FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES OF POMONA LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20141218
Creation Date:	3/19/2015 22:14:50
Receipt Date:	20141223
Manifest ID:	007309603FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES OF POMONA LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	131 - Aqueous solution (2 < pH < 12.5) containing reactive anions (azide, bromate, chlorate, cyanide, fluoride, hypochlorite, nitrite, perchlorate, and sulfide anions
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P

WALGREENS #5773 (Continued) **S113148880**

Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20141218
Creation Date:	8/21/2015 22:15:14
Receipt Date:	20150113
Manifest ID:	007309602FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD008364432
Trans 2 Name:	RHO CHEM LLC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

HWTS:

Name:	WALGREENS #5773
Address:	11800 ARTESIA BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAL000322884
Inactive Date:	09/28/2020
Create Date:	07/31/2007
Last Act Date:	04/06/2021
Mailing Name:	Not reported
Mailing Address:	104 WILMOT RD 5TH FLR MS 1450
Mailing Address 2:	Not reported
Mailing City,State,Zip:	DEERFIELD, IL 60015
Owner Name:	WALGREEN CO.
Owner Address:	200 WILMOT RD MS 2273
Owner Address 2:	Not reported
Owner City,State,Zip:	DEERFIELD, IL 600150000
Contact Name:	KARINA ROMERO
Contact Address:	3207 GREY HAWK CT., SUITE 200
Contact Address 2:	Not reported
City,State,Zip:	CARLSBAD, CA 92010

NAICS:

EPA ID:	CAL000322884
Create Date:	2007-07-31 11:51:36.870
NAICS Code:	99999

WALGREENS #5773 (Continued) **S113148880**

NAICS Description:	Not Otherwise Specified
Issued EPA ID Date:	2007-07-31 11:51:36.87000
Inactive Date:	2020-09-28 00:00:00
Facility Name:	WALGREENS #5773
Facility Address:	11800 ARTESIA BLVD
Facility Address 2:	Not reported
Facility City:	ARTESIA
Facility County:	Not reported
Facility State:	CA
Facility Zip:	90701

Name:	WALGREENS #5773
Address:	11800 ARTESIA BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAR000314948
Inactive Date:	Not reported
Create Date:	11/17/2020
Last Act Date:	03/23/2021
Mailing Name:	Not reported
Mailing Address:	104 WILMOT RD 5TH FL MS1434
Mailing Address 2:	Not reported
Mailing City,State,Zip:	DEERFIELD, IL 60015
Owner Name:	WALGREEN CO
Owner Address:	200 WILMOT RD
Owner Address 2:	Not reported
Owner City,State,Zip:	DEERFIELD, IL 60015
Contact Name:	AMBER DURKIN
Contact Address:	104 WILMOT RD 5TH FL MS1434
Contact Address 2:	Not reported
City,State,Zip:	DEERFIELD, IL 60015

NAICS:

EPA ID:	CAR000314948
Create Date:	2020-11-17 15:51:10.133
NAICS Code:	446110
NAICS Description:	Pharmacies and Drug Stores
Issued EPA ID Date:	2020-11-17 15:51:10.13000
Inactive Date:	Not reported
Facility Name:	WALGREENS #5773
Facility Address:	11800 ARTESIA BLVD
Facility Address 2:	Not reported
Facility City:	ARTESIA
Facility County:	Not reported
Facility State:	CA
Facility Zip:	90701

N95 **MONTGOMERY & CLARK** **EDR Hist Auto** **1020916693**
SE **11800 E ARTESIA** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.138 mi.
727 ft. **Site 4 of 7 in cluster N**

Relative: EDR Hist Auto
Lower

Actual: Year: Name: Type:
60 ft. 1969 MONTGOMERY & CLARK Gasoline Service Stations
1970 MONTGOMERY & CLARK Gasoline Service Stations

N96 **IDEAL FLORIST (FORMER)** **LUST** **S104733114**
SE **11800 E ARTESIA BLVD** **Cortese** **N/A**
1/8-1/4 **ARTESIA, CA 90701** **LOS ANGELES CO. HMS**
0.138 mi. **CERS**
727 ft. **Site 5 of 7 in cluster N**

Relative: LUST:
Lower

Actual: Name: IDEAL FLORIST (FORMER)
60 ft. Address: 11800 E ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Lead Agency: LOS ANGELES RWQCB (REGION 4)
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603705214
Global Id: T0603705214
Latitude: 33.872952
Longitude: -118.0821811
Status: Completed - Case Closed
Status Date: 08/29/2005
Case Worker: AJL
RB Case Number: R-13915
Local Agency: LOS ANGELES COUNTY
File Location: Not reported
Local Case Number: 013530-032571
Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0603705214
Contact Type: Local Agency Caseworker
Contact Name: JOHN AWUJO
Organization Name: LOS ANGELES COUNTY
Address: 900 S FREMONT AVE
City: ALHAMBRA
Email: jawujo@dpw.lacounty.gov
Phone Number: 6264583507

Global Id: T0603705214
Contact Type: Regional Board Caseworker
Contact Name: AHMAD J. LAMAA
Organization Name: LOS ANGELES RWQCB (REGION 4)
Address: 320 West 4th Street Suite 200
City: Los Angeles
Email: alamaa@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0603705214

IDEAL FLORIST (FORMER) (Continued) **S104733114**

Action Type:	Other
Date:	12/28/1993
Action:	Leak Reported
Global Id:	T0603705214
Action Type:	RESPONSE
Date:	06/30/2002
Action:	Soil and Water Investigation Workplan
Global Id:	T0603705214
Action Type:	RESPONSE
Date:	10/17/2002
Action:	Monitoring Report - Quarterly
Global Id:	T0603705214
Action Type:	RESPONSE
Date:	01/15/2003
Action:	Monitoring Report - Quarterly
Global Id:	T0603705214
Action Type:	ENFORCEMENT
Date:	08/08/2005
Action:	Notification - Preclosure
Global Id:	T0603705214
Action Type:	ENFORCEMENT
Date:	08/09/2005
Action:	Site Visit / Inspection / Sampling
Global Id:	T0603705214
Action Type:	RESPONSE
Date:	05/06/2005
Action:	Request for Closure
Global Id:	T0603705214
Action Type:	RESPONSE
Date:	07/15/2005
Action:	Monitoring Report - Quarterly
Global Id:	T0603705214
Action Type:	Other
Date:	12/16/1995
Action:	Leak Stopped
Global Id:	T0603705214
Action Type:	RESPONSE
Date:	01/15/2005
Action:	Soil and Water Investigation Report
Global Id:	T0603705214
Action Type:	RESPONSE
Date:	01/15/2005
Action:	Monitoring Report - Quarterly
Global Id:	T0603705214
Action Type:	RESPONSE
Date:	07/15/2004

IDEAL FLORIST (FORMER) (Continued) **S104733114**

Action: Soil and Water Investigation Report

Global Id: T0603705214
Action Type: RESPONSE
Date: 04/15/2005
Action: Soil and Water Investigation Report

Global Id: T0603705214
Action Type: RESPONSE
Date: 04/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0603705214
Action Type: RESPONSE
Date: 10/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603705214
Action Type: RESPONSE
Date: 10/15/2004
Action: Soil and Water Investigation Report

Global Id: T0603705214
Action Type: ENFORCEMENT
Date: 02/24/2003
Action: 13267 Requirement

Global Id: T0603705214
Action Type: RESPONSE
Date: 01/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603705214
Action Type: RESPONSE
Date: 01/15/2004
Action: Soil and Water Investigation Report

Global Id: T0603705214
Action Type: RESPONSE
Date: 07/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603705214
Action Type: ENFORCEMENT
Date: 08/29/2005
Action: Closure/No Further Action Letter

Global Id: T0603705214
Action Type: ENFORCEMENT
Date: 05/17/2002
Action: Staff Letter

Global Id: T0603705214
Action Type: Other
Date: 12/15/1993
Action: Leak Discovery

IDEAL FLORIST (FORMER) (Continued) **S104733114**

Global Id: T0603705214
Action Type: RESPONSE
Date: 04/15/2004
Action: Soil and Water Investigation Report

Global Id: T0603705214
Action Type: RESPONSE
Date: 04/15/2003
Action: Monitoring Report - Quarterly

Global Id: T0603705214
Action Type: RESPONSE
Date: 07/15/2003
Action: Interim Remedial Action Plan

Global Id: T0603705214
Action Type: RESPONSE
Date: 07/15/2003
Action: Soil and Water Investigation Workplan

Global Id: T0603705214
Action Type: RESPONSE
Date: 07/15/2003
Action: Soil and Water Investigation Report

Global Id: T0603705214
Action Type: RESPONSE
Date: 07/15/2003
Action: Monitoring Report - Quarterly

Global Id: T0603705214
Action Type: RESPONSE
Date: 10/15/2003
Action: Soil and Water Investigation Report

Global Id: T0603705214
Action Type: RESPONSE
Date: 10/15/2003
Action: Monitoring Report - Quarterly

Global Id: T0603705214
Action Type: RESPONSE
Date: 10/15/2003
Action: Soil and Water Investigation Report

Global Id: T0603705214
Action Type: RESPONSE
Date: 04/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603705214
Action Type: RESPONSE
Date: 07/15/2005
Action: Soil and Water Investigation Report

Global Id: T0603705214
Action Type: REMEDIATION

IDEAL FLORIST (FORMER) (Continued) **S104733114**

Date: 12/01/2003
Action: Excavation

LUST:
Global Id: T0603705214
Status: Open - Case Begin Date
Status Date: 12/15/1993

Global Id: T0603705214
Status: Open - Site Assessment
Status Date: 12/28/1993

Global Id: T0603705214
Status: Open - Site Assessment
Status Date: 03/06/2002

Global Id: T0603705214
Status: Open - Remediation
Status Date: 05/20/2002

Global Id: T0603705214
Status: Completed - Case Closed
Status Date: 08/29/2005

CORTESE:
Name: IDEAL FLORIST (FORMER)
Address: 11800 E ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0603705214
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

LOS ANGELES CO. HMS:
Name: EVERGREEN PIONEER INC
Address: 11800 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Region: LA

IDEAL FLORIST (FORMER) (Continued) **S104733114**

Permit Category: T
Facility Id: 013530-032571
Facility Type: 0
Facility Status: Removed
Area: 1D
Permit Number: 000286491
Permit Status: Removed

CERS:
Name: IDEAL FLORIST (FORMER)
Address: 11800 E ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 196446
CERS ID: T0603705214
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: JOHN AWUJO - LOS ANGELES COUNTY
Entity Title: Not reported
Affiliation Address: 900 S FREMONT AVE
Affiliation City: ALHAMBRA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 6264583507

Affiliation Type Desc: Regional Board Caseworker
Entity Name: AHMAD J. LAMAA - LOS ANGELES RWQCB (REGION 4)
Entity Title: Not reported
Affiliation Address: 320 West 4th Street Suite 200
Affiliation City: Los Angeles
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

N97 **IDEAL FLORIST** **HIST CORTESE** **S102062175**
SE **11800 ARTESIA** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.138 mi.
727 ft. **Site 6 of 7 in cluster N**

Relative: HIST CORTESE:
Lower
Actual: edr_fname: IDEAL FLORIST
60 ft. edr_fadd1: 11800 ARTESIA
City,State,Zip: ARTESIA, CA 90701
Region: CORTESE
Facility County Code: 19
Reg By: LTNKA
Reg Id: R-13915

N98 **IDEAL FLORIST (FORMER)** **LUST** **S105690586**
SE **11800 ARTESIA BLVD** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.138 mi.
727 ft. **Site 7 of 7 in cluster N**

Relative: **Lower**

Actual: **60 ft.**

LUST REG 4:

Region:	4	
Regional Board:	04	
County:	Los Angeles	
Facility Id:	R-13915	
Status:	Preliminary site assessment workplan submitted	
Substance:	Gasoline	
Substance Quantity:	Not reported	
Local Case No:	013530-032571	
Case Type:	Soil	
Abatement Method Used at the Site:		Not reported
Global ID:	T0603705214	
W Global ID:	Not reported	
Staff:	AJL	
Local Agency:	19000	
Cross Street:	PIONEER	
Enforcement Type:	DLLET	
Date Leak Discovered:	12/15/1993	
Date Leak First Reported:		12/28/1993
Date Leak Record Entered:	8/14/1995	
Date Confirmation Began:	12/28/1993	
Date Leak Stopped:	12/16/1995	
Date Case Last Changed on Database:		7/18/2002
Date the Case was Closed:		Not reported
How Leak Discovered:	Tank Closure	
How Leak Stopped:	Not reported	
Cause of Leak:	UNK	
Leak Source:	UNK	
Operator:	CHRIS LEE	
Water System:	Not reported	
Well Name:	Not reported	
Approx. Dist To Production Well (ft):		893.95005964512180075358457 44
Source of Cleanup Funding:		UNK
Preliminary Site Assessment Workplan Submitted:		3/6/2002
Preliminary Site Assessment Began:		Not reported
Pollution Characterization Began:		Not reported
Remediation Plan Submitted:		Not reported
Remedial Action Underway:		Not reported
Post Remedial Action Monitoring Began:		12/28/1993
Enforcement Action Date:		Not reported
Historical Max MTBE Date:		5/14/2004
Hist Max MTBE Conc in Groundwater:		0
Hist Max MTBE Conc in Soil:		Not reported
Significant Interim Remedial Action Taken:		Not reported
GW Qualifier:	ND	
Soil Qualifier:	Not reported	
Organization:	Not reported	
Owner Contact:	Not reported	
Responsible Party:	NATASHO UMRIGAR-MOLLA	
RP Address:	P.O. BOX 2292	
Program:	LUST	
Lat/Long:	33.872952 / -1	
Local Agency Staff:	Not reported	

IDEAL FLORIST (FORMER) (Continued) **S105690586**

Beneficial Use:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Suspended:	Not reported
Assigned Name:	Not reported
Summary:	RECEIVED UST UNATHORIZED RELEASE DATED 1/30/02

O99 **GOLDEN STATE WATER CO. - ROSETON PLANT** **RCRA NonGen / NLR** **1026482557**
SW **17456 ROSETON AVE.** **CAC003088606**
1/8-1/4 **ARTESIA, CA 90701**
0.145 mi.
767 ft. **Site 1 of 2 in cluster O**

Relative: **Lower**
Actual: **59 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:	20201015
Handler Name:	GOLDEN STATE WATER CO. - ROSETON PLANT
Handler Address:	17456 ROSETON AVE.
Handler City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAC003088606
Contact Name:	JUDY TIMBERLAKE
Contact Address:	160 E. VIA VERDE
Contact City,State,Zip:	SAN DIMAS, CA 91773
Contact Telephone:	909-305-5427
Contact Fax:	Not reported
Contact Email:	JUDY.TIMBERLAKE@GSWATER.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	12035 BURKE ST., SUITE 1
Mailing City,State,Zip:	SANTA FE SPRINGS, CA 90670
Owner Name:	GOLDEN STATE WATER COMPANY
Owner Type:	Other
Operator Name:	JUDY TIMBERLAKE
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---

GOLDEN STATE WATER CO. - ROSETON PLANT (Continued) **1026482557**

Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20201026
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	GOLDEN STATE WATER COMPANY
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	630 E. FOOTHILL BLVD
Owner/Operator City,State,Zip:	SAN DIMAS, CA 91773
Owner/Operator Telephone:	909-394-3600
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	JUDY TIMBERLAKE
Legal Status:	Other
Date Became Current:	Not reported

GOLDEN STATE WATER CO. - ROSETON PLANT (Continued) **1026482557**

Date Ended Current:	Not reported
Owner/Operator Address:	160 E. VIA VERDE
Owner/Operator City,State,Zip:	SAN DIMAS, CA 91773
Owner/Operator Telephone:	909-305-5427
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20201015
Handler Name:	GOLDEN STATE WATER CO. - ROSETON PLANT
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	221310
NAICS Description:	WATER SUPPLY AND IRRIGATION SYSTEMS

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

O100 **GOLDEN STATE WATER COMPANY - ROSETON** **RCRA NonGen / NLR** **1026464931**
SW **17456 ROSETON AVE** **CAC003070135**
1/8-1/4 **ARTESIA, CA 90701**
0.145 mi.
767 ft. **Site 2 of 2 in cluster O**

Relative: **Lower**
Actual: **59 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:	20200609
Handler Name:	GOLDEN STATE WATER COMPANY - ROSETON
Handler Address:	17456 ROSETON AVE
Handler City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAC003070135
Contact Name:	STEVE GARTEN
Contact Address:	12035 BURKE ST.
Contact City,State,Zip:	SANTA FE SPRINGS, CA 90670
Contact Telephone:	562-907-9200
Contact Fax:	Not reported
Contact Email:	STEVEN.GARTEN@GSWATER.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported

GOLDEN STATE WATER COMPANY - ROSETON (Continued) **1026464931**

Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	12035 BURKE ST.
Mailing City,State,Zip:	SANTA FE SPRINGS, CA 90670
Owner Name:	GOLDEN STATE WATER COMPANY
Owner Type:	Other
Operator Name:	STEVE GARTEN
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No

GOLDEN STATE WATER COMPANY - ROSETON (Continued) **1026464931**

Financial Assurance Required:	Not reported
Handler Date of Last Change:	20200710
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	STEVE GARTEN
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	12035 BURKE ST.
Owner/Operator City,State,Zip:	SANTA FE SPRINGS, CA 90670
Owner/Operator Telephone:	562-907-9200
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	GOLDEN STATE WATER COMPANY
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	630 E. FOOTHILL BLVD
Owner/Operator City,State,Zip:	SAN DIMAS, CA 91773
Owner/Operator Telephone:	909-394-3600
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20200609
Handler Name:	GOLDEN STATE WATER COMPANY - ROSETON
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	221310
NAICS Description:	WATER SUPPLY AND IRRIGATION SYSTEMS

Facility Has Received Notices of Violations:

GOLDEN STATE WATER COMPANY - ROSETON (Continued) **1026464931**

Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

J101 **MCDONALD MFG INC** **RCRA NonGen / NLR** **1024796092**
West **17311 ROSETON** **CAL000172579**
1/8-1/4 **ARTESIA, CA 90701**
0.147 mi.
775 ft. **Site 4 of 4 in cluster J**

Relative: **Higher**
Actual: **64 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:		19990302
Handler Name:	MCDONALD MFG INC	
Handler Address:		17311 ROSETON
Handler City,State,Zip:		ARTESIA, CA 90701-0000
EPA ID:		CAL000172579
Contact Name:		PAUL MCDONALD
Contact Address:		17311 ROSETON AVE
Contact City,State,Zip:		ARTESIA, CA 90701
Contact Telephone:		562-924-5404
Contact Fax:		562-865-3090
Contact Email:		PAULMCD@MCDMFG.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		17311 ROSETON
Mailing City,State,Zip:		ARTESIA, CA 90701-0000
Owner Name:		FRANCIS H & PAUL E MCDONALD
Owner Type:		Other
Operator Name:		PAUL MCDONALD
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---

MCDONALD MFG INC (Continued) **1024796092**

Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	PAUL MCDONALD
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17311 ROSETON AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-924-5404
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	FRANCIS H & PAUL E MCDONALD
Legal Status:	Other
Date Became Current:	Not reported

MCDONALD MFG INC (Continued) **1024796092**

Date Ended Current:	Not reported
Owner/Operator Address:	1614 W CHATEAU PL
Owner/Operator City,State,Zip:	ANAHEIM, CA 92802
Owner/Operator Telephone:	562-924-5404
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19990302
Handler Name: MCDONALD MFG INC	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	333923
NAICS Description:	OVERHEAD TRAVELING CRANE, HOIST, AND MONORAIL SYSTEM MANUFACTURING

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

L102 **MID CITYS ELECTRIC INC** **RCRA NonGen / NLR** **1024847866**
WNW **17117 ROSETON AVE** **CAL000403074**
1/8-1/4 **ARTESIA, CA 90701**
0.150 mi.
790 ft. **Site 5 of 6 in cluster L**

Relative: RCRA NonGen / NLR:
Lower

Actual: Date Form Received by Agency:		20141217
62 ft. Handler Name:	MID CITYS ELECTRIC INC	
Handler Address:		17117 ROSETON AVE
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAL000403074
Contact Name:		CURTIS VANDER MOLEN
Contact Address:		17117 ROSETON AVE
Contact City,State,Zip:		ARTESIA, CA 90701
Contact Telephone:		562-402-8833
Contact Fax:		562-402-3825
Contact Email:		CURT@MIDCITYSELECTRIC.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported

MID CITYS ELECTRIC INC (Continued) **1024847866**

Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	17117 ROSETON AVE
Mailing City,State,Zip:	ARTESIA, CA 90701
Owner Name:	MARLIN VANDER MOLEN
Owner Type:	Other
Operator Name:	CURTIS VANDER MOLEN
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No

MID CITYS ELECTRIC INC (Continued) **1024847866**

Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180906
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MARLIN VANDER MOLEN
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17117 ROSETON AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-402-8833
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CURTIS VANDER MOLEN
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17117 ROSETON AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-402-8833
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20141217
Handler Name: MID CITYS ELECTRIC INC	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	23531
NAICS Description:	ELECTRICAL CONTRACTORS

Facility Has Received Notices of Violations:

MID CITYS ELECTRIC INC (Continued) **1024847866**

Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

L103 **J & N ELECTRIC** **LUST** **U001565240**
WNW **17107 ROSETON AVE** **SWEEPS UST** **N/A**
1/8-1/4 **ARTESIA, CA 90701** **HIST UST**
0.155 mi. **Cortese**
820 ft. **Site 6 of 6 in cluster L** **HIST CORTESE**
CERS

Relative:
Lower

Actual:
62 ft.

LUST:

Name:	J & N ELECTRIC
Address:	17107 ROSETON AVE
City,State,Zip:	ARTESIA, CA 90701
Lead Agency:	LOS ANGELES RWQCB (REGION 4)
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603703852
Global Id:	T0603703852
Latitude:	33.875587
Longitude:	-118.087518
Status:	Completed - Case Closed
Status Date:	11/12/1996
Case Worker:	YR
RB Case Number:	I-11805
Local Agency:	LOS ANGELES COUNTY
File Location:	Not reported
Local Case Number:	Not reported
Potential Media Affect:	Aquifer used for drinking water supply
Potential Contaminants of Concern:	Diesel
Site History:	Not reported

LUST:

Global Id:	T0603703852
Contact Type:	Local Agency Caseworker
Contact Name:	JOHN AWUJO
Organization Name:	LOS ANGELES COUNTY
Address:	900 S FREMONT AVE
City:	ALHAMBRA
Email:	jawujo@dpw.lacounty.gov
Phone Number:	6264583507

Global Id:	T0603703852
Contact Type:	Regional Board Caseworker
Contact Name:	YUE RONG
Organization Name:	LOS ANGELES RWQCB (REGION 4)
Address:	320 W. 4TH ST., SUITE 200
City:	Los Angeles
Email:	yrong@waterboards.ca.gov
Phone Number:	Not reported

LUST:

Global Id:	T0603703852
Action Type:	Other
Date:	07/24/1990

J & N ELECTRIC (Continued) **U001565240**

Action: Leak Reported

Global Id: T0603703852
Action Type: Other
Date: 09/13/1989
Action: Leak Stopped

Global Id: T0603703852
Action Type: Other
Date: 09/13/1989
Action: Leak Discovery

LUST:
Global Id: T0603703852
Status: Open - Case Begin Date
Status Date: 09/13/1989

Global Id: T0603703852
Status: Completed - Case Closed
Status Date: 11/12/1996

LUST REG 4:
Region: 4
Regional Board: 04
County: Los Angeles
Facility Id: I-11805
Status: Case Closed
Substance: Diesel
Substance Quantity: Not reported
Local Case No: Not reported
Case Type: Groundwater
Abatement Method Used at the Site: Excavate and Dispose
Global ID: T0603703852
W Global ID: Not reported
Staff: UNK
Local Agency: 19000
Cross Street: 178TH ST.
Enforcement Type: Not reported
Date Leak Discovered: 9/13/1989
Date Leak First Reported: 7/24/1990
Date Leak Record Entered: 10/1/1990
Date Confirmation Began: Not reported
Date Leak Stopped: 9/13/1989
Date Case Last Changed on Database: 5/12/1997
Date the Case was Closed: 11/12/1996
How Leak Discovered: Tank Closure
How Leak Stopped: Not reported
Cause of Leak: UNK
Leak Source: UNK
Operator: NASON, JERRY
Water System: Not reported
Well Name: Not reported
Approx. Dist To Production Well (ft): 1143.012548218841182514451 6883
Source of Cleanup Funding: UNK
Preliminary Site Assessment Workplan Submitted: Not reported

J & N ELECTRIC (Continued) **U001565240**

Preliminary Site Assessment Began:	Not reported
Pollution Characterization Began:	Not reported
Remediation Plan Submitted:	Not reported
Remedial Action Underway:	Not reported
Post Remedial Action Monitoring Began:	Not reported
Enforcement Action Date:	Not reported
Historical Max MTBE Date:	Not reported
Hist Max MTBE Conc in Groundwater:	Not reported
Hist Max MTBE Conc in Soil:	Not reported
Significant Interim Remedial Action Taken:	Not reported
GW Qualifier:	Not reported
Soil Qualifier:	Not reported
Organization:	Not reported
Owner Contact:	Not reported
Responsible Party:	J & N ELECTRIC
RP Address:	17107 ROSETON AVE, ARTESIA CA 90701
Program:	LUST
Lat/Long:	33.875364 / -1
Local Agency Staff:	Not reported
Beneficial Use:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Suspended:	Not reported
Assigned Name:	Not reported
Summary:	05/12/97 - REC'D LOC LETTER 01/31/97 - WELL ABANDONMENT

SWEEPS UST:

Name:	J AND N ELECTRIC
Address:	17107 ROSETON AVE
City:	ARTESIA
Status:	Active
Comp Number:	11805
Number:	9
Board Of Equalization:	Not reported
Referral Date:	06-30-89
Action Date:	Not reported
Created Date:	06-30-89
Owner Tank Id:	Not reported
SWRCB Tank Id:	Not reported
Tank Status:	Not reported
Capacity:	Not reported
Active Date:	Not reported
Tank Use:	Not reported
STG:	Not reported
Content:	Not reported
Number Of Tanks:	Not reported

HIST UST:

Name:	J AND N ELECTRIC
Address:	17107 ROSETON AVE
City,State,Zip:	ARTESIA, CA 90701
File Number:	0002701F
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002701F.pdf
Region:	STATE
Facility ID:	00000005076

J & N ELECTRIC (Continued) **U001565240**

Facility Type:	Other
Other Type:	ELECTRICAL CONTRACTO
Contact Name:	JERRY NASON
Telephone:	2139240031
Owner Name:	J & N ELECTRIC
Owner Address:	17107 ROSETON AVE.
Owner City,St,Zip:	ARTESIA, CA 90701
Total Tanks:	0002
Tank Num:	001
Container Num:	1
Year Installed:	Not reported
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	DIESEL
Container Construction Thickness:	Not reported
Leak Detection:	None
Tank Num:	002
Container Num:	2
Year Installed:	Not reported
Tank Capacity:	00002000
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	Not reported
Leak Detection:	None

Click here for Geo Tracker PDF:

CORTESE:

Name:	J & N ELECTRIC
Address:	17107 ROSETON AVE
City,State,Zip:	ARTESIA, CA 90701
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0603703852
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

HIST CORTESE:

J & N ELECTRIC (Continued) **U001565240**

edr_fname: J & N ELECTRIC
edr_fadd1: 17107 ROSETON
City,State,Zip: ARTESIA, CA 90701
Region: CORTESE
Facility County Code: 19
Reg By: LTNKA
Reg Id: I-11805

CERS:
Name: J & N ELECTRIC
Address: 17107 ROSETON AVE
City,State,Zip: ARTESIA, CA 90701
Site ID: 207356
CERS ID: T0603703852
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: JOHN AWUJO - LOS ANGELES COUNTY
Entity Title: Not reported
Affiliation Address: 900 S FREMONT AVE
Affiliation City: ALHAMBRA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 6264583507

Affiliation Type Desc: Regional Board Caseworker
Entity Name: YUE RONG - LOS ANGELES RWQCB (REGION 4)
Entity Title: Not reported
Affiliation Address: 320 W. 4TH ST., SUITE 200
Affiliation City: Los Angeles
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

104
NW
1/8-1/4
0.160 mi.
847 ft.

M G WATANBE INC DBA WEST COAST MICROWAVE **RCRA NonGen / NLR** **1024823043**
17031 ROSETON AVE **CAL000342662**
ARTESIA, CA 90701

Relative:
Lower

Actual:
62 ft.

RCRA NonGen / NLR:
Date Form Received by Agency: 20190619
Handler Name: M G WATANBE INC DBA WEST COAST MICROWAVE
Handler Address: 17031 ROSETON AVE
Handler City,State,Zip: ARTESIA, CA 90701-2642
EPA ID: CAL000342662
Contact Name: MICHAEL WATANABE
Contact Address: 17031 ROSETON AVE
Contact City,State,Zip: ARTESIA, CA 90701
Contact Telephone: 562-547-9701
Contact Fax: 562-402-9699
Contact Email: MWATANABE.WCA@GMAIL.COM
Contact Title: PRES
EPA Region: 09

M G WATANBE INC DBA WEST COAST MICROWAVE (Continued) **1024823043**

Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	E DEL AMO BLVD STE 240
Mailing City,State,Zip:	LAKEWOOD, CA 90715
Owner Name:	MICHAEL WATANABE
Owner Type:	Other
Operator Name:	WAYNE MURASHIGE
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No

M G WATANBE INC DBA WEST COAST MICROWAVE (Continued) **1024823043**

Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20190628
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	WAYNE MURASHIGE
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17031 ROSETON AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-402-8989
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MICHAEL WATANABE
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	19220 MADEIRA COURT
Owner/Operator City,State,Zip:	CERRITOS, CA 90703-7388
Owner/Operator Telephone:	562-467-0721
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20190619
Handler Name:	M G WATANBE INC DBA WEST COAST MICROWAVE
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

List of NAICS Codes and Descriptions:

NAICS Code:	56299
NAICS Description:	ALL OTHER WASTE MANAGEMENT SERVICES

M G WATANBE INC DBA WEST COAST MICROWAVE (Continued) **1024823043**

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

P105 **BOULEVARD CLEANERS** **RCRA-SQG** **1000281901**
ESE **11831 ARTESIA BLVD** **CERS HAZ WASTE** **CAD981621964**
1/8-1/4 **ARTESIA, CA 90701** **FINDS**
0.167 mi. **ECHO**
882 ft. **Site 1 of 9 in cluster P** **DRYCLEANERS**
EMI
Relative: Lower **HAZNET**
CERS
Actual: 61 ft. **HWTS**

RCRA-SQG:

Date Form Received by Agency:		19960901
Handler Name:	BOULEVARD CLEANERS	
Handler Address:		11831 ARTESIA BLVD
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAD981621964
Contact Name:		Not reported
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		CA
State District:		4
Mailing Address:		11831 ARTESIA BLVD
Mailing City,State,Zip:		ARTESIA, CA 90701
Owner Name:		Not reported
Owner Type:		Not reported
Operator Name:		NOT REQUIRED
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No

BOULEVARD CLEANERS (Continued) **1000281901**

Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20020917
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	LIA CHESTER
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

BOULEVARD CLEANERS (Continued) **1000281901**

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NOT REQUIRED
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19960901
Handler Name: BOULEVARD CLEANERS	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	CA
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	19861226
Handler Name: BOULEVARD CLEANERS	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	CA
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	81232
NAICS Description:	DRYCLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)

Facility Has Received Notices of Violation:

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	19941114
Actual Return to Compliance Date:	19991114
Return to Compliance Qualifier:	Not Resolved
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported

BOULEVARD CLEANERS (Continued) **1000281901**

Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:

Evaluation Date:	19941114
Evaluation Responsible Agency:	State Contractor/Grantee
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Evaluation Responsible Person Identifier:	R9STA
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19991114
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

CERS HAZ WASTE:

Name:	ARTESIA CENTER CLEANERS
Address:	11831 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Site ID:	93526
CERS ID:	10280173
CERS Description:	Hazardous Waste Generator

FINDS:
Registry ID: 110002727265

Click Here:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource

BOULEVARD CLEANERS (Continued) **1000281901**

Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000281901
Registry ID:	110002727265
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002727265
Name:	BOULEVARD CLEANERS
Address:	11831 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701

DRYCLEANERS:

Name:	AJAY CLEANERS
Address:	11831 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 907014002
EPA Id:	CAL000297623
NAICS Code:	81232
NAICS Description:	Drycleaning and Laundry Services (except Coin-Operated)
SIC Code:	7211
SIC Description:	Power Laundries, Family and Commercial
Create Date:	08/17/2005
Facility Active:	No
Inactive Date:	05/18/2006
Facility Addr2:	Not reported
Owner Name:	JAYESH PATEL
Owner Address:	2462 CLARENDON AVE
Owner Address 2:	Not reported
Owner Telephone:	7142732648
Contact Name:	JAYESH PATEL
Contact Address:	2462 CLARENDON AVE
Contact Address 2:	Not reported
Contact Telephone:	7142732648
Contact Fax:	3235831978
Mailing Name:	Not reported
Mailing Address 1:	11831 ARTESIA BLVD
Mailing Address 2:	Not reported
Mailing City:	ARTESIA
Mailing State:	CA
Mailing Zip:	907014002
Owner Fax:	Not reported
Region Code:	3
Latitude:	33.873119
Longitude:	-118.081554

Name:	ARTESIA CENTER CLEANERS
Address:	11831 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 907014002
EPA Id:	CAL000306979
NAICS Code:	81232
NAICS Description:	Drycleaning and Laundry Services (except Coin-Operated)
SIC Code:	7211

BOULEVARD CLEANERS (Continued) **1000281901**

SIC Description:	Power Laundries, Family and Commercial
Create Date:	05/18/2006
Facility Active:	Yes
Inactive Date:	Not reported
Facility Addr2:	Not reported
Owner Name:	SOTERO MURGUIA
Owner Address:	11831 ARTESIA BLVD
Owner Address 2:	Not reported
Owner Telephone:	5628607631
Contact Name:	SOTERO MURGUIA
Contact Address:	13812 ARTHUR AVE STE 8
Contact Address 2:	Not reported
Contact Telephone:	5628607631
Contact Fax:	0
Mailing Name:	Not reported
Mailing Address 1:	11831 ARTESIA BLVD
Mailing Address 2:	Not reported
Mailing City:	ARTESIA
Mailing State:	CA
Mailing Zip:	907014002
Owner Fax:	0
Region Code:	3
Latitude:	33.873119
Longitude:	-118.081554

DRYCLEAN SOUTH COAST:

Name:	BOULEVARD CLEANERS
Address:	11831 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Facility ID:	83024
Application Number:	242012
Permit Number:	D36544
Status:	O
Representative Name:	JUNG K. HONG
Representative Telephone:	562 8607631
Permit Status:	INACTIVE
BCAT Number:	000234
BCAT Description:	DRY CLEANING EQUIP PERCHLOROETHYLENE
CCAT Number:	04
CCAT Description:	VAPOR RECOVERY UNIT COMPRESS & CONDENSE
UTM East:	399.95999146
UTM North:	3748.4208984
Application Date:	12/03/1990
PO Issue Date:	03/04/1991
NAICS Code:	Not reported
SIC Code:	7216

Name:	BOULEVARD CLEANERS
Address:	11831 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Facility ID:	42767
Application Number:	118979
Permit Number:	M37506
Status:	S
Representative Name:	LIA I. CHESHER
Representative Telephone:	213 8651116
Permit Status:	INACTIVE

BOULEVARD CLEANERS (Continued) **1000281901**

BCAT Number: 000234
BCAT Description: DRY CLEANING EQUIP PERCHLOROETHYLENE
CCAT Number: 04
CCAT Description: VAPOR RECOVERY UNIT COMPRESS & CONDENSE
UTM East: 0
UTM North: 0
Application Date: 01/12/1984
PO Issue Date: 04/24/1984
NAICS Code: Not reported
SIC Code: 7216

EMI:
Name: BOULEVARD CLEANERS, LIA I. CHE
Address: 11831 ARTESIA BL
City,State,Zip: ARTESIA, CA 907010000
Year: 1987
County Code: 19
Air Basin: SC
Facility ID: 42767
Air District Name: SC
SIC Code: 7216
Air District Name: SOUTH COAST AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 1
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers and Smllr Tons/Yr: 0

HAZNET:
Name: BOULEVARD CLEANERS
Address: 11831 ARTESIA BLVD
Address 2: Not reported
City,State,Zip: ARTESIA, CA 907010000
Contact: --
Telephone: --
Mailing Name: Not reported
Mailing Address: 11831 ARTESIA BLVD

Year: 2004
Gepaid: CAD981621964
TSD EPA ID: NVR000076158
CA Waste Code: 211 - Halogenated solvents (chloroforms, methyl chloride, perchloroethylene, etc)
Disposal Method: -
Tons: 0.2851

Year: 2002
Gepaid: CAD981621964
TSD EPA ID: CAD008302903
CA Waste Code: 211 - Halogenated solvents (chloroforms, methyl chloride, perchloroethylene, etc)
Disposal Method: R01 - Recycler

BOULEVARD CLEANERS (Continued) **1000281901**

Tons:	0.1251
Year:	2002
Gepaid:	CAD981621964
TSD EPA ID:	CAD008302903
CA Waste Code:	211 - Halogenated solvents (chloroforms, methyl chloride, perchloroethylene, etc)
Disposal Method:	H01 - Transfer Station
Tons:	0.375
Year:	1999
Gepaid:	CAD981621964
TSD EPA ID:	CAD981397417
CA Waste Code:	211 - Halogenated solvents (chloroforms, methyl chloride, perchloroethylene, etc)
Disposal Method:	R01 - Recycler
Tons:	0.2524
Year:	1998
Gepaid:	CAD981621964
TSD EPA ID:	CAD981397417
CA Waste Code:	211 - Halogenated solvents (chloroforms, methyl chloride, perchloroethylene, etc)
Disposal Method:	R01 - Recycler
Tons:	0.6821
Year:	1997
Gepaid:	CAD981621964
TSD EPA ID:	CAD981397417
CA Waste Code:	211 - Halogenated solvents (chloroforms, methyl chloride, perchloroethylene, etc)
Disposal Method:	R01 - Recycler
Tons:	0.5131
Year:	1996
Gepaid:	CAD981621964
TSD EPA ID:	CAD981397417
CA Waste Code:	211 - Halogenated solvents (chloroforms, methyl chloride, perchloroethylene, etc)
Disposal Method:	R01 - Recycler
Tons:	0.8197
Year:	1995
Gepaid:	CAD981621964
TSD EPA ID:	CAD981397417
CA Waste Code:	211 - Halogenated solvents (chloroforms, methyl chloride, perchloroethylene, etc)
Disposal Method:	R01 - Recycler
Tons:	0.5381
Year:	1987
Gepaid:	CAD981621964
TSD EPA ID:	CAD980737584
CA Waste Code:	211 - Halogenated solvents (chloroforms, methyl chloride, perchloroethylene, etc)
Disposal Method:	14 -
Tons:	0.195

BOULEVARD CLEANERS (Continued) **1000281901**

Additional Info:

Year:	2004
Gen EPA ID:	CAD981621964
Shipment Date:	20040927
Creation Date:	12/21/2004 18:30:50
Receipt Date:	20041005
Manifest ID:	24277624
Trans EPA ID:	CAR000063921
Trans Name:	CONSOLIDATED WESTERN
Trans 2 EPA ID:	CAD981375983
Trans 2 Name:	TECHNICHEM INC
TSDF EPA ID:	NVR000076158
Trans Name:	RESOLVENT INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F002
Meth Code:	- Not reported
Quantity Tons:	0.1251
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20040927
Creation Date:	12/21/2004 18:30:50
Receipt Date:	20041005
Manifest ID:	24277624
Trans EPA ID:	CAR000063921
Trans Name:	CONSOLIDATED WESTERN
Trans 2 EPA ID:	CAD981375983
Trans 2 Name:	TECHNICHEM INC
TSDF EPA ID:	NVR000076158
Trans Name:	RESOLVENT INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F002
Meth Code:	- Not reported
Quantity Tons:	0.16
Waste Quantity:	320
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1996

BOULEVARD CLEANERS (Continued) **1000281901**

Gen EPA ID:	CAD981621964
Shipment Date:	19961004
Creation Date:	5/20/1997 0:00:00
Receipt Date:	19961007
Manifest ID:	96356805
Trans EPA ID:	CAD981414386
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981397417
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F002
Meth Code:	R01 - Recycler
Quantity Tons:	0.1876
Waste Quantity:	45
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19961004
Creation Date:	5/20/1997 0:00:00
Receipt Date:	19961007
Manifest ID:	96356805
Trans EPA ID:	CAD981414386
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981397417
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F002
Meth Code:	R01 - Recycler
Quantity Tons:	0.6321
Waste Quantity:	0.75
Quantity Unit:	Y
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1995
Gen EPA ID:	CAD981621964
Shipment Date:	19950327

BOULEVARD CLEANERS (Continued) **1000281901**

Creation Date:	4/2/1996 0:00:00
Receipt Date:	19950328
Manifest ID:	95190205
Trans EPA ID:	CAD981414386
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981397417
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD981397417
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F002
Meth Code:	R01 - Recycler
Quantity Tons:	0.1167
Waste Quantity:	28
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	19950327
Creation Date:	4/2/1996 0:00:00
Receipt Date:	19950328
Manifest ID:	95190205
Trans EPA ID:	CAD981414386
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981397417
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD981397417
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F002
Meth Code:	R01 - Recycler
Quantity Tons:	0.4214
Waste Quantity:	0.5
Quantity Unit:	Y
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1998
Gen EPA ID:	CAD981621964

Shipment Date:	19980811
Creation Date:	12/7/1998 0:00:00
Receipt Date:	19980812
Manifest ID:	98078089

BOULEVARD CLEANERS (Continued) **1000281901**

Trans EPA ID:	CAD981414386
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981397417
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD981397417
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F002
Meth Code:	R01 - Recycler
Quantity Tons:	0.05
Waste Quantity:	12
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19980811
Creation Date:	12/7/1998 0:00:00
Receipt Date:	19980812
Manifest ID:	98078089
Trans EPA ID:	CAD981414386
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981397417
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD981397417
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F002
Meth Code:	R01 - Recycler
Quantity Tons:	0.6321
Waste Quantity:	0.75
Quantity Unit:	Y
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2002
Gen EPA ID:	CAD981621964
Shipment Date:	20020128
Creation Date:	6/7/2002 18:30:54
Receipt Date:	20020208
Manifest ID:	21716364
Trans EPA ID:	CAR000036921
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported

BOULEVARD CLEANERS (Continued) **1000281901**

Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F002
Meth Code:	R01 - Recycler
Quantity Tons:	0.1251
Waste Quantity:	30
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20020128
Creation Date:	6/7/2002 18:30:54
Receipt Date:	20020208
Manifest ID:	21716364
Trans EPA ID:	CAR000036921
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008302903
Trans Name:	Not reported
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.375
Waste Quantity:	750
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	1999
Gen EPA ID:	CAD981621964

Shipment Date:	19990112
Creation Date:	4/5/1999 0:00:00
Receipt Date:	19990113
Manifest ID:	98889537
Trans EPA ID:	CAD981414386
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981397417
Trans Name:	Not reported

BOULEVARD CLEANERS (Continued) **1000281901**

TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code: F002
Meth Code: R01 - Recycler
Quantity Tons: 0.0417
Waste Quantity: 10
Quantity Unit: G
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Shipment Date: 19990112
Creation Date: 4/5/1999 0:00:00
Receipt Date: 19990113
Manifest ID: 98889537
Trans EPA ID: CAD981414386
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD981397417
Trans Name: Not reported
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code: F002
Meth Code: R01 - Recycler
Quantity Tons: 0.2107
Waste Quantity: 0.25
Quantity Unit: Y
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

Additional Info:
Year: 1997
Gen EPA ID: CAD981621964

Shipment Date: 19971007
Creation Date: 7/23/1998 0:00:00
Receipt Date: 19971008
Manifest ID: 96801435
Trans EPA ID: CAD981414386
Trans Name: Not reported
Trans 2 EPA ID: Not reported
Trans 2 Name: Not reported
TSDF EPA ID: CAD981397417
Trans Name: Not reported
TSDF Alt EPA ID: CAD981397417
TSDF Alt Name: Not reported
Waste Code Description: 211 - Halogenated solvents (chloroform, methyl chloride,

BOULEVARD CLEANERS (Continued) **1000281901**

	perchloroethylene, etc.
RCRA Code:	F002
Meth Code:	R01 - Recycler
Quantity Tons:	0.0917
Waste Quantity:	22
Quantity Unit:	G
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	19971007
Creation Date:	7/23/1998 0:00:00
Receipt Date:	19971008
Manifest ID:	96801435
Trans EPA ID:	CAD981414386
Trans Name:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD981397417
Trans Name:	Not reported
TSDF Alt EPA ID:	CAD981397417
TSDF Alt Name:	Not reported
Waste Code Description:	211 - Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.
RCRA Code:	F002
Meth Code:	R01 - Recycler
Quantity Tons:	0.4214
Waste Quantity:	0.5
Quantity Unit:	Y
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	ARTESIA CENTER CLEANERS
Address:	11831 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Site ID:	93526
CERS ID:	10280173
CERS Description:	Chemical Storage Facilities

Violations:

Site ID:	93526
Site Name:	ARTESIA CENTER CLEANERS
Violation Date:	01-28-2021
Citation:	22 CCR 12 66262.40(a) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(a)
Violation Description:	Failure to keep a copy of each properly signed manifest for at least three years from the date the waste was accepted by the initial transporter. The manifest signed at the time the waste was accepted for transport shall be kept until receiving a signed copy from the designated facility which received the waste.
Violation Notes:	OBSERVATION: Copies of hazardous waste disposal records (manifest/bill

BOULEVARD CLEANERS (Continued) **1000281901**

of lading/receipts, etc) for the waste hydrocarbon was not available at the time of facility visit. Hazardous waste generators shall retain copies of all manifests signed off by the disposal facility and all receipts used in a consolidated manifesting procedure on site for three (3) years and have them readily available for review. CORRECTIVE ACTION: Locate the copies of the hazardous waste disposal records (manifest/bill of lading/receipts, etc) for the last 3 years and send a copy via email to CUPA inspector. Complete then submit the Certification of Compliance via email to CUPA inspector on or before the compliance date

Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 93526
Site Name: ARTESIA CENTER CLEANERS
Violation Date: 10-21-2014
Citation: HSC 6.95 25508(d) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(d)
Violation Description: Failure to complete and/or electronically submit a business plan when storing/handling a hazardous material at or above reportable quantities.
Violation Notes: Returned to compliance on 02/20/2016. OBSERVATION: A business plan has not been received by the CUPA. The facility was previously sent a notice/request from the CUPA for the submittal of a business plan by 11/21/2014 CORRECTIVE ACTION: Submit the business plan electronically in the California Environmental Reporting System (CERS) and implement immediately.
Violation Division: Los Angeles County Fire Department
Violation Program: HMRRP
Violation Source: CERS

Site ID: 93526
Site Name: ARTESIA CENTER CLEANERS
Violation Date: 01-02-2018
Citation: HSC 6.5 25123.3(h)(1) - California Health and Safety Code, Chapter 6.5, Section(s) 25123.3(h)(1)
Violation Description: Failure to send hazardous waste offsite for treatment, storage, or disposal within 180 days (or 270 days if waste is transported over 200 miles) for a generator who generates less than 1000 kilogram per month if all of the following conditions are met: (1) The quantity of hazardous waste accumulated onsite never exceeds 6,000 kilograms. (2) The generator complies with the requirements of 40 Code of Federal Regulations section 262.34(d), (e) and (f). (3) The generator does not hold acutely hazardous waste or extremely hazardous waste in an amount greater than one kilogram for more than 90 days.
Violation Notes: Returned to compliance on 02/02/2018. OBSERVATION: A 55 gallon blue drum indicating it contained waste hydrocarbons was observed without an accumulation start date and a manifest/receipt demonstrating disposal within the past 180 days was not available. The last documentated hazwaste disposal wasl dated 4/27/2016. CORRECTIVE ACTION: Since it cannot be determined how long the drum of waste hydrocarbon have been on site, immediately contact a licensed hazardous waste hauler to dispose of this waste and submit a copy of the manifest to the CUPA by 2/1/2018. Provide a copy of the manifest via email.
Violation Division: Los Angeles County Fire Department

BOULEVARD CLEANERS (Continued) **1000281901**

Violation Program: HW
Violation Source: CERS

Evaluation:
Eval General Type: Other/Unknown
Eval Date: 02-02-2018
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-21-2014
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-28-2021
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: SOTERO MURGUIA OWNER
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-28-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: SOTERO MURGUIA OWNER
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 10-10-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: IVN04EMZP
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 10-21-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: No significant violations observed on inspection date.
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

BOULEVARD CLEANERS (Continued) **1000281901**

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-02-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: SOTERO MURGUIA OWNER
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 01-02-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: SOTERO MURGUIA OWNER
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Coordinates:
Site ID: 93526
Facility Name: ARTESIA CENTER CLEANERS
Env Int Type Code: HWG
Program ID: 10280173
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 33.873370
Longitude: -118.081180

Affiliation:
Affiliation Type Desc: Document Preparer
Entity Name: JUNG HONG
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: SOTERO MURGUIA
Entity Title: Not reported
Affiliation Address: 11831 ARTESIA
Affiliation City: ARTESIA
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 90701
Affiliation Phone: (562) 860-7631

Affiliation Type Desc: Parent Corporation
Entity Name: ARTESIA CENTER CLEANERS
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported

BOULEVARD CLEANERS (Continued) **1000281901**

Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: SOTERO MURGUIA
Entity Title: Not reported
Affiliation Address: 11831 ARTESIA BLVD
Affiliation City: ARTESIA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90701
Affiliation Phone: Not reported

Affiliation Type Desc: CUPA District
Entity Name: Los Angeles County Fire
Entity Title: Not reported
Affiliation Address: 5825 Rickenbacker Road
Affiliation City: Commerce
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90040-3027
Affiliation Phone: (323) 890-4000

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 11831 ARTESIA BLVD
Affiliation City: ARTESIA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90701
Affiliation Phone: Not reported

Affiliation Type Desc: Operator
Entity Name: SOTERO MURGUIA
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (562) 860-7631

HWTS:
Name: BOULEVARD CLEANERS
Address: 11831 ARTESIA BLVD
Address 2: Not reported
City,State,Zip: ARTESIA, CA 907010000
EPA ID: CAL000034333
Inactive Date: 06/30/1998
Create Date: 05/16/1990
Last Act Date: 04/27/1999
Mailing Name: Not reported
Mailing Address: 11831 ARTESIA BLVD
Mailing Address 2: Not reported
Mailing City,State,Zip: ARTESIA, CA 907014002

BOULEVARD CLEANERS (Continued) **1000281901**

Owner Name:	HONG JUNG KI
Owner Address:	--
Owner Address 2:	Not reported
Owner City,State,Zip:	--, 99 --
Contact Name:	--
Contact Address:	INACT PER 98VQ FINAL NOTICE
Contact Address 2:	- BATCH 4/27
City,State,Zip:	--, 99 --
Name:	BOULEVARD CLEANERS
Address:	11831 ARTESIA BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907010000
EPA ID:	CAD981621964
Inactive Date:	06/30/1998
Create Date:	07/03/1987
Last Act Date:	04/11/2006
Mailing Name:	Not reported
Mailing Address:	11831 ARTESIA BLVD
Mailing Address 2:	Not reported
Mailing City,State,Zip:	ARTESIA, CA 907014002
Owner Name:	--
Owner Address:	--
Owner Address 2:	Not reported
Owner City,State,Zip:	--, 99 --
Contact Name:	--
Contact Address:	INACT PER 98VQ FINAL NOTICE
Contact Address 2:	- BATCH 4/27
City,State,Zip:	--, 99 --

P106 **BOULEVARD CLEANERS** **EDR Hist Cleaner** **1019942184**
ESE **11831 ARTESIA BLVD** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.167 mi.
882 ft. **Site 2 of 9 in cluster P**

Relative: EDR Hist Cleaner
Lower

Actual: **61 ft.**

Year:	Name:	Type:
1985	BOULEVARD CLEANERS & LAUNDRY	Drycleaning Plants, Except Rugs
1986	BOULEVARD CLEANERS & LAUNDRY	Drycleaning Plants, Except Rugs
1987	BOULEVARD CLEANERS & LAUNDRY	Drycleaning Plants, Except Rugs
1988	BOULEVARD CLEANERS & LAUNDRY	Drycleaning Plants, Except Rugs
1989	BOULEVARD CLEANERS & LAUNDRY	Drycleaning Plants, Except Rugs
1990	BOULEVARD CLEANERS & LAUNDRY	Drycleaning Plants, Except Rugs
1991	BOULEVARD CLEANERS & LAUNDRY	Drycleaning Plants, Except Rugs
1992	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
1993	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
1994	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
1995	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
1996	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
1997	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
1998	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
1999	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
2000	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
2001	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
2002	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
2003	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs

BOULEVARD CLEANERS (Continued) **1019942184**

2004	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
2005	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
2006	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
2007	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
2008	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
2009	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
2010	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
2011	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
2012	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
2013	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs
2014	BOULEVARD CLEANERS	Drycleaning Plants, Except Rugs

P107 **ARTESIA CENTER CLEANERS, SOTERO MURGUIA** **DRYCLEANERS** **S121695950**
ESE **11831 ARTESIA BLVD** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.167 mi.
882 ft. **Site 3 of 9 in cluster P**

Relative: **Lower**
Actual: **61 ft.**

DRYCLEAN SOUTH COAST:

Name:	ARTESIA CENTER CLEANERS, SOTERO MURGUIA
Address:	11831 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Facility ID:	148775
Application Number:	458992
Permit Number:	F84338
Status:	A
Representative Name:	SOTERO MURGUIA
Representative Telephone:	562 8607631
Permit Status:	EXPIRED
BCAT Number:	000233
BCAT Description:	DRY CLEANING EQUIP PETROLEUM SOLVENT
CCAT Number:	Not reported
CCAT Description:	Not reported
UTM East:	399.97000122
UTM North:	3748.4199219
Application Date:	07/25/2006
PO Issue Date:	09/26/2006
NAICS Code:	812320
SIC Code:	7216

P108 **ARTESIA CENTER CLEANERS** **RCRA NonGen / NLR** **1024813970**
ESE **11831 ARTESIA BLVD** **CAL000306979**
1/8-1/4 **ARTESIA, CA 90701**
0.167 mi.
882 ft. **Site 4 of 9 in cluster P**

Relative: **Lower**
Actual: **61 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:	20060518
Handler Name:	ARTESIA CENTER CLEANERS
Handler Address:	11831 ARTESIA BLVD
Handler City,State,Zip:	ARTESIA, CA 90701-4002
EPA ID:	CAL000306979
Contact Name:	SOTERO MURGUIA
Contact Address:	13812 ARTHUR AVE STE 8
Contact City,State,Zip:	PARAMOUNT, CA 90723
Contact Telephone:	562-860-7631

ARTESIA CENTER CLEANERS (Continued) **1024813970**

Contact Fax:	000-000-0000
Contact Email:	DORAPINONES@HOTMAIL.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	11831 ARTESIA BLVD
Mailing City,State,Zip:	ARTESIA, CA 90701-4002
Owner Name:	SOTERO MURGUIA
Owner Type:	Other
Operator Name:	SOTERO MURGUIA
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A

ARTESIA CENTER CLEANERS (Continued) **1024813970**

Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	SOTERO MURGUIA
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	13812 ARTHUR AVE STE 8
Owner/Operator City,State,Zip:	PARAMOUNT, CA 90723
Owner/Operator Telephone:	562-860-7631
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	SOTERO MURGUIA
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	11831 ARTESIA BLVD
Owner/Operator City,State,Zip:	ARTESIA, CA 90701-4002
Owner/Operator Telephone:	562-860-7631
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20060518
Handler Name:	ARTESIA CENTER CLEANERS
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

ARTESIA CENTER CLEANERS (Continued) **1024813970**

List of NAICS Codes and Descriptions:
NAICS Code: 81232
NAICS Description: DRYCLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

P109 **AJAY CLEANERS, JAYESH K PATEL** **DRYCLEANERS** **S121695570**
ESE **11831 ARTESIA BLVD** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.167 mi.
882 ft. **Site 5 of 9 in cluster P**

Relative: **Lower**
Actual: **61 ft.**

DRYCLEAN SOUTH COAST:
Name: AJAY CLEANERS, JAYESH K PATEL
Address: 11831 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Facility ID: 142516
Application Number: 436544
Permit Number: F71807
Status: S
Representative Name: JAYESH K. PATEL
Representative Telephone: 562 8607631
Permit Status: INACTIVE
BCAT Number: 000233
BCAT Description: DRY CLEANING EQUIP PETROLEUM SOLVENT
CCAT Number: Not reported
CCAT Description: Not reported
UTM East: 0
UTM North: 0
Application Date: 11/02/2004
PO Issue Date: 11/10/2004
NAICS Code: Not reported
SIC Code: 7216

P110 **DOLLAR TREE #04575** **RCRA NonGen / NLR** **1024835899**
ESE **11837 ARTESIA BLVD** **CAL000378449**
1/8-1/4 **ARTESIA, CA 90701**
0.172 mi.
906 ft. **Site 6 of 9 in cluster P**

Relative: **Lower**
Actual: **61 ft.**

RCRA NonGen / NLR:
Date Form Received by Agency: 20120920
Handler Name: DOLLAR TREE #04575
Handler Address: 11837 ARTESIA BLVD
Handler City,State,Zip: ARTESIA, CA 90701-4002
EPA ID: CAL000378449
Contact Name: ANGELA JONES
Contact Address: 500 VOLVO PKWY
Contact City,State,Zip: CHESAPEAKE, VA 23320-1604
Contact Telephone: 757-321-5761

DOLLAR TREE #04575 (Continued) **1024835899**

Contact Fax:	757-321-5160
Contact Email:	AJONES@DOLLARTREE.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	500 VOLVO PKWY
Mailing City,State,Zip:	CHESAPEAKE, VA 23320-1604
Owner Name:	DOLLAR TREE STORES, INC.
Owner Type:	Other
Operator Name:	ANGELA JONES
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A

DOLLAR TREE #04575 (Continued) **1024835899**

Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180906
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	DOLLAR TREE STORES, INC.
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	500 VOLVO PKWY
Owner/Operator City,State,Zip:	CHESAPEAKE, VA 23320-1604
Owner/Operator Telephone:	757-321-5000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	ANGELA JONES
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	500 VOLVO PKWY
Owner/Operator City,State,Zip:	CHESAPEAKE, VA 23320-1604
Owner/Operator Telephone:	757-321-5761
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20120920
Handler Name: DOLLAR TREE #04575	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

DOLLAR TREE #04575 (Continued) **1024835899**

List of NAICS Codes and Descriptions:
NAICS Code: 45299
NAICS Description: ALL OTHER GENERAL MERCHANDISE STORES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

P111 **DOLLAR TREE #04575** **CERS HAZ WASTE** **S117310765**
ESE **11837 ARTESIA BLVD** **HAZNET** **N/A**
1/8-1/4 **ARTESIA, CA 90701** **CERS**
0.172 mi. **HWTS**
906 ft. **Site 7 of 9 in cluster P**

Relative: **Lower**
Actual: **61 ft.**

CERS HAZ WASTE:
Name: DOLLAR TREE #04575
Address: 11837 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 112178
CERS ID: 10176097
CERS Description: Hazardous Waste Generator

HAZNET:
Name: DOLLAR TREE #04575
Address: 11837 ARTESIA BLVD
Address 2: Not reported
City,State,Zip: ARTESIA, CA 233201604
Contact: ANGELA JONES
Telephone: 7573215761
Mailing Name: Not reported
Mailing Address: 500 VOLVO PKWY

Year: 2019
Gepaid: CAL000378449
TSD EPA ID: NVD980895338
CA Waste Code: 331 - Off-specification, aged or surplus organics
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.00350

Year: 2019
Gepaid: CAL000378449
TSD EPA ID: NVD980895338
CA Waste Code: 214 - Unspecified solvent mixture
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons: 0.00400

Year: 2019
Gepaid: CAL000378449
TSD EPA ID: AZR000515924
CA Waste Code: 331 - Off-specification, aged or surplus organics
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No

DOLLAR TREE #04575 (Continued) **S117310765**

	Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.05250
Year:	2018
Gepaid:	CAL000378449
TSD EPA ID:	CAD008364432
CA Waste Code:	214 - Unspecified solvent mixture
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.00100
Year:	2018
Gepaid:	CAL000378449
TSD EPA ID:	CAD008364432
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.00400
Year:	2018
Gepaid:	CAL000378449
TSD EPA ID:	AZR000515924
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.00500
Year:	2017
Gepaid:	CAL000378449
TSD EPA ID:	CAD008364432
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.028
Year:	2017
Gepaid:	CAL000378449
TSD EPA ID:	CAD008364432
CA Waste Code:	122 - Alkaline solution without metals pH >= 12.5
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.005
Year:	2017
Gepaid:	CAL000378449
TSD EPA ID:	CAD008364432
CA Waste Code:	214 - Unspecified solvent mixture
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.002
Year:	2016
Gepaid:	CAL000378449
TSD EPA ID:	CAD008364432
CA Waste Code:	331 - Off-specification, aged or surplus organics
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)

DOLLAR TREE #04575 (Continued) **S117310765**

Tons: 0.0095

Click this hyperlink while viewing on your computer to access
19 additional CA HAZNET: record(s) in the EDR Site Report.

Additional Info:

Year:	2015
Gen EPA ID:	CAL000378449
Shipment Date:	20150718
Creation Date:	1/20/2016 22:15:50
Receipt Date:	20150821
Manifest ID:	008507012FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD008364432
Trans 2 Name:	RHO CHEM LLC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150718
Creation Date:	9/25/2015 22:15:23
Receipt Date:	20150724
Manifest ID:	008507013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.003
Waste Quantity:	6
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported

DOLLAR TREE #04575 (Continued) **S117310765**

Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150718
Creation Date:	9/25/2015 22:15:23
Receipt Date:	20150724
Manifest ID:	008507013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0425
Waste Quantity:	85
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150718
Creation Date:	9/25/2015 22:15:23
Receipt Date:	20150724
Manifest ID:	008507013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D035
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0075
Waste Quantity:	15
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150718
Creation Date:	9/25/2015 22:15:23
Receipt Date:	20150724
Manifest ID:	008507013FLE

DOLLAR TREE #04575 (Continued) **S117310765**

Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	791 - Liquids with pH < 2 792 Liquids with pH < 2 with metals
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.009
Waste Quantity:	18
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150718
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	008507013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	141 - Off-specification, aged, or surplus inorganics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0175
Waste Quantity:	35
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150718
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	008507013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported

DOLLAR TREE #04575 (Continued) **S117310765**

TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.003
Waste Quantity:	6
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150422
Creation Date:	8/21/2015 22:15:28
Receipt Date:	20150428
Manifest ID:	005828168FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.06
Waste Quantity:	120
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150422
Creation Date:	8/21/2015 22:15:28
Receipt Date:	20150428
Manifest ID:	005828168FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.025
Waste Quantity:	50

DOLLAR TREE #04575 (Continued) **S117310765**

Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150422
Creation Date:	8/21/2015 22:15:28
Receipt Date:	20150428
Manifest ID:	005828168FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D035
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.049
Waste Quantity:	98
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2017
Gen EPA ID:	CAL000378449
Shipment Date:	20170920
Creation Date:	5/30/2018 18:33:59
Receipt Date:	20170926
Manifest ID:	010800776FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAR000217000
Trans 2 Name:	LA CHIQUITA TRUCKING
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D035
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported

DOLLAR TREE #04575 (Continued) **S117310765**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20170920
Creation Date:	5/30/2018 18:33:59
Receipt Date:	20170926
Manifest ID:	010800776FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAR000217000
Trans 2 Name:	LA CHIQUITA TRUCKING
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.003
Waste Quantity:	6
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20170920
Creation Date:	5/30/2018 18:33:59
Receipt Date:	20170926
Manifest ID:	010800776FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAR000217000
Trans 2 Name:	LA CHIQUITA TRUCKING
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0135
Waste Quantity:	27
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20170421
Creation Date:	5/9/2018 18:32:07
Receipt Date:	20170427

DOLLAR TREE #04575 (Continued) **S117310765**

Manifest ID:	010203442FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	NED986382133
Trans 2 Name:	SST
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.011
Waste Quantity:	22
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20170421
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	010203442FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	NED986382133
Trans 2 Name:	SST
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	181 - Other inorganic solid waste Organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.007
Waste Quantity:	14
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20170421
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	010203442FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	NED986382133
Trans 2 Name:	SST
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC

DOLLAR TREE #04575 (Continued) **S117310765**

TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.009
Waste Quantity:	18
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20170421
Creation Date:	5/9/2018 18:32:07
Receipt Date:	20170427
Manifest ID:	010203442FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	NED986382133
Trans 2 Name:	SST
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.005
Waste Quantity:	10
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20170421
Creation Date:	5/9/2018 18:32:07
Receipt Date:	20170427
Manifest ID:	010203442FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	NED986382133
Trans 2 Name:	SST
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	331 - Off-specification, aged, or surplus organics
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005

DOLLAR TREE #04575 (Continued) **S117310765**

Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20170421
Creation Date:	5/9/2018 18:32:07
Receipt Date:	20170427
Manifest ID:	010203442FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	NED986382133
Trans 2 Name:	SST
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D035
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0015
Waste Quantity:	3
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2013
Gen EPA ID:	CAL000378449
Shipment Date:	20131125
Creation Date:	4/24/2014 22:15:08
Receipt Date:	20131210
Manifest ID:	006270243FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	561 - Not reported
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.025
Waste Quantity:	50
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported

DOLLAR TREE #04575 (Continued) **S117310765**

Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20131125
Creation Date:	4/24/2014 22:15:08
Receipt Date:	20131210
Manifest ID:	006270243FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0265
Waste Quantity:	53
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130710
Creation Date:	11/7/2013 22:15:06
Receipt Date:	20130719
Manifest ID:	005827651FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.049
Waste Quantity:	98
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130710
Creation Date:	11/7/2013 22:15:06
Receipt Date:	20130719

DOLLAR TREE #04575 (Continued) **S117310765**

Manifest ID:	005827651FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0045
Waste Quantity:	9
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20130129
Creation Date:	6/27/2013 22:15:06
Receipt Date:	20130208
Manifest ID:	005495684FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20130129
Creation Date:	6/27/2013 22:15:06
Receipt Date:	20130208
Manifest ID:	005495684FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported

DOLLAR TREE #04575 (Continued) **S117310765**

TSDF Alt Name:	Not reported
Waste Code Description:	791 - Liquids with pH < 2 792 Liquids with pH < 2 with metals
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130129
Creation Date:	6/27/2013 22:15:06
Receipt Date:	20130208
Manifest ID:	005495684FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0095
Waste Quantity:	19
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130129
Creation Date:	6/27/2013 22:15:06
Receipt Date:	20130208
Manifest ID:	005495684FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0015
Waste Quantity:	3

DOLLAR TREE #04575 (Continued) **S117310765**

Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130129
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005495684FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	561 - Not reported
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0095
Waste Quantity:	19
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2014
Gen EPA ID:	CAL000378449
Shipment Date:	20141129
Creation Date:	3/19/2015 22:14:50
Receipt Date:	20141208
Manifest ID:	007297287FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES OF POMONA LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	141 - Off-specification, aged, or surplus inorganics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.065
Waste Quantity:	130
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported

DOLLAR TREE #04575 (Continued) **S117310765**

Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20141129
Creation Date:	3/19/2015 22:14:50
Receipt Date:	20141208
Manifest ID:	007297287FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES OF POMONA LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.06
Waste Quantity:	120
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140818
Creation Date:	2/9/2015 22:15:16
Receipt Date:	20140825
Manifest ID:	005138591FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	791 - Liquids with pH < 2 792 Liquids with pH < 2 with metals
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0045
Waste Quantity:	9
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140818
Creation Date:	2/9/2015 22:15:16
Receipt Date:	20140825
Manifest ID:	005138591FLE

DOLLAR TREE #04575 (Continued) **S117310765**

Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.015
Waste Quantity:	30
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140818
Creation Date:	2/9/2015 22:15:16
Receipt Date:	20140825
Manifest ID:	005138591FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140818
Creation Date:	2/9/2015 22:15:16
Receipt Date:	20140825
Manifest ID:	005138591FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported

DOLLAR TREE #04575 (Continued) **S117310765**

TSDF Alt Name:	Not reported
Waste Code Description:	141 - Off-specification, aged, or surplus inorganics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0855
Waste Quantity:	171
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140710
Creation Date:	12/11/2014 22:14:52
Receipt Date:	20140715
Manifest ID:	005138439FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	141 - Off-specification, aged, or surplus inorganics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0625
Waste Quantity:	125
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140710
Creation Date:	12/11/2014 22:14:52
Receipt Date:	20140715
Manifest ID:	005138439FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D035
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0015
Waste Quantity:	3

DOLLAR TREE #04575 (Continued) **S117310765**

Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140710
Creation Date:	12/11/2014 22:14:52
Receipt Date:	20140715
Manifest ID:	005138439FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0055
Waste Quantity:	11
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20140710
Creation Date:	12/11/2014 22:14:52
Receipt Date:	20140715
Manifest ID:	005138439FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0215
Waste Quantity:	43
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

DOLLAR TREE #04575 (Continued) **S117310765**

Additional Info:

Year:	2016
Gen EPA ID:	CAL000378449
Shipment Date:	20150718
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	008507013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.003
Waste Quantity:	6
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150718
Creation Date:	9/25/2015 22:15:23
Receipt Date:	20150724
Manifest ID:	008507013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D035
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0075
Waste Quantity:	15
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150718
Creation Date:	9/25/2015 22:15:23
Receipt Date:	20150724

DOLLAR TREE #04575 (Continued) **S117310765**

Manifest ID:	008507013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0425
Waste Quantity:	85
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20150718
Creation Date:	9/25/2015 22:15:23
Receipt Date:	20150724
Manifest ID:	008507013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.003
Waste Quantity:	6
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20150718
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	008507013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC

DOLLAR TREE #04575 (Continued) **S117310765**

TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	141 - Off-specification, aged, or surplus inorganics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0175
Waste Quantity:	35
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150718
Creation Date:	9/25/2015 22:15:23
Receipt Date:	20150724
Manifest ID:	008507013FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	791 - Liquids with pH < 2 792 Liquids with pH < 2 with metals
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.009
Waste Quantity:	18
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150718
Creation Date:	1/20/2016 22:15:50
Receipt Date:	20150821
Manifest ID:	008507012FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD008364432
Trans 2 Name:	RHO CHEM LLC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005

DOLLAR TREE #04575 (Continued) **S117310765**

Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150422
Creation Date:	8/21/2015 22:15:28
Receipt Date:	20150428
Manifest ID:	005828168FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	141 - Off-specification, aged, or surplus inorganics
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.07
Waste Quantity:	140
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20150422
Creation Date:	8/21/2015 22:15:28
Receipt Date:	20150428
Manifest ID:	005828168FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D035
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.049
Waste Quantity:	98
Quantity Unit:	P
Additional Code 1:	D001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

DOLLAR TREE #04575 (Continued) **S117310765**

Shipment Date:	20150422
Creation Date:	8/21/2015 22:15:28
Receipt Date:	20150428
Manifest ID:	005828168FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.025
Waste Quantity:	50
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CERS:

Name:	DOLLAR TREE #04575
Address:	11837 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Site ID:	112178
CERS ID:	10176097
CERS Description:	Chemical Storage Facilities

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	02-20-2014
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	02-20-2014
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Inspected by Eric Poomiwatracanont Consent given by Martha Jimenez
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	02-20-2014
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Inspected by Eric Poomiwatracanont Consent given by Martha Jimenez

DOLLAR TREE #04575 (Continued) **S117310765**

Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-13-2017
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Lisa Delgado, Store Manager No significant violations observed.
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	12-04-2020
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Keith Roberts, Store Manager
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	02-20-2014
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-13-2017
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Lisa Delgado, Store Manager No significant violations observed.
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	12-04-2020
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Keith Roberts, Store Manager
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS

Coordinates:

Site ID:	112178
Facility Name:	Dollar Tree #04575
Env Int Type Code:	HWG
Program ID:	10176097
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	33.873150

DOLLAR TREE #04575 (Continued) **S117310765**

Longitude: -118.080910

Affiliation:

Affiliation Type Desc:	Environmental Contact
Entity Name:	Sherry Aebersold
Entity Title:	Not reported
Affiliation Address:	1122 Runway Drive
Affiliation City:	Stockton
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	95206
Affiliation Phone:	Not reported

Affiliation Type Desc:	Identification Signer
Entity Name:	Jose Figueroa
Entity Title:	EH&S Specialist
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	500 Volvo Parkway EH&S
Affiliation City:	Chesapeake
Affiliation State:	VA
Affiliation Country:	Not reported
Affiliation Zip:	23320-1604
Affiliation Phone:	Not reported

Affiliation Type Desc:	Document Preparer
Entity Name:	JOSE FIGUEROA
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	CUPA District
Entity Name:	Los Angeles County Fire
Entity Title:	Not reported
Affiliation Address:	5825 Rickenbacker Road
Affiliation City:	Commerce
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90040-3027
Affiliation Phone:	(323) 890-4000

Affiliation Type Desc:	Legal Owner
Entity Name:	Dollar Tree Stores, Inc.
Entity Title:	Not reported
Affiliation Address:	500 Volvo Parkway

DOLLAR TREE #04575 (Continued) **S117310765**

Affiliation City:	Chesapeake
Affiliation State:	VA
Affiliation Country:	United States
Affiliation Zip:	23320-1604
Affiliation Phone:	(757) 321-5000
Affiliation Type Desc:	Operator
Entity Name:	Dollar Tree Stores, Inc.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(757) 321-5000
Affiliation Type Desc:	Parent Corporation
Entity Name:	Dollar Tree Stores, Inc.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	Pioneer Artesia Center, GP c/o Luko Management
Entity Title:	Not reported
Affiliation Address:	16400 PCH, Suite 207
Affiliation City:	Huntington Beach
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92649
Affiliation Phone:	(562) 592-6020

HWTS:

Name:	DOLLAR TREE #04575
Address:	11837 ARTESIA BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907014002
EPA ID:	CAL000378449
Inactive Date:	Not reported
Create Date:	09/20/2012
Last Act Date:	09/07/2020
Mailing Name:	Not reported
Mailing Address:	500 VOLVO PKWY
Mailing Address 2:	Not reported
Mailing City,State,Zip:	CHESAPEAKE, VA 233201604
Owner Name:	DOLLAR TREE STORES, INC.
Owner Address:	500 VOLVO PKWY
Owner Address 2:	Not reported
Owner City,State,Zip:	CHESAPEAKE, VA 233201604
Contact Name:	JESSICA DUBUQUE
Contact Address:	500 VOLVO PKWY
Contact Address 2:	Not reported

DOLLAR TREE #04575 (Continued) **S117310765**

City,State,Zip: CHESAPEAKE, VA 233201604

NAICS:

EPA ID: CAL000378449
Create Date: 2012-09-20 14:53:59.190
NAICS Code: 45299
NAICS Description: All Other General Merchandise Stores
Issued EPA ID Date: 2012-09-20 14:53:59.12700
Inactive Date: Not reported
Facility Name: DOLLAR TREE #04575
Facility Address: 11837 ARTESIA BLVD
Facility Address 2: Not reported
Facility City: ARTESIA
Facility County: Not reported
Facility State: CA
Facility Zip: 907014002

Q112 **SHIL PARK PAINT INC** **RCRA NonGen / NLR** **1024825255**
WSW **11521 ARTESIA BLVD** **CAL000350641**
1/8-1/4 **ARTESIA, CA 90701**
0.180 mi.
948 ft. **Site 1 of 2 in cluster Q**

Relative: **Lower**

Actual: **62 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency: 20100308
Handler Name: SHIL PARK PAINT INC
Handler Address: 11521 ARTESIA BLVD
Handler City,State,Zip: ARTESIA, CA 90701
EPA ID: CAL000350641
Contact Name: PETER HWANG
Contact Address: 11521 ARTESIA BLVD
Contact City,State,Zip: ARTESIA, CA 90701-0000
Contact Telephone: 562-924-0292
Contact Fax: 562-924-0840
Contact Email: PETERHWANG74@HOTMAIL.COM
Contact Title: Not reported
EPA Region: 09
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: Not reported
State District: Not reported
Mailing Address: 11521 ARTESIA BLVD
Mailing City,State,Zip: ARTESIA, CA 90701
Owner Name: SHIL PARK PAINT INC
Owner Type: Other
Operator Name: PETER HWANG
Operator Type: Other
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No

SHIL PARK PAINT INC (Continued) **1024825255**

Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	PETER HWANG
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported

SHIL PARK PAINT INC (Continued) **1024825255**

Owner/Operator Address:	11521 ARTESIA BLVD
Owner/Operator City,State,Zip:	ARTESIA, CA 90701-0000
Owner/Operator Telephone:	562-924-0292
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	SHIL PARK PAINT INC
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	1640 S VERMONT AVE
Owner/Operator City,State,Zip:	LOS ANGELES, CA 90006-0000
Owner/Operator Telephone:	323-732-7093
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20100308
Handler Name: SHIL PARK PAINT INC	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	44419
NAICS Description:	OTHER BUILDING MATERIAL DEALERS
NAICS Code:	56299
NAICS Description:	ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

Q113 **SHIL PARK PAINT** **CERS HAZ WASTE** **S123502217**
WSW **11521 ARTESIA BLVD** **CERS** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.180 mi.
948 ft. **Site 2 of 2 in cluster Q**

Relative:
Lower

Actual:
62 ft.

CERS HAZ WASTE:
Name: SHIL PARK PAINT
Address: 11521 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 153220
CERS ID: 10268965
CERS Description: Hazardous Waste Generator

CERS:
Name: SHIL PARK PAINT
Address: 11521 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 153220
CERS ID: 10268965
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 153220
Site Name: SHIL PARK PAINT
Violation Date: 07-17-2018
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 08/14/2018. OBSERVATION: All hazardous waste containers shall be marked with the following information: 1) the words "Hazardous Waste"; 2) name and address of generator; 3) hazardous properties; 4) physical state; 5) composition (contents); 6) accumulation start date. Observed more than ten 1-gallon containers, 5-gallon containers, and quart sized containers either without labels or unreadable label stored outside of the building on the north side of the property. Operator stated that most of the containers were dropped off at their location by public without them knowing about it, other containers appears to be empty. Three paint care bins were available on site. One of the three bins was not full. Operator will contact a licensed hazardous waste hauler to properly dispose of the containers. CORRECTIVE ACTION: Since it cannot be determined how long the containers have been on site, immediately contact a licensed hazardous waste hauler to dispose of this waste and submit a copy [Truncated]
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 153220
Site Name: SHIL PARK PAINT
Violation Date: 07-17-2018
Citation: 22 CCR 15 66265.171 - California Code of Regulations, Title 22, Chapter 15, Section(s) 66265.171
Violation Description: Failure to accumulate hazardous waste in a container that is in good

SHIL PARK PAINT (Continued) **S123502217**

condition.
Violation Notes: Returned to compliance on 08/13/2018. OBSERVATION: A 55 gallon metal drum labeled as flammable waste solids (contained used paint rags) was observed with rust on the top/cover. CORRECTIVE ACTION: Submit photos to the CUPA via email demonstrating the waste listed above has been transferred into a container that is in good condition or submit a manifest/receipt via email demonstrating the waste has been properly disposed of by a licensed hazardous waste hauler.
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 153220
Site Name: SHIL PARK PAINT
Violation Date: 07-17-2018
Citation: HSC 6.5 25201 - California Health and Safety Code, Chapter 6.5, Section(s) 25201
Violation Description: Failure to obtain a permit or grant of interim status after generator has accumulated hazardous waste on-site for longer than 90 days.
Violation Notes: Returned to compliance on 08/13/2018. OBSERVATION: The following were observed without accumulation start date. A manifest/receipt demonstrating disposal within the past 90 days was not available at the time of inspection. - One 55 gallon metal drum labeled as flammable waste solids (contained used paint rags) - One 55 gallon poly drum labeled as water borne cleaning solution waste CORRECTIVE ACTION: Dispose of the flammable waste solids and water borne cleaning solution waste and submit via email a copy of the manifest/receipt to the CUPA by 8/16/2018.
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Evaluation:
Eval General Type: Other/Unknown
Eval Date: 08-14-2018
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Rcvd photo and copy of bill of lading from operator NOV abated.
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-12-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: No significant violations observed on inspection date.
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-17-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: PETER HWANG, General Manager KEVIN CHANG, Store Manager
Eval Division: Los Angeles County Fire Department

SHIL PARK PAINT (Continued) **S123502217**

Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-12-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: No significant violations observed on inspection date.
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 07-17-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: PETER HWANG, General Manager KEVIN CHANG, Store Manager
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Coordinates:
Site ID: 153220
Facility Name: SHIL PARK PAINT
Env Int Type Code: HMBP
Program ID: 10268965
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 33.873340
Longitude: -118.087980

Affiliation:
Affiliation Type Desc: Legal Owner
Entity Name: SHIL K. PARK
Entity Title: Not reported
Affiliation Address: 1640 S VERMONT AVE
Affiliation City: LOS ANGELES
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 90007
Affiliation Phone: (323) 732-7093

Affiliation Type Desc: Parent Corporation
Entity Name: SHIL PARK PAINT
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 1640 S VERMONT AVE

SHIL PARK PAINT (Continued) **S123502217**

Affiliation City:	LOS ANGELES
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90007
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	SHIL PARK ARTESIA
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(714) 469-4642
Affiliation Type Desc:	Property Owner
Entity Name:	SHIL K. PARK
Entity Title:	Not reported
Affiliation Address:	1640 S VERMONT AVE
Affiliation City:	LOS ANGELES
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90007
Affiliation Phone:	(323) 732-7093
Affiliation Type Desc:	CUPA District
Entity Name:	Los Angeles County Fire
Entity Title:	Not reported
Affiliation Address:	5825 Rickenbacker Road
Affiliation City:	Commerce
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90040-3027
Affiliation Phone:	(323) 890-4000
Affiliation Type Desc:	Environmental Contact
Entity Name:	PETER HWANG
Entity Title:	Not reported
Affiliation Address:	11521 ARTESIA BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported

P114 **CVS PHARMACY NO 9488** **RCRA-LQG** **1016139995**
ESE **11851 ARTESIA BLVD** **FINDS** **CAR000235754**
1/8-1/4 **ARTESIA, CA 90701** **ECHO**
0.182 mi.
961 ft. **Site 8 of 9 in cluster P**

Relative: **Lower**
Actual: **61 ft.**

RCRA-LQG:

Date Form Received by Agency:		20200217
Handler Name:	CVS PHARMACY # 9488	
Handler Address:		11851 ARTESIA BOULEVARD
Handler City,State,Zip:		ARTESIA, CA 90701-0000

CVS PHARMACY NO 9488 (Continued) **1016139995**

EPA ID:	CAR000235754
Contact Name:	NICOLE WILKINSON
Contact Address:	CVS DRIVE MC2340
Contact City,State,Zip:	WOONSOCKET, RI 02895
Contact Telephone:	401-770-7132
Contact Fax:	Not reported
Contact Email:	NICOLE.WILKINSON@CVSHEALTH.COM
Contact Title:	DIRECTOR CORPORATE ENVIRONMENTAL
EPA Region:	09
Land Type:	Private
Federal Waste Generator Description:	Large Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	2019
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	CVS DRIVE MC2340
Mailing City,State,Zip:	WOONSOCKET, RI 02895
Owner Name:	PIONEER ARTESIA CENTER
Owner Type:	Private
Operator Name:	GARFIELD BEACH CVS, L.L.C.
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No

CVS PHARMACY NO 9488 (Continued) **1016139995**

TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20201016
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Biennial: List of Years
Year: 2019

Click Here for Biennial Reporting System Data:
Year: 2017

Click Here for Biennial Reporting System Data:
Year: 2015

Click Here for Biennial Reporting System Data:
Year: 2013

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D001
Waste Description: IGNITABLE WASTE

Waste Code: D002
Waste Description: CORROSIVE WASTE

Waste Code: D003
Waste Description: REACTIVE WASTE

Waste Code: D004
Waste Description: ARSENIC

Waste Code: D005
Waste Description: BARIUM

Waste Code: D006
Waste Description: CADMIUM

Waste Code: D007

CVS PHARMACY NO 9488 (Continued) **1016139995**

Waste Description: CHROMIUM

Waste Code: D008
Waste Description: LEAD

Waste Code: D009
Waste Description: MERCURY

Waste Code: D010
Waste Description: SELENIUM

Waste Code: D011
Waste Description: SILVER

Waste Code: D016
Waste Description: 2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)

Waste Code: D018
Waste Description: BENZENE

Waste Code: D022
Waste Description: CHLOROFORM

Waste Code: D024
Waste Description: M-CRESOL

Waste Code: D025
Waste Description: P-CRESOL

Waste Code: D026
Waste Description: CRESOL

Waste Code: D027
Waste Description: 1,4-DICHLOROBENZENE

Waste Code: D035
Waste Description: METHYL ETHYL KETONE

Waste Code: D039
Waste Description: TETRACHLOROETHYLENE

Waste Code: P001
Waste Description: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

Waste Code: P012
Waste Description: ARSENIC OXIDE AS2O3 (OR) ARSENIC TRIOXIDE

Waste Code: P042
Waste Description: 1,2-BENZENEDIOL, 4-[1-HYDROXY-2-(METHYLAMINO)ETHYL]-, (R)- (OR) EPINEPHRINE

Waste Code: P075
Waste Description: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

CVS PHARMACY NO 9488 (Continued) **1016139995**

Waste Code: P081
Waste Description: 1,2,3-PROPANETRIOL, TRINITRATE (R) (OR) NITROGLYCERINE (R)

Waste Code: P188
Waste Description: BENZOIC ACID, 2-HYDROXY-, COMPD. WITH (3AS-CIS)-1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYLPYRROLO[2,3-B]INDOL-5-YL METHYLCARBAMATE ESTER (1:1) (OR) PHYSOSTIGMINE SALICYLATE

Waste Code: U002
Waste Description: 2-PROPANONE (I) (OR) ACETONE (I)

Waste Code: U010
Waste Description: AZIRINO [2',3':3,4]PYRROLO[1,2-A]INDOLE-4,7-DIONE, 6-AMINO-8-[[(AMINOCARBONYL)OXY]METHYL]-1,1A,2,8,8A,8B-HEXAHYDRO-8A-METHOXY-5-METHYL-, [1AS-(1AALPHA, 8BETA, 8AALPHA, 8BALPHA)]- (OR) MITOMYCIN C

Waste Code: U031
Waste Description: 1-BUTANOL (I) (OR) N-BUTYL ALCOHOL (I)

Waste Code: U034
Waste Description: ACETALDEHYDE, TRICHLORO- (OR) CHLORAL

Waste Code: U035
Waste Description: BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) CHLORAMBUCIL

Waste Code: U044
Waste Description: CHLOROFORM (OR) METHANE, TRICHLORO-

Waste Code: U058
Waste Description: 2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE

Waste Code: U059
Waste Description: 5,12-NAPHTHACENEDIONE, 8-ACETYL-10-[(3-AMINO-2,3,6-TRIDEOXY)-ALPHA-L-LYXO-HEXOPYRANOSYL)OXY]-7,8,9,10-TETRAHYDRO-6,8,11-TRIHYDROXY-1-METHOXY-, (8S-CIS)- (OR) DAUNOMYCIN

Waste Code: U070
Waste Description: BENZENE, 1,2-DICHLORO- (OR) O-DICHLOROBENZENE

Waste Code: U072
Waste Description: BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE

Waste Code: U089
Waste Description: DIETHYLSTILBESTEROL (OR) PHENOL, 4,4'-(1,2-DIETHYL-1,2-ETHENEDIYL)BIS, (E)-

Waste Code: U122
Waste Description: FORMALDEHYDE

Waste Code: U129
Waste Description: CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE

Waste Code: U132

CVS PHARMACY NO 9488 (Continued) **1016139995**

Waste Description: HEXACHLOROPHENE (OR) PHENOL, 2,2'-METHYLENEBIS[3,4,6-TRICHLORO-

Waste Code: U150
Waste Description: L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) MELPHALAN

Waste Code: U151
Waste Description: MERCURY

Waste Code: U154
Waste Description: METHANOL (I) (OR) METHYL ALCOHOL (I)

Waste Code: U165
Waste Description: NAPHTHALENE

Waste Code: U188
Waste Description: PHENOL

Waste Code: U200
Waste Description: RESERPINE (OR) YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL)OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-

Waste Code: U201
Waste Description: 1,3-BENZENEDIOL (OR) RESORCINOL

Waste Code: U204
Waste Description: SELENIOUS ACID (OR) SELENIUM DIOXIDE

Waste Code: U205
Waste Description: SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)

Waste Code: U206
Waste Description: D-GLUCOSE, 2-DEOXY-2-[[(METHYLNITROSOAMINO)-CARBONYL]AMINO]- (OR) GLUCOPYRANOSE, 2-DEOXY-2-(3-METHYL-3-NITROSOUREIDO)-,D- (OR) STREPTOZOTOCIN

Waste Code: U210
Waste Description: ETHENE, TETRACHLORO- (OR) TETRACHLOROETHYLENE

Waste Code: U279
Waste Description: U279

Waste Code: U411
Waste Description: U411

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: GARFIELD BEACH CVS, L.L.C.
Legal Status: Private
Date Became Current: 20060602
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

CVS PHARMACY NO 9488 (Continued) **1016139995**

Owner/Operator Indicator:	Operator
Owner/Operator Name:	GARFIELD BEACH CVS LLC
Legal Status:	Private
Date Became Current:	20060602
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	PIONEER ARTESIA CENTER
Legal Status:	Private
Date Became Current:	19981201
Date Ended Current:	Not reported
Owner/Operator Address:	16400 PACIFIC COAST HWY
Owner/Operator City,State,Zip:	HUNTINGTON BEACH, CA 92649
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	PIONEER ARTESIA CTR
Legal Status:	Private
Date Became Current:	19981201
Date Ended Current:	Not reported
Owner/Operator Address:	16400 PACIFIC COAST HWY
Owner/Operator City,State,Zip:	HUNTINGTON BEACH, CA 92649
Owner/Operator Telephone:	562-592-6005
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	GARFIELD BEACH CVS, L.L.C.
Legal Status:	Private
Date Became Current:	20060602
Date Ended Current:	Not reported
Owner/Operator Address:	1 CVS DRIVE
Owner/Operator City,State,Zip:	WOONSOCKET, RI 02895
Owner/Operator Telephone:	401-765-1500
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	CORPORATEENVIRONMENTALTEAM@CVSHEALTH.COM

Owner/Operator Indicator:	Owner
Owner/Operator Name:	PIONEER ARTESIA CENTER
Legal Status:	Private
Date Became Current:	19981201
Date Ended Current:	Not reported
Owner/Operator Address:	16400 PACIFIC COAST HWY STE 207
Owner/Operator City,State,Zip:	HUNTINGTON BEACH, CA 92649
Owner/Operator Telephone:	562-592-6005
Owner/Operator Telephone Ext:	Not reported

CVS PHARMACY NO 9488 (Continued) **1016139995**

Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	PIONEER ARTESIA CENTER
Legal Status:	Private
Date Became Current:	19981201
Date Ended Current:	Not reported
Owner/Operator Address:	16400 PACIFIC COAST HWY, STE 207
Owner/Operator City,State,Zip:	HUNTINGTON BEACH, CA 92649
Owner/Operator Telephone:	562-592-6005
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	NICOLE.WILKINSON@CVSHEALTH.COM
Owner/Operator Indicator:	Operator
Owner/Operator Name:	GARFIELD BEACH CVS LLC
Legal Status:	Private
Date Became Current:	20060602
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	GARFIELD BEACH CVS, L.L.C.
Legal Status:	Private
Date Became Current:	20060602
Date Ended Current:	Not reported
Owner/Operator Address:	1 CVS DRIVE
Owner/Operator City,State,Zip:	WOONSOCKET, RI 02895
Owner/Operator Telephone:	401-765-1500
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	CORPORATEENVIRONMENTALTEAM@CVSHEALTH.COM
Owner/Operator Indicator:	Owner
Owner/Operator Name:	PIONEER ARTESIA CENTER
Legal Status:	Private
Date Became Current:	19981201
Date Ended Current:	Not reported
Owner/Operator Address:	16400 PACIFIC COAST HWY, STE 207
Owner/Operator City,State,Zip:	HUNTINGTON BEACH, CA 92649
Owner/Operator Telephone:	562-592-6005
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	NICOLE.WILKINSON@CVSHEALTH.COM

Historic Generators:

Receive Date:	20140301
Handler Name: CVS PHARMACY #9488	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No

CVS PHARMACY NO 9488 (Continued) **1016139995**

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20160829
Handler Name: CVS PHARMACY #9488	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20180301
Handler Name: CVS PHARMACY # 9488	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

Receive Date:	20200217
Handler Name: CVS PHARMACY # 9488	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

Receive Date:	20130103
Handler Name: CVS PHARMACY NO 9488	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No

CVS PHARMACY NO 9488 (Continued) **1016139995**

Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 44611
NAICS Description: PHARMACIES AND DRUG STORES

NAICS Code: 446110
NAICS Description: PHARMACIES AND DRUG STORES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110055438218

Click Here:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
HAZARDOUS WASTE BIENNIAL REPORTER
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1016139995
Registry ID: 110055438218
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110055438218
Name: CVS PHARMACY NO 9488
Address: 11851 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701

P115 **CVS PHARMACY # 9488** **CERS HAZ WASTE** **S113142374**
ESE **11851 ARTESIA BLVD** **HAZNET** **N/A**
1/8-1/4 **ARTESIA, CA 90701** **HWTS**
0.182 mi.
961 ft. **Site 9 of 9 in cluster P**

Relative: CERS HAZ WASTE:
Lower
Name: CVS PHARMACY #9488
Actual: Address: 11851 ARTESIA BLVD
61 ft. City,State,Zip: ARTESIA, CA 90701
Site ID: 390966
CERS ID: 10290706
CERS Description: Hazardous Waste Generator

CVS PHARMACY # 9488 (Continued) **S113142374**

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	12-03-2020
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Jaime De la Torre, Store Manager
Eval Division:	Los Angeles County Fire Department
Eval Program:	HWLQG
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	12-05-2013
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Inspected by Eric Poomiwatracanont Consent given by Dustin Perez
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	12-05-2013
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	12-05-2013
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Inspected by Eric Poomiwatracanont Consent given by Dustin Perez
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-06-2017
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Tony Davis, Store Manager
Eval Division:	Los Angeles County Fire Department
Eval Program:	HWLQG
Eval Source:	CERS

Coordinates:

Site ID:	390966
Facility Name:	CVS PHARMACY #9488
Env Int Type Code:	HWG
Program ID:	10290706
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	33.873150
Longitude:	-118.080750

CVS PHARMACY # 9488 (Continued) **S113142374**

Affiliation:

Affiliation Type Desc:	CUPA District
Entity Name:	Los Angeles County Fire
Entity Title:	Not reported
Affiliation Address:	5825 Rickenbacker Road
Affiliation City:	Commerce
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90040-3027
Affiliation Phone:	(323) 890-4000

Affiliation Type Desc:	Legal Owner
Entity Name:	Garfield Beach CVS, L.L.C.
Entity Title:	Not reported
Affiliation Address:	1 CVS Drive
Affiliation City:	Woonsocket
Affiliation State:	RI
Affiliation Country:	United States
Affiliation Zip:	02895
Affiliation Phone:	(401) 765-1500

Affiliation Type Desc:	Operator
Entity Name:	Garfield Beach CVS, L.L.C.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(401) 765-1500

Affiliation Type Desc:	Parent Corporation
Entity Name:	CVS Health
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Document Preparer
Entity Name:	Charles Savage, Agent for GARFIELD BEACH CVS, L.L.C.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	CVS Health, Attn: Dianne E. Durand, Licensing, One CVS Drive G MC1160
Affiliation City:	Woonsocket
Affiliation State:	RI

CVS PHARMACY # 9488 (Continued) **S113142374**

Affiliation Country: Not reported
Affiliation Zip: 02895
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: Charles Savage, Agent for GARFIELD BEACH CVS, L.L.C.
Entity Title: Regulatory Compliance Specialist, Verisk 3E
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact
Entity Name: Verisk 3E, Regulatory Services/CVS
Entity Title: Not reported
Affiliation Address: 3207 Grey Hawk Ct., Suite 200
Affiliation City: Carlsbad
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92010
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner
Entity Name: Pioneer Artesia Center
Entity Title: Not reported
Affiliation Address: 16400 Pacific Coast Hwy, Ste. 207
Affiliation City: Huntington Beach
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 92649
Affiliation Phone: (562) 592-6005

Name: CVS PHARMACY #9488
Address: 11851 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 390966
CERS ID: 10290706
CERS Description: RCRA LQ HW Generator

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-03-2020
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Jaime De la Torre, Store Manager
Eval Division: Los Angeles County Fire Department
Eval Program: HWLQG
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-05-2013
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Inspected by Eric Poomiwatracanont Consent given by Dustin Perez
Eval Division: Los Angeles County Fire Department

CVS PHARMACY # 9488 (Continued) **S113142374**

Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	12-05-2013
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	12-05-2013
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Inspected by Eric Poomiwatracanont Consent given by Dustin Perez
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-06-2017
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Tony Davis, Store Manager
Eval Division:	Los Angeles County Fire Department
Eval Program:	HWLQG
Eval Source:	CERS

Coordinates:

Site ID:	390966
Facility Name:	CVS PHARMACY #9488
Env Int Type Code:	HWG
Program ID:	10290706
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	33.873150
Longitude:	-118.080750

Affiliation:

Affiliation Type Desc:	CUPA District
Entity Name:	Los Angeles County Fire
Entity Title:	Not reported
Affiliation Address:	5825 Rickenbacker Road
Affiliation City:	Commerce
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90040-3027
Affiliation Phone:	(323) 890-4000
Affiliation Type Desc:	Legal Owner
Entity Name:	Garfield Beach CVS, L.L.C.
Entity Title:	Not reported
Affiliation Address:	1 CVS Drive
Affiliation City:	Woonsocket

CVS PHARMACY # 9488 (Continued) **S113142374**

Affiliation State:	RI
Affiliation Country:	United States
Affiliation Zip:	02895
Affiliation Phone:	(401) 765-1500
Affiliation Type Desc:	Operator
Entity Name:	Garfield Beach CVS, L.L.C.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(401) 765-1500
Affiliation Type Desc:	Parent Corporation
Entity Name:	CVS Health
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Charles Savage, Agent for GARFIELD BEACH CVS, L.L.C.
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	CVS Health, Attn: Dianne E. Durand, Licensing, One CVS Drive G MC1160
Affiliation City:	Woonsocket
Affiliation State:	RI
Affiliation Country:	Not reported
Affiliation Zip:	02895
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Charles Savage, Agent for GARFIELD BEACH CVS, L.L.C.
Entity Title:	Regulatory Compliance Specialist, Verisk 3E
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Environmental Contact
Entity Name:	Verisk 3E, Regulatory Services/CVS

CVS PHARMACY # 9488 (Continued) **S113142374**

Entity Title:	Not reported
Affiliation Address:	3207 Grey Hawk Ct., Suite 200
Affiliation City:	Carlsbad
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	92010
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	Pioneer Artesia Center
Entity Title:	Not reported
Affiliation Address:	16400 Pacific Coast Hwy, Ste. 207
Affiliation City:	Huntington Beach
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92649
Affiliation Phone:	(562) 592-6005

HAZNET:

Name:	CVS PHARMACY # 9488
Address:	11851 ARTESIA BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 90701
Contact:	Wendy Brant
Telephone:	4017651500
Mailing Name:	Not reported
Mailing Address:	1 CVS DR
Year:	2013
Gepaid:	CAL000306548
TSD EPA ID:	INR000110197
CA Waste Code:	214 - Unspecified solvent mixture
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.027
Year:	2013
Gepaid:	CAL000306548
TSD EPA ID:	INR000110197
CA Waste Code:	311 - Pharmaceutical waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.0015
Year:	2012
Gepaid:	CAL000306548
TSD EPA ID:	INR000110197
CA Waste Code:	311 - Pharmaceutical waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.0035
Year:	2012
Gepaid:	CAL000306548
TSD EPA ID:	INR000110197
CA Waste Code:	214 - Unspecified solvent mixture

CVS PHARMACY # 9488 (Continued) **S113142374**

Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.1715
Year:	2012
Gepaid:	CAL000306548
TSD EPA ID:	CAD008364432
CA Waste Code:	-
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.0445
Year:	2012
Gepaid:	CAL000306548
TSD EPA ID:	CAD008364432
CA Waste Code:	541 - Photochemicals/photoprocessing waste
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.064
Year:	2012
Gepaid:	CAL000306548
TSD EPA ID:	INR000110197
CA Waste Code:	-
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.0015
Year:	2012
Gepaid:	CAL000306548
TSD EPA ID:	INR000110197
CA Waste Code:	-
Disposal Method:	-
Tons:	0.0355
Year:	2012
Gepaid:	CAL000306548
TSD EPA ID:	INR000110197
CA Waste Code:	141 - Off-specification, aged or surplus inorganics
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.0015
Year:	2011
Gepaid:	CAL000306548
TSD EPA ID:	CAD008364432
CA Waste Code:	122 - Alkaline solution without metals pH >= 12.5
Disposal Method:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Tons:	0.04

Click this hyperlink while viewing on your computer to access
18 additional CA HAZNET: record(s) in the EDR Site Report.

Additional Info:

Year:	2010

CVS PHARMACY # 9488 (Continued) **S113142374**

Gen EPA ID:	CAL000306548
Shipment Date:	20101019
Creation Date:	3/30/2011 18:30:38
Receipt Date:	20101029
Manifest ID:	005755771JJK
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	131 - Aqueous solution (2 < pH < 12.5) containing reactive anions (azide, bromate, chlorate, cyanide, fluoride, hypochlorite, nitrite, perchlorate, and sulfide anions
RCRA Code:	D001
Meth Code:	H071 - Chemical Reduction With Or Without Precipitation
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101019
Creation Date:	3/30/2011 18:30:38
Receipt Date:	20101029
Manifest ID:	005755771JJK
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0035
Waste Quantity:	7
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20101019
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005755771JJK
Trans EPA ID:	MNS000110924

CVS PHARMACY # 9488 (Continued) **S113142374**

Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	135 - Unspecified aqueous solution
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0325
Waste Quantity:	65
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20101019
Creation Date:	3/30/2011 18:30:38
Receipt Date:	20101029
Manifest ID:	005755771JJK
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.0015
Waste Quantity:	3
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20101019
Creation Date:	3/30/2011 18:30:38
Receipt Date:	20101029
Manifest ID:	005755771JJK
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001

CVS PHARMACY # 9488 (Continued) **S113142374**

Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	0.002
Waste Quantity:	4
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20100127
Creation Date:	4/12/2010 18:30:39
Receipt Date:	20100129
Manifest ID:	000010352MWI
Trans EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	791 - Liquids with pH < 2 792 Liquids with pH < 2 with metals
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.05
Waste Quantity:	100
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2013
Gen EPA ID:	CAL000306548
Shipment Date:	20130318
Creation Date:	8/16/2013 22:15:27
Receipt Date:	20130402
Manifest ID:	005827402FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P188
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.001

CVS PHARMACY # 9488 (Continued) **S113142374**

Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	P081
Additional Code 2:	P075
Additional Code 3:	P001
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130318
Creation Date:	8/16/2013 22:15:27
Receipt Date:	20130402
Manifest ID:	005827402FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20130318
Creation Date:	8/16/2013 22:15:27
Receipt Date:	20130402
Manifest ID:	005827402FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0235
Waste Quantity:	47
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CVS PHARMACY # 9488 (Continued) **S113142374**

Shipment Date:	20130318
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005827402FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	561 - Not reported
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0395
Waste Quantity:	79
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20130318
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005827402FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20130318
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005827402FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197

CVS PHARMACY # 9488 (Continued) **S113142374**

Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0325
Waste Quantity:	65
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20130318
Creation Date:	8/16/2013 22:15:27
Receipt Date:	20130402
Manifest ID:	005827402FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0035
Waste Quantity:	7
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2012
Gen EPA ID:	CAL000306548

Shipment Date:	20121222
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005804997FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	561 - Not reported

CVS PHARMACY # 9488 (Continued) **S113142374**

RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.062
Waste Quantity:	124
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20121222
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005804997FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0635
Waste Quantity:	127
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20121222
Creation Date:	5/3/2013 22:15:23
Receipt Date:	20130108
Manifest ID:	005804997FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0155
Waste Quantity:	31
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported

CVS PHARMACY # 9488 (Continued) **S113142374**

Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20121222
Creation Date:	5/3/2013 22:15:23
Receipt Date:	20130108
Manifest ID:	005804997FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20121222
Creation Date:	5/3/2013 22:15:23
Receipt Date:	20130108
Manifest ID:	005804997FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P188
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0015
Waste Quantity:	3
Quantity Unit:	P
Additional Code 1:	P081
Additional Code 2:	P075
Additional Code 3:	P001
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20121222
Creation Date:	5/3/2013 22:15:23
Receipt Date:	20130108
Manifest ID:	005804997FLE

CVS PHARMACY # 9488 (Continued) **S113142374**

Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0275
Waste Quantity:	55
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20121222
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005804997FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0535
Waste Quantity:	107
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20121025
Creation Date:	12/24/2012 22:15:22
Receipt Date:	20121101
Manifest ID:	000396319PSC
Trans EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES OF POMONA LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported

CVS PHARMACY # 9488 (Continued) **S113142374**

Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	Not reported
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0365
Waste Quantity:	73
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20121025
Creation Date:	12/24/2012 22:15:22
Receipt Date:	20121101
Manifest ID:	000396319PSC
Trans EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES OF POMONA LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	541 - Photochemicals / photo processing waste
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0275
Waste Quantity:	55
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20121025
Creation Date:	12/24/2012 22:15:22
Receipt Date:	20121101
Manifest ID:	000396319PSC
Trans EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
Trans 2 EPA ID:	CAD983649880
Trans 2 Name:	PSC ENVIRONMENTAL SERVICES OF POMONA LP
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM LLC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	- Not reported
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0445
Waste Quantity:	89
Quantity Unit:	P

CVS PHARMACY # 9488 (Continued) **S113142374**

Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2007
Gen EPA ID:	CAL000306548
Shipment Date:	20071112
Creation Date:	2/29/2008 18:30:58
Receipt Date:	20071113
Manifest ID:	002923326JJK
Trans EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.015
Waste Quantity:	30
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20071008
Creation Date:	1/9/2008 18:30:34
Receipt Date:	20071009
Manifest ID:	002973969JJK
Trans EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.015
Waste Quantity:	30
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported

CVS PHARMACY # 9488 (Continued) **S113142374**

Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20070815
Creation Date:	1/8/2008 18:30:29
Receipt Date:	20070816
Manifest ID:	003016414JJK
Trans EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.015
Waste Quantity:	30
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20070718
Creation Date:	12/28/2007 18:31:14
Receipt Date:	20070719
Manifest ID:	002972837JJK
Trans EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.015
Waste Quantity:	30
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20070613
Creation Date:	10/18/2007 18:30:31
Receipt Date:	20070614
Manifest ID:	003017555JJK

CVS PHARMACY # 9488 (Continued) **S113142374**

Trans EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.015
Waste Quantity:	30
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20070420
Creation Date:	10/24/2007 18:30:22
Receipt Date:	20070420
Manifest ID:	000511800JJK
Trans EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	- Not reported
Quantity Tons:	0.015
Waste Quantity:	30
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20070126
Creation Date:	8/9/2007 18:30:19
Receipt Date:	20070126
Manifest ID:	000509294JJK
Trans EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM CORPORATION
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported

CVS PHARMACY # 9488 (Continued) **S113142374**

Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.015
Waste Quantity:	30
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20070102
Creation Date:	4/19/2007 18:31:46
Receipt Date:	20070103
Manifest ID:	000505916JJK
Trans EPA ID:	CAD008364432
Trans Name:	RHO-CHEM
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM CORPORATION
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.015
Waste Quantity:	30
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2006
Gen EPA ID:	CAL000306548
Shipment Date:	20061009
Creation Date:	4/19/2007 18:30:35
Receipt Date:	20061011
Manifest ID:	000458983JJK
Trans EPA ID:	CAD008364432
Trans Name:	RHO-CHEM
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO-CHEM CORPORATION
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No

CVS PHARMACY # 9488 (Continued) **S113142374**

	Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.015
Waste Quantity:	30
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20060720
Creation Date:	9/17/2006 18:31:02
Receipt Date:	20060721
Manifest ID:	24960698
Trans EPA ID:	CAD008364432
Trans Name:	RHO CHEM
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
TSDF EPA ID:	CAD008364432
Trans Name:	RHO CHEM CORPORATION
TSDF Alt EPA ID:	CAD008364432
TSDF Alt Name:	Not reported
Waste Code Description:	122 - Alkaline solution without metals (pH > 12.5
RCRA Code:	D002
Meth Code:	H01 - Transfer Station
Quantity Tons:	0.015
Waste Quantity:	30
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Additional Info:

Year:	2011
Gen EPA ID:	CAL000306548
Shipment Date:	20111020
Creation Date:	3/27/2012 20:30:14
Receipt Date:	20111101
Manifest ID:	005012418FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	561 - Not reported
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.0205
Waste Quantity:	41
Quantity Unit:	P
Additional Code 1:	Not reported

CVS PHARMACY # 9488 (Continued) **S113142374**

Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111020
Creation Date:	3/27/2012 20:30:14
Receipt Date:	20111101
Manifest ID:	005012418FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P075
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	P001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20111020
Creation Date:	3/27/2012 20:30:14
Receipt Date:	20111101
Manifest ID:	005012418FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	D011
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	D010
Additional Code 2:	D009
Additional Code 3:	D007
Additional Code 4:	D006
Additional Code 5:	Not reported
Shipment Date:	20110722
Creation Date:	1/12/2012 18:30:25

CVS PHARMACY # 9488 (Continued) **S113142374**

Receipt Date:	20110809
Manifest ID:	005013911FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	INR000110197
Trans Name:	STERICYCLE INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	135 - Unspecified aqueous solution
RCRA Code:	Not reported
Meth Code:	- Not reported
Quantity Tons:	0.011
Waste Quantity:	22
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

Shipment Date:	20110722
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005013910FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	D011
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.002
Waste Quantity:	4
Quantity Unit:	P
Additional Code 1:	D010
Additional Code 2:	D009
Additional Code 3:	D007
Additional Code 4:	D006
Additional Code 5:	Not reported

Shipment Date:	20110722
Creation Date:	Not reported
Receipt Date:	Not reported
Manifest ID:	005013910FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC

CVS PHARMACY # 9488 (Continued) **S113142374**

TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	311 - Pharmaceutical waste
RCRA Code:	P075
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	P001
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20110722
Creation Date:	11/19/2012 22:15:08
Receipt Date:	20110815
Manifest ID:	005013910FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	131 - Aqueous solution (2 < pH < 12.5) containing reactive anions (azide, bromate, chlorate, cyanide, fluoride, hypochlorite, nitrite, perchlorate, and sulfide anions
RCRA Code:	D001
Meth Code:	H071 - Chemical Reduction With Or Without Precipitation
Quantity Tons:	0.0005
Waste Quantity:	1
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20110722
Creation Date:	11/19/2012 22:15:08
Receipt Date:	20110815
Manifest ID:	005013910FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H061 - Fuel Blending Prior To Energy Recovery At Another Site
Quantity Tons:	0.0015

CVS PHARMACY # 9488 (Continued) **S113142374**

Waste Quantity:	3
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20110722
Creation Date:	11/19/2012 22:15:08
Receipt Date:	20110815
Manifest ID:	005013910FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	141 - Off-specification, aged, or surplus inorganics
RCRA Code:	D001
Meth Code:	H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons:	0.001
Waste Quantity:	2
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported
Shipment Date:	20110722
Creation Date:	11/19/2012 22:15:08
Receipt Date:	20110815
Manifest ID:	005013910FLE
Trans EPA ID:	MNS000110924
Trans Name:	STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID:	OKD981588791
Trans 2 Name:	TRIAD TRANSPORT INC
TSDF EPA ID:	OHD083377010
Trans Name:	ENVIRONMENTAL ENTERPRISES INC
TSDF Alt EPA ID:	Not reported
TSDF Alt Name:	Not reported
Waste Code Description:	214 - Unspecified solvent mixture
RCRA Code:	D001
Meth Code:	H050 - Energy Recovery At This Site--Use As Fuel(Includes On-Site Fuel Blending)
Quantity Tons:	0.0535
Waste Quantity:	107
Quantity Unit:	P
Additional Code 1:	Not reported
Additional Code 2:	Not reported
Additional Code 3:	Not reported
Additional Code 4:	Not reported
Additional Code 5:	Not reported

CVS PHARMACY # 9488 (Continued) **S113142374**

HWTS:

Name:	CVS PHARMACY # 9488
Address:	11851 ARTESIA BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAL000306548
Inactive Date:	03/04/2013
Create Date:	05/10/2006
Last Act Date:	07/08/2014
Mailing Name:	Not reported
Mailing Address:	1 CVS DR
Mailing Address 2:	Not reported
Mailing City,State,Zip:	WOONSOCKET, RI 02895
Owner Name:	LONGS DRUG STORES CALIFORNIA LLC
Owner Address:	1 CVS DR
Owner Address 2:	Not reported
Owner City,State,Zip:	WOONSOCKET, RI 02895
Contact Name:	WENDY BRANT
Contact Address:	1 CVS DRIVE - 02362A
Contact Address 2:	Not reported
City,State,Zip:	WOONSOCKET, RI 028956146

NAICS:

EPA ID:	CAL000306548
Create Date:	2006-05-10 15:11:43.613
NAICS Code:	44611
NAICS Description:	Pharmacies and Drug Stores
Issued EPA ID Date:	2006-05-10 15:11:43.61300
Inactive Date:	2013-03-04 00:00:00
Facility Name:	CVS PHARMACY # 9488
Facility Address:	11851 ARTESIA BLVD
Facility Address 2:	Not reported
Facility City:	ARTESIA
Facility County:	Not reported
Facility State:	CA
Facility Zip:	90701

116
SE
1/8-1/4
0.182 mi.
962 ft.

ANNA BELLE A CUYONG DMD
17510 PIONEER BLVD STE 201
ARTESIA, CA 90701

RCRA NonGen / NLR **1024796966**
CAL000181159

Relative:
Lower

Actual:
58 ft.

RCRA NonGen / NLR:

Date Form Received by Agency:	19980804
Handler Name:	ANNA BELLE A CUYONG DMD
Handler Address:	17510 PIONEER BLVD STE 201
Handler City,State,Zip:	ARTESIA, CA 90701-0000
EPA ID:	CAL000181159
Contact Name:	DR CUYONG
Contact Address:	17510 PIONEER BLVD STE 201
Contact City,State,Zip:	ARTESIA, CA 90701
Contact Telephone:	562-402-4952
Contact Fax:	562-402-8195
Contact Email:	ACC2TH@AOL.COM
Contact Title:	Not reported
EPA Region:	09

ANNA BELLE A CUYONG DMD (Continued) **1024796966**

Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	17510 PIONEER BLVD STE 201
Mailing City,State,Zip:	ARTESIA, CA 90701-0000
Owner Name:	DR ANNA BELLE A CUYONG
Owner Type:	Other
Operator Name:	DR CUYONG
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No

ANNA BELLE A CUYONG DMD (Continued) **1024796966**

Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	DR CUYONG
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17510 PIONEER BLVD STE 201
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-402-4952
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	DR ANNA BELLE A CUYONG
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17510 PIONEER BLVD STE 201
Owner/Operator City,State,Zip:	ARTESIA, CA 90701-0000
Owner/Operator Telephone:	562-402-4952
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19980804
Handler Name:	ANNA BELLE A CUYONG DMD
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	56299
NAICS Description:	ALL OTHER WASTE MANAGEMENT SERVICES

ANNA BELLE A CUYONG DMD (Continued) **1024796966**

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

R117 **ALBERTSONS #0651** **CERS HAZ WASTE** **S104535859**
East **11815 ARTESIA BLVD** **LOS ANGELES CO. HMS** **N/A**
1/8-1/4 **ARTESIA, CA 90701** **CERS**
0.192 mi.
1012 ft. **Site 1 of 2 in cluster R**

Relative:
Lower

Actual:
63 ft.

CERS HAZ WASTE:
Name: STATER BROS. MARKETS 161
Address: 11815 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 71279
CERS ID: 10295125
CERS Description: Hazardous Waste Generator

LOS ANGELES CO. HMS:
Name: ALBERTSONS #0651
Address: 11815 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 907014002
Region: LA
Permit Category: I
Facility Id: 000951-I00998
Facility Type: 01
Facility Status: Closed
Area: 1D
Permit Number: 000009342
Permit Status: Closed

Name: ALBERTSONS #0651
Address: 11815 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 907014002
Region: LA
Permit Category: I
Facility Id: 000951-I00998
Facility Type: 01
Facility Status: Closed
Area: 1D
Permit Number: 000C12801
Permit Status: Closed

CERS:
Name: STATER BROS. MARKETS 161
Address: 11815 ARTESIA BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 71279
CERS ID: 10295125
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 71279

ALBERTSONS #0651 (Continued) **S104535859**

Site Name:	Stater Bros. Markets 161
Violation Date:	11-06-2017
Citation:	HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description:	Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes:	Returned to compliance on 11/08/2017. OBSERVATION: The business failed to complete and electronically submit chemical inventory information for all reportable hazardous materials on site at or above reportable quantities. Observed 1,336 cubic feet (552 lbs.) of R-404A refrigerant not included in the CERS inventory. The "max daily amount" reported for R-407C in CERS is incorrect. Observed 3,876 cubic feet of R-407C (325 lbs., 650 lbs., 625 lbs.). CORRECTIVE ACTION: Complete and electronically submit the chemical inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HMRRP
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-21-2014
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Not reported
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-06-2017
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Dave Lafarga, Store Manager No significant violations observed at the time of inspection.
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-06-2017
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Dave Lafarga, Store Manager
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	12-04-2020
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Jesse Gonzalez, Asst. Manager
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP

ALBERTSONS #0651 (Continued) **S104535859**

Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 12-04-2020
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Jesse Gonzalez, Asst. Manager
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 05-21-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 11-09-2017
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Coordinates:
Site ID: 71279
Facility Name: Stater Bros. Markets 161
Env Int Type Code: HWG
Program ID: 10295125
Coord Name: Not reported
Ref Point Type Desc: Center of a facility or station.
Latitude: 33.874230
Longitude: -118.080760

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: Chris Ramirez
Entity Title: Not reported
Affiliation Address: P.O. Box 150
Affiliation City: SAN BERNARDINO
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 92402
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: Chris Ramirez
Entity Title: Supervisor of Support Services
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported

ALBERTSONS #0651 (Continued) **S104535859**

Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Document Preparer
Entity Name:	Chris Ramirez
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	STATER BROS MARKETS
Entity Title:	Not reported
Affiliation Address:	P.O. BOX 150
Affiliation City:	SAN BERNARDINO
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92402
Affiliation Phone:	(909) 783-5000
Affiliation Type Desc:	Parent Corporation
Entity Name:	Stater Bros. Markets
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	11815 Artesia Blvd
Affiliation City:	Artesia
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Stater Bros. Markets 161
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(562) 924-9429
Affiliation Type Desc:	Property Owner
Entity Name:	Stater Bros. Markets
Entity Title:	Not reported

ALBERTSONS #0651 (Continued) **S104535859**

Affiliation Address:	P.O. Box 150
Affiliation City:	San Bernardino
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	92402
Affiliation Phone:	(909) 733-5000
Affiliation Type Desc:	CUPA District
Entity Name:	Los Angeles County Fire
Entity Title:	Not reported
Affiliation Address:	5825 Rickenbacker Road
Affiliation City:	Commerce
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90040-3027
Affiliation Phone:	(323) 890-4000

R118 **STATER BROS MARKETS #161 ARTESIA** **RCRA NonGen / NLR** **1024822373**
East **11815 ARTESIA BLVD** **CAL000340344**
1/8-1/4 **ARTESIA, CA 90701**
0.192 mi.
1012 ft. **Site 2 of 2 in cluster R**

Relative: **Lower**

Actual: **63 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:	20090203
Handler Name:	STATER BROS MARKETS #161 ARTESIA
Handler Address:	11815 ARTESIA BLVD
Handler City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAL000340344
Contact Name:	CHERYL SKALICKY
Contact Address:	301 S. TIPPECANOE AVE.
Contact City,State,Zip:	SAN BERNARDINO, CA 92408
Contact Telephone:	909-733-5288
Contact Fax:	909-733-4288
Contact Email:	CHERYL.SKALICKY@STATERBROS.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	PO BOX 150
Mailing City,State,Zip:	SAN BERNARDINO, CA 92402-0000
Owner Name:	STATER BROS MARKETS
Owner Type:	Other
Operator Name:	CHERYL SKALICKY
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No

STATER BROS MARKETS #161 ARTESIA (Continued) **1024822373**

Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180905
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	STATER BROS MARKETS
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported

STATER BROS MARKETS #161 ARTESIA (Continued) **1024822373**

Owner/Operator Address:	301 S TIPPECANOE AVE
Owner/Operator City,State,Zip:	SAN BERNARDINO, CA 92408-0121
Owner/Operator Telephone:	909-733-5000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	CHERYL SKALICKY
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	301 S. TIPPECANOE AVE.
Owner/Operator City,State,Zip:	SAN BERNARDINO, CA 92408
Owner/Operator Telephone:	909-733-5288
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20090203
Handler Name:	STATER BROS MARKETS #161 ARTESIA
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	45291
NAICS Description:	WAREHOUSE CLUBS AND SUPERCENTERS

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

S119 **TALLY HO APARTMENTS** **RCRA NonGen / NLR** **1026040832**
SSE **17701 PIONEER BLVD** **CAC003046940**
1/8-1/4 **ARTESIA, CA 90701**
0.199 mi.
1052 ft. **Site 1 of 3 in cluster S**

Relative: **Lower**
Actual: **56 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:		20191212
Handler Name:	TALLY HO APARTMENTS	
Handler Address:		17701 PIONEER BLVD
Handler City,State,Zip:		ARTESIA, CA 90701-4010
EPA ID:		CAC003046940

TALLY HO APARTMENTS (Continued) **1026040832**

Contact Name:	TALLY HO APARTMENTS
Contact Address:	17701 PIONEER BLVD
Contact City,State,Zip:	ARTESIA, CA 90701-4010
Contact Telephone:	562-920-1762
Contact Fax:	Not reported
Contact Email:	GABRIELLE@PGJENVIRONMENTAL.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	17701 PIONEER BLVD
Mailing City,State,Zip:	ARTESIA, CA 90701-4010
Owner Name:	TALLY HO APARTMENTS
Owner Type:	Other
Operator Name:	TALLY HO APARTMENTS
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No

TALLY HO APARTMENTS (Continued) **1026040832**

Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20200210
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	TALLY HO APARTMENTS
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17701 PIONEER BLVD
Owner/Operator City,State,Zip:	ARTESIA, CA 90701-4010
Owner/Operator Telephone:	562-920-1762
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	TALLY HO APARTMENTS
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17701 PIONEER BLVD
Owner/Operator City,State,Zip:	ARTESIA, CA 90701-4010
Owner/Operator Telephone:	562-920-1762
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20191212
Handler Name: TALLY HO APARTMENTS	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

TALLY HO APARTMENTS (Continued) **1026040832**

Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

T120 **ARTESIA ICE SERVICE** **HIST UST** **1000222067**
ENE **17119 CLARKDALE AVE** **LOS ANGELES CO. HMS** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.201 mi.
1059 ft. **Site 1 of 4 in cluster T**

Relative:
Lower

Actual:
63 ft.

HIST UST:
Name: ARTESIA ICE SERVICE
Address: 17119 CLARKDALE AVE
City,State,Zip: ARTESIA, CA 90701
File Number: Not reported
URL: Not reported
Region: STATE
Facility ID: 00000041411
Facility Type: Other
Other Type: PRIVATE USE
Contact Name: BILL FRAMPTON
Telephone: 2138601391
Owner Name: HARVEY FRAMPTON, INC.
Owner Address: 17119 S. CLARKDALE
Owner City,St,Zip: ARTESIA, CA 90701
Total Tanks: 0003

Tank Num: 001
Container Num: 2
Year Installed: Not reported
Tank Capacity: 00000500
Tank Used for: WASTE
Type of Fuel: WASTE OIL
Container Construction Thickness: Not reported
Leak Detection: None

Tank Num: 002
Container Num: 1
Year Installed: Not reported
Tank Capacity: 00001000
Tank Used for: PRODUCT
Type of Fuel: REGULAR
Container Construction Thickness: Not reported
Leak Detection: None

ARTESIA ICE SERVICE (Continued) **1000222067**

Tank Num: 003
Container Num: 3
Year Installed: Not reported
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: DIESEL
Container Construction Thickness: Not reported
Leak Detection: None

LOS ANGELES CO. HMS:
Name: ARTESIA ICE-SEE 018725-026759
Address: 11846 FRAMPTON CT
City,State,Zip: ARTESIA, CA 907012711
Region: LA
Permit Category: T
Facility Id: 005549-005751
Facility Type: 0
Facility Status: Removed
Area: 1D
Permit Number: 000132497
Permit Status: Removed

Name: ARTESIA ICE HOUSE
Address: 11846 FRAMPTON CT
City,State,Zip: ARTESIA, CA 907012711
Region: LA
Permit Category: I
Facility Id: 005549-023011
Facility Type: 01
Facility Status: Closed
Area: 1D
Permit Number: 000014958
Permit Status: Closed

T121 **ARTESIA ICE** **RCRA NonGen / NLR** **1025879311**
ENE **11846 FRAMPTON CT** **CAP00007991**
1/8-1/4 **ARTESIA, CA 90701**
0.201 mi.
1059 ft. **Site 2 of 4 in cluster T**

Relative: **Lower**
Actual: **63 ft.**

RCRA NonGen / NLR:
Date Form Received by Agency: 20080321
Handler Name: ARTESIA ICE
Handler Address: 11846 FRAMPTON CT
Handler City,State,Zip: ARTESIA, CA 90701
EPA ID: CAP00007991
Contact Name: DALE STRIETER
Contact Address: 427 S CLAUDINA ST
Contact City,State,Zip: ANAHEIM, CA 92805
Contact Telephone: 562-436-2614
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 09
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported

ARTESIA ICE (Continued) **1025879311**

Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	427 S CLAUDINA ST
Mailing City,State,Zip:	ANAHEIM, CA 92805
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No

ARTESIA ICE (Continued) **1025879311**

Financial Assurance Required:	Not reported
Handler Date of Last Change:	20080321
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20071220
Handler Name: ARTESIA ICE	
Federal Waste Generator Description:	Not reported
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20080321
Handler Name: ARTESIA ICE	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

T122 **ARTESIA ICE SERVICE** **UST** **U003776106**
ENE **11846 FRAMPTON CT** **LOS ANGELES CO. HMS** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.201 mi.
1059 ft. **Site 3 of 4 in cluster T**

Relative:
Lower

Actual:
63 ft.

UST:
Name: ARTESIA ICE SERVICE
Address: 11846 FRAMPTON CT
City,State,Zip: ARTESIA, CA 90701
Facility ID: 26759
Permitting Agency: LOS ANGELES COUNTY
CERSID: Not reported
Latitude: 33.8765049
Longitude: -118.079266

LOS ANGELES CO. HMS:
Name: ARTESIA ICE-SEE 005549-023011
Address: 11846 FRAMPTON CT
City,State,Zip: ARTESIA, CA 907012711
Region: LA
Permit Category: Not reported
Facility Id: 018725-032101
Facility Type: Not reported
Facility Status: OPEN
Area: 1D
Permit Number: Not reported
Permit Status: Not reported

S123 **99 RANCH MARKET #17** **CERS HAZ WASTE** **S105696613**
SSE **17713 PIONEER BLVD** **HAZNET** **N/A**
1/8-1/4 **ARTESIA, CA 90701** **LOS ANGELES CO. HMS**
0.201 mi. **CERS**
1059 ft. **Site 2 of 3 in cluster S** **HWTS**

Relative:
Lower

Actual:
56 ft.

CERS HAZ WASTE:
Name: 99 RANCH MARKET #17
Address: 17713 PIONEER BLVD.
City,State,Zip: ARTESIA, CA 90701
Site ID: 1868
CERS ID: 10514089
CERS Description: Hazardous Waste Generator

HAZNET:
Name: 99 RANCH MARKET #17
Address: 17713 PIONEER BLVD
Address 2: Not reported
City,State,Zip: ARTESIA, CA 90701
Contact: ISAAC CHU
Telephone: 7148899763
Mailing Name: Not reported
Mailing Address: 6281 REGIO AVE

Year: 2017
Gepaid: CAL000394792
TSD EPA ID: CAD008364432
CA Waste Code: 181 - Other inorganic solid waste
Disposal Method: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)

99 RANCH MARKET #17 (Continued) **S105696613**

Tons: 0.0785

Additional Info:
Year: 2017
Gen EPA ID: CAL000394792

Shipment Date: 20170429
Creation Date: 5/9/2018 18:31:26
Receipt Date: 20170508
Manifest ID: 010203482FLE
Trans EPA ID: MNS000110924
Trans Name: STERICYCLE SPECIALTY WASTE SOLUTIONS INC
Trans 2 EPA ID: CAD983649880
Trans 2 Name: PSC ENVIRONMENTAL SERVICES LP
TSDF EPA ID: CAD008364432
Trans Name: RHO CHEM LLC
TSDF Alt EPA ID: Not reported
TSDF Alt Name: Not reported
Waste Code Description: 181 - Other inorganic solid waste Organics
RCRA Code: Not reported
Meth Code: H141 - Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)
Quantity Tons: 0.0785
Waste Quantity: 157
Quantity Unit: P
Additional Code 1: Not reported
Additional Code 2: Not reported
Additional Code 3: Not reported
Additional Code 4: Not reported
Additional Code 5: Not reported

LOS ANGELES CO. HMS:
Name: TAWA SUPERMARKET DBA 99 RANCH
Address: 17713 PIONEER BLVD
City,State,Zip: ARTESIA, CA 907014010
Region: LA
Permit Category: I
Facility Id: 027038-037951
Facility Type: 01
Facility Status: Permit
Area: 1D
Permit Number: 000375277
Permit Status: Permit

Name: TAWA SUPERMARKET DBA 99 RANCH
Address: 17713 PIONEER BLVD
City,State,Zip: ARTESIA, CA 907014010
Region: LA
Permit Category: I
Facility Id: 027038-037951
Facility Type: 01
Facility Status: Permit
Area: 1D
Permit Number: 000949777
Permit Status: Permit

99 RANCH MARKET #17 (Continued) **S105696613**

CERS:
Name: 99 RANCH MARKET #17
Address: 17713 PIONEER BLVD.
City,State,Zip: ARTESIA, CA 90701
Site ID: 1868
CERS ID: 10514089
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 1868
Site Name: 99 Ranch Market #17
Violation Date: 11-20-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 12/08/2015. OBSERVATION: The amount of propane (liquefied petroleum gas) reported is incorrect. Amount reported in CERS is 38.8 cubic feet. Observed 4 cylinders of propane with a total of 32 gallons of propane. Please report propane in gallon. CORRECTIVE ACTION: Complete and submit the Hazardous Materials Inventory Chemical Description page for all materials listed above electronically in the California Environmental Reporting System (CERS).
Violation Division: Los Angeles County Fire Department
Violation Program: HMRRP
Violation Source: CERS

Site ID: 1868
Site Name: 99 Ranch Market #17
Violation Date: 11-20-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 12/08/2015. OBSERVATION: The annotated site map submitted to the CUPA does not include locations of evacuation staging areas. CORRECTIVE ACTION: Revise the annotated Site Map to include all required content and submit electronically in the California Environmental Reporting System (CERS).
Violation Division: Los Angeles County Fire Department
Violation Program: HMRRP
Violation Source: CERS

Site ID: 1868
Site Name: 99 Ranch Market #17
Violation Date: 04-01-2019
Citation: 22 CCR 12 66262.34(f) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.34(f)
Violation Description: Failure to properly label hazardous waste accumulation containers and portable tanks with the following requirements: "Hazardous Waste", name and address of the generator, physical and chemical characteristics of the Hazardous Waste, and starting accumulation date.
Violation Notes: Returned to compliance on 04/16/2019. OBSERVATION: A 20 gallon plastic bin used to store Toxics located in the HazWaste area was observed

99 RANCH MARKET #17 (Continued) **S105696613**

without the accumulation start date. A damaged container of liquid soap was inside the container at the time of walk-through. CORRECTIVE ACTION: Submit statement of compliance and/or a photo of the waste labeled properly by 5/1/2019

Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 1868
Site Name: 99 Ranch Market #17
Violation Date: 04-01-2019
Citation: 22 CCR 11 66261.7 - California Code of Regulations, Title 22, Chapter 11, Section(s) 66261.7
Violation Description: Failure to manage empty containers greater than 5 gallons in capacity that previously held a hazardous material/waste in accordance with 22 CCR 11 66261.7 including but not limited to the following: (e)(2)By reclaiming its scrap value onsite or shipping the container or inner liner to a person who reclaims its scrap value; or (3) By reconditioning or re manufacturing the container or inner liner onsite for subsequent reuse, or shipping the container or inner liner to a person who reconditions or re-manufactures the container or inner liner; or (4) By shipping the container or inner liner to a supplier or to another intermediate collection location for accumulation prior to managing the container or inner liner pursuant to subsections (e)(2) or (e)(3) of 22 CCR 11 66261.7; or (i) By shipping the container or inner liner back to the supplier for the purpose of being refilled. (f) A container or an inner liner removed from a container larger than five gallons in capacity which is managed pursuant to subsection (e) of 22 CCR 11 66261.7 shall be marked with the date it has been emptied and shall be managed within one year of being emptied.
Violation Notes: Returned to compliance on 04/16/2019. OBSERVATION: At the time of inspection, observed a 55 gallon empty drum inside the rear storage room. CORRECTIVE ACTION: A container larger than 5 gallons in capacity which previously held hazardous materials shall be marked empty and the date it has been emptied. Empty container shall be managed within one year of being emptied CCR 66261.7 Affix the labels to the empty containers and submit statement of compliance and/or a photo by 5/1/2019.
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 1868
Site Name: 99 Ranch Market #17
Violation Date: 04-01-2019
Citation: 22 CCR 12 66262.40(a) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(a)
Violation Description: Failure to keep a copy of each properly signed manifest for at least three years from the date the waste was accepted by the initial transporter. The manifest signed at the time the waste was accepted for transport shall be kept until receiving a signed copy from the designated facility which received the waste.
Violation Notes: Returned to compliance on 04/16/2019. OBSERVATION: Uniform Hazardous Waste Manifests for Toxics & State Regulated Wastes, Aerosols, Flammables & Combustibles, Corrosive Bases, Oxidizers, Corrosive Acidic were not available at the time of inspection. CORRECTIVE

99 RANCH MARKET #17 (Continued) **S105696613**

ACTION: Locate a copy of all manifests for Toxics & State Regulated Wastes, Aerosols, Flammables & Combustibles, Corrosive Bases, Oxidizers, Corrosive Acidic and submit statement of compliance and/or a photo to the CUPA by 5/1/2019.

Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Site ID: 1868
Site Name: 99 Ranch Market #17
Violation Date: 04-01-2019
Citation: 49 CFR 1 172 - U.S. Code of Federal Regulations, Title 49, Chapter 1, Section(s) 172
Violation Description: Failure of the universal waste handler to transfer universal waste to another universal waste handler, or appropriate destination facility. Failure to package, label, mark and placard shipments and prepare shipping papers for any universal waste that meets the hazardous materials definition in accordance with DOT 49 CFR parts 171-180.
Violation Notes: Returned to compliance on 04/16/2019. OBSERVATION: Universal Waste Handler (UWH) failed to properly package, label, mark, placard, or prepare and retain shipping papers for all universal waste being shipped to another universal waste handler, destination facility, or foreign facility. At the time of field visit, operator unable to show proof of proper disposal of the used fluorescent light bulbs. CORRECTIVE ACTION: Submit statement of compliance and/or a photo of the waste labeled properly to CUPA demonstrating that all universal waste noted above have been properly packaged, labeled, marked, placarded, or prepared and retain shipping papers.
Violation Division: Los Angeles County Fire Department
Violation Program: HW
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-20-2015
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: David Wang, Store Manager
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-20-2015
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: David Wang, Store Manager
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 12-08-2015
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: CERS review and acceptance
Eval Division: Los Angeles County Fire Department

99 RANCH MARKET #17 (Continued) **S105696613**

Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-01-2019
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: MING WEI TAN RECEIVER
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-01-2019
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: MING WEI TAN RECEIVER
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Affiliation:
Affiliation Type Desc: Environmental Contact
Entity Name: Isaac Chu
Entity Title: Not reported
Affiliation Address: 6281 Regio Ave
Affiliation City: Buena Park
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90620
Affiliation Phone: Not reported

Affiliation Type Desc: Facility Mailing Address
Entity Name: Mailing Address
Entity Title: Not reported
Affiliation Address: 6281 Regio Ave
Affiliation City: Buena Park
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90620
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer
Entity Name: Isaac Chu
Entity Title: Compliance Auditing & Safety
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Operator
Entity Name: Tawa Supermarket, Inc.
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported

99 RANCH MARKET #17 (Continued) **S105696613**

Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: (714) 521-8899

Affiliation Type Desc: CUPA District
Entity Name: Los Angeles County Fire
Entity Title: Not reported
Affiliation Address: 5825 Rickenbacker Road
Affiliation City: Commerce
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: 90040-3027
Affiliation Phone: (323) 890-4000

Affiliation Type Desc: Document Preparer
Entity Name: Isaac Chu
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner
Entity Name: Tawa Supermarket, Inc.
Entity Title: Not reported
Affiliation Address: 6281 Regio Ave
Affiliation City: Buena Park
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 90620
Affiliation Phone: (714) 521-8899

Affiliation Type Desc: Parent Corporation
Entity Name: Tawa Supermarket, Inc.
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: Not reported
Affiliation State: Not reported
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

HWTS:
Name: 99 RANCH MARKET #17
Address: 17713 PIONEER BLVD
Address 2: Not reported
City,State,Zip: ARTESIA, CA 90701
EPA ID: CAL000394792
Inactive Date: Not reported
Create Date: 03/07/2014
Last Act Date: 09/14/2020
Mailing Name: Not reported
Mailing Address: 6338 REGIO AVE

99 RANCH MARKET #17 (Continued) **S105696613**

Mailing Address 2:	Not reported
Mailing City,State,Zip:	BUENA PARK, CA 906201023
Owner Name:	TAWA SUPERMARKET INC
Owner Address:	6338 REGIO AVE
Owner Address 2:	Not reported
Owner City,State,Zip:	BUENA PARK, CA 906201023
Contact Name:	ISAAC CHU
Contact Address:	6338 REGIO AVE
Contact Address 2:	Not reported
City,State,Zip:	BUENA PARK, CA 90620

NAICS:

EPA ID:	CAL000394792
Create Date:	2014-03-07 14:32:32.107
NAICS Code:	45291
NAICS Description:	Warehouse Clubs and Superstores
Issued EPA ID Date:	2014-03-07 14:32:32.10000
Inactive Date:	Not reported
Facility Name:	99 RANCH MARKET #17
Facility Address:	17713 PIONEER BLVD
Facility Address 2:	Not reported
Facility City:	ARTESIA
Facility County:	Not reported
Facility State:	CA
Facility Zip:	90701

S124 **99 RANCH MARKET #17** **RCRA NonGen / NLR** **1024843420**
SSE **17713 PIONEER BLVD** **CAL000394792**
1/8-1/4 **ARTESIA, CA 90701**
0.201 mi.
1059 ft. **Site 3 of 3 in cluster S**

Relative:
Lower

Actual:
56 ft.

RCRA NonGen / NLR:

Date Form Received by Agency:		20140307
Handler Name:	99 RANCH MARKET #17	
Handler Address:		17713 PIONEER BLVD
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAL000394792
Contact Name:		ISAAC CHU
Contact Address:		6281 REGIO AVE
Contact City,State,Zip:		BUENA PARK, CA 90620
Contact Telephone:		714-889-9763
Contact Fax:		Not reported
Contact Email:		ISAACC@TAWA.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		6281 REGIO AVE
Mailing City,State,Zip:		BUENA PARK, CA 90620-1023
Owner Name:		TAWA SUPERMARKET INC

99 RANCH MARKET #17 (Continued) **1024843420**

Owner Type:	Other
Operator Name:	ISAAC CHU
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180906
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No

99 RANCH MARKET #17 (Continued) **1024843420**

Sub-Part P Indicator: No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	TAWA SUPERMARKET INC
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	6281 REGIO AVE
Owner/Operator City,State,Zip:	BUENA PARK, CA 90620-1023
Owner/Operator Telephone:	714-521-8899
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	ISAAC CHU
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	6281 REGIO AVE
Owner/Operator City,State,Zip:	BUENA PARK, CA 90620
Owner/Operator Telephone:	714-889-9763
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20140307
Handler Name: 99 RANCH MARKET #17	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	45291
NAICS Description:	WAREHOUSE CLUBS AND SUPERCENTERS

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

125
ESE
1/8-1/4
0.204 mi.
1075 ft.

BOER BACKHOE INC
11836 ARTESIA BLVD
ARTESIA, CA 90701

RCRA NonGen / NLR **1024832902**
CAL000371420

Relative:
Lower

Actual:
59 ft.

RCRA NonGen / NLR:

Date Form Received by Agency:		20120202
Handler Name:	BOER BACKHOE INC	
Handler Address:		11836 ARTESIA BLVD
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAL000371420
Contact Name:		MICHAEL BOER
Contact Address:		7128 E PARKCREST ST
Contact City,State,Zip:		LONG BEACH, CA 90808
Contact Telephone:		562-420-9844
Contact Fax:		562-425-6221
Contact Email:		MIKE@BOERBACKHOE.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		7128 E PARKCREST ST
Mailing City,State,Zip:		LONG BEACH, CA 90808-2340
Owner Name:		BOER BACKHOE INC
Owner Type:		Other
Operator Name:		MICHAEL BOER
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

BOER BACKHOE INC (Continued) **1024832902**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180906
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	BOER BACKHOE INC
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	7128 E PARKCREST ST
Owner/Operator City,State,Zip:	LONG BEACH, CA 90808-2340
Owner/Operator Telephone:	562-420-9844
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	MICHAEL BOER
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	7128 E PARKCREST ST
Owner/Operator City,State,Zip:	LONG BEACH, CA 90808
Owner/Operator Telephone:	562-420-9844
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

BOER BACKHOE INC (Continued) **1024832902**

Historic Generators:
Receive Date: 20120202
Handler Name: BOER BACKHOE INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 532412
NAICS Description: CONSTRUCTION, MINING, AND FORESTRY MACHINERY AND EQUIPMENT RENTAL AND LEASING

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

U126 **CHIP LAO** **RCRA NonGen / NLR** **1025827962**
West **17213 GARD AVENUE** **CAC003007515**
1/8-1/4 **ARTESIA, CA 90701**
0.205 mi.
1084 ft. **Site 1 of 2 in cluster U**

Relative: **Higher**
Actual: **65 ft.**

RCRA NonGen / NLR:
Date Form Received by Agency: 20190327
Handler Name: CHIP LAO
Handler Address: 17213 GARD AVENUE
Handler City,State,Zip: ARTESIA, CA 90701
EPA ID: CAC003007515
Contact Name: CHIP LAO
Contact Address: 17213 GARD AVENUE
Contact City,State,Zip: ARTESIA, CA 90701
Contact Telephone: 562-746-2593
Contact Fax: Not reported
Contact Email: DONNAC@PWSEI.COM
Contact Title: Not reported
EPA Region: 09
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: Not reported
State District: Not reported
Mailing Address: 17213 GARD AVENUE
Mailing City,State,Zip: ARTESIA, CA 90701

CHIP LAO (Continued) **1025827962**

Owner Name:	CHIP LAO
Owner Type:	Other
Operator Name:	CHIP LAO
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20190626
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No

CHIP LAO (Continued) **1025827962**

Manifest Broker: No
Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: CHIP LAO
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 17213 GARD AVENUE
Owner/Operator City,State,Zip: ARTESIA, CA 90701
Owner/Operator Telephone: 562-746-2593
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: CHIP LAO
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 17213 GARD AVENUE
Owner/Operator City,State,Zip: ARTESIA, CA 90701
Owner/Operator Telephone: 562-746-2593
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20190327
Handler Name: CHIP LAO
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

U127 **CHIP LAO** **RCRA NonGen / NLR** **1025829765**
West **17213 GARD AVENUE** **CAC003009319**
1/8-1/4 **ARTESIA, CA 90701**
0.205 mi.
1084 ft. **Site 2 of 2 in cluster U**

Relative: **Higher**
Actual: **65 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:		20190409
Handler Name:	CHIP LAO	
Handler Address:		17213 GARD AVENUE
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAC003009319
Contact Name:		CHIP LAO
Contact Address:		17213 GARD AVENUE
Contact City,State,Zip:		ARTESIA, CA 90701
Contact Telephone:		562-746-2593
Contact Fax:		Not reported
Contact Email:		CRISTAL.TEECOR@YAHOO.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		17213 GARD AVENUE
Mailing City,State,Zip:		ARTESIA, CA 90701
Owner Name:		CHIP LAO
Owner Type:		Other
Operator Name:		CHIP LAO
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

CHIP LAO (Continued) **1025829765**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20190626
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CHIP LAO
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17213 GARD AVENUE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-746-2593
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CHIP LAO
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17213 GARD AVENUE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-746-2593
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

CHIP LAO (Continued) **1025829765**

Historic Generators:
Receive Date: 20190409
Handler Name: CHIP LAO
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

T128 **LINOTYPE CO** **RCRA NonGen / NLR** **1000343222**
ENE **17100 PIONEER BLVD** **FINDS** **CAD981432800**
1/8-1/4 **ARTESIA, CA 90701** **ECHO**
0.207 mi.
1091 ft. **Site 4 of 4 in cluster T**

Relative: **Lower**
Actual: **62 ft.**

RCRA NonGen / NLR:
Date Form Received by Agency: 19860821
Handler Name: LINOTYPE CO
Handler Address: 17100 PIONEER BLVD
Handler City,State,Zip: ARTESIA, CA 90701
EPA ID: CAD981432800
Contact Name: ENVIRONMENTAL MANAGER
Contact Address: 17100 PIONEER BLVD
Contact City,State,Zip: ARTESIA, CA 90701
Contact Telephone: 516-342-2627
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 09
Land Type: Other
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: CA
State District: 4
Mailing Address: 425 OSER AVE
Mailing City,State,Zip: HAUPPAUGE, NY 11788
Owner Name: ALLIED CORPORATION

LINOTYPE CO (Continued) **1000343222**

Owner Type:	Private
Operator Name:	NOT REQUIRED
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20020627
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported

LINOTYPE CO (Continued) **1000343222**

Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: ALLIED CORPORATION
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, ME 99999
Owner/Operator Telephone: 415-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: NOT REQUIRED
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, ME 99999
Owner/Operator Telephone: 415-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19860821
Handler Name: LINOTYPE CO
Federal Waste Generator Description: Not a generator, verified
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110002703361

LINOTYPE CO (Continued) **1000343222**

Click Here:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000343222
Registry ID:	110002703361
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110002703361
Name:	LINOTYPE CO
Address:	17100 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701

V129 **MARYANNE POPPE** **RCRA NonGen / NLR** **1026716618**
WNW **17117 GARD AVE** **CAC003105108**
1/8-1/4 **ARTESIA, CA 90701**
0.217 mi.
1147 ft. **Site 1 of 3 in cluster V**

Relative: **Lower**

Actual: **62 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:		20210211
Handler Name:	MARYANNE POPPE	
Handler Address:		17117 GARD AVE
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAC003105108
Contact Name:		MARYANNE POPPE
Contact Address:		17117 GARD AVE
Contact City,State,Zip:		ARTESIA, CA 90701
Contact Telephone:		562-533-2027
Contact Fax:		Not reported
Contact Email:		SCHEDULING@PWSEI.COM
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		17117 GARD AVE
Mailing City,State,Zip:		ARTESIA, CA 90701
Owner Name:		MARYANNE POPPE
Owner Type:		Other
Operator Name:		MARYANNE POPPE
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No

MARYANNE POPPE (Continued) **1026716618**

Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20210226
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	MARYANNE POPPE

MARYANNE POPPE (Continued) **1026716618**

Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17117 GARD AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-533-2027
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name:	MARYANNE POPPE
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17117 GARD AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-533-2027
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20210211
Handler Name: MARYANNE POPPE	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

List of NAICS Codes and Descriptions:

NAICS Code:	56299
NAICS Description:	ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

V130 **MARYANNE POPPE** **RCRA NonGen / NLR** **1026715521**
WNW **17117 GARD AVE** **CAC003103947**
1/8-1/4 **ARTESIA, CA 90701**
0.217 mi.
1147 ft. **Site 2 of 3 in cluster V**

Relative: **Lower**

Actual: **62 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:		20210203
Handler Name:	MARYANNE POPPE	
Handler Address:		17117 GARD AVE
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAC003103947
Contact Name:		MARYANNE POPPE
Contact Address:		17117 GARD AVE
Contact City,State,Zip:		ARTESIA, CA 90701
Contact Telephone:		562-533-2027
Contact Fax:		Not reported
Contact Email:		EARTHWISESERVICES@SBCGLOBAL.NET
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		17117 GARD AVE
Mailing City,State,Zip:		ARTESIA, CA 90701
Owner Name:		MARYANNE POPPE
Owner Type:		Other
Operator Name:		MARYANNE POPPE
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

MARYANNE POPPE (Continued) **1026715521**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20210226
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	MARYANNE POPPE
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17117 GARD AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-533-2027
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	MARYANNE POPPE
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	17117 GARD AVE
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	562-533-2027
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

MARYANNE POPPE (Continued) **1026715521**

Historic Generators:
Receive Date: 20210203
Handler Name: MARYANNE POPPE
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

W131 **JOHAL OIL CORPORATION** **RCRA NonGen / NLR** **1024867841**
NNE **16809 S PIONEER BLVD** **CAL000436440**
1/8-1/4 **ARTESIA, CA 90701**
0.218 mi.
1150 ft. **Site 1 of 17 in cluster W**

Relative: **Lower**
Actual: **63 ft.**

RCRA NonGen / NLR:
Date Form Received by Agency: 20180522
Handler Name: JOHAL OIL CORPORATION
Handler Address: 16809 S PIONEER BLVD
Handler City,State,Zip: ARTESIA, CA 90701
EPA ID: CAL000436440
Contact Name: PARAMJIT SINGH OWNER
Contact Address: 16809 S PIONEER BLVD
Contact City,State,Zip: ARTESIA, CA 90701
Contact Telephone: 562-547-3379
Contact Fax: Not reported
Contact Email: JATTPJSINGH@YAHOO.COM
Contact Title: Not reported
EPA Region: 09
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: Not reported
State District: Not reported
Mailing Address: 16809 S PIONEER BLVD
Mailing City,State,Zip: ARTESIA, CA 90701
Owner Name: JOHAL OIL CORP

JOHAL OIL CORPORATION (Continued) **1024867841**

Owner Type:	Other
Operator Name:	PARAMJIT SINGH OWNER
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180907
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No

JOHAL OIL CORPORATION (Continued) **1024867841**

Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: JOHAL OIL CORP
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 16809 S PIONEER BLVD
Owner/Operator City,State,Zip: ARTESIA, CA 90701
Owner/Operator Telephone: 562-547-3779
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: PARAMJIT SINGH OWNER
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 16809 S PIONEER BLVD
Owner/Operator City,State,Zip: ARTESIA, CA 90701
Owner/Operator Telephone: 562-547-3379
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20180522
Handler Name: JOHAL OIL CORPORATION
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 447190
NAICS Description: OTHER GASOLINE STATIONS

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

W132
NNE
1/8-1/4
0.218 mi.
1150 ft.

Relative:
Lower

Actual:
63 ft.

JOHAL OIL CORPORATION
16809 S PIONEER BLVD
ARTESIA, CA 90701

Site 2 of 17 in cluster W

CERS HAZ WASTE
SWEEPS UST
CERS TANKS
LOS ANGELES CO. HMS
CERS
HWTS

S104537906
N/A

CERS HAZ WASTE:

Name:	JOHAL OIL CORPORATION
Address:	16809 S PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Site ID:	143900
CERS ID:	10279948
CERS Description:	Hazardous Waste Generator

SWEEPS UST:

Name:	EXXON COMPANY USA - SS #73314
Address:	16809 S PIONEER BLVD
City:	ARTESIA
Status:	Active
Comp Number:	2660
Number:	9
Board Of Equalization:	44-000285
Referral Date:	06-30-89
Action Date:	Not reported
Created Date:	06-30-89
Owner Tank Id:	Not reported
SWRCB Tank Id:	19-000-002660-000001
Tank Status:	A
Capacity:	Not reported
Active Date:	06-30-89
Tank Use:	UNKNOWN
STG:	W
Content:	Not reported
Number Of Tanks:	8

Name:	EXXON COMPANY USA - SS #73314
Address:	16809 S PIONEER BLVD
City:	ARTESIA
Status:	Active
Comp Number:	2660
Number:	9
Board Of Equalization:	44-000285
Referral Date:	06-30-89
Action Date:	Not reported
Created Date:	06-30-89
Owner Tank Id:	Not reported
SWRCB Tank Id:	19-000-002660-000002
Tank Status:	A
Capacity:	Not reported
Active Date:	06-30-89
Tank Use:	UNKNOWN
STG:	W
Content:	Not reported
Number Of Tanks:	Not reported

Name:	EXXON COMPANY USA - SS #73314
Address:	16809 S PIONEER BLVD
City:	ARTESIA

JOHAL OIL CORPORATION (Continued) **S104537906**

Status: Active
Comp Number: 2660
Number: 9
Board Of Equalization: 44-000285
Referral Date: 06-30-89
Action Date: Not reported
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-002660-000003
Tank Status: A
Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W
Content: Not reported
Number Of Tanks: Not reported

Name: EXXON COMPANY USA - SS #73314
Address: 16809 S PIONEER BLVD
City: ARTESIA
Status: Active
Comp Number: 2660
Number: 9
Board Of Equalization: 44-000285
Referral Date: 06-30-89
Action Date: Not reported
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-002660-000004
Tank Status: A
Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W
Content: Not reported
Number Of Tanks: Not reported

Name: EXXON COMPANY USA - SS #73314
Address: 16809 S PIONEER BLVD
City: ARTESIA
Status: Active
Comp Number: 2660
Number: 9
Board Of Equalization: 44-000285
Referral Date: 06-30-89
Action Date: Not reported
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-002660-000005
Tank Status: A
Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W
Content: Not reported
Number Of Tanks: Not reported

JOHAL OIL CORPORATION (Continued) **S104537906**

Name: EXXON COMPANY USA - SS #73314
Address: 16809 S PIONEER BLVD
City: ARTESIA
Status: Active
Comp Number: 2660
Number: 9
Board Of Equalization: 44-000285
Referral Date: 06-30-89
Action Date: Not reported
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-002660-000006
Tank Status: A
Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W
Content: Not reported
Number Of Tanks: Not reported

Name: EXXON COMPANY USA - SS #73314
Address: 16809 S PIONEER BLVD
City: ARTESIA
Status: Active
Comp Number: 2660
Number: 9
Board Of Equalization: 44-000285
Referral Date: 06-30-89
Action Date: Not reported
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-002660-000007
Tank Status: A
Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W
Content: Not reported
Number Of Tanks: Not reported

Name: EXXON COMPANY USA - SS #73314
Address: 16809 S PIONEER BLVD
City: ARTESIA
Status: Active
Comp Number: 2660
Number: 9
Board Of Equalization: 44-000285
Referral Date: 06-30-89
Action Date: Not reported
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-002660-000008
Tank Status: A
Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W

JOHAL OIL CORPORATION (Continued) **S104537906**

Content: Not reported
Number Of Tanks: Not reported

CERS TANKS:
Name: JOHAL OIL CORPORATION
Address: 16809 S PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 143900
CERS ID: 10279948
CERS Description: Underground Storage Tank

LOS ANGELES CO. HMS:
Name: EXXON CO USA
Address: 16809 PIONEER BLVD
City,State,Zip: ARTESIA, CA 907011719
Region: LA
Permit Category: I
Facility Id: 002574-I02660
Facility Type: 01
Facility Status: Removed
Area: 1D
Permit Number: 000004240
Permit Status: Removed

Name: YARALIAN SERVICE / EXPRESS GAS
Address: 16809 PIONEER BLVD
City,State,Zip: ARTESIA, CA 907011719
Region: LA
Permit Category: T
Facility Id: 002574-002660
Facility Type: 0
Facility Status: Closed
Area: 1D
Permit Number: 00003549T
Permit Status: Closed

Name: PIONEER ARCO INC
Address: 16809 PIONEER BLVD
City,State,Zip: ARTESIA, CA 907011719
Region: LA
Permit Category: T
Facility Id: 002574-055759
Facility Type: 0
Facility Status: Closed
Area: 1D
Permit Number: 000683695
Permit Status: Closed

CERS:
Name: JOHAL OIL CORPORATION
Address: 16809 S PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 143900
CERS ID: 10279948
CERS Description: Chemical Storage Facilities

JOHAL OIL CORPORATION (Continued) **S104537906**

Violations:

Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	11-17-2020
Citation:	23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description:	Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes:	1)042518 WORK ORDER FOR COLD START MISSING IN BINDER 2)MONTHLY DO'S FROM JAN 2020 - OCT 2020 MISSING 3)OVFL TESTING LATE 4)CERS 1)SUBMIT 2)GAS STATION HAD TEMP CLOSURE PERM,TO START DO'S 11/2020 3)CONDUCT 4)COMPLETE CORRECTIONS IN RED
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS

Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-23-2018
Citation:	HSC 6.7 25290.1(c),25290.2(c),25291(a)(2),2529.1(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c),25290.2(c),25291(a)(2),2529.1(e)
Violation Description:	Failure to maintain secondary containment (e.g., failure of secondary containment testing).
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS

Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-24-2017
Citation:	23 CCR 16 2637 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637
Violation Description:	Failure to conduct secondary containment testing, or one or more of the following requirements: Perform the test within six months of installation and every 36 months thereafter.Use a procedure that demonstrates the system works as well as at installation.Use applicable manufacturer guidelines, industry codes, engineering standard, or professional engineer approval.Performed by a certified service technician or a licensed tank tester.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS

Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	01-10-2020
Citation:	23 CCR 16 2644.1(a)(4) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2644.1(a)(4)
Violation Description:	Failure to notify the UPA 48 hours prior to testing.
Violation Notes:	BUILD.DEMOLISED MOVED V.R. MONIT.SYSTEM TO TEMPORARY SHED OPERATING WITHOUT CERTIFIED MONITOR. PERMIT OUT OF SERVICE TANKS. PERMIT ADDITION/MODIFICATIONS. CERTIFY MONIT. SYSTEM AT CURRENT TEMP.SHED.COLD START.
Violation Division:	Los Angeles County Department of Public Works

JOHAL OIL CORPORATION (Continued) **S104537906**

Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 04-23-2019
Citation: HSC 6.7 25293 - California Health and Safety Code, Chapter 6.7, Section(s) 25293
Violation Description: Failure to maintain UST records in sufficient detail to enable the UPA to determine whether the UST systems are in compliance.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 03-09-2016
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to maintain on site an approved monitoring plan.
Violation Notes: Returned to compliance on 11/21/2019. CERS:1)TANK FORM(RISER PIPE) 2.MP (COMMENT SECTION,SECONDARY CONTACT 3. FRCT (CFO MECHANISM/DATE MISSING)
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-23-2018
Citation: 23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description: Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the UPA or special inspector.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-12-2015
Citation: HSC 6.7 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25292(e)
Violation Description: Failure to maintain secondary containment, as evidenced by failure of secondary containment testing.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-23-2018
Citation: 23 CCR 16 2712(b) - California Code of Regulations, Title 23, Chapter

JOHAL OIL CORPORATION (Continued) **S104537906**

	16, Section(s) 2712(b)
Violation Description:	Failure to maintain records of repairs, lining, and upgrades on site, or off site if approved by the UPA, for the life of the UST.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-12-2015
Citation:	23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description:	The owner/operator has failed to comply with one or more of the following: to maintain a copy of the designated operator monthly inspections for the last 12 months and/or maintain a list of trained employees on-site or off-site at a readily available location, if approved by the CUPA.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	01-10-2020
Citation:	HSC 6.7 25299(a)(9) - California Health and Safety Code, Chapter 6.7, Section(s) 25299(a)(9)
Violation Description:	Leak detection equipment disabled or tampered with in a manner that would prevent the monitoring system from detecting and/or alerting the owner/operator of a leak.
Violation Notes:	BUILD.DEMOLISED MOVED V.R. MONIT.SYSTEM TO TEMPORARY SHED OPERATING WITHOUT CERTIFIED MONITOR. PERMIT OUT OF SERVICE TANKS. PERMIT ADDITION/MODIFICATIONS. CERTIFY MONIT. SYSTEM AT CURRENT TEMP.SHED.COLD START.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-23-2018
Citation:	23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description:	Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-12-2015
Citation:	23 CCR 16 2712(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)
Violation Description:	Failure to maintain leak detection alarm logs and/or maintain records

JOHAL OIL CORPORATION (Continued) **S104537906**

	of appropriate follow-up actions
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-23-2018
Citation:	23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description:	Failure to submit the Annual Monitoring System Certification Form to the UPA within 30 days of completion of the test.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-23-2018
Citation:	HSC 6.7 25293 - California Health and Safety Code, Chapter 6.7, Section(s) 25293
Violation Description:	Failure to maintain UST records of monitoring, testing, repairing, and closure in sufficient detail to enable the UPA to determine whether the UST systems are in compliance.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-23-2018
Citation:	23 CCR 16 2712(i), 2632(d)(2), 2634(e), 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i), 2632(d)(2), 2634(e), 2641(h)
Violation Description:	Failure to submit a current UST Response Plan available on site.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	03-09-2016
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Returned to compliance on 11/21/2019. CERS:1)TANK FORM(RISER PIPE) 2.MP (COMMENT SECTION,SECONDARY CONTACT3. FRCT (CFO MECHANISM/DATE MISSING)
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS

JOHAL OIL CORPORATION (Continued) **S104537906**

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-23-2018
Citation: HSC 6.7 25284.2 - California Health and Safety Code, Chapter 6.7, Section(s) 25284.2
Violation Description: Failure to test the spill bucket annually.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 03-09-2016
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to maintain on site an approved monitoring plan.
Violation Notes: Returned to compliance on 11/21/2019. CERS:1)TANK FORM(RISER PIPE) 2.MP (COMMENT SECTION,SECONDARY CONTACT3. FRCT (CFO MECHANISM/DATE MISSING)
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-12-2015
Citation: HSC 6.7 25291 - California Health and Safety Code, Chapter 6.7, Section(s) 25291
Violation Description: Failure to maintain under-dispenser containment, sumps, and/or other secondary containment in good condition and/or free of debris/liquid.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 04-23-2019
Citation: 23 CCR 16 2665(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665(b)
Violation Description: "Failure to submit a copy of the overfill prevention equipment inspection results on the G Overfill Prevention Equipment Inspection Report FormG to the UPA within 30 days after the inspection. "
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-23-2018
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes: Not reported

JOHAL OIL CORPORATION (Continued) **S104537906**

Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-12-2015
Citation: 23 CCR 16 2637(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637(e)
Violation Description: Failure to submit a copy of the secondary containment test results to the CUPA within 30 days after the test.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-12-2015
Citation: 23 CCR 16 2637 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637
Violation Description: Failure to comply with one or more of the following: conduct secondary containment testing, within six months of installation and every 36 months thereafter, conducted in accordance with proper practices, protocols, or test methods.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-12-2015
Citation: 23 CCR 16 2715(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)
Violation Description: Failure to comply with one or more of the following: provide training to facility employee(s) responsible for proper operation and maintenance every 12 months and/or train new employee(s) who are responsible for proper operation and maintenance within 30-days of hire and/or to have at least one employee present during operating hours that has been trained in the proper operation and maintenance of the UST system.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-24-2017
Citation: HSC 6.7 25284.2 - California Health and Safety Code, Chapter 6.7, Section(s) 25284.2
Violation Description: Failure to test the spill bucket annually.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

JOHAL OIL CORPORATION (Continued) **S104537906**

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-12-2015
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to maintain on site an approved monitoring plan.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-23-2018
Citation: 23 CCR 16 2637(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637(e)
Violation Description: Failure to submit a copy of the secondary containment test results to the UPA within 30 days after the test.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 01-10-2020
Citation: 23 CCR 16 2641(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(i)
Violation Description: Failure to properly affix tag/sticker on monitoring equipment being certified, repaired, or replaced.
Violation Notes: BUILD.DEMOLISED MOVED V.R. MONIT.SYSTEM TO TEMPORARY SHED OPERATING WITHOUT CERTIFIED MONITOR. PERMIT OUT OF SERVICE TANKS. PERMIT ADDITION/MODIFICATIONS. CERTIFY MONIT. SYSTEM AT CURRENT TEMP.SHED.COLD START.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-12-2015
Citation: 23 CCR 16 2644.1(a)(4) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2644.1(a)(4)
Violation Description: Failure to notify the CUPA the prescribed number of hours prior to testing.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 04-23-2019
Citation: 23 CCR 16 2715(a)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)(2)
Violation Description: Failure to submit the G Underground Storage Tank Statement of Understanding and Compliance Form.G

JOHAL OIL CORPORATION (Continued) **S104537906**

Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-23-2018
Citation:	HSC 6.7 25290.1(c)(3),25290.2(c)(3) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c)(3),25290.2(c)(3)
Violation Description:	Failure to keep water out of the secondary containment of UST systems installed on or after July 1, 2003.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	04-24-2018
Citation:	22 CCR 12 66262.20 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.20
Violation Description:	Failure to prepare a Uniform Hazardous Waste Manifest and, if necessary, a Continuation Sheet, before the transport of a hazardous waste off-site for transfer, treatment, storage, or disposal.
Violation Notes:	Returned to compliance on 05/14/2018. OBSERVATION: All hazardous wastes must be transported by a licensed hazardous waste hauler. -Did not observe any hazardous waste drums at the facility. The owner stated that he has not generated any hazardous wastes since he took over the business but was planning to take any hazardous wastes at his other location (15604 Pioneer Blvd/FA0020941). Instructed owner that he cannot transport hazardous wastes since he is not a licensed hauler. CORRECTIVE ACTION: Contact a licensed hauler when hazardous wastes have been generated at the business.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-12-2015
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	04-23-2019
Citation:	23 CCR 16 2715(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)
Violation Description:	Failure to have a properly qualified service technician test leak detection equipment as required every 12 months (vapor, pressure,

JOHAL OIL CORPORATION (Continued) **S104537906**

	hydrostatic (VPH) system, sensors, line-leak detectors (LLD), automatic tank gauge (ATG), etc.).
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	04-23-2019
Citation:	HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description:	Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-24-2017
Citation:	23 CCR 16 2715(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(i)
Violation Description:	Failure to have a properly qualified service technician test leak detection equipment as required every 12 months (vapor, pressure, hydrostatic (VPH) system, sensors, line-leak detectors (LLD), automatic tank gauge (ATG), etc.).
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-12-2015
Citation:	HSC 6.7 25284.2 - California Health and Safety Code, Chapter 6.7, Section(s) 25284.2
Violation Description:	Failure to test the spill bucket annually.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	04-23-2019
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900

JOHAL OIL CORPORATION (Continued) **S104537906**

Site Name:	Johal Oil Corporation
Violation Date:	05-24-2017
Citation:	HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description:	Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	03-09-2016
Citation:	HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description:	Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes:	Returned to compliance on 11/21/2019. CERS:1)TANK FORM(RISER PIPE) 2.MP (COMMENT SECTION,SECONDARY CONTACT3. FRCT (CFO MECHANISM/DATE MISSING)
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-12-2015
Citation:	23 CCR 16 2638 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638
Violation Description:	Failure to test leak detection equipment as required every 12 months (VPH, sensor, LLD, ATG, etc.) and/or submit monitoring system certification to the CUPA within 30 days of completion of the test
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	04-24-2018
Citation:	22 CCR 12 66262.12 - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.12
Violation Description:	Failure to obtain an Identification Number prior to treating, storing, disposing of, transporting or offering for transportation any hazardous waste.
Violation Notes:	Returned to compliance on 05/14/2018. OBSERVATION: The generator has not obtained an active EPA ID number to manage hazardous waste. A hazardous waste generator shall not treat, store, dispose of, transport or offer for transportation, hazardous waste without an active EPA ID number. -The owner has not yet obtained his own EPA ID since he took over the business. The EPA ID number listed in CERS (CAL000123686) belongs to the previous owner. CORRECTIVE ACTION: Submit documentation to the CUPA demonstrating that you have obtained an EPA ID number by 05/24/18.
Violation Division:	Los Angeles County Fire Department
Violation Program:	HW

JOHAL OIL CORPORATION (Continued) **S104537906**

Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-23-2018
Citation: 23 CCR 16 2637 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637
Violation Description: Failure to conduct secondary containment testing, or one or more of the following requirements: Perform the test within six months of installation and every 36 months thereafter.Use a procedure that demonstrates the system works as well as at installation.Use applicable manufacturer guidelines, industry codes, engineering standard, or professional engineer approval.Performed by a certified service technician or a licensed tank tester.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-24-2017
Citation: 23 CCR 16 2641(j) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(j)
Violation Description: Failure of the leak detection equipment to be installed, calibrated, operated, and/or maintained properly.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 01-10-2020
Citation: 23 CCR 16 2636(f)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(1)
Violation Description: Failure of the double-walled pressurized piping to be continuously monitored with a system that activates an audible and visual alarm or stops flow at the dispenser when a leak is detected.
Violation Notes: BUILD.DEMOLISED MOVED V.R. MONIT.SYSTEM TO TEMPORARY SHED OPERATING WITHOUT CERTIFIED MONITOR. PERMIT OUT OF SERVICE TANKS. PERMIT ADDITION/MODIFICATIONS. CERTIFY MONIT. SYSTEM AT CURRENT TEMP.SHED.COLD START.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-23-2018
Citation: 23 CCR 16 2712(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)
Violation Description: Failure to comply with one or more of the following corrosion protection record retention requirements: Maintain records of cathodic protection systems testing within six months of installation and at least every three years thereafter. Maintain records for the 60 calendar day inspection of the impressed-current system. Maintain

JOHAL OIL CORPORATION (Continued) **S104537906**

	records for sacrificial anodes testing every three years. Have written monitoring and maintenance records on-site or off-site at a readily available location if approved by the UPA.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	01-10-2020
Citation:	HSC 6.7 25298 - California Health and Safety Code, Chapter 6.7, Section(s) 25298
Violation Description:	Failure to comply with temporary closure requirements.
Violation Notes:	BUILD.DEMOLISED MOVED V.R. MONIT.SYSTEM TO TEMPORARY SHED OPERATING WITHOUT CERTIFIED MONITOR. PERMIT OUT OF SERVICE TANKS. PERMIT ADDITION/MODIFICATIONS. CERTIFY MONIT. SYSTEM AT CURRENT TEMP.SHED.COLD START.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-12-2015
Citation:	23 CCR 16 2712(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)
Violation Description:	Failure to maintain records of repairs, lining, and upgrades on site, or off site if approved by the CUPA, for the life of the underground storage tank and/or failure to maintain written monitoring and maintenance records on site, or off site if approved by the CUPA, for a period of 3 years, 6 1/2 years for cathodic protection, and 5 years for written performance claims pertaining to release detection systems and calibration and maintenance records for such systems.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-24-2017
Citation:	23 CCR 6.7 25284, 25286 - California Code of Regulations, Title 23, Chapter 6.7, Section(s) 25284, 25286
Violation Description:	Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	01-10-2020
Citation:	23 CCR 16 2641(j) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(j)
Violation Description:	Failure of the leak detection equipment to be installed, calibrated,

JOHAL OIL CORPORATION (Continued) **S104537906**

	operated, and/or maintained properly.
Violation Notes:	BUILD.DEMOLISED MOVED V.R. MONIT.SYSTEM TO TEMPORARY SHED OPERATING WITHOUT CERTIFIED MONITOR. PERMIT OUT OF SERVICE TANKS. PERMIT ADDITION/MODIFICATIONS. CERTIFY MONIT. SYSTEM AT CURRENT TEMP.SHED.COLD START.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-24-2017
Citation:	23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description:	Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the CUPA or special inspector.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	04-23-2019
Citation:	23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description:	Failure to implement the corrections specified in the inspection report within 30 days of receiving an inspection report from either the UPA or special inspector.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-23-2018
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to retain a copy of the permit to operate at the facility.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	143900
Site Name:	Johal Oil Corporation
Violation Date:	05-23-2018
Citation:	23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description:	Failure to have an approved UST Response Plan.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS

JOHAL OIL CORPORATION (Continued) **S104537906**

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-23-2018
Citation: 23 CCR 16 2715(c) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)
Violation Description: Failure to comply with one or more of the following designated operator (DO) monthly inspection requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(f)(2).
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-24-2017
Citation: HSC 6.7 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e)
Violation Description: Failure to maintain secondary containment (e.g. failure of secondary containment testing).
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 01-10-2020
Citation: 23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description: Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes: BUILD.DEMOLISED MOVED V.R. MONIT.SYSTEM TO TEMPORARY SHED OPERATING WITHOUT CERTIFIED MONITOR. PERMIT OUT OF SERVICE TANKS. PERMIT ADDITION/MODIFICATIONS. CERTIFY MONIT. SYSTEM AT CURRENT TEMP.SHED.COLD START.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 04-23-2019
Citation: 23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description: Failure to submit the G Monitoring System Certification FormG to the UPA within 30 days of completion of the test.
Violation Notes: Not reported

JOHAL OIL CORPORATION (Continued) **S104537906**

Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-23-2018
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Monitoring Plan.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-12-2015
Citation: 23 CCR 16 2636(f)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(2)
Violation Description: Failure of the pressurized piping to meet one or more of the following requirements: monitored at least hourly with the capability of detecting a release of 3.0 gallons per hour, and will restrict the flow of product through the piping or trigger an alarm when a release occurs.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 11-17-2020
Citation: 23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description: Failure to implement the corrections specified in the inspection report within 30 days of receiving an inspection report from either the UPA or special inspector.
Violation Notes: 1)042518 WORK ORDER FOR COLD START MISSING IN BINDER 2)MONTHLY DO'S FROM JAN 2020 - OCT 2020 MISSING 3)OVFL TESTING LATE 4)CERS 1)SUBMIT 2)GAS STATION HAD TEMP CLOSURE PERM,TO START DO'S 11/2020 3)CONDUCT 4)COMPLETE CORRECTIONS IN RED
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 05-12-2015
Citation: 23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description: Failure to comply with one or more of the designated operator monthly inspection requirements: failed to inspect the monthly alarm history report; attach a copy of the alarm history; failed to inspect for the presence of liquid or debris in the spill container/spill bucket and under dispenser containment; failed to inspect the under dispenser containment to ensure that monitoring equipment is placed in the

JOHAL OIL CORPORATION (Continued) **S104537906**

proper position; failure to inspect for liquid or debris in the containment sump where an alarm occurred or for which there is no record of a service visit; or failure to check that all testing and maintenance has been completed and documented.

Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 11-17-2020
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes: 1)042518 WORK ORDER FOR COLD START MISSING IN BINDER 2)MONTHLY DO'S FROM JAN 2020 - OCT 2020 MISSING 3)OVFL TESTING LATE 4)CERS 1)SUBMIT 2)GAS STATION HAD TEMP CLOSURE PERM,TO START DO'S 11/2020 3)CONDUCT 4)COMPLETE CORRECTIONS IN RED
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 143900
Site Name: Johal Oil Corporation
Violation Date: 01-10-2020
Citation: 23 CCR 16 2632(c)(2)(A)&(B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632(c)(2)(A)&(B)
Violation Description: Failure to continuously monitor the interstitial space of a double-walled tank with an audible and visual alarm system.
Violation Notes: BUILD.DEMOLISED MOVED V.R. MONIT.SYSTEM TO TEMPORARY SHED OPERATING WITHOUT CERTIFIED MONITOR. PERMIT OUT OF SERVICE TANKS. PERMIT ADDITION/MODIFICATIONS. CERTIFY MONIT. SYSTEM AT CURRENT TEMP.SHED.COLD START.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Evaluation:
Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-24-2018
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: Paramjit Singh (Owner)
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-29-2021
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: PARAMJIT SINGH OWNER
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

JOHAL OIL CORPORATION (Continued) **S104537906**

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-29-2021
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	PARAMJIT SINGH OWNER
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	11-17-2020
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	1)042518 WORK ORDER FOR COLD START MISSING IN BINDER 2)MONTHLY DO'S FROM JAN 2020 - OCT 2020 MISSING 3)OVFL TESTING LATE 4)CERS
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	04-23-2019
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	1) 051315 VAPOR BKT TEST INCOMPLETE FOR 87 AUX & 91 2) 042518 COLD START CTLS NOT SUBMITTED 3)CERS TANK PAGE
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-12-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC:(1)NO UST TESTS/RECORDS ON SITE;(2)UPLOAD/UPDATE UST INFO ON CERS WEB LINK;(3)87 MLLD, UST VAPOR BKTS(2) FAILED;(4)SITE BOE# REQD
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-23-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC:1)CTLS'2017 NOT SUBMITTED;2)UST INFO CORRECTIONS IN CERS REQD; 3)CTLS DATED 5/13/15, 5/26/16 REJECTED;4)SB989 DATED 3/9/16 REJECT'D
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-24-2017
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC PAST DUE MONIT.CERT.5/15, 5/16; SB989-3/16,CERS; MANY PROBLEMS WITH V.R.PROGRAMING NOT SHUTTING DOWN TESTED SENSOR/TURB.LISTED
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST

JOHAL OIL CORPORATION (Continued) **S104537906**

Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-06-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 11-06-2014
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Not reported
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 01-10-2020
Violations Found: Yes
Eval Type: Other, not routine, done by local agency
Eval Notes: NOVC FOR OPERATING WITHOUT CERTIFIED V.R.NO POWER. PERMIT OUT OF SER VICE TKS-3. PERMIT ADDIT/MODIFICTIONS TEMP.SHED AND NEW BUILDING.
Eval Division: Los Angeles County Department of Public Works
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 03-08-2016
Violations Found: Yes
Eval Type: Routine done by local agency
Eval Notes: NOVC:CERS INACCURATE 1.TANK (RISER PIPE) 2.MP (COMMENT SECTION,SECON DARY CONTACT 3. FRCT (CFO MECHANISM/DATE MISSING)
Eval Division: Los Angeles County Department of Public Works
Eval Program: UST
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection
Eval Date: 04-24-2018
Violations Found: No
Eval Type: Routine done by local agency
Eval Notes: Paramjit Singh (Owner)
Eval Division: Los Angeles County Fire Department
Eval Program: HMRRP
Eval Source: CERS

Eval General Type: Other/Unknown
Eval Date: 05-14-2018
Violations Found: No
Eval Type: Other, not routine, done by local agency
Eval Notes: Paramjit Singh (Owner)
Eval Division: Los Angeles County Fire Department
Eval Program: HW
Eval Source: CERS

JOHAL OIL CORPORATION (Continued) **S104537906**

Affiliation:

Affiliation Type Desc:	CUPA District
Entity Name:	Los Angeles County Fire
Entity Title:	Not reported
Affiliation Address:	5825 Rickenbacker Road
Affiliation City:	Commerce
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90040-3027
Affiliation Phone:	(323) 890-4000

Affiliation Type Desc:	UST Tank Operator
Entity Name:	Johal Oil Corporation
Entity Title:	Not reported
Affiliation Address:	16809 S PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(562) 403-8866

Affiliation Type Desc:	Environmental Contact
Entity Name:	Paramjit Singh
Entity Title:	Not reported
Affiliation Address:	16809 S PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported

Affiliation Type Desc:	Legal Owner
Entity Name:	Paramjit Singh
Entity Title:	Not reported
Affiliation Address:	16809 S PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(562) 403-8866

Affiliation Type Desc:	UST Property Owner Name
Entity Name:	Johal Oil Corporation
Entity Title:	Not reported
Affiliation Address:	16809 S PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(562) 403-8866

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	16809 S PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA

JOHAL OIL CORPORATION (Continued) **S104537906**

Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported
Affiliation Type Desc:	Identification Signer
Entity Name:	Paramjit Singh
Entity Title:	Owner
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Parent Corporation
Entity Name:	Johal Oil Corp
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Property Owner
Entity Name:	Johal Oil Corporation
Entity Title:	Not reported
Affiliation Address:	16809 S PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(562) 403-8866
Affiliation Type Desc:	Document Preparer
Entity Name:	Jaime Quintanilla - JQ Engineering Inc
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	Johal Oil Corporation
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(562) 403-8866
Affiliation Type Desc:	UST Tank Owner
Entity Name:	Johal Oil Corporation
Entity Title:	Not reported

JOHAL OIL CORPORATION (Continued) **S104537906**

Affiliation Address: 16809 S PIONEER BLVD
Affiliation City: ARTESIA
Affiliation State: CA
Affiliation Country: United States
Affiliation Zip: 90701
Affiliation Phone: (562) 403-8866

HWTS:
Name: JOHAL OIL CORPORATION
Address: 16809 S PIONEER BLVD
Address 2: Not reported
City,State,Zip: ARTESIA, CA 90701
EPA ID: CAL000436440
Inactive Date: Not reported
Create Date: 05/22/2018
Last Act Date: 09/15/2020
Mailing Name: Not reported
Mailing Address: 16809 S PIONEER BLVD
Mailing Address 2: Not reported
Mailing City,State,Zip: ARTESIA, CA 90701
Owner Name: JOHAL OIL CORP
Owner Address: 16809 S PIONEER BLVD
Owner Address 2: Not reported
Owner City,State,Zip: ARTESIA, CA 90701
Contact Name: PARAMJIT SINGH OWNER
Contact Address: 16809 S PIONEER BLVD
Contact Address 2: Not reported
City,State,Zip: ARTESIA, CA 90701

NAICS:
EPA ID: CAL000436440
Create Date: 2018-05-22 16:25:10.760
NAICS Code: 447190
NAICS Description: Other Gasoline Stations
Issued EPA ID Date: 2018-05-22 16:25:10.76000
Inactive Date: Not reported
Facility Name: JOHAL OIL CORPORATION
Facility Address: 16809 S PIONEER BLVD
Facility Address 2: Not reported
Facility City: ARTESIA
Facility County: Not reported
Facility State: CA
Facility Zip: 90701

W133 **EXXON #7-3314 (FORMER)** **LUST** **S101307314**
NNE **16809 PIONEER BLVD S** **Cortese** **N/A**
1/8-1/4 **ARTESIA, CA 90701** **CERS**
0.218 mi.
1150 ft. **Site 3 of 17 in cluster W**

Relative:
Lower

Actual:
63 ft.

LUST:
Name: EXXON #7-3314 (FORMER)
Address: 16809 PIONEER BLVD S
City,State,Zip: ARTESIA, CA 90701
Lead Agency: LOS ANGELES RWQCB (REGION 4)
Case Type: LUST Cleanup Site

EXXON #7-3314 (FORMER) (Continued) **S101307314**

Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603702863
Global Id:	T0603702863
Latitude:	33.8781339
Longitude:	-118.0823872
Status:	Completed - Case Closed
Status Date:	08/03/1998
Case Worker:	NB
RB Case Number:	I-02660
Local Agency:	LOS ANGELES COUNTY
File Location:	Not reported
Local Case Number:	Not reported
Potential Media Affect:	Aquifer used for drinking water supply
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0603702863
Contact Type:	Local Agency Caseworker
Contact Name:	JOHN AWUJO
Organization Name:	LOS ANGELES COUNTY
Address:	900 S FREMONT AVE
City:	ALHAMBRA
Email:	jawujo@dpw.lacounty.gov
Phone Number:	6264583507

Global Id:	T0603702863
Contact Type:	Regional Board Caseworker
Contact Name:	NHAN BAO
Organization Name:	LOS ANGELES RWQCB (REGION 4)
Address:	320 WEST 4TH STREET, SUITE 200
City:	LOS ANGELES
Email:	nbao@waterboards.ca.gov
Phone Number:	2135766703

LUST:

Global Id:	T0603702863
Action Type:	Other
Date:	01/25/1991
Action:	Leak Reported

LUST:

Global Id:	T0603702863
Status:	Open - Case Begin Date
Status Date:	01/25/1991

Global Id:	T0603702863
Status:	Open - Site Assessment
Status Date:	02/07/1992

Global Id:	T0603702863
Status:	Open - Remediation
Status Date:	02/02/1996

Global Id:	T0603702863
Status:	Completed - Case Closed
Status Date:	08/03/1998

EXXON #7-3314 (FORMER) (Continued) **S101307314**

LUST REG 4:

Region:	4	
Regional Board:	04	
County:	Los Angeles	
Facility Id:	I-02660	
Status:	Case Closed	
Substance:	Gasoline	
Substance Quantity:	Not reported	
Local Case No:	Not reported	
Case Type:	Groundwater	
Abatement Method Used at the Site:		VE
Global ID:	T0603702863	
W Global ID:	Not reported	
Staff:	NB	
Local Agency:	19000	
Cross Street:	168TH ST	
Enforcement Type:	Not reported	
Date Leak Discovered:	Not reported	
Date Leak First Reported:		1/25/1991
Date Leak Record Entered:	4/15/1991	
Date Confirmation Began:	Not reported	
Date Leak Stopped:	Not reported	
Date Case Last Changed on Database:		11/3/1998
Date the Case was Closed:		8/3/1998
How Leak Discovered:	Not reported	
How Leak Stopped:	Not reported	
Cause of Leak:	UNK	
Leak Source:	UNK	
Operator:	Not reported	
Water System:	Not reported	
Well Name:	Not reported	
Approx. Dist To Production Well (ft):		680.6160583197500050188858308 8
Source of Cleanup Funding:		UNK
Preliminary Site Assessment Workplan Submitted:		Not reported
Preliminary Site Assessment Began:		2/7/1992
Pollution Characterization Began:		Not reported
Remediation Plan Submitted:		Not reported
Remedial Action Underway:		2/2/1996
Post Remedial Action Monitoring Began:		Not reported
Enforcement Action Date:		Not reported
Historical Max MTBE Date:		1/1/1965
Hist Max MTBE Conc in Groundwater:		30
Hist Max MTBE Conc in Soil:		Not reported
Significant Interim Remedial Action Taken:		Not reported
GW Qualifier:	Not reported	
Soil Qualifier:	Not reported	
Organization:	Not reported	
Owner Contact:	Not reported	
Responsible Party:	EXXON CO., USA	
RP Address:	PO BOX 4032, CONCORD, CA 94524-4032	
Program:	LUST	
Lat/Long:	33.8781339 / -1	
Local Agency Staff:	Not reported	
Beneficial Use:	Not reported	
Priority:	LOP/LOW - MINOR OR NO POTENTIAL WATER RESOURCE IMPACT	
Cleanup Fund Id:	Not reported	
Suspended:	Not reported	

EXXON #7-3314 (FORMER) (Continued) **S101307314**

Assigned Name: Not reported
Summary: TANKS REMOVED. PLUME DEFINED. 03/20/98 - 1ST QTR 1998 GW MON RPT 06/30/98 - 2ND QTR 1998 GW MON RPT 10/28/98 - LTR RPT FOR THE ABANDONMENT OF SEV

CORTESE:

Name:	EXXON #7-3314 (FORMER)
Address:	16809 PIONEER BLVD S
City,State,Zip:	ARTESIA, CA 90701
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0603702863
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

CERS:

Name:	EXXON #7-3314 (FORMER)
Address:	16809 PIONEER BLVD S
City,State,Zip:	ARTESIA, CA 90701
Site ID:	223090
CERS ID:	T0603702863
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	NHAN BAO - LOS ANGELES RWQCB (REGION 4)
Entity Title:	Not reported
Affiliation Address:	320 WEST 4TH STREET, SUITE 200
Affiliation City:	LOS ANGELES
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	2135766703

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	JOHN AWUJO - LOS ANGELES COUNTY
Entity Title:	Not reported
Affiliation Address:	900 S FREMONT AVE
Affiliation City:	ALHAMBRA
Affiliation State:	CA

EXXON #7-3314 (FORMER) (Continued) **S101307314**

Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 6264583507

W134 **YARALIANS SERVICES** **EDR Hist Auto** **1008993528**
NNE **16809 PIONEER BLVD** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.218 mi.
1150 ft. **Site 4 of 17 in cluster W**

Relative: EDR Hist Auto
Lower

Actual:
63 ft.

Year:	Name:	Type:
1970	ANDY'S ENCO PRODUCTS	Not reported
1989	OSBORNS EXXON SERVICE	Gasoline Service Stations
1990	OSBORNS EXXON SERVICE	Gasoline Service Stations
1994	YARALIANS TEXACO	Gasoline Service Stations
1995	YARALIANS TEXACO	Gasoline Service Stations
1996	YARALIANS TEXACO	Gasoline Service Stations
1997	YARALIANS TEXACO	Gasoline Service Stations
1998	YARALIAN GEORGE	Gasoline Service Stations
1999	YARALIAN GEORGE	Gasoline Service Stations
2000	YARALIAN GEORGE	Gasoline Service Stations
2001	YARALIAN GEORGE	Gasoline Service Stations
2002	YARALIANS SERVICES	Gasoline Service Stations
2003	YARALIANS SERVICES	Gasoline Service Stations
2004	YARALIANS SERVICES	Gasoline Service Stations
2005	YARALIANS SERVICES	Gasoline Service Stations, NEC
2006	YARALIANS SERVICES	Gasoline Service Stations, NEC
2007	YARALIANS SERVICES	Gasoline Service Stations, NEC
2008	YARALIANS SERVICES	Gasoline Service Stations, NEC
2010	YARALIANS SERVICES	Gasoline Service Stations, NEC
2011	YARALIANS SERVICES	Gasoline Service Stations, NEC
2011	PIONEER ARCO	Gasoline Service Stations
2012	PIONEER ARCO	Gasoline Service Stations
2012	YARALIANS SERVICES	Gasoline Service Stations, NEC
2013	PIONEER ARCO	Gasoline Service Stations
2013	YARALIANS SERVICES	Gasoline Service Stations, NEC
2014	YARALIANS SERVICES	Gasoline Service Stations, NEC
2014	PIONEER ARCO	Gasoline Service Stations

W135 **YARALIAN TEXACO** **LUST** **S100861746**
NNE **16809 PIONEER BLVD** **HIST CORTESE** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.218 mi.
1150 ft. **Site 5 of 17 in cluster W**

Relative: LUST:
Lower

Actual:
63 ft.

Name: YARALIAN TEXACO
Address: 16809 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Lead Agency: LOS ANGELES RWQCB (REGION 4)
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603713730
Global Id: T0603713730

YARALIAN TEXACO (Continued) **S100861746**

Latitude:	33.877802
Longitude:	-118.082738
Status:	Completed - Case Closed
Status Date:	07/05/2012
Case Worker:	NC
RB Case Number:	I-02660A
Local Agency:	LOS ANGELES COUNTY
File Location:	Regional Board
Local Case Number:	Not reported
Potential Media Affect:	Aquifer used for drinking water supply
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0603713730
Contact Type:	Local Agency Caseworker
Contact Name:	CARL SJOBERG
Organization Name:	LOS ANGELES COUNTY
Address:	900 SOUTH FREMONT AVENUE
City:	ALHAMBRAD
Email:	Not reported
Phone Number:	6264585100

Global Id:	T0603713730
Contact Type:	Regional Board Caseworker
Contact Name:	NOMAN CHOWDHURY
Organization Name:	LOS ANGELES RWQCB (REGION 4)
Address:	320 WEST 4TH STREET, SUITE 200
City:	LOS ANGELES
Email:	noman.chowdhury@waterboards.ca.gov
Phone Number:	2135766704

LUST:

Global Id:	T0603713730
Action Type:	ENFORCEMENT
Date:	07/14/2006
Action:	Site Visit / Inspection / Sampling

Global Id:	T0603713730
Action Type:	ENFORCEMENT
Date:	06/15/2009
Action:	Staff Letter

Global Id:	T0603713730
Action Type:	Other
Date:	04/08/2002
Action:	Leak Reported

Global Id:	T0603713730
Action Type:	RESPONSE
Date:	07/15/2010
Action:	Monitoring Report - Semi-Annually

Global Id:	T0603713730
Action Type:	RESPONSE
Date:	10/28/2002
Action:	Other Report / Document

YARALIAN TEXACO (Continued) **S100861746**

Global Id: T0603713730
Action Type: RESPONSE
Date: 07/30/2002
Action: Preliminary Site Assessment Report

Global Id: T0603713730
Action Type: RESPONSE
Date: 10/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603713730
Action Type: RESPONSE
Date: 08/29/2003
Action: Soil and Water Investigation Workplan

Global Id: T0603713730
Action Type: RESPONSE
Date: 08/29/2003
Action: Soil and Water Investigation Report

Global Id: T0603713730
Action Type: RESPONSE
Date: 01/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0603713730
Action Type: RESPONSE
Date: 10/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0603713730
Action Type: ENFORCEMENT
Date: 07/14/2006
Action: Meeting

Global Id: T0603713730
Action Type: ENFORCEMENT
Date: 01/10/2012
Action: Clean Up Fund - Case Closure Review Summary Report (RSR)

Global Id: T0603713730
Action Type: RESPONSE
Date: 10/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0603713730
Action Type: RESPONSE
Date: 01/15/2010
Action: Monitoring Report - Semi-Annually

Global Id: T0603713730
Action Type: RESPONSE
Date: 04/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0603713730
Action Type: RESPONSE

YARALIAN TEXACO (Continued) **S100861746**

Date: 07/15/2005
Action: Monitoring Report - Quarterly

Global Id: T0603713730
Action Type: RESPONSE
Date: 01/15/2006
Action: Monitoring Report - Quarterly

Global Id: T0603713730
Action Type: RESPONSE
Date: 04/15/2009
Action: Monitoring Report - Quarterly

Global Id: T0603713730
Action Type: ENFORCEMENT
Date: 07/05/2012
Action: Closure/No Further Action Letter

Global Id: T0603713730
Action Type: ENFORCEMENT
Date: 07/05/2012
Action: Closure/No Further Action Letter

Global Id: T0603713730
Action Type: ENFORCEMENT
Date: 12/30/2010
Action: Clean Up Fund - Case Closure Review Summary Report (RSR)

Global Id: T0603713730
Action Type: RESPONSE
Date: 07/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603713730
Action Type: RESPONSE
Date: 04/15/2004
Action: Monitoring Report - Quarterly

Global Id: T0603713730
Action Type: RESPONSE
Date: 07/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0603713730
Action Type: RESPONSE
Date: 07/15/2011
Action: Monitoring Report - Semi-Annually

Global Id: T0603713730
Action Type: ENFORCEMENT
Date: 04/11/2003
Action: 13267 Requirement

Global Id: T0603713730
Action Type: ENFORCEMENT
Date: 07/15/2003
Action: 13267 Requirement

YARALIAN TEXACO (Continued) **S100861746**

Global Id: T0603713730
Action Type: ENFORCEMENT
Date: 02/12/2004
Action: Site Visit / Inspection / Sampling

Global Id: T0603713730
Action Type: ENFORCEMENT
Date: 07/30/2002
Action: * No Action

Global Id: T0603713730
Action Type: RESPONSE
Date: 04/15/2004
Action: Soil and Water Investigation Report

Global Id: T0603713730
Action Type: RESPONSE
Date: 03/26/2004
Action: Soil and Water Investigation Report

Global Id: T0603713730
Action Type: RESPONSE
Date: 10/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0603713730
Action Type: RESPONSE
Date: 07/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0603713730
Action Type: RESPONSE
Date: 01/15/2011
Action: Monitoring Report - Semi-Annually

Global Id: T0603713730
Action Type: ENFORCEMENT
Date: 08/29/2002
Action: Staff Letter

Global Id: T0603713730
Action Type: ENFORCEMENT
Date: 08/13/2003
Action: Staff Letter

Global Id: T0603713730
Action Type: ENFORCEMENT
Date: 09/17/2002
Action: Meeting

Global Id: T0603713730
Action Type: Other
Date: 02/15/2002
Action: Leak Discovery

Global Id: T0603713730
Action Type: RESPONSE

YARALIAN TEXACO (Continued) **S100861746**

Date: 10/15/2006
Action: Monitoring Report - Quarterly

Global Id: T0603713730
Action Type: RESPONSE
Date: 04/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0603713730
Action Type: RESPONSE
Date: 01/15/2007
Action: Monitoring Report - Quarterly

LUST:
Global Id: T0603713730
Status: Open - Case Begin Date
Status Date: 02/15/2002

Global Id: T0603713730
Status: Open - Site Assessment
Status Date: 08/21/2002

Global Id: T0603713730
Status: Open - Site Assessment
Status Date: 03/01/2004

Global Id: T0603713730
Status: Completed - Case Closed
Status Date: 07/05/2012

HIST CORTESE:
edr_fname: EXXON #7-3314 (FORMER)
edr_fadd1: 16809 PIONEER
City,State,Zip: ARTESIA, CA
Region: CORTESE
Facility County Code: 19
Reg By: LTNKA
Reg Id: I-02660

W136 **EXXON SERVICE STATION** **HIST UST** **U001565231**
NNE **16809 PIONEER** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.218 mi.
1150 ft. **Site 6 of 17 in cluster W**

Relative: HIST UST:
Lower Name: EXXON SERVICE STATION
Actual: Address: 16809 PIONEER
63 ft. City,State,Zip: ARTESIA, CA 90701
File Number: 00026576
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00026576.pdf
Region: STATE
Facility ID: 00000029132
Facility Type: Gas Station
Other Type: Not reported
Contact Name: REX OSBORN

EXXON SERVICE STATION (Continued) **U001565231**

Telephone:	2138657616
Owner Name:	EXXON COMPANY U.S.A.
Owner Address:	16945 NORTHCHASE BLVD.
Owner City,St,Zip:	HOUSTON, TX 77210
Total Tanks:	0004
Tank Num:	001
Container Num:	1
Year Installed:	1968
Tank Capacity:	00006000
Tank Used for:	PRODUCT
Type of Fuel:	UNLEADED
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	002
Container Num:	2
Year Installed:	1968
Tank Capacity:	00008000
Tank Used for:	PRODUCT
Type of Fuel:	PREMIUM
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	003
Container Num:	3
Year Installed:	1968
Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	REGULAR
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	004
Container Num:	4
Year Installed:	1968
Tank Capacity:	00000550
Tank Used for:	WASTE
Type of Fuel:	WASTE OIL
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor

Click here for Geo Tracker PDF:

W137 **YARALIAN TEXACO** **LUST** **U003775938**
NNE **16809 PIONEER BLVD** **UST** **N/A**
1/8-1/4 **ARTESIA, CA 90701** **Cortese**
0.218 mi.
1150 ft. **Site 7 of 17 in cluster W**

Relative: LUST REG 4:
Lower

Region:	4
Regional Board:	04
County:	Los Angeles
Facility Id:	I-02660A
Status:	Preliminary site assessment workplan submitted
Substance:	Gasoline
Substance Quantity:	Not reported

Actual:
63 ft.

YARALIAN TEXACO (Continued) **U003775938**

Local Case No:	Not reported	
Case Type:	Groundwater	
Abatement Method Used at the Site:		Not reported
Global ID:	T0603713730	
W Global ID:	Not reported	
Staff:	NC	
Local Agency:	19000	
Cross Street:	168TH ST.	
Enforcement Type:	SI	
Date Leak Discovered:	2/15/2002	
Date Leak First Reported:		4/8/2002
Date Leak Record Entered:	Not reported	
Date Confirmation Began:	Not reported	
Date Leak Stopped:	Not reported	
Date Case Last Changed on Database:		Not reported
Date the Case was Closed:		Not reported
How Leak Discovered:	Subsurface Monitoring	
How Leak Stopped:	Other Means	
Cause of Leak:	UNK	
Leak Source:	UNK	
Operator:	Not reported	
Water System:	Not reported	
Well Name:	Not reported	
Approx. Dist To Production Well (ft):		Not reported
Source of Cleanup Funding:		UNK
Preliminary Site Assessment Workplan Submitted:		8/21/2002
Preliminary Site Assessment Began:		Not reported
Pollution Characterization Began:		Not reported
Remediation Plan Submitted:		Not reported
Remedial Action Underway:		Not reported
Post Remedial Action Monitoring Began:		Not reported
Enforcement Action Date:		Not reported
Historical Max MTBE Date:		Not reported
Hist Max MTBE Conc in Groundwater:		Not reported
Hist Max MTBE Conc in Soil:		Not reported
Significant Interim Remedial Action Taken:		Not reported
GW Qualifier:	Not reported	
Soil Qualifier:	Not reported	
Organization:	Not reported	
Owner Contact:	Not reported	
Responsible Party:	MS. VERA YARALIAN	
RP Address:	22930 CALABASH ST.	
Program:	LUST	
Lat/Long:	0 / 0	
Local Agency Staff:	Not reported	
Beneficial Use:	Not reported	
Priority:	Not reported	
Cleanup Fund Id:	Not reported	
Suspended:	Not reported	
Assigned Name:	Not reported	
Summary:	Not reported	

UST:

Name:	YARALIAN TEXACO
Address:	16809 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Facility ID:	2660

YARALIAN TEXACO (Continued) **U003775938**

Permitting Agency:	LOS ANGELES COUNTY
CERSID:	Not reported
Latitude:	33.87915
Longitude:	-118.081391

CORTESE:

Name:	YARALIAN TEXACO
Address:	16809 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0603713730
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

W138 **JOHAL OIL CORPORATION** **UST** **U004265515**
NNE **16809 S PIONEER BLVD** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.218 mi.
1150 ft. **Site 8 of 17 in cluster W**

Relative:
Lower

Actual:
63 ft.

UST:

Name:	JOHAL OIL CORPORATION
Address:	16809 S PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Facility ID:	LACoFA0020941
Permitting Agency:	Los Angeles County Fire Department
CERSID:	10279948
Latitude:	33.8778
Longitude:	-118.08274

W139 **OSBORNS EXXON SERVICE** **RCRA-SQG** **1000341595**
NNE **16809 PIONEER BLVD** **FINDS** **CAD982014375**
1/8-1/4 **ARTESIA, CA 90701** **ECHO**
0.218 mi.
1150 ft. **Site 9 of 17 in cluster W**

Relative: **Lower**
Actual: **63 ft.**

RCRA-SQG:

Date Form Received by Agency:		19870720
Handler Name:	OSBORNS EXXON SERVICE	
Handler Address:		16809 PIONEER BLVD
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAD982014375
Contact Name:		ENVIRONMENTAL MANAGER
Contact Address:		16809 PIONEER BLVD
Contact City,State,Zip:		ARTESIA, CA 90701
Contact Telephone:		213-865-7616
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		CA
State District:		4
Mailing Address:		PIONEER BLVD
Mailing City,State,Zip:		ARTESIA, CA 90701
Owner Name:		REX OSBORN
Owner Type:		Private
Operator Name:		NOT REQUIRED
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		NN
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

OSBORNS EXXON SERVICE (Continued) **1000341595**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20000915
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	REX OSBORN
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NOT REQUIRED
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, ME 99999
Owner/Operator Telephone:	415-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

OSBORNS EXXON SERVICE (Continued) **1000341595**

Historic Generators:
Receive Date: 19870720
Handler Name: OSBORNS EXXON SERVICE
Federal Waste Generator Description: Small Quantity Generator
State District Owner: CA
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110002776700

Click Here:

Environmental Interest/Information System:
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000341595
Registry ID: 110002776700
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110002776700
Name: OSBORNS EXXON SERVICE
Address: 16809 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701

140
North
1/8-1/4
0.225 mi.
1186 ft.

CERVANTES, LAWRENCE & MARY
11663 E. 168TH STREET
ARTESIA, CA 90701

RCRA NonGen / NLR **1024755384**
CAC002975206

Relative:
Lower

Actual:
62 ft.

RCRA NonGen / NLR:

Date Form Received by Agency:	20180810
Handler Name:	CERVANTES, LAWRENCE & MARY
Handler Address:	11663 E. 168TH STREET
Handler City,State,Zip:	ARTESIA, CA 90701
EPA ID:	CAC002975206
Contact Name:	CERVANTES, LAWRENCE & MARY
Contact Address:	11663 E. 168TH STREET
Contact City,State,Zip:	ARTESIA, CA 90701
Contact Telephone:	415-272-2253
Contact Fax:	Not reported
Contact Email:	ANDREWC@PWSEI.COM
Contact Title:	Not reported
EPA Region:	09
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	11663 E. 168TH STREET
Mailing City,State,Zip:	ARTESIA, CA 90701
Owner Name:	CERVANTES, LAWRENCE & MARY
Owner Type:	Other
Operator Name:	CERVANTES, LAWRENCE & MARY
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported

CERVANTES, LAWRENCE & MARY (Continued) **1024755384**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180831
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CERVANTES, LAWRENCE & MARY
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	11663 E. 168TH STREET
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	415-272-2253
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CERVANTES, LAWRENCE & MARY
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	11663 E. 168TH STREET
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	415-272-2253
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

CERVANTES, LAWRENCE & MARY (Continued) **1024755384**

Historic Generators:
Receive Date: 20180810
Handler Name: CERVANTES, LAWRENCE & MARY
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

V141 **JORDAN, LEROY** **RCRA NonGen / NLR** **1024777466**
WNW **17105 GARD AVENUE** **CAC002997408**
1/8-1/4 **ARTESIA, CA 90701**
0.226 mi.
1192 ft. **Site 3 of 3 in cluster V**

Relative: **Lower**
Actual: **62 ft.**

RCRA NonGen / NLR:
Date Form Received by Agency: 20190121
Handler Name: JORDAN, LEROY
Handler Address: 17105 GARD AVENUE
Handler City,State,Zip: ARTESIA, CA 90701
EPA ID: CAC002997408
Contact Name: JORDAN, LEROY
Contact Address: 17105 GARD AVENUE
Contact City,State,Zip: ARTESIA, CA 90701
Contact Telephone: 562-899-1244
Contact Fax: Not reported
Contact Email: ANDREWC@PWSEI.COM
Contact Title: Not reported
EPA Region: 09
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Handler Activities
State District Owner: Not reported
State District: Not reported
Mailing Address: 17105 GARD AVENUE
Mailing City,State,Zip: ARTESIA, CA 90701
Owner Name: JORDAN, LEROY

JORDAN, LEROY (Continued) **1024777466**

Owner Type:	Other
Operator Name:	JORDAN, LEROY
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20190222
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No

JORDAN, LEROY (Continued) **1024777466**

Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: JORDAN, LEROY
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 17105 GARD AVENUE
Owner/Operator City,State,Zip: ARTESIA, CA 90701
Owner/Operator Telephone: 562-899-1244
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: JORDAN, LEROY
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 17105 GARD AVENUE
Owner/Operator City,State,Zip: ARTESIA, CA 90701
Owner/Operator Telephone: 562-899-1244
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20190121
Handler Name: JORDAN, LEROY
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

X142 **BRIAN CURTISS** **RCRA NonGen / NLR** **1026169539**
NNW **11550 168TH STREET** **CAC003069587**
1/8-1/4 **ARTESIA, CA 90701**
0.232 mi.
1223 ft. **Site 1 of 2 in cluster X**

Relative: **Lower**
Actual: **63 ft.**

RCRA NonGen / NLR:

Date Form Received by Agency:		20200605
Handler Name:	BRIAN CURTISS	
Handler Address:		11550 168TH STREET
Handler City,State,Zip:		ARTESIA, CA 90701
EPA ID:		CAC003069587
Contact Name:		BRIAN CURTISS
Contact Address:		11550 168TH STREET
Contact City,State,Zip:		ARTESIA, CA 90701
Contact Telephone:		714-310-8722
Contact Fax:		Not reported
Contact Email:		ERNIE@SIRRIS.BIZ
Contact Title:		Not reported
EPA Region:		09
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		11550 168TH STREET
Mailing City,State,Zip:		ARTESIA, CA 90701
Owner Name:		BRIAN CURTISS
Owner Type:		Other
Operator Name:		BRIAN CURTISS
Operator Type:		Other
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site Fed-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site Converter Treatment storage and Disposal Facility:		Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:		Not reported
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
Commercial TSD Indicator:		No
Treatment Storage and Disposal Type:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
Permit Renewals Workload Universe:		Not reported

BRIAN CURTISS (Continued) **1026169539**

Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20200608
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	BRIAN CURTISS
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	11550 168TH STREET
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	714-310-8722
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	BRIAN CURTISS
Legal Status:	Other
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	11550 168TH STREET
Owner/Operator City,State,Zip:	ARTESIA, CA 90701
Owner/Operator Telephone:	714-310-8722
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

BRIAN CURTISS (Continued) **1026169539**

Historic Generators:
- Receive Date: 20200605
- Handler Name: BRIAN CURTISS
- Federal Waste Generator Description: Not a generator, verified
- State District Owner: Not reported
- Large Quantity Handler of Universal Waste: No
- Recognized Trader Importer: No
- Recognized Trader Exporter: No
- Spent Lead Acid Battery Importer: No
- Spent Lead Acid Battery Exporter: No
- Current Record: Yes
- Non Storage Recycler Activity: Not reported
- Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
- NAICS Code: 56299
- NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
- Violations: No Violations Found

Evaluation Action Summary:
- Evaluations: No Evaluations Found

X143 **THOMAS HEATH** **RCRA NonGen / NLR** **1025836427**
NNW **11603 168TH ST** **CAC003016015**
1/8-1/4 **ARTESIA, CA 90701**
0.232 mi.
1225 ft. **Site 2 of 2 in cluster X**

Relative: **Lower**
Actual: **62 ft.**

RCRA NonGen / NLR:
- Date Form Received by Agency: 20190521
- Handler Name: THOMAS HEATH
- Handler Address: 11603 168TH ST
- Handler City,State,Zip: ARTESIA, CA 90701
- EPA ID: CAC003016015
- Contact Name: THOMAS HEATH
- Contact Address: 11603 168TH ST
- Contact City,State,Zip: ARTESIA, CA 90701
- Contact Telephone: 562-964-3674
- Contact Fax: Not reported
- Contact Email: ANAB@PWSEI.COM
- Contact Title: Not reported
- EPA Region: 09
- Land Type: Not reported
- Federal Waste Generator Description: Not a generator, verified
- Non-Notifier: Not reported
- Biennial Report Cycle: Not reported
- Accessibility: Not reported
- Active Site Indicator: Handler Activities
- State District Owner: Not reported
- State District: Not reported
- Mailing Address: 11603 168TH ST
- Mailing City,State,Zip: ARTESIA, CA 90701
- Owner Name: THOMAS HEATH

THOMAS HEATH (Continued) **1025836427**

Owner Type:	Other
Operator Name:	THOMAS HEATH
Operator Type:	Other
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20190627
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No

THOMAS HEATH (Continued) **1025836427**

Sub-Part P Indicator: No

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: THOMAS HEATH
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 11603 168TH ST
Owner/Operator City,State,Zip: ARTESIA, CA 90701
Owner/Operator Telephone: 562-964-3674
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: THOMAS HEATH
Legal Status: Other
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 11603 168TH ST
Owner/Operator City,State,Zip: ARTESIA, CA 90701
Owner/Operator Telephone: 562-964-3674
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20190521
Handler Name: THOMAS HEATH
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 56299
NAICS Description: ALL OTHER WASTE MANAGEMENT SERVICES

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

W144 **PIONEER CHEVRON** **UST** **U004357355**
NNE **16725 PIONEER BLVD** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.248 mi.
1312 ft. **Site 10 of 17 in cluster W**

Relative: UST:
Lower
Actual: Name: PIONEER CHEVRON
63 ft. Address: 16725 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Facility ID: LACoFA0020945
Permitting Agency: Los Angeles County Fire Department
CERSID: 10270855
Latitude: 33.87834
Longitude: -118.08283

W145 **95619** **HIST UST** **U001565217**
NNE **16725 PIONEER BLVD** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.248 mi.
1312 ft. **Site 11 of 17 in cluster W**

Relative: HIST UST:
Lower
Actual: Name: 95619
63 ft. Address: 16725 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
File Number: 00026E02
URL: http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00026E02.pdf
Region: STATE
Facility ID: 00000062785
Facility Type: Gas Station
Other Type: Not reported
Contact Name: STINSON,ROBERT W
Telephone: 2138605718
Owner Name: CHEVRON U.S.A. INC.
Owner Address: 575 MARKET
Owner City,St,Zip: SAN FRANCISCO, CA 94105
Total Tanks: 0004

Tank Num: 001
Container Num: 1
Year Installed: 1970
Tank Capacity: 00005000
Tank Used for: PRODUCT
Type of Fuel: Not reported
Container Construction Thickness: 0000250
Leak Detection: Stock Inventor

Tank Num: 002
Container Num: 2
Year Installed: 1970
Tank Capacity: 00010000
Tank Used for: PRODUCT
Type of Fuel: Not reported
Container Construction Thickness: 0000250
Leak Detection: Stock Inventor

Tank Num: 003
Container Num: 3
Year Installed: 1970

95619 (Continued) **U001565217**

Tank Capacity:	00010000
Tank Used for:	PRODUCT
Type of Fuel:	Not reported
Container Construction Thickness:	0000250
Leak Detection:	Stock Inventor
Tank Num:	004
Container Num:	4
Year Installed:	1970
Tank Capacity:	00001000
Tank Used for:	WASTE
Type of Fuel:	Not reported
Container Construction Thickness:	0000130
Leak Detection:	Stock Inventor

Click here for Geo Tracker PDF:

W146 **CHEVRON STATION NO 95619** **RCRA NonGen / NLR** **1006804978**
NNE **16725 PIONEER BLVD** **FINDS** **CAR000119180**
1/8-1/4 **ARTESIA, CA 90707** **ECHO**
0.248 mi.
1312 ft. **Site 12 of 17 in cluster W**

Relative: RCRA NonGen / NLR:
Lower

Actual: Date Form Received by Agency:		20130313
63 ft. Handler Name:	CHEVRON STATION NO 95619	
Handler Address:		16725 PIONEER BLVD
Handler City,State,Zip:		ARTESIA, CA 90707
EPA ID:		CAR000119180
Contact Name:		KATHY NORRIS SLUSHER
Contact Address:		PO BOX 6004
Contact City,State,Zip:		SAN RAMON, CA 94583
Contact Telephone:		877-386-6044
Contact Fax:		866-849-4435
Contact Email:		NAWTDESK@CHEVRON.COM
Contact Title:		WASTE TECH
EPA Region:		09
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Not reported
State District:		Not reported
Mailing Address:		PO BOX 6004
Mailing City,State,Zip:		SAN RAMON, CA 94583
Owner Name:		CHEVRON USA
Owner Type:		Private
Operator Name:		KATHY NORRIS SLUSHER
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No

CHEVRON STATION NO 95619 (Continued) **1006804978**

Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	NN
Sub-Part K Indicator:	Not reported
Commercial TSD Indicator:	No
Treatment Storage and Disposal Type:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Not reported
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
202 GPRA Corrective Action Baseline:	No
Corrective Action Workload Universe:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Operating TSDF Universe:	Not reported
Full Enforcement Universe:	Not reported
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20130412
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	Not reported
Manifest Broker:	Not reported
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	IGNITABLE WASTE
Waste Code:	D018
Waste Description:	BENZENE

CHEVRON STATION NO 95619 (Continued) **1006804978**

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CHEVRON USA
Legal Status:	Private
Date Became Current:	19700723
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 6004
Owner/Operator City,State,Zip:	SAN RAMON, CA 94583
Owner/Operator Telephone:	877-386-6044
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CHEVRON PRODUCTS CO
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	P O BOX 6004
Owner/Operator City,State,Zip:	SAN RAMON, CA 94583
Owner/Operator Telephone:	925-842-5931
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	KATHY NORRIS SLUSHER
Legal Status:	Private
Date Became Current:	19700723
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20020516
Handler Name:	CHEVRON STATION NO 95619
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20130313
Handler Name:	CHEVRON STATION NO 95619
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No

CHEVRON STATION NO 95619 (Continued) **1006804978**

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	56291
NAICS Description:	REMEDIATION SERVICES

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

FINDS:

Registry ID: 110013290777

Click Here:

Environmental Interest/Information System:

California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.
RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.
STATE MASTER

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1006804978
Registry ID:	110013290777
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110013290777
Name:	CHEVRON STATION NO 95619
Address:	16725 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701

W147 **BOB'S CHEVRON STATION** **EDR Hist Auto** **1008993526**
NNE **16725 S PIONEER BLVD** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.248 mi.
1312 ft. **Site 13 of 17 in cluster W**

Relative: EDR Hist Auto
Lower

Actual:
63 ft.

Year:	Name:	Type:
1970	BOB'S CHEVRON STATION	Not reported
1971	STINSON ROBERT WILLIAM	Gasoline Service Stations
1972	STINSON ROBERT WILLIAM	Gasoline Service Stations
1973	STINSON ROBERT WILLIAM	Gasoline Service Stations
1974	STINSON ROBERT WILLIAM	Gasoline Service Stations
1975	STINSON ROBERT WILLIAM	Gasoline Service Stations
1976	STINSON ROBERT WILLIAM	Gasoline Service Stations
1977	STINSON ROBERT WILLIAM	Gasoline Service Stations
1978	STINSON ROBERT WILLIAM	Gasoline Service Stations
1979	STINSON ROBERT WILLIAM	Gasoline Service Stations
1980	STINSON ROBERT WILLIAM	Gasoline Service Stations
1982	STINSON ROBERT WILLIAM	Gasoline Service Stations
1983	STINSON ROBERT WILLIAM	Gasoline Service Stations
1985	STINSON ROBERT WILLIAM	Gasoline Service Stations
1986	STINSON ROBERT WILLIAM	Gasoline Service Stations
1987	STINSON ROBERT WILLIAM	Gasoline Service Stations
1988	STINSON ROBERT WILLIAM	Gasoline Service Stations
1989	STINSON ROBERT WILLIAM	Gasoline Service Stations
1990	STINSON ROBERT WILLIAM	Gasoline Service Stations
1991	STINSON ROBERT WILLIAM	Gasoline Service Stations
1992	STINSON ROBERT WILLIAM	Gasoline Service Stations
1993	STINSON ROBERT WILLIAM	Gasoline Service Stations
1995	A1 BOBS CHEVRON SERVICE	Gasoline Service Stations
1996	A1 BOBS CHEVRON SERVICE	Gasoline Service Stations
1997	A1 BOBS CHEVRON SERVICE	Gasoline Service Stations
1998	A1 BOBS CHEVRON SERVICE	Gasoline Service Stations
1999	A1 BOBS CHEVRON SERVICE	Gasoline Service Stations
2000	A1 BOBS CHEVRON SERVICE	Gasoline Service Stations
2001	A1 BOBS CHEVRON SERVICE	Gasoline Service Stations
2002	A1 BOBS CHEVRON SERVICE	Gasoline Service Stations
2003	A1 BOBS CHEVRON SERVICE	Gasoline Service Stations
2004	A1 BOBS CHEVRON SERVICE	Gasoline Service Stations
2005	A1 BOBS CHEVRON SERVICE	Gasoline Service Stations, NEC
2006	A1 BOBS CHEVRON SERVICE	Gasoline Service Stations, NEC
2007	A1 BOBS CHEVRON SERVICE	Gasoline Service Stations, NEC
2008	A1 BOBS CHEVRON SERVICE	Gasoline Service Stations, NEC
2008	KEVIN CORPORATION	Gasoline Service Stations, NEC
2009	KEVIN CORPORATION	Gasoline Service Stations, NEC
2009	A1 BOBS CHEVRON SERVICE	Gasoline Service Stations, NEC
2010	KEVIN CORPORATION	Gasoline Service Stations, NEC
2011	KEVIN CORPORATION	Gasoline Service Stations, NEC
2012	KEVIN CORPORATION	Gasoline Service Stations, NEC
2013	KEVIN CORPORATION	Gasoline Service Stations, NEC
2014	KEVIN CORPORATION	Gasoline Service Stations, NEC

W148 **CHEVRON #9-5619** **LUST** **S103281976**
NNE **16725 PIONEER BLVD S** **Cortese** **N/A**
1/8-1/4 **ARTESIA, CA 90701** **CERS**
0.248 mi.
1312 ft. **Site 14 of 17 in cluster W**

Relative:
Lower

Actual:
63 ft.

LUST:

Name:	CHEVRON #9-5619
Address:	16725 PIONEER BLVD S
City,State,Zip:	ARTESIA, CA 90701
Lead Agency:	LOS ANGELES RWQCB (REGION 4)
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603704541
Global Id:	T0603704541
Latitude:	33.8787619
Longitude:	-118.0823932
Status:	Completed - Case Closed
Status Date:	12/03/2002
Case Worker:	NC
RB Case Number:	R-00737
Local Agency:	LOS ANGELES COUNTY
File Location:	Not reported
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Other Solvent or Non-Petroleum Hydrocarbon
Site History:	Not reported

LUST:

Global Id:	T0603704541
Contact Type:	Local Agency Caseworker
Contact Name:	JOHN AWUJO
Organization Name:	LOS ANGELES COUNTY
Address:	900 S FREMONT AVE
City:	ALHAMBRA
Email:	jawujo@dpw.lacounty.gov
Phone Number:	6264583507

Global Id:	T0603704541
Contact Type:	Regional Board Caseworker
Contact Name:	NOMAN CHOWDHURY
Organization Name:	LOS ANGELES RWQCB (REGION 4)
Address:	320 WEST 4TH STREET, SUITE 200
City:	LOS ANGELES
Email:	noman.chowdhury@waterboards.ca.gov
Phone Number:	2135766704

LUST:

Global Id:	T0603704541
Action Type:	Other
Date:	12/11/1997
Action:	Leak Reported

Global Id:	T0603704541
Action Type:	RESPONSE
Date:	04/15/2002
Action:	Monitoring Report - Quarterly

Global Id:	T0603704541
Action Type:	RESPONSE

CHEVRON #9-5619 (Continued) **S103281976**

Date: 07/15/2002
Action: Monitoring Report - Quarterly

Global Id: T0603704541
Action Type: RESPONSE
Date: 10/15/2002
Action: Monitoring Report - Quarterly

Global Id: T0603704541
Action Type: ENFORCEMENT
Date: 08/02/2002
Action: Technical Correspondence / Assistance / Other

Global Id: T0603704541
Action Type: ENFORCEMENT
Date: 12/03/2002
Action: Closure/No Further Action Letter

Global Id: T0603704541
Action Type: ENFORCEMENT
Date: 11/07/2001
Action: Staff Letter

Global Id: T0603704541
Action Type: ENFORCEMENT
Date: 10/23/2002
Action: Site Visit / Inspection / Sampling

Global Id: T0603704541
Action Type: Other
Date: 12/10/1997
Action: Leak Discovery

LUST:
Global Id: T0603704541
Status: Open - Case Begin Date
Status Date: 12/10/1997

Global Id: T0603704541
Status: Open - Site Assessment
Status Date: 12/11/1997

Global Id: T0603704541
Status: Open - Verification Monitoring
Status Date: 12/11/1997

Global Id: T0603704541
Status: Open - Site Assessment
Status Date: 11/07/2001

Global Id: T0603704541
Status: Completed - Case Closed
Status Date: 12/03/2002

Name: KEVIN CORP CHEVRON
Address: 16725 PIONEER BLVD S.

CHEVRON #9-5619 (Continued) **S103281976**

City,State,Zip: ARTESIA, CA 90701 1717
Lead Agency: LOS ANGELES RWQCB (REGION 4)
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=SL0603798449
Global Id: SL0603798449
Latitude: 33.878341
Longitude: -118.082741
Status: Completed - Case Closed
Status Date: 12/03/2002
Case Worker: GK
RB Case Number: R-00737A
Local Agency: LOS ANGELES COUNTY
File Location: Regional Board
Local Case Number: CLUP# 462079
Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Diesel
Site History: Not reported

LUST:
Global Id: SL0603798449
Contact Type: Local Agency Caseworker
Contact Name: TIM SMITH
Organization Name: LOS ANGELES COUNTY
Address: 900 S. FREMONT AVE.
City: ALHAMBRA
Email: tsmith@dpw.lacounty.gov
Phone Number: Not reported

Global Id: SL0603798449
Contact Type: Regional Board Caseworker
Contact Name: GREGG KWEY
Organization Name: LOS ANGELES RWQCB (REGION 4)
Address: 320 WEST 4TH ST. SUITE 200- 1ST FLOOR
City: R4 UNKNOWN, LOS ANGELES
Email: gkwey@waterboards.ca.gov
Phone Number: 2135766702

LUST:
Global Id: SL0603798449
Action Type: ENFORCEMENT
Date: 12/03/2002
Action: Closure/No Further Action Letter

Global Id: SL0603798449
Action Type: Other
Date: 02/14/2006
Action: Leak Reported

Global Id: SL0603798449
Action Type: Other
Date: 11/20/2003
Action: Leak Discovery

Global Id: SL0603798449
Action Type: REMEDIATION
Date: 09/13/2005
Action: Not reported

CHEVRON #9-5619 (Continued) **S103281976**

LUST:

Global Id:	SL0603798449
Status:	Completed - Case Closed
Status Date:	12/03/2002

Global Id:	SL0603798449
Status:	Open - Case Begin Date
Status Date:	12/03/2002

LUST REG 4:

Region:	4	
Regional Board:	04	
County:	Los Angeles	
Facility Id:	R-00737	
Status:	Case Closed	
Substance:	Hydrocarbons	
Substance Quantity:	Not reported	
Local Case No:	Not reported	
Case Type:	Soil	
Abatement Method Used at the Site:		OT
Global ID:	T0603704541	
W Global ID:	Not reported	
Staff:	NC	
Local Agency:	19000	
Cross Street:	168TH ST	
Enforcement Type:	CLOS	
Date Leak Discovered:	12/10/1997	
Date Leak First Reported:		12/11/1997
Date Leak Record Entered:	1/23/1998	
Date Confirmation Began:	12/11/1997	
Date Leak Stopped:	Not reported	
Date Case Last Changed on Database:		7/3/2002
Date the Case was Closed:		12/3/2002
How Leak Discovered:	OM	
How Leak Stopped:	Not reported	
Cause of Leak:	UNK	
Leak Source:	Piping	
Operator:	ROBERT W. STINSON	
Water System:	Not reported	
Well Name:	Not reported	
Approx. Dist To Production Well (ft):		622.41465662411352496905140496
Source of Cleanup Funding:		Piping
Preliminary Site Assessment Workplan Submitted:		11/7/2001
Preliminary Site Assessment Began:		Not reported
Pollution Characterization Began:		Not reported
Remediation Plan Submitted:		Not reported
Remedial Action Underway:		Not reported
Post Remedial Action Monitoring Began:		12/11/1997
Enforcement Action Date:		Not reported
Historical Max MTBE Date:		11/1/2000
Hist Max MTBE Conc in Groundwater:		6
Hist Max MTBE Conc in Soil:		Not reported
Significant Interim Remedial Action Taken:		Not reported
GW Qualifier:	Not reported	
Soil Qualifier:	Not reported	

CHEVRON #9-5619 (Continued) **S103281976**

Organization:	Not reported
Owner Contact:	Not reported
Responsible Party:	MR. Y. M. TUAN
RP Address:	P.O. BOX 2833
Program:	LUST
Lat/Long:	33.8787619 / -1
Local Agency Staff:	Not reported
Beneficial Use:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Suspended:	Not reported
Assigned Name:	Not reported
Summary:	TPH=820 PPM; 1/20/00 4TH QTR GW MON RPT 1999; 7/12/00 2ND QTR GW MON RPT 2000; 10/13/00 3RD QTR GW MON RPT 2000; 1/23/01 4TH QTR GW MON RPT 2000

CORTESE:

Name:	KEVIN CORP CHEVRON
Address:	16725 PIONEER BLVD S.
City,State,Zip:	ARTESIA, CA
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	SL0603798449
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

Name:	CHEVRON #9-5619
Address:	16725 PIONEER BLVD S
City,State,Zip:	ARTESIA, CA 90701
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0603704541
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported

CHEVRON #9-5619 (Continued) **S103281976**

Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

CERS:

Name:	CHEVRON #9-5619
Address:	16725 PIONEER BLVD S
City,State,Zip:	ARTESIA, CA 90701
Site ID:	207202
CERS ID:	T0603704541
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	NOMAN CHOWDHURY - LOS ANGELES RWQCB (REGION 4)
Entity Title:	Not reported
Affiliation Address:	320 WEST 4TH STREET, SUITE 200
Affiliation City:	LOS ANGELES
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	2135766704

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	JOHN AWUJO - LOS ANGELES COUNTY
Entity Title:	Not reported
Affiliation Address:	900 S FREMONT AVE
Affiliation City:	ALHAMBRA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	6264583507

Name:	KEVIN CORP CHEVRON
Address:	16725 PIONEER BLVD S.
City,State,Zip:	ARTESIA, CA 90701 1717
Site ID:	250221
CERS ID:	SL0603798449
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	GREGG KWEY - LOS ANGELES RWQCB (REGION 4)
Entity Title:	Not reported
Affiliation Address:	320 WEST 4TH ST. SUITE 200- 1ST FLOOR
Affiliation City:	R4 UNKNOWN, LOS ANGELES
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	2135766702

CHEVRON #9-5619 (Continued) **S103281976**

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	TIM SMITH - LOS ANGELES COUNTY
Entity Title:	Not reported
Affiliation Address:	900 S. FREMONT AVE.
Affiliation City:	ALHAMBRA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

W149 **PIONEER CHEVRON** **CERS HAZ WASTE** **S104537905**
NNE **16725 PIONEER BLVD** **SWEEPS UST** **N/A**
1/8-1/4 **ARTESIA, CA 90701** **CERS TANKS**
0.248 mi. **LOS ANGELES CO. HMS**
1312 ft. **Site 15 of 17 in cluster W** **CERS**
HWTS

Relative:
Lower

Actual:
63 ft.

CERS HAZ WASTE:

Name:	PIONEER CHEVRON
Address:	16725 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Site ID:	399618
CERS ID:	10270855
CERS Description:	Hazardous Waste Generator

SWEEPS UST:

Name:	CHEVRON USA SS # 05619
Address:	16725 S PIONEER BLVD
City:	ARTESIA
Status:	Active
Comp Number:	737
Number:	9
Board Of Equalization:	44-007481
Referral Date:	06-30-89
Action Date:	Not reported
Created Date:	06-30-89
Owner Tank Id:	Not reported
SWRCB Tank Id:	19-000-000737-000001
Tank Status:	A
Capacity:	Not reported
Active Date:	06-30-89
Tank Use:	UNKNOWN
STG:	W
Content:	Not reported
Number Of Tanks:	4

Name:	CHEVRON USA SS # 05619
Address:	16725 S PIONEER BLVD
City:	ARTESIA
Status:	Active
Comp Number:	737
Number:	9
Board Of Equalization:	44-007481
Referral Date:	06-30-89
Action Date:	Not reported
Created Date:	06-30-89

PIONEER CHEVRON (Continued) **S104537905**

Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-000737-000002
Tank Status: A
Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W
Content: Not reported
Number Of Tanks: Not reported

Name: CHEVRON USA SS # 05619
Address: 16725 S PIONEER BLVD
City: ARTESIA
Status: Active
Comp Number: 737
Number: 9
Board Of Equalization: 44-007481
Referral Date: 06-30-89
Action Date: Not reported
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-000737-000003
Tank Status: A
Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W
Content: Not reported
Number Of Tanks: Not reported

Name: CHEVRON USA SS # 05619
Address: 16725 S PIONEER BLVD
City: ARTESIA
Status: Active
Comp Number: 737
Number: 9
Board Of Equalization: 44-007481
Referral Date: 06-30-89
Action Date: Not reported
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-000737-000004
Tank Status: A
Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W
Content: Not reported
Number Of Tanks: Not reported

CERS TANKS:
Name: PIONEER CHEVRON
Address: 16725 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 399618
CERS ID: 10270855
CERS Description: Underground Storage Tank

PIONEER CHEVRON (Continued) **S104537905**

LOS ANGELES CO. HMS:

Name: CHEVRON USA CO
Address: 16725 PIONEER BLVD
City,State,Zip: ARTESIA, CA 907011717
Region: LA
Permit Category: I
Facility Id: 000730-I00737
Facility Type: 01
Facility Status: Closed
Area: 1D
Permit Number: 000009010
Permit Status: Closed

Name: CHEVRON USA CO
Address: 16725 PIONEER BLVD
City,State,Zip: ARTESIA, CA 907011717
Region: LA
Permit Category: Not reported
Facility Id: 000730-041886
Facility Type: Not reported
Facility Status: OPEN
Area: 1D
Permit Number: Not reported
Permit Status: Not reported

Name: KEVIN CORP / ARTESIA LAND LLC
Address: 16725 PIONEER BLVD
City,State,Zip: ARTESIA, CA 907011717
Region: LA
Permit Category: I
Facility Id: 000730-043926
Facility Type: 01
Facility Status: Permit
Area: 1D
Permit Number: 000434056
Permit Status: Closed

Name: KEVIN CORP / ARTESIA LAND LLC
Address: 16725 PIONEER BLVD
City,State,Zip: ARTESIA, CA 907011717
Region: LA
Permit Category: I
Facility Id: 000730-043926
Facility Type: 01
Facility Status: Permit
Area: 1D
Permit Number: 000573573
Permit Status: Permit

Name: KEVIN CORP / ARTESIA LAND LLC
Address: 16725 PIONEER BLVD
City,State,Zip: ARTESIA, CA 907011717
Region: LA
Permit Category: I
Facility Id: 000730-043926
Facility Type: S4
Facility Status: Permit

PIONEER CHEVRON (Continued) **S104537905**

Area: 1D
Permit Number: 000597078
Permit Status: Permit

Name: PIONEER CHEVRON
Address: 16725 PIONEER BLVD
City,State,Zip: ARTESIA, CA 907011717
Region: LA
Permit Category: T
Facility Id: 000730-051539
Facility Type: 0
Facility Status: Permit
Area: 1D
Permit Number: 000577608
Permit Status: Permit

CERS:
Name: PIONEER CHEVRON
Address: 16725 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 399618
CERS ID: 10270855
CERS Description: Chemical Storage Facilities

Violations:
Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 05-31-2018
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to have current UST Monitoring Plan available on site.
Violation Notes: Returned to compliance on 04/09/2020. CERS CORRECTIONS 1) FRCT,EXPIRED 051318 2) CFO LETTER EXP'D 021518 3) MONITORING PLAN,UDC SECTION+MISSING SIGNATURES
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-26-2020
Citation: 23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description: Failure to submit or maintain a current facility plot plan.
Violation Notes: 1)2018 CTLS MISSING 2)FACILITY EMP TAINING CERT MISSING 3)SUBMIT LAST 12 MONTHS MONTHLY DO'S 4)CERS CORRECTIONS
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-29-2015
Citation: HSC 6.7 25284(a)(3) - California Health and Safety Code, Chapter 6.7, Section(s) 25284(a)(3)
Violation Description: Failure to submit, maintain, or implement an owner/operator written agreement.

PIONEER CHEVRON (Continued) **S104537905**

Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	HSC 6.7 25299(a)(9) - California Health and Safety Code, Chapter 6.7, Section(s) 25299(a)(9)
Violation Description:	Leak detection equipment disabled or tampered with in a manner that would prevent the monitoring system from detecting and/or alerting the owner/operator of a leak.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-13-2016
Citation:	23 CCR 16 2632(d)(1)(C), 2641(h), 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632(d)(1)(C), 2641(h), 2711(a)(8)
Violation Description:	Failure to submit or update a plot plan.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-13-2016
Citation:	HSC 6.7 25284(a)(3)(A) & (B); - California Health and Safety Code, Chapter 6.7, Section(s) 25284(a)(3)(A) & (B);
Violation Description:	Failure to implement or maintain a written agreement between the UST permit holder and the operator (owner/operator agreement).
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	HSC 6.7 25293 - California Health and Safety Code, Chapter 6.7, Section(s) 25293
Violation Description:	Failure to maintain UST records of monitoring, testing, repairing, and closure in sufficient detail to enable the CUPA to determine whether the UST systems are in compliance.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON

PIONEER CHEVRON (Continued) **S104537905**

Violation Date:	06-04-2019
Citation:	23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description:	Failure to submit or maintain a current facility plot plan.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-04-2019
Citation:	HSC 6.7 25293 - California Health and Safety Code, Chapter 6.7, Section(s) 25293
Violation Description:	Failure to maintain UST records in sufficient detail to enable the UPA to determine whether the UST systems are in compliance.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-13-2016
Citation:	23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description:	Failure to implement the corrections specified in the inspection report within 30 calendar days of receiving an inspection report from either the CUPA or special inspector.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-13-2016
Citation:	23 CCR 16 2643(b)(1) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2643(b)(1)
Violation Description:	Failure of the automatic tank gauging (ATG) system to perform valid monthly 0.2 gallon-per-hour leak tests or generate hard-copy test reports.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	23 CCR 16 2643(b)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2643(b)(2)
Violation Description:	Failure of the automatic tank gauge (ATG) to test the tank at least once per month when the product level in the tank is at least three feet and shall be capable of detecting a release of 0.1 gallons per hour.
Violation Notes:	Returned to compliance on 02/12/2018.

PIONEER CHEVRON (Continued) **S104537905**

Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description:	Failure to notify the CUPA of the designated operator (DO) identification and/or change of the DO within 30 days.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-26-2020
Citation:	HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description:	Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes:	1)2018 CTLS MISSING 2)FACILITY EMP TAINING CERT MISSING 3)SUBMIT LAST 12 MONTHS MONTHLY DO'S 4)CERS CORRECTIONS
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	23 CCR 16 2712(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)
Violation Description:	Failure to maintain records of repairs, lining, and upgrades on site, or off site if approved by the CUPA, for the life of the UST.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	23 CCR 16 2636(f)(5) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(5)
Violation Description:	"Failure to meet one or more of the following monitoring requirements in lieu of the requirement to be tightness tested annually: The monitoring system maintains all product piping outside the dispenser to be fail-safe and shut down the pump when a leak is detected. The monitoring system shuts down the pump or stops flow when a leak is detected in the under dispenser containment (UDC)."
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS

PIONEER CHEVRON (Continued) **S104537905**

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-20-2017
Citation: 23 CCR 16 2632, 2634, 2712(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632, 2634, 2712(b)
Violation Description: Failure to maintain monitoring and maintenance records (e.g., alarm logs) and/or maintain records of appropriate follow-up actions.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-04-2019
Citation: 23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description: Failure to have an approved UST Monitoring Plan.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-29-2015
Citation: 23 CCR 16 2715(a) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(a)
Violation Description: Failure to submit statement of UST compliance and/or Designated Operator certification.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-04-2019
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-13-2016
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to have a UST Monitoring Plan available on site.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

PIONEER CHEVRON (Continued) **S104537905**

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-26-2020
Citation: 23 CCR 16 2637(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637(f)
Violation Description: Failure to submit a copy of the secondary containment test results on the G Secondary Containment Testing report FormG to the UPA within 30 days after the test.
Violation Notes: 1)2018 CTLS MISSING 2)FACILITY EMP TAINING CERT MISSING 3)SUBMIT LAST 12 MONTHS MONTHLY DO'S 4)CERS CORRECTIONS
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 10-21-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.
Violation Notes: Returned to compliance on 10/26/2015. OBSERVATION: The facility has not submitted the Hazardous Materials Inventory Chemical Description page for one 5,000-gallon diesel UST and one 55-gallon car wash soap to the CUPA. CORRECTIVE ACTION: Complete and submit the Hazardous Materials Inventory Chemical Description page for all materials listed above electronically in the California Environmental Reporting System (CERS).
Violation Division: Los Angeles County Fire Department
Violation Program: HMRRP
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-13-2016
Citation: HSC 6.7 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25292(e)
Violation Description: Failure to perform an annual line integrity test for pressurized double-walled piping that does not utilize fail safe or positive shut down.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-20-2017
Citation: 23 CCR 16 2641(j) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(j)
Violation Description: Failure of the leak detection equipment to be installed, calibrated, operated, and/or maintained properly.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

PIONEER CHEVRON (Continued) **S104537905**

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-26-2020
Citation: HSC 6.7 25293 - California Health and Safety Code, Chapter 6.7, Section(s) 25293
Violation Description: Failure to maintain UST records in sufficient detail to enable the UPA to determine whether the UST systems are in compliance.
Violation Notes: 1)2018 CTLS MISSING 2)FACILITY EMP TAINING CERT MISSING 3)SUBMIT LAST 12 MONTHS MONTHLY DO'S 4)CERS CORRECTIONS
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-29-2015
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-26-2020
Citation: 23 CCR 16 2716(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(e)
Violation Description: For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30 days.
Violation Notes: 1)2018 CTLS MISSING 2)FACILITY EMP TAINING CERT MISSING 3)SUBMIT LAST 12 MONTHS MONTHLY DO'S 4)CERS CORRECTIONS
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-20-2017
Citation: HSC 6.7 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e)

PIONEER CHEVRON (Continued) **S104537905**

Violation Description: Failure to maintain secondary containment (e.g. failure of secondary containment testing).
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-13-2016
Citation: 23 CCR 16 2712(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)
Violation Description: Failure to maintain records of repairs, lining, and upgrades on site, or off site if approved by the CUPA, for the life of the UST.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 10-21-2015
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)
Violation Description: Failure to complete and electronically submit a site map with all required content.
Violation Notes: Returned to compliance on 10/26/2015. OBSERVATION: The annotated site map submitted to the CUPA does not include locations of hazardous materials (gasoline, propane), storm and sewer drains, and emergency shutoff. CORRECTIVE ACTION: Revise the annotated Site Map to include all required content and submit electronically in the California Environmental Reporting System (CERS).
Violation Division: Los Angeles County Fire Department
Violation Program: HMRRP
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-20-2017
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-04-2019
Citation: 23 CCR 16 2712(b)(1)(G) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(G)
Violation Description: Failure to comply with one or more of the following overfill prevention equipment requirements: Alert the transfer operator when the tank is 90 percent full by restricting the flow into the tank or triggering an audible and visual alarm; or Restrict delivery of flow

PIONEER CHEVRON (Continued) **S104537905**

to the tank at least 30 minutes before the tank overfills, provided the restriction occurs when the tank is filled to no more than 95 percent of capacity; and activate an audible alarm at least five minutes before the tank overfills; or Provide positive shut-off of flow to the tank when the tank is filled to no more than 95 percent of capacity; or Provide positive shut-off of flow to the tank so that none of the fittings located on the top of the tank are exposed to product due to overfilling. Install/retrofit overfill prevention equipment that does not use flow restrictors on vent piping to meet overfill prevention equipment requirements when the overfill prevention equipment is installed, repaired, or replaced on and after October 1,- 2018. For USTs installed before October 1, 2018, perform an inspection by October 13, 2018 and every 36 months thereafter. For USTs installed on and after October- 1,- 2018, perform an inspection at installation and every 36 months thereafter. Inspected within 30 days after a repair to the overfill prevention equipment. Inspected using an applicable manufacturer guidelines, industry codes, engineering standards, or a method approved by a professional engineer. Inspected by a certified UST service technician. Maintain records of overfill prevention equipment inspection for 36 months.

Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-13-2016
Citation: 23 CCR 16 2637(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637(e)
Violation Description: Failure to submit a copy of the secondary containment test results to the CUPA within 30 days after the test.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-20-2017
Citation: 23 CCR 16 2632(d)(1)(C), 2641(h), 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2632(d)(1)(C), 2641(h), 2711(a)(8)
Violation Description: Failure to submit or update a plot plan.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-04-2019
Citation: HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description: Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes: Not reported

PIONEER CHEVRON (Continued) **S104537905**

Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-13-2016
Citation: HSC 6.7 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c), 25290.2(c), 25291(a)(2), 25292(e)
Violation Description: Failure to maintain secondary containment (e.g. failure of secondary containment testing).
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-20-2017
Citation: HSC 6.7 25291(a)(1) - California Health and Safety Code, Chapter 6.7, Section(s) 25291(a)(1)
Violation Description: Failure to construct, operate, and maintain primary containment as product-tight.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-20-2017
Citation: 23 CCR 16 2631(g), 2632(c)(2)(A) & (B) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2631(g), 2632(c)(2)(A) & (B)
Violation Description: Failure of the double-walled interstitial space of the tank to be continuously monitored with an audible and visual alarm.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-13-2016
Citation: 23 CCR 16 2643(b)(5) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2643(b)(5)
Violation Description: Failure of the continuous in-tank leak detection (CITLD) system to function properly.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-20-2017

PIONEER CHEVRON (Continued) **S104537905**

Citation:	23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description:	Failure to have an approved UST Monitoring Plan.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-13-2016
Citation:	23 CCR 16 2712(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)
Violation Description:	Failure to comply with one or more of the following corrosion protection record retention requirements: Maintain records of cathodic protection systems testing within six months of installation and at least every three years thereafter. Maintain records for the 60 calendar day inspection of the impressed-current system. Maintain records for sacrificial anodes testing every three years. Have written monitoring and maintenance records on-site or off-site at a readily available location if approved by the CUPA.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	HSC 6.7 25284.2 - California Health and Safety Code, Chapter 6.7, Section(s) 25284.2
Violation Description:	Failure to test the spill bucket annually.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-26-2020
Citation:	23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description:	Failure to implement the corrections specified in the inspection report within 30 days of receiving an inspection report from either the UPA or special inspector.
Violation Notes:	1)2018 CTLS MISSING 2)FACILITY EMP TAINING CERT MISSING 3)SUBMIT LAST 12 MONTHS MONTHLY DO'S 4)CERS CORRECTIONS
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description:	Failure to have a UST Response Plan available on site.

PIONEER CHEVRON (Continued) **S104537905**

Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-29-2015
Citation:	HSC 6.7 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25286
Violation Description:	Failure to obtain and maintain a valid Board of Equalization account number.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-13-2016
Citation:	23 CCR 16 2715(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(i)
Violation Description:	Failure to have a properly qualified service technician test leak detection equipment as required every 12 months (vapor, pressure, hydrostatic (VPH) system, sensors, line-leak detectors (LLD), automatic tank gauge (ATG), etc.).
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description:	Failure to submit the Annual Monitoring System Certification Form to the CUPA within 30 days of completion of the test.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-29-2015
Citation:	HSC 6.7 25286(a) - California Health and Safety Code, Chapter 6.7, Section(s) 25286(a)
Violation Description:	Failure to submit an complete and accurate application for a permit to operate an underground storage tank, or for renewal of the permit.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON

PIONEER CHEVRON (Continued) **S104537905**

Violation Date: 06-04-2019
Citation: 23 CCR 16 2715(c)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)(2)
Violation Description: Failure to have at least one facility employee present during operating hours that has been trained in the proper operation and maintenance of the UST system by a designated operator (DO).
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-04-2019
Citation: 23 CCR 16 2712(b)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(2)
Violation Description: Failure to maintain monitoring records for release detection and/or maintain records of appropriate follow-up actions.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 05-31-2018
Citation: HSC 6.7 25284 - California Health and Safety Code, Chapter 6.7, Section(s) 25284
Violation Description: Failure to obtain a valid permit to operate from the UPA including but not limited to unpaid permit fees.
Violation Notes: Returned to compliance on 04/09/2020. CERS CORRECTIONS 1) FRCT,EXPIRED 051318 2) CFO LETTER EXP'D 021518 3) MONITORING PLAN,UDC SECTION+MISSING SIGNATURES
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-04-2019
Citation: 23 CCR 16 2716(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2716(e)
Violation Description: For designated operator (DO) monthly inspections conducted before October 1, 2018, failure to comply with one or more of the following requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been trained in accordance with 23 CCR 2715(c). For designated operator (DO) 30 day inspections conducted on and after October 1, 2018, failure to conduct the designated UST operator visual inspection at least once every 30 days.

PIONEER CHEVRON (Continued) **S104537905**

Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-29-2015
Citation:	23 CCR 16 2715 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715
Violation Description:	Failure of service technician, designated operator, installer, and/or employee to obtain and maintain a proper and current International Code Council certification.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	23 CCR 16 2638(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(f)
Violation Description:	Failure to properly affix tag/sticker on monitoring equipment being certified, repaired, or replaced.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-26-2020
Citation:	HSC 6.7 25284, 25286 - California Health and Safety Code, Chapter 6.7, Section(s) 25284, 25286
Violation Description:	Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes:	1)2018 CTLS MISSING 2)FACILITY EMP TAINING CERT MISSING 3)SUBMIT LAST 12 MONTHS MONTHLY DO'S 4)CERS CORRECTIONS
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	23 CCR 16 2637 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637
Violation Description:	Failure to conduct secondary containment testing, or one or more of the following requirements: Perform the test within six months of installation and every 36 months thereafter.Use a procedure that demonstrates the system works as well as at installation.Use applicable manufacturer guidelines, industry codes, engineering standard, or professional engineer approval.Performed by a certified service technician or a licensed tank tester.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works

PIONEER CHEVRON (Continued) **S104537905**

Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-20-2017
Citation: 23 CCR 16 2630(d), 2643(f), 2644.1(a)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2630(d), 2643(f), 2644.1(a)(2)
Violation Description: Failure to demonstrate to the CUPA that the equipment and methods used to monitor the UST system are certified by an independent third-party as complying with the standards set forth in 23 CCR 2643(f).
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-26-2020
Citation: 23 CCR 16 2715(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(f)
Violation Description: Failure to have a properly qualified service technician test leak detection equipment as required every 12 months (vapor, pressure, hydrostatic (VPH) system, sensors, line-leak detectors (LLD), automatic tank gauge (ATG), etc.).
Violation Notes: 1)2018 CTLS MISSING 2)FACILITY EMP TAINING CERT MISSING 3)SUBMIT LAST 12 MONTHS MONTHLY DO'S 4)CERS CORRECTIONS
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-04-2019
Citation: 23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description: Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-20-2017
Citation: HSC 6.7 25284(a)(3)(A) & (B); - California Health and Safety Code, Chapter 6.7, Section(s) 25284(a)(3)(A) & (B);
Violation Description: Failure to implement or maintain a written agreement between the UST permit holder and the operator (owner/operator agreement).
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618

PIONEER CHEVRON (Continued) **S104537905**

Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description:	Failure to have an approved UST Response Plan.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	23 CCR 16 2636(f)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2636(f)(2)
Violation Description:	Failure of the line leak detector (LLD) monitoring pressurized piping to meet one or more of the following requirements:Monitor at least hourly.Be capable of detecting a release of 3.0 gallons per hour at 10 p.s.i.g. Restrict or shut off the flow of product through the piping when a leak is detected.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-13-2016
Citation:	HSC 6.7 25290.1(c)(3), 25290.2(c)(3) - California Health and Safety Code, Chapter 6.7, Section(s) 25290.1(c)(3), 25290.2(c)(3)
Violation Description:	Failure to keep water out of the secondary containment of UST systems installed on or after July 1, 2003 and before July 1, 2004, or on or after July 1, 2004.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	23 CCR 16 2715(c) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(c)
Violation Description:	Failure to comply with one or more of the following designated operator (DO) monthly inspection requirements: Be performed by an ICC certified DO. Inspect monthly alarm history report, check that alarms are documented and responded to appropriately, and attach a copy. Inspect for the presence of liquid/debris in spill containers. Inspect for the presence of liquid/debris in under dispenser containment (UDC) and ensure that the monitoring equipment is positioned correctly. Inspect for liquid or debris in containment sumps where an alarm occurred with no service visit. Check that all testing and maintenance has been completed and documented. Verify that all facility employees have been properly trained.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST

PIONEER CHEVRON (Continued) **S104537905**

Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 05-31-2018
Citation: HSC 6.75 25299.30-25299.34 - California Health and Safety Code, Chapter 6.75, Section(s) 25299.30-25299.34
Violation Description: Failure to submit and maintain complete and current Certification of Financial Responsibility or other mechanism of financial assurance.
Violation Notes: Returned to compliance on 04/09/2020. CERS CORRECTIONS 1) FRCT,EXPIRED 051318 2) CFO LETTER EXP'D 021518 3) MONITORING PLAN,UDC SECTION+MISSING SIGNATURES
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-04-2019
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to have current UST Monitoring Plan available on site.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-04-2019
Citation: 23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description: Failure to submit the G Monitoring System Certification FormG to the UPA within 30 days of completion of the test.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-13-2016
Citation: 23 CCR 16 2637(f), 2638(e), 2643(g), 2644.1(a)(4) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637(f), 2638(e), 2643(g), 2644.1(a)(4)
Violation Description: Failure to notify the CUPA 48 hours prior to testing.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-13-2016
Citation: 23 CCR 16 2715(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(e)
Violation Description: Failure to maintain a copy of the designated operator monthly

PIONEER CHEVRON (Continued) **S104537905**

inspections for the last 12 months on-site or off-site at a readily available location, if approved by the UPA.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-04-2019
Citation: 23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description: Failure to implement the corrections specified in the inspection report within 30 days of receiving an inspection report from either the UPA or special inspector.
Violation Notes: Not reported
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-26-2020
Citation: 23 CCR 16 2712(b)(2) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(2)
Violation Description: Failure to maintain monitoring records for release detection and/or maintain records of appropriate follow-up actions.
Violation Notes: 1)2018 CTLS MISSING 2)FACILITY EMP TAINING CERT MISSING 3)SUBMIT LAST 12 MONTHS MONTHLY DO'S 4)CERS CORRECTIONS
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-29-2015
Citation: 23 CCR 16 2712(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(i)
Violation Description: Failure to maintain on site an approved monitoring plan.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-29-2015
Citation: 23 CCR 16 2711(a)(8) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2711(a)(8)
Violation Description: Failure to submit, obtain approval, or maintain a complete/accurate plot plan.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618

PIONEER CHEVRON (Continued) **S104537905**

Site Name:	PIONEER CHEVRON
Violation Date:	06-04-2019
Citation:	23 CCR 16 2637.1(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637.1(e)
Violation Description:	Failure to submit a copy of the spill containment test results on the G Spill Container Testing Report FormG to the UPA within 30 days after the test.
Violation Notes:	Not reported
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-26-2020
Citation:	23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description:	Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes:	1)2018 CTLS MISSING 2)FACILITY EMP TAINING CERT MISSING 3)SUBMIT LAST 12 MONTHS MONTHLY DO'S 4)CERS CORRECTIONS
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-26-2020
Citation:	23 CCR 16 2665(b) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2665(b)
Violation Description:	"Failure to submit a copy of the overfill prevention equipment inspection results on the G Overfill Prevention Equipment Inspection Report FormG to the UPA within 30 days after the inspection. "
Violation Notes:	1)2018 CTLS MISSING 2)FACILITY EMP TAINING CERT MISSING 3)SUBMIT LAST 12 MONTHS MONTHLY DO'S 4)CERS CORRECTIONS
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	23 CCR 16 2637(e) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637(e)
Violation Description:	Failure to submit a copy of the secondary containment test results to the CUPA within 30 days after the test.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	23 CCR 16 2712(f) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(f)
Violation Description:	Failure to implement the corrections specified in the inspection

PIONEER CHEVRON (Continued) **S104537905**

	report within 30 calendar days of receiving an inspection report from either the CUPA or special inspector.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	23 CCR 16 2715(i) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2715(i)
Violation Description:	Failure to have a properly qualified service technician test leak detection equipment as required every 12 months (vapor, pressure, hydrostatic (VPH) system, sensors, line-leak detectors (LLD), automatic tank gauge (ATG), etc.).
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	HSC 6.7 25292(a); 23 CCR 16 2643 - California Health and Safety Code, Chapter 6.7, Section(s) 25292(a); 23 CCR 16 2643
Violation Description:	Failure to outfit the single-walled UST system with a monitoring system capable of detecting unauthorized releases, e.g., automatic tank gauge (ATG) or continuous in-tank leak detection (CITLD).
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-26-2020
Citation:	23 CCR 16 2638(d) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2638(d)
Violation Description:	Failure to submit the G Monitoring System Certification FormG to the UPA within 30 days of completion of the test.
Violation Notes:	1)2018 CTLS MISSING 2)FACILITY EMP TAINING CERT MISSING 3)SUBMIT LAST 12 MONTHS MONTHLY DO'S 4)CERS CORRECTIONS
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	23 CCR 6.7 25284, 25286 - California Code of Regulations, Title 23, Chapter 6.7, Section(s) 25284, 25286
Violation Description:	Failure to submit a complete and accurate application for a permit to operate a UST, or for renewal of the permit.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST

PIONEER CHEVRON (Continued) **S104537905**

Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-13-2016
Citation: 23 CCR 16 2637 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637
Violation Description: Failure to conduct secondary containment testing, or one or more of the following requirements: Perform the test within six months of installation and every 36 months thereafter.Use a procedure that demonstrates the system works as well as at installation.Use applicable manufacturer guidelines, industry codes, engineering standard, or professional engineer approval.Performed by a certified service technician or a licensed tank tester.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-26-2020
Citation: 23 CCR 16 2712(b)(1)(F) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712(b)(1)(F)
Violation Description: "Failure to conduct secondary containment testing, or one or more of the following requirements: Perform the test of the secondary containment system upon installation, within six months of installation and every 36 months thereafter. Perform the test of a secondary containment component within 30 days of a repair or discontinuing vacuum, pressure or hydrostatic monitoring. Use a procedure that demonstrates the system works as well as at installation. Use applicable manufacturer guidelines, industry codes, engineering standard, or professional engineer approval. Performed by a certified service technician. Maintain records of secondary containment testing for 36 months."
Violation Notes: 1)2018 CTLS MISSING 2)FACILITY EMP TAINING CERT MISSING 3)SUBMIT LAST 12 MONTHS MONTHLY DO'S 4)CERS CORRECTIONS
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-20-2017
Citation: 23 CCR 16 2637(f), 2638(e), 2643(g), 2644.1(a)(4) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2637(f), 2638(e), 2643(g), 2644.1(a)(4)
Violation Description: Failure to notify the CUPA 48 hours prior to testing.
Violation Notes: Returned to compliance on 02/12/2018.
Violation Division: Los Angeles County Department of Public Works
Violation Program: UST
Violation Source: CERS

Site ID: 399618
Site Name: PIONEER CHEVRON
Violation Date: 06-13-2016
Citation: HSC 6.7 25284.2 - California Health and Safety Code, Chapter 6.7,

PIONEER CHEVRON (Continued) **S104537905**

	Section(s) 25284.2
Violation Description:	Failure to test the spill bucket annually.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	05-31-2018
Citation:	23 CCR 16 2641(h) - California Code of Regulations, Title 23, Chapter 16, Section(s) 2641(h)
Violation Description:	Failure to have an approved UST Monitoring Plan.
Violation Notes:	Returned to compliance on 04/09/2020. CERS CORRECTIONS 1) FRCT,EXPIRED 051318 2) CFO LETTER EXP'D 021518 3) MONITORING PLAN,UDC SECTION+MISSING SIGNATURES
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS
Site ID:	399618
Site Name:	PIONEER CHEVRON
Violation Date:	06-20-2017
Citation:	23 CCR 16 2712 - California Code of Regulations, Title 23, Chapter 16, Section(s) 2712
Violation Description:	Failure to comply with any of the applicable requirements of the permit issued for the operation of the UST system.
Violation Notes:	Returned to compliance on 02/12/2018.
Violation Division:	Los Angeles County Department of Public Works
Violation Program:	UST
Violation Source:	CERS

Evaluation:

Eval General Type:	Compliance Evaluation Inspection
Eval Date:	06-26-2020
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	1)2018 CTLS MISSING 2)FACILITY EMP TAINING CERT MISSING 3)SUBMIT LAST 12 MONTHS MONTHLY DO'S 4)CERS CORRECTIONS
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	02-01-2019
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	SAEID POULDAR MANAGER
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	05-31-2018
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	CERS CORRECTIONS 1) FRCT 2)MONITORIN PLAN

PIONEER CHEVRON (Continued) **S104537905**

Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	06-29-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC:CERS DOCS NOT ACCURATE, EXPIRED, OR NOT UPOADED;DSL TK W/ CSLD @ .2GPH;FILL/PROD SUMPS W/ VR352;UDCS W/ VR208;ANN W/ VR409;PLLD
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-21-2015
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	Saeid Pouldar, Manager
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	06-04-2019
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC:1)OVFL LATE 2)17 CTLS NOT ONSITE 3)18 CTLS NOT SUBMITTED TO DPW4)NO TRAINED EMP. ONSITE 5)FOLLOW UP SIG. ON DO RPTS MISSING 6)CERS
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	06-20-2017
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC MONIT.CERT'S 6/15,6/16,6/17. SB989 PAST DUE SINCE 6/15. CERS ALL INFRO. CERT.DSL ATG SINGLE WALL TK.FAILED TO COMPLY834522,807407
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	10-21-2015
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	Saeid Pouldar, Manager
Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Other/Unknown
Eval Date:	12-01-2017
Violations Found:	No
Eval Type:	Other, not routine, done by local agency
Eval Notes:	Not reported

PIONEER CHEVRON (Continued) **S104537905**

Eval Division:	Los Angeles County Fire Department
Eval Program:	HMRRP
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	02-01-2019
Violations Found:	No
Eval Type:	Routine done by local agency
Eval Notes:	SAEID POULDAR MANAGER
Eval Division:	Los Angeles County Fire Department
Eval Program:	HW
Eval Source:	CERS
Eval General Type:	Compliance Evaluation Inspection
Eval Date:	06-13-2016
Violations Found:	Yes
Eval Type:	Routine done by local agency
Eval Notes:	NOVC:(1)LDS CERT'2015 NO IN SITE FILE;(2)UPDATE UST INFO ON CERS; (3)SB989 TEST'2015 REQD;(4)DSL CSLD 0.2GHP TEST COPIES, BOE# REQD.
Eval Division:	Los Angeles County Department of Public Works
Eval Program:	UST
Eval Source:	CERS

Coordinates:

Site ID:	399618
Facility Name:	PIONEER CHEVRON
Env Int Type Code:	HMBP
Program ID:	10270855
Coord Name:	Not reported
Ref Point Type Desc:	Center of a facility or station.
Latitude:	33.878340
Longitude:	-118.082830

Affiliation:

Affiliation Type Desc:	Facility Mailing Address
Entity Name:	Mailing Address
Entity Title:	Not reported
Affiliation Address:	16725 PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported
Affiliation Type Desc:	Legal Owner
Entity Name:	Robert Pouldar
Entity Title:	Not reported
Affiliation Address:	16725 PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(562) 860-5718
Affiliation Type Desc:	UST Permit Applicant
Entity Name:	ROBERT POULDAR

PIONEER CHEVRON (Continued) **S104537905**

Entity Title:	OWNER
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(310) 780-4792
Affiliation Type Desc:	Parent Corporation
Entity Name:	PIONEER CHEVRON
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	UST Tank Owner
Entity Name:	EDI POULDAR
Entity Title:	Not reported
Affiliation Address:	16725 PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(310) 780-4792
Affiliation Type Desc:	Identification Signer
Entity Name:	EDI POULDAR
Entity Title:	Owner
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Operator
Entity Name:	PIONEER CHEVRON
Entity Title:	Not reported
Affiliation Address:	Not reported
Affiliation City:	Not reported
Affiliation State:	Not reported
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	(310) 780-4792
Affiliation Type Desc:	UST Property Owner Name
Entity Name:	EDI POULDAR
Entity Title:	Not reported
Affiliation Address:	16725 PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(310) 780-4792

PIONEER CHEVRON (Continued) **S104537905**

Affiliation Type Desc:	CUPA District
Entity Name:	Los Angeles County Fire
Entity Title:	Not reported
Affiliation Address:	5825 Rickenbacker Road
Affiliation City:	Commerce
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90040-3027
Affiliation Phone:	(323) 890-4000

Affiliation Type Desc:	Environmental Contact
Entity Name:	EDI POULDAR
Entity Title:	Not reported
Affiliation Address:	16725 PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	90701
Affiliation Phone:	Not reported

Affiliation Type Desc:	Property Owner
Entity Name:	EDI POULDAR
Entity Title:	Not reported
Affiliation Address:	16725 PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(310) 780-4792

Affiliation Type Desc:	UST Tank Operator
Entity Name:	Edi Pouldar (Artesia Land LLC)
Entity Title:	Not reported
Affiliation Address:	16725 PIONEER BLVD
Affiliation City:	ARTESIA
Affiliation State:	CA
Affiliation Country:	United States
Affiliation Zip:	90701
Affiliation Phone:	(310) 780-4792

HWTS:

Name:	PIONEER CHEVRON
Address:	16725 PIONEER BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907010000
EPA ID:	CAL000205976
Inactive Date:	06/30/2003
Create Date:	12/18/2000
Last Act Date:	09/05/2001
Mailing Name:	Not reported
Mailing Address:	16725 PIONEER BLVD
Mailing Address 2:	Not reported
Mailing City,State,Zip:	ARTESIA, CA 907010000
Owner Name:	EDI PUOLDAR
Owner Address:	16725 PIONEER BLVD
Owner Address 2:	Not reported

PIONEER CHEVRON (Continued) **S104537905**

Owner City,State,Zip:	ARTESIA, CA 907010000
Contact Name:	EDI POULDAR
Contact Address:	16725 PIONEER BLVD
Contact Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907010000

W150 **CHEVRON USA SS 095619** **UST** **U004349979**
NNE **16725 PIONEER BLVD** **N/A**
1/8-1/4 **ARTESIA, CA 90701**
0.248 mi.
1312 ft. **Site 16 of 17 in cluster W**

Relative: UST:
Lower

Actual: Name:	CHEVRON USA SS 095619
63 ft. Address:	16725 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Facility ID:	737
Permitting Agency:	LOS ANGELES COUNTY
CERSID:	Not reported
Latitude:	33.879689
Longitude:	-118.081483

W151 **CHEVRON #9-5619** **HIST CORTESE** **S100858218**
NNE **16725 PIONEER** **N/A**
1/8-1/4 **ARTESIA, CA 90631**
0.248 mi.
1312 ft. **Site 17 of 17 in cluster W**

Relative: HIST CORTESE:
Lower

Actual: edr_fname:	CHEVRON #9-5619
63 ft. edr_fadd1:	16725 PIONEER
City,State,Zip:	ARTESIA, CA 90631
Region:	CORTESE
Facility County Code:	19
Reg By:	LTNKA
Reg Id:	R-00737

Y152 **PIONEER HOSPITAL** **LUST** **U003775913**
SSE **17831 PIONEER BLVD** **UST** **N/A**
1/4-1/2 **ARTESIA, CA 90701** **Cortese**
0.322 mi. **CERS**
1702 ft. **Site 1 of 2 in cluster Y**

Relative: LUST REG 4:
Lower

Actual: Region:	4	
55 ft. Regional Board:	04	
County:	Los Angeles	
Facility Id:	907010061	
Status:	Case Closed	
Substance:	Gasoline	
Substance Quantity:	Not reported	
Local Case No:	Not reported	
Case Type:	Groundwater	
Abatement Method Used at the Site:		FPGT
Global ID:	T0603701582	

PIONEER HOSPITAL (Continued) **U003775913**

W Global ID:	Not reported	
Staff:	UNK	
Local Agency:	19000	
Cross Street:	178TH	
Enforcement Type:	Not reported	
Date Leak Discovered:	10/7/1986	
Date Leak First Reported:		5/5/1987
Date Leak Record Entered:	3/23/1988	
Date Confirmation Began:	Not reported	
Date Leak Stopped:	10/7/1986	
Date Case Last Changed on Database:		4/7/1995
Date the Case was Closed:		4/7/1995
How Leak Discovered:	Not reported	
How Leak Stopped:	Not reported	
Cause of Leak:	Not reported	
Leak Source:	Not reported	
Operator:	Not reported	
Water System:	Not reported	
Well Name:	Not reported	
Approx. Dist To Production Well (ft):		930.83818124935989333596732 36
Source of Cleanup Funding:		Not reported
Preliminary Site Assessment Workplan Submitted:		Not reported
Preliminary Site Assessment Began:		Not reported
Pollution Characterization Began:		5/5/1987
Remediation Plan Submitted:		4/12/1989
Remedial Action Underway:		2/27/1990
Post Remedial Action Monitoring Began:		Not reported
Enforcement Action Date:		Not reported
Historical Max MTBE Date:		Not reported
Hist Max MTBE Conc in Groundwater:		Not reported
Hist Max MTBE Conc in Soil:		Not reported
Significant Interim Remedial Action Taken:		Yes
GW Qualifier:	Not reported	
Soil Qualifier:	Not reported	
Organization:	Not reported	
Owner Contact:	Not reported	
Responsible Party:	PIONEER HOSPITAL	
RP Address:	17831 PIONEER S., ARTESIA, CA 90701	
Program:	LUST	
Lat/Long:	33.8690921 / -1	
Local Agency Staff:	Not reported	
Beneficial Use:	Not reported	
Priority:	Not reported	
Cleanup Fund Id:	Not reported	
Suspended:	Not reported	
Assigned Name:	Not reported	
Summary:	OLD TANK REMOVED AND NEW TANK INSTALLED. RAP APPROVED, NPDES PERMIT ADOPTED.	
Region:	4	
Regional Board:	04	
County:	Los Angeles	
Facility Id:	907010061A	
Status:	Case Closed	
Substance:	Gasoline	
Substance Quantity:	Not reported	
Local Case No:	Not reported	

PIONEER HOSPITAL (Continued) **U003775913**

Case Type:	Groundwater	
Abatement Method Used at the Site:		Not reported
Global ID:	T0603713113	
W Global ID:	Not reported	
Staff:	AJL	
Local Agency:	19000	
Cross Street:	Not reported	
Enforcement Type:	CLOS	
Date Leak Discovered:	12/31/2001	
Date Leak First Reported:		1/8/2002
Date Leak Record Entered:	Not reported	
Date Confirmation Began:	Not reported	
Date Leak Stopped:	Not reported	
Date Case Last Changed on Database:		9/9/2002
Date the Case was Closed:		1/28/2003
How Leak Discovered:	OM	
How Leak Stopped:	Close Tank	
Cause of Leak:	UNK	
Leak Source:	UNK	
Operator:	Not reported	
Water System:	Not reported	
Well Name:	Not reported	
Approx. Dist To Production Well (ft):		902.39705643497724690817033 22
Source of Cleanup Funding:		UNK
Preliminary Site Assessment Workplan Submitted:		3/5/2002
Preliminary Site Assessment Began:		Not reported
Pollution Characterization Began:		Not reported
Remediation Plan Submitted:		2/2/2002
Remedial Action Underway:		Not reported
Post Remedial Action Monitoring Began:		Not reported
Enforcement Action Date:		Not reported
Historical Max MTBE Date:		Not reported
Hist Max MTBE Conc in Groundwater:		Not reported
Hist Max MTBE Conc in Soil:		Not reported
Significant Interim Remedial Action Taken:		Not reported
GW Qualifier:	Not reported	
Soil Qualifier:	Not reported	
Organization:	Not reported	
Owner Contact:	Not reported	
Responsible Party:	PAUL QUNG	
RP Address:	17831 PIONNER BLVD.	
Program:	LUST	
Lat/Long:	33.869035 / -1	
Local Agency Staff:	UNK	
Beneficial Use:	Not reported	
Priority:	Not reported	
Cleanup Fund Id:	Not reported	
Suspended:	Not reported	
Assigned Name:	Not reported	
Summary:	Not reported	

UST:

Name:	PIONEER HOSPITAL
Address:	17831 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Facility ID:	2133
Permitting Agency:	LOS ANGELES COUNTY

PIONEER HOSPITAL (Continued) **U003775913**

CERSID: Not reported
Latitude: 33.86909
Longitude: -118.08237

CORTESE:
Name: PIONEER HOSPITAL
Address: 17831 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0603701582
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

Name: PIONEER HOSPITAL (FORMER)
Address: 17831 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0603713113
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

CERS:

PIONEER HOSPITAL (Continued) **U003775913**

Name: PIONEER HOSPITAL (FORMER)
Address: 17831 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 187815
CERS ID: T0603713113
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: AHMAD J. LAMAA - LOS ANGELES RWQCB (REGION 4)
Entity Title: Not reported
Affiliation Address: 320 West 4th Street Suite 200
Affiliation City: Los Angeles
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Local Agency Caseworker
Entity Name: UNK - LOS ANGELES COUNTY
Entity Title: Not reported
Affiliation Address: Not reported
Affiliation City: R4 UNKNOWN
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Y153 **SEE 002056-002133** **LUST** **S100227963**
SSE **17831 PIONEER BLVD** **SWEEPS UST** **N/A**
1/4-1/2 **ARTESIA, CA 90701** **EMI**
0.322 mi. **HIST CORTESE**
1702 ft. **Site 2 of 2 in cluster Y** **LOS ANGELES CO. HMS**
CERS

Relative:
Lower

Actual:
55 ft.

LUST:
Name: PIONEER HOSPITAL
Address: 17831 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Lead Agency: LOS ANGELES RWQCB (REGION 4)
Case Type: LUST Cleanup Site
Geo Track: http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603701582
Global Id: T0603701582
Latitude: 33.8690921
Longitude: -118.08237
Status: Completed - Case Closed
Status Date: 04/07/1995
Case Worker: YR
RB Case Number: 907010061
Local Agency: LOS ANGELES COUNTY
File Location: Not reported
Local Case Number: Not reported
Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0603701582

SEE 002056-002133 (Continued) **S100227963**

Contact Type: Local Agency Caseworker
Contact Name: JOHN AWUJO
Organization Name: LOS ANGELES COUNTY
Address: 900 S FREMONT AVE
City: ALHAMBRA
Email: jawujo@dpw.lacounty.gov
Phone Number: 6264583507

Global Id: T0603701582
Contact Type: Regional Board Caseworker
Contact Name: YUE RONG
Organization Name: LOS ANGELES RWQCB (REGION 4)
Address: 320 W. 4TH ST., SUITE 200
City: Los Angeles
Email: yrong@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0603701582
Action Type: Other
Date: 05/05/1987
Action: Leak Reported

Global Id: T0603701582
Action Type: Other
Date: 10/07/1986
Action: Leak Stopped

Global Id: T0603701582
Action Type: Other
Date: 10/07/1986
Action: Leak Discovery

LUST:
Global Id: T0603701582
Status: Open - Case Begin Date
Status Date: 10/07/1986

Global Id: T0603701582
Status: Open - Site Assessment
Status Date: 05/05/1987

Global Id: T0603701582
Status: Open - Remediation
Status Date: 04/12/1989

Global Id: T0603701582
Status: Open - Remediation
Status Date: 02/27/1990

Global Id: T0603701582
Status: Completed - Case Closed
Status Date: 04/07/1995

Name: PIONEER HOSPITAL (FORMER)

SEE 002056-002133 (Continued) **S100227963**

Address:	17831 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Lead Agency:	LOS ANGELES RWQCB (REGION 4)
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603713113
Global Id:	T0603713113
Latitude:	33.8691054
Longitude:	-118.0823646
Status:	Completed - Case Closed
Status Date:	01/28/2003
Case Worker:	AJL
RB Case Number:	907010061A
Local Agency:	LOS ANGELES COUNTY
File Location:	Regional Board
Local Case Number:	Not reported
Potential Media Affect:	Aquifer used for drinking water supply
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0603713113
Contact Type:	Local Agency Caseworker
Contact Name:	UNK
Organization Name:	LOS ANGELES COUNTY
Address:	Not reported
City:	R4 UNKNOWN
Email:	Not reported
Phone Number:	Not reported

Global Id:	T0603713113
Contact Type:	Regional Board Caseworker
Contact Name:	AHMAD J. LAMAA
Organization Name:	LOS ANGELES RWQCB (REGION 4)
Address:	320 West 4th Street Suite 200
City:	Los Angeles
Email:	alamaa@waterboards.ca.gov
Phone Number:	Not reported

LUST:

Global Id:	T0603713113
Action Type:	ENFORCEMENT
Date:	01/28/2003
Action:	Closure/No Further Action Letter

Global Id:	T0603713113
Action Type:	Other
Date:	01/08/2002
Action:	Leak Reported

Global Id:	T0603713113
Action Type:	RESPONSE
Date:	04/30/2002
Action:	Soil and Water Investigation Workplan

Global Id:	T0603713113
Action Type:	RESPONSE
Date:	05/30/2002

SEE 002056-002133 (Continued) **S100227963**

Action: Well Installation Report

Global Id: T0603713113
Action Type: RESPONSE
Date: 12/02/2002
Action: Monitoring Report - Quarterly

Global Id: T0603713113
Action Type: ENFORCEMENT
Date: 06/27/2002
Action: Staff Letter

Global Id: T0603713113
Action Type: ENFORCEMENT
Date: 03/05/2002
Action: Staff Letter

Global Id: T0603713113
Action Type: Other
Date: 12/31/2001
Action: Leak Discovery

LUST:
Global Id: T0603713113
Status: Open - Case Begin Date
Status Date: 12/31/2001

Global Id: T0603713113
Status: Open - Remediation
Status Date: 02/02/2002

Global Id: T0603713113
Status: Open - Site Assessment
Status Date: 03/05/2002

Global Id: T0603713113
Status: Completed - Case Closed
Status Date: 01/28/2003

SWEEPS UST:
Name: PIONEER HOSPITAL
Address: 17831 S PIONEER BLVD
City: ARTESIA
Status: Active
Comp Number: 2133
Number: 9
Board Of Equalization: 44-007615
Referral Date: 06-30-89
Action Date: Not reported
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-002133-000001
Tank Status: A
Capacity: 500
Active Date: 01-08-93

SEE 002056-002133 (Continued) **S100227963**

Tank Use:	M.V. FUEL
STG:	P
Content:	REG UNLEADED
Number Of Tanks:	2

Name:	PIONEER HOSPITAL
Address:	17831 S PIONEER BLVD
City:	ARTESIA
Status:	Active
Comp Number:	2133
Number:	9
Board Of Equalization:	44-007615
Referral Date:	06-30-89
Action Date:	Not reported
Created Date:	06-30-89
Owner Tank Id:	Not reported
SWRCB Tank Id:	19-000-002133-000002
Tank Status:	A
Capacity:	1000
Active Date:	01-08-93
Tank Use:	M.V. FUEL
STG:	P
Content:	DIESEL
Number Of Tanks:	Not reported

EMI:

Name:	PIONEER HOSPITAL
Address:	17831 S PIONEER BL
City,State,Zip:	ARTESIA, CA
Year:	1995
County Code:	19
Air Basin:	SC
Facility ID:	1737
Air District Name:	SC
SIC Code:	8062
Air District Name:	SOUTH COAST AQMD
Community Health Air Pollution Info System:	Not reported
Consolidated Emission Reporting Rule:	Not reported
Total Organic Hydrocarbon Gases Tons/Yr:	1
Reactive Organic Gases Tons/Yr:	0
Carbon Monoxide Emissions Tons/Yr:	2
NOX - Oxides of Nitrogen Tons/Yr:	7
SOX - Oxides of Sulphur Tons/Yr:	0
Particulate Matter Tons/Yr:	0
Part. Matter 10 Micrometers and Smllr Tons/Yr:	0

HIST CORTESE:

edr_fname:	PIONEER HOSPITAL
edr_fadd1:	17831 PIONEER
City,State,Zip:	ARTESIA, CA 90701
Region:	CORTESE
Facility County Code:	19
Reg By:	LTNKA
Reg Id:	907010061

SEE 002056-002133 (Continued) **S100227963**

LOS ANGELES CO. HMS:
Name: PIONEER HOSPITAL
Address: 17831 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Region: LA
Permit Category: I
Facility Id: 002056-I02133
Facility Type: 01
Facility Status: Closed
Area: 1D
Permit Number: 000003848
Permit Status: Closed

Name: PIONEER HOSPITAL
Address: 17831 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Region: LA
Permit Category: T
Facility Id: 002056-002133
Facility Type: 0
Facility Status: Removed
Area: 1D
Permit Number: 00005395T
Permit Status: Removed

Name: SEE 002056-002133
Address: 17831 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Region: LA
Permit Category: T
Facility Id: 002056-015133
Facility Type: 0
Facility Status: Removed
Area: 1D
Permit Number: 00005849T
Permit Status: Removed

CERS:
Name: PIONEER HOSPITAL
Address: 17831 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 236909
CERS ID: T0603701582
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: JOHN AWUJO - LOS ANGELES COUNTY
Entity Title: Not reported
Affiliation Address: 900 S FREMONT AVE
Affiliation City: ALHAMBRA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 6264583507

Affiliation Type Desc: Regional Board Caseworker

SEE 002056-002133 (Continued) **S100227963**

Entity Name:	YUE RONG - LOS ANGELES RWQCB (REGION 4)
Entity Title:	Not reported
Affiliation Address:	320 W. 4TH ST., SUITE 200
Affiliation City:	Los Angeles
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Z154 **VALUE CLEANERS** **CPS-SLIC** **1000424513**
WSW **11414 ARTESIA BLVD** **DRYCLEANERS** **N/A**
1/4-1/2 **ARTESIA, CA 90701** **CERS**
0.333 mi.
1757 ft. **Site 1 of 2 in cluster Z**

Relative:
Lower

Actual:
62 ft.

CPS-SLIC:

Name:	VALUE CLEANERS
Address:	11414 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Region:	STATE
Facility Status:	**Open - Remediation**
Status Date:	01/21/2010
Global Id:	SL204CJ2373
Lead Agency:	LOS ANGELES RWQCB (REGION 4)
Lead Agency Case Number:	Not reported
Latitude:	33.8725250452228
Longitude:	-118.09052516219
Case Type:	Cleanup Program Site
Case Worker:	JY
Local Agency:	Not reported
RB Case Number:	0933
File Location:	Regional Board
Potential Media Affected:	Aquifer used for drinking water supply, Indoor Air, Soil, Soil Vapor
Potential Contaminants of Concern:	Not reported
Site History:	The site was developed as a parkign shelter and an electrical shop in 1958. Value Dry Cleaners operated a dry cleaning business since 1987.

Click here to access the California GeoTracker records for this facility:

DRYCLEANERS:

Name:	VALUE CLEANERS
Address:	11414 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 907010000
EPA Id:	CAD982020125
NAICS Code:	81232
NAICS Description:	Drycleaning and Laundry Services (except Coin-Operated)
SIC Code:	7211
SIC Description:	Power Laundries, Family and Commercial
Create Date:	06/17/1988
Facility Active:	No
Inactive Date:	06/30/2013
Facility Addr2:	Not reported
Owner Name:	MAHENDRA DOSHI
Owner Address:	11414-B ARTESIA BLVD
Owner Address 2:	Not reported
Owner Telephone:	5628602295

VALUE CLEANERS (Continued) **1000424513**

Contact Name:	MAHENDRA DOSHI - OWNER
Contact Address:	11414 ARTESIA BLVD SUITE B
Contact Address 2:	Not reported
Contact Telephone:	5628602295
Contact Fax:	0
Mailing Name:	Not reported
Mailing Address 1:	11414 ARTESIA BLVD
Mailing Address 2:	Not reported
Mailing City:	ARTESIA
Mailing State:	CA
Mailing Zip:	907013855
Owner Fax:	0
Region Code:	3
Latitude:	33.872914
Longitude:	-118.090736

CERS:

Name:	VALUE CLEANERS
Address:	11414 ARTESIA BLVD
City,State,Zip:	ARTESIA, CA 90701
Site ID:	209494
CERS ID:	SL204CJ2373
CERS Description:	Cleanup Program Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	JESSICA YEUNG - LOS ANGELES RWQCB (REGION 4)
Entity Title:	Not reported
Affiliation Address:	320 West 4th St., Suite 200
Affiliation City:	LOS ANGELES
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	2135766729

155
SE
1/4-1/2
0.334 mi.
1765 ft.

ABC UNIFIED SCHOOL DISTRICT
11865 178TH ST E
ARTESIA, CA 90701

LUST **S101295553**
Cortese **N/A**
HIST CORTESE
CERS

Relative:
Lower

Actual:
55 ft.

LUST:

Name:	ABC UNIFIED SCHOOL DISTRICT
Address:	11865 178TH ST E
City,State,Zip:	ARTESIA, CA 90701
Lead Agency:	LOS ANGELES RWQCB (REGION 4)
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603705086
Global Id:	T0603705086
Latitude:	33.869413
Longitude:	-118.0805591
Status:	Completed - Case Closed
Status Date:	07/02/1999
Case Worker:	NB
RB Case Number:	R-11981
Local Agency:	LOS ANGELES COUNTY
File Location:	Not reported

ABC UNIFIED SCHOOL DISTRICT (Continued) **S101295553**

Local Case Number: Not reported
Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0603705086
Contact Type: Local Agency Caseworker
Contact Name: JOHN AWUJO
Organization Name: LOS ANGELES COUNTY
Address: 900 S FREMONT AVE
City: ALHAMBRA
Email: jawujo@dpw.lacounty.gov
Phone Number: 6264583507

Global Id: T0603705086
Contact Type: Regional Board Caseworker
Contact Name: NHAN BAO
Organization Name: LOS ANGELES RWQCB (REGION 4)
Address: 320 WEST 4TH STREET, SUITE 200
City: LOS ANGELES
Email: nbao@waterboards.ca.gov
Phone Number: 2135766703

LUST:
Global Id: T0603705086
Action Type: Other
Date: 07/17/1986
Action: Leak Reported

Global Id: T0603705086
Action Type: Other
Date: 08/03/1988
Action: Leak Stopped

Global Id: T0603705086
Action Type: Other
Date: 06/11/1986
Action: Leak Discovery

LUST:
Global Id: T0603705086
Status: Open - Case Begin Date
Status Date: 06/11/1986

Global Id: T0603705086
Status: Open - Site Assessment
Status Date: 06/10/1988

Global Id: T0603705086
Status: Completed - Case Closed
Status Date: 07/02/1999

Name: ABC UNIFIED SCHOOL DISTRICT
Address: 11865 178TH ST. E.
City,State,Zip: ARTESIA, CA 90701

ABC UNIFIED SCHOOL DISTRICT (Continued) **S101295553**

Lead Agency:	LOS ANGELES RWQCB (REGION 4)
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603706974
Global Id:	T0603706974
Latitude:	33.869414
Longitude:	-118.080565
Status:	Completed - Case Closed
Status Date:	03/27/2019
Case Worker:	NC
RB Case Number:	R-11981A
Local Agency:	LOS ANGELES COUNTY
File Location:	Regional Board
Local Case Number:	Not reported
Potential Media Affect:	Not reported
Potential Contaminants of Concern:	Waste Oil / Motor / Hydraulic / Lubricating
Site History:	Not reported

LUST:

Global Id:	T0603706974
Contact Type:	Local Agency Caseworker
Contact Name:	GILLIAN MINTIER
Organization Name:	LOS ANGELES COUNTY
Address:	900 SOUTH FREMONT AVE
City:	ALHAMBRA
Email:	gmintier@ladpw.org
Phone Number:	Not reported

Global Id:	T0603706974
Contact Type:	Local Agency Caseworker
Contact Name:	MANUEL R REGALADO
Organization Name:	LOS ANGELES COUNTY
Address:	900 S. FREMONT AVE.
City:	ALHAMBRA
Email:	mregalad@dpw.lacounty.gov
Phone Number:	Not reported

Global Id:	T0603706974
Contact Type:	Regional Board Caseworker
Contact Name:	NOMAN CHOWDHURY
Organization Name:	LOS ANGELES RWQCB (REGION 4)
Address:	320 WEST 4TH STREET, SUITE 200
City:	LOS ANGELES
Email:	noman.chowdhury@waterboards.ca.gov
Phone Number:	2135766704

LUST:

Global Id:	T0603706974
Action Type:	ENFORCEMENT
Date:	07/29/2009
Action:	Referral to Regional Board - #C619686

Global Id:	T0603706974
Action Type:	Other
Date:	06/15/2005
Action:	Leak Reported

Global Id:	T0603706974

ABC UNIFIED SCHOOL DISTRICT (Continued) **S101295553**

Action Type: RESPONSE
Date: 06/15/2005
Action: Tank Removal Report / UST Sampling Report

Global Id: T0603706974
Action Type: ENFORCEMENT
Date: 09/14/2018
Action: Notification - Public Notice of Case Closure

Global Id: T0603706974
Action Type: RESPONSE
Date: 11/30/2009
Action: Other Report / Document

Global Id: T0603706974
Action Type: ENFORCEMENT
Date: 02/07/2019
Action: State Water Board Closure Order - #2019-0003

Global Id: T0603706974
Action Type: ENFORCEMENT
Date: 09/25/2009
Action: Staff Letter

Global Id: T0603706974
Action Type: ENFORCEMENT
Date: 03/27/2019
Action: Closure/No Further Action Letter

Global Id: T0603706974
Action Type: Other
Date: 05/27/1999
Action: Leak Discovery

Global Id: T0603706974
Action Type: REMEDIATION
Date: 05/27/1999
Action: Not reported

LUST:
Global Id: T0603706974
Status: Open - Case Begin Date
Status Date: 05/27/1999

Global Id: T0603706974
Status: Open - Site Assessment
Status Date: 06/15/2005

Global Id: T0603706974
Status: Open - Referred
Status Date: 07/29/2009

Global Id: T0603706974
Status: Open - Site Assessment
Status Date: 09/25/2009

Global Id: T0603706974

ABC UNIFIED SCHOOL DISTRICT (Continued) **S101295553**

Status: Open - Inactive
Status Date: 05/15/2015

Global Id: T0603706974
Status: Open - Site Assessment
Status Date: 10/20/2015

Global Id: T0603706974
Status: Open - Eligible for Closure
Status Date: 05/18/2017

Global Id: T0603706974
Status: Completed - Case Closed
Status Date: 03/27/2019

LUST REG 4:

Region:	4	
Regional Board:	04	
County:	Los Angeles	
Facility Id:	R-11981	
Status:	Case Closed	
Substance:	Gasoline	
Substance Quantity:	Not reported	
Local Case No:	Not reported	
Case Type:	Groundwater	
Abatement Method Used at the Site:		FPED
Global ID:	T0603705086	
W Global ID:	Not reported	
Staff:	NB	
Local Agency:	19000	
Cross Street:	PIONEER	
Enforcement Type:	Not reported	
Date Leak Discovered:	6/11/1986	
Date Leak First Reported:		7/17/1986
Date Leak Record Entered:	12/31/1986	
Date Confirmation Began:	Not reported	
Date Leak Stopped:	8/3/1988	
Date Case Last Changed on Database:		6/24/1999
Date the Case was Closed:		7/2/1999
How Leak Discovered:	Subsurface Monitoring	
How Leak Stopped:	Not reported	
Cause of Leak:	UNK	
Leak Source:	UNK	
Operator:	PHILLIPS, JOANN	
Water System:	Not reported	
Well Name:	Not reported	
Approx. Dist To Production Well (ft):		896.21786269857613756944679 72
Source of Cleanup Funding:		UNK
Preliminary Site Assessment Workplan Submitted:		Not reported
Preliminary Site Assessment Began:		Not reported
Pollution Characterization Began:		6/10/1988
Remediation Plan Submitted:		Not reported
Remedial Action Underway:		Not reported
Post Remedial Action Monitoring Began:		Not reported
Enforcement Action Date:		Not reported
Historical Max MTBE Date:		1/1/1965

ABC UNIFIED SCHOOL DISTRICT (Continued) **S101295553**

Hist Max MTBE Conc in Groundwater: 3.1
Hist Max MTBE Conc in Soil: Not reported
Significant Interim Remedial Action Taken: Yes
GW Qualifier: Not reported
Soil Qualifier: Not reported
Organization: Not reported
Owner Contact: Not reported
Responsible Party: ABC UNIFIED SCHOOL DISTRICT
RP Address: 16700 NORWALK BLVD, CERRITOS, CA 90701
Program: LUST
Lat/Long: 33.869491 / -1
Local Agency Staff: Not reported
Beneficial Use: Not reported
Priority: LOP/MODERATE - POTENTIAL WATER IMPACT
Cleanup Fund Id: Not reported
Suspended: Not reported
Assigned Name: Not reported
Summary: TANKS REMOVED 08/03/88. PRODUCT RECOVERY UNDERWAY. ADDITIONAL SITE ASSESSMENT REQUESTED. OLD CASE #907010043; 11/24/98 GW MONITORING RPT-4TH QTR 1998; 6/24/99 1ST QTR GW MON RPT 1999

CORTESE:
Name: ABC UNIFIED SCHOOL DISTRICT
Address: 11865 178TH ST. E.
City,State,Zip: ARTESIA, CA 90701
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0603706974
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

Name: ABC UNIFIED SCHOOL DISTRICT
Address: 11865 178TH ST E
City,State,Zip: ARTESIA, CA 90701
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0603705086
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported

ABC UNIFIED SCHOOL DISTRICT (Continued) **S101295553**

Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

HIST CORTESE:

edr_fname:	ABC UNIFIED SCHOOL DISTRI
edr_fadd1:	11865 178TH
City,State,Zip:	ARTESIA, CA 90701
Region:	CORTESE
Facility County Code:	19
Reg By:	LTNKA
Reg Id:	R-11981

CERS:

Name:	ABC UNIFIED SCHOOL DISTRICT
Address:	11865 178TH ST. E.
City,State,Zip:	ARTESIA, CA 90701
Site ID:	206771
CERS ID:	T0603706974
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	NOMAN CHOWDHURY - LOS ANGELES RWQCB (REGION 4)
Entity Title:	Not reported
Affiliation Address:	320 WEST 4TH STREET, SUITE 200
Affiliation City:	LOS ANGELES
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	2135766704

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	GILLIAN MINTIER - LOS ANGELES COUNTY
Entity Title:	Not reported
Affiliation Address:	900 SOUTH FREMONT AVE
Affiliation City:	ALHAMBRA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	MANUEL R REGALADO - LOS ANGELES COUNTY
Entity Title:	Not reported
Affiliation Address:	900 S. FREMONT AVE.

ABC UNIFIED SCHOOL DISTRICT (Continued) **S101295553**

Affiliation City:	ALHAMBRA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Name:	ABC UNIFIED SCHOOL DISTRICT
Address:	11865 178TH ST E
City,State,Zip:	ARTESIA, CA 90701
Site ID:	211451
CERS ID:	T0603705086
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	JOHN AWUJO - LOS ANGELES COUNTY
Entity Title:	Not reported
Affiliation Address:	900 S FREMONT AVE
Affiliation City:	ALHAMBRA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	6264583507

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	NHAN BAO - LOS ANGELES RWQCB (REGION 4)
Entity Title:	Not reported
Affiliation Address:	320 WEST 4TH STREET, SUITE 200
Affiliation City:	LOS ANGELES
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	2135766703

AA156 **ARTESIA BUILDING MATERIALS, INC.** **LUST** **S102063507**
NNE **16632 PIONEER BLVD SOUTH** **Cortese** **N/A**
1/4-1/2 **ARTESIA, CA 90701** **LOS ANGELES CO. HMS**
0.342 mi. **CERS**
1805 ft. **Site 1 of 4 in cluster AA**

Relative:
Higher

Actual:
65 ft.

LUST:

Name:	ARTESIA BUILDING MATERIALS, INC.
Address:	16632 PIONEER BLVD SOUTH
City,State,Zip:	ARTESIA, CA 90701
Lead Agency:	LOS ANGELES RWQCB (REGION 4)
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603750351
Global Id:	T0603750351
Latitude:	33.879411
Longitude:	-118.081651
Status:	Open - Site Assessment
Status Date:	02/27/2012
Case Worker:	AJL
RB Case Number:	R-01106
Local Agency:	LOS ANGELES COUNTY
File Location:	Regional Board

ARTESIA BUILDING MATERIALS, INC. (Continued) **S102063507**

Local Case Number: 8978-1106
Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0603750351
Contact Type: Local Agency Caseworker
Contact Name: TIM SMITH
Organization Name: LOS ANGELES COUNTY
Address: 900 S. FREMONT AVE.
City: ALHAMBRA
Email: tsmith@dpw.lacounty.gov
Phone Number: Not reported

Global Id: T0603750351
Contact Type: Regional Board Caseworker
Contact Name: AHMAD J. LAMAA
Organization Name: LOS ANGELES RWQCB (REGION 4)
Address: 320 West 4th Street Suite 200
City: Los Angeles
Email: alamaa@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0603750351
Action Type: ENFORCEMENT
Date: 12/23/2015
Action: Staff Letter

Global Id: T0603750351
Action Type: ENFORCEMENT
Date: 11/30/2020
Action: Staff Letter

Global Id: T0603750351
Action Type: Other
Date: 06/23/1999
Action: Leak Reported

Global Id: T0603750351
Action Type: RESPONSE
Date: 01/15/2007
Action: Other Report / Document

Global Id: T0603750351
Action Type: RESPONSE
Date: 10/15/2012
Action: Monitoring Report - Quarterly

Global Id: T0603750351
Action Type: RESPONSE
Date: 07/15/2012
Action: Monitoring Report - Quarterly

Global Id: T0603750351
Action Type: RESPONSE

ARTESIA BUILDING MATERIALS, INC. (Continued) **S102063507**

Date: 04/25/2019
Action: Soil and Water Investigation Report

Global Id: T0603750351
Action Type: RESPONSE
Date: 12/30/2020
Action: Soil Vapor Intrusion Investigation Workplan

Global Id: T0603750351
Action Type: RESPONSE
Date: 07/15/2018
Action: Monitoring Report - Semi-Annually

Global Id: T0603750351
Action Type: RESPONSE
Date: 07/15/2020
Action: Monitoring Report - Semi-Annually

Global Id: T0603750351
Action Type: RESPONSE
Date: 01/15/2020
Action: Monitoring Report - Semi-Annually

Global Id: T0603750351
Action Type: ENFORCEMENT
Date: 03/27/2009
Action: Staff Letter

Global Id: T0603750351
Action Type: ENFORCEMENT
Date: 03/28/2011
Action: Staff Letter

Global Id: T0603750351
Action Type: ENFORCEMENT
Date: 02/01/2018
Action: Health and Safety Code Section 25296.10(c)

Global Id: T0603750351
Action Type: ENFORCEMENT
Date: 01/25/2019
Action: Staff Letter

Global Id: T0603750351
Action Type: ENFORCEMENT
Date: 11/08/2018
Action: Staff Letter

Global Id: T0603750351
Action Type: ENFORCEMENT
Date: 01/07/2016
Action: Clean Up Fund - Case Closure Review Summary Report (RSR)

Global Id: T0603750351
Action Type: RESPONSE
Date: 04/15/2009
Action: Soil and Water Investigation Report

ARTESIA BUILDING MATERIALS, INC. (Continued) **S102063507**

Global Id: T0603750351
Action Type: RESPONSE
Date: 07/31/2009
Action: Other Report / Document

Global Id: T0603750351
Action Type: RESPONSE
Date: 10/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0603750351
Action Type: RESPONSE
Date: 01/15/2010
Action: Monitoring Report - Semi-Annually

Global Id: T0603750351
Action Type: RESPONSE
Date: 04/15/2009
Action: Monitoring Report - Quarterly

Global Id: T0603750351
Action Type: RESPONSE
Date: 04/15/2010
Action: Monitoring Report - Semi-Annually

Global Id: T0603750351
Action Type: RESPONSE
Date: 01/15/2012
Action: Monitoring Report - Semi-Annually

Global Id: T0603750351
Action Type: RESPONSE
Date: 04/15/2012
Action: Conceptual Site Model

Global Id: T0603750351
Action Type: RESPONSE
Date: 07/15/2012
Action: Conceptual Site Model

Global Id: T0603750351
Action Type: RESPONSE
Date: 08/28/2012
Action: CAP/RAP - Feasibility Study Report

Global Id: T0603750351
Action Type: RESPONSE
Date: 04/15/2014
Action: Monitoring Report - Semi-Annually

Global Id: T0603750351
Action Type: RESPONSE
Date: 02/25/2016
Action: Correspondence

Global Id: T0603750351
Action Type: RESPONSE

ARTESIA BUILDING MATERIALS, INC. (Continued) **S102063507**

Date: 07/15/2019
Action: Monitoring Report - Semi-Annually

Global Id: T0603750351
Action Type: ENFORCEMENT
Date: 01/27/2009
Action: Staff Letter

Global Id: T0603750351
Action Type: ENFORCEMENT
Date: 08/26/2011
Action: Clean Up Fund - Case Closure Review Summary Report (RSR)

Global Id: T0603750351
Action Type: RESPONSE
Date: 01/15/2009
Action: Monitoring Report - Quarterly

Global Id: T0603750351
Action Type: RESPONSE
Date: 07/15/2008
Action: Monitoring Report - Quarterly

Global Id: T0603750351
Action Type: RESPONSE
Date: 07/15/2009
Action: Monitoring Report - Semi-Annually

Global Id: T0603750351
Action Type: RESPONSE
Date: 04/15/2008
Action: Well Installation Report

Global Id: T0603750351
Action Type: RESPONSE
Date: 04/15/2008
Action: Other Report / Document

Global Id: T0603750351
Action Type: RESPONSE
Date: 10/15/2011
Action: Monitoring Report - Semi-Annually

Global Id: T0603750351
Action Type: RESPONSE
Date: 04/15/2012
Action: Site Assessment Report

Global Id: T0603750351
Action Type: ENFORCEMENT
Date: 06/16/2006
Action: Staff Letter

Global Id: T0603750351
Action Type: ENFORCEMENT
Date: 01/25/2019
Action: Staff Letter

ARTESIA BUILDING MATERIALS, INC. (Continued) **S102063507**

Global Id: T0603750351
Action Type: RESPONSE
Date: 07/15/2007
Action: Monitoring Report - Quarterly

Global Id: T0603750351
Action Type: RESPONSE
Date: 05/15/2011
Action: Soil and Water Investigation Workplan

Global Id: T0603750351
Action Type: RESPONSE
Date: 07/15/2011
Action: Monitoring Report - Semi-Annually

Global Id: T0603750351
Action Type: RESPONSE
Date: 10/15/2013
Action: Monitoring Report - Semi-Annually

Global Id: T0603750351
Action Type: ENFORCEMENT
Date: 01/25/2008
Action: Staff Letter

Global Id: T0603750351
Action Type: ENFORCEMENT
Date: 09/28/2007
Action: Staff Letter

Global Id: T0603750351
Action Type: ENFORCEMENT
Date: 02/17/2012
Action: Staff Letter

Global Id: T0603750351
Action Type: Other
Date: 06/07/1999
Action: Leak Discovery

Global Id: T0603750351
Action Type: RESPONSE
Date: 12/15/2007
Action: Soil and Water Investigation Workplan

Global Id: T0603750351
Action Type: RESPONSE
Date: 08/06/2010
Action: Other Report / Document

Global Id: T0603750351
Action Type: RESPONSE
Date: 10/15/2010
Action: Monitoring Report - Semi-Annually

Global Id: T0603750351
Action Type: RESPONSE

ARTESIA BUILDING MATERIALS, INC. (Continued) **S102063507**

Date: 08/24/2010
Action: Well Installation Report

Global Id: T0603750351
Action Type: RESPONSE
Date: 12/30/2020
Action: Corrective Action Plan / Remedial Action Plan

Global Id: T0603750351
Action Type: RESPONSE
Date: 01/15/2021
Action: Monitoring Report - Semi-Annually

Global Id: T0603750351
Action Type: RESPONSE
Date: 08/15/2018
Action: Corrective Action Plan / Remedial Action Plan - Regulator Responded

Global Id: T0603750351
Action Type: RESPONSE
Date: 12/08/2018
Action: Soil and Water Investigation Workplan - Regulator Responded

LUST:
Global Id: T0603750351
Status: Open - Case Begin Date
Status Date: 06/07/1999

Global Id: T0603750351
Status: Open - Site Assessment
Status Date: 01/25/2008

Global Id: T0603750351
Status: Open - Site Assessment
Status Date: 02/27/2012

CORTESE:
Name: ARTESIA BUILDING MATERIALS, INC.
Address: 16632 PIONEER BLVD SOUTH
City,State,Zip: ARTESIA, CA 90701
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0603750351
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: OPEN - SITE ASSESSMENT
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported

ARTESIA BUILDING MATERIALS, INC. (Continued) **S102063507**

Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

LOS ANGELES CO. HMS:
Name: ARTESIA BUILDING MATERIALS INC
Address: 16632 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Region: LA
Permit Category: T
Facility Id: 008978-001106
Facility Type: 0
Facility Status: Removed
Area: 1D
Permit Number: 00002932T
Permit Status: Removed

CERS:
Name: ARTESIA BUILDING MATERIALS, INC.
Address: 16632 PIONEER BLVD SOUTH
City,State,Zip: ARTESIA, CA 90701
Site ID: 193049
CERS ID: T0603750351
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Local Agency Caseworker
Entity Name: TIM SMITH - LOS ANGELES COUNTY
Entity Title: Not reported
Affiliation Address: 900 S. FREMONT AVE.
Affiliation City: ALHAMBRA
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: Not reported

Affiliation Type Desc: Regional Board Caseworker
Entity Name: NHAN BAO - LOS ANGELES RWQCB (REGION 4)
Entity Title: Not reported
Affiliation Address: 320 WEST 4TH STREET, SUITE 200
Affiliation City: LOS ANGELES
Affiliation State: CA
Affiliation Country: Not reported
Affiliation Zip: Not reported
Affiliation Phone: 2135766703

Z157 **VALUE CLEANERS** **CPS-SLIC** **S104549279**
WSW **11402 ARTESIA** **N/A**
1/4-1/2 **ARTESIA, CA 90701**
0.350 mi.
1846 ft. **Site 2 of 2 in cluster Z**

Relative: **Lower**
Actual: **63 ft.**

SLIC REG 4:

Region:	4
Facility Status:	Site Assessment
SLIC:	0933
Substance:	VOCs
Staff:	RE

---

158 **UNOCAL #5659** **LUST** **S102440056**
West **11355 ARTESIA BLVD** **Cortese** **N/A**
1/4-1/2 **CERRITOS, CA 90703** **HIST CORTESE**
0.373 mi. **CERS**
1971 ft.

Relative: **Higher**
Actual: **64 ft.**

LUST:

Name:	UNOCAL #5659
Address:	11355 ARTESIA BLVD
City,State,Zip:	CERRITOS, CA 90703
Lead Agency:	LOS ANGELES COUNTY
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603704601
Global Id:	T0603704601
Latitude:	33.8731181
Longitude:	-118.0917045
Status:	Completed - Case Closed
Status Date:	05/01/1996
Case Worker:	JOA
RB Case Number:	R-02640
Local Agency:	LOS ANGELES COUNTY
File Location:	Not reported
Local Case Number:	Not reported
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0603704601
Contact Type:	Local Agency Caseworker
Contact Name:	JOHN AWUJO
Organization Name:	LOS ANGELES COUNTY
Address:	900 S FREMONT AVE
City:	ALHAMBRA
Email:	jawujo@dpw.lacounty.gov
Phone Number:	6264583507

Global Id:	T0603704601
Contact Type:	Regional Board Caseworker
Contact Name:	YUE RONG
Organization Name:	LOS ANGELES RWQCB (REGION 4)
Address:	320 W. 4TH ST., SUITE 200
City:	Los Angeles
Email:	yrong@waterboards.ca.gov
Phone Number:	Not reported

UNOCAL #5659 (Continued) **S102440056**

LUST:
Global Id: T0603704601
Action Type: Other
Date: 02/19/1996
Action: Leak Reported

Global Id: T0603704601
Action Type: Other
Date: 02/19/1996
Action: Leak Stopped

Global Id: T0603704601
Action Type: Other
Date: 02/19/1996
Action: Leak Discovery

LUST:
Global Id: T0603704601
Status: Open - Case Begin Date
Status Date: 02/19/1996

Global Id: T0603704601
Status: Completed - Case Closed
Status Date: 05/01/1996

LUST REG 4:
Region: 4
Regional Board: 04
County: Los Angeles
Facility Id: R-02640
Status: Case Closed
Substance: Gasoline
Substance Quantity: Not reported
Local Case No: Not reported
Case Type: Soil
Abatement Method Used at the Site: Not reported
Global ID: T0603704601
W Global ID: Not reported
Staff: UNK
Local Agency: 19000
Cross Street: GRIDLEY RD
Enforcement Type: Not reported
Date Leak Discovered: 2/19/1996
Date Leak First Reported: 2/19/1996
Date Leak Record Entered: 4/16/1996
Date Confirmation Began: Not reported
Date Leak Stopped: 2/19/1996
Date Case Last Changed on Database: 5/1/1996
Date the Case was Closed: 5/1/1996
How Leak Discovered: Tank Closure
How Leak Stopped: Not reported
Cause of Leak: Not reported
Leak Source: Not reported
Operator: Not reported
Water System: Not reported

UNOCAL #5659 (Continued) **S102440056**

Well Name: Not reported
Approx. Dist To Production Well (ft): 1551.8445493467027494669343136
Source of Cleanup Funding: Not reported
Preliminary Site Assessment Workplan Submitted: Not reported
Preliminary Site Assessment Began: Not reported
Pollution Characterization Began: Not reported
Remediation Plan Submitted: Not reported
Remedial Action Underway: Not reported
Post Remedial Action Monitoring Began: Not reported
Enforcement Action Date: Not reported
Historical Max MTBE Date: Not reported
Hist Max MTBE Conc in Groundwater: Not reported
Hist Max MTBE Conc in Soil: Not reported
Significant Interim Remedial Action Taken: Not reported
GW Qualifier: Not reported
Soil Qualifier: Not reported
Organization: Not reported
Owner Contact: Not reported
Responsible Party: UNOCAL CORPORATION
RP Address: 376 VALENCIA AVE S BLDG R BREA CA 92621
Program: LUST
Lat/Long: 33.8731181 / -1
Local Agency Staff: Not reported
Beneficial Use: Not reported
Priority: Not reported
Cleanup Fund Id: Not reported
Suspended: Not reported
Assigned Name: Not reported
Summary: Not reported

CORTESE:
Name: UNOCAL #5659
Address: 11355 ARTESIA BLVD
City,State,Zip: CERRITOS, CA 90703
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0603704601
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: COMPLETED - CASE CLOSED
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

UNOCAL #5659 (Continued) **S102440056**

HIST CORTESE:

edr_fname:	UNOCAL #5659
edr_fadd1:	11355 ARTESIA
City,State,Zip:	CERRITOS, CA 90701
Region:	CORTESE
Facility County Code:	19
Reg By:	LTNKA
Reg Id:	R-02640

CERS:

Name:	UNOCAL #5659
Address:	11355 ARTESIA BLVD
City,State,Zip:	CERRITOS, CA 90703
Site ID:	245809
CERS ID:	T0603704601
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	YUE RONG - LOS ANGELES RWQCB (REGION 4)
Entity Title:	Not reported
Affiliation Address:	320 W. 4TH ST., SUITE 200
Affiliation City:	Los Angeles
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	JOHN AWUJO - LOS ANGELES COUNTY
Entity Title:	Not reported
Affiliation Address:	900 S FREMONT AVE
Affiliation City:	ALHAMBRA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	6264583507

AA159 **DIAMOND TIRE CENTER** **LUST** **S101295550**
NNE **16604 PIONEER** **ENF** **N/A**
1/4-1/2 **ARTESIA, CA 90701** **HIST CORTESE**
0.375 mi.
1978 ft. **Site 2 of 4 in cluster AA**

Relative:
Higher

Actual:
66 ft.

LUST:

Name:	DIAMOND TIRE CENTER
Address:	16604 PIONEER BLVD
City,State,Zip:	ARTESIA, CA 90701
Lead Agency:	LOS ANGELES RWQCB (REGION 4)
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603704070
Global Id:	T0603704070
Latitude:	33.8802389
Longitude:	-118.0821693
Status:	Open - Remediation
Status Date:	01/09/2001

DIAMOND TIRE CENTER (Continued) **S101295550**

Case Worker: AJL
RB Case Number: I-13467
Local Agency: LOS ANGELES COUNTY
File Location: Regional Board
Local Case Number: Not reported
Potential Media Affect: Aquifer used for drinking water supply
Potential Contaminants of Concern: Gasoline
Site History: Not reported

LUST:
Global Id: T0603704070
Contact Type: Local Agency Caseworker
Contact Name: JOHN AWUJO
Organization Name: LOS ANGELES COUNTY
Address: 900 S FREMONT AVE
City: ALHAMBRA
Email: jawujo@dpw.lacounty.gov
Phone Number: 6264583507

Global Id: T0603704070
Contact Type: Regional Board Caseworker
Contact Name: AHMAD J. LAMAA
Organization Name: LOS ANGELES RWQCB (REGION 4)
Address: 320 West 4th Street Suite 200
City: Los Angeles
Email: alamaa@waterboards.ca.gov
Phone Number: Not reported

LUST:
Global Id: T0603704070
Action Type: ENFORCEMENT
Date: 06/15/2009
Action: Staff Letter

Global Id: T0603704070
Action Type: ENFORCEMENT
Date: 11/30/2020
Action: Staff Letter

Global Id: T0603704070
Action Type: Other
Date: 08/31/1987
Action: Leak Reported

Global Id: T0603704070
Action Type: RESPONSE
Date: 07/15/2009
Action: Monitoring Report - Semi-Annually

Global Id: T0603704070
Action Type: RESPONSE
Date: 10/15/2002
Action: Monitoring Report - Quarterly

Global Id: T0603704070
Action Type: RESPONSE
Date: 01/15/2004

DIAMOND TIRE CENTER (Continued) **S101295550**

Action:	Monitoring Report - Quarterly
Global Id:	T0603704070
Action Type:	RESPONSE
Date:	04/15/2003
Action:	Monitoring Report - Quarterly
Global Id:	T0603704070
Action Type:	RESPONSE
Date:	01/15/2003
Action:	Monitoring Report - Quarterly
Global Id:	T0603704070
Action Type:	RESPONSE
Date:	01/15/2003
Action:	Soil and Water Investigation Report
Global Id:	T0603704070
Action Type:	RESPONSE
Date:	10/15/2002
Action:	Soil and Water Investigation Report
Global Id:	T0603704070
Action Type:	RESPONSE
Date:	04/15/2006
Action:	Monitoring Report - Quarterly
Global Id:	T0603704070
Action Type:	RESPONSE
Date:	07/15/2006
Action:	Other Report / Document
Global Id:	T0603704070
Action Type:	RESPONSE
Date:	07/15/2019
Action:	Monitoring Report - Semi-Annually
Global Id:	T0603704070
Action Type:	RESPONSE
Date:	07/15/2018
Action:	Monitoring Report - Semi-Annually
Global Id:	T0603704070
Action Type:	RESPONSE
Date:	10/13/2020
Action:	CAP/RAP - Feasibility Study Report
Global Id:	T0603704070
Action Type:	RESPONSE
Date:	01/15/2021
Action:	Monitoring Report - Semi-Annually
Global Id:	T0603704070
Action Type:	RESPONSE
Date:	03/01/2021
Action:	Corrective Action Plan / Remedial Action Plan

DIAMOND TIRE CENTER (Continued) **S101295550**

Global Id: T0603704070
Action Type: ENFORCEMENT
Date: 03/08/2006
Action: Clean-up and Abatement Order

Global Id: T0603704070
Action Type: ENFORCEMENT
Date: 06/14/2006
Action: Site Visit / Inspection / Sampling

Global Id: T0603704070
Action Type: ENFORCEMENT
Date: 03/20/2018
Action: Staff Letter

Global Id: T0603704070
Action Type: RESPONSE
Date: 01/15/2012
Action: Monitoring Report - Semi-Annually

Global Id: T0603704070
Action Type: RESPONSE
Date: 05/02/2012
Action: Well Installation Report

Global Id: T0603704070
Action Type: RESPONSE
Date: 04/15/2012
Action: Conceptual Site Model

Global Id: T0603704070
Action Type: RESPONSE
Date: 01/15/2020
Action: Monitoring Report - Semi-Annually

Global Id: T0603704070
Action Type: ENFORCEMENT
Date: 12/17/2010
Action: Administrative Civil Liabilities Complaint

Global Id: T0603704070
Action Type: ENFORCEMENT
Date: 11/09/2015
Action: Clean Up Fund - Case Closure Review Summary Report (RSR)

Global Id: T0603704070
Action Type: Other
Date: 06/18/1987
Action: Leak Stopped

Global Id: T0603704070
Action Type: RESPONSE
Date: 07/15/2002
Action: Monitoring Report - Quarterly

Global Id: T0603704070
Action Type: RESPONSE

DIAMOND TIRE CENTER (Continued) **S101295550**

Date: 07/31/2002
Action: Other Report / Document

Global Id: T0603704070
Action Type: RESPONSE
Date: 04/15/2003
Action: Soil and Water Investigation Report

Global Id: T0603704070
Action Type: RESPONSE
Date: 01/15/2004
Action: Soil and Water Investigation Report

Global Id: T0603704070
Action Type: ENFORCEMENT
Date: 05/04/2010
Action: Notice of Violation

Global Id: T0603704070
Action Type: ENFORCEMENT
Date: 11/20/2018
Action: Other Report

Global Id: T0603704070
Action Type: ENFORCEMENT
Date: 05/17/2017
Action: Letter - Notice

Global Id: T0603704070
Action Type: ENFORCEMENT
Date: 05/20/2019
Action: Staff Letter

Global Id: T0603704070
Action Type: RESPONSE
Date: 01/14/2011
Action: Other Report / Document

Global Id: T0603704070
Action Type: ENFORCEMENT
Date: 03/17/2002
Action: Staff Letter

Global Id: T0603704070
Action Type: ENFORCEMENT
Date: 12/12/2002
Action: Staff Letter

Global Id: T0603704070
Action Type: ENFORCEMENT
Date: 06/24/2002
Action: Staff Letter

Global Id: T0603704070
Action Type: ENFORCEMENT
Date: 11/19/2001
Action: Staff Letter

DIAMOND TIRE CENTER (Continued) **S101295550**

Global Id: T0603704070
Action Type: ENFORCEMENT
Date: 03/08/2021
Action: Staff Letter

Global Id: T0603704070
Action Type: ENFORCEMENT
Date: 03/08/2006
Action: Clean-up and Abatement Order - #R4-2006-0025

Global Id: T0603704070
Action Type: Other
Date: 08/11/1987
Action: Leak Discovery

Global Id: T0603704070
Action Type: RESPONSE
Date: 07/15/2003
Action: Monitoring Report - Quarterly

Global Id: T0603704070
Action Type: RESPONSE
Date: 07/15/2003
Action: Soil and Water Investigation Report

Global Id: T0603704070
Action Type: RESPONSE
Date: 07/15/2019
Action: Corrective Action Plan / Remedial Action Plan - Regulator Responded

LUST:
Global Id: T0603704070
Status: Open - Case Begin Date
Status Date: 02/14/1987

Global Id: T0603704070
Status: Open - Site Assessment
Status Date: 02/14/1987

Global Id: T0603704070
Status: Open - Site Assessment
Status Date: 05/19/1987

Global Id: T0603704070
Status: Open - Site Assessment
Status Date: 08/13/1987

Global Id: T0603704070
Status: Open - Verification Monitoring
Status Date: 08/31/1987

Global Id: T0603704070
Status: Open - Remediation
Status Date: 06/30/2000

Global Id: T0603704070
Status: Open - Remediation

DIAMOND TIRE CENTER (Continued) **S101295550**

Status Date: 01/09/2001

ENF:

Name:	DIAMOND TIRE CENTER
Address:	16604 PIONEER BOULEVARD
City,State,Zip:	ARTESIA, CA 90701
Region:	4
Facility Id:	221369
Agency Name:	Diamond Tire Center
Place Type:	Service/Commercial
Place Subtype:	Service/Commercial Site, NEC
Facility Type:	All other facilities
Agency Type:	Privately-Owned Business
# Of Agencies:	1
Place Latitude:	33.880228
Place Longitude:	-118.082345
SIC Code 1:	7539
SIC Desc 1:	Automotive Repair Shops, NEC
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	Not reported
Threat To Water Quality:	Not reported
Complexity:	Not reported
Pretreatment:	Not reported
Facility Waste Type:	Not reported
Facility Waste Type 2:	Not reported
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	UST
Program Category1:	TANKS
Program Category2:	TANKS
# Of Programs:	1
WDID:	4B191523N01
Reg Measure Id:	169459
Reg Measure Type:	Unregulated
Region:	4
Order #:	Unreg UST
Npdes# CA#:	Not reported
Major-Minor:	Not reported
Npdes Type:	Not reported
Reclamation:	Not reported
Dredge Fill Fee:	Not reported
301H:	Not reported
Application Fee Amt Received:	Not reported
Status:	Never Active
Status Date:	08/06/2012

DIAMOND TIRE CENTER (Continued) **S101295550**

Effective Date:	Not reported
Expiration/Review Date:	Not reported
Termination Date:	Not reported
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	N
Individual/General:	I
Fee Code:	Not reported
Direction/Voice:	Passive
Enforcement Id(EID):	379728
Region:	4
Order / Resolution Number:	R4-2010-0211
Enforcement Action Type:	Admin Civil Liability
Effective Date:	12/17/2010
Adoption/Issuance Date:	06/28/2013
Achieve Date:	Not reported
Termination Date:	06/28/2015
ACL Issuance Date:	12/17/2010
EPL Issuance Date:	Not reported
Status:	Historical
Title:	ACL R4-2010-0211 for Diamond Tire Center
Description:	ACL R4-2010-0211 for Diamond Tire Center (12/17/10) was issued for failure to comply with the terms of CAO No R4-2006-0025 specifically requirements A, B, and C.
Program:	UST
Latest Milestone Completion Date:	6/30/2015
# Of Programs1:	1
Total Assessment Amount:	25000
Initial Assessed Amount:	310130
Liability $ Amount:	25000
Project $ Amount:	0
Liability $ Paid:	25000
Project $ Completed:	0
Total $ Paid/Completed Amount:	25000

Name:	DIAMOND TIRE CENTER
Address:	16604 PIONEER BOULEVARD
City,State,Zip:	ARTESIA, CA 90701
Region:	4
Facility Id:	221369
Agency Name:	Diamond Tire Center
Place Type:	Service/Commercial
Place Subtype:	Service/Commercial Site, NEC
Facility Type:	All other facilities
Agency Type:	Privately-Owned Business
# Of Agencies:	1
Place Latitude:	33.880228
Place Longitude:	-118.082345
SIC Code 1:	7539
SIC Desc 1:	Automotive Repair Shops, NEC
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported

DIAMOND TIRE CENTER (Continued) **S101295550**

SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	Not reported
Threat To Water Quality:	Not reported
Complexity:	Not reported
Pretreatment:	Not reported
Facility Waste Type:	Not reported
Facility Waste Type 2:	Not reported
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	UST
Program Category1:	TANKS
Program Category2:	TANKS
# Of Programs:	1
WDID:	4B191523N01
Reg Measure Id:	169459
Reg Measure Type:	Unregulated
Region:	4
Order #:	Unreg UST
Npdes# CA#:	Not reported
Major-Minor:	Not reported
Npdes Type:	Not reported
Reclamation:	Not reported
Dredge Fill Fee:	Not reported
301H:	Not reported
Application Fee Amt Received:	Not reported
Status:	Never Active
Status Date:	08/06/2012
Effective Date:	Not reported
Expiration/Review Date:	Not reported
Termination Date:	Not reported
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	N
Individual/General:	I
Fee Code:	Not reported
Direction/Voice:	Passive
Enforcement Id(EID):	379727
Region:	4
Order / Resolution Number:	R4-2006-025
Enforcement Action Type:	Clean-up and Abatement Order
Effective Date:	03/08/2006
Adoption/Issuance Date:	03/08/2006
Achieve Date:	Not reported
Termination Date:	Not reported
ACL Issuance Date:	Not reported

DIAMOND TIRE CENTER (Continued) **S101295550**

EPL Issuance Date:	Not reported
Status:	Active
Title:	CAO R4-2006-025 for Diamond Tire Center (03/08/06)
Description:	CAO R4-2006-025 for Diamond Tire Center (03/08/06) to compel the RP to assess, monitor, report, and clean up and abate the effects of gasoline discharged to soil and groundwater.
Program:	UST
Latest Milestone Completion Date:	Not reported
# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability $ Amount:	0
Project $ Amount:	0
Liability $ Paid:	0
Project $ Completed:	0
Total $ Paid/Completed Amount:	0

Name:	DIAMOND TIRE CENTER
Address:	16604 PIONEER BOULEVARD
City,State,Zip:	ARTESIA, CA 90701
Region:	4
Facility Id:	221369
Agency Name:	Diamond Tire Center
Place Type:	Service/Commercial
Place Subtype:	Service/Commercial Site, NEC
Facility Type:	All other facilities
Agency Type:	Privately-Owned Business
# Of Agencies:	1
Place Latitude:	33.880228
Place Longitude:	-118.082345
SIC Code 1:	7539
SIC Desc 1:	Automotive Repair Shops, NEC
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	Not reported
Threat To Water Quality:	Not reported
Complexity:	Not reported
Pretreatment:	Not reported
Facility Waste Type:	Not reported
Facility Waste Type 2:	Not reported
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	UST
Program Category1:	TANKS
Program Category2:	TANKS
# Of Programs:	1

DIAMOND TIRE CENTER (Continued) **S101295550**

WDID:	4B191523N01
Reg Measure Id:	169459
Reg Measure Type:	Unregulated
Region:	4
Order #:	Unreg UST
Npdes# CA#:	Not reported
Major-Minor:	Not reported
Npdes Type:	Not reported
Reclamation:	Not reported
Dredge Fill Fee:	Not reported
301H:	Not reported
Application Fee Amt Received:	Not reported
Status:	Never Active
Status Date:	08/06/2012
Effective Date:	Not reported
Expiration/Review Date:	Not reported
Termination Date:	Not reported
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	N
Individual/General:	I
Fee Code:	Not reported
Direction/Voice:	Passive
Enforcement Id(EID):	379709
Region:	4
Order / Resolution Number:	NOV
Enforcement Action Type:	Notice of Violation
Effective Date:	05/04/2010
Adoption/Issuance Date:	05/04/2010
Achieve Date:	Not reported
Termination Date:	12/17/2010
ACL Issuance Date:	Not reported
EPL Issuance Date:	Not reported
Status:	Historical
Title:	NOV 05/04/2010 for Diamond Tire Center
Description:	Not reported
Program:	UST
Latest Milestone Completion Date:	Not reported
# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability $ Amount:	0
Project $ Amount:	0
Liability $ Paid:	0
Project $ Completed:	0
Total $ Paid/Completed Amount:	0

Name:	DIAMOND TIRE CENTER
Address:	16604 PIONEER BOULEVARD
City,State,Zip:	ARTESIA, CA 90701
Region:	4
Facility Id:	221369
Agency Name:	Diamond Tire Center

DIAMOND TIRE CENTER (Continued) **S101295550**

Place Type:	Service/Commercial
Place Subtype:	Service/Commercial Site, NEC
Facility Type:	All other facilities
Agency Type:	Privately-Owned Business
# Of Agencies:	1
Place Latitude:	33.880228
Place Longitude:	-118.082345
SIC Code 1:	7539
SIC Desc 1:	Automotive Repair Shops, NEC
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	Not reported
Threat To Water Quality:	Not reported
Complexity:	Not reported
Pretreatment:	Not reported
Facility Waste Type:	Not reported
Facility Waste Type 2:	Not reported
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	UST
Program Category1:	TANKS
Program Category2:	TANKS
# Of Programs:	1
WDID:	4B191523N01
Reg Measure Id:	169459
Reg Measure Type:	Unregulated
Region:	4
Order #:	Unreg UST
Npdes# CA#:	Not reported
Major-Minor:	Not reported
Npdes Type:	Not reported
Reclamation:	Not reported
Dredge Fill Fee:	Not reported
301H:	Not reported
Application Fee Amt Received:	Not reported
Status:	Never Active
Status Date:	08/06/2012
Effective Date:	Not reported
Expiration/Review Date:	Not reported
Termination Date:	Not reported
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	N

DIAMOND TIRE CENTER (Continued) **S101295550**

Individual/General:	I
Fee Code:	Not reported
Direction/Voice:	Passive
Enforcement Id(EID):	240022
Region:	4
Order / Resolution Number:	NOV
Enforcement Action Type:	Notice of Violation
Effective Date:	11/19/2001
Adoption/Issuance Date:	11/19/2001
Achieve Date:	Not reported
Termination Date:	11/19/2001
ACL Issuance Date:	Not reported
EPL Issuance Date:	Not reported
Status:	Historical
Title:	NOV for Diamond Tire Center (11/19/01)
Description:	Notice of Violation sent 11/19/01 for overdue Preliminary Site Conceptual Model report.
Program:	UST
Latest Milestone Completion Date:	Not reported
# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability $ Amount:	0
Project $ Amount:	0
Liability $ Paid:	0
Project $ Completed:	0
Total $ Paid/Completed Amount:	0

HIST CORTESE:

edr_fname:	DIAMOND TIRE CENTER
edr_fadd1:	16604 PIONEER
City,State,Zip:	ARTESIA, CA 90701
Region:	CORTESE
Facility County Code:	19
Reg By:	LTNKA
Reg Id:	I-13467

AA160 **DIAMOND TIRE CENTER** **SWEEPS UST** **S106410181**
NNE **16604 PIONEER BLVD** **Cortese** **N/A**
1/4-1/2 **ARTESIA, CA 90701** **LOS ANGELES CO. HMS**
0.375 mi. **CERS**
1978 ft. **Site 3 of 4 in cluster AA**

Relative:
Higher

Actual:
66 ft.

SWEEPS UST:

Name:	DIAMOND TIRE CENTER
Address:	16604 S PIONEER BLVD
City:	ARTESIA
Status:	Active
Comp Number:	13467
Number:	9
Board Of Equalization:	44-010167
Referral Date:	06-30-89
Action Date:	Not reported
Created Date:	06-30-89
Owner Tank Id:	Not reported
SWRCB Tank Id:	19-000-013467-000001
Tank Status:	A

DIAMOND TIRE CENTER (Continued) **S106410181**

Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W
Content: Not reported
Number Of Tanks: 4

Name: DIAMOND TIRE CENTER
Address: 16604 S PIONEER BLVD
City: ARTESIA
Status: Active
Comp Number: 13467
Number: 9
Board Of Equalization: 44-010167
Referral Date: 06-30-89
Action Date: Not reported
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-013467-000002
Tank Status: A
Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W
Content: Not reported
Number Of Tanks: Not reported

Name: DIAMOND TIRE CENTER
Address: 16604 S PIONEER BLVD
City: ARTESIA
Status: Active
Comp Number: 13467
Number: 9
Board Of Equalization: 44-010167
Referral Date: 06-30-89
Action Date: Not reported
Created Date: 06-30-89
Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-013467-000003
Tank Status: A
Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W
Content: Not reported
Number Of Tanks: Not reported

Name: DIAMOND TIRE CENTER
Address: 16604 S PIONEER BLVD
City: ARTESIA
Status: Active
Comp Number: 13467
Number: 9
Board Of Equalization: 44-010167
Referral Date: 06-30-89
Action Date: Not reported
Created Date: 06-30-89

DIAMOND TIRE CENTER (Continued) **S106410181**

Owner Tank Id: Not reported
SWRCB Tank Id: 19-000-013467-000004
Tank Status: A
Capacity: Not reported
Active Date: 06-30-89
Tank Use: UNKNOWN
STG: W
Content: Not reported
Number Of Tanks: Not reported

CORTESE:
Name: DIAMOND TIRE CENTER
Address: 16604 PIONEER BOULEVARD
City,State,Zip: ARTESIA, CA 90701
Region: CORTESE
Envirostor Id: Not reported
Global ID: Not reported
Site/Facility Type: Not reported
Cleanup Status: Not reported
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: CORTESE
Order No: Unreg UST
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: 4
WID Id: 4B191523N01
Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Cease Desist Orders & Cleanup Abatement Orders

Name: DIAMOND TIRE CENTER
Address: 16604 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Region: CORTESE
Envirostor Id: Not reported
Global ID: T0603704070
Site/Facility Type: LUST CLEANUP SITE
Cleanup Status: OPEN - REMEDIATION
Status Date: Not reported
Site Code: Not reported
Latitude: Not reported
Longitude: Not reported
Owner: Not reported
Enf Type: Not reported
Swat R: Not reported
Flag: active
Order No: Not reported
Waste Discharge System No: Not reported
Effective Date: Not reported
Region 2: Not reported
WID Id: Not reported

DIAMOND TIRE CENTER (Continued) **S106410181**

Solid Waste Id No: Not reported
Waste Management Uit Name: Not reported
File Name: Active Open

LOS ANGELES CO. HMS:
Name: DIAMOND TIRE CENTER
Address: 16604 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Region: LA
Permit Category: T
Facility Id: 013166-013467
Facility Type: 0
Facility Status: Removed
Area: 1D
Permit Number: 00005114T
Permit Status: Removed

Name: DIAMOND TIRE CENTER
Address: 16604 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Region: LA
Permit Category: Not reported
Facility Id: 013166-027387
Facility Type: Not reported
Facility Status: OPEN
Area: 1D
Permit Number: Not reported
Permit Status: Not reported

Name: DIAMOND TIRE CENTER
Address: 16604 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Region: LA
Permit Category: I
Facility Id: 013166-036028
Facility Type: 01
Facility Status: Removed
Area: 1D
Permit Number: 000015790
Permit Status: Removed

CERS:
Name: DIAMOND TIRE CENTER
Address: 16604 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Site ID: 206464
CERS ID: T0603704070
CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
Affiliation Type Desc: Regional Board Caseworker
Entity Name: AHMAD J. LAMAA - LOS ANGELES RWQCB (REGION 4)
Entity Title: Not reported
Affiliation Address: 320 West 4th Street Suite 200
Affiliation City: Los Angeles
Affiliation State: CA
Affiliation Country: Not reported

DIAMOND TIRE CENTER (Continued) **S106410181**

Affiliation Zip:	Not reported
Affiliation Phone:	Not reported
Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	JOHN AWUJO - LOS ANGELES COUNTY
Entity Title:	Not reported
Affiliation Address:	900 S FREMONT AVE
Affiliation City:	ALHAMBRA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	6264583507

AA161 **DIAMOND TIRE CENTER** **LUST U003777127**
NNE **16604 PIONEER BLVD** **UST N/A**
1/4-1/2 **ARTESIA, CA 90701** **HWTS**
0.375 mi.
1978 ft. **Site 4 of 4 in cluster AA**

Relative: **Higher**
Actual: **66 ft.**

LUST REG 4:

Region:	4	
Regional Board:	04	
County:	Los Angeles	
Facility Id:	I-13467	
Status:	Remedial action (cleanup) Underway	
Substance:	Gasoline	
Substance Quantity:	Not reported	
Local Case No:	Not reported	
Case Type:	Groundwater	
Abatement Method Used at the Site:		EDFP
Global ID:	T0603704070	
W Global ID:	Not reported	
Staff:	AJL	
Local Agency:	19000	
Cross Street:	166TH	
Enforcement Type:	DLSEL	
Date Leak Discovered:	8/11/1987	
Date Leak First Reported:		8/31/1987
Date Leak Record Entered:	8/24/1987	
Date Confirmation Began:	Not reported	
Date Leak Stopped:	6/18/1987	
Date Case Last Changed on Database:		7/12/2002
Date the Case was Closed:		Not reported
How Leak Discovered:	Tank Closure	
How Leak Stopped:	Not reported	
Cause of Leak:	UNK	
Leak Source:	Tank	
Operator:	GEZALIAN, JOSEPH	
Water System:	Not reported	
Well Name:	Not reported	
Approx. Dist To Production Well (ft):		846.19778026036039413329239 76
Source of Cleanup Funding:		Tank
Preliminary Site Assessment Workplan Submitted:		2/14/1987
Preliminary Site Assessment Began:		5/19/1987
Pollution Characterization Began:		8/13/1987
Remediation Plan Submitted:		6/30/2000
Remedial Action Underway:		1/9/2001

DIAMOND TIRE CENTER (Continued) **U003777127**

Post Remedial Action Monitoring Began: 8/31/1987
Enforcement Action Date: 3/12/2001
Historical Max MTBE Date: 6/4/1999
Hist Max MTBE Conc in Groundwater: 4230
Hist Max MTBE Conc in Soil: Not reported
Significant Interim Remedial Action Taken: Yes
GW Qualifier: Not reported
Soil Qualifier: Not reported
Organization: Not reported
Owner Contact: Not reported
Responsible Party: MR. JOSEPH DERHAKE
RP Address: 2309 PACIFIC COAST HWY.
Program: LUST
Lat/Long: 33.8802389 / -1
Local Agency Staff: Not reported
Beneficial Use: Not reported
Priority: Not reported
Cleanup Fund Id: Not reported
Suspended: Not reported
Assigned Name: Not reported
Summary: NEED ADDITIONAL G.W. MONITORING AND CLEAN-UP REMEDIAL ACTION PLAN.; 6/30/00 AIR SPARGING/VE PILOT TEST & REMED. PLAN; 9/26/00 GW MON RPT; 12/21/00 QTR GW MON RPT NO. 15; 1/9/01 REVISED RAP; 4/13/01 REMED. PROGRESS RPT #1 & Q

UST:
Name: DIAMOND TIRE CENTER
Address: 16604 PIONEER BLVD
City,State,Zip: ARTESIA, CA 90701
Facility ID: 13467
Permitting Agency: LOS ANGELES COUNTY
CERSID: Not reported
Latitude: 33.881397
Longitude: -118.08069

HWTS:
Name: BB STAR AUTO REPAIR
Address: 16604 PIONEER BLVD
Address 2: Not reported
City,State,Zip: ARTESIA, CA 90701
EPA ID: CAL000454035
Inactive Date: 06/30/2020
Create Date: 04/02/2020
Last Act Date: 01/04/2021
Mailing Name: Not reported
Mailing Address: 16604 PIONEER BLVD
Mailing Address 2: Not reported
Mailing City,State,Zip: ARTESIA, CA 90701
Owner Name: AJMAL ALADROOS
Owner Address: 19716 GEORGINA CIR
Owner Address 2: Not reported
Owner City,State,Zip: CERRITOS, CA 90703
Contact Name: AJMAL ALADROOS
Contact Address: 16604 PIONEER BLVD
Contact Address 2: Not reported
City,State,Zip: ARTESIA, CA 90701

DIAMOND TIRE CENTER (Continued) **U003777127**

NAICS:

EPA ID:	CAL000454035
Create Date:	2020-04-02 10:28:08.360
NAICS Code:	812990
NAICS Description:	All Other Personal Services
Issued EPA ID Date:	2020-04-02 10:28:08.34300
Inactive Date:	2020-06-30 00:00:00
Facility Name:	BB STAR AUTO REPAIR
Facility Address:	16604 PIONEER BLVD
Facility Address 2:	Not reported
Facility City:	ARTESIA
Facility County:	Not reported
Facility State:	CA
Facility Zip:	90701

Name:	DIAMOND TIRE CENTER
Address:	16604 PIONEER BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907010000
EPA ID:	CAC002530223
Inactive Date:	03/18/2003
Create Date:	03/01/2002
Last Act Date:	03/01/2002
Mailing Name:	Not reported
Mailing Address:	16604 PIONEER BLVD
Mailing Address 2:	Not reported
Mailing City,State,Zip:	ARTESIA, CA 907011716
Owner Name:	SARKIS GAZALIAN
Owner Address:	16604 PIONEER BLVD
Owner Address 2:	Not reported
Owner City,State,Zip:	ARTESIA, CA 907011716
Contact Name:	SARKIS GAZALIAN - OWNER
Contact Address:	16604 PIONEER BLVD
Contact Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907011716

Name:	DIAMOND TIRE CENTER
Address:	16604 PIONEER BLVD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907011716
EPA ID:	CAC003049388
Inactive Date:	04/03/2020
Create Date:	01/03/2020
Last Act Date:	04/04/2020
Mailing Name:	Not reported
Mailing Address:	536 1/2 N KENMORE AVE
Mailing Address 2:	Not reported
Mailing City,State,Zip:	LOS ANGELES, CA 900042902
Owner Name:	MR. JOSEPH GEZALIAN
Owner Address:	536 1/2 N KENMORE AVE
Owner Address 2:	Not reported
Owner City,State,Zip:	LOS ANGELES, CA 900042902
Contact Name:	MR. JOSEPH GEZALIAN
Contact Address:	536 1/2 N KENMORE AVE
Contact Address 2:	Not reported
City,State,Zip:	LOS ANGELES, CA 900042902

DIAMOND TIRE CENTER (Continued) **U003777127**

NAICS:

EPA ID:	CAC003049388
Create Date:	2020-01-03 12:39:42.477
NAICS Code:	44719
NAICS Description:	Other Gasoline Stations
Issued EPA ID Date:	2020-01-03 12:39:42.47700
Inactive Date:	2020-04-03 12:39:42.46000
Facility Name:	DIAMOND TIRE CENTER
Facility Address:	16604 PIONEER BLVD
Facility Address 2:	Not reported
Facility City:	ARTESIA
Facility County:	Not reported
Facility State:	CA
Facility Zip:	907011716

Name:	MR. JOSEPH GEZALIAN
Address:	16604 PIONEER BOULEVARD
Address 2:	Not reported
City,State,Zip:	ARTESIA, CA 907011716
EPA ID:	CAC003082817
Inactive Date:	12/08/2020
Create Date:	09/08/2020
Last Act Date:	12/09/2020
Mailing Name:	Not reported
Mailing Address:	536 1/2 N KENMORE AVENUE
Mailing Address 2:	Not reported
Mailing City,State,Zip:	LOS ANGELES, CA 900042902
Owner Name:	MR. JOSEPH GEZALIAN
Owner Address:	536 1/2 N KENMORE AVENUE
Owner Address 2:	Not reported
Owner City,State,Zip:	LOS ANGELES, CA 900042902
Contact Name:	MR. JON DUTTON
Contact Address:	299 WEST HILLCREST DRIVE
Contact Address 2:	SUITE 220
City,State,Zip:	THOUSAND OAKS, CA 91360

NAICS:

EPA ID:	CAC003082817
Create Date:	2020-09-08 13:46:35.540
NAICS Code:	44719
NAICS Description:	Other Gasoline Stations
Issued EPA ID Date:	2020-09-08 13:46:35.54000
Inactive Date:	2020-12-08 13:46:35.52300
Facility Name:	MR. JOSEPH GEZALIAN
Facility Address:	16604 PIONEER BOULEVARD
Facility Address 2:	Not reported
Facility City:	ARTESIA
Facility County:	Not reported
Facility State:	CA
Facility Zip:	907011716

AB162 **UNITED OIL # 46** **LUST** **S108418339**
NNE **16516 PIONEER BLVD, S** **Cortese** **N/A**
1/4-1/2 **NORWALK, CA 90650** **CERS**
0.428 mi.
2258 ft. **Site 1 of 3 in cluster AB**

Relative:
Higher

Actual:
67 ft.

LUST:

Name:	UNITED OIL # 46
Address:	16516 PIONEER BLVD, S
City,State,Zip:	NORWALK, CA 90650
Lead Agency:	LOS ANGELES RWQCB (REGION 4)
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603796520
Global Id:	T0603796520
Latitude:	33.880685
Longitude:	-118.082347
Status:	Completed - Case Closed
Status Date:	05/06/2013
Case Worker:	AJL
RB Case Number:	I-00305A
Local Agency:	LOS ANGELES COUNTY
File Location:	Regional Board
Local Case Number:	000305
Potential Media Affect:	Soil
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0603796520
Contact Type:	Local Agency Caseworker
Contact Name:	RANI IYER
Organization Name:	LOS ANGELES COUNTY
Address:	900 S. FREMONT AVE.
City:	ALHAMBRA
Email:	riyer@dpw.lacounty.gov
Phone Number:	Not reported

Global Id:	T0603796520
Contact Type:	Regional Board Caseworker
Contact Name:	AHMAD J. LAMAA
Organization Name:	LOS ANGELES RWQCB (REGION 4)
Address:	320 West 4th Street Suite 200
City:	Los Angeles
Email:	alamaa@waterboards.ca.gov
Phone Number:	Not reported

LUST:

Global Id:	T0603796520
Action Type:	Other
Date:	03/21/2002
Action:	Leak Reported

Global Id:	T0603796520
Action Type:	ENFORCEMENT
Date:	09/16/2008
Action:	Notice to Comply

Global Id:	T0603796520
Action Type:	ENFORCEMENT

UNITED OIL # 46 (Continued) **S108418339**

Date: 02/20/2013
Action: Notification - Preclosure

Global Id: T0603796520
Action Type: RESPONSE
Date: 08/15/2008
Action: Other Report / Document

Global Id: T0603796520
Action Type: RESPONSE
Date: 08/15/2008
Action: Other Report / Document

Global Id: T0603796520
Action Type: ENFORCEMENT
Date: 04/09/2008
Action: 13267 Requirement

Global Id: T0603796520
Action Type: ENFORCEMENT
Date: 06/20/2008
Action: 13267 Requirement

Global Id: T0603796520
Action Type: ENFORCEMENT
Date: 05/06/2013
Action: Closure/No Further Action Letter

Global Id: T0603796520
Action Type: Other
Date: 03/18/2002
Action: Leak Discovery

Global Id: T0603796520
Action Type: REMEDIATION
Date: 03/21/2002
Action: Not reported

LUST:
Global Id: T0603796520
Status: Open - Case Begin Date
Status Date: 03/18/2002

Global Id: T0603796520
Status: Open - Site Assessment
Status Date: 03/21/2002

Global Id: T0603796520
Status: Open - Eligible for Closure
Status Date: 12/18/2012

Global Id: T0603796520
Status: Completed - Case Closed
Status Date: 05/06/2013

UNITED OIL # 46 (Continued) **S108418339**

CORTESE:

Name:	UNITED OIL # 46
Address:	16516 PIONEER BLVD, S
City,State,Zip:	NORWALK, CA 90650
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0603796520
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

CERS:

Name:	UNITED OIL # 46
Address:	16516 PIONEER BLVD, S
City,State,Zip:	NORWALK, CA 90650
Site ID:	217021
CERS ID:	T0603796520
CERS Description:	Leaking Underground Storage Tank Cleanup Site

Affiliation:

Affiliation Type Desc:	Regional Board Caseworker
Entity Name:	AHMAD J. LAMAA - LOS ANGELES RWQCB (REGION 4)
Entity Title:	Not reported
Affiliation Address:	320 West 4th Street Suite 200
Affiliation City:	Los Angeles
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

Affiliation Type Desc:	Local Agency Caseworker
Entity Name:	RANI IYER - LOS ANGELES COUNTY
Entity Title:	Not reported
Affiliation Address:	900 S. FREMONT AVE.
Affiliation City:	ALHAMBRA
Affiliation State:	CA
Affiliation Country:	Not reported
Affiliation Zip:	Not reported
Affiliation Phone:	Not reported

AB163 **TEXACO (FORMER)** **LUST** **S103634788**
NNE **16516 PIONEER** **HIST CORTESE** **N/A**
1/4-1/2 **NORWALK, CA 90650**
0.428 mi.
2258 ft. **Site 2 of 3 in cluster AB**

Relative:
Higher

Actual:
67 ft.

LUST:

Name:	TEXACO (FORMER)
Address:	16516 PIONEER BLVD
City,State,Zip:	NORWALK, CA 90650
Lead Agency:	LOS ANGELES RWQCB (REGION 4)
Case Type:	LUST Cleanup Site
Geo Track:	http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603702701
Global Id:	T0603702701
Latitude:	33.8809592
Longitude:	-118.0823014
Status:	Completed - Case Closed
Status Date:	07/13/1999
Case Worker:	Not reported
RB Case Number:	I-00305
Local Agency:	LOS ANGELES COUNTY
File Location:	Not reported
Local Case Number:	Not reported
Potential Media Affect:	Aquifer used for drinking water supply
Potential Contaminants of Concern:	Gasoline
Site History:	Not reported

LUST:

Global Id:	T0603702701
Contact Type:	Local Agency Caseworker
Contact Name:	JOHN AWUJO
Organization Name:	LOS ANGELES COUNTY
Address:	900 S FREMONT AVE
City:	ALHAMBRA
Email:	jawujo@dpw.lacounty.gov
Phone Number:	6264583507

LUST:

Global Id:	T0603702701
Action Type:	Other
Date:	03/14/1991
Action:	Leak Reported

Global Id:	T0603702701
Action Type:	Other
Date:	03/05/1991
Action:	Leak Discovery

LUST:

Global Id:	T0603702701
Status:	Open - Case Begin Date
Status Date:	03/05/1991

Global Id:	T0603702701
Status:	Open - Remediation
Status Date:	11/01/1994

Global Id:	T0603702701
Status:	Open - Remediation

TEXACO (FORMER) (Continued) **S103634788**

Status Date: 11/03/1994

Global Id: T0603702701
Status: Open - Site Assessment
Status Date: 06/11/1996

Global Id: T0603702701
Status: Completed - Case Closed
Status Date: 07/13/1999

HIST CORTESE:
edr_fname: TEXACO (FORMER)
edr_fadd1: 16516 PIONEER
City,State,Zip: NORWALK, CA 90650
Region: CORTESE
Facility County Code: 19
Reg By: LTNKA
Reg Id: I-00305

AB164 **TEXACO (FORMER)** **LUST** **S102438668**
NNE **16516 PIONEER BLVD** **Cortese** **N/A**
1/4-1/2 **NORWALK, CA 90650** **CERS**
0.428 mi.
2258 ft. **Site 3 of 3 in cluster AB**

Relative:
Higher

Actual:
67 ft.

LUST REG 4:

Region:	4	
Regional Board:	04	
County:	Los Angeles	
Facility Id:	I-00305	
Status:	Case Closed	
Substance:	Gasoline	
Substance Quantity:	Not reported	
Local Case No:	Not reported	
Case Type:	Groundwater	
Abatement Method Used at the Site:		Not reported
Global ID:	T0603702701	
W Global ID:	Not reported	
Staff:	JLC	
Local Agency:	19000	
Cross Street:	166TH ST	
Enforcement Type:	Not reported	
Date Leak Discovered:	3/5/1991	
Date Leak First Reported:		3/14/1991
Date Leak Record Entered:	5/7/1991	
Date Confirmation Began:	Not reported	
Date Leak Stopped:	Not reported	
Date Case Last Changed on Database:		9/13/2000
Date the Case was Closed:		7/13/1999
How Leak Discovered:	OM	
How Leak Stopped:	Not reported	
Cause of Leak:	UNK	
Leak Source:	UNK	
Operator:	Not reported	
Water System:	Not reported	
Well Name:	Not reported	

TEXACO (FORMER) (Continued) **S102438668**

Approx. Dist To Production Well (ft):	937.532984217755426831376 9493
Source of Cleanup Funding:	UNK
Preliminary Site Assessment Workplan Submitted:	Not reported
Preliminary Site Assessment Began:	6/11/1996
Pollution Characterization Began:	Not reported
Remediation Plan Submitted:	11/3/1994
Remedial Action Underway:	11/1/1994
Post Remedial Action Monitoring Began:	Not reported
Enforcement Action Date:	Not reported
Historical Max MTBE Date:	1/1/1965
Hist Max MTBE Conc in Groundwater:	186
Hist Max MTBE Conc in Soil:	Not reported
Significant Interim Remedial Action Taken:	Not reported
GW Qualifier:	Not reported
Soil Qualifier:	Not reported
Organization:	Not reported
Owner Contact:	Not reported
Responsible Party:	EQUIVA SERVICES, LLC
RP Address:	P.O. BOX 6249, CARSON, CA 90749-6249
Program:	LUST
Lat/Long:	33.8809428 / -1
Local Agency Staff:	Not reported
Beneficial Use:	Not reported
Priority:	LOP/HIGH - ADMINISTRATIVE (CLOSURE/SB2004/ENFORCEMENT)
Cleanup Fund Id:	Not reported
Suspended:	Not reported
Assigned Name:	Not reported
Summary:	07/08/98 - PETITION MEMO FROM DAD TO DD (CUF); 09/17/98 - 2ND QTR 1998 GW MON RPT; 4/13/99 1ST QTR GW MON RPT 1999; 5/27/99 2ND QTR GW MON RPT 1999; 9/13/00 WELL ABANDONMENT RPT

CORTESE:

Name:	TEXACO (FORMER)
Address:	16516 PIONEER BLVD
City,State,Zip:	NORWALK, CA 90650
Region:	CORTESE
Envirostor Id:	Not reported
Global ID:	T0603702701
Site/Facility Type:	LUST CLEANUP SITE
Cleanup Status:	COMPLETED - CASE CLOSED
Status Date:	Not reported
Site Code:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	active
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported
File Name:	Active Open

TEXACO (FORMER) (Continued) **S102438668**

CERS:
- Name: TEXACO (FORMER)
- Address: 16516 PIONEER BLVD
- City,State,Zip: NORWALK, CA 90650
- Site ID: 208990
- CERS ID: T0603702701
- CERS Description: Leaking Underground Storage Tank Cleanup Site

Affiliation:
- Affiliation Type Desc: Local Agency Caseworker
- Entity Name: JOHN AWUJO - LOS ANGELES COUNTY
- Entity Title: Not reported
- Affiliation Address: 900 S FREMONT AVE
- Affiliation City: ALHAMBRA
- Affiliation State: CA
- Affiliation Country: Not reported
- Affiliation Zip: Not reported
- Affiliation Phone: 6264583507

---

165 **DEL TACO** **Notify 65** **S100178479**
North **15911 PIONEER BLVD.** **N/A**
1/2-1 **NORWALK, CA 90650**
0.859 mi.
4534 ft.

Relative:
Higher

Actual:
73 ft.

NOTIFY 65:
- Name: DEL TACO
- Address: 15911 PIONEER BLVD.
- City,State,Zip: NORWALK, CA 90650-7117
- Date Reported: Not reported
- Staff Initials: Not reported
- Board File Number: Not reported
- Facility Type: Not reported
- Discharge Date: Not reported
- Issue Date: Not reported
- Incident Description: Not reported
- Global ID: Not reported
- Status: Not reported

Count: 0 records. ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
		NO SITES FOUND			

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 10/20/2021
Date Data Arrived at EDR: 11/05/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 24

Source: EPA
Telephone: N/A
Last EDR Contact: 12/01/2021
Next Scheduled EDR Contact: 01/10/2022
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 10/20/2021
Date Data Arrived at EDR: 11/05/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 24

Source: EPA
Telephone: N/A
Last EDR Contact: 12/01/2021
Next Scheduled EDR Contact: 01/10/2022
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

Lists of Federal Delisted NPL sites

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 10/20/2021
Date Data Arrived at EDR: 11/05/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 24

Source: EPA
Telephone: N/A
Last EDR Contact: 12/01/2021
Next Scheduled EDR Contact: 01/10/2022
Data Release Frequency: Quarterly

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 05/25/2021
Date Data Arrived at EDR: 06/24/2021
Date Made Active in Reports: 09/20/2021
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 10/01/2021
Next Scheduled EDR Contact: 01/10/2022
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 10/20/2021
Date Data Arrived at EDR: 11/05/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 24

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 12/01/2021
Next Scheduled EDR Contact: 01/24/2022
Data Release Frequency: Quarterly

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 10/20/2021
Date Data Arrived at EDR: 11/05/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 24

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 12/01/2021
Next Scheduled EDR Contact: 01/24/2022
Data Release Frequency: Quarterly

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 09/13/2021
Date Data Arrived at EDR: 09/15/2021
Date Made Active in Reports: 10/12/2021
Number of Days to Update: 27

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 09/15/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Quarterly

Lists of Federal RCRA TSD facilities

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 09/13/2021
Date Data Arrived at EDR: 09/15/2021
Date Made Active in Reports: 10/12/2021
Number of Days to Update: 27

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 09/15/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Quarterly

Lists of Federal RCRA generators

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 09/13/2021
Date Data Arrived at EDR: 09/15/2021
Date Made Active in Reports: 10/12/2021
Number of Days to Update: 27

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 09/15/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 09/13/2021
Date Data Arrived at EDR: 09/15/2021
Date Made Active in Reports: 10/12/2021
Number of Days to Update: 27

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 09/15/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 09/13/2021
Date Data Arrived at EDR: 09/15/2021
Date Made Active in Reports: 10/12/2021
Number of Days to Update: 27

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 09/15/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 07/12/2021
Date Data Arrived at EDR: 08/06/2021
Date Made Active in Reports: 10/22/2021
Number of Days to Update: 77

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 11/08/2021
Next Scheduled EDR Contact: 02/21/2022
Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 08/23/2021
Date Data Arrived at EDR: 08/23/2021
Date Made Active in Reports: 11/12/2021
Number of Days to Update: 81

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 11/18/2021
Next Scheduled EDR Contact: 03/06/2022
Data Release Frequency: Varies

US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 08/23/2021
Date Data Arrived at EDR: 08/23/2021
Date Made Active in Reports: 11/12/2021
Number of Days to Update: 81

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 11/19/2021
Next Scheduled EDR Contact: 03/07/2022
Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 06/14/2021
Date Data Arrived at EDR: 06/17/2021
Date Made Active in Reports: 08/17/2021
Number of Days to Update: 61

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 09/21/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Quarterly

Lists of state- and tribal (Superfund) equivalent sites

RESPONSE: State Response Sites

Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

Date of Government Version: 07/22/2021
Date Data Arrived at EDR: 07/22/2021
Date Made Active in Reports: 10/08/2021
Number of Days to Update: 78

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 10/26/2021
Next Scheduled EDR Contact: 02/07/2022
Data Release Frequency: Quarterly

Lists of state- and tribal hazardous waste facilities

ENVIROSTOR: EnviroStor Database

The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifes sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

Date of Government Version: 07/22/2021
Date Data Arrived at EDR: 07/22/2021
Date Made Active in Reports: 10/08/2021
Number of Days to Update: 78

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 10/26/2021
Next Scheduled EDR Contact: 02/07/2022
Data Release Frequency: Quarterly

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF (SWIS): Solid Waste Information System

Active, Closed and Inactive Landfills. SWF/LF records typically contain an inve ntory of solid waste disposal facilities or landfills. These may be active or i nactive facilities or open dumps that failed to meet RCRA Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 08/09/2021
Date Data Arrived at EDR: 08/10/2021
Date Made Active in Reports: 11/05/2021
Number of Days to Update: 87

Source: Department of Resources Recycling and Recovery
Telephone: 916-341-6320
Last EDR Contact: 11/09/2021
Next Scheduled EDR Contact: 02/21/2022
Data Release Frequency: Quarterly

Lists of state and tribal leaking storage tanks

LUST REG 2: Fuel Leak List

Leaking Underground Storage Tank locations. Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, Sonoma counties.

Date of Government Version: 09/30/2004
Date Data Arrived at EDR: 10/20/2004
Date Made Active in Reports: 11/19/2004
Number of Days to Update: 30

Source: California Regional Water Quality Control Board San Francisco Bay Region (2)
Telephone: 510-622-2433
Last EDR Contact: 09/19/2011
Next Scheduled EDR Contact: 01/02/2012
Data Release Frequency: No Update Planned

LUST REG 4: Underground Storage Tank Leak List

Los Angeles, Ventura counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/07/2004
Date Data Arrived at EDR: 09/07/2004
Date Made Active in Reports: 10/12/2004
Number of Days to Update: 35

Source: California Regional Water Quality Control Board Los Angeles Region (4)
Telephone: 213-576-6710
Last EDR Contact: 09/06/2011
Next Scheduled EDR Contact: 12/19/2011
Data Release Frequency: No Update Planned

LUST REG 5: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Alameda, Alpine, Amador, Butte, Colusa, Contra Costa, Calveras, El Dorado, Fresno, Glenn, Kern, Kings, Lake, Lassen, Madera, Mariposa, Merced, Modoc, Napa, Nevada, Placer, Plumas, Sacramento, San Joaquin, Shasta, Solano, Stanislaus, Sutter, Tehama, Tulare, Tuolumne, Yolo, Yuba counties.

Date of Government Version: 07/01/2008
Date Data Arrived at EDR: 07/22/2008
Date Made Active in Reports: 07/31/2008
Number of Days to Update: 9

Source: California Regional Water Quality Control Board Central Valley Region (5)
Telephone: 916-464-4834
Last EDR Contact: 07/01/2011
Next Scheduled EDR Contact: 10/17/2011
Data Release Frequency: No Update Planned

LUST REG 7: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Imperial, Riverside, San Diego, Santa Barbara counties.

Date of Government Version: 02/26/2004
Date Data Arrived at EDR: 02/26/2004
Date Made Active in Reports: 03/24/2004
Number of Days to Update: 27

Source: California Regional Water Quality Control Board Colorado River Basin Region (7)
Telephone: 760-776-8943
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

LUST REG 8: Leaking Underground Storage Tanks

California Regional Water Quality Control Board Santa Ana Region (8). For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/14/2005
Date Data Arrived at EDR: 02/15/2005
Date Made Active in Reports: 03/28/2005
Number of Days to Update: 41

Source: California Regional Water Quality Control Board Santa Ana Region (8)
Telephone: 909-782-4496
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

LUST REG 9: Leaking Underground Storage Tank Report

Orange, Riverside, San Diego counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 03/01/2001
Date Data Arrived at EDR: 04/23/2001
Date Made Active in Reports: 05/21/2001
Number of Days to Update: 28

Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-637-5595
Last EDR Contact: 09/26/2011
Next Scheduled EDR Contact: 01/09/2012
Data Release Frequency: No Update Planned

LUST: Leaking Underground Fuel Tank Report (GEOTRACKER)
Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/07/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 83
Source: State Water Resources Control Board
Telephone: see region list
Last EDR Contact: 09/07/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Quarterly

LUST REG 1: Active Toxic Site Investigation
Del Norte, Humboldt, Lake, Mendocino, Modoc, Siskiyou, Sonoma, Trinity counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/01/2001
Date Data Arrived at EDR: 02/28/2001
Date Made Active in Reports: 03/29/2001
Number of Days to Update: 29
Source: California Regional Water Quality Control Board North Coast (1)
Telephone: 707-570-3769
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

LUST REG 6L: Leaking Underground Storage Tank Case Listing
For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/09/2003
Date Data Arrived at EDR: 09/10/2003
Date Made Active in Reports: 10/07/2003
Number of Days to Update: 27
Source: California Regional Water Quality Control Board Lahontan Region (6)
Telephone: 530-542-5572
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

LUST REG 6V: Leaking Underground Storage Tank Case Listing
Leaking Underground Storage Tank locations. Inyo, Kern, Los Angeles, Mono, San Bernardino counties.

Date of Government Version: 06/07/2005
Date Data Arrived at EDR: 06/07/2005
Date Made Active in Reports: 06/29/2005
Number of Days to Update: 22
Source: California Regional Water Quality Control Board Victorville Branch Office (6)
Telephone: 760-241-7365
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

LUST REG 3: Leaking Underground Storage Tank Database
Leaking Underground Storage Tank locations. Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Cruz counties.

Date of Government Version: 05/19/2003
Date Data Arrived at EDR: 05/19/2003
Date Made Active in Reports: 06/02/2003
Number of Days to Update: 14
Source: California Regional Water Quality Control Board Central Coast Region (3)
Telephone: 805-542-4786
Last EDR Contact: 07/18/2011
Next Scheduled EDR Contact: 10/31/2011
Data Release Frequency: No Update Planned

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 06/01/2021
Date Data Arrived at EDR: 06/11/2021
Date Made Active in Reports: 09/07/2021
Number of Days to Update: 88
Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/28/2021
Date Data Arrived at EDR: 06/11/2021
Date Made Active in Reports: 09/07/2021
Number of Days to Update: 88
Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 05/17/2021
Date Data Arrived at EDR: 06/11/2021
Date Made Active in Reports: 09/07/2021
Number of Days to Update: 88
Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 05/27/2021
Date Data Arrived at EDR: 06/11/2021
Date Made Active in Reports: 09/07/2021
Number of Days to Update: 88
Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 05/28/2021
Date Data Arrived at EDR: 06/22/2021
Date Made Active in Reports: 09/20/2021
Number of Days to Update: 90
Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 05/27/2021
Date Data Arrived at EDR: 06/11/2021
Date Made Active in Reports: 09/07/2021
Number of Days to Update: 88
Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land
Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 04/06/2021
Date Data Arrived at EDR: 06/11/2021
Date Made Active in Reports: 09/07/2021
Number of Days to Update: 88
Source: EPA, Region 5
Telephone: 312-886-7439
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 04/27/2021
Date Data Arrived at EDR: 06/11/2021
Date Made Active in Reports: 09/07/2021
Number of Days to Update: 88
Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

CPS-SLIC: Statewide SLIC Cases (GEOTRACKER)
Cleanup Program Sites (CPS; also known as Site Cleanups [SC] and formerly known as Spills, Leaks, Investigations, and Cleanups [SLIC] sites) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/07/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 83
Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 09/07/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Varies

SLIC REG 1: Active Toxic Site Investigations
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2003
Date Data Arrived at EDR: 04/07/2003
Date Made Active in Reports: 04/25/2003
Number of Days to Update: 18

Source: California Regional Water Quality Control Board, North Coast Region (1)
Telephone: 707-576-2220
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

SLIC REG 2: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/30/2004
Date Data Arrived at EDR: 10/20/2004
Date Made Active in Reports: 11/19/2004
Number of Days to Update: 30

Source: Regional Water Quality Control Board San Francisco Bay Region (2)
Telephone: 510-286-0457
Last EDR Contact: 09/19/2011
Next Scheduled EDR Contact: 01/02/2012
Data Release Frequency: No Update Planned

SLIC REG 3: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/18/2006
Date Data Arrived at EDR: 05/18/2006
Date Made Active in Reports: 06/15/2006
Number of Days to Update: 28

Source: California Regional Water Quality Control Board Central Coast Region (3)
Telephone: 805-549-3147
Last EDR Contact: 07/18/2011
Next Scheduled EDR Contact: 10/31/2011
Data Release Frequency: No Update Planned

SLIC REG 4: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/17/2004
Date Data Arrived at EDR: 11/18/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 47

Source: Region Water Quality Control Board Los Angeles Region (4)
Telephone: 213-576-6600
Last EDR Contact: 07/01/2011
Next Scheduled EDR Contact: 10/17/2011
Data Release Frequency: No Update Planned

SLIC REG 5: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/01/2005
Date Data Arrived at EDR: 04/05/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 16

Source: Regional Water Quality Control Board Central Valley Region (5)
Telephone: 916-464-3291
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

SLIC REG 6V: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/24/2005
Date Data Arrived at EDR: 05/25/2005
Date Made Active in Reports: 06/16/2005
Number of Days to Update: 22

Source: Regional Water Quality Control Board, Victorville Branch
Telephone: 619-241-6583
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

SLIC REG 6L: SLIC Sites
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/07/2004
Date Data Arrived at EDR: 09/07/2004
Date Made Active in Reports: 10/12/2004
Number of Days to Update: 35
Source: California Regional Water Quality Control Board, Lahontan Region
Telephone: 530-542-5574
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

SLIC REG 7: SLIC List
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/24/2004
Date Data Arrived at EDR: 11/29/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 36
Source: California Regional Quality Control Board, Colorado River Basin Region
Telephone: 760-346-7491
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

SLIC REG 8: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2008
Date Data Arrived at EDR: 04/03/2008
Date Made Active in Reports: 04/14/2008
Number of Days to Update: 11
Source: California Region Water Quality Control Board Santa Ana Region (8)
Telephone: 951-782-3298
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: No Update Planned

SLIC REG 9: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing
The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/10/2007
Date Data Arrived at EDR: 09/11/2007
Date Made Active in Reports: 09/28/2007
Number of Days to Update: 17
Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-467-2980
Last EDR Contact: 08/08/2011
Next Scheduled EDR Contact: 11/21/2011
Data Release Frequency: No Update Planned

Lists of state and tribal registered storage tanks

FEMA UST: Underground Storage Tank Listing
A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/29/2021
Date Data Arrived at EDR: 02/17/2021
Date Made Active in Reports: 03/22/2021
Number of Days to Update: 33
Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 11/01/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Varies

UST: Active UST Facilities
Active UST facilities gathered from the local regulatory agencies

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/07/2021
Date Made Active in Reports: 11/30/2021
Number of Days to Update: 84
Source: SWRCB
Telephone: 916-341-5851
Last EDR Contact: 09/07/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Semi-Annually

MILITARY UST SITES: Military UST Sites (GEOTRACKER)
Military ust sites

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/07/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 83

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 09/07/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Varies

UST CLOSURE: Proposed Closure of Underground Storage Tank (UST) Cases
UST cases that are being considered for closure by either the State Water Resources Control Board or the Executive Director have been posted for a 60-day public comment period. UST Case Closures being proposed for consideration by the State Water Resources Control Board. These are primarily UST cases that meet closure criteria under the decisional framework in State Water Board Resolution No. 92-49 and other Board orders. UST Case Closures proposed for consideration by the Executive Director pursuant to State Water Board Resolution No. 2012-0061. These are cases that meet the criteria of the Low-Threat UST Case Closure Policy. UST Case Closure Review Denials and Approved Orders.

Date of Government Version: 08/18/2021
Date Data Arrived at EDR: 09/08/2021
Date Made Active in Reports: 12/03/2021
Number of Days to Update: 86

Source: State Water Resources Control Board
Telephone: 916-327-7844
Last EDR Contact: 09/08/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Varies

AST: Aboveground Petroleum Storage Tank Facilities
A listing of aboveground storage tank petroleum storage tank locations.

Date of Government Version: 07/06/2016
Date Data Arrived at EDR: 07/12/2016
Date Made Active in Reports: 09/19/2016
Number of Days to Update: 69

Source: California Environmental Protection Agency
Telephone: 916-327-5092
Last EDR Contact: 09/09/2021
Next Scheduled EDR Contact: 12/27/2021
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 04/27/2021
Date Data Arrived at EDR: 06/11/2021
Date Made Active in Reports: 09/07/2021
Number of Days to Update: 88

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/06/2021
Date Data Arrived at EDR: 06/11/2021
Date Made Active in Reports: 09/07/2021
Number of Days to Update: 88

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 06/01/2021
Date Data Arrived at EDR: 06/11/2021
Date Made Active in Reports: 09/07/2021
Number of Days to Update: 88

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 05/27/2021
Date Data Arrived at EDR: 06/11/2021
Date Made Active in Reports: 09/07/2021
Number of Days to Update: 88

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 05/27/2021
Date Data Arrived at EDR: 06/11/2021
Date Made Active in Reports: 09/07/2021
Number of Days to Update: 88

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 05/17/2021
Date Data Arrived at EDR: 06/11/2021
Date Made Active in Reports: 09/07/2021
Number of Days to Update: 88

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 05/28/2021
Date Data Arrived at EDR: 06/22/2021
Date Made Active in Reports: 09/20/2021
Number of Days to Update: 90

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 04/28/2021
Date Data Arrived at EDR: 06/11/2021
Date Made Active in Reports: 09/07/2021
Number of Days to Update: 88

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

Lists of state and tribal voluntary cleanup sites

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015
Date Data Arrived at EDR: 09/29/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 142

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 09/15/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Varies

VCP: Voluntary Cleanup Program Properties

Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

Date of Government Version: 07/22/2021
Date Data Arrived at EDR: 07/22/2021
Date Made Active in Reports: 10/08/2021
Number of Days to Update: 78

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 10/26/2021
Next Scheduled EDR Contact: 02/07/2022
Data Release Frequency: Quarterly

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 07/08/2021
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

Lists of state and tribal brownfield sites

BROWNFIELDS: Considered Brownfieds Sites Listing

A listing of sites the SWRCB considers to be Brownfields since these are sites have come to them through the MOA Process.

Date of Government Version: 06/17/2021
Date Data Arrived at EDR: 06/17/2021
Date Made Active in Reports: 09/13/2021
Number of Days to Update: 88

Source: State Water Resources Control Board
Telephone: 916-323-7905
Last EDR Contact: 09/21/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 06/10/2021
Date Data Arrived at EDR: 06/10/2021
Date Made Active in Reports: 08/17/2021
Number of Days to Update: 68

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 09/14/2021
Next Scheduled EDR Contact: 12/27/2021
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

WMUDS/SWAT: Waste Management Unit Database

Waste Management Unit Database System. WMUDS is used by the State Water Resources Control Board staff and the Regional Water Quality Control Boards for program tracking and inventory of waste management units. WMUDS is composed of the following databases: Facility Information, Scheduled Inspections Information, Waste Management Unit Information, SWAT Program Information, SWAT Report Summary Information, SWAT Report Summary Data, Chapter 15 (formerly Subchapter 15) Information, Chapter 15 Monitoring Parameters, TPCA Program Information, RCRA Program Information, Closure Information, and Interested Parties Information.

Date of Government Version: 04/01/2000
Date Data Arrived at EDR: 04/10/2000
Date Made Active in Reports: 05/10/2000
Number of Days to Update: 30

Source: State Water Resources Control Board
Telephone: 916-227-4448
Last EDR Contact: 10/22/2021
Next Scheduled EDR Contact: 02/07/2022
Data Release Frequency: No Update Planned

SWRCY: Recycler Database
A listing of recycling facilities in California.

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/08/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 82

Source: Department of Conservation
Telephone: 916-323-3836
Last EDR Contact: 09/08/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Quarterly

HAULERS: Registered Waste Tire Haulers Listing
A listing of registered waste tire haulers.

Date of Government Version: 09/14/2021
Date Data Arrived at EDR: 11/11/2021
Date Made Active in Reports: 11/23/2021
Number of Days to Update: 12

Source: Integrated Waste Management Board
Telephone: 916-341-6422
Last EDR Contact: 11/05/2021
Next Scheduled EDR Contact: 02/21/2022
Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands
Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 10/22/2021
Next Scheduled EDR Contact: 02/07/2022
Data Release Frequency: Varies

ODI: Open Dump Inventory
An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations
A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 10/14/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land
A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014
Date Data Arrived at EDR: 08/06/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 176

Source: Department of Health & Human Serivces, Indian Health Service
Telephone: 301-443-1452
Last EDR Contact: 10/28/2021
Next Scheduled EDR Contact: 02/07/2022
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 05/18/2021
Date Data Arrived at EDR: 05/18/2021
Date Made Active in Reports: 08/03/2021
Number of Days to Update: 77

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 11/16/2021
Next Scheduled EDR Contact: 03/07/2022
Data Release Frequency: No Update Planned

HIST CAL-SITES: Calsites Database

The Calsites database contains potential or confirmed hazardous substance release properties. In 1996, California EPA reevaluated and significantly reduced the number of sites in the Calsites database. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

Date of Government Version: 08/08/2005
Date Data Arrived at EDR: 08/03/2006
Date Made Active in Reports: 08/24/2006
Number of Days to Update: 21

Source: Department of Toxic Substance Control
Telephone: 916-323-3400
Last EDR Contact: 02/23/2009
Next Scheduled EDR Contact: 05/25/2009
Data Release Frequency: No Update Planned

SCH: School Property Evaluation Program

This category contains proposed and existing school sites that are being evaluated by DTSC for possible hazardous materials contamination. In some cases, these properties may be listed in the CalSites category depending on the level of threat to public health and safety or the environment they pose.

Date of Government Version: 07/22/2021
Date Data Arrived at EDR: 07/22/2021
Date Made Active in Reports: 10/08/2021
Number of Days to Update: 78

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 10/26/2021
Next Scheduled EDR Contact: 02/07/2022
Data Release Frequency: Quarterly

CDL: Clandestine Drug Labs

A listing of drug lab locations. Listing of a location in this database does not indicate that any illegal drug lab materials were or were not present there, and does not constitute a determination that the location either requires or does not require additional cleanup work.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 01/20/2021
Date Made Active in Reports: 04/08/2021
Number of Days to Update: 78

Source: Department of Toxic Substances Control
Telephone: 916-255-6504
Last EDR Contact: 11/11/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Varies

CERS HAZ WASTE: CERS HAZ WASTE

List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

Date of Government Version: 07/15/2021
Date Data Arrived at EDR: 07/15/2021
Date Made Active in Reports: 10/06/2021
Number of Days to Update: 83

Source: CalEPA
Telephone: 916-323-2514
Last EDR Contact: 10/19/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Quarterly

TOXIC PITS: Toxic Pits Cleanup Act Sites

Toxic PITS Cleanup Act Sites. TOXIC PITS identifies sites suspected of containing hazardous substances where cleanup has not yet been completed.

Date of Government Version: 07/01/1995
Date Data Arrived at EDR: 08/30/1995
Date Made Active in Reports: 09/26/1995
Number of Days to Update: 27

Source: State Water Resources Control Board
Telephone: 916-227-4364
Last EDR Contact: 01/26/2009
Next Scheduled EDR Contact: 04/27/2009
Data Release Frequency: No Update Planned

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 05/18/2021
Date Data Arrived at EDR: 05/18/2021
Date Made Active in Reports: 08/03/2021
Number of Days to Update: 77

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 11/16/2021
Next Scheduled EDR Contact: 03/07/2022
Data Release Frequency: Quarterly

AQUEOUS FOAM: Former Fire Training Facility Assessments Listing

Airports shown on this list are those believed to use Aqueous Film Forming Foam (AFFF), and certified by the Federal Aviation Administration (FAA) under Title 14, Code of Federal Regulations (CFR), Part 139 (14 CFR Part 139). This list was created by SWRCB using information available from the FAA. Location points shown are from the latitude and longitude listed on the FAA airport master record.

Date of Government Version: 12/01/2019
Date Data Arrived at EDR: 08/19/2021
Date Made Active in Reports: 10/28/2021
Number of Days to Update: 70

Source: State Water Resources Control Board
Telephone: 916-341-5455
Last EDR Contact: 08/19/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Varies

PFAS: PFAS Contamination Site Location Listing

A listing of PFAS contaminated sites included in the GeoTracker database.

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/08/2021
Date Made Active in Reports: 12/01/2021
Number of Days to Update: 84

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 09/08/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Varies

Local Lists of Registered Storage Tanks

SWEEPS UST: SWEEPS UST Listing

Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

Date of Government Version: 06/01/1994
Date Data Arrived at EDR: 07/07/2005
Date Made Active in Reports: 08/11/2005
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: N/A
Last EDR Contact: 06/03/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

HIST UST: Hazardous Substance Storage Container Database

The Hazardous Substance Storage Container Database is a historical listing of UST sites. Refer to local/county source for current data.

Date of Government Version: 10/15/1990
Date Data Arrived at EDR: 01/25/1991
Date Made Active in Reports: 02/12/1991
Number of Days to Update: 18

Source: State Water Resources Control Board
Telephone: 916-341-5851
Last EDR Contact: 07/26/2001
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SAN FRANCISCO AST: Aboveground Storage Tank Site Listing
Aboveground storage tank sites

Date of Government Version: 08/05/2021
Date Data Arrived at EDR: 08/05/2021
Date Made Active in Reports: 10/29/2021
Number of Days to Update: 85

Source: San Francisco County Department of Public Health
Telephone: 415-252-3896
Last EDR Contact: 10/31/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Varies

CA FID UST: Facility Inventory Database
The Facility Inventory Database (FID) contains a historical listing of active and inactive underground storage tank locations from the State Water Resource Control Board. Refer to local/county source for current data.

Date of Government Version: 10/31/1994
Date Data Arrived at EDR: 09/05/1995
Date Made Active in Reports: 09/29/1995
Number of Days to Update: 24

Source: California Environmental Protection Agency
Telephone: 916-341-5851
Last EDR Contact: 12/28/1998
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

CERS TANKS: California Environmental Reporting System (CERS) Tanks
List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Aboveground Petroleum Storage and Underground Storage Tank regulatory programs.

Date of Government Version: 07/15/2021
Date Data Arrived at EDR: 07/15/2021
Date Made Active in Reports: 10/06/2021
Number of Days to Update: 83

Source: California Environmental Protection Agency
Telephone: 916-323-2514
Last EDR Contact: 10/19/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Quarterly

Local Land Records

LIENS: Environmental Liens Listing
A listing of property locations with environmental liens for California where DTSC is a lien holder.

Date of Government Version: 08/25/2021
Date Data Arrived at EDR: 09/03/2021
Date Made Active in Reports: 11/22/2021
Number of Days to Update: 80

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 11/22/2021
Next Scheduled EDR Contact: 03/13/2022
Data Release Frequency: Varies

LIENS 2: CERCLA Lien Information
A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 10/20/2021
Date Data Arrived at EDR: 11/05/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 24

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 12/01/2021
Next Scheduled EDR Contact: 01/10/2022
Data Release Frequency: Semi-Annually

DEED: Deed Restriction Listing

Site Mitigation and Brownfields Reuse Program Facility Sites with Deed Restrictions & Hazardous Waste Management Program Facility Sites with Deed / Land Use Restriction. The DTSC Site Mitigation and Brownfields Reuse Program (SMBRP) list includes sites cleaned up under the program's oversight and generally does not include current or former hazardous waste facilities that required a hazardous waste facility permit. The list represents deed restrictions that are active. Some sites have multiple deed restrictions. The DTSC Hazardous Waste Management Program (HWMP) has developed a list of current or former hazardous waste facilities that have a recorded land use restriction at the local county recorder's office. The land use restrictions on this list were required by the DTSC HWMP as a result of the presence of hazardous substances that remain on site after the facility (or part of the facility) has been closed or cleaned up. The types of land use restriction include deed notice, deed restriction, or a land use restriction that binds current and future owners.

Date of Government Version: 08/30/2021
Date Data Arrived at EDR: 08/31/2021
Date Made Active in Reports: 11/19/2021
Number of Days to Update: 80

Source: DTSC and SWRCB
Telephone: 916-323-3400
Last EDR Contact: 11/30/2021
Next Scheduled EDR Contact: 03/14/2022
Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 09/12/2021
Date Data Arrived at EDR: 09/13/2021
Date Made Active in Reports: 09/28/2021
Number of Days to Update: 15

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 09/13/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Quarterly

CHMIRS: California Hazardous Material Incident Report System

California Hazardous Material Incident Reporting System. CHMIRS contains information on reported hazardous material incidents (accidental releases or spills).

Date of Government Version: 06/30/2021
Date Data Arrived at EDR: 07/15/2021
Date Made Active in Reports: 10/06/2021
Number of Days to Update: 83

Source: Office of Emergency Services
Telephone: 916-845-8400
Last EDR Contact: 10/19/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Semi-Annually

LDS: Land Disposal Sites Listing (GEOTRACKER)

Land Disposal sites (Landfills) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/07/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 83

Source: State Water Qualilty Control Board
Telephone: 866-480-1028
Last EDR Contact: 09/07/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Quarterly

MCS: Military Cleanup Sites Listing (GEOTRACKER)

Military sites (consisting of: Military UST sites; Military Privatized sites; and Military Cleanup sites [formerly known as DoD non UST]) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/07/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 83

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 09/07/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Quarterly

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 06/06/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/22/2013
Number of Days to Update: 50

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 09/13/2021
Date Data Arrived at EDR: 09/15/2021
Date Made Active in Reports: 10/12/2021
Number of Days to Update: 27

Source: Environmental Protection Agency
Telephone: (415) 495-8895
Last EDR Contact: 09/15/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 08/10/2021
Date Data Arrived at EDR: 08/17/2021
Date Made Active in Reports: 10/22/2021
Number of Days to Update: 66

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 11/16/2021
Next Scheduled EDR Contact: 02/28/2022
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 10/15/2021
Next Scheduled EDR Contact: 01/24/2022
Data Release Frequency: Semi-Annually

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/11/2018
Date Made Active in Reports: 11/06/2019
Number of Days to Update: 574

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 10/05/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 01/01/2017
Date Data Arrived at EDR: 02/03/2017
Date Made Active in Reports: 04/07/2017
Number of Days to Update: 63

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 11/08/2021
Next Scheduled EDR Contact: 02/21/2022
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 09/13/2021
Date Data Arrived at EDR: 09/15/2021
Date Made Active in Reports: 09/28/2021
Number of Days to Update: 13

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 09/15/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 11/01/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 05/08/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 11/05/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016
Date Data Arrived at EDR: 06/17/2020
Date Made Active in Reports: 09/10/2020
Number of Days to Update: 85

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 09/17/2021
Next Scheduled EDR Contact: 12/27/2021
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 08/14/2020
Date Made Active in Reports: 11/04/2020
Number of Days to Update: 82

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 11/16/2021
Next Scheduled EDR Contact: 02/28/2022
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 07/19/2021
Date Data Arrived at EDR: 07/19/2021
Date Made Active in Reports: 10/12/2021
Number of Days to Update: 85

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 10/20/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 10/20/2021
Date Data Arrived at EDR: 11/05/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 24

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 12/01/2021
Next Scheduled EDR Contact: 03/14/2022
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 10/20/2021
Date Data Arrived at EDR: 11/05/2021
Date Made Active in Reports: 11/12/2021
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 10/18/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties
A listing of verified Potentially Responsible Parties

Date of Government Version: 12/30/2020
Date Data Arrived at EDR: 01/14/2021
Date Made Active in Reports: 03/05/2021
Number of Days to Update: 50
Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 12/01/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Quarterly

PADS: PCB Activity Database System
PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 11/19/2020
Date Data Arrived at EDR: 01/08/2021
Date Made Active in Reports: 03/22/2021
Number of Days to Update: 73
Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 10/08/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System
The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016
Date Data Arrived at EDR: 11/23/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 79
Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 09/30/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System
MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 07/29/2021
Date Data Arrived at EDR: 08/24/2021
Date Made Active in Reports: 11/19/2021
Number of Days to Update: 87
Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 10/18/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data
A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 12/01/2020
Date Made Active in Reports: 02/09/2021
Number of Days to Update: 70
Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 11/30/2021
Next Scheduled EDR Contact: 03/14/2022
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List
A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 11/11/2019
Number of Days to Update: 251
Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 12/02/2021
Next Scheduled EDR Contact: 03/14/2022
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database
The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019
Date Data Arrived at EDR: 11/06/2019
Date Made Active in Reports: 02/10/2020
Number of Days to Update: 96
Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 11/05/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Varies

RADINFO: Radiation Information Database
The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019
Date Data Arrived at EDR: 07/01/2019
Date Made Active in Reports: 09/23/2019
Number of Days to Update: 84
Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 09/27/2021
Next Scheduled EDR Contact: 01/10/2022
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing
A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40
Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing
A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/02/2020
Date Data Arrived at EDR: 01/28/2020
Date Made Active in Reports: 04/17/2020
Number of Days to Update: 80

Source: Department of Transporation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 10/26/2021
Next Scheduled EDR Contact: 02/07/2022
Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 06/30/2021
Date Data Arrived at EDR: 07/14/2021
Date Made Active in Reports: 07/16/2021
Number of Days to Update: 2

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 09/30/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2017
Date Data Arrived at EDR: 06/22/2020
Date Made Active in Reports: 11/20/2020
Number of Days to Update: 151

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 09/15/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 10/05/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 07/26/2021
Date Data Arrived at EDR: 07/27/2021
Date Made Active in Reports: 10/22/2021
Number of Days to Update: 87

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 11/01/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 08/30/2019
Date Data Arrived at EDR: 11/15/2019
Date Made Active in Reports: 01/28/2020
Number of Days to Update: 74

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 11/29/2021
Next Scheduled EDR Contact: 02/28/2022
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 10/20/2021
Date Data Arrived at EDR: 11/05/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 24

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 11/30/2021
Next Scheduled EDR Contact: 01/10/2022
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

MINES VIOLATIONS: MSHA Violation Assessment Data

Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

Date of Government Version: 06/30/2021
Date Data Arrived at EDR: 07/01/2021
Date Made Active in Reports: 09/28/2021
Number of Days to Update: 89

Source: DOL, Mine Safety & Health Admi
Telephone: 202-693-9424
Last EDR Contact: 11/24/2021
Next Scheduled EDR Contact: 03/14/2022
Data Release Frequency: Quarterly

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/09/2021
Date Data Arrived at EDR: 08/24/2021
Date Made Active in Reports: 11/19/2021
Number of Days to Update: 87

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 11/22/2021
Next Scheduled EDR Contact: 03/07/2022
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 05/06/2020
Date Data Arrived at EDR: 05/27/2020
Date Made Active in Reports: 08/13/2020
Number of Days to Update: 78

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 11/22/2021
Next Scheduled EDR Contact: 03/07/2022
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 11/22/2021
Next Scheduled EDR Contact: 03/07/2022
Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 06/15/2021
Date Data Arrived at EDR: 06/16/2021
Date Made Active in Reports: 08/17/2021
Number of Days to Update: 62

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 12/02/2021
Next Scheduled EDR Contact: 03/21/2022
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 05/05/2021
Date Data Arrived at EDR: 05/18/2021
Date Made Active in Reports: 08/17/2021
Number of Days to Update: 91

Source: EPA
Telephone: (415) 947-8000
Last EDR Contact: 11/22/2021
Next Scheduled EDR Contact: 03/14/2022
Data Release Frequency: Quarterly

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 06/26/2021
Date Data Arrived at EDR: 07/01/2021
Date Made Active in Reports: 09/28/2021
Number of Days to Update: 89

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 10/05/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Quarterly

UXO: Unexploded Ordnance Sites
A listing of unexploded ordnance site locations

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 07/02/2020
Date Made Active in Reports: 09/17/2020
Number of Days to Update: 77
Source: Department of Defense
Telephone: 703-704-1564
Last EDR Contact: 10/07/2021
Next Scheduled EDR Contact: 01/24/2022
Data Release Frequency: Varies

DOCKET HWC: Hazardous Waste Compliance Docket Listing
A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/06/2021
Date Data Arrived at EDR: 05/21/2021
Date Made Active in Reports: 08/11/2021
Number of Days to Update: 82
Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 11/23/2021
Next Scheduled EDR Contact: 03/07/2022
Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing
This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 08/13/2021
Date Data Arrived at EDR: 08/13/2021
Date Made Active in Reports: 10/22/2021
Number of Days to Update: 70
Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 02/28/2022
Data Release Frequency: Quarterly

CA BOND EXP. PLAN: Bond Expenditure Plan
Department of Health Services developed a site-specific expenditure plan as the basis for an appropriation of Hazardous Substance Cleanup Bond Act funds. It is not updated.

Date of Government Version: 01/01/1989
Date Data Arrived at EDR: 07/27/1994
Date Made Active in Reports: 08/02/1994
Number of Days to Update: 6
Source: Department of Health Services
Telephone: 916-255-2118
Last EDR Contact: 05/31/1994
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

CORTESE: "Cortese" Hazardous Waste & Substances Sites List
The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

Date of Government Version: 06/17/2021
Date Data Arrived at EDR: 06/17/2021
Date Made Active in Reports: 09/14/2021
Number of Days to Update: 89
Source: CAL EPA/Office of Emergency Information
Telephone: 916-323-3400
Last EDR Contact: 09/21/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Quarterly

CUPA LIVERMORE-PLEASANTON: CUPA Facility Listing
list of facilities associated with the various CUPA programs in Livermore-Pleasanton

Date of Government Version: 05/01/2019
Date Data Arrived at EDR: 05/14/2019
Date Made Active in Reports: 07/17/2019
Number of Days to Update: 64
Source: Livermore-Pleasanton Fire Department
Telephone: 925-454-2361
Last EDR Contact: 11/19/2021
Next Scheduled EDR Contact: 02/21/2022
Data Release Frequency: Varies

DRYCLEAN SOUTH COAST: South Coast Air Quality Management District Drycleaner Listing
A listing of dry cleaners in the South Coast Air Quality Management District

Date of Government Version: 08/18/2021
Date Data Arrived at EDR: 08/23/2021
Date Made Active in Reports: 11/12/2021
Number of Days to Update: 81

Source: South Coast Air Quality Management District
Telephone: 909-396-3211
Last EDR Contact: 11/16/2021
Next Scheduled EDR Contact: 03/07/2022
Data Release Frequency: Varies

DRYCLEAN AVAQMD: Antelope Valley Air Quality Management District Drycleaner Listing
A listing of dry cleaners in the Antelope Valley Air Quality Management District.

Date of Government Version: 08/24/2021
Date Data Arrived at EDR: 08/25/2021
Date Made Active in Reports: 11/17/2021
Number of Days to Update: 84

Source: Antelope Valley Air Quality Management District
Telephone: 661-723-8070
Last EDR Contact: 11/23/2021
Next Scheduled EDR Contact: 03/14/2022
Data Release Frequency: Varies

DRYCLEANERS: Cleaner Facilities
A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaner's agents; linen supply; coin-operated laundries and cleaning; drycleaning plants, except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

Date of Government Version: 08/27/2021
Date Data Arrived at EDR: 09/01/2021
Date Made Active in Reports: 11/19/2021
Number of Days to Update: 79

Source: Department of Toxic Substance Control
Telephone: 916-327-4498
Last EDR Contact: 11/23/2021
Next Scheduled EDR Contact: 03/14/2022
Data Release Frequency: Annually

EMI: Emissions Inventory Data
Toxics and criteria pollutant emissions data collected by the ARB and local air pollution agencies.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 06/10/2021
Date Made Active in Reports: 08/27/2021
Number of Days to Update: 78

Source: California Air Resources Board
Telephone: 916-322-2990
Last EDR Contact: 09/17/2021
Next Scheduled EDR Contact: 12/27/2021
Data Release Frequency: Varies

ENF: Enforcement Action Listing
A listing of Water Board Enforcement Actions. Formal is everything except Oral/Verbal Communication, Notice of Violation, Expedited Payment Letter, and Staff Enforcement Letter.

Date of Government Version: 04/16/2021
Date Data Arrived at EDR: 04/20/2021
Date Made Active in Reports: 07/07/2021
Number of Days to Update: 78

Source: State Water Resoruces Control Board
Telephone: 916-445-9379
Last EDR Contact: 11/04/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information Listing
Financial Assurance information

Date of Government Version: 04/14/2021
Date Data Arrived at EDR: 04/15/2021
Date Made Active in Reports: 07/06/2021
Number of Days to Update: 82

Source: Department of Toxic Substances Control
Telephone: 916-255-3628
Last EDR Contact: 10/05/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information Listing
A listing of financial assurance information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 08/13/2021
Date Data Arrived at EDR: 08/13/2021
Date Made Active in Reports: 11/05/2021
Number of Days to Update: 84

Source: California Integrated Waste Management Board
Telephone: 916-341-6066
Last EDR Contact: 11/16/2021
Next Scheduled EDR Contact: 02/21/2022
Data Release Frequency: Varies

HAZNET: Facility and Manifest Data

Facility and Manifest Data. The data is extracted from the copies of hazardous waste manifests received each year by the DTSC. The annual volume of manifests is typically 700,000 - 1,000,000 annually, representing approximately 350,000 - 500,000 shipments. Data are from the manifests submitted without correction, and therefore many contain some invalid values for data elements such as generator ID, TSD ID, waste category, and disposal method. This database begins with calendar year 1993.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 04/15/2020
Date Made Active in Reports: 07/02/2020
Number of Days to Update: 78

Source: California Environmental Protection Agency
Telephone: 916-255-1136
Last EDR Contact: 10/08/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Annually

ICE: ICE

Contains data pertaining to the Permitted Facilities with Inspections / Enforcements sites tracked in Envirostor.

Date of Government Version: 08/13/2021
Date Data Arrived at EDR: 08/13/2021
Date Made Active in Reports: 11/08/2021
Number of Days to Update: 87

Source: Department of Toxic Subsances Control
Telephone: 877-786-9427
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 02/28/2022
Data Release Frequency: Quarterly

HIST CORTESE: Hazardous Waste & Substance Site List

The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

Date of Government Version: 04/01/2001
Date Data Arrived at EDR: 01/22/2009
Date Made Active in Reports: 04/08/2009
Number of Days to Update: 76

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 01/22/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

HWP: EnviroStor Permitted Facilities Listing

Detailed information on permitted hazardous waste facilities and corrective action ("cleanups") tracked in EnviroStor.

Date of Government Version: 08/13/2021
Date Data Arrived at EDR: 08/13/2021
Date Made Active in Reports: 11/08/2021
Number of Days to Update: 87

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 02/28/2022
Data Release Frequency: Quarterly

HWT: Registered Hazardous Waste Transporter Database

A listing of hazardous waste transporters. In California, unless specifically exempted, it is unlawful for any person to transport hazardous wastes unless the person holds a valid registration issued by DTSC. A hazardous waste transporter registration is valid for one year and is assigned a unique registration number.

Date of Government Version: 07/01/2021
Date Data Arrived at EDR: 07/01/2021
Date Made Active in Reports: 09/24/2021
Number of Days to Update: 85

Source: Department of Toxic Substances Control
Telephone: 916-440-7145
Last EDR Contact: 10/05/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Quarterly

MINES: Mines Site Location Listing
A listing of mine site locations from the Office of Mine Reclamation.

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/07/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 83
Source: Department of Conservation
Telephone: 916-322-1080
Last EDR Contact: 09/07/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Quarterly

MWMP: Medical Waste Management Program Listing
The Medical Waste Management Program (MWMP) ensures the proper handling and disposal of medical waste by permitting and inspecting medical waste Offsite Treatment Facilities (PDF) and Transfer Stations (PDF) throughout the state. MWMP also oversees all Medical Waste Transporters.

Date of Government Version: 08/05/2021
Date Data Arrived at EDR: 08/31/2021
Date Made Active in Reports: 11/19/2021
Number of Days to Update: 80
Source: Department of Public Health
Telephone: 916-558-1784
Last EDR Contact: 11/30/2021
Next Scheduled EDR Contact: 03/14/2022
Data Release Frequency: Varies

NPDES: NPDES Permits Listing
A listing of NPDES permits, including stormwater.

Date of Government Version: 05/10/2021
Date Data Arrived at EDR: 05/11/2021
Date Made Active in Reports: 07/27/2021
Number of Days to Update: 77
Source: State Water Resources Control Board
Telephone: 916-445-9379
Last EDR Contact: 11/09/2021
Next Scheduled EDR Contact: 02/21/2022
Data Release Frequency: Quarterly

PEST LIC: Pesticide Regulation Licenses Listing
A listing of licenses and certificates issued by the Department of Pesticide Regulation. The DPR issues licenses and/or certificates to: Persons and businesses that apply or sell pesticides; Pest control dealers and brokers; Persons who advise on agricultural pesticide applications.

Date of Government Version: 08/30/2021
Date Data Arrived at EDR: 08/31/2021
Date Made Active in Reports: 11/19/2021
Number of Days to Update: 80
Source: Department of Pesticide Regulation
Telephone: 916-445-4038
Last EDR Contact: 11/30/2021
Next Scheduled EDR Contact: 03/14/2022
Data Release Frequency: Quarterly

PROC: Certified Processors Database
A listing of certified processors.

Date of Government Version: 06/04/2021
Date Data Arrived at EDR: 06/04/2021
Date Made Active in Reports: 08/27/2021
Number of Days to Update: 84
Source: Department of Conservation
Telephone: 916-323-3836
Last EDR Contact: 11/29/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Quarterly

NOTIFY 65: Proposition 65 Records
Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

Date of Government Version: 03/12/2021
Date Data Arrived at EDR: 03/16/2021
Date Made Active in Reports: 06/01/2021
Number of Days to Update: 77
Source: State Water Resources Control Board
Telephone: 916-445-3846
Last EDR Contact: 08/26/2021
Next Scheduled EDR Contact: 12/27/2021
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UIC: UIC Listing
A listing of wells identified as underground injection wells, in the California Oil and Gas Wells database.

Date of Government Version: 06/03/2021
Date Data Arrived at EDR: 06/03/2021
Date Made Active in Reports: 08/25/2021
Number of Days to Update: 83

Source: Deaprtment of Conservation
Telephone: 916-445-2408
Last EDR Contact: 09/07/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Varies

UIC GEO: Underground Injection Control Sites (GEOTRACKER)
Underground control injection sites

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/07/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 83

Source: State Water Resource Control Board
Telephone: 866-480-1028
Last EDR Contact: 09/07/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Varies

WASTEWATER PITS: Oil Wastewater Pits Listing
Water officials discovered that oil producers have been dumping chemical-laden wastewater into hundreds of unlined pits that are operating without proper permits. Inspections completed by the Central Valley Regional Water Quality Control Board revealed the existence of previously unidentified waste sites. The water boards review found that more than one-third of the region's active disposal pits are operating without permission.

Date of Government Version: 02/11/2021
Date Data Arrived at EDR: 07/01/2021
Date Made Active in Reports: 09/29/2021
Number of Days to Update: 90

Source: RWQCB, Central Valley Region
Telephone: 559-445-5577
Last EDR Contact: 10/08/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Varies

WDS: Waste Discharge System
Sites which have been issued waste discharge requirements.

Date of Government Version: 06/19/2007
Date Data Arrived at EDR: 06/20/2007
Date Made Active in Reports: 06/29/2007
Number of Days to Update: 9

Source: State Water Resources Control Board
Telephone: 916-341-5227
Last EDR Contact: 11/15/2021
Next Scheduled EDR Contact: 02/28/2022
Data Release Frequency: No Update Planned

WIP: Well Investigation Program Case List
Well Investigation Program case in the San Gabriel and San Fernando Valley area.

Date of Government Version: 07/03/2009
Date Data Arrived at EDR: 07/21/2009
Date Made Active in Reports: 08/03/2009
Number of Days to Update: 13

Source: Los Angeles Water Quality Control Board
Telephone: 213-576-6726
Last EDR Contact: 09/14/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: No Update Planned

MILITARY PRIV SITES: Military Privatized Sites (GEOTRACKER)
Military privatized sites

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/07/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 83

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 09/07/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Varies

PROJECT: Project Sites (GEOTRACKER)
Projects sites

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/07/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 83

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 09/07/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Varies

WDR: Waste Discharge Requirements Listing

In general, the Waste Discharge Requirements (WDRs) Program (sometimes also referred to as the "Non Chapter 15 (Non 15) Program") regulates point discharges that are exempt pursuant to Subsection 20090 of Title 27 and not subject to the Federal Water Pollution Control Act. Exemptions from Title 27 may be granted for nine categories of discharges (e.g., sewage, wastewater, etc.) that meet, and continue to meet, the preconditions listed for each specific exemption. The scope of the WDRs Program also includes the discharge of wastes classified as inert, pursuant to section 20230 of Title 27.

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/08/2021
Date Made Active in Reports: 12/01/2021
Number of Days to Update: 84

Source: State Water Resources Control Board
Telephone: 916-341-5810
Last EDR Contact: 09/08/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Quarterly

CIWQS: California Integrated Water Quality System

The California Integrated Water Quality System (CIWQS) is a computer system used by the State and Regional Water Quality Control Boards to track information about places of environmental interest, manage permits and other orders, track inspections, and manage violations and enforcement activities.

Date of Government Version: 08/30/2021
Date Data Arrived at EDR: 08/31/2021
Date Made Active in Reports: 11/19/2021
Number of Days to Update: 80

Source: State Water Resources Control Board
Telephone: 866-794-4977
Last EDR Contact: 11/30/2021
Next Scheduled EDR Contact: 03/14/2022
Data Release Frequency: Varies

CERS: CalEPA Regulated Site Portal Data

The CalEPA Regulated Site Portal database combines data about environmentally regulated sites and facilities in California into a single database. It combines data from a variety of state and federal databases, and provides an overview of regulated activities across the spectrum of environmental programs for any given location in California. These activities include hazardous materials and waste, state and federal cleanups, impacted ground and surface waters, and toxic materials

Date of Government Version: 07/15/2021
Date Data Arrived at EDR: 07/15/2021
Date Made Active in Reports: 10/06/2021
Number of Days to Update: 83

Source: California Environmental Protection Agency
Telephone: 916-323-2514
Last EDR Contact: 10/19/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

NON-CASE INFO: Non-Case Information Sites (GEOTRACKER)

Non-Case Information sites

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/07/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 83

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 09/07/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Varies

OTHER OIL GAS: Other Oil & Gas Projects Sites (GEOTRACKER)

Other Oil & Gas Projects sites

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/07/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 83

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 09/07/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Varies

PROD WATER PONDS: Produced Water Ponds Sites (GEOTRACKER)
Produced water ponds sites

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/07/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 83
Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 09/07/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Varies

SAMPLING POINT: Sampling Point ? Public Sites (GEOTRACKER)
Sampling point - public sites

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/07/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 83
Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 09/07/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Varies

WELL STIM PROJ: Well Stimulation Project (GEOTRACKER)
Includes areas of groundwater monitoring plans, a depiction of the monitoring network, and the facilities, boundaries, and subsurface characteristics of the oilfield and the features (oil and gas wells, produced water ponds, UIC wells, water supply wells, etc?) being monitored

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/07/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 83
Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 09/07/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Varies

HWTS: Hazardous Waste Tracking System
DTSC maintains the Hazardous Waste Tracking System that stores ID number information since the early 1980s and manifest data since 1993. The system collects both manifest copies from the generator and destination facility.

Date of Government Version: 07/13/2021
Date Data Arrived at EDR: 07/14/2021
Date Made Active in Reports: 10/06/2021
Number of Days to Update: 84
Source: Department of Toxic Substances Control
Telephone: 916-324-2444
Last EDR Contact: 09/30/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Varies

PCS: Permit Compliance System
PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 07/14/2011
Date Data Arrived at EDR: 08/05/2011
Date Made Active in Reports: 09/29/2011
Number of Days to Update: 55
Source: EPA, Office of Water
Telephone: 202-564-2496
Last EDR Contact: 09/30/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Semi-Annually

PCS INACTIVE: Listing of Inactive PCS Permits
An inactive permit is a facility that has shut down or is no longer discharging.

Date of Government Version: 11/05/2014
Date Data Arrived at EDR: 01/06/2015
Date Made Active in Reports: 05/06/2015
Number of Days to Update: 120
Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/30/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Semi-Annually

MINES MRDS: Mineral Resources Data System
Mineral Resources Data System

Date of Government Version: 04/06/2018
Date Data Arrived at EDR: 10/21/2019
Date Made Active in Reports: 10/24/2019
Number of Days to Update: 3

Source: USGS
Telephone: 703-648-6533
Last EDR Contact: 11/23/2021
Next Scheduled EDR Contact: 03/07/2022
Data Release Frequency: Varies

PCS ENF: Enforcement data
No description is available for this data

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 02/05/2015
Date Made Active in Reports: 03/06/2015
Number of Days to Update: 29

Source: EPA
Telephone: 202-564-2497
Last EDR Contact: 09/30/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Varies

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants
The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations
EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners
EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Resources Recycling and Recovery in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/13/2014
Number of Days to Update: 196

Source: Department of Resources Recycling and Recovery
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the State Water Resources Control Board in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/30/2013
Number of Days to Update: 182

Source: State Water Resources Control Board
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

COUNTY RECORDS

ALAMEDA COUNTY:

CS ALAMEDA: Contaminated Sites

A listing of contaminated sites overseen by the Toxic Release Program (oil and groundwater contamination from chemical releases and spills) and the Leaking Underground Storage Tank Program (soil and ground water contamination from leaking petroleum USTs).

Date of Government Version: 01/09/2019
Date Data Arrived at EDR: 01/11/2019
Date Made Active in Reports: 03/05/2019
Number of Days to Update: 53

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 09/30/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Semi-Annually

UST ALAMEDA: Underground Tanks

Underground storage tank sites located in Alameda county.

Date of Government Version: 06/29/2021
Date Data Arrived at EDR: 06/30/2021
Date Made Active in Reports: 09/22/2021
Number of Days to Update: 84

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 09/30/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Semi-Annually

AMADOR COUNTY:

CUPA AMADOR: CUPA Facility List
Cupa Facility List

Date of Government Version: 08/05/2021
Date Data Arrived at EDR: 08/06/2021
Date Made Active in Reports: 09/17/2021
Number of Days to Update: 42

Source: Amador County Environmental Health
Telephone: 209-223-6439
Last EDR Contact: 10/29/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Varies

BUTTE COUNTY:

CUPA BUTTE: CUPA Facility Listing
Cupa facility list.

Date of Government Version: 04/21/2017
Date Data Arrived at EDR: 04/25/2017
Date Made Active in Reports: 08/09/2017
Number of Days to Update: 106

Source: Public Health Department
Telephone: 530-538-7149
Last EDR Contact: 09/30/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: No Update Planned

CALVERAS COUNTY:

CUPA CALVERAS: CUPA Facility Listing
Cupa Facility Listing

Date of Government Version: 06/15/2021
Date Data Arrived at EDR: 06/16/2021
Date Made Active in Reports: 07/02/2021
Number of Days to Update: 16

Source: Calveras County Environmental Health
Telephone: 209-754-6399
Last EDR Contact: 09/14/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Quarterly

COLUSA COUNTY:

CUPA COLUSA: CUPA Facility List
Cupa facility list.

Date of Government Version: 04/06/2020
Date Data Arrived at EDR: 04/23/2020
Date Made Active in Reports: 07/10/2020
Number of Days to Update: 78

Source: Health & Human Services
Telephone: 530-458-0396
Last EDR Contact: 10/29/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Semi-Annually

CONTRA COSTA COUNTY:

SL CONTRA COSTA: Site List
List includes sites from the underground tank, hazardous waste generator and business plan/2185 programs.

Date of Government Version: 07/20/2021
Date Data Arrived at EDR: 07/20/2021
Date Made Active in Reports: 10/11/2021
Number of Days to Update: 83

Source: Contra Costa Health Services Department
Telephone: 925-646-2286
Last EDR Contact: 10/22/2021
Next Scheduled EDR Contact: 02/07/2022
Data Release Frequency: Semi-Annually

DEL NORTE COUNTY:

CUPA DEL NORTE: CUPA Facility List
Cupa Facility list

Date of Government Version: 06/29/2021
Date Data Arrived at EDR: 07/23/2021
Date Made Active in Reports: 10/08/2021
Number of Days to Update: 77

Source: Del Norte County Environmental Health Division
Telephone: 707-465-0426
Last EDR Contact: 10/29/2021
Next Scheduled EDR Contact: 02/07/2022
Data Release Frequency: Varies

EL DORADO COUNTY:

CUPA EL DORADO: CUPA Facility List
CUPA facility list.

Date of Government Version: 07/30/2021
Date Data Arrived at EDR: 08/03/2021
Date Made Active in Reports: 10/26/2021
Number of Days to Update: 84

Source: El Dorado County Environmental Management Department
Telephone: 530-621-6623
Last EDR Contact: 11/16/2021
Next Scheduled EDR Contact: 02/07/2022
Data Release Frequency: Varies

FRESNO COUNTY:

CUPA FRESNO: CUPA Resources List
Certified Unified Program Agency. CUPA's are responsible for implementing a unified hazardous materials and hazardous waste management regulatory program. The agency provides oversight of businesses that deal with hazardous materials, operate underground storage tanks or aboveground storage tanks.

Date of Government Version: 04/09/2021
Date Data Arrived at EDR: 06/23/2021
Date Made Active in Reports: 09/17/2021
Number of Days to Update: 86

Source: Dept. of Community Health
Telephone: 559-445-3271
Last EDR Contact: 10/01/2021
Next Scheduled EDR Contact: 01/10/2022
Data Release Frequency: Semi-Annually

GLENN COUNTY:

CUPA GLENN: CUPA Facility List
Cupa facility list

Date of Government Version: 01/22/2018
Date Data Arrived at EDR: 01/24/2018
Date Made Active in Reports: 03/14/2018
Number of Days to Update: 49

Source: Glenn County Air Pollution Control District
Telephone: 830-934-6500
Last EDR Contact: 07/13/2021
Next Scheduled EDR Contact: 11/01/2021
Data Release Frequency: No Update Planned

HUMBOLDT COUNTY:

CUPA HUMBOLDT: CUPA Facility List
CUPA facility list.

Date of Government Version: 08/12/2021
Date Data Arrived at EDR: 08/12/2021
Date Made Active in Reports: 11/08/2021
Number of Days to Update: 88

Source: Humboldt County Environmental Health
Telephone: N/A
Last EDR Contact: 11/11/2021
Next Scheduled EDR Contact: 02/28/2022
Data Release Frequency: Semi-Annually

IMPERIAL COUNTY:

CUPA IMPERIAL: CUPA Facility List
Cupa facility list.

Date of Government Version: 07/13/2021
Date Data Arrived at EDR: 07/15/2021
Date Made Active in Reports: 10/06/2021
Number of Days to Update: 83

Source: San Diego Border Field Office
Telephone: 760-339-2777
Last EDR Contact: 10/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

INYO COUNTY:

CUPA INYO: CUPA Facility List
Cupa facility list.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/03/2018
Date Made Active in Reports: 06/14/2018
Number of Days to Update: 72

Source: Inyo County Environmental Health Services
Telephone: 760-878-0238
Last EDR Contact: 11/11/2021
Next Scheduled EDR Contact: 02/28/2022
Data Release Frequency: Varies

KERN COUNTY:

CUPA KERN: CUPA Facility List
A listing of sites included in the Kern County Hazardous Material Business Plan.

Date of Government Version: 07/06/2021
Date Data Arrived at EDR: 08/12/2021
Date Made Active in Reports: 10/07/2021
Number of Days to Update: 56

Source: Kern County Public Health
Telephone: 661-321-3000
Last EDR Contact: 11/11/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Varies

UST KERN: Underground Storage Tank Sites & Tank Listing
Kern County Sites and Tanks Listing.

Date of Government Version: 07/06/2021
Date Data Arrived at EDR: 08/12/2021
Date Made Active in Reports: 08/18/2021
Number of Days to Update: 6

Source: Kern County Environment Health Services Department
Telephone: 661-862-8700
Last EDR Contact: 11/11/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Quarterly

KINGS COUNTY:

CUPA KINGS: CUPA Facility List
A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 12/03/2020
Date Data Arrived at EDR: 01/26/2021
Date Made Active in Reports: 04/14/2021
Number of Days to Update: 78

Source: Kings County Department of Public Health
Telephone: 559-584-1411
Last EDR Contact: 11/11/2021
Next Scheduled EDR Contact: 02/28/2022
Data Release Frequency: Varies

LAKE COUNTY:

CUPA LAKE: CUPA Facility List
Cupa facility list

Date of Government Version: 07/27/2021
Date Data Arrived at EDR: 07/28/2021
Date Made Active in Reports: 10/21/2021
Number of Days to Update: 85

Source: Lake County Environmental Health
Telephone: 707-263-1164
Last EDR Contact: 10/06/2021
Next Scheduled EDR Contact: 01/24/2022
Data Release Frequency: Varies

LASSEN COUNTY:

CUPA LASSEN: CUPA Facility List
Cupa facility list

Date of Government Version: 07/31/2020
Date Data Arrived at EDR: 08/21/2020
Date Made Active in Reports: 11/09/2020
Number of Days to Update: 80

Source: Lassen County Environmental Health
Telephone: 530-251-8528
Last EDR Contact: 11/11/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

LOS ANGELES COUNTY:

AOCONCERN: Key Areas of Concerns in Los Angeles County
San Gabriel Valley areas where VOC contamination is at or above the MCL as designated by region 9 EPA office. Date of Government Version: 3/30/2009 Exide Site area is a cleanup plan of lead-impacted soil surrounding the former Exide Facility as designated by the DTSC. Date of Government Version: 7/17/2017

Date of Government Version: 03/30/2009
Date Data Arrived at EDR: 03/31/2009
Date Made Active in Reports: 10/23/2009
Number of Days to Update: 206

Source: N/A
Telephone: N/A
Last EDR Contact: 09/09/2021
Next Scheduled EDR Contact: 12/27/2021
Data Release Frequency: No Update Planned

HMS LOS ANGELES: HMS: Street Number List
Industrial Waste and Underground Storage Tank Sites.

Date of Government Version: 07/08/2021
Date Data Arrived at EDR: 07/09/2021
Date Made Active in Reports: 09/29/2021
Number of Days to Update: 82

Source: Department of Public Works
Telephone: 626-458-3517
Last EDR Contact: 10/15/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Semi-Annually

LF LOS ANGELES: List of Solid Waste Facilities
Solid Waste Facilities in Los Angeles County.

Date of Government Version: 07/09/2021
Date Data Arrived at EDR: 07/09/2021
Date Made Active in Reports: 09/29/2021
Number of Days to Update: 82

Source: La County Department of Public Works
Telephone: 818-458-5185
Last EDR Contact: 10/08/2021
Next Scheduled EDR Contact: 01/24/2022
Data Release Frequency: Varies

LF LOS ANGELES CITY: City of Los Angeles Landfills
Landfills owned and maintained by the City of Los Angeles.

Date of Government Version: 01/01/2021
Date Data Arrived at EDR: 02/18/2021
Date Made Active in Reports: 05/10/2021
Number of Days to Update: 81

Source: Engineering & Construction Division
Telephone: 213-473-7869
Last EDR Contact: 10/05/2021
Next Scheduled EDR Contact: 01/24/2022
Data Release Frequency: Varies

LOS ANGELES AST: Active & Inactive AST Inventory
A listing of active & inactive above ground petroleum storage tank site locations, located in the City of Los Angeles.

Date of Government Version: 06/01/2019
Date Data Arrived at EDR: 06/25/2019
Date Made Active in Reports: 08/22/2019
Number of Days to Update: 58

Source: Los Angeles Fire Department
Telephone: 213-978-3800
Last EDR Contact: 09/24/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Varies

LOS ANGELES CO LF METHANE: Methane Producing Landfills
This data was created on April 30, 2012 to represent known disposal sites in Los Angeles County that may produce and emanate methane gas. The shapefile contains disposal sites within Los Angeles County that once accepted degradable refuse material. Information used to create this data was extracted from a landfill survey performed by County Engineers (Major Waste System Map, 1973) as well as historical records from CalRecycle, Regional Water Quality Control Board, and Los Angeles County Department of Public Health

Date of Government Version: 02/04/2021
Date Data Arrived at EDR: 04/16/2021
Date Made Active in Reports: 04/21/2021
Number of Days to Update: 5

Source: Los Angeles County Department of Public Works
Telephone: 626-458-6973
Last EDR Contact: 10/08/2021
Next Scheduled EDR Contact: 01/24/2022
Data Release Frequency: No Update Planned

LOS ANGELES HM: Active & Inactive Hazardous Materials Inventory
A listing of active & inactive hazardous materials facility locations, located in the City of Los Angeles.

Date of Government Version: 04/19/2021
Date Data Arrived at EDR: 06/17/2021
Date Made Active in Reports: 06/28/2021
Number of Days to Update: 11

Source: Los Angeles Fire Department
Telephone: 213-978-3800
Last EDR Contact: 09/24/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Varies

LOS ANGELES UST: Active & Inactive UST Inventory
A listing of active & inactive underground storage tank site locations and underground storage tank historical sites, located in the City of Los Angeles.

Date of Government Version: 04/19/2021
Date Data Arrived at EDR: 06/17/2021
Date Made Active in Reports: 09/14/2021
Number of Days to Update: 89

Source: Los Angeles Fire Department
Telephone: 213-978-3800
Last EDR Contact: 09/24/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Varies

SITE MIT LOS ANGELES: Site Mitigation List
Industrial sites that have had some sort of spill or complaint.

Date of Government Version: 05/26/2021
Date Data Arrived at EDR: 07/09/2021
Date Made Active in Reports: 09/29/2021
Number of Days to Update: 82

Source: Community Health Services
Telephone: 323-890-7806
Last EDR Contact: 10/15/2021
Next Scheduled EDR Contact: 01/24/2022
Data Release Frequency: Annually

UST EL SEGUNDO: City of El Segundo Underground Storage Tank
Underground storage tank sites located in El Segundo city.

Date of Government Version: 01/21/2017
Date Data Arrived at EDR: 04/19/2017
Date Made Active in Reports: 05/10/2017
Number of Days to Update: 21

Source: City of El Segundo Fire Department
Telephone: 310-524-2236
Last EDR Contact: 10/06/2021
Next Scheduled EDR Contact: 01/24/2022
Data Release Frequency: No Update Planned

UST LONG BEACH: City of Long Beach Underground Storage Tank
Underground storage tank sites located in the city of Long Beach.

Date of Government Version: 04/22/2019
Date Data Arrived at EDR: 04/23/2019
Date Made Active in Reports: 06/27/2019
Number of Days to Update: 65

Source: City of Long Beach Fire Department
Telephone: 562-570-2563
Last EDR Contact: 10/14/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

UST TORRANCE: City of Torrance Underground Storage Tank
Underground storage tank sites located in the city of Torrance.

Date of Government Version: 02/02/2021
Date Data Arrived at EDR: 04/28/2021
Date Made Active in Reports: 07/13/2021
Number of Days to Update: 76

Source: City of Torrance Fire Department
Telephone: 310-618-2973
Last EDR Contact: 10/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Semi-Annually

MADERA COUNTY:

CUPA MADERA: CUPA Facility List
A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 08/10/2020
Date Data Arrived at EDR: 08/12/2020
Date Made Active in Reports: 10/23/2020
Number of Days to Update: 72

Source: Madera County Environmental Health
Telephone: 559-675-7823
Last EDR Contact: 11/11/2021
Next Scheduled EDR Contact: 02/28/2022
Data Release Frequency: Varies

MARIN COUNTY:

UST MARIN: Underground Storage Tank Sites
Currently permitted USTs in Marin County.

Date of Government Version: 09/26/2018
Date Data Arrived at EDR: 10/04/2018
Date Made Active in Reports: 11/02/2018
Number of Days to Update: 29

Source: Public Works Department Waste Management
Telephone: 415-473-6647
Last EDR Contact: 09/23/2021
Next Scheduled EDR Contact: 01/10/2022
Data Release Frequency: Semi-Annually

MENDOCINO COUNTY:

UST MENDOCINO: Mendocino County UST Database
A listing of underground storage tank locations in Mendocino County.

Date of Government Version: 09/22/2021
Date Data Arrived at EDR: 11/18/2021
Date Made Active in Reports: 11/22/2021
Number of Days to Update: 4

Source: Department of Public Health
Telephone: 707-463-4466
Last EDR Contact: 11/16/2021
Next Scheduled EDR Contact: 03/07/2022
Data Release Frequency: Annually

MERCED COUNTY:

CUPA MERCED: CUPA Facility List
CUPA facility list.

Date of Government Version: 08/11/2021
Date Data Arrived at EDR: 08/12/2021
Date Made Active in Reports: 11/08/2021
Number of Days to Update: 88

Source: Merced County Environmental Health
Telephone: 209-381-1094
Last EDR Contact: 11/23/2021
Next Scheduled EDR Contact: 02/28/2022
Data Release Frequency: Varies

MONO COUNTY:

CUPA MONO: CUPA Facility List
CUPA Facility List

Date of Government Version: 02/22/2021
Date Data Arrived at EDR: 03/02/2021
Date Made Active in Reports: 05/19/2021
Number of Days to Update: 78

Source: Mono County Health Department
Telephone: 760-932-5580
Last EDR Contact: 12/02/2021
Next Scheduled EDR Contact: 06/06/3021
Data Release Frequency: Varies

MONTEREY COUNTY:

CUPA MONTEREY: CUPA Facility Listing
CUPA Program listing from the Environmental Health Division.

Date of Government Version: 06/23/2021
Date Data Arrived at EDR: 06/23/2021
Date Made Active in Reports: 06/24/2021
Number of Days to Update: 1

Source: Monterey County Health Department
Telephone: 831-796-1297
Last EDR Contact: 09/23/2021
Next Scheduled EDR Contact: 01/10/2022
Data Release Frequency: Varies

NAPA COUNTY:

LUST NAPA: Sites With Reported Contamination
A listing of leaking underground storage tank sites located in Napa county.

Date of Government Version: 01/09/2017
Date Data Arrived at EDR: 01/11/2017
Date Made Active in Reports: 03/02/2017
Number of Days to Update: 50

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 11/16/2021
Next Scheduled EDR Contact: 03/07/2022
Data Release Frequency: No Update Planned

UST NAPA: Closed and Operating Underground Storage Tank Sites
Underground storage tank sites located in Napa county.

Date of Government Version: 09/05/2019
Date Data Arrived at EDR: 09/09/2019
Date Made Active in Reports: 10/31/2019
Number of Days to Update: 52

Source: Napa County Department of Environmental Management
Telephone: 707-253-4269
Last EDR Contact: 11/16/2021
Next Scheduled EDR Contact: 03/07/2022
Data Release Frequency: No Update Planned

NEVADA COUNTY:

CUPA NEVADA: CUPA Facility List
CUPA facility list.

Date of Government Version: 07/28/2021
Date Data Arrived at EDR: 07/28/2021
Date Made Active in Reports: 10/21/2021
Number of Days to Update: 85
Source: Community Development Agency
Telephone: 530-265-1467
Last EDR Contact: 10/22/2021
Next Scheduled EDR Contact: 02/07/2022
Data Release Frequency: Varies

ORANGE COUNTY:

IND_SITE ORANGE: List of Industrial Site Cleanups
Petroleum and non-petroleum spills.

Date of Government Version: 07/09/2021
Date Data Arrived at EDR: 08/03/2021
Date Made Active in Reports: 10/26/2021
Number of Days to Update: 84
Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 10/29/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Annually

LUST ORANGE: List of Underground Storage Tank Cleanups
Orange County Underground Storage Tank Cleanups (LUST).

Date of Government Version: 07/09/2021
Date Data Arrived at EDR: 08/03/2021
Date Made Active in Reports: 10/26/2021
Number of Days to Update: 84
Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 10/29/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Quarterly

UST ORANGE: List of Underground Storage Tank Facilities
Orange County Underground Storage Tank Facilities (UST).

Date of Government Version: 07/09/2021
Date Data Arrived at EDR: 07/29/2021
Date Made Active in Reports: 10/19/2021
Number of Days to Update: 82
Source: Health Care Agency
Telephone: 714-834-3446
Last EDR Contact: 10/29/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Quarterly

PLACER COUNTY:

MS PLACER: Master List of Facilities
List includes aboveground tanks, underground tanks and cleanup sites.

Date of Government Version: 09/07/2021
Date Data Arrived at EDR: 09/09/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 81
Source: Placer County Health and Human Services
Telephone: 530-745-2363
Last EDR Contact: 11/23/2021
Next Scheduled EDR Contact: 03/14/2022
Data Release Frequency: Semi-Annually

PLUMAS COUNTY:

CUPA PLUMAS: CUPA Facility List
Plumas County CUPA Program facilities.

Date of Government Version: 03/31/2019
Date Data Arrived at EDR: 04/23/2019
Date Made Active in Reports: 06/26/2019
Number of Days to Update: 64
Source: Plumas County Environmental Health
Telephone: 530-283-6355
Last EDR Contact: 10/14/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

RIVERSIDE COUNTY:

LUST RIVERSIDE: Listing of Underground Tank Cleanup Sites
Riverside County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 06/29/2021
Date Data Arrived at EDR: 06/30/2021
Date Made Active in Reports: 07/14/2021
Number of Days to Update: 14
Source: Department of Environmental Health
Telephone: 951-358-5055
Last EDR Contact: 09/09/2021
Next Scheduled EDR Contact: 12/27/2021
Data Release Frequency: Quarterly

UST RIVERSIDE: Underground Storage Tank Tank List
Underground storage tank sites located in Riverside county.

Date of Government Version: 06/29/2021
Date Data Arrived at EDR: 06/30/2021
Date Made Active in Reports: 07/14/2021
Number of Days to Update: 14
Source: Department of Environmental Health
Telephone: 951-358-5055
Last EDR Contact: 09/09/2021
Next Scheduled EDR Contact: 12/27/2021
Data Release Frequency: Quarterly

SACRAMENTO COUNTY:

CS SACRAMENTO: Toxic Site Clean-Up List
List of sites where unauthorized releases of potentially hazardous materials have occurred.

Date of Government Version: 03/30/2021
Date Data Arrived at EDR: 04/01/2021
Date Made Active in Reports: 06/23/2021
Number of Days to Update: 83
Source: Sacramento County Environmental Management
Telephone: 916-875-8406
Last EDR Contact: 09/28/2021
Next Scheduled EDR Contact: 01/10/2022
Data Release Frequency: Quarterly

ML SACRAMENTO: Master Hazardous Materials Facility List
Any business that has hazardous materials on site - hazardous material storage sites, underground storage tanks, waste generators.

Date of Government Version: 08/02/2021
Date Data Arrived at EDR: 08/04/2021
Date Made Active in Reports: 11/02/2021
Number of Days to Update: 90
Source: Sacramento County Environmental Management
Telephone: 916-875-8406
Last EDR Contact: 10/01/2021
Next Scheduled EDR Contact: 01/10/2022
Data Release Frequency: Quarterly

SAN BENITO COUNTY:

CUPA SAN BENITO: CUPA Facility List
Cupa facility list

Date of Government Version: 07/27/2021
Date Data Arrived at EDR: 07/28/2021
Date Made Active in Reports: 10/21/2021
Number of Days to Update: 85
Source: San Benito County Environmental Health
Telephone: N/A
Last EDR Contact: 10/29/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Varies

SAN BERNARDINO COUNTY:

PERMITS SAN BERNARDINO: Hazardous Material Permits
This listing includes underground storage tanks, medical waste handlers/generators, hazardous materials handlers, hazardous waste generators, and waste oil generators/handlers.

Date of Government Version: 08/11/2021
Date Data Arrived at EDR: 08/12/2021
Date Made Active in Reports: 11/08/2021
Number of Days to Update: 88

Source: San Bernardino County Fire Department Hazardous Materials Division
Telephone: 909-387-3041
Last EDR Contact: 11/01/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Quarterly

SAN DIEGO COUNTY:

HMMD SAN DIEGO: Hazardous Materials Management Division Database

The database includes: HE58 - This report contains the business name, site address, business phone number, establishment 'H' permit number, type of permit, and the business status. HE17 - In addition to providing the same information provided in the HE58 listing, HE17 provides inspection dates, violations received by the establishment, hazardous waste generated, the quantity, method of storage, treatment/disposal of waste and the hauler, and information on underground storage tanks. Unauthorized Release List - Includes a summary of environmental contamination cases in San Diego County (underground tank cases, non-tank cases, groundwater contamination, and soil contamination are included.)

Date of Government Version: 08/30/2021
Date Data Arrived at EDR: 08/31/2021
Date Made Active in Reports: 11/19/2021
Number of Days to Update: 80

Source: Hazardous Materials Management Division
Telephone: 619-338-2268
Last EDR Contact: 11/30/2021
Next Scheduled EDR Contact: 03/14/2022
Data Release Frequency: Quarterly

LF SAN DIEGO: Solid Waste Facilities

San Diego County Solid Waste Facilities.

Date of Government Version: 10/01/2020
Date Data Arrived at EDR: 11/23/2020
Date Made Active in Reports: 02/08/2021
Number of Days to Update: 77

Source: Department of Health Services
Telephone: 619-338-2209
Last EDR Contact: 11/23/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

SAN DIEGO CO LOP: Local Oversight Program Listing

A listing of all LOP release sites that are or were under the County of San Diego's jurisdiction. Included are closed or transferred cases, open cases, and cases that did not have a case type indicated. The cases without a case type are mostly complaints; however, some of them could be LOP cases.

Date of Government Version: 07/14/2020
Date Data Arrived at EDR: 07/16/2020
Date Made Active in Reports: 09/29/2020
Number of Days to Update: 75

Source: Department of Environmental Health
Telephone: 858-505-6874
Last EDR Contact: 10/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

SAN DIEGO CO SAM: Environmental Case Listing

The listing contains all underground tank release cases and projects pertaining to properties contaminated with hazardous substances that are actively under review by the Site Assessment and Mitigation Program.

Date of Government Version: 03/23/2010
Date Data Arrived at EDR: 06/15/2010
Date Made Active in Reports: 07/09/2010
Number of Days to Update: 24

Source: San Diego County Department of Environmental Health
Telephone: 619-338-2371
Last EDR Contact: 11/23/2021
Next Scheduled EDR Contact: 03/14/2022
Data Release Frequency: No Update Planned

SAN FRANCISCO COUNTY:

CUPA SAN FRANCISCO CO: CUPA Facility Listing

Cupa facilities

Date of Government Version: 08/05/2021
Date Data Arrived at EDR: 08/05/2021
Date Made Active in Reports: 10/29/2021
Number of Days to Update: 85

Source: San Francisco County Department of Environmental Health
Telephone: 415-252-3896
Last EDR Contact: 11/11/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Varies

LUST SAN FRANCISCO: Local Oversite Facilities
A listing of leaking underground storage tank sites located in San Francisco county.

Date of Government Version: 09/19/2008
Date Data Arrived at EDR: 09/19/2008
Date Made Active in Reports: 09/29/2008
Number of Days to Update: 10

Source: Department Of Public Health San Francisco County
Telephone: 415-252-3920
Last EDR Contact: 11/01/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: No Update Planned

UST SAN FRANCISCO: Underground Storage Tank Information
Underground storage tank sites located in San Francisco county.

Date of Government Version: 08/05/2021
Date Data Arrived at EDR: 08/05/2021
Date Made Active in Reports: 10/29/2021
Number of Days to Update: 85

Source: Department of Public Health
Telephone: 415-252-3920
Last EDR Contact: 10/31/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Quarterly

SAN JOAQUIN COUNTY:

UST SAN JOAQUIN: San Joaquin Co. UST
A listing of underground storage tank locations in San Joaquin county.

Date of Government Version: 06/22/2018
Date Data Arrived at EDR: 06/26/2018
Date Made Active in Reports: 07/11/2018
Number of Days to Update: 15

Source: Environmental Health Department
Telephone: N/A
Last EDR Contact: 09/09/2021
Next Scheduled EDR Contact: 12/27/2021
Data Release Frequency: Semi-Annually

SAN LUIS OBISPO COUNTY:

CUPA SAN LUIS OBISPO: CUPA Facility List
Cupa Facility List.

Date of Government Version: 08/10/2021
Date Data Arrived at EDR: 08/11/2021
Date Made Active in Reports: 11/08/2021
Number of Days to Update: 89

Source: San Luis Obispo County Public Health Department
Telephone: 805-781-5596
Last EDR Contact: 11/11/2021
Next Scheduled EDR Contact: 02/28/2022
Data Release Frequency: Varies

SAN MATEO COUNTY:

BI SAN MATEO: Business Inventory
List includes Hazardous Materials Business Plan, hazardous waste generators, and underground storage tanks.

Date of Government Version: 02/20/2020
Date Data Arrived at EDR: 02/20/2020
Date Made Active in Reports: 04/24/2020
Number of Days to Update: 64

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 09/10/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Annually

LUST SAN MATEO: Fuel Leak List
A listing of leaking underground storage tank sites located in San Mateo county.

Date of Government Version: 03/29/2019
Date Data Arrived at EDR: 03/29/2019
Date Made Active in Reports: 05/29/2019
Number of Days to Update: 61

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 12/02/2021
Next Scheduled EDR Contact: 03/21/2022
Data Release Frequency: Semi-Annually

SANTA BARBARA COUNTY:

CUPA SANTA BARBARA: CUPA Facility Listing
CUPA Program Listing from the Environmental Health Services division.

Date of Government Version: 09/08/2011
Date Data Arrived at EDR: 09/09/2011
Date Made Active in Reports: 10/07/2011
Number of Days to Update: 28

Source: Santa Barbara County Public Health Department
Telephone: 805-686-8167
Last EDR Contact: 11/11/2021
Next Scheduled EDR Contact: 02/28/2022
Data Release Frequency: No Update Planned

SANTA CLARA COUNTY:

CUPA SANTA CLARA: Cupa Facility List
Cupa facility list

Date of Government Version: 08/04/2021
Date Data Arrived at EDR: 08/05/2021
Date Made Active in Reports: 10/29/2021
Number of Days to Update: 85

Source: Department of Environmental Health
Telephone: 408-918-1973
Last EDR Contact: 11/18/2021
Next Scheduled EDR Contact: 02/27/2022
Data Release Frequency: Varies

HIST LUST SANTA CLARA: HIST LUST - Fuel Leak Site Activity Report
A listing of open and closed leaking underground storage tanks. This listing is no longer updated by the county. Leaking underground storage tanks are now handled by the Department of Environmental Health.

Date of Government Version: 03/29/2005
Date Data Arrived at EDR: 03/30/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 22

Source: Santa Clara Valley Water District
Telephone: 408-265-2600
Last EDR Contact: 03/23/2009
Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

LUST SANTA CLARA: LOP Listing
A listing of leaking underground storage tanks located in Santa Clara county.

Date of Government Version: 03/03/2014
Date Data Arrived at EDR: 03/05/2014
Date Made Active in Reports: 03/18/2014
Number of Days to Update: 13

Source: Department of Environmental Health
Telephone: 408-918-3417
Last EDR Contact: 11/16/2021
Next Scheduled EDR Contact: 03/07/2022
Data Release Frequency: No Update Planned

SAN JOSE HAZMAT: Hazardous Material Facilities
Hazardous material facilities, including underground storage tank sites.

Date of Government Version: 11/03/2020
Date Data Arrived at EDR: 11/05/2020
Date Made Active in Reports: 01/26/2021
Number of Days to Update: 82

Source: City of San Jose Fire Department
Telephone: 408-535-7694
Last EDR Contact: 11/23/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Annually

SANTA CRUZ COUNTY:

CUPA SANTA CRUZ: CUPA Facility List
CUPA facility listing.

Date of Government Version: 01/21/2017
Date Data Arrived at EDR: 02/22/2017
Date Made Active in Reports: 05/23/2017
Number of Days to Update: 90

Source: Santa Cruz County Environmental Health
Telephone: 831-464-2761
Last EDR Contact: 11/11/2021
Next Scheduled EDR Contact: 02/28/2022
Data Release Frequency: Varies

SHASTA COUNTY:

CUPA SHASTA: CUPA Facility List
Cupa Facility List.

Date of Government Version: 06/15/2017
Date Data Arrived at EDR: 06/19/2017
Date Made Active in Reports: 08/09/2017
Number of Days to Update: 51

Source: Shasta County Department of Resource Management
Telephone: 530-225-5789
Last EDR Contact: 11/11/2021
Next Scheduled EDR Contact: 02/28/2022
Data Release Frequency: Varies

SOLANO COUNTY:

LUST SOLANO: Leaking Underground Storage Tanks
A listing of leaking underground storage tank sites located in Solano county.

Date of Government Version: 06/04/2019
Date Data Arrived at EDR: 06/06/2019
Date Made Active in Reports: 08/13/2019
Number of Days to Update: 68

Source: Solano County Department of Environmental Management
Telephone: 707-784-6770
Last EDR Contact: 11/23/2021
Next Scheduled EDR Contact: 03/14/2022
Data Release Frequency: Quarterly

UST SOLANO: Underground Storage Tanks
Underground storage tank sites located in Solano county.

Date of Government Version: 06/22/2021
Date Data Arrived at EDR: 06/23/2021
Date Made Active in Reports: 09/17/2021
Number of Days to Update: 86

Source: Solano County Department of Environmental Management
Telephone: 707-784-6770
Last EDR Contact: 11/23/2021
Next Scheduled EDR Contact: 03/14/2022
Data Release Frequency: Quarterly

SONOMA COUNTY:

CUPA SONOMA: Cupa Facility List
Cupa Facility list

Date of Government Version: 07/02/2021
Date Data Arrived at EDR: 07/06/2021
Date Made Active in Reports: 07/14/2021
Number of Days to Update: 8

Source: County of Sonoma Fire & Emergency Services Department
Telephone: 707-565-1174
Last EDR Contact: 09/14/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Varies

LUST SONOMA: Leaking Underground Storage Tank Sites
A listing of leaking underground storage tank sites located in Sonoma county.

Date of Government Version: 06/30/2021
Date Data Arrived at EDR: 06/30/2021
Date Made Active in Reports: 09/24/2021
Number of Days to Update: 86

Source: Department of Health Services
Telephone: 707-565-6565
Last EDR Contact: 09/14/2021
Next Scheduled EDR Contact: 01/03/2022
Data Release Frequency: Quarterly

STANISLAUS COUNTY:

CUPA STANISLAUS: CUPA Facility List
Cupa facility list

Date of Government Version: 05/14/2021
Date Data Arrived at EDR: 05/17/2021
Date Made Active in Reports: 08/03/2021
Number of Days to Update: 78

Source: Stanislaus County Department of Ennvironmental Protection
Telephone: 209-525-6751
Last EDR Contact: 10/06/2021
Next Scheduled EDR Contact: 01/24/2022
Data Release Frequency: Varies

SUTTER COUNTY:

UST SUTTER: Underground Storage Tanks
Underground storage tank sites located in Sutter county.

Date of Government Version: 08/23/2021
Date Data Arrived at EDR: 08/25/2021
Date Made Active in Reports: 11/17/2021
Number of Days to Update: 84

Source: Sutter County Environmental Health Services
Telephone: 530-822-7500
Last EDR Contact: 11/23/2021
Next Scheduled EDR Contact: 03/14/2022
Data Release Frequency: Semi-Annually

TEHAMA COUNTY:

CUPA TEHAMA: CUPA Facility List
Cupa facilities

Date of Government Version: 01/13/2021
Date Data Arrived at EDR: 01/14/2021
Date Made Active in Reports: 04/06/2021
Number of Days to Update: 82

Source: Tehama County Department of Environmental Health
Telephone: 530-527-8020
Last EDR Contact: 11/23/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Varies

TRINITY COUNTY:

CUPA TRINITY: CUPA Facility List
Cupa facility list

Date of Government Version: 07/14/2021
Date Data Arrived at EDR: 07/15/2021
Date Made Active in Reports: 10/06/2021
Number of Days to Update: 83

Source: Department of Toxic Substances Control
Telephone: 760-352-0381
Last EDR Contact: 10/15/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

TULARE COUNTY:

CUPA TULARE: CUPA Facility List
Cupa program facilities

Date of Government Version: 04/26/2021
Date Data Arrived at EDR: 04/28/2021
Date Made Active in Reports: 07/13/2021
Number of Days to Update: 76

Source: Tulare County Environmental Health Services Division
Telephone: 559-624-7400
Last EDR Contact: 11/01/2021
Next Scheduled EDR Contact: 02/14/2022
Data Release Frequency: Varies

TUOLUMNE COUNTY:

CUPA TUOLUMNE: CUPA Facility List
Cupa facility list

Date of Government Version: 04/23/2018
Date Data Arrived at EDR: 04/25/2018
Date Made Active in Reports: 06/25/2018
Number of Days to Update: 61

Source: Divison of Environmental Health
Telephone: 209-533-5633
Last EDR Contact: 10/14/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Varies

VENTURA COUNTY:

BWT VENTURA: Business Plan, Hazardous Waste Producers, and Operating Underground Tanks
The BWT list indicates by site address whether the Environmental Health Division has Business Plan (B), Waste Producer (W), and/or Underground Tank (T) information.

Date of Government Version: 05/26/2021
Date Data Arrived at EDR: 07/19/2021
Date Made Active in Reports: 10/08/2021
Number of Days to Update: 81

Source: Ventura County Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 10/18/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Quarterly

LF VENTURA: Inventory of Illegal Abandoned and Inactive Sites
Ventura County Inventory of Closed, Illegal Abandoned, and Inactive Sites.

Date of Government Version: 12/01/2011
Date Data Arrived at EDR: 12/01/2011
Date Made Active in Reports: 01/19/2012
Number of Days to Update: 49

Source: Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 09/23/2021
Next Scheduled EDR Contact: 01/10/2022
Data Release Frequency: No Update Planned

LUST VENTURA: Listing of Underground Tank Cleanup Sites
Ventura County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 05/29/2008
Date Data Arrived at EDR: 06/24/2008
Date Made Active in Reports: 07/31/2008
Number of Days to Update: 37

Source: Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 11/05/2021
Next Scheduled EDR Contact: 02/21/2022
Data Release Frequency: No Update Planned

MED WASTE VENTURA: Medical Waste Program List
To protect public health and safety and the environment from potential exposure to disease causing agents, the Environmental Health Division Medical Waste Program regulates the generation, handling, storage, treatment and disposal of medical waste throughout the County.

Date of Government Version: 05/26/2021
Date Data Arrived at EDR: 07/19/2021
Date Made Active in Reports: 10/07/2021
Number of Days to Update: 80

Source: Ventura County Resource Management Agency
Telephone: 805-654-2813
Last EDR Contact: 10/18/2021
Next Scheduled EDR Contact: 01/31/2022
Data Release Frequency: Quarterly

UST VENTURA: Underground Tank Closed Sites List
Ventura County Operating Underground Storage Tank Sites (UST)/Underground Tank Closed Sites List.

Date of Government Version: 07/26/2021
Date Data Arrived at EDR: 09/08/2021
Date Made Active in Reports: 11/29/2021
Number of Days to Update: 82

Source: Environmental Health Division
Telephone: 805-654-2813
Last EDR Contact: 09/08/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Quarterly

YOLO COUNTY:

UST YOLO: Underground Storage Tank Comprehensive Facility Report
Underground storage tank sites located in Yolo county.

Date of Government Version: 06/22/2021
Date Data Arrived at EDR: 06/28/2021
Date Made Active in Reports: 09/21/2021
Number of Days to Update: 85

Source: Yolo County Department of Health
Telephone: 530-666-8646
Last EDR Contact: 09/23/2021
Next Scheduled EDR Contact: 01/10/2022
Data Release Frequency: Annually

YUBA COUNTY:

CUPA YUBA: CUPA Facility List
CUPA facility listing for Yuba County.

Date of Government Version: 07/20/2021
Date Data Arrived at EDR: 07/20/2021
Date Made Active in Reports: 10/08/2021
Number of Days to Update: 80

Source: Yuba County Environmental Health Department
Telephone: 530-749-7523
Last EDR Contact: 10/22/2021
Next Scheduled EDR Contact: 02/07/2022
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data
Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 07/23/2021
Date Data Arrived at EDR: 08/10/2021
Date Made Active in Reports: 11/08/2021
Number of Days to Update: 90

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 11/12/2021
Next Scheduled EDR Contact: 02/21/2022
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 04/10/2019
Date Made Active in Reports: 05/16/2019
Number of Days to Update: 36

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 10/05/2021
Next Scheduled EDR Contact: 01/17/2022
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data
Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 01/01/2019
Date Data Arrived at EDR: 04/29/2020
Date Made Active in Reports: 07/10/2020
Number of Days to Update: 72

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 10/29/2021
Next Scheduled EDR Contact: 02/07/2022
Data Release Frequency: Quarterly

PA MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 06/30/2018
Date Data Arrived at EDR: 07/19/2019
Date Made Active in Reports: 09/10/2019
Number of Days to Update: 53

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 10/07/2021
Next Scheduled EDR Contact: 01/24/2022
Data Release Frequency: Annually

RI MANIFEST: Manifest information
Hazardous waste manifest information

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 02/11/2021
Date Made Active in Reports: 02/24/2021
Number of Days to Update: 13

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 11/29/2021
Next Scheduled EDR Contact: 02/28/2022
Data Release Frequency: Annually

WI MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 06/19/2019
Date Made Active in Reports: 09/03/2019
Number of Days to Update: 76

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 09/01/2021
Next Scheduled EDR Contact: 12/20/2021
Data Release Frequency: Annually

Oil/Gas Pipelines
Source: Endeavor Business Media
Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Electric Power Transmission Line Data
Source: Endeavor Business Media
This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:
Source: American Hospital Association, Inc.
Telephone: 312-280-5991
The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing
Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000
A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes
Source: National Institutes of Health
Telephone: 301-594-6248
Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on private school locations in the United States.
Daycare Centers: Licensed Facilities
Source: Department of Social Services
Telephone: 916-657-4041

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory
Source: Department of Fish and Wildlife
Telephone: 916-445-0411

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

Â© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

11709 ARTESIA BOULEVARD
11709 ARTESIA BOULEVARD
ARTESIA, CA 90701

TARGET PROPERTY COORDINATES

Latitude (North):	33.874031 - 33ˆ 52’ 26.51’’
Longitude (West):	118.084478 - 118ˆ 5’ 4.12’’
Universal Tranverse Mercator:	Zone 11
UTM X (Meters):	399698.7
UTM Y (Meters):	3748524.0
Elevation:	64 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	11997954 LOS ALAMITOS, CA
Version Date:	2018
North Map:	11997982 WHITTIER, CA
Version Date:	2018

EDR’s GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).

TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General South

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Flood Plain Panel at Target Property	FEMA Source Type
06037C1980F	FEMA FIRM Flood data

Additional Panels in search area:	FEMA Source Type
06037C1840F	FEMA FIRM Flood data
06037C1839F	FEMA FIRM Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
LOS ALAMITOS	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
A1	0 - 1/8 Mile South	NW
A2	0 - 1/8 Mile SE	Not Reported
22	1/8 - 1/4 Mile NE	W
23	1/8 - 1/4 Mile WNW	W
E27	1/4 - 1/2 Mile NNE	N
33	1/4 - 1/2 Mile SSE	E
G36	1/4 - 1/2 Mile SE	Varies

* ©1996 Site−specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
G37	1/4 - 1/2 Mile SE	Varies
H73	1/4 - 1/2 Mile NNE	Not Reported
P98	1/2 - 1 Mile East	SW
1G	1/4 - 1/2 Mile NNE	Not Reported
2G	1/4 - 1/2 Mile NNE	N
3G	1/8 - 1/4 Mile NE	W
4G	1/8 - 1/4 Mile WNW	W
6G	1/2 - 1 Mile East	SW
7G	0 - 1/8 Mile SE	Not Reported
8G	0 - 1/8 Mile South	NW
9G	1/4 - 1/2 Mile SE	Varies
10G	1/4 - 1/2 Mile SE	Varies
11G	1/4 - 1/2 Mile SSE	E

For additional site information, refer to Physical Setting Source Map Findings.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era:	Cenozoic
System:	Quaternary
Series:	Quaternary
Code:	Q *(decoded above as Era, System & Series)*

GEOLOGIC AGE IDENTIFICATION

Category: Stratifed Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification			
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	Permeability Rate (in/hr)	Soil Reaction (pH)
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures:
loam
clay
silt loam
loamy sand
sandy loam
fine sand
clay loam
gravelly - sandy loam
coarse sand
gravelly - sand
sand

Surficial Soil Types:
loam
clay
silt loam
loamy sand
sandy loam
fine sand
clay loam
gravelly - sandy loam
coarse sand
gravelly - sand
sand

Shallow Soil Types:
fine sandy loam
gravelly - loam
sand
silty clay

Deeper Soil Types:
stratified
clay loam
silty clay loam
gravelly - sandy loam
coarse sand
sand
weathered bedrock
very fine sandy loam

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1.000 miles
State Database	1.000

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
C16	USGS40000138710	1/8 - 1/4 Mile SW
24	USGS40000138699	1/4 - 1/2 Mile SSW
35	USGS40000138700	1/4 - 1/2 Mile SE
J83	USGS40000138719	1/4 - 1/2 Mile East
N91	USGS40000138765	1/2 - 1 Mile SSE
99	USGS40000138701	1/2 - 1 Mile WSW
W154	USGS40000138779	1/2 - 1 Mile NW
AA160	USGS40000138760	1/2 - 1 Mile WNW

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
97	CA1909007	1/2 - 1 Mile South

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
B4	CAEDF0000139303	1/8 - 1/4 Mile ENE
B5	CAEDF0000022157	1/8 - 1/4 Mile ENE
B6	CAEDF0000136667	1/8 - 1/4 Mile ENE
C7	CADDW0000015542	1/8 - 1/4 Mile SSW
B8	CAEDF0000008414	1/8 - 1/4 Mile ENE
B9	CAEDF0000080630	1/8 - 1/4 Mile East
B10	CAEDF0000121958	1/8 - 1/4 Mile ENE
B11	CAEDF0000088394	1/8 - 1/4 Mile ENE
D12	CAEDF0000071843	1/8 - 1/4 Mile ESE
D13	CAEDF0000067974	1/8 - 1/4 Mile SE
D14	CAEDF0000069900	1/8 - 1/4 Mile ESE
B15	CAEDF0000111073	1/8 - 1/4 Mile ENE
D17	CAEDF0000001917	1/8 - 1/4 Mile ESE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
D18	CAEDF0000108512	1/8 - 1/4 Mile SE
C19	CADDW0000019995	1/8 - 1/4 Mile SW
D20	CAEDF0000043351	1/8 - 1/4 Mile SE
21	3897	1/8 - 1/4 Mile ENE
E25	CAEDF0000103658	1/4 - 1/2 Mile NNE
E26	CAEDF0000119510	1/4 - 1/2 Mile NNE
E28	CAEDF0000014476	1/4 - 1/2 Mile NNE
E29	CAEDF0000084421	1/4 - 1/2 Mile NNE
F30	CAEDF0000072820	1/4 - 1/2 Mile NNE
E31	CAEDF0000074413	1/4 - 1/2 Mile NNE
32	5338	1/4 - 1/2 Mile North
E34	CAEDF0000094703	1/4 - 1/2 Mile NNE
F38	CAEDF0000000165	1/4 - 1/2 Mile NNE
F39	CAEDF0000060369	1/4 - 1/2 Mile NNE
H40	CAEDF0000019395	1/4 - 1/2 Mile NNE
F41	CAEDF0000062945	1/4 - 1/2 Mile NNE
H42	CAEDF0000073847	1/4 - 1/2 Mile NNE
F43	CAEDF0000056145	1/4 - 1/2 Mile NNE
H44	CAEDF0000085727	1/4 - 1/2 Mile NNE
45	CADWR0000015842	1/4 - 1/2 Mile North
H46	CAEDF0000124057	1/4 - 1/2 Mile NNE
H47	CAEDF0000053722	1/4 - 1/2 Mile NNE
H48	CAEDF0000104349	1/4 - 1/2 Mile NNE
H49	CAEDF0000098170	1/4 - 1/2 Mile NNE
H50	CAEDF0000006174	1/4 - 1/2 Mile NNE
H51	CAEDF0000106559	1/4 - 1/2 Mile NNE
H52	CAEDF0000040795	1/4 - 1/2 Mile NNE
H53	CAEDF0000123431	1/4 - 1/2 Mile NNE
H54	CAEDF0000052809	1/4 - 1/2 Mile NNE
H55	CAEDF0000071878	1/4 - 1/2 Mile NNE
H56	CAEDF0000010725	1/4 - 1/2 Mile NNE
H57	CAEDF0000139939	1/4 - 1/2 Mile NNE
H58	CAEDF0000087205	1/4 - 1/2 Mile NNE
H59	CAEDF0000082145	1/4 - 1/2 Mile NNE
H60	CAEDF0000062618	1/4 - 1/2 Mile NNE
H61	CAEDF0000107446	1/4 - 1/2 Mile NNE
H62	CAEDF0000141643	1/4 - 1/2 Mile NNE
H63	CAEDF0000096638	1/4 - 1/2 Mile NNE
H64	CAEDF0000039305	1/4 - 1/2 Mile NNE
I65	CAEDF0000123775	1/4 - 1/2 Mile NNE
H66	CAEDF0000088823	1/4 - 1/2 Mile NNE
H67	CAEDF0000089589	1/4 - 1/2 Mile NNE
H68	CAEDF0000090015	1/4 - 1/2 Mile NNE
H69	CAEDF0000016266	1/4 - 1/2 Mile NNE
H70	CAEDF0000125857	1/4 - 1/2 Mile NNE
H71	CAEDF0000009675	1/4 - 1/2 Mile NNE
72	CADWR0000024515	1/4 - 1/2 Mile NNW
H74	CAEDF0000105883	1/4 - 1/2 Mile NNE
H75	CAEDF0000053561	1/4 - 1/2 Mile NNE
H76	CAEDF0000012159	1/4 - 1/2 Mile NNE
H77	CAEDF0000058981	1/4 - 1/2 Mile NNE
J78	CADDW0000001136	1/4 - 1/2 Mile East

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
H79	CAEDF0000063643	1/4 - 1/2 Mile NNE
K80	CADWR0000036544	1/4 - 1/2 Mile WNW
K81	CADWR0000027833	1/4 - 1/2 Mile WNW
H82	CAEDF0000065153	1/4 - 1/2 Mile NNE
I84	CAEDF0000095038	1/4 - 1/2 Mile NNE
L85	3896	1/2 - 1 Mile South
L86	4032	1/2 - 1 Mile South
L87	4078	1/2 - 1 Mile South
M88	CADWR0000024552	1/2 - 1 Mile NE
M89	CADWR0000032099	1/2 - 1 Mile NE
L90	CADDW0000004803	1/2 - 1 Mile South
N92	CADDW0000017225	1/2 - 1 Mile SSE
93	CADWR0000005542	1/2 - 1 Mile SW
94	CADWR0000037387	1/2 - 1 Mile ENE
O95	CADWR0000026811	1/2 - 1 Mile NW
O96	CADWR0000029737	1/2 - 1 Mile NW
P100	CAEDF0000122436	1/2 - 1 Mile East
P101	CAEDF0000036148	1/2 - 1 Mile East
Q102	4028	1/2 - 1 Mile North
Q103	CADWR0000010194	1/2 - 1 Mile North
Q104	CAEDF0000063219	1/2 - 1 Mile North
P105	CAEDF0000062961	1/2 - 1 Mile East
P106	CAEDF0000056650	1/2 - 1 Mile East
P107	CAEDF0000112004	1/2 - 1 Mile East
P108	CAEDF0000136197	1/2 - 1 Mile East
Q109	CAEDF0000049339	1/2 - 1 Mile North
P110	CAEDF0000083210	1/2 - 1 Mile East
P111	CAEDF0000088047	1/2 - 1 Mile East
P112	CAEDF0000130097	1/2 - 1 Mile East
P113	CAEDF0000088851	1/2 - 1 Mile East
P114	CAEDF0000084367	1/2 - 1 Mile East
P115	CAEDF0000093395	1/2 - 1 Mile East
P116	CAEDF0000051611	1/2 - 1 Mile East
P117	CAEDF0000123903	1/2 - 1 Mile East
P118	CAEDF0000023193	1/2 - 1 Mile East
P119	CAEDF0000074338	1/2 - 1 Mile East
Q120	CAEDF0000107479	1/2 - 1 Mile North
Q121	CAEDF0000081583	1/2 - 1 Mile North
Q122	CAEDF0000090103	1/2 - 1 Mile North
P123	CAEDF0000066591	1/2 - 1 Mile East
P124	CAEDF0000112572	1/2 - 1 Mile East
125	CADWR0000018645	1/2 - 1 Mile SSE
Q126	CAEDF0000046398	1/2 - 1 Mile North
P127	CAEDF0000140579	1/2 - 1 Mile East
P128	CAEDF0000110448	1/2 - 1 Mile East
P129	CAEDF0000118281	1/2 - 1 Mile East
R130	CAEDF0000118703	1/2 - 1 Mile ENE
R131	CAEDF0000044432	1/2 - 1 Mile ENE
R132	CAEDF0000031292	1/2 - 1 Mile ENE
R133	CAEDF0000127736	1/2 - 1 Mile ENE
R134	CAEDF0000076728	1/2 - 1 Mile ENE
R135	CAEDF0000062052	1/2 - 1 Mile ENE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
S136	CADWR0000011500	1/2 - 1 Mile West
S137	CADWR0000020277	1/2 - 1 Mile West
T138	2774	1/2 - 1 Mile East
U139	CAEDF0000084208	1/2 - 1 Mile South
U140	CAEDF0000076374	1/2 - 1 Mile South
U141	CAEDF0000065176	1/2 - 1 Mile South
T142	CADDW0000019558	1/2 - 1 Mile East
143	CADWR0000009996	1/2 - 1 Mile East
V144	CAEDF0000093126	1/2 - 1 Mile North
V145	CAEDF0000096220	1/2 - 1 Mile North
146	CADWR0000019090	1/2 - 1 Mile North
V147	CAEDF0000105100	1/2 - 1 Mile NNW
V148	CAEDF0000047397	1/2 - 1 Mile North
149	CADDW0000001760	1/2 - 1 Mile SSE
W150	CAUSGSN00004306	1/2 - 1 Mile NW
W151	4026	1/2 - 1 Mile NW
X152	4027	1/2 - 1 Mile West
Y153	CADWR0000026975	1/2 - 1 Mile NNW
V155	CAEDF0000069027	1/2 - 1 Mile North
Z156	CADWR0000010015	1/2 - 1 Mile ENE
Z157	CADWR0000006743	1/2 - 1 Mile ENE
V158	CAEDF0000060075	1/2 - 1 Mile North
Y159	CAEDF0000013711	1/2 - 1 Mile North
AA161	CADDW0000000609	1/2 - 1 Mile WNW
X162	CADWR0000018692	1/2 - 1 Mile West
X163	CADWR0000001482	1/2 - 1 Mile West
164	CADWR0000002962	1/2 - 1 Mile West
AB165	CAEDF0000094143	1/2 - 1 Mile NNW
166	CADWR0000022154	1/2 - 1 Mile NW
167	CAEDF0000121986	1/2 - 1 Mile North
AB168	CAEDF0000000812	1/2 - 1 Mile NNW
Y169	CAEDF0000095227	1/2 - 1 Mile NNW
170	CADWR0000017592	1/2 - 1 Mile NNW

OTHER STATE DATABASE INFORMATION

STATE OIL/GAS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	CAOG14000005332	1/2 - 1 Mile NW
2	CAOG14000005261	1/2 - 1 Mile ENE
3	CAOG14000005698	1/2 - 1 Mile NW

PHYSICAL SETTING SOURCE MAP - 6777008.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake Fault Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons
- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME:	11709 Artesia Boulevard	CLIENT:	Ramboll
ADDRESS:	11709 Artesia Boulevard Artesia CA 90701	CONTACT:	Cara Thomann
		INQUIRY #:	6777008.2s
LAT/LONG:	33.874031 / 118.084478	DATE:	December 06, 2021 5:18 pm

Copyright © 2021 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

			Database	EDR ID Number
A1 **South** **0 - 1/8 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	I-01249 NW 14 16 Not Reported 02/07/1997	**AQUIFLOW**	**34312**
A2 **SE** **0 - 1/8 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	I-11487 Not Reported 18 36.5 Not Reported 12/11/1989	**AQUIFLOW**	**34315**
B3 **East** **0 - 1/8 Mile** **Higher**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	I-02242 Not Reported 15.25 16.09 Not Reported 11/21/1988	**AQUIFLOW**	**34323**

B4
ENE
1/8 - 1/4 Mile
Higher

CA WELLS **CAEDF0000139303**

Well ID:	T0603702870-MW08	Well Type:	MONITORING
Source:	EDF	Other Name:	MW08
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603702870&assigned_name=MW08&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603702870&assigned_name=MW08		

B5
ENE
1/8 - 1/4 Mile
Higher

CA WELLS **CAEDF0000022157**

Well ID:	T0603702870-MW07	Well Type:	MONITORING
Source:	EDF	Other Name:	MW07
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603702870&assigned_name=MW07&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603702870&assigned_name=MW07		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

B6
ENE
1/8 - 1/4 Mile
Higher

CA WELLS **CAEDF0000136667**

Well ID:	T0603702870-MW04A	Well Type:	MONITORING
Source:	EDF	Other Name:	MW04A
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603702870&assigned_name=MW04A&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603702870&assigned_name=MW04A		

C7
SSW
1/8 - 1/4 Mile
Lower

CA WELLS **CADDW0000015542**

Well ID:	1910004-030	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	ROSETON WELL 02	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=1910004-030&store_num=		
GeoTracker Data:	Not Reported		

B8
ENE
1/8 - 1/4 Mile
Higher

CA WELLS **CAEDF0000008414**

Well ID:	T0603702870-MW01A	Well Type:	MONITORING
Source:	EDF	Other Name:	MW01A
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603702870&assigned_name=MW01A&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603702870&assigned_name=MW01A		

B9
East
1/8 - 1/4 Mile
Higher

CA WELLS **CAEDF0000080630**

Well ID:	T0603702870-MW06	Well Type:	MONITORING
Source:	EDF	Other Name:	MW06
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603702870&assigned_name=MW06&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603702870&assigned_name=MW06		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

B10
ENE
1/8 - 1/4 Mile
Higher

CA WELLS **CAEDF0000121958**

Well ID:	T0603702870-MW02	Well Type:	MONITORING
Source:	EDF	Other Name:	MW02
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603702870&assigned_name=MW02&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603702870&assigned_name=MW02		

B11
ENE
1/8 - 1/4 Mile
Lower

CA WELLS **CAEDF0000088394**

Well ID:	T0603702870-MW03	Well Type:	MONITORING
Source:	EDF	Other Name:	MW03
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603702870&assigned_name=MW03&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603702870&assigned_name=MW03		

D12
ESE
1/8 - 1/4 Mile
Lower

CA WELLS **CAEDF0000071843**

Well ID:	T0603705214-MW-6	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-6
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603705214&assigned_name=MW-6&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603705214&assigned_name=MW-6		

D13
SE
1/8 - 1/4 Mile
Lower

CA WELLS **CAEDF0000067974**

Well ID:	T0603705214-MW-1	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-1
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603705214&assigned_name=MW-1&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603705214&assigned_name=MW-1		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

D14
ESE
1/8 - 1/4 Mile
Lower

CA WELLS **CAEDF0000069900**

Well ID:	T0603705214-MW-2	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-2
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603705214&assigned_name=MW-2&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603705214&assigned_name=MW-2		

B15
ENE
1/8 - 1/4 Mile
Lower

CA WELLS **CAEDF0000111073**

Well ID:	T0603702870-MW05	Well Type:	MONITORING
Source:	EDF	Other Name:	MW05
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603702870&assigned_name=MW05&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603702870&assigned_name=MW05		

C16
SW
1/8 - 1/4 Mile
Lower

FED USGS **USGS40000138710**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	003S012W36B001	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	19540129	Well Depth:	1026
Well Depth Units:	ft	Well Hole Depth:	1026
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	1	Level reading date:	1954-01-29
Feet below surface:	77	Feet to sea level:	Not Reported
Note:	Not Reported		

D17
ESE
1/8 - 1/4 Mile
Lower

CA WELLS **CAEDF0000001917**

Well ID:	T0603705214-MW-3	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-3

GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603705214&assigned_name=MW-3&store_num=
GeoTracker Data: https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603705214&assigned_name=MW-3

D18
SE **CA WELLS** **CAEDF0000108512**
1/8 - 1/4 Mile
Lower

Well ID: T0603705214-MW-5 Well Type: MONITORING
Source: EDF Other Name: MW-5
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603705214&assigned_name=MW-5&store_num=
GeoTracker Data: https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603705214&assigned_name=MW-5

C19
SW **CA WELLS** **CADDW0000019995**
1/8 - 1/4 Mile
Lower

Well ID: 1910004-015 Well Type: MUNICIPAL
Source: Department of Health Services
Other Name: ROSETON WELL 01 GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=1910004-015&store_num=
GeoTracker Data: Not Reported

D20
SE **CA WELLS** **CAEDF0000043351**
1/8 - 1/4 Mile
Lower

Well ID: T0603705214-MW-4 Well Type: MONITORING
Source: EDF Other Name: MW-4
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603705214&assigned_name=MW-4&store_num=
GeoTracker Data: https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603705214&assigned_name=MW-4

21
ENE **CA WELLS** **3897**
1/8 - 1/4 Mile
Lower

Seq: 3897 Prim sta c: 03S/11W-30N02 S
Frds no: 1900526001 County: 19
District: 49 User id: 19C
System no: 1900526 Water type: G
Source nam: WELL 01 Station ty: WELL/AMBNT/MUN/INTAKE

Latitude:	335230.0	Longitude:	1180450.0
Precision:	3	Status:	AR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	1900526	System nam:	Artesia Ice Service
Hqname:	Not Reported	Address:	17119 S. CLARKDALE
City:	ARTESIA	State:	CA
Zip:	90701	Zip ext:	Not Reported
Pop serv:	26	Connection:	1
Area serve:	Not Reported		

22
NE
1/8 - 1/4 Mile
Lower

AQUIFLOW **34310**

Site ID:	I-02871
Groundwater Flow:	W
Shallow Water Depth:	Not Reported
Deep Water Depth:	Not Reported
Average Water Depth:	11.59
Date:	12/18/1998

23
WNW
1/8 - 1/4 Mile
Lower

AQUIFLOW **34326**

Site ID:	I-11805
Groundwater Flow:	W
Shallow Water Depth:	16.14
Deep Water Depth:	16.69
Average Water Depth:	Not Reported
Date:	11/12/1996

24
SSW
1/4 - 1/2 Mile
Lower

FED USGS **USGS40000138699**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	003S012W25J001S	Type:	Well
Description:	Not Reported	HUC:	18070106
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	912
Well Depth Units:	ft	Well Hole Depth:	998
Well Hole Depth Units:	ft		

E25
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000103658**

Well ID:	T0603704541-MW-01	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-01
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704541&assigned_name=MW-01&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704541&assigned_name=MW-01		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

E26
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000119510**

Well ID:	T0603704541-MW-03	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-03
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704541&assigned_name=MW-03&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704541&assigned_name=MW-03		

E27
NNE
1/4 - 1/2 Mile
Higher

AQUIFLOW **34325**

Site ID:	I-02660
Groundwater Flow:	N
Shallow Water Depth:	10.98
Deep Water Depth:	23.75
Average Water Depth:	Not Reported
Date:	08/03/1998

E28
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000014476**

Well ID:	T0603750351-MW15	Well Type:	MONITORING
Source:	EDF	Other Name:	MW15
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603750351&assigned_name=MW15&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603750351&assigned_name=MW15		

E29
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000084421**

Well ID:	T0603704541-MW-04	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-04
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704541&assigned_name=MW-04&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704541&assigned_name=MW-04		

F30
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000072820**

Well ID:	T0603750351-MW16	Well Type:	MONITORING
Source:	EDF	Other Name:	MW16

GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603750351&assigned_name=MW16&store_num=
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603750351&assigned_name=MW16

E31
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000074413**

Well ID:	T0603704541-MW-02	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-02
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704541&assigned_name=MW-02&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704541&assigned_name=MW-02		

32
North
1/4 - 1/2 Mile
Higher

CA WELLS **5338**

Seq:	5338	Prim sta c:	04S/12W-25J01 S
Frds no:	1909998001	County:	19
District:	49	User id:	19C
System no:	1909998	Water type:	G
Source nam:	WELL 01	Station ty:	WELL/AMBNT/MUN/INTAKE
Latitude:	335244.0	Longitude:	1180504.0
Precision:	3	Status:	AR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	1909998	System nam:	John Niemes Elementary School
Hqname:	Not Reported	Address:	Not Reported
City:	Not Reported	State:	Not Reported
Zip:	Not Reported	Zip ext:	Not Reported
Pop serv:	0	Connection:	0
Area serve:	Not Reported		

33
SSE
1/4 - 1/2 Mile
Lower

AQUIFLOW **34317**

Site ID:	907010061
Groundwater Flow:	E
Shallow Water Depth:	11
Deep Water Depth:	20
Average Water Depth:	Not Reported
Date:	03/1987

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

E34
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000094703**

Well ID:	T0603704070-W23	Well Type:	MONITORING
Source:	EDF	Other Name:	W23
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W23&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W23		

35
SE
1/4 - 1/2 Mile
Lower

FED USGS **USGS40000138700**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	003S011W30M001S	Type:	Well
Description:	Not Reported	HUC:	18070105
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	Not Reported
Well Depth Units:	Not Reported	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

G36
SE
1/4 - 1/2 Mile
Lower

AQUIFLOW **38057**

Site ID:	R-11981
Groundwater Flow:	Varies
Shallow Water Depth:	9.04
Deep Water Depth:	Not Reported
Average Water Depth:	Not Reported
Date:	11/24/1998

G37
SE
1/4 - 1/2 Mile
Lower

AQUIFLOW **38058**

Site ID:	R-11981
Groundwater Flow:	Varies
Shallow Water Depth:	8.98
Deep Water Depth:	Not Reported
Average Water Depth:	Not Reported
Date:	11/24/1998

F38
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000000165**

Well ID:	T0603750351-MW9	Well Type:	MONITORING
Source:	EDF	Other Name:	MW9
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603750351&assigned_name=MW9&store_num=		

GeoTracker Data: https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603750351&assigned_name=MW9

F39
NNE **CA WELLS** **CAEDF0000060369**
1/4 - 1/2 Mile
Higher

Well ID:	T0603750351-MW14	Well Type:	MONITORING
Source:	EDF	Other Name:	MW14
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603750351&assigned_name=MW14&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603750351&assigned_name=MW14		

H40
NNE **CA WELLS** **CAEDF0000019395**
1/4 - 1/2 Mile
Higher

Well ID:	T0603704070-W7	Well Type:	MONITORING
Source:	EDF	Other Name:	W7
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W7&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W7		

F41
NNE **CA WELLS** **CAEDF0000062945**
1/4 - 1/2 Mile
Higher

Well ID:	T0603750351-MW8	Well Type:	MONITORING
Source:	EDF	Other Name:	MW8
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603750351&assigned_name=MW8&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603750351&assigned_name=MW8		

H42
NNE **CA WELLS** **CAEDF0000073847**
1/4 - 1/2 Mile
Higher

Well ID:	T0603750351-MW11	Well Type:	MONITORING
Source:	EDF	Other Name:	MW11
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603750351&assigned_name=MW11&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603750351&assigned_name=MW11		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

F43
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000056145**

Well ID:	T0603750351-MW7	Well Type:	MONITORING
Source:	EDF	Other Name:	MW7
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603750351&assigned_name=MW7&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603750351&assigned_name=MW7		

H44
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000085727**

Well ID:	T0603750351-MW10	Well Type:	MONITORING
Source:	EDF	Other Name:	MW10
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603750351&assigned_name=MW10&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603750351&assigned_name=MW10		

45
North
1/4 - 1/2 Mile
Higher

CA WELLS **CADWR0000015842**

Well ID:	03S12W25J001S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	03S12W25J001S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S12W25J001S&store_num=		
GeoTracker Data:	Not Reported		

H46
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000124057**

Well ID:	T0603704070-W19	Well Type:	MONITORING
Source:	EDF	Other Name:	W19
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W19&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W19		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

H47
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000053722**

Well ID:	T0603750351-MW6	Well Type:	MONITORING
Source:	EDF	Other Name:	MW6
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603750351&assigned_name=MW6&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603750351&assigned_name=MW6		

H48
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000104349**

Well ID:	T0603704070-W20	Well Type:	MONITORING
Source:	EDF	Other Name:	W20
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W20&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W20		

H49
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000098170**

Well ID:	T0603750351-MW4	Well Type:	MONITORING
Source:	EDF	Other Name:	MW4
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603750351&assigned_name=MW4&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603750351&assigned_name=MW4		

H50
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000006174**

Well ID:	T0603704070-W18	Well Type:	MONITORING
Source:	EDF	Other Name:	W18
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W18&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W18		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

H51
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000106559**

Well ID:	T0603750351-MW12	Well Type:	MONITORING
Source:	EDF	Other Name:	MW12
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603750351&assigned_name=MW12&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603750351&assigned_name=MW12		

H52
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000040795**

Well ID:	T0603750351-MW5	Well Type:	MONITORING
Source:	EDF	Other Name:	MW5
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603750351&assigned_name=MW5&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603750351&assigned_name=MW5		

H53
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000123431**

Well ID:	T0603704070-W8	Well Type:	MONITORING
Source:	EDF	Other Name:	W8
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W8&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W8		

H54
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000052809**

Well ID:	T0603750351-MW1	Well Type:	MONITORING
Source:	EDF	Other Name:	MW1
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603750351&assigned_name=MW1&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603750351&assigned_name=MW1		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

H55
NNE **CA WELLS** **CAEDF0000071878**
1/4 - 1/2 Mile
Higher

Well ID:	T0603750351-MW2	Well Type:	MONITORING
Source:	EDF	Other Name:	MW2
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603750351&assigned_name=MW2&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603750351&assigned_name=MW2		

H56
NNE **CA WELLS** **CAEDF0000010725**
1/4 - 1/2 Mile
Higher

Well ID:	T0603704070-W22	Well Type:	MONITORING
Source:	EDF	Other Name:	W22
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W22&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W22		

H57
NNE **CA WELLS** **CAEDF0000139939**
1/4 - 1/2 Mile
Higher

Well ID:	T0603750351-MW3	Well Type:	MONITORING
Source:	EDF	Other Name:	MW3
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603750351&assigned_name=MW3&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603750351&assigned_name=MW3		

H58
NNE **CA WELLS** **CAEDF0000087205**
1/4 - 1/2 Mile
Higher

Well ID:	T0603704070-W5	Well Type:	MONITORING
Source:	EDF	Other Name:	W5
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W5&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W5		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

H59
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000082145**

Well ID:	T0603704070-W3	Well Type:	MONITORING
Source:	EDF	Other Name:	W3
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W3&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W3		

H60
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000062618**

Well ID:	T0603704070-W24	Well Type:	MONITORING
Source:	EDF	Other Name:	W24
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W24&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W24		

H61
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000107446**

Well ID:	T0603750351-MW13	Well Type:	MONITORING
Source:	EDF	Other Name:	MW13
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603750351&assigned_name=MW13&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603750351&assigned_name=MW13		

H62
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000141643**

Well ID:	T0603704070-W16	Well Type:	MONITORING
Source:	EDF	Other Name:	W16
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W16&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W16		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

H63
NNE **CA WELLS** **CAEDF0000096638**
1/4 - 1/2 Mile
Higher

Well ID:	T0603704070-RW1	Well Type:	MONITORING
Source:	EDF	Other Name:	RW1
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=RW1&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=RW1		

H64
NNE **CA WELLS** **CAEDF0000039305**
1/4 - 1/2 Mile
Higher

Well ID:	T0603704070-W10	Well Type:	MONITORING
Source:	EDF	Other Name:	W10
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W10&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W10		

I65
NNE **CA WELLS** **CAEDF0000123775**
1/4 - 1/2 Mile
Higher

Well ID:	T0603704070-W26	Well Type:	MONITORING
Source:	EDF	Other Name:	W26
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W26&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W26		

H66
NNE **CA WELLS** **CAEDF0000088823**
1/4 - 1/2 Mile
Higher

Well ID:	T0603704070-W4	Well Type:	MONITORING
Source:	EDF	Other Name:	W4
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W4&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W4		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

H67
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000089589**

Well ID:	T0603704070-W9	Well Type:	MONITORING
Source:	EDF	Other Name:	W9
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W9&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W9		

H68
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000090015**

Well ID:	T0603704070-W1	Well Type:	MONITORING
Source:	EDF	Other Name:	W1
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W1&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W1		

H69
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000016266**

Well ID:	T0603704070-W15	Well Type:	MONITORING
Source:	EDF	Other Name:	W15
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W15&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W15		

H70
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000125857**

Well ID:	T0603704070-RW2	Well Type:	MONITORING
Source:	EDF	Other Name:	RW2
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=RW2&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=RW2		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

H71
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000009675**

Well ID:	T0603704070-RW4	Well Type:	MONITORING
Source:	EDF	Other Name:	RW4
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=RW4&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=RW4		

72
NNW
1/4 - 1/2 Mile
Higher

CA WELLS **CADWR0000024515**

Well ID:	03S12W25K001S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	03S12W25K001S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S12W25K001S&store_num=		
GeoTracker Data:	Not Reported		

H73
NNE
1/4 - 1/2 Mile
Higher

AQUIFLOW **34330**

Site ID:	I-13467
Groundwater Flow:	Not Reported
Shallow Water Depth:	Not Reported
Deep Water Depth:	Not Reported
Average Water Depth:	23
Date:	02/17/1988

H74
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000105883**

Well ID:	T0603704070-W12	Well Type:	MONITORING
Source:	EDF	Other Name:	W12
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W12&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W12		

H75
NNE
1/4 - 1/2 Mile
Higher

CA WELLS **CAEDF0000053561**

Well ID:	T0603704070-W2	Well Type:	MONITORING
Source:	EDF	Other Name:	W2
GAMA PFAS Testing:	Not Reported		

Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W2&store_num=
GeoTracker Data: https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W2

H76
NNE **CA WELLS** **CAEDF0000012159**
1/4 - 1/2 Mile
Higher

Well ID: T0603704070-RW3 Well Type: MONITORING
Source: EDF Other Name: RW3
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=RW3&store_num=
GeoTracker Data: https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=RW3

H77
NNE **CA WELLS** **CAEDF0000058981**
1/4 - 1/2 Mile
Higher

Well ID: T0603704070-W14 Well Type: MONITORING
Source: EDF Other Name: W14
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W14&store_num=
GeoTracker Data: https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W14

J78
East **CA WELLS** **CADDW0000001136**
1/4 - 1/2 Mile
Lower

Well ID: 1910004-008 Well Type: MUNICIPAL
Source: Department of Health Services
Other Name: ELAINE WELL 01 - DESTROYED
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=1910004-008&store_num=
GeoTracker Data: Not Reported

H79
NNE **CA WELLS** **CAEDF0000063643**
1/4 - 1/2 Mile
Higher

Well ID: T0603704070-W11 Well Type: MONITORING
Source: EDF Other Name: W11
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W11&store_num=

GeoTracker Data: https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W11

K80
WNW **CA WELLS** **CADWR0000036544**
1/4 - 1/2 Mile
Higher

Well ID:	03S12W25P002S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	03S12W25P002S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S12W25P002S&store_num=		
GeoTracker Data:	Not Reported		

K81
WNW **CA WELLS** **CADWR0000027833**
1/4 - 1/2 Mile
Higher

Well ID:	03S12W25P001S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	03S12W25P001S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S12W25P001S&store_num=		
GeoTracker Data:	Not Reported		

H82
NNE **CA WELLS** **CAEDF0000065153**
1/4 - 1/2 Mile
Higher

Well ID:	T0603704070-W13	Well Type:	MONITORING
Source:	EDF	Other Name:	W13
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W13&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W13		

J83
East **FED USGS** **USGS40000138719**
1/4 - 1/2 Mile
Lower

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	003S011W30P002S	Type:	Well
Description:	Not Reported	HUC:	18070106
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	1214

Well Depth Units:	ft	Well Hole Depth:	1214
Well Hole Depth Units:	ft		

I84
NNE **CA WELLS** **CAEDF0000095038**
1/4 - 1/2 Mile
Higher

Well ID:	T0603704070-W25	Well Type:	MONITORING
Source:	EDF	Other Name:	W25
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603704070&assigned_name=W25&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603704070&assigned_name=W25		

L85
South **CA WELLS** **3896**
1/2 - 1 Mile
Lower

Seq:	3896	Prim sta c:	03S/11W-30M01 S
Frds no:	1910192002	County:	19
District:	07	User id:	4TH
System no:	1910192	Water type:	G
Source nam:	CLARKSDALE - ABANDONED	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	335200.0	Longitude:	1180500.0
Precision:	8	Status:	AB
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	1910192	System nam:	County Wc - Norwalk
Hqname:	COUNTY WATER COMPANY	Address:	11829 E 163RD ST
City:	NORWALK	State:	Not Reported
Zip:	90650	Zip ext:	Not Reported
Pop serv:	6500	Connection:	1628
Area serve:	NORWALK, NO ART SYS		

L86
South **CA WELLS** **4032**
1/2 - 1 Mile
Lower

Seq:	4032	Prim sta c:	03S/12W-25R02 S
Frds no:	1910004012	County:	19
District:	15	User id:	MET
System no:	1910004	Water type:	G
Source nam:	MAIDSTONE WELL 01 - INACTIVE	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	335200.0	Longitude:	1180500.0
Precision:	8	Status:	IR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	1910004	System nam:	Scwc - Artesia
Hqname:	SOUTHERN CALIF WATER CO	Address:	12035 BURKE ST., STE 1
City:	SANTA FE SPRINGS	State:	CA
Zip:	90670	Zip ext:	Not Reported
Pop serv:	35731	Connection:	10206
Area serve:	Not Reported		

L87
South
1/2 - 1 Mile
Lower

CA WELLS 4078

Seq:	4078	Prim sta c:	03S/12W-36B01 S
Frds no:	1910004015	County:	19
District:	15	User id:	MET
System no:	1910004	Water type:	G
Source nam:	ROSETON WELL 01	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	335200.0	Longitude:	1180500.0
Precision:	8	Status:	AR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	1910004	System nam:	Scwc - Artesia
Hqname:	SOUTHERN CALIF WATER CO	Address:	12035 BURKE ST., STE 1
City:	SANTA FE SPRINGS	State:	CA
Zip:	90670	Zip ext:	Not Reported
Pop serv:	35731	Connection:	10206
Area serve:	Not Reported		

Sample date:	05-FEB-18	Finding:	85.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		

Sample date:	05-FEB-18	Finding:	13.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		

Sample date:	05-FEB-18	Finding:	3400.
Chemical:	CARBON DIOXIDE	Report units:	UG/L
Dlr:	0.		

Sample date:	05-FEB-18	Finding:	1.3
Chemical:	LANGELIER INDEX @ 60 C	Report units:	Not Reported
Dlr:	0.		

Sample date:	05-FEB-18	Finding:	430.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		

Sample date:	05-FEB-18	Finding:	0.61
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		

Sample date:	05-FEB-18	Finding:	0.79
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		

Sample date:	05-FEB-18	Finding:	0.65
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L

Dlr:	0.5		
Sample date:	05-FEB-18	Finding:	2.
Chemical:	ODOR THRESHOLD @ 60 C	Report units:	TON
Dlr:	1.		
Sample date:	05-FEB-18	Finding:	670.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	05-FEB-18	Finding:	8.
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	05-FEB-18	Finding:	180.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	05-FEB-18	Finding:	210.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	05-FEB-18	Finding:	2.2
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	05-FEB-18	Finding:	270.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	05-FEB-18	Finding:	2.2
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	05-FEB-18	Finding:	14.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	05-FEB-18	Finding:	29.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	05-FEB-18	Finding:	3.6
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	05-FEB-18	Finding:	45.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	05-FEB-18	Finding:	88.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	05-FEB-18	Finding:	0.37
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	05-FEB-18	Finding:	2.4
Chemical:	ARSENIC	Report units:	UG/L
Dlr:	2.		

Sample date:	05-FEB-18	Finding:	150.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	09-MAY-17	Finding:	0.57
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	09-MAY-17	Finding:	0.77
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	09-MAY-17	Finding:	0.63
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	15-FEB-17	Finding:	3.3
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dlr:	1.		
Sample date:	08-FEB-17	Finding:	2.2
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	04-MAY-16	Finding:	0.56
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	04-MAY-16	Finding:	0.51
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	02-FEB-16	Finding:	2.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dlr:	1.		
Sample date:	02-FEB-16	Finding:	1.9
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	02-FEB-15	Finding:	3.8
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dlr:	1.		
Sample date:	02-FEB-15	Finding:	660.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	02-FEB-15	Finding:	7.84
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	02-FEB-15	Finding:	180.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	02-FEB-15	Finding:	220.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	02-FEB-15	Finding:	240.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L

Dlr:	0.		
Sample date:	02-FEB-15	Finding:	76.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	02-FEB-15	Finding:	13.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	02-FEB-15	Finding:	25.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	02-FEB-15	Finding:	3.4
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	02-FEB-15	Finding:	41.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	02-FEB-15	Finding:	76.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	02-FEB-15	Finding:	0.33
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		
Sample date:	02-FEB-15	Finding:	2.2
Chemical:	ARSENIC	Report units:	UG/L
Dlr:	2.		
Sample date:	02-FEB-15	Finding:	160.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	02-FEB-15	Finding:	24.
Chemical:	NICKEL	Report units:	UG/L
Dlr:	10.		
Sample date:	02-FEB-15	Finding:	410.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	02-FEB-15	Finding:	0.56
Chemical:	LANGELIER INDEX AT SOURCE TEMP.	Report units:	Not Reported
Dlr:	0.		
Sample date:	02-FEB-15	Finding:	9.7
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	02-FEB-15	Finding:	12.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)	Report units:	Not Reported
Dlr:	0.		
Sample date:	02-FEB-15	Finding:	2200.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		

Sample date:	02-FEB-15	Finding:	1.48
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dlr:	0.		
Sample date:	02-FEB-15	Finding:	1.56
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dlr:	0.		
Sample date:	03-DEC-14	Finding:	1.2
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dlr:	1.		
Sample date:	04-NOV-14	Finding:	3.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dlr:	1.		
Sample date:	05-AUG-14	Finding:	2.2
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dlr:	1.		
Sample date:	06-MAY-14	Finding:	2.3
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dlr:	1.		
Sample date:	06-MAY-14	Finding:	0.59
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	12-MAR-14	Finding:	2.9
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dlr:	1.		
Sample date:	05-FEB-14	Finding:	0.53
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	05-FEB-14	Finding:	0.59
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	05-FEB-14	Finding:	0.71
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	05-FEB-14	Finding:	9.5
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	06-NOV-13	Finding:	0.55
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	08-MAY-13	Finding:	0.52
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	08-MAY-13	Finding:	0.7
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	08-MAY-13	Finding:	0.52
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L

Dlr:	0.5		
Sample date:	12-FEB-13	Finding:	9.6
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	12-FEB-13	Finding:	0.77
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	06-NOV-12	Finding:	0.56
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	07-AUG-12	Finding:	0.62
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	07-AUG-12	Finding:	0.79
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	07-AUG-12	Finding:	0.61
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	01-MAY-12	Finding:	67.
Chemical:	SOURCE TEMPERATURE C	Report units:	C
Dlr:	0.		
Sample date:	01-MAY-12	Finding:	0.8
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	13-MAR-12	Finding:	3.3
Chemical:	POTASSIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	13-MAR-12	Finding:	410.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dlr:	0.		
Sample date:	13-MAR-12	Finding:	0.69
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		
Sample date:	13-MAR-12	Finding:	38.
Chemical:	MANGANESE	Report units:	UG/L
Dlr:	20.		
Sample date:	13-MAR-12	Finding:	190.
Chemical:	BARIUM	Report units:	UG/L
Dlr:	100.		
Sample date:	13-MAR-12	Finding:	5.7
Chemical:	ARSENIC	Report units:	UG/L
Dlr:	2.		
Sample date:	13-MAR-12	Finding:	0.55
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dlr:	0.1		

Sample date:	13-MAR-12	Finding:	92.
Chemical:	SULFATE	Report units:	MG/L
Dlr:	0.5		
Sample date:	13-MAR-12	Finding:	45.
Chemical:	CHLORIDE	Report units:	MG/L
Dlr:	0.		
Sample date:	13-MAR-12	Finding:	2100.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dlr:	0.4		
Sample date:	13-MAR-12	Finding:	25.
Chemical:	SODIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	13-MAR-12	Finding:	11.
Chemical:	MAGNESIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	13-MAR-12	Finding:	75.
Chemical:	CALCIUM	Report units:	MG/L
Dlr:	0.		
Sample date:	13-MAR-12	Finding:	230.
Chemical:	HARDNESS (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	13-MAR-12	Finding:	170.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dlr:	0.		
Sample date:	13-MAR-12	Finding:	170.
Chemical:	ALKALINITY (TOTAL) AS CACO3	Report units:	MG/L
Dlr:	0.		
Sample date:	13-MAR-12	Finding:	8.14
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dlr:	0.		
Sample date:	13-MAR-12	Finding:	910.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dlr:	0.		
Sample date:	13-MAR-12	Finding:	9.5
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dlr:	2.		
Sample date:	01-FEB-12	Finding:	0.55
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dlr:	0.5		

M88
NE
1/2 - 1 Mile
Higher

CA WELLS **CADWR0000024552**

Well ID:	03S11W30M001S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	03S11W30M001S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S11W30M001S&store_num=		

GeoTracker Data: Not Reported

M89
NE **CA WELLS** **CADWR0000032099**
1/2 - 1 Mile
Higher

Well ID:	03S11W30M003S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	03S11W30M003S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S11W30M003S&store_num=		
GeoTracker Data:	Not Reported		

L90
South **CA WELLS** **CADDW0000004803**
1/2 - 1 Mile
Lower

Well ID:	1910004-012	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	MAIDSTONE WELL 01 - DESTROYED		
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=1910004-012&store_num=		
GeoTracker Data:	Not Reported		

N91
SSE **FED USGS** **USGS40000138765**
1/2 - 1 Mile
Lower

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	003S011W31M003S	Type:	Well
Description:	Not Reported	HUC:	18070106
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	549
Well Depth Units:	ft	Well Hole Depth:	600
Well Hole Depth Units:	ft		

N92
SSE **CA WELLS** **CADDW0000017225**
1/2 - 1 Mile
Lower

Well ID:	1910004-016	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	VINE WELL 02 - DESTROYED	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=1910004-016&store_num=		

GeoTracker Data: Not Reported

93
SW **CA WELLS** **CADWR0000005542**
1/2 - 1 Mile
Lower

Well ID: 03S12W36F001S Well Type: UNK
Source: Department of Water Resources
Other Name: 03S12W36F001S GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S12W36F001S&store_num=
GeoTracker Data: Not Reported

94
ENE **CA WELLS** **CADWR0000037387**
1/2 - 1 Mile
Lower

Well ID: 03S11W30P002S Well Type: UNK
Source: Department of Water Resources
Other Name: 03S11W30P002S GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S11W30P002S&store_num=
GeoTracker Data: Not Reported

O95
NW **CA WELLS** **CADWR0000026811**
1/2 - 1 Mile
Higher

Well ID: 03S12W25L001S Well Type: UNK
Source: Department of Water Resources
Other Name: 03S12W25L001S GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S12W25L001S&store_num=
GeoTracker Data: Not Reported

O96
NW **CA WELLS** **CADWR0000029737**
1/2 - 1 Mile
Higher

Well ID: 03S12W25L002S Well Type: UNK
Source: Department of Water Resources
Other Name: 03S12W25L002S GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S12W25L002S&store_num=
GeoTracker Data: Not Reported

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

97
South
1/2 - 1 Mile
Lower

FRDS PWS **CA1909007**

Epa region:	09	State:	CA
Pwsid:	CA1909007		
Pwsname:	OUR LADY OF FATIMA SCHOOL - HOLY FAMILY		
Cityserved:	Not Reported	Stateserved:	CA
Zipserved:	Not Reported	Fipscounty:	06037
Status:	Active	Retpopsrvd:	300
Pwssvcconn:	1	Psource longname:	Groundwater
Pwstype:	NTNCWS	Owner:	Private
Contact:	HOPE VEGA	Contactorgname:	CA1909007-OUR LADY OF FATIMA S
Contactphone:	5628652185	Contactaddress1:	18708 S CLARKDALE AVE
Contactaddress2:	Not Reported	Contactcity:	ARTESIA
Contactstate:	CA	Contactzip:	90701
Pwsactivitycode:	A		

PWS ID:	CA1909007	PWS type:	System Owner/Responsible Party
PWS name:	OUT LADY OF FATIMA SCHOOL	PWS address:	Not Reported
PWS city:	ARTESIA	PWS state:	CA
PWS zip:	90701		
PWS name:	OUR LADY OF FATIMA SCHOOL - Holy Family		
PWS type code:	NTNC	Retail population served:	300
Contact:	Hope Vega	Contact address:	18708 S Clarkdale Ave
Contact address:	ARTESIA	Contact city:	CA
Contact state:	90	Contact zip:	5628652185
Contact telephone:	Not Reported		

PWS ID:	CA1909007	Activity status:	Active
Date system activated:	Not Reported	Date system deactivated:	Not Reported
Retail population:	00000300	System name:	OUR LADY OF FATIMA SCHOOL
System address:	OUT LADY OF FATIMA SCHOOL	System address:	18626 CLARKDALE AVE
System city:	ARTESIA	System state:	CA
System zip:	90701		

Population served:	101 - 500 Persons	Treatment:	Untreated

Latitude:	335156	Longitude:	1180455

Violation id:	0210025	Orig code:	S
State:	CA	Violation Year:	2002
Contamination code:	3100	Contamination Name:	Coliform (TCR)
Violation code:	23	Violation name:	Monitoring, Routine Major (TCR)
Rule code:	110	Rule name:	TCR
Violation measur:	Not Reported	Unit of measure:	Not Reported
State mcl:	Not Reported	Cmp bdt:	07/01/2002
Cmp edt:	07/31/2002		

Violation id:	0211025	Orig code:	S
State:	CA	Violation Year:	2002
Contamination code:	3100	Contamination Name:	Coliform (TCR)
Violation code:	23	Violation name:	Monitoring, Routine Major (TCR)
Rule code:	110	Rule name:	TCR
Violation measur:	Not Reported	Unit of measure:	Not Reported
State mcl:	Not Reported	Cmp bdt:	08/01/2002
Cmp edt:	08/31/2002		

Violation id:	0409036	Orig code:	S

State:	CA	Violation Year:	2004
Contamination code:	3100	Contamination Name:	Coliform (TCR)
Violation code:	26	Violation name:	Monitoring, Repeat Minor (TCR)
Rule code:	110	Rule name:	TCR
Violation measur:	Not Reported	Unit of measure:	Not Reported
State mcl:	Not Reported	Cmp bdt:	06/01/2004
Cmp edt:	06/30/2004		

Violation id:	0410026	Orig code:	S
State:	CA	Violation Year:	2004
Contamination code:	3100	Contamination Name:	Coliform (TCR)
Violation code:	23	Violation name:	Monitoring, Routine Major (TCR)
Rule code:	110	Rule name:	TCR
Violation measur:	Not Reported	Unit of measure:	Not Reported
State mcl:	Not Reported	Cmp bdt:	07/01/2004
Cmp edt:	07/31/2004		

Violation id:	0503024	Orig code:	S
State:	CA	Violation Year:	2004
Contamination code:	3100	Contamination Name:	Coliform (TCR)
Violation code:	23	Violation name:	Monitoring, Routine Major (TCR)
Rule code:	110	Rule name:	TCR
Violation measur:	Not Reported	Unit of measure:	Not Reported
State mcl:	Not Reported	Cmp bdt:	12/01/2004
Cmp edt:	12/31/2004		

PWS currently has or had major violation(s) or enforcement:Yes

Violation ID:	94V0001	Violation source ID:	Not Reported
PWS telephone:	Not Reported	Contaminant:	LEAD & COPPER RULE
Violation type:	Initial Tap Sampling for Pb and Cu		
Violation start date:	070193	Violation end date:	123193
Violation period (months):	006	Violation awareness date:	Not Reported
Major violator:	Not Reported	Maximum contaminant level:	Not Reported
Number of required samples:	Not Reported	Number of samples taken:	Not Reported
Analysis method:	Not Reported	Analysis result:	Not Reported

Violation ID:	0210025	Orig Code:	S
Enforcemnt FY:	2002	Enforcement Action:	09/26/2002
Enforcement Detail:	St AO (w/o penalty) issued		
Enforcement Category:	Formal		

Violation ID:	0211025	Orig Code:	S
Enforcemnt FY:	2002	Enforcement Action:	09/26/2002
Enforcement Detail:	St AO (w/o penalty) issued		
Enforcement Category:	Formal		

Violation ID:	0409036	Orig Code:	S
Enforcemnt FY:	2004	Enforcement Action:	08/20/2004
Enforcement Detail:	St AO (w/o penalty) issued		
Enforcement Category:	Formal		

Violation ID:	0410026	Orig Code:	S
Enforcemnt FY:	2004	Enforcement Action:	08/20/2004
Enforcement Detail:	St AO (w/o penalty) issued		
Enforcement Category:	Formal		

Violation ID:	0503024	Orig Code:	S
Enforcemnt FY:	2005	Enforcement Action:	02/04/2005
Enforcement Detail:	St AO (w/o penalty) issued		
Enforcement Category:	Formal		

Violation ID:	Not Reported	Orig Code:	F
Enforcemnt FY:	2004	Enforcement Action:	12/31/2003
Enforcement Detail:	Fed Compliance achieved	Enforcement Category:	Not Reported
PWS name:	OUR LADY OF FATIMA SCHOOL - Holy Family		
Population served:	300	PWS type code:	NTNC
Violation ID:	0210025	Contaminant:	COLIFORM (TCR)
Violation type:	Monitoring, Routine Major (TCR)		
Compliance start date:	7/1/2002 0:00:00	Compliance end date:	7/31/2002 0:00:00
Enforcement date:	9/26/2002 0:00:00	Enforcement action:	State AO (w/o Penalty) Issued
Violation measurement:	Not Reported		
PWS name:	OUR LADY OF FATIMA SCHOOL - Holy Family		
Population served:	300	PWS type code:	NTNC
Violation ID:	0211025	Contaminant:	COLIFORM (TCR)
Violation type:	Monitoring, Routine Major (TCR)		
Compliance start date:	8/1/2002 0:00:00	Compliance end date:	8/31/2002 0:00:00
Enforcement date:	9/26/2002 0:00:00	Enforcement action:	State AO (w/o Penalty) Issued
Violation measurement:	Not Reported		
PWS name:	OUR LADY OF FATIMA SCHOOL - Holy Family		
Population served:	300	PWS type code:	NTNC
Violation ID:	0409036	Contaminant:	COLIFORM (TCR)
Violation type:	Monitoring, Repeat Minor (TCR)		
Compliance start date:	6/1/2004 0:00:00	Compliance end date:	6/30/2004 0:00:00
Enforcement date:	8/20/2004 0:00:00	Enforcement action:	State AO (w/o Penalty) Issued
Violation measurement:	Not Reported		
PWS name:	OUR LADY OF FATIMA SCHOOL - Holy Family		
Population served:	300	PWS type code:	NTNC
Violation ID:	0410026	Contaminant:	COLIFORM (TCR)
Violation type:	Monitoring, Routine Major (TCR)		
Compliance start date:	7/1/2004 0:00:00	Compliance end date:	7/31/2004 0:00:00
Enforcement date:	8/20/2004 0:00:00	Enforcement action:	State AO (w/o Penalty) Issued
Violation measurement:	Not Reported		
PWS name:	OUR LADY OF FATIMA SCHOOL - Holy Family		
Population served:	300	PWS type code:	NTNC
Violation ID:	0503024	Contaminant:	COLIFORM (TCR)
Violation type:	Monitoring, Routine Major (TCR)		
Compliance start date:	12/1/2004 0:00:00	Compliance end date:	12/31/2004 0:00:00
Enforcement date:	2/4/2005 0:00:00	Enforcement action:	State AO (w/o Penalty) Issued
Violation measurement:	Not Reported		

P98
East
1/2 - 1 Mile
Lower

AQUIFLOW **38056**

Site ID:	I-10652
Groundwater Flow:	SW
Shallow Water Depth:	9.71
Deep Water Depth:	11.35
Average Water Depth:	Not Reported
Date:	09/30/1997

99
WSW
1/2 - 1 Mile
Higher

FED USGS **USGS40000138701**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	003S012W25L002S	Type:	Well
Description:	Not Reported	HUC:	18070105

Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	Not Reported
Well Depth Units:	Not Reported	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

P100
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000122436**

Well ID:	T0603703018-BC-12	Well Type:	MONITORING
Source:	EDF	Other Name:	BC-12
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703018&assigned_name=BC-12&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703018&assigned_name=BC-12		

P101
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000036148**

Well ID:	T0603703018-BC-10	Well Type:	MONITORING
Source:	EDF	Other Name:	BC-10
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703018&assigned_name=BC-10&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703018&assigned_name=BC-10		

Q102
North
1/2 - 1 Mile
Higher

CA WELLS **4028**

Seq:	4028	Prim sta c:	03S/12W-25J02 S
Frds no:	1910192001	County:	19
District:	07	User id:	4TH
System no:	1910192	Water type:	G
Source nam:	ARKANSAS - ABANDONED	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	335300.0	Longitude:	1180500.0
Precision:	8	Status:	AB
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	1910192	System nam:	County Wc - Norwalk
Hqname:	COUNTY WATER COMPANY	Address:	11829 E 163RD ST
City:	NORWALK	State:	Not Reported
Zip:	90650	Zip ext:	Not Reported
Pop serv:	6500	Connection:	1628

Area serve: NORWALK, NO ART SYS

Q103
North
1/2 - 1 Mile
Higher

CA WELLS **CADWR0000010194**

Well ID:	03S12W25H001S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	03S12W25H001S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S12W25H001S&store_num=		
GeoTracker Data:	Not Reported		

Q104
North
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000063219**

Well ID:	T0603703603-MW4	Well Type:	MONITORING
Source:	EDF	Other Name:	MW4
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703603&assigned_name=MW4&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703603&assigned_name=MW4		

P105
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000062961**

Well ID:	T0603703018-BC-13	Well Type:	MONITORING
Source:	EDF	Other Name:	BC-13
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703018&assigned_name=BC-13&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703018&assigned_name=BC-13		

P106
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000056650**

Well ID:	T0603703018-BC-5	Well Type:	MONITORING
Source:	EDF	Other Name:	BC-5
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703018&assigned_name=BC-5&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703018&assigned_name=BC-5		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

P107
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000112004**

Well ID:	T0603703018-BC-4	Well Type:	MONITORING
Source:	EDF	Other Name:	BC-4
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703018&assigned_name=BC-4&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703018&assigned_name=BC-4		

P108
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000136197**

Well ID:	T0603703018-BC-11	Well Type:	MONITORING
Source:	EDF	Other Name:	BC-11
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703018&assigned_name=BC-11&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703018&assigned_name=BC-11		

Q109
North
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000049339**

Well ID:	T0603703603-MW3	Well Type:	MONITORING
Source:	EDF	Other Name:	MW3
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703603&assigned_name=MW3&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703603&assigned_name=MW3		

P110
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000083210**

Well ID:	T0603703642-MW-20	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-20
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703642&assigned_name=MW-20&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703642&assigned_name=MW-20		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

P111
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000088047**

Well ID:	T0603703018-BC-1	Well Type:	MONITORING
Source:	EDF	Other Name:	BC-1
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703018&assigned_name=BC-1&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703018&assigned_name=BC-1		

P112
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000130097**

Well ID:	T0603703018-BC-6	Well Type:	MONITORING
Source:	EDF	Other Name:	BC-6
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703018&assigned_name=BC-6&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703018&assigned_name=BC-6		

P113
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000088851**

Well ID:	T0603703642-MW-19	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-19
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703642&assigned_name=MW-19&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703642&assigned_name=MW-19		

P114
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000084367**

Well ID:	T0603703642-MW-11	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-11
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703642&assigned_name=MW-11&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703642&assigned_name=MW-11		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

P115
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000093395**

Well ID:	T0603703018-BC-2	Well Type:	MONITORING
Source:	EDF	Other Name:	BC-2
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703018&assigned_name=BC-2&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703018&assigned_name=BC-2		

P116
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000051611**

Well ID:	T0603703018-BC-9	Well Type:	MONITORING
Source:	EDF	Other Name:	BC-9
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703018&assigned_name=BC-9&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703018&assigned_name=BC-9		

P117
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000123903**

Well ID:	T0603703642-MW-17	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-17
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703642&assigned_name=MW-17&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703642&assigned_name=MW-17		

P118
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000023193**

Well ID:	T0603703642-MW-9	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-9
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703642&assigned_name=MW-9&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703642&assigned_name=MW-9		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

P119
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000074338**

Well ID:	T0603703018-BC-7	Well Type:	MONITORING
Source:	EDF	Other Name:	BC-7
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703018&assigned_name=BC-7&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703018&assigned_name=BC-7		

Q120
North
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000107479**

Well ID:	T0603703603-MW8	Well Type:	MONITORING
Source:	EDF	Other Name:	MW8
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703603&assigned_name=MW8&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703603&assigned_name=MW8		

Q121
North
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000081583**

Well ID:	T0603703603-MW2	Well Type:	MONITORING
Source:	EDF	Other Name:	MW2
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703603&assigned_name=MW2&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703603&assigned_name=MW2		

Q122
North
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000090103**

Well ID:	T0603703603-MW1A	Well Type:	MONITORING
Source:	EDF	Other Name:	MW1A
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703603&assigned_name=MW1A&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703603&assigned_name=MW1A		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

P123
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000066591**

Well ID:	T0603703018-BC-3	Well Type:	MONITORING
Source:	EDF	Other Name:	BC-3
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703018&assigned_name=BC-3&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703018&assigned_name=BC-3		

P124
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000112572**

Well ID:	T0603703018-BC-8	Well Type:	MONITORING
Source:	EDF	Other Name:	BC-8
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703018&assigned_name=BC-8&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703018&assigned_name=BC-8		

125
SSE
1/2 - 1 Mile
Lower

CA WELLS **CADWR0000018645**

Well ID:	03S11W31M003S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	03S11W31M003S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S11W31M003S&store_num=		
GeoTracker Data:	Not Reported		

Q126
North
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000046398**

Well ID:	T0603703603-MW7	Well Type:	MONITORING
Source:	EDF	Other Name:	MW7
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703603&assigned_name=MW7&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703603&assigned_name=MW7		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

P127
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000140579**

Well ID:	T0603703642-MW-21	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-21
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703642&assigned_name=MW-21&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703642&assigned_name=MW-21		

P128
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000110448**

Well ID:	T0603703642-MW-18	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-18
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703642&assigned_name=MW-18&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703642&assigned_name=MW-18		

P129
East
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000118281**

Well ID:	T0603703642-MW-8	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-8
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603703642&assigned_name=MW-8&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603703642&assigned_name=MW-8		

R130
ENE
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000118703**

Well ID:	T0603743445-MW-1	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-1
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603743445&assigned_name=MW-1&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603743445&assigned_name=MW-1		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

R131
ENE
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000044432**

Well ID:	T0603743445-B-5	Well Type:	MONITORING
Source:	EDF	Other Name:	B-5
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603743445&assigned_name=B-5&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603743445&assigned_name=B-5		

R132
ENE
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000031292**

Well ID:	T0603743445-B-2	Well Type:	MONITORING
Source:	EDF	Other Name:	B-2
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603743445&assigned_name=B-2&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603743445&assigned_name=B-2		

R133
ENE
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000127736**

Well ID:	T0603743445-MW-3	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-3
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603743445&assigned_name=MW-3&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603743445&assigned_name=MW-3		

R134
ENE
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000076728**

Well ID:	T0603743445-MW-2	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-2
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603743445&assigned_name=MW-2&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603743445&assigned_name=MW-2		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

R135
ENE
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000062052**

Well ID:	T0603743445-B-4	Well Type:	MONITORING
Source:	EDF	Other Name:	B-4
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603743445&assigned_name=B-4&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603743445&assigned_name=B-4		

S136
West
1/2 - 1 Mile
Higher

CA WELLS **CADWR0000011500**

Well ID:	03S12W36D003S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	03S12W36D003S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S12W36D003S&store_num=		
GeoTracker Data:	Not Reported		

S137
West
1/2 - 1 Mile
Higher

CA WELLS **CADWR0000020277**

Well ID:	03S12W36D004S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	03S12W36D004S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S12W36D004S&store_num=		
GeoTracker Data:	Not Reported		

T138
East
1/2 - 1 Mile
Lower

CA WELLS **2774**

Seq:	2774	Prim sta c:	02S/11W-30Q01 S
Frds no:	1900114001	County:	19
District:	49	User id:	19C
System no:	1900114	Water type:	G
Source nam:	WELL 01	Station ty:	WELL/AMBNT/MUN/INTAKE
Latitude:	335233.0	Longitude:	1180416.0
Precision:	3	Status:	AR
Comment 1:	8619 S. NORWALK BLVD. REAR ALLEY	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	1900114	System nam:	Mutual Water Owners Of Los Angeles
Hqname:	Not Reported	Address:	11549 E WALNUT ST.
City:	LOS NIETOS	State:	CA
Zip:	90606	Zip ext:	Not Reported
Pop serv:	301	Connection:	86
Area serve:	Not Reported		

U139
South
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000084208**

Well ID:	T0603754358-MW 2	Well Type:	MONITORING
Source:	EDF	Other Name:	MW 2
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603754358&assigned_name=MW 2&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603754358&assigned_name=MW 2		

U140
South
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000076374**

Well ID:	T0603754358-MW 1	Well Type:	MONITORING
Source:	EDF	Other Name:	MW 1
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603754358&assigned_name=MW 1&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603754358&assigned_name=MW 1		

U141
South
1/2 - 1 Mile
Lower

CA WELLS **CAEDF0000065176**

Well ID:	T0603754358-MW 3	Well Type:	MONITORING
Source:	EDF	Other Name:	MW 3
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603754358&assigned_name=MW 3&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603754358&assigned_name=MW 3		

T142
East
1/2 - 1 Mile
Lower

CA WELLS **CADDW0000019558**

Well ID:	1900114-001	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	WELL 01	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=1900114-001&store_num=		

GeoTracker Data: Not Reported

143
East
1/2 - 1 Mile
Higher

CA WELLS **CADWR0000009996**

Well ID: 03S11W30Q001S
Well Type: UNK
Source: Department of Water Resources
Other Name: 03S11W30Q001S
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S11W30Q001S&store_num=
GeoTracker Data: Not Reported

V144
North
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000093126**

Well ID: T0603705209-MW-10
Well Type: MONITORING
Source: EDF
Other Name: MW-10
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603705209&assigned_name=MW-10&store_num=
GeoTracker Data: https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603705209&assigned_name=MW-10

V145
North
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000096220**

Well ID: T0603705209-MW-11
Well Type: MONITORING
Source: EDF
Other Name: MW-11
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603705209&assigned_name=MW-11&store_num=
GeoTracker Data: https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603705209&assigned_name=MW-11

146
North
1/2 - 1 Mile
Higher

CA WELLS **CADWR0000019090**

Well ID: 03S12W25A001S
Well Type: UNK
Source: Department of Water Resources
Other Name: 03S12W25A001S
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S12W25A001S&store_num=
GeoTracker Data: Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

V147
NNW
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000105100**

Well ID:	T0603705209-MW-5	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-5
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603705209&assigned_name=MW-5&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603705209&assigned_name=MW-5		

V148
North
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000047397**

Well ID:	T0603705209-MW-9	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-9
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603705209&assigned_name=MW-9&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603705209&assigned_name=MW-9		

149
SSE
1/2 - 1 Mile
Lower

CA WELLS **CADDW0000001760**

Well ID:	1909007-001	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	WELL 01	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=1909007-001&store_num=		
GeoTracker Data:	Not Reported		

W150
NW
1/2 - 1 Mile
Higher

CA WELLS **CAUSGSN00004306**

Well ID:	USGS-335303118053801	Well Type:	UNK
Source:	United States Geological Survey		
Other Name:	USGS-335303118053801	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=USGSNEW&samp_date=&global_id=&assigned_name=USGS-335303118053801&store_num=		
GeoTracker Data:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

W151
NW
1/2 - 1 Mile
Higher

CA WELLS **4026**

Seq:	4026	Prim sta c:	03S/12W-25C01 S
Frds no:	1900025001	County:	19
District:	49	User id:	19C
System no:	1900025	Water type:	G
Source nam:	WELL 02	Station ty:	WELL/AMBNT/MUN/INTAKE
Latitude:	335304.0	Longitude:	1180536.0
Precision:	3	Status:	AR
Comment 1:	ADJACENT TO INCINERATOR	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	1900025	System nam:	Cerritos College
Hqname:	Not Reported	Address:	11162 ALONDRA BLVD.
City:	NORWALK	State:	CA
Zip:	90651	Zip ext:	Not Reported
Pop serv:	2000	Connection:	1
Area serve:	Not Reported		

X152
West
1/2 - 1 Mile
Higher

CA WELLS **4027**

Seq:	4027	Prim sta c:	03S/12W-25H01 S
Frds no:	1900536001	County:	19
District:	49	User id:	19C
System no:	1900536	Water type:	G
Source nam:	WELL 01	Station ty:	WELL/AMBNT/MUN/INTAKE
Latitude:	335224.0	Longitude:	1180558.0
Precision:	3	Status:	AR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	1900536	System nam:	Norwalk Mobile Lodge
Hqname:	Not Reported	Address:	16341 PIONEER BLVD
City:	NORWALK	State:	CA
Zip:	90650	Zip ext:	Not Reported
Pop serv:	200	Connection:	1
Area serve:	Not Reported		

Y153
NNW
1/2 - 1 Mile
Higher

CA WELLS **CADWR0000026975**

Well ID:	03S12W25B001S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	03S12W25B001S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S12W25B001S&store_num=		

GeoTracker Data: Not Reported

W154
NW
1/2 - 1 Mile
Higher

FED USGS **USGS40000138779**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	003S012W25C001S	Type:	Well
Description:	Not Reported	HUC:	18070106
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	914
Well Depth Units:	ft	Well Hole Depth:	980
Well Hole Depth Units:	ft		

V155
North
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000069027**

Well ID:	T0603705209-MW-1	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-1
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603705209&assigned_name=MW-1&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603705209&assigned_name=MW-1		

Z156
ENE
1/2 - 1 Mile
Higher

CA WELLS **CADWR0000010015**

Well ID:	03S11W30K001S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	03S11W30K001S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S11W30K001S&store_num=		
GeoTracker Data:	Not Reported		

Z157
ENE
1/2 - 1 Mile
Higher

CA WELLS **CADWR0000006743**

Well ID:	03S11W30K002S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	03S11W30K002S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S11W30K002S&store_num=		

GeoTracker Data: Not Reported

V158
North
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000060075**

Well ID:	T0603705209-MW-3	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-3
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603705209&assigned_name=MW-3&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603705209&assigned_name=MW-3		

Y159
North
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000013711**

Well ID:	T0603705209-MW-2	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-2
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603705209&assigned_name=MW-2&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603705209&assigned_name=MW-2		

AA160
WNW
1/2 - 1 Mile
Higher

FED USGS **USGS40000138760**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	003S012W26J003S	Type:	Well
Description:	Not Reported	HUC:	18070106
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	980
Well Depth Units:	ft	Well Hole Depth:	1000
Well Hole Depth Units:	ft		

AA161
WNW
1/2 - 1 Mile
Higher

CA WELLS **CADDW0000000609**

Well ID:	1910019-003	Well Type:	MUNICIPAL
Source:	Department of Health Services		
Other Name:	WELL C-4	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DHS&samp_date=&global_id=&assigned_name=1910019-003&store_num=		

GeoTracker Data: Not Reported

X162
West
1/2 - 1 Mile
Lower

CA WELLS **CADWR0000018692**

Well ID: 03S12W35A004S
Well Type: UNK
Source: Department of Water Resources
Other Name: 03S12W35A004S
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S12W35A004S&store_num=
GeoTracker Data: Not Reported

X163
West
1/2 - 1 Mile
Lower

CA WELLS **CADWR0000001482**

Well ID: 03S12W35A002S
Well Type: UNK
Source: Department of Water Resources
Other Name: 03S12W35A002S
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S12W35A002S&store_num=
GeoTracker Data: Not Reported

164
West
1/2 - 1 Mile
Lower

CA WELLS **CADWR0000002962**

Well ID: 03S12W26R001S
Well Type: UNK
Source: Department of Water Resources
Other Name: 03S12W26R001S
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S12W26R001S&store_num=
GeoTracker Data: Not Reported

AB165
NNW
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000094143**

Well ID: T0603705209-MW-15
Well Type: MONITORING
Source: EDF
Other Name: MW-15
GAMA PFAS Testing: Not Reported
Groundwater Quality Data: https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603705209&assigned_name=MW-15&store_num=
GeoTracker Data: https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603705209&assigned_name=MW-15

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

166
NW
1/2 - 1 Mile
Higher

CA WELLS **CADWR0000022154**

Well ID:	03S12W25E001S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	03S12W25E001S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S12W25E001S&store_num=		
GeoTracker Data:	Not Reported		

167
North
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000121986**

Well ID:	T0603705209-MW-12	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-12
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603705209&assigned_name=MW-12&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603705209&assigned_name=MW-12		

AB168
NNW
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000000812**

Well ID:	T0603705209-MW-14	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-14
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603705209&assigned_name=MW-14&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603705209&assigned_name=MW-14		

Y169
NNW
1/2 - 1 Mile
Higher

CA WELLS **CAEDF0000095227**

Well ID:	T0603705209-MW-13	Well Type:	MONITORING
Source:	EDF	Other Name:	MW-13
GAMA PFAS Testing:	Not Reported		
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=EDF&samp_date=&global_id=T0603705209&assigned_name=MW-13&store_num=		
GeoTracker Data:	https://geotracker.waterboards.ca.gov/profile_report.asp?cmd=MWEDFResults&global_id=T0603705209&assigned_name=MW-13		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

		Database	EDR ID Number
170 **NNW** **1/2 - 1 Mile** **Higher**		**CA WELLS**	**CADWR0000017592**

Well ID:	03S12W25C001S	Well Type:	UNK
Source:	Department of Water Resources		
Other Name:	03S12W25C001S	GAMA PFAS Testing:	Not Reported
Groundwater Quality Data:	https://gamagroundwater.waterboards.ca.gov/gama/gamamap/public/GamaDataDisplay.asp?dataset=DWR&samp_date=&global_id=&assigned_name=03S12W25C001S&store_num=		
GeoTracker Data:	Not Reported		

1G **NNE** **1/4 - 1/2 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	I-13467 Not Reported Not Reported Not Reported 23 02/17/1988	**AQUIFLOW**	**34330**

2G **NNE** **1/4 - 1/2 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	I-02660 N 10.98 23.75 Not Reported 08/03/1998	**AQUIFLOW**	**34325**

3G **NE** **1/8 - 1/4 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	I-02871 W Not Reported Not Reported 11.59 12/18/1998	**AQUIFLOW**	**34310**

4G **WNW** **1/8 - 1/4 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	I-11805 W 16.14 16.69 Not Reported 11/12/1996	**AQUIFLOW**	**34326**

5G **East** **0 - 1/8 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	I-02242 Not Reported 15.25 16.09 Not Reported 11/21/1988	**AQUIFLOW**	**34323**

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation			Database	EDR ID Number
6G **East** **1/2 - 1 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	I-10652 SW 9.71 11.35 Not Reported 09/30/1997	**AQUIFLOW**	**38056**
7G **SE** **0 - 1/8 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	I-11487 Not Reported 18 36.5 Not Reported 12/11/1989	**AQUIFLOW**	**34315**
8G **South** **0 - 1/8 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	I-01249 NW 14 16 Not Reported 02/07/1997	**AQUIFLOW**	**34312**
9G **SE** **1/4 - 1/2 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	R-11981 Varies 9.04 Not Reported Not Reported 11/24/1998	**AQUIFLOW**	**38057**
10G **SE** **1/4 - 1/2 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	R-11981 Varies 8.98 Not Reported Not Reported 11/24/1998	**AQUIFLOW**	**38058**
11G **SSE** **1/4 - 1/2 Mile** **Lower**	Site ID: Groundwater Flow: Shallow Water Depth: Deep Water Depth: Average Water Depth: Date:	907010061 E 11 20 Not Reported 03/1987	**AQUIFLOW**	**34317**

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

1
NW
1/2 - 1 Mile

OIL_GAS **CAOG14000005332**

API #:	0403705142	Well #:	1
Well Status:	Idle	Well Type:	Oil & Gas
Lease Name:	Lease by Artesia Oil Co. of California		
Field Name:	Any Field	Area Name:	Any Area
GIS Source:	hud	Confidential Well:	N
Directionally Drilled:	N	Spud Date:	Not Reported

2
ENE
1/2 - 1 Mile

OIL_GAS **CAOG14000005261**

API #:	0403705482	Well #:	1
Well Status:	Plugged	Well Type:	Dry Hole
Lease Name:	Hollandia	Field Name:	Any Field
Area Name:	Any Area	GIS Source:	hud
Confidential Well:	N	Directionally Drilled:	N
Spud Date:	Not Reported		

3
NW
1/2 - 1 Mile

OIL_GAS **CAOG14000005698**

API #:	0403706197	Well #:	1
Well Status:	Plugged	Well Type:	Oil & Gas
Lease Name:	Millard	Field Name:	Any Field
Area Name:	Any Area	GIS Source:	hud
Confidential Well:	N	Directionally Drilled:	N
Spud Date:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

State Database: CA Radon

Radon Test Results

Zipcode	Num Tests	> 4 pCi/L
90701	8	0

Federal EPA Radon Zone for LOS ANGELES County: 2

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 90701

Number of sites tested: 1

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	0.000 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	Not Reported	Not Reported	Not Reported	Not Reported

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory
Source: Department of Fish and Wildlife
Telephone: 916-445-0411

HYDROGEOLOGIC INFORMATION

AQUIFLOW^{R} Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

OTHER STATE DATABASE INFORMATION

Groundwater Ambient Monitoring & Assessment Program
State Water Resources Control Board
Telephone: 916-341-5577
The GAMA Program is Californias comprehensive groundwater quality monitoring program. GAMA collects data by testing the untreated, raw water in different types of wells for naturally-occurring and man-made chemicals. The GAMA data includes Domestic, Monitoring and Municipal well types from the following sources, Department of Water Resources, Department of Heath Services, EDF, Agricultural Lands, Lawrence Livermore National Laboratory, Department of Pesticide Regulation, United States Geological Survey, Groundwater Ambient Monitoring and Assessment Program and Local Groundwater Projects.

Water Well Database
Source: Department of Water Resources
Telephone: 916-651-9648

California Drinking Water Quality Database
Source: Department of Public Health
Telephone: 916-324-2319
The database includes all drinking water compliance and special studies monitoring for the state of California since 1984. It consists of over 3,200,000 individual analyses along with well and water system information.

California Oil and Gas Well Locations
Source: Dept of Conservation, Geologic Energy Management Division
Telephone: 916-323-1779
Oil and Gas well locations in the state.

California Earthquake Fault Lines
Source: California Division of Mines and Geology
The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

RADON

State Database: CA Radon
Source: Department of Public Health
Telephone: 916-210-8558
Radon Database for California

PHYSICAL SETTING SOURCE RECORDS SEARCHED

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

California Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines, prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

STREET AND ADDRESS INFORMATION

Â© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX C
HISTORICAL RESEARCH DOCUMENTATION

APPENDIX C.1
TOPOGRAPHIC MAPS

11709 Artesia Boulevard

11709 Artesia Boulevard

Artesia, CA 90701

Inquiry Number: 6777008.4

December 06, 2021

EDR Historical Topo Map Report

with QuadMatch™

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Historical Topo Map Report

12/06/21

Site Name:	Client Name:
11709 Artesia Boulevard	Ramboll
11709 Artesia Boulevard	18100 Von Karman Avenue
Artesia, CA 90701	Irvine, CA 92612
EDR Inquiry # 6777008.4	Contact: Cara Thomann

EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by Ramboll were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Results:

P.O.# NA

Project: 1690009964 Borstein

Coordinates:

Latitude:	33.874031 33° 52' 27" North
Longitude:	-118.084478 -118° 5' 4" West
UTM Zone:	Zone 11 North
UTM X Meters:	399700.93
UTM Y Meters:	3748718.03
Elevation:	64.00' above sea level

Maps Provided:

2018	1949	1902
2015	1947	1899
2012	1945	1896
1981	1943	
1974	1942	
1972	1935	
1964, 1965	1925	
1950, 1951	1923	

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2021 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2018 Source Sheets

Los Alamitos
2018
7.5-minute, 24000



Whittier
2018
7.5-minute, 24000

2015 Source Sheets



Los Alamitos
2015
7.5-minute, 24000



Whittier
2015
7.5-minute, 24000

2012 Source Sheets

Los Alamitos
2012
7.5-minute, 24000

Whittier
2012
7.5-minute, 24000

1981 Source Sheets



Los Alamitos
1981
7.5-minute, 24000
Aerial Photo Revised 1978



Whittier
1981
7.5-minute, 24000
Aerial Photo Revised 1978

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1974 Source Sheets

Los Alamitos
1974
7.5-minute, 24000
Aerial Photo Revised 1974

Whittier
1974
7.5-minute, 24000
Aerial Photo Revised 1974

1972 Source Sheets

Los Alamitos
1972
7.5-minute, 24000
Aerial Photo Revised 1972



Whittier
1972
7.5-minute, 24000
Aerial Photo Revised 1972

1964, 1965 Source Sheets



Los Alamitos
1964
7.5-minute, 24000
Aerial Photo Revised 1963



Whittier
1965
7.5-minute, 24000
Aerial Photo Revised 1963

1950, 1951 Source Sheets

Los Alamitos
1950
7.5-minute, 24000
Aerial Photo Revised 1947

Whittier
1951
7.5-minute, 24000
Aerial Photo Revised 1947

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1949 Source Sheets

Los Alamitos
1949
7.5-minute, 24000
Aerial Photo Revised 1947

Whittier
1949
7.5-minute, 24000
Aerial Photo Revised 1947

1947 Source Sheets



DOWNEY
1947
15-minute, 50000

1945 Source Sheets

Artesia
1945
7.5-minute, 24000

1943 Source Sheets



Downey
1943
15-minute, 62500
Aerial Photo Revised 1939

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1942 Source Sheets

Downey
1942
15-minute, 62500

1935 Source Sheets

Los Alamitos
1935
7.5-minute, 31680

1925 Source Sheets

Clearwater
1925
7.5-minute, 24000

Artesia
1925
7.5-minute, 24000

1923 Source Sheets

Artesia
1923
7.5-minute, 24000

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1902 Source Sheets

Downey
1902
15-minute, 62500

1899 Source Sheets

Downey
1899
15-minute, 62500

1896 Source Sheets

Downey
1896
15-minute, 62500

Historical Topo Map

2018



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Los Alamitos, 2018, 7.5-minute
N, Whittier, 2018, 7.5-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N

Historical Topo Map

2015



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Los Alamitos, 2015, 7.5-minute
N, Whittier, 2015, 7.5-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N

Historical Topo Map

2012



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Los Alamitos, 2012, 7.5-minute
N, Whittier, 2012, 7.5-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Los Alamitos, 1981, 7.5-minute
N, Whittier, 1981, 7.5-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N

Historical Topo Map

1974



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Los Alamitos, 1974, 7.5-minute
N, Whittier, 1974, 7.5-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Los Alamitos, 1972, 7.5-minute
N, Whittier, 1972, 7.5-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N

Historical Topo Map

1964, 1965



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Los Alamitos, 1964, 7.5-minute
N, Whittier, 1965, 7.5-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N

Historical Topo Map

1950, 1951



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Los Alamitos, 1950, 7.5-minute
N, Whittier, 1951, 7.5-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N

Historical Topo Map

1949



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Los Alamitos, 1949, 7.5-minute
N, Whittier, 1949, 7.5-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N

Historical Topo Map

1947



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, DOWNEY, 1947, 15-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N

Historical Topo Map

1945



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Artesia, 1945, 7.5-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N

Historical Topo Map

1943



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Downey, 1943, 15-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Downey, 1942, 15-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N

UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED
UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED
UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED
UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED
UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED
UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Los Alamitos, 1935, 7.5-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Artesia, 1925, 7.5-minute
SW, Clearwater, 1925, 7.5-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N

Historical Topo Map

1923



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Artesia, 1923, 7.5-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N

This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Downey, 1902, 15-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N

This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Downey, 1899, 15-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N

This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Downey, 1896, 15-minute

SITE NAME: 11709 Artesia Boulevard
ADDRESS: 11709 Artesia Boulevard
Artesia, CA 90701
CLIENT: Ramboll

N

APPENDIX C.2
AERIAL PHOTOGRAPHS

11709 Artesia Boulevard

11709 Artesia Boulevard

Artesia, CA 90701

Inquiry Number: 6777008.8

December 07, 2021

The EDR Aerial Photo Decade Package

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

12/07/21

Site Name:

11709 Artesia Boulevard
11709 Artesia Boulevard
Artesia, CA 90701
EDR Inquiry # 6777008.8

Client Name:

Ramboll
18100 Von Karman Avenue
Irvine, CA 92612
Contact: Cara Thomann

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

Year	Scale	Details	Source
2016	1"=500'	Flight Year: 2016	USDA/NAIP
2012	1"=500'	Flight Year: 2012	USDA/NAIP
2009	1"=500'	Flight Year: 2009	USDA/NAIP
2005	1"=500'	Flight Year: 2005	USDA/NAIP
2002	1"=500'	Acquisition Date: January 01, 2002	USGS/DOQQ
1994	1"=500'	Acquisition Date: May 31, 1994	USGS/DOQQ
1989	1"=500'	Flight Date: August 22, 1989	USDA
1983	1"=500'	Flight Date: November 19, 1983	EDR Proprietary Brewster Pacific
1977	1"=500'	Flight Date: January 18, 1977	EDR Proprietary Brewster Pacific
1970	1"=500'	Flight Date: February 19, 1970	EDR Proprietary Brewster Pacific
1963	1"=500'	Flight Date: February 28, 1963	USGS
1952	1"=500'	Flight Date: November 18, 1952	USDA
1947	1"=500'	Flight Date: June 18, 1947	FAIR
1938	1"=500'	Flight Date: May 24, 1938	USDA
1928	1"=500'	Flight Date: January 01, 1928	FAIR

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2021 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

INQUIRY #: 6777008.8

YEAR: 2016

= 500'

N

EDR

INQUIRY #: 6777008.8
YEAR: 2012
= 500'
N
EDR



INQUIRY #: 6777008.8

YEAR: 2009

= 500'

N

EDR



INQUIRY #: 6777008.8

YEAR: 2005

= 500'

N

EDR

UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED
UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED
UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED UNMAPPED



INQUIRY #: 6777008.8

YEAR: 2002

= 500'

N

EDR

Subject boundary not shown because it exceeds image extent or image is not georeferenced.


INQUIRY #: 6777008.8
YEAR: 1994
= 500'
N
EDR


INQUIRY #: 6777008.8
YEAR: 1989
= 500'
N
EDR


INQUIRY #: 6777008.8
YEAR: 1983
= 500'
N
EDR

INQUIRY #: 6777008.8

YEAR: 1977

= 500'

N

EDR

INQUIRY #: 6777008.8
YEAR: 1970
= 500'
N
EDR

INQUIRY #: 6777008.8

YEAR: 1963

= 500'

N

EDR

INQUIRY #: 6777008.8
YEAR: 1952
= 500'
N
EDR

INQUIRY #: 6777008.8
YEAR: 1947
= 500'
N
EDR

INQUIRY #: 6777008.8
YEAR: 1938
= 500'
N
EDR

INQUIRY #: 6777008.8

YEAR: 1928

= 500'

N

EDR

APPENDIX C.3
ABSTRACT OF CITY DIRECTORIES

11709 Artesia Boulevard
11709 Artesia Boulevard
Artesia, CA 90701

Inquiry Number: 6777008.5
December 07, 2021

The EDR-City Directory Abstract

Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2020 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1920 through 2014. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 660 feet of the target property.

A summary of the information obtained is provided in the text of this report.

RECORD SOURCES

EDR's Digital Archive combines historical directory listings from sources such as Cole Information and Dun & Bradstreet. These standard sources of property information complement and enhance each other to provide a more comprehensive report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.

Data by
infoUSA®
Copyright©2008
All Rights Reserved

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

Year	Source	TP	Adjoining	Text Abstract	Source Image
2014	Cole Information Services	X	X	X	-
2009	Cole Information Services	-	X	X	-
	Cole Information Services	X	X	X	-
2006	Haines Company, Inc.	-	X	X	-
	Haines Company, Inc.	X	X	X	-
2004	Cole Information Services	-	X	X	-
	Haines Company	-	-	-	-
2003	Haines & Company	-	-	-	-
2001	Haines & Company, Inc.	-	-	-	-
2000	Haines	-	X	X	-

EXECUTIVE SUMMARY

Year	Source	TP	Adjoining	Text Abstract	Source Image
2000	Haines	X	X	X	-
1999	Cole Information Services	-	X	X	-
	Cole Information Services	X	X	X	-
	Haines Company	-	-	-	-
	Haines Company	X	-	X	-
1996	GTE	-	-	-	-
1995	Pacific Bell	-	-	-	-
1994	Cole Information Services	-	X	X	-
	Cole Information Services	X	X	X	-
1992	PACIFIC BELL WHITE PAGES	-	-	-	-
1991	Pacific Bell	-	X	X	-
1990	Pacific Bell	-	X	X	-
1986	Pacific Bell	-	X	X	-
1985	Pacific Bell	-	X	X	-
1981	Pacific Telephone	-	X	X	-
1980	Pacific Telephone	-	X	X	-
1976	Pacific Telephone	-	X	X	-
1975	Pacific Telephone	-	X	X	-
1972	R. L. Polk & Co.	-	-	-	-
1971	R. L. Polk & Co.	-	-	-	-
1970	Pacific Telephone	-	-	-	-
1969	Pacific Telephone	-	-	-	-
1967	R. L. Polk & Co.	-	-	-	-
1966	Pacific Telephone	-	-	-	-
1965	GTE	-	-	-	-
1964	Pacific Telephone	-	X	X	-
1963	Pacific Telephone	-	-	-	-
1962	Pacific Telephone	-	-	-	-
1961	R. L. Polk & Co.	-	-	-	-
1960	Pacific Telephone	-	X	X	-
1958	Pacific Telephone	-	-	-	-
1957	Pacific Telephone	-	X	X	-
1956	Pacific Telephone	-	-	-	-
1955	R. L. Polk & Co.	-	-	-	-
1954	R. L. Polk & Co.	-	X	X	-
1952	Los Angeles Directory Co.	-	-	-	-
1951	Los Angeles Directory Co Publishers	-	-	-	-
1950	Pacific Telephone	-	X	X	-

EXECUTIVE SUMMARY

Year	Source	TP	Adjoining	Text Abstract	Source Image
1949	Los Angeles Directory Co.	-	-	-	-
1948	Los Angeles Directory Co.	-	-	-	-
1947	Pacific Directory Co.	-	-	-	-
1946	Southern California Telephone Co	-	-	-	-
1945	The Glendale Directory Co.	-	-	-	-
1944	R. L. Polk & Co.	-	-	-	-
1942	Los Angeles Directory Co.	-	-	-	-
1940	Los Angeles Directory Co.	-	-	-	-
1939	Los Angeles Directory Co.	-	-	-	-
1938	Los Angeles Directory Company Publishers	-	-	-	-
1937	Los Angeles Directory Co.	-	-	-	-
1936	Los Angeles Directory Co.	-	-	-	-
1935	Los Angeles Directory Co.	-	-	-	-
1934	Los Angeles Directory Co.	-	-	-	-
1933	Los Angeles Directory Co.	-	-	-	-
1932	Los Angeles Directory Co.	-	-	-	-
1931	Los Angeles Directory Company Publishers	-	-	-	-
1930	Los Angeles Directory Co.	-	-	-	-
1929	Los Angeles Directory Co.	-	-	-	-
1928	Los Angeles Directory Co.	-	-	-	-
1927	Los Angeles Directory Co.	-	-	-	-
1926	Los Angeles Directory Co.	-	-	-	-
1925	Los Angeles Directory Co.	-	-	-	-
1924	Los Angeles Directory Co.	-	-	-	-
1923	Los Angeles Directory Co.	-	-	-	-
1921	Los Angeles Directory Co.	-	-	-	-
1920	Los Angeles Directory Co.	-	-	-	-

EXECUTIVE SUMMARY

SELECTED ADDRESSES

The following addresses were selected by the client, for EDR to research. An "X" indicates where information was identified.

Address	*Type*	*Findings*
17115 Alburtis Ave	Client Entered	X

FINDINGS

TARGET PROPERTY INFORMATION

ADDRESS

11709 Artesia Boulevard
Artesia, CA 90701

FINDINGS DETAIL

Target Property research detail.

ARTESIA BLVD

11709 ARTESIA BLVD

Year	*Uses*	*Source*
2014	CALIFORNIA DAIRIES INC	Cole Information Services
2009	CALIFORNIA MILK PRODUCERS	Cole Information Services
2006	CADAIRIESINC	Haines Company, Inc.
1999	CALIFORNIA MILK PRODUCERS MAIN PLANT	Cole Information Services
1994	CALIFORNIA MILK PRODUCERS	Cole Information Services

ARTESIA BLVD E

11709 ARTESIA BLVD E

Year	*Uses*	*Source*
2000	CA MILK PRODUCERS	Haines

FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

175TH ST

11607 175TH ST

Year	Uses	Source
2014	JACOB FLIETSTRA	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	No Current Listing	Haines Company, Inc.
2004	JOSEPH JEWELL	Cole Information Services

11609 175TH ST

Year	Uses	Source
2014	ISMAEL ZAMBRANO	Cole Information Services
2009	FELIX MORENO	Cole Information Services
2006	MORENO Feltx	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	FELIX MORENO	Cole Information Services
1994	WILDE, RALPH E	Cole Information Services

11616 175TH ST

Year	Uses	Source
2014	JOHNNY REYES	Cole Information Services
2009	JOHNNY REYES	Cole Information Services
2006	REYESFlorenda	Haines Company, Inc.
2004	JOHNNY REYES	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services
	JOHNNY REYES	Cole Information Services
1994	BOSCH, GERRIT	Cole Information Services
1964	BOSCH GERRIT	Pacific Telephone

11617 175TH ST

Year	Uses	Source
2014	PATRICIA VALDEZ	Cole Information Services

FINDINGS

Year	Uses	Source
2009	J LOWENS	Cole Information Services
2006	No Current Listing	Haines Company, Inc.
2004	TOMASA PEREZ	Cole Information Services
1999	J LOWENS	Cole Information Services

11619 175TH ST

Year	Uses	Source
2014	DARIN ZYLSTRA	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	ZYLSTRA Martn P	Haines Company, Inc.
2004	JEFFREY KLAASEN	Cole Information Services

11627 175TH ST

Year	Uses	Source
2014	CORAZON DALDE	Cole Information Services
2009	CORAZON DALDE	Cole Information Services
2006	DALDE Roberto	Haines Company, Inc.
2004	ROBERTO DALDE	Cole Information Services
1999	CORAZON DALDE	Cole Information Services

11629 175TH ST

Year	Uses	Source
2014	DICK APPEL	Cole Information Services
2006	APPEL Cornelius	Haines Company, Inc.
2004	CORNIE APPEL	Cole Information Services

11639 175TH ST

Year	Uses	Source
2014	GREG CAROTHERS	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	CAROTHERS	Haines Company, Inc.
	Calhenne	Haines Company, Inc.
	DELEON Maureen 562 B	Haines Company, Inc.
2004	CATHERINE CAROTHERS	Cole Information Services
1964	HIBMA CORNELIUS	Pacific Telephone

FINDINGS

11641 175TH ST

Year	Uses	Source
2014	PHILLIP GOIS	Cole Information Services
2009	EVERESTO GOIS	Cole Information Services
2006	GOISEvereslo	Haines Company, Inc.
2004	EVERESTO GOIS	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services
	EVERESTO GOIS	Cole Information Services
1994	GOIS, EVERSTO	Cole Information Services

11646 175TH ST

Year	Uses	Source
2014	DANIEL TADIOS	Cole Information Services
2009	DANIEL TADIOS	Cole Information Services
2006	o TADIOS Daniel	Haines Company, Inc.
2004	DANIEL TADIOS	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services
	DANIEL TADIOS	Cole Information Services

11647 175TH ST

Year	Uses	Source
2014	YING LIOU	Cole Information Services
2009	JONG LIOU	Cole Information Services
2006	LIOUFounIn	Haines Company, Inc.
2004	JONG LIOU	Cole Information Services
1999	JONG LIOU	Cole Information Services

11652 175TH ST

Year	Uses	Source
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	VEGAGustavo	Haines Company, Inc.
2004	GUSTAVO VEGA	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services

FINDINGS

11655 175TH ST

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	YOUNG CHANG	Cole Information Services
2006	o CHANG Young	Haines Company, Inc.
2004	YUNG LEE	Cole Information Services
1999	YOUNG CHANG	Cole Information Services

11702 175TH ST

Year	Uses	Source
2014	ALBERTO ABUYEN	Cole Information Services
2009	ALBERTO ABUYEN	Cole Information Services
2006	ABUYENAlberta o O	Haines Company, Inc.
2004	ALBERTO ABUYEN	Cole Information Services
1999	ALBERTO ABUYEN	Cole Information Services
1964	JONES F R	Pacific Telephone

11705 175TH ST

Year	Uses	Source
2014	TONY COUTO	Cole Information Services
2009	ANTONIO COUTO	Cole Information Services
2006	COUTO Antonio	Haines Company, Inc.
2004	ANTONIO COUTO	Cole Information Services
1999	ANTONIO COUTO	Cole Information Services

11708 175TH ST

Year	Uses	Source
2014	RUDY ARIAS	Cole Information Services
2009	BELINDA BAKER	Cole Information Services
2006	BAKER Jas R	Haines Company, Inc.
2004	JAMES BAKER	Cole Information Services
1999	BELINDA BAKER	Cole Information Services
1994	BAKER, JAMES R	Cole Information Services

FINDINGS

11711 175TH ST

Year	Uses	Source
2014	ERNEST GOVEA	Cole Information Services
2009	VANESSA GOVEA	Cole Information Services
2006	GOVEAGlon	Haines Company, Inc.
1999	VANESSA GOVEA	Cole Information Services

11714 175TH ST

Year	Uses	Source
2014	BRIAN MANOTO	Cole Information Services
2009	ALFREDO MANOTO	Cole Information Services
2006	MANOTOAlfredo	Haines Company, Inc.
2004	ALFREDO MANOTO	Cole Information Services
1999	ALFREDO MANOTO	Cole Information Services
1964	VAN EYK ARIE	Pacific Telephone

11717 175TH ST

Year	Uses	Source
2014	HECTOR PASSI	Cole Information Services
2009	HECTOR PASSI	Cole Information Services
2006	PASSI Heclor	Haines Company, Inc.
2004	HECTOR PASSI	Cole Information Services
1999	HECTOR PASSI	Cole Information Services
1994	PASSI, RHONA L	Cole Information Services

11720 175TH ST

Year	Uses	Source
2014	DAVID WEISMANTEL	Cole Information Services
2009	DAVID WEISMANTEL	Cole Information Services
2006	HAMJesus	Haines Company, Inc.
	WEISMANTEL David	Haines Company, Inc.
2004	DAVID WEISMANTEL	Cole Information Services
1999	DAVID WEISMANTEL	Cole Information Services
1964	ADEY EVERETT J	Pacific Telephone

FINDINGS

11726 175TH ST

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services

11732 175TH ST

Year	Uses	Source
2014	CARLOS CORTEZ	Cole Information Services
2009	ISAIAS CORTEZ	Cole Information Services
2006	CORTEZ Isaias	Haines Company, Inc.
2004	AUSENCIO CORTEZ	Cole Information Services
1999	ROGELIO CATUIRA	Cole Information Services
	ISAIAS CORTEZ	Cole Information Services

11734 175TH ST

Year	Uses	Source
2014	NICOLE NEGRETE	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
1964	ANEMA JOHN M	Pacific Telephone

11736 175TH ST

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	No Current Listing	Haines Company, Inc.
1994	BARAJAS, G	Cole Information Services

11738 175TH ST

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	DIA 2 Edward	Haines Company, Inc.
2004	SUSIE GUTIERREZ	Cole Information Services

FINDINGS

ALBURTIS AVE

17115 ALBURTIS AVE

Year	*Uses*	*Source*
2014	PROTECH KNIVES	Cole Information Services
2009	SHIM IT CORP	Cole Information Services

Alburtis Ave

17115 Alburtis Ave

Year	*Uses*	*Source*
2006	HEAVENSINK	Haines Company, Inc.
	SYSTEMS SHIM ITCORP	Haines Company, Inc.

ALBURTIS AVE

17115 ALBURTIS AVE

Year	*Uses*	*Source*
2004	SHIM CORP	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services

Alburtis Ave

17115 Alburtis Ave

Year	*Uses*	*Source*
2000	SHIM IT CORP	Haines

ALBURTIS AVE

17115 ALBURTIS AVE

Year	*Uses*	*Source*
1999	SHIM-IT CORPORATION	Cole Information Services
	PRINT SERVICE	Cole Information Services
	SHOW OFF BUSINESS FORMS	Cole Information Services

17202 ALBURTIS AVE

Year	*Uses*	*Source*
2009	SALING CO	Cole Information Services

FINDINGS

Year	Uses	Source
2006	SAUNGCOMPANY	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
	ARA MACAO INTL	Cole Information Services
1999	PACIFIC COAST LINES SERVICE INCORPORATED	Cole Information Services
1994	PAC COAST LINES DEL	Cole Information Services
1964	JOHNSON WAYNE	Pacific Telephone

17203 ALBURTIS AVE

Year	Uses	Source
1964	TUGGLE STELLA	Pacific Telephone

17212 ALBURTIS AVE

Year	Uses	Source
1964	CASTODIO MARY L	Pacific Telephone

17214 ALBURTIS AVE

Year	Uses	Source
1964	MOSS OLLA M	Pacific Telephone

17224 ALBURTIS AVE

Year	Uses	Source
2014	PREMIER FLEET MAINTENANCE INC	Cole Information Services
2009	JMC TRUCK REPAIR INC	Cole Information Services
2006	REPAIRING	Haines Company, Inc.
	JMCTRUCK	Haines Company, Inc.
2004	JMC TRUCK REPAIR INC	Cole Information Services
1999	J M C TRUCK REPAIRING	Cole Information Services
1994	JMC TRUCK REPAIRING	Cole Information Services

17268 ALBURTIS AVE

Year	Uses	Source
2009	YONG YANG	Cole Information Services
1999	YONG YANG	Cole Information Services

FINDINGS

ALBURTIS AVE S

17202 ALBURTIS AVE S

Year	Uses	Source
2000	PAC COAST LINES SERVICE INC	Haines

17214 ALBURTIS AVE S

Year	Uses	Source
2000	XXXX	Haines

17224 ALBURTIS AVE S

Year	Uses	Source
2000	CRONE John	Haines
	J M C TRUCK REPAIRING	Haines
	X JERSEY AV	Haines
	X ARTESIA BLVD	Haines

ARTESIA BLVD

11614 ARTESIA BLVD

Year	Uses	Source
2014	ALLSTATE TAX SERVICE	Cole Information Services
2009	ANNEX AUTO COLOR	Cole Information Services
	ALLSTATE TAX SERVICE	Cole Information Services
	CHARLES MORREY	Cole Information Services
2006	ALLSTATETAX	Haines Company, Inc.
	SERVICE	Haines Company, Inc.
2004	ANNEX AUTOMOTIVE COLOR	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
1999	ALLSTATE TAX SERVICE	Cole Information Services
1994	ALLSTATE TAX SVC	Cole Information Services

11616 ARTESIA BLVD

Year	Uses	Source
2014	Z RACQUET SHOP	Cole Information Services
2009	Z RACQUET SHOP	Cole Information Services
1999	ARA FOUR CONGRESS	Cole Information Services

FINDINGS

Year	Uses	Source
1994	CORNERSTONE CHRISTIAN	Cole Information Services

11618 ARTESIA BLVD

Year	Uses	Source
2014	L & K AUTO SERVICE	Cole Information Services
	MARK HEIDE	Cole Information Services
2009	MARK HEIDE	Cole Information Services
	J & A AERIAL LIFT SERVICES	Cole Information Services
	ROGERS OPEL ENGINEERING	Cole Information Services
2006	J&AAERIALUFT	Haines Company, Inc.
	ENGINEERING	Haines Company, Inc.
	REPAIR ROGERSOPEL	Haines Company, Inc.
	SERVICE MARKS AUTO	Haines Company, Inc.
	SERVICES L&KAUTO	Haines Company, Inc.
2004	JA AERIAL LIFT SERVICE	Cole Information Services
	MARKS AUTO REPAIR	Cole Information Services
	ROGERS OPEL	Cole Information Services
	MARK HEIDE	Cole Information Services
1999	J & A AERIAL LIFT SERVICES	Cole Information Services
	MARKS AUTO REPAIR	Cole Information Services
	DEKKERS WELDING SERVICE INCORPORATED	Cole Information Services
	ROGERS OPEL ENGINEERING	Cole Information Services
	MARK HEIDE	Cole Information Services
1994	J & A AERIAL LIFT SVC	Cole Information Services
	DEKKERS WLDG SV INC	Cole Information Services
	MARKS AUTO REPAIR	Cole Information Services

11628 ARTESIA BLVD

Year	Uses	Source
2014	BELLEZZA HAIR SALON	Cole Information Services
2009	BELLEZZA HAIR SALON	Cole Information Services
2006	SASSYSCISSORS	Haines Company, Inc.
2004	SASSY SCISSORS HAIR DESIGN	Cole Information Services

FINDINGS

Year	Uses	Source
2004	BUD ROSE	Cole Information Services
	BUD ROSE	Cole Information Services
1999	SASSY SCISSORS	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
1994	FRAMED CAT	Cole Information Services

11630 ARTESIA BLVD

Year	Uses	Source
2014	PATRICIA TECUN	Cole Information Services
	JOSABETH MEJIA	Cole Information Services
2009	VATIN RUTANARUNGSI	Cole Information Services
	NAVARRO SALES	Cole Information Services
	PATRICIA TECUN	Cole Information Services
2006	TECUN Patncia L	Haines Company, Inc.
	NAVARRO SALES	Haines Company, Inc.
2004	VATIN RUTANARUNGSI	Cole Information Services
	MANUEL RODRIGUEZ	Cole Information Services
	NAVARRO SALES	Cole Information Services
	SALES NAVARRO	Cole Information Services
1999	VATIN RUTANARUNGSI	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
	PATRICIA TECUN	Cole Information Services
	NAVARRO SALES	Cole Information Services
1994	SMITS, MARVIN	Cole Information Services
	NAVARRO SALES	Cole Information Services

11632 ARTESIA BLVD

Year	Uses	Source
2006	PREMIUMCLIENTEL	Haines Company, Inc.
2004	ROXX CO	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
1999	ARTESIA-CERRITOS HEARING AID CENTER	Cole Information Services
1994	ARTESIA CERRITOS HEARING AID	Cole Information Services

FINDINGS

Year	Uses	Source
1964	FIELD GEO DEAN & ASSOCIATES RL EST APPISRS	Pacific Telephone

11634 ARTESIA BLVD

Year	Uses	Source
2014	MANUEL RODRIGUEZ	Cole Information Services
	HANNAH FASHION	Cole Information Services
2009	HANNAH FASHION	Cole Information Services
	MANUEL RODRIGUEZ	Cole Information Services
	EVA ROSERO	Cole Information Services
2006	HANNAH FASHION	Haines Company, Inc.
	CRUZRosa	Haines Company, Inc.
	RODRIGUEZ Manuel	Haines Company, Inc.
2004	HANNAH FASHION	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
	EVA ROSERO	Cole Information Services
1999	MANUEL RODRIGUEZ	Cole Information Services
	ART PLUS	Cole Information Services
	CAMERA CRAFT	Cole Information Services
	EVA ROSERO	Cole Information Services
1994	CAMERA CRAFT	Cole Information Services

11635 ARTESIA BLVD

Year	Uses	Source
2014	PUBLIC STORAGE	Cole Information Services
2009	PUBLIC STORAGE	Cole Information Services
2006	PUBLUC STORAGE	Haines Company, Inc.
	AMEZOLAChrstuna	Haines Company, Inc.
2004	ALBERTO AMEZOLA	Cole Information Services
	PUBLIC STORAGE	Cole Information Services
1999	PUBLIC STORAGE	Cole Information Services
1994	PUBLIC STORAGE	Cole Information Services

FINDINGS

11636 ARTESIA BLVD

Year	Uses	Source
2014	NAWANGOL RESTAURANT	Cole Information Services
2006	ALLTHEMEMORIES	Haines Company, Inc.
2004	OLD MEMORIES	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
1994	MOTHERS HOUSE	Cole Information Services

11638 ARTESIA BLVD

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services

11642 ARTESIA BLVD

Year	Uses	Source
2009	NFL BUSINESS EQUIPMENT	Cole Information Services
2006	EQUIPMENT	Haines Company, Inc.
	NFLBus INESS	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	TURBO TRANSPORT INCORPORATED	Cole Information Services
	N F L BUSINESS EQUIPMENT	Cole Information Services
1964	JACKSON REALTY	Pacific Telephone

11644 ARTESIA BLVD

Year	Uses	Source
2009	RADIENZE 360 PRETTY HAIR STUDIO SP	Cole Information Services
	PRETTY HAIR BEAUTY IN THE AIR SALON	Cole Information Services
2006	BEAUTY IN THE	Haines Company, Inc.
	PRETY HAIR	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	ROSE BUDS UPPER CUT	Cole Information Services
	BENNIE ROSS	Cole Information Services
1994	ALL MARK INSURANCE	Cole Information Services
	H E L P NETWORK INS	Cole Information Services

FINDINGS

Year	Uses	Source
1964	CHRISTIAN LABOR ASSN	Pacific Telephone

11645 ARTESIA BLVD

Year	Uses	Source
2014	FARSAN MART SURATI	Cole Information Services

11646 ARTESIA BLVD

Year	Uses	Source
2014	ARTESIA TEST ONLY CENTER	Cole Information Services
2009	ARTESIA TEST ONLY CENTER	Cole Information Services
2004	CHI HUA	Cole Information Services
	ARTESIA TEST ONLY CTR	Cole Information Services

11647 ARTESIA BLVD

Year	Uses	Source
2014	EG HOBBIES	Cole Information Services
2006	EG HOBBIES	Haines Company, Inc.

11648 ARTESIA BLVD

Year	Uses	Source
2014	JASPERS AUTO SERVICE	Cole Information Services
2009	JASPER AUTO SERVICE INC	Cole Information Services
2006	JASPERS AUTO	Haines Company, Inc.
	FERREIRA PEDRO	Haines Company, Inc.
	SERVICE	Haines Company, Inc.
2004	PETE FERREIRA	Cole Information Services
	JASPER AUTO SERVICE INC	Cole Information Services
1999	JASPERS AUTO SERVICE	Cole Information Services
1994	JASPERS AUTO SVC	Cole Information Services

11649 ARTESIA BLVD

Year	Uses	Source
2014	FERNANDEZ FELIPE FELIX DDS	Cole Information Services
	ARTESIA DENTAL CARE	Cole Information Services
2009	DR FELIPE FELIX FERNANDEZ DDS INC	Cole Information Services
	ARTESIA DENTAL CARE	Cole Information Services

FINDINGS

Year	Uses	Source
2006	FERNANODEZ FELIPE	Haines Company, Inc.
	FEUXDDS	Haines Company, Inc.
	ARTESIA DENTAL	Haines Company, Inc.
2004	ARTESIA DNTL CARE A DNTL PRCT	Cole Information Services

11651 ARTESIA BLVD

Year	Uses	Source
2014	JULIOS PIZZA	Cole Information Services

11654 ARTESIA BLVD

Year	Uses	Source
2006	ARTESIACAMPER	Haines Company, Inc.
	SHELLS	Haines Company, Inc.
1999	VERNS CAMPER SHELL SALES	Cole Information Services
1994	VERNS CAMPER SHELL SALES	Cole Information Services
	VERNS CMPR SHL SLS	Cole Information Services

11655 ARTESIA BLVD

Year	Uses	Source
2014	PORTUGAL IMPORTS	Cole Information Services
2006	IMPORTS	Haines Company, Inc.
	PORTUGAL	Haines Company, Inc.

11656 ARTESIA BLVD

Year	Uses	Source
2014	AVIS	Cole Information Services
	CERRITOS AUTO BODY	Cole Information Services
2009	CERRITOS AUTO COLLISION INC	Cole Information Services
2006	CERRITOSAUTO	Haines Company, Inc.
	BODY CERRITOS AUTO	Haines Company, Inc.
	AVISRENT A CAR	Haines Company, Inc.
2004	CERRITOS AUTO BODY	Cole Information Services
	WILLIAM ZYLA	Cole Information Services
1999	CERRITOS AUTO BODY	Cole Information Services
1994	CERRITOS AUTO BODY	Cole Information Services

FINDINGS

11657 ARTESIA BLVD

Year	Uses	Source
2014	STUDIOONE	Cole Information Services
2009	STUDIO ONE	Cole Information Services
2006	STUDIOONE	Haines Company, Inc.

11700 ARTESIA BLVD

Year	Uses	Source
2014	IWAKI CHIROPRACTIC	Cole Information Services
	TOGUCHI LESLIE	Cole Information Services
2009	LY THOMAS CUONGTUAN DC	Cole Information Services
	KEN IWAKI DC	Cole Information Services
	IWAKI CHIROPRACTIC	Cole Information Services
	LESLIE TOGUCHI	Cole Information Services
2006	IWAKI	Haines Company, Inc.
	CHIROPRACTIC TOGUCHILESUE	Haines Company, Inc.
2004	THOMAS LY	Cole Information Services
	IWAKI CHIROPRACTIC	Cole Information Services
1999	IWAKI CHIROPRACTIC	Cole Information Services
	LY THOMAS CUONGTUAN DC	Cole Information Services
1994	PACIFIC WEST MEDICAL GROUP	Cole Information Services
	IWAKI CHIROPRACTIC	Cole Information Services

11701 ARTESIA BLVD

Year	Uses	Source
2009	CARPET WAGON INC	Cole Information Services

11702 ARTESIA BLVD

Year	Uses	Source
2009	LUCKY DE BON	Cole Information Services

11704 ARTESIA BLVD

Year	Uses	Source
1999	CORAL MORTGAGE SERVICES INCORPORATED	Cole Information Services
1994	LEELDER & ASSOC	Cole Information Services

FINDINGS

Year	Uses	Source
1994	CORAL MORTGAGE INC	Cole Information Services

11706 ARTESIA BLVD

Year	Uses	Source
2014	EVANS MICHAEL INSURANCE AGENCY	Cole Information Services
	FARMERS INSURANCE GROUP	Cole Information Services
2009	EVANS MICHAEL	Cole Information Services
2006	SNODGRASS	Haines Company, Inc.
	AGENCY	Haines Company, Inc.
	AGENCY TRAVIS	Haines Company, Inc.
	INSURANCE	Haines Company, Inc.
	EVANS MICHAEL	Haines Company, Inc.
2004	TRAVIS SNODGRASS	Cole Information Services
	S REED	Cole Information Services
1999	SNODGRASS TRAVIS INS	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
	FARMERS INSURANCE GROUP	Cole Information Services
1994	TRAVIS SNODGRASS	Cole Information Services
	FARMERS INSURANCE GROUP	Cole Information Services

11708 ARTESIA BLVD

Year	Uses	Source
2014	NEW DIMENSION TAX & ACCOUNTING SERVI	Cole Information Services
2006	New DMNSNTAX&	Haines Company, Inc.
	MASIGLARP	Haines Company, Inc.
	ACCTNG SERV	Haines Company, Inc.
2004	CLINICAL PHRMCLGCL STDY	Cole Information Services
	BELLFLOWER AUTOMOTIVE INC	Cole Information Services
	RUDY MASIGLA	Cole Information Services
	SEMA INVESTMENTS	Cole Information Services
1999	RENDEZVOUS ESCROW SERVICES	Cole Information Services
1994	RENDEZVOUS ESCROW SVC	Cole Information Services

FINDINGS

11712 ARTESIA BLVD

Year	Uses	Source
2014	ANTHONY DUONG	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	ELTEGONDE Philip	Haines Company, Inc.
	JAE Young Sook	Haines Company, Inc.
2004	HARVEEN KAUR	Cole Information Services
	YOUNG JAE	Cole Information Services
1999	YOLANDA MACIAS	Cole Information Services
1994	NYLEN, DAVE	Cole Information Services

11714 ARTESIA BLVD

Year	Uses	Source
2014	ROLANDO PEPITO	Cole Information Services
2009	PILIPINAS PEPITO	Cole Information Services
2006	ALEJANDRO Lydia	Haines Company, Inc.
2004	LYDIA ALEJANDRO	Cole Information Services
1999	PILIPINAS PEPITO	Cole Information Services
1994	NFL BUSINESS EQUIPMENT	Cole Information Services

11725 ARTESIA BLVD

Year	Uses	Source
2014	UNITED READY MIXED CONCRETE CO INC	Cole Information Services
	NATIONAL READY MIXED CONCRETE CO	Cole Information Services
2009	UNITED READY MIXED CONCRETE CO	Cole Information Services
2006	NATLREADYMIXED	Haines Company, Inc.
	CNCRTE CO INC	Haines Company, Inc.
	CNCRTE CO INC UHITRDY MXD	Haines Company, Inc.
	CNCRTECOINC UNITD READY	Haines Company, Inc.
	MIXED CO INC	Haines Company, Inc.
	UNITD READY MXD	Haines Company, Inc.
	CONCRETECO UNITD RDY MXD	Haines Company, Inc.
1999	UNITED READY MIXED CONCRETE COMPANY INCORPORATED	Cole Information Services
1994	UNITD READY MIXED	Cole Information Services

FINDINGS

Year	Uses	Source
1994	UNITED CONCRETE CO	Cole Information Services
1976	Artesla Plant	Pacific Telephone
	UNITED READY MIXED CONCRETE	Pacific Telephone

11729 ARTESIA BLVD

Year	Uses	Source
1964	UNITED READY MIXED CONCRETE	Pacific Telephone

11732 ARTESIA BLVD

Year	Uses	Source
2014	ALBERTOS MEXICAN FOOD	Cole Information Services
2009	WENDYS INTERNATIONAL INC	Cole Information Services
2006	INTERNATL	Haines Company, Inc.
	WENDYS	Haines Company, Inc.
2004	WENDYS INTERNATIONAL INC	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
1999	WENDYS INTERNATL	Cole Information Services
1994	WENDYS	Cole Information Services

11734 ARTESIA BLVD

Year	Uses	Source
2014	MIRAE WELLNESS CLINIC	Cole Information Services
2009	CHOI CHIROPRACTIC CLINIC INC	Cole Information Services
	LUCKY DEBON COSMETICS	Cole Information Services
2006	CHIROPRACTIC	Haines Company, Inc.
	CUNIC	Haines Company, Inc.
	LUCKY DEBON	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
	NARA CHIROPRACTIC CLINIC INC	Cole Information Services
1999	BEST CHIROPRACTIC CLINIC	Cole Information Services
1994	CHOI CHIROPRACTIC CLINIC	Cole Information Services

11735 ARTESIA BLVD

Year	Uses	Source
2004	OCCUPANT UNKNOWN	Cole Information Services

FINDINGS

Year	Uses	Source
1999	VERHOEVEN GEORGE FEED COMPANY INCORPORATED	Cole Information Services
	J W J TRANSPORTATION INCORPORATED	Cole Information Services
1994	GEORGE VERHOEVEN FEED CO	Cole Information Services

11736 ARTESIA BLVD

Year	Uses	Source
2014	SUNSET CELLULAR	Cole Information Services
2004	K SONG	Cole Information Services
	SIM SUNG	Cole Information Services
1999	NEW YORK BAKERY	Cole Information Services
1994	NEW YORK BAKERY	Cole Information Services

11738 ARTESIA BLVD

Year	Uses	Source
2014	HAIR TECH	Cole Information Services
	CASUAL NEWS	Cole Information Services
2009	FASHION NEWS	Cole Information Services
	HAIR TECH	Cole Information Services
	CASUAL NEWS	Cole Information Services
2006	HAIRTECH	Haines Company, Inc.
	CASUALNEWS	Haines Company, Inc.
2004	CASUAL NEWS	Cole Information Services
	N FASHION	Cole Information Services
1999	MIMIS BEAUTY SALON	Cole Information Services
	FASHION NEWS	Cole Information Services
1994	FASHION NEWS	Cole Information Services
	BIOGIME SKIN CARE	Cole Information Services
	MIMIS BEAUTY SALON	Cole Information Services
	STARS PAINTING CO	Cole Information Services

11740 ARTESIA BLVD

Year	Uses	Source
2014	LITTLE SANTONG	Cole Information Services
2009	LITTLE SANTONG	Cole Information Services

FINDINGS

Year	Uses	Source
2006	LITTLE SANTONG	Haines Company, Inc.
2004	YE DANG TOFU HOUSE	Cole Information Services
	TOFU MANNA	Cole Information Services
1994	TIAN JIN DUMPLING HOUSE	Cole Information Services

11742 ARTESIA BLVD

Year	Uses	Source
2006	HAPPY KIDS	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	HANLIM ACUPUNCTURE CLINIC	Cole Information Services
1994	HANLIM ACUPUNCTURE CLINIC	Cole Information Services

11744 ARTESIA BLVD

Year	Uses	Source
2014	WOORI SHOPPING	Cole Information Services
2006	VIDEO STARS	Haines Company, Inc.
2004	VIDEO STARS	Cole Information Services
	STARS VIDEO	Cole Information Services
1999	VIDEO STARS	Cole Information Services
1994	VIDEO STARS	Cole Information Services

11746 ARTESIA BLVD

Year	Uses	Source
2014	HWANG HAE DOH	Cole Information Services
2006	HWANGHAEDOH	Haines Company, Inc.
2004	HWANG HAE DOH	Cole Information Services
	HAE HWANG	Cole Information Services
1994	HWANG, HAE	Cole Information Services
	HWANG HAE DOH	Cole Information Services

11748 ARTESIA BLVD

Year	Uses	Source
2014	GOSPEL BOOK & CHURCH SUPPLIES	Cole Information Services
2009	HWANG HAE DOH	Cole Information Services
2006	CHURCH SUPPLIES	Haines Company, Inc.

FINDINGS

Year	Uses	Source
2006	GOSPELBOOK&	Haines Company, Inc.
2004	GOSPEL BOOK & CHURCH SUPPLIES	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
1999	TIAN JIN DUMPLING HOUSE	Cole Information Services
	GOSPEL BOOK & CHURCH SUPPLI IIES	Cole Information Services
	TIAN JIN RESTAURANT	Cole Information Services
1994	GOSPEL BOOK & CHURCH SUPPLIES	Cole Information Services

11749 ARTESIA BLVD

Year	Uses	Source
2014	ARTESIA COINOP AUTO SPA	Cole Information Services
2009	ARTESIA COIN OPERATED AUTO SPA	Cole Information Services
2006	DETAIL	Haines Company, Inc.
	AUTO SPA LET IT SHINE	Haines Company, Inc.
	ARTESIACOIN OP	Haines Company, Inc.
	CUSTOM ATO	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
	ARTESIA COIN OP AUTO SPA	Cole Information Services
1999	LET IT SHINE CUSTOM AUTO DETAIL	Cole Information Services
	ARTESIA COIN OP AUTO SPA	Cole Information Services
1994	LET IT SHINE CUSTOM AUTO DTL	Cole Information Services
	ARTESIA COIN OP AUTO SPA	Cole Information Services

11750 ARTESIA BLVD

Year	Uses	Source
2014	SEOUL SOONDAE	Cole Information Services
2009	SEOUL SOONDAE RESTAURANT	Cole Information Services
	GOSPEL BOOK & CHURCH SUPPLIES	Cole Information Services
2006	SEOULSoondae	Haines Company, Inc.
2004	SEOUL SOONDAE RESTAURANT	Cole Information Services
	TN WIRELESS	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
1999	WESTLAND REALTY	Cole Information Services
1994	WESTLAND REALTY	Cole Information Services

FINDINGS

Year	Uses	Source
1994	SEOUL, SOONDAE	Cole Information Services

11752 ARTESIA BLVD

Year	Uses	Source
1999	H & H CARPETS & INTERIORS	Cole Information Services

11754 ARTESIA BLVD

Year	Uses	Source
2014	HANMI BANK	Cole Information Services
	KOEUN PRINTING	Cole Information Services
	MORNING GLORY	Cole Information Services
	TCL LOCKSMITH	Cole Information Services
2009	MORNING GLORY	Cole Information Services
	HANMI BANK	Cole Information Services
	KOEUN PRINTING CO	Cole Information Services
	BANK HANMI	Cole Information Services
2006	MORNINGGLORY	Haines Company, Inc.
	KOEUN PRINTING	Haines Company, Inc.
	HANMIBANK	Haines Company, Inc.
2004	MORNING GLORY	Cole Information Services
	HANMI BANK	Cole Information Services
	GLORY MORNING	Cole Information Services
	KOEUN PRINTING CO	Cole Information Services
1999	RAINBOW SHOES	Cole Information Services
	HAPPY KIDS	Cole Information Services
	MORNING GLORY	Cole Information Services
	BANK HANMI	Cole Information Services
	KOEUN PRINTING	Cole Information Services
	KOEUN PRINTING COMPANY	Cole Information Services
	FIRST GLOBAL SAVINGS BANK	Cole Information Services
1994	RAINBOW SHOES	Cole Information Services
	FIRST GLOBAL BANK FSB	Cole Information Services
	GAYABANG	Cole Information Services
	H & H CONSTRUCTION	Cole Information Services

Year	Uses	Source
1994	KOEUN PRINTING	Cole Information Services

11756 ARTESIA BLVD

Year	Uses	Source
2009	ROI INTERNATIONAL CORP	Cole Information Services
2006	FOUNDATION	Haines Company, Inc.
	ABC SCHOOL	Haines Company, Inc.
2004	ABC SCHOOL DIST BOARD MEMB	Cole Information Services
1999	MALL ENGINEERING CONSULTANT	Cole Information Services
	BEYAZ & PATEL INCORPORATED	Cole Information Services
	ORANGE DRIVING SCHOOL	Cole Information Services
1994	BEYAZ & PATEL INC	Cole Information Services
	ALLSTATE FINANCIAL CO	Cole Information Services
	COMPLETE PROPERTY SVC	Cole Information Services
	MALI ENGINEERING CONSLNT	Cole Information Services
	ORANGE DRIVING SC	Cole Information Services
	ORANGE DRIVING & TRAFFIC SCHL	Cole Information Services

11634 1/2 ARTESIA BLVD

Year	Uses	Source
1964	ZUIDEMA SAM	Pacific Telephone

ARTESIA BLVD E

11614 ARTESIA BLVD E

Year	Uses	Source
2000	ALLSTATE TAX SERVICE	Haines

11616 ARTESIA BLVD E

Year	Uses	Source
2000	XXXX	Haines

11618 ARTESIA BLVD E

Year	Uses	Source
2000	J & A AERIAL LIFT SRV	Haines
	ROGERS OPEL ENGINEERING	Haines

Year	Uses	Source
2000	MARKS AUTO REPAIR	Haines
	DEKKERS WELDING SERVICE INC	Haines

11628 ARTESIA BLVD E

Year	Uses	Source
2000	SASSY SCISSORS	Haines

11630 ARTESIA BLVD E

Year	Uses	Source
2000	NAVARRO SALES	Haines

11632 ARTESIA BLVD E

Year	Uses	Source
2000	ARTESIACERRITOS HRNG AID CT	Haines

11634 ARTESIA BLVD E

Year	Uses	Source
2000	DIAMOND WIRELESS	Haines

11635 ARTESIA BLVD E

Year	Uses	Source
2000	PUBLIC STORAGE	Haines

11636 ARTESIA BLVD E

Year	Uses	Source
2000	OLD MEMORY	Haines
	OCARDOSO Ercillo	Haines

11638 ARTESIA BLVD E

Year	Uses	Source
2000	CAROOSO Ercilio	Haines

11642 ARTESIA BLVD E

Year	Uses	Source
2000	N F L BUSINESS EQUIPMENT	Haines

FINDINGS

11644 ARTESIA BLVD E

Year	Uses	Source
2000	ROSE BUD SUPPER CUT	Haines

11645 ARTESIA BLVD E

Year	Uses	Source
2000	XXXX	Haines

11646 ARTESIA BLVD E

Year	Uses	Source
2000	SMOG ONLY	Haines

11648 ARTESIA BLVD E

Year	Uses	Source
2000	JASPERS AUTO SERVICE	Haines
	1/2 FERREIRA Pedro	Haines

11654 ARTESIA BLVD E

Year	Uses	Source
2000	XXXX	Haines

11655 ARTESIA BLVD E

Year	Uses	Source
2000	XXXX	Haines

11656 ARTESIA BLVD E

Year	Uses	Source
2000	CERRITOS AUTO BODY	Haines

11700 ARTESIA BLVD E

Year	Uses	Source
2000	ARTESIA BLVD E 90701 CONT	Haines
	IWAKI CHIROPRACTIC	Haines

11702 ARTESIA BLVD E

Year	Uses	Source
2000	XXXX	Haines

FINDINGS

11704 ARTESIA BLVD E

Year	Uses	Source
2000	D L P ENTERPRISES	Haines
	YOUNG Sook	Haines
	CORAL MORTGAGE SERVICES INC	Haines

11706 ARTESIA BLVD E

Year	Uses	Source
2000	SNODGRASS TRAVIS INS	Haines
	FARMERS INS AGENT	Haines

11708 ARTESIA BLVD E

Year	Uses	Source
2000	RENDEZVOUS ESCRW SV	Haines

11712 ARTESIA BLVD E

Year	Uses	Source
2000	1/2 LARA Mario	Haines
	JAE Young Sook	Haines

11714 ARTESIA BLVD E

Year	Uses	Source
2000	MILLER Jay	Haines

11725 ARTESIA BLVD E

Year	Uses	Source
2000	UNITD READY MXD CNCRTE CO INC	Haines

11732 ARTESIA BLVD E

Year	Uses	Source
2000	WENDYS INTERNATL	Haines

11734 ARTESIA BLVD E

Year	Uses	Source
2000	BEST CHIROPRACTIC CLINIC	Haines
	1/2 LUCKY Debon 562 B	Haines

FINDINGS

11735 ARTESIA BLVD E

Year	Uses	Source
2000	VERHOEVEN GEORGE FEED CO INC	Haines
	J W J TRANSPORTATION INC	Haines

11736 ARTESIA BLVD E

Year	Uses	Source
2000	NY BAKERY	Haines

11738 ARTESIA BLVD E

Year	Uses	Source
2000	MIMIS BEAUTY SALON	Haines

11740 ARTESIA BLVD E

Year	Uses	Source
2000	MANNA TOFU	Haines

11742 ARTESIA BLVD E

Year	Uses	Source
2000	HAPPY KIDS	Haines

11744 ARTESIA BLVD E

Year	Uses	Source
2000	VIDEO STARS	Haines

11746 ARTESIA BLVD E

Year	Uses	Source
2000	HWANG HAE DOH	Haines

11748 ARTESIA BLVD E

Year	Uses	Source
2000	GOSPEL BOOK & CHURCH SUPPLIES	Haines
	TIAN JIN DMPLNG HS	Haines
	1/2 TIAN JIN RESTAURANT	Haines

11749 ARTESIA BLVD E

Year	Uses	Source
2000	COALE How ard	Haines

Year	Uses	Source
2000	LETIT SHINE CUSTOM ATO DETAIL	Haines
	ARTESIA COIN OP AUTO SPA	Haines

11750 ARTESIA BLVD E

Year	Uses	Source
2000	1/2 SEOUL Soondae	Haines
	WESTLAND REALTY	Haines

11752 ARTESIA BLVD E

Year	Uses	Source
2000	EMMONS Hollis	Haines

11754 ARTESIA BLVD E

Year	Uses	Source
2000	KOEUN PRINTING	Haines
	MORNING GLORY	Haines
	HANMI BANK	Haines

11756 ARTESIA BLVD E

Year	Uses	Source
2000	MALI ENGINEERING	Haines
	BEYAZ & PATEL INC	Haines
	ORANGE DRIVING SCHOOL	Haines

CORBY AVE

17203 CORBY AVE

Year	Uses	Source
2014	CITY OF ARTESIA PUBLIC WORKS	Cole Information Services
2006	a VANESSENGary	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
1964	ASSOCIATED EQUIPT RENTALS	Pacific Telephone

17215 CORBY AVE

Year	Uses	Source
2009	PERRY ART	Cole Information Services
2006	PERRY ART	Haines Company, Inc.

FINDINGS

Year	Uses	Source
1994	PERRY, ART	Cole Information Services
1964	FINDERS AUTOMOTIVE	Pacific Telephone

17221 CORBY AVE

Year	Uses	Source
1999	BOBS MACHINE SHOP INCORPORATED	Cole Information Services
1994	BOBS MACHINE SHOP	Cole Information Services

CORBY AVE S

17203 CORBY AVE S

Year	Uses	Source
2000	XXXX	Haines

17215 CORBY AVE S

Year	Uses	Source
2000	PERRY Art	Haines
	STEVENS Carl	Haines

17221 CORBY AVE S

Year	Uses	Source
2000	BOBS MACHINE SHOP INC	Haines
	PIERCE Richard 0 C	Haines
	X ARTESIA BLVD	Haines
	X 184TH	Haines

E ARTESIA BLVD

11725 E ARTESIA BLVD

Year	Uses	Source
1991	Artesia Plant	Pacific Bell
1990	UNITED READY MIXED CONCRETE CO INC	Pacific Bell
1986	UNITED READY MIXED CONCRETE CO INC	Pacific Bell
1985	Artesia Plant	Pacific Bell
1981	UNITED READY MIXED CONCRETE CO INC	Pacific Telephone
1980	Artesia Plant	Pacific Telephone

FINDINGS

FLALLON AVE

17203 FLALLON AVE

Year	Uses	Source
2006	STRONGBOX	Haines Company, Inc.
	INDUSTRIES	Haines Company, Inc.
2004	STRONGBOX INDUSTRIES	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
1999	STRONGBOX INDUSTRIES	Cole Information Services
1994	STRONGBOX INDUSTRIES	Cole Information Services

17212 FLALLON AVE

Year	Uses	Source
1964	VANDERBY DWAYNE	Pacific Telephone

17213 FLALLON AVE

Year	Uses	Source
2014	KLAASJE SASBONE	Cole Information Services
2006	SASBONEAlexander	Haines Company, Inc.
1964	NIEVES RUBEN D	Pacific Telephone

17215 FLALLON AVE

Year	Uses	Source
2014	GAUTAM ARORA	Cole Information Services
2009	HARWANT ARORA	Cole Information Services
2006	ARORAHarw ant	Haines Company, Inc.
2004	HYJO HOVERCRAFT INC	Cole Information Services
1999	HARWANT ARORA	Cole Information Services
1994	MARQUEZ, MICHAEL	Cole Information Services
	FOSTER, JOHN C	Cole Information Services

17221 FLALLON AVE

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services
	EDWARD HERNANDEZ	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services

Year	Uses	Source
2009	MAXIMINO HERNANDEZ	Cole Information Services
2004	MERILIN HERNANDEZ	Cole Information Services
1999	MAXIMINO HERNANDEZ	Cole Information Services

17223 FLALLON AVE

Year	Uses	Source
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	No Current Listing	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
1964	ROBERTSON WAYNE	Pacific Telephone

17301 FLALLON AVE

Year	Uses	Source
2014	A TO Z ELECTRIC	Cole Information Services
2009	A TO Z ELECTRIC	Cole Information Services
2006	ATOZ ELECTRIC	Haines Company, Inc.
2004	RONALD MAWHINNEY	Cole Information Services
1999	A TO Z ELECTRIC	Cole Information Services
	M &S EQUIPT	Cole Information Services
1994	M & S EQUIPMENT	Cole Information Services

17306 FLALLON AVE

Year	Uses	Source
1999	N R G POWER OPERATIONS	Cole Information Services
	O BRIEN CALIFORNIA COGENERATIONS LIMITED	Cole Information Services
1994	STEWART & STEVENSON OPER INC	Cole Information Services

17307 FLALLON AVE

Year	Uses	Source
2006	a VINKAudley	Haines Company, Inc.
2004	GREENWAY LANDSCAPE	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
1999	GREENWAY LANDSCAPE	Cole Information Services
1994	GREENWAY LANDSCAPE	Cole Information Services

FINDINGS

Year	Uses	Source
1964	GONZALVES DAVID	Pacific Telephone

17313 FLALLON AVE

Year	Uses	Source
2014	HECTOR RODRIGUEZ	Cole Information Services
	JOSE BANUELOS	Cole Information Services
	JOSE ROMANO	Cole Information Services
2009	JOSE ROMANO	Cole Information Services
	ANTONIO COUTO	Cole Information Services
2006	NARANJOAlberlo	Haines Company, Inc.
	ROMANOJuan	Haines Company, Inc.
2004	JUAN ROMANO	Cole Information Services
1999	JOSE ROMANO	Cole Information Services
	SIMON ROSALES	Cole Information Services
	ANTONIO COUTO	Cole Information Services

17315 FLALLON AVE

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
	SONIA BARRETO	Cole Information Services
2006	BARRETOSonia	Haines Company, Inc.
2004	ALICIA BARRETO	Cole Information Services
1999	MARTHA MARTIN	Cole Information Services
	SONIA BARRETO	Cole Information Services

17317 FLALLON AVE

Year	Uses	Source
2014	ALBERTO NARANJO	Cole Information Services
2009	ANTONIA MENDEZ	Cole Information Services
2004	ANTONIA NARANJO	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services
	ANTONIA MENDEZ	Cole Information Services
1994	MURILLO, ARMANDO	Cole Information Services

FINDINGS

17313 1/2 FLALLON AVE

Year	*Uses*	*Source*
1964	ROEBUCK ERNEST	Pacific Telephone

FLALLON AVE S

17203 FLALLON AVE S

Year	*Uses*	*Source*
2000	RUTLEDGE Michael	Haines
	STRONGBOX INDUSTRIE	Haines

17210 FLALLON AVE S

Year	*Uses*	*Source*
2000	XXXX	Haines

17212 FLALLON AVE S

Year	*Uses*	*Source*
2000	XXXX	Haines

17213 FLALLON AVE S

Year	*Uses*	*Source*
2000	SASBONE Alexander	Haines

17215 FLALLON AVE S

Year	*Uses*	*Source*
2000	BERTRAND Joseph	Haines

17221 FLALLON AVE S

Year	*Uses*	*Source*
2000	WHEELER Phillip	Haines

17300 FLALLON AVE S

Year	*Uses*	*Source*
2000	XXXX	Haines

17301 FLALLON AVE S

Year	*Uses*	*Source*
2000	A TO Z ELE	Haines

FINDINGS

17302 FLALLON AVE S

Year	Uses	Source
2000	XXXX	Haines

17306 FLALLON AVE S

Year	Uses	Source
2000	OBRIEN C A COGENERATIONS LTD	Haines
	N R G POWER OPERA	Haines

17307 FLALLON AVE S

Year	Uses	Source
2000	GREENWAY LANDSCAPE 562 M	Haines
	VINK Audley 00 C	Haines

17309 FLALLON AVE S

Year	Uses	Source
2000	XXXX	Haines

17313 FLALLON AVE S

Year	Uses	Source
2000	COUTO Antonio	Haines
	ROMANO Juan	Haines

17317 FLALLON AVE S

Year	Uses	Source
2000	XXXX	Haines

JERSEY AVE

17105 JERSEY AVE

Year	Uses	Source
2004	OCCUPANT UNKNOWN	Cole Information Services

17110 JERSEY AVE

Year	Uses	Source
2014	CAL PLATE	Cole Information Services
2009	CAL PLATE	Cole Information Services
	AIRMARK CO	Cole Information Services

FINDINGS

Year	Uses	Source
2006	CALPLATE	Haines Company, Inc.
2004	CAL PLATE	Cole Information Services
	AIRMARK CO	Cole Information Services
	PLATE CAL	Cole Information Services
1999	AIRMARK COMPANY	Cole Information Services
	CAL PLATE	Cole Information Services
1994	CAL PLATE	Cole Information Services

17115 JERSEY AVE

Year	Uses	Source
2014	EP CONTAINER	Cole Information Services
	EP CONTAINER CORPORATION	Cole Information Services
	WESTPORT REALITY INC	Cole Information Services
2009	OLEA EXHIBITS & DISPLAY INC	Cole Information Services
	OLEA KIOSKS	Cole Information Services
2006	OLE	Haines Company, Inc.
	EXHIBITSDISPLAYS	Haines Company, Inc.
2004	FERNANDO OLEA	Cole Information Services
	OLEA EXHIBITS & DISPLAYS INC	Cole Information Services
1999	COUNTERTOP MARKETING INTERNATIONAL	Cole Information Services
	CALIFORNIA DESIGN CENTER	Cole Information Services
	OLEA EXHIBITS DISPLAYS INCORPORATED	Cole Information Services
1994	CA DESIGN CENTER	Cole Information Services
	OLEA EXHIBITS DISPLAYS INC	Cole Information Services

17202 JERSEY AVE

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	JUAN SANCHEZ	Cole Information Services
2006	No Current Listing	Haines Company, Inc.
2004	SERGIO PERALES	Cole Information Services
	CRUZ FABIAN	Cole Information Services
1999	JUAN SANCHEZ	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services

FINDINGS

17204 JERSEY AVE

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	RODRIGO GARCIA	Cole Information Services
2006	CABRERA Milllan	Haines Company, Inc.
2004	MARIA ARCE	Cole Information Services
1999	RODRIGO GARCIA	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services

17206 JERSEY AVE

Year	Uses	Source
2014	ERICK ROMERO	Cole Information Services
2009	MARIA RIVERA	Cole Information Services
2006	No Current Listing	Haines Company, Inc.
2004	GABY LOPEZ	Cole Information Services
1999	JOAQUIN ROSALES	Cole Information Services
	MARIA RIVERA	Cole Information Services
1994	GAETA, D	Cole Information Services

17207 JERSEY AVE

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	IRENE KRAMER	Cole Information Services
2006	CHAIGaly	Haines Company, Inc.
1999	IRENE KRAMER	Cole Information Services

17209 JERSEY AVE

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	No Current Listing	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services

17210 JERSEY AVE

Year	Uses	Source
2009	CALIFORNIA CHEMICAL CO	Cole Information Services

FINDINGS

Year	Uses	Source
2009	CALIFORNIA POOL & CHEM SERVICES	Cole Information Services
2006	VAN ESSEN Rachel	Haines Company, Inc.

17211 JERSEY AVE

Year	Uses	Source
2014	JOSE REYES	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	PINEDORober	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services
1994	REYES, JOSE	Cole Information Services
1964	VERNON JACKSON	Pacific Telephone

17214 JERSEY AVE

Year	Uses	Source
2014	LOURD PULIDO	Cole Information Services
2006	a BARAJAS Pascual	Haines Company, Inc.

17215 JERSEY AVE

Year	Uses	Source
2014	TONY PINEDO	Cole Information Services
2009	ERICK ROMERO	Cole Information Services
2006	PINEDOTony	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	ERICK ROMERO	Cole Information Services

17216 JERSEY AVE

Year	Uses	Source
2014	JUAN BARAJAS	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	No Current Listing	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services

FINDINGS

17219 JERSEY AVE

Year	*Uses*	*Source*
2014	DARSHAN SINGH	Cole Information Services
2009	FORKLIFT UNLIMITED	Cole Information Services
	GREGORIO LOPEZ	Cole Information Services
2006	FORKLIFT	Haines Company, Inc.
	UNLIMITED	Haines Company, Inc.
	LOPEZGregono	Haines Company, Inc.
2004	FORKLIFT UNLIMITED	Cole Information Services
	PEDRO LOPEZ	Cole Information Services
1999	FORKLIFT UNLIMITED	Cole Information Services
	GREGORIO LOPEZ	Cole Information Services
1994	LOPEZ, PEDRO M	Cole Information Services

17220 JERSEY AVE

Year	*Uses*	*Source*
2014	ANYTIME ANYWHERE EMERGENCY LOCKSMITH	Cole Information Services
2006	QUALITY CONSTR&	Haines Company, Inc.
	DEVLP VICTORY BUILDERS	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services

17223 JERSEY AVE

Year	*Uses*	*Source*
2014	GUARDIAN FENCE COMPANY	Cole Information Services
	GUARDIAN FENCE INC	Cole Information Services
2009	GUARDIAN FENCE CO	Cole Information Services
2006	GUARDIAN FENCE	Haines Company, Inc.
	CO GUARDIAN FENCE	Haines Company, Inc.
	CO GUARDIAN FENCE	Haines Company, Inc.
	CO INDEP CARRIERS	Haines Company, Inc.
2004	RENEGADE TEMPORARY FENCE	Cole Information Services
1994	CERRITOS MFG & REPAIR	Cole Information Services

FINDINGS

17226 JERSEY AVE

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	OCCUPANT UNKNOWN	Cole Information Services
2006	No Current Listing	Haines Company, Inc.
1999	OCCUPANT UNKNOWN	Cole Information Services
	ROADWAY TOWING	Cole Information Services
	INTERNATL EXECUTIVE INCORPORATED	Cole Information Services
	QUEENS LIENS	Cole Information Services
1994	QUEENS LIENS	Cole Information Services
	ROADWAY USA	Cole Information Services
1964	JONES JOHN W	Pacific Telephone

17227 JERSEY AVE

Year	Uses	Source
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	L & H FOODS INCORPORATED	Cole Information Services
1994	L & H FOODS INC	Cole Information Services
	SALAD WORKS	Cole Information Services

17304 JERSEY AVE

Year	Uses	Source
2014	ARTURO VERGARA	Cole Information Services
2009	ARTURO VERGARA	Cole Information Services
2006	VERGARA Arturo	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services
	ARTURO VERGARA	Cole Information Services

17310 JERSEY AVE

Year	Uses	Source
2014	PEDRO RODRIGUEZ	Cole Information Services
	ARNULFO SANDOVAL	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
2009	PABLO RUBIO	Cole Information Services

FINDINGS

Year	Uses	Source
2009	ARNULFO SANDOVAL	Cole Information Services
	PEDRO RODRIGUEZ	Cole Information Services
2006	RU 8 BIOPablo	Haines Company, Inc.
	RODRIGUEZ Pedro	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	PABLO RUBIO	Cole Information Services
	ARNULFO SANDOVAL	Cole Information Services
	PEDRO RODRIGUEZ	Cole Information Services
1994	RODRIGUEZ, PEDRO	Cole Information Services

17312 JERSEY AVE

Year	Uses	Source
2014	SALVADOR RODRIGUEZ	Cole Information Services
	OSCAR CRUZ	Cole Information Services
2004	ROSANA SALAZAR	Cole Information Services

17314 JERSEY AVE

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	LUIS FAGUNDES	Cole Information Services
	CONCEPCION REYES	Cole Information Services
2004	JEUS ANDRADE	Cole Information Services
	MARTHA BLANCO	Cole Information Services
1999	LUIS FAGUNDES	Cole Information Services
	CONCEPCION REYES	Cole Information Services
1994	ESPARAZA, ELEAZAR	Cole Information Services

17502 JERSEY AVE

Year	Uses	Source
2014	DARSHAN SINGH	Cole Information Services
2009	GARY HORNBERGER	Cole Information Services
2006	HORNBERGERGary	Haines Company, Inc.
2004	GARY HORNBERGER	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services

FINDINGS

Year	Uses	Source
1999	GARY HORNBERGER	Cole Information Services

17503 JERSEY AVE

Year	Uses	Source
2014	JENNI SOURN	Cole Information Services
2009	JEN LIU	Cole Information Services
2006	a LIUJen	Haines Company, Inc.
2004	JEN LIU	Cole Information Services
1999	JEN LIU	Cole Information Services

17508 JERSEY AVE

Year	Uses	Source
2014	ABEL GOMEZ	Cole Information Services
2006	OYUNGMing	Haines Company, Inc.
	KWONChae	Haines Company, Inc.
2004	CHAE KWON	Cole Information Services
1999	OCCUPANT UNKNOWN	Cole Information Services
1994	XIANG, NI N	Cole Information Services
1964	WINTERSEYK HENRY	Pacific Telephone

17510 JERSEY AVE

Year	Uses	Source
2014	BALVIR KAUR	Cole Information Services
2009	DARSHAN SINGH	Cole Information Services
2006	a SINGHDarshan	Haines Company, Inc.
2004	GURDEV DHILLON	Cole Information Services
1999	DARSHAN SINGH	Cole Information Services

17511 JERSEY AVE

Year	Uses	Source
2014	MATTHEW CARROLL	Cole Information Services
2009	MATTHEW CARROLL	Cole Information Services
2006	SCARROLLMathew	Haines Company, Inc.
2004	MATTHEW CARROLL	Cole Information Services
1999	MATTHEW CARROLL	Cole Information Services

Year	Uses	Source
1994	GRITTERS, ALVIN J	Cole Information Services

17513 JERSEY AVE

Year	Uses	Source
2014	THURMAN HELMICK	Cole Information Services

17520 JERSEY AVE

Year	Uses	Source
2014	NICK RAMOS	Cole Information Services
2009	LUMA MAGNABIJON	Cole Information Services
2006	MAGNABIJONLuma	Haines Company, Inc.
2004	LUMA MAGNABIJON	Cole Information Services
1999	LUMA MAGNABIJON	Cole Information Services

17522 JERSEY AVE

Year	Uses	Source
2014	BART ECCLES	Cole Information Services
2009	JAHEEH PICKLE	Cole Information Services
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	JAHEEH PICKLE	Cole Information Services
1964	ECCLES GLEN A	Pacific Telephone

17305 1/2 JERSEY AVE

Year	Uses	Source
1964	MITOBE RICHAID T	Pacific Telephone

17310 1/2 JERSEY AVE

Year	Uses	Source
1964	ARENS MABEL	Pacific Telephone

JERSEY AVE S

17105 JERSEY AVE S

Year	Uses	Source
2000	XXXX	Haines

FINDINGS

17110 JERSEY AVE S

Year	Uses	Source
2000	AIRMARK CO	Haines
	CAL PLATE	Haines

17115 JERSEY AVE S

Year	Uses	Source
2000	X ARTESIA BLVD	Haines
	OLEA EXHIBITSDISPLAYS INC	Haines
	CA DESIGN CENTER	Haines

17202 JERSEY AVE S

Year	Uses	Source
2000	FABIAN Cruz	Haines

17203 JERSEY AVE S

Year	Uses	Source
2000	XXXX	Haines

17204 JERSEY AVE S

Year	Uses	Source
2000	XXXX	Haines

17206 JERSEY AVE S

Year	Uses	Source
2000	ROSALES Joaquin	Haines

17207 JERSEY AVE S

Year	Uses	Source
2000	GOLTRA Gary	Haines

17209 JERSEY AVE S

Year	Uses	Source
2000	XXXX	Haines

17210 JERSEY AVE S

Year	Uses	Source
2000	RUSSELLE Ted	Haines

FINDINGS

17211 JERSEY AVE S

Year	Uses	Source
2000	PINEDO Robert	Haines

17214 JERSEY AVE S

Year	Uses	Source
2000	BARAJAS Pascual	Haines

17215 JERSEY AVE S

Year	Uses	Source
2000	PINEDO Tony	Haines

17216 JERSEY AVE S

Year	Uses	Source
2000	XXXX	Haines

17219 JERSEY AVE S

Year	Uses	Source
2000	FORKLIFT UNLIMITED	Haines
	LOPEZ Pedro	Haines

17220 JERSEY AVE S

Year	Uses	Source
2000	XXXX	Haines

17221 JERSEY AVE S

Year	Uses	Source
2000	XXXX	Haines

17223 JERSEY AVE S

Year	Uses	Source
2000	CRONE John	Haines

17226 JERSEY AVE S

Year	Uses	Source
2000	ROADWAY TOWING	Haines
	QUEENS LIENS	Haines

FINDINGS

17227 JERSEY AVE S

Year	Uses	Source
2000	XXXX	Haines

17304 JERSEY AVE S

Year	Uses	Source
2000	BIRDZELL Melvin	Haines

17310 JERSEY AVE S

Year	Uses	Source
2000	1/2 RODRIGUEZ Pedro	Haines
	GONCALVES Manual	Haines

17312 JERSEY AVE S

Year	Uses	Source
2000	XXXX	Haines

17314 JERSEY AVE S

Year	Uses	Source
2000	BLANCO Martha	Haines
	X 175TH	Haines

17502 JERSEY AVE S

Year	Uses	Source
2000	HORNBERGER Gary	Haines

17503 JERSEY AVE S

Year	Uses	Source
2000	LIU Jen	Haines

17508 JERSEY AVE S

Year	Uses	Source
2000	XXXX	Haines

17510 JERSEY AVE S

Year	Uses	Source
2000	DHILLON Gurdev	Haines

FINDINGS

17511 JERSEY AVE S

Year	Uses	Source
2000	CARROLL Matthew	Haines

17513 JERSEY AVE S

Year	Uses	Source
2000	XXXX	Haines

17520 JERSEY AVE S

Year	Uses	Source
2000	MAGNABIJON Luma	Haines

17522 JERSEY AVE S

Year	Uses	Source
2000	ECCLES Glen	Haines

MAIDSTONE AVE

17506 MAIDSTONE AVE

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	RICHARD MIDDEL	Cole Information Services
2006	MIDDEL Richard	Haines Company, Inc.
2004	RICHARD MIDDEL	Cole Information Services
1999	RICHARD MIDDEL	Cole Information Services

17507 MAIDSTONE AVE

Year	Uses	Source
2014	ANGEL JIMENEZ	Cole Information Services
2009	ANGEL JIMENEZ	Cole Information Services
2006	PLUEGERF	Haines Company, Inc.
2004	FLORENCE PLUEGER	Cole Information Services
1999	ANGEL JIMENEZ	Cole Information Services
1994	PLUEGER, FRED W	Cole Information Services
1964	PLUEGER FRED W	Pacific Telephone

FINDINGS

17509 MAIDSTONE AVE

Year	Uses	Source
2014	CASEY DONALD	Cole Information Services
2009	CASEY DONALD	Cole Information Services
2004	LATHEA JOHNSON	Cole Information Services
1999	CASEY DONALD	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services

17514 MAIDSTONE AVE

Year	Uses	Source
2014	DONOVAN KOLANEK	Cole Information Services
2009	JACKLYE WILSON	Cole Information Services
2006	o WILSONJ	Haines Company, Inc.
2004	JACKLYE WILSON	Cole Information Services
1999	JACKLYE WILSON	Cole Information Services
1994	WILSON, DONALD	Cole Information Services

17516 MAIDSTONE AVE

Year	Uses	Source
2014	BYRON GLASPER	Cole Information Services
2009	BYRON GLASPER	Cole Information Services
2006	a GLASPERByron	Haines Company, Inc.
2004	BYRON GLASPER	Cole Information Services
1999	BYRON GLASPER	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
1994	LOUREIRO, ALAIN	Cole Information Services
1964	SHORE LUTHER W	Pacific Telephone

17519 MAIDSTONE AVE

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information Services
2009	LEE DEBOER	Cole Information Services
2006	DEBOERLee	Haines Company, Inc.
2004	LEE DEBOER	Cole Information Services
1999	LEE DEBOER	Cole Information Services

FINDINGS

Year	Uses	Source
1994	DEBOER, LEE	Cole Information Services
1964	WESTRA GENE	Pacific Telephone

17521 MAIDSTONE AVE

Year	Uses	Source
2014	ONNIE LUK	Cole Information Services
2009	ONNIE LUK	Cole Information Services
2006	LUKCarnnen	Haines Company, Inc.
2004	PETE MEDEMA	Cole Information Services
1999	ONNIE LUK	Cole Information Services
1994	MEDEMA, PETE	Cole Information Services

17524 MAIDSTONE AVE

Year	Uses	Source
2014	SAMUEL FEY	Cole Information Services
2009	MARY FEY	Cole Information Services
2006	FEY Samuel	Haines Company, Inc.
2004	MARY FEY	Cole Information Services
1999	MARY FEY	Cole Information Services

17525 MAIDSTONE AVE

Year	Uses	Source
2014	GLEN MULDER	Cole Information Services
2009	GLEN MULDER	Cole Information Services
2006	MULDER Bernard	Haines Company, Inc.
2004	GLEN MULDER	Cole Information Services
1999	GLEN MULDER	Cole Information Services
1994	MULDER, GLEN	Cole Information Services

17526 MAIDSTONE AVE

Year	Uses	Source
2014	ERNEST AMEZCUA	Cole Information Services
2009	ERNEST AMEZCUA	Cole Information Services
2004	ERNEST AMEZCUA	Cole Information Services
1999	ERNEST AMEZCUA	Cole Information Services

FINDINGS

17533 MAIDSTONE AVE

Year	Uses	Source
2014	DIANA SEERDSMA	Cole Information Services
2009	DIANA SEERDSMA	Cole Information Services
2006	SEERDSMA Diana	Haines Company, Inc.
2004	DIANA SEERDSMA	Cole Information Services
1999	DIANA SEERDSMA	Cole Information Services
1994	WIEBENGA, SAM	Cole Information Services

17534 MAIDSTONE AVE

Year	Uses	Source
2014	PETER BUCK	Cole Information Services
2009	PETER BUCK	Cole Information Services
2006	a BUCK Peler	Haines Company, Inc.
2004	THOMAS DRULIAS	Cole Information Services
1999	PETER BUCK	Cole Information Services

MAIDSTONE AVE S

17507 MAIDSTONE AVE S

Year	Uses	Source
2000	PLUEGER Fred W	Haines
	PLUEGER Florence	Haines

17514 MAIDSTONE AVE S

Year	Uses	Source
2000	WILSON Donald	Haines

17516 MAIDSTONE AVE S

Year	Uses	Source
2000	GLASPER Byron	Haines

17519 MAIDSTONE AVE S

Year	Uses	Source
2000	DEBOER Lee	Haines

FINDINGS

17521 MAIDSTONE AVE S

Year	*Uses*	*Source*
2000	MEDEMA Pele	Haines

17524 MAIDSTONE AVE S

Year	*Uses*	*Source*
2000	FEY Samuel	Haines

17525 MAIDSTONE AVE S

Year	*Uses*	*Source*
2000	MULDER Glen	Haines

17533 MAIDSTONE AVE S

Year	*Uses*	*Source*
2000	SEERDSMA Diana	Haines

17534 MAIDSTONE AVE S

Year	*Uses*	*Source*
2000	X JERSEY AV	Haines
	DRULIAS Thomas	Haines

PIONEER BLVD

17221 PIONEER BLVD

Year	*Uses*	*Source*
2009	BOMBAY GARDEN	Cole Information Services
	SHAKEYS PIZZA	Cole Information Services
	LAUCRAIG INC	Cole Information Services
2006	BIGS	Haines Company, Inc.
	Res TAURANTS	Haines Company, Inc.
2004	LAUCRAIG INC	Cole Information Services
1994	SHAKEYS PIZZA PARLOR	Cole Information Services

17303 PIONEER BLVD

Year	*Uses*	*Source*
2014	CHI ENTERPRISES INC	Cole Information Services
2009	ONE JOE KOREAN RESTAURANT	Cole Information Services

FINDINGS

Year	Uses	Source
2006	Res TAURANT	Haines Company, Inc.
	ONEJOE KOREAN	Haines Company, Inc.
2004	WON JO KOREAN RESTAURANT	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
1994	ST PETERS FAMILY MEDICAL GRP	Cole Information Services

17309 PIONEER BLVD

Year	Uses	Source
2014	CIGARETTE PLUS	Cole Information Services
2004	GP COMMUNICATIONS & ELECTRONIC	Cole Information Services
1999	TAIMAY CARPETS	Cole Information Services
1994	HASSAN, SALAH	Cole Information Services
	CERRITOS ANIMAL HOSPITAL	Cole Information Services

17311 PIONEER BLVD

Year	Uses	Source
2014	BHARATIYA GROCERY	Cole Information Services
2009	BHARATIYA GROCERY	Cole Information Services
2006	GROCERY	Haines Company, Inc.
	BHARATIYA	Haines Company, Inc.
2004	BHARATIYA GROCERY	Cole Information Services
1999	BHARATIYA GROCERY	Cole Information Services
1994	MOTUS VICTOR AIA	Cole Information Services
	ANTIQUES&THRIFT BTQ	Cole Information Services

17314 PIONEER BLVD

Year	Uses	Source
2014	CHASE BANK	Cole Information Services
	CHASE	Cole Information Services
	GT DYNO AUTHORIZED DEALERBIG WHEEL	Cole Information Services
	BIG WHEEL BICYCLES	Cole Information Services
2009	UNIFORM DEPOT INC	Cole Information Services
	RALEIGH AUTHORIZED DEALER BIG WHEEL	Cole Information Services
2006	AUTHORIZED	Haines Company, Inc.

FINDINGS

Year	Uses	Source
2006	AUTHORIZED	Haines Company, Inc.
	DEALER	Haines Company, Inc.
	BIG WHEEL	Haines Company, Inc.
	BICYCLES GT DYNO	Haines Company, Inc.
	AUTHORIZED	Haines Company, Inc.
	DEALER MR UNIFORM	Haines Company, Inc.
	RALEIGH	Haines Company, Inc.
	DEALER SCHWINN	Haines Company, Inc.
2004	MR UNIFORM	Cole Information Services
	BIG WHEEL BIKE SHOP	Cole Information Services
1999	BIG WHEEL BICYCLES	Cole Information Services
	MR BIG & TALL MENSWEAR UNIFORMS	Cole Information Services
1994	BIG WHEEL BIKE SHOP	Cole Information Services
	MR MAN INC	Cole Information Services

17315 PIONEER BLVD

Year	Uses	Source
1964	JEANNE S CAFE	Pacific Telephone

17318 PIONEER BLVD

Year	Uses	Source
1985	Bellflower Artesia Center	Pacific Bell
	GENERAL TELEPHONE GTE PHONE MARTS BELLFLOWER ARTESIA CENTER	Pacific Bell
1981	GENERAL TELEPHONE PERSON SERVICE	Pacific Telephone
1980	GENERAL TELEPHONE IN PERSON SERVICE GTE PHONE MART	Pacific Telephone
	Bellflower Artesia Center	Pacific Telephone

17325 PIONEER BLVD

Year	Uses	Source
2014	NICK SHELL SERVICE	Cole Information Services
	LOCKSMITH STORE	Cole Information Services
2009	NICK SHELL SERVICE	Cole Information Services
	SHELL	Cole Information Services

Year	Uses	Source
2009	ALLIANCE FLEET SERVICES	Cole Information Services
2006	NICK SHELL	Haines Company, Inc.
	SERVICE	Haines Company, Inc.
2004	NICK SHELL SERVICE	Cole Information Services
1999	NICK SHELL SERVICE	Cole Information Services
1994	PIONEER & ARTESIA SHELL	Cole Information Services

17328 PIONEER BLVD

Year	Uses	Source
2009	CIGARETTE PLUS	Cole Information Services
2006	CERRITOSBEAUTY	Haines Company, Inc.
	SUPPLY&SALON	Haines Company, Inc.
2004	ESTHER BEAUTY SALON	Cole Information Services
	SUN MIN	Cole Information Services
1999	ARTESIA COMMUNICATION	Cole Information Services
	CERRITOS BEAUTY SUPPLY & SALON	Cole Information Services
1994	ARTESIA COMMNCTN	Cole Information Services

17330 PIONEER BLVD

Year	Uses	Source
2014	VZW AT CP SKY MAX PCS COMMUNICATIONS	Cole Information Services
	SKYMAX PCS	Cole Information Services
2006	SKYMAXPCS	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
1999	NEW LIFE MEDICAL SUPPLIES	Cole Information Services

17334 PIONEER BLVD

Year	Uses	Source
2014	LEE MICHAEL H DDS INC	Cole Information Services
2009	MICHAEL H LEE DDS INC	Cole Information Services
2006	LEE MICHAELH DDS	Haines Company, Inc.
2004	MICHAEL LEE	Cole Information Services
	MICHAEL H LEE DDS INC	Cole Information Services
1999	LEE MICHAEL H DDS INCORPORATED	Cole Information Services

Year	Uses	Source
1994	MICHAEL H LEE DDS	Cole Information Services

17336 PIONEER BLVD

Year	Uses	Source
2014	TIME CITY	Cole Information Services
2009	TIME CITY	Cole Information Services
2006	TIMECITY	Haines Company, Inc.
2004	BORIPHAT SAMATHANAWIN	Cole Information Services
	TIME CITY	Cole Information Services
1999	TIME CITY	Cole Information Services
	TT SERVICE CENTER	Cole Information Services
	OCCUPANT UNKNOWN	Cole Information Services
1994	TIME CITY	Cole Information Services

17340 PIONEER BLVD

Year	Uses	Source
2014	U S DONUT	Cole Information Services
2009	U S DONUTS	Cole Information Services
2006	USDONUT	Haines Company, Inc.
2004	US DONUTS	Cole Information Services
1999	OY DONUTS	Cole Information Services
	US DONUT	Cole Information Services
1994	U S DONUT	Cole Information Services

17421 PIONEER BLVD

Year	Uses	Source
2009	HANEUL MARU MEAT MART	Cole Information Services
	ASIA GRILL WORKS	Cole Information Services
2006	ASIA GRILL WORKS	Haines Company, Inc.
	ASIA GRILL WORKS	Haines Company, Inc.
2004	OCCUPANT UNKNOWN	Cole Information Services
	MASCO WORLD OF GAMES	Cole Information Services
1999	MASCO AUDIO VIDEO ENTERPRISES	Cole Information Services
	WORLD OF GAMES	Cole Information Services

Year	Uses	Source
1999	EDONG FOODS	Cole Information Services
1994	WORLD OF GAMES	Cole Information Services
	MASCO AUDIO VIDEO ENTERPRISES	Cole Information Services
	MASCO WORLD OF GAMES	Cole Information Services

17429 PIONEER BLVD

Year	Uses	Source
2006	CASIGN	Haines Company, Inc.
2004	WORLD OF GAMES	Cole Information Services
	PUNJABI CULTURAL SCTY OF AMRC	Cole Information Services
1994	H & H LIQUOR & DELI	Cole Information Services

PIONEER BLVD S

17221 PIONEER BLVD S

Year	Uses	Source
2000	SHAKEYS PIZZA	Haines
	COALE How ard 00 it	Haines
	RSTRNT ARTESIA	Haines

17300 PIONEER BLVD S

Year	Uses	Source
2000	XXXX	Haines

17303 PIONEER BLVD S

Year	Uses	Source
2000	XXXX	Haines

17309 PIONEER BLVD S

Year	Uses	Source
2000	XXXX	Haines

17311 PIONEER BLVD S

Year	Uses	Source
2000	BHARATIYA GROCERY	Haines

FINDINGS

17314 PIONEER BLVD S

Year	Uses	Source
2000	BIG WHEEL BICYCLES 562 S 6 S 3011 I	Haines
	MR Blg & TAI L MENSWR 562 46 41 I	Haines

17316 PIONEER BLVD S

Year	Uses	Source
2000	XXXX	Haines

17318 PIONEER BLVD S

Year	Uses	Source
2000	XXXX	Haines

17325 PIONEER BLVD S

Year	Uses	Source
2000	ALLIANCE FLEET SERVICES 86 Z	Haines
	NICK SHELL SERVICE	Haines
	COALE How ard	Haines

17326 PIONEER BLVD S

Year	Uses	Source
2000	XXXX	Haines

17328 PIONEER BLVD S

Year	Uses	Source
2000	CERRITOS BEAUTY SUPPLY & SALON	Haines

17330 PIONEER BLVD S

Year	Uses	Source
2000	NEW LIFE MEDICAL SUPPLIES	Haines

17331 PIONEER BLVD S

Year	Uses	Source
2000	XXXX	Haines

17332 PIONEER BLVD S

Year	Uses	Source
2000	XXXX	Haines

17334 PIONEER BLVD S

Year	Uses	Source
2000	LEE MICHAEL H DDS INC	Haines

17336 PIONEER BLVD S

Year	Uses	Source
2000	T T SERVICE CENTER	Haines
	TIME CITY	Haines

17340 PIONEER BLVD S

Year	Uses	Source
2000	US DONUT 562 921 6 t	Haines

17413 PIONEER BLVD S

Year	Uses	Source
2000	XXXX	Haines

17421 PIONEER BLVD S

Year	Uses	Source
2000	MASCO AUDIO VIEO ENTERPRISES	Haines
	SINGH Maninderbir 00 t	Haines
	EDONG FOODS	Haines

17429 PIONEER BLVD S

Year	Uses	Source
2000	SINGH Maninderbr 00 i WORLD OF GAMES	Haines
	WORLD OF GAMES 862 M	Haines

S JERSEY AVE

17226 S JERSEY AVE

Year	Uses	Source
1981	CLIPPER CAR BLOCKERS INC ART	Pacific Telephone

S PIONEER BLVD

17303 S PIONEER BLVD

Year	Uses	Source
1991	St Peters Family Medical Group	Pacific Bell
1985	Artesia Cerritos Medical Group	Pacific Bell
1980	Thill Albert E MD	Pacific Telephone
	Petty Preston D MD	Pacific Telephone
	Neighbors Darrell rl est mngmnt	Pacific Telephone
	Neighborhood Medical Clinic	Pacific Telephone
	American Pharmacy	Pacific Telephone
1975	Gordon Donald T	Pacific Telephone
	Glasers Clinic	Pacific Telephone
	Glaser Leon H Dr MD	Pacific Telephone
1964	GLASER S CLINIC	Pacific Telephone
	GLASER LEON H DR MD	Pacific Telephone
1960	GLASER S CLINIC	Pacific Telephone
	GLASER LEON H DR OSTEO PHYS	Pacific Telephone
1957	GLASER LEON H DR OSTEO PHYS	Pacific Telephone
	GLASER S CLINIC	Pacific Telephone
	TAYLOR LOUIS G DENTIST	Pacific Telephone
1954	GLASER LEON H DR OSTEO PHYS	R. L. Polk & Co.
	TAYLOR LOUIS G DENTIST	R. L. Polk & Co.
	GLASER S CLINIC	R. L. Polk & Co.
1950	GLASER LEON H DR	Pacific Telephone
	TAYLOR LOUISDENTIST	Pacific Telephone

17309 S PIONEER BLVD

Year	Uses	Source
1991	Cerritos Animal Hospital	Pacific Bell
	Hassan Salah DVM	Pacific Bell
	Artesia	Pacific Bell
1985	Artesia	Pacific Bell
	Lakey Amusement	Pacific Bell

FINDINGS

Year	Uses	Source
1985	Cerritos Animal Hospital	Pacific Bell
1980	Newman Terry C DVM	Pacific Telephone
	Mc Bride Norman I DVM	Pacific Telephone
	Lakey Vending	Pacific Telephone
	Cerritos Animal Clinic	Pacific Telephone
1975	Reichel Lynn R DVM	Pacific Telephone
	Newman Terry C DVM	Pacific Telephone
	Mc Bride Norman L DVM	Pacific Telephone
	Donco Truck Body & Equip	Pacific Telephone
	Cerritos Animal Clinic	Pacific Telephone
1954	STETLER L C VETRMN SUPLS	R. L. Polk & Co.
1950	G!EFA LABS VETNRN	Pacific Telephone
	STANSBURY JACK DAIRY SUPPLIES	Pacific Telephone

17311 S PIONEER BLVD

Year	Uses	Source
1991	Manligas Calixta bus devlpmnt	Pacific Bell
1985	Lees Furniture	Pacific Bell
	Lees USA Trading Inc	Pacific Bell
1980	DMRS Sewing Machine Center	Pacific Telephone
1975	Lakey Vending	Pacific Telephone
1964	JOHNSON TIRE CO	Pacific Telephone
1960	ARTESIA TIRE SHOP	Pacific Telephone
1957	ARTESIA TIRE SHOP	Pacific Telephone
1954	ARTESIA TIRE SHOP	R. L. Polk & Co.
1950	ARTESIA TIRE SHOP	Pacific Telephone

17315 S PIONEER BLVD

Year	Uses	Source
1960	MAXINES CAFE	Pacific Telephone
1957	MAXINE S CAFE	Pacific Telephone
1954	LARRY S CAFE	R. L. Polk & Co.
1950	LARRY S SHORTSTOP RESTMNT	Pacific Telephone

FINDINGS

17325 S PIONEER BLVD

Year	Uses	Source
1991	Pioneer & Artesia Shell	Pacific Bell
1985	T & S Shell Service	Pacific Bell
1980	T & S Shell Service	Pacific Telephone
1975	Robinson Shell Service	Pacific Telephone
1964	PIONEER MKT	Pacific Telephone
1960	PIONEER MKT	Pacific Telephone
1957	PIONEER MKT	Pacific Telephone
1954	PIONEER MKT	R. L. Polk & Co.
1950	SHOWERS EARL	Pacific Telephone

17326 S PIONEER BLVD

Year	Uses	Source
1980	G & P Texaco Service	Pacific Telephone
1975	Smiths Texaco Service	Pacific Telephone
1964	PICKRELL S BEAUTY SALON	Pacific Telephone
1960	PICKRELLS BEAUTY SALON	Pacific Telephone
1957	PICKRELL S BEAUTY SALON	Pacific Telephone
1954	PICKRELL S BEAUTY SALON	R. L. Polk & Co.
1950	PICKNEDLL S BEAUTY SALON	Pacific Telephone

17330 S PIONEER BLVD

Year	Uses	Source
1985	K S Maintenance	Pacific Bell
	Paramount Video	Pacific Bell
1960	PRESCOTT S HDWE & SHEET METAL WKS	Pacific Telephone
1957	PRESCOTT S HDWE & SHEET METAL WKS	Pacific Telephone
1954	PRESCOTT S HDWE & SHEET METAL WKS	R. L. Polk & Co.
1950	PRESCOTT S HDWE & SHEET METAL WKS	Pacific Telephone

17331 S PIONEER BLVD

Year	Uses	Source
1964	ROXIES DRIVE-IN	Pacific Telephone
1960	ROXIE S DRIVE-IN	Pacific Telephone

FINDINGS

Year	Uses	Source
1957	ROXIE S DRIVE-IN	Pacific Telephone
1950	JOHNIE & WALT S SERV STANTON	Pacific Telephone

17401 S PIONEER BLVD

Year	Uses	Source
1950	PALMER S SERV SVC STA	Pacific Telephone

17405 S PIONEER BLVD

Year	Uses	Source
1950	DE YOUNG JOHN FUNRI DIR	Pacific Telephone
	ARNOLD FUNERAL HOME	Pacific Telephone
	GALLAUGHER HARVEY W BELLFLOWER MORTUARY	Pacific Telephone
	VANDER WOUDE DANI ARNOLD FUNERAL HOME	Pacific Telephone

17415 S PIONEER BLVD

Year	Uses	Source
1964	YAMAMOTO FRANK S GROC	Pacific Telephone
1957	YAMAMOTO FRANK S GROC	Pacific Telephone
1950	LAPORTE MKT	Pacific Telephone
	LAPORTE E F RADIOS	Pacific Telephone

17505 S PIONEER BLVD

Year	Uses	Source
1954	A & K LIQUOR STORE	R. L. Polk & Co.
1950	ARNIES APPLIANCE SERV	Pacific Telephone

FINDINGS

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

Address Researched	Address Not Identified in Research Source
11607 175TH ST	2006, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11607 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11609 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11609 175TH ST	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11614 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11614 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11614 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11616 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11616 175TH ST	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11616 ARTESIA BLVD	2006, 2004, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11616 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11617 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11617 175TH ST	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11618 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11618 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11618 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11619 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11619 175TH ST	2006, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11627 175TH ST	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11627 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11628 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11628 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11628 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11629 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11629 175TH ST	2009, 2006, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11630 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11630 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11630 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11632 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11632 ARTESIA BLVD	2014, 2009, 2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11632 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11634 1/2 ARTESIA BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11634 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11634 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11634 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11635 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11635 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11635 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11636 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11636 ARTESIA BLVD	2009, 2006, 2003, 2001, 2000, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11636 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11638 ARTESIA BLVD	2006, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11638 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11639 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11639 175TH ST	2006, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11641 175TH ST	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11641 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11642 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11642 ARTESIA BLVD	2014, 2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11642 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11644 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11644 ARTESIA BLVD	2014, 2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11644 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11645 ARTESIA BLVD	2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11645 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11646 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11646 175TH ST	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11646 ARTESIA BLVD	2006, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11646 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11647 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11647 175TH ST	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11647 ARTESIA BLVD	2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11647 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11648 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11648 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11648 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11649 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11649 ARTESIA BLVD	2006, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11651 ARTESIA BLVD	2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11652 175TH ST	2014, 2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11652 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11654 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11654 ARTESIA BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11654 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11655 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11655 175TH ST	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11655 ARTESIA BLVD	2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11655 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11655 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11656 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11656 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11656 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11657 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11657 ARTESIA BLVD	2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11700 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11700 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11700 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11701 ARTESIA BLVD	2014, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11702 175TH ST	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11702 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11702 ARTESIA BLVD	2014, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11702 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11704 ARTESIA BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11704 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11705 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11705 175TH ST	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11706 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11706 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11706 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11708 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11708 175TH ST	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11708 ARTESIA BLVD	2009, 2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11708 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11708 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11711 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11711 175TH ST	2006, 2004, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11712 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11712 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11712 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11714 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11714 175TH ST	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11714 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11714 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11714 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11717 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11717 175TH ST	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11720 175TH ST	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11720 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11725 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11725 ARTESIA BLVD	2006, 2004, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11725 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11725 E ARTESIA BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11726 175TH ST	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11729 ARTESIA BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11732 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11732 175TH ST	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11732 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11732 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11732 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11734 175TH ST	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11734 175TH ST	2009, 2006, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11734 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11734 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11734 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11735 ARTESIA BLVD	2014, 2009, 2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11735 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11736 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11736 175TH ST	2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11736 ARTESIA BLVD	2009, 2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11736 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11738 175TH ST	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11738 175TH ST	2006, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11738 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11738 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11738 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11740 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11740 ARTESIA BLVD	2006, 2003, 2001, 2000, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11740 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11742 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11742 ARTESIA BLVD	2014, 2009, 2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11742 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11744 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11744 ARTESIA BLVD	2009, 2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11744 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11746 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11746 ARTESIA BLVD	2009, 2006, 2003, 2001, 2000, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11746 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11748 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11748 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11748 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11749 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11749 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11749 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11750 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11750 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11750 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11752 ARTESIA BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11752 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11754 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11754 ARTESIA BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11754 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11756 ARTESIA BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
11756 ARTESIA BLVD	2014, 2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
11756 ARTESIA BLVD E	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17105 JERSEY AVE	2014, 2009, 2006, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17105 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17110 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17110 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17110 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17115 Alburtis Ave	2014, 2009, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17115 ALBURTIS AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17115 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17115 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17115 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17202 ALBURTIS AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17202 ALBURTIS AVE	2014, 2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17202 ALBURTIS AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17202 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17202 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17202 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17203 ALBURTIS AVE	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17203 CORBY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17203 CORBY AVE	2009, 2006, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17203 CORBY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17203 FLALLON AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17203 FLALLON AVE	2014, 2009, 2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17203 FLALLON AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17203 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17204 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17204 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17204 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17206 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17206 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17206 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17207 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17207 JERSEY AVE	2006, 2004, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17207 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17209 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17209 JERSEY AVE	2006, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17209 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17210 FLALLON AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17210 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17210 JERSEY AVE	2014, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17210 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17211 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17211 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17211 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17212 ALBURTIS AVE	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17212 FLALLON AVE	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17212 FLALLON AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17213 FLALLON AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17213 FLALLON AVE	2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17213 FLALLON AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17214 ALBURTIS AVE	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17214 ALBURTIS AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17214 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17214 JERSEY AVE	2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17214 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17215 CORBY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17215 CORBY AVE	2014, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17215 CORBY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17215 FLALLON AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17215 FLALLON AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17215 FLALLON AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17215 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17215 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17215 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17216 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17216 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17216 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17219 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17219 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17219 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17220 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17220 JERSEY AVE	2009, 2006, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17220 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17221 CORBY AVE	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17221 CORBY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17221 FLALLON AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17221 FLALLON AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17221 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17221 PIONEER BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17221 PIONEER BLVD	2014, 2006, 2003, 2001, 2000, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17221 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17223 FLALLON AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17223 FLALLON AVE	2014, 2006, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17223 JERSEY AVE	2006, 2003, 2001, 2000, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17223 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17223 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17224 ALBURTIS AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17224 ALBURTIS AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17224 ALBURTIS AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17226 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17226 JERSEY AVE	2006, 2004, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17226 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17226 S JERSEY AVE	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17227 JERSEY AVE	2014, 2009, 2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17227 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17268 ALBURTIS AVE	2014, 2006, 2004, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17300 FLALLON AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17300 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17301 FLALLON AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17301 FLALLON AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17301 FLALLON AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17302 FLALLON AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17303 PIONEER BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17303 PIONEER BLVD	2006, 2003, 2001, 2000, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17303 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17303 S PIONEER BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1990, 1986, 1981, 1976, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1958, 1956, 1955, 1952, 1951, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17304 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17304 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17304 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17305 1/2 JERSEY AVE	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17306 FLALLON AVE	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17306 FLALLON AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17307 FLALLON AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17307 FLALLON AVE	2014, 2009, 2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17307 FLALLON AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17309 FLALLON AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17309 PIONEER BLVD	2009, 2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17309 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17309 S PIONEER BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1990, 1986, 1981, 1976, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1952, 1951, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17310 1/2 JERSEY AVE	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17310 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17310 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17310 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17311 PIONEER BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17311 PIONEER BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17311 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17311 S PIONEER BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1990, 1986, 1981, 1976, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1958, 1956, 1955, 1952, 1951, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17312 JERSEY AVE	2009, 2006, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17312 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17313 1/2 FLALLON AVE	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17313 FLALLON AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17313 FLALLON AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17313 FLALLON AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17314 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17314 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17314 PIONEER BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17314 PIONEER BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17314 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17315 FLALLON AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17315 FLALLON AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17315 PIONEER BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17315 S PIONEER BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1958, 1956, 1955, 1952, 1951, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17316 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17317 FLALLON AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17317 FLALLON AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17318 PIONEER BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17318 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17325 PIONEER BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17325 PIONEER BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17325 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17325 S PIONEER BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1990, 1986, 1981, 1976, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1958, 1956, 1955, 1952, 1951, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17326 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17326 S PIONEER BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1976, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1958, 1956, 1955, 1952, 1951, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17328 PIONEER BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17328 PIONEER BLVD	2014, 2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17328 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17330 PIONEER BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17330 PIONEER BLVD	2009, 2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17330 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17330 S PIONEER BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1958, 1956, 1955, 1952, 1951, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17331 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17331 S PIONEER BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1958, 1956, 1955, 1954, 1952, 1951, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17332 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17334 PIONEER BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17334 PIONEER BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17334 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17336 PIONEER BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17336 PIONEER BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17336 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17340 PIONEER BLVD	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17340 PIONEER BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17340 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17401 S PIONEER BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17405 S PIONEER BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17413 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17415 S PIONEER BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1956, 1955, 1954, 1952, 1951, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17421 PIONEER BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17421 PIONEER BLVD	2014, 2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17421 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17429 PIONEER BLVD	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17429 PIONEER BLVD	2014, 2009, 2006, 2003, 2001, 2000, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17429 PIONEER BLVD S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17502 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17502 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17502 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17503 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17503 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17503 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17505 S PIONEER BLVD	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1952, 1951, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17506 MAIDSTONE AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17506 MAIDSTONE AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17507 MAIDSTONE AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17507 MAIDSTONE AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17507 MAIDSTONE AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17508 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17508 JERSEY AVE	2009, 2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17508 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17509 MAIDSTONE AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17510 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17510 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17510 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17511 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17511 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17511 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17513 JERSEY AVE	2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17513 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17514 MAIDSTONE AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17514 MAIDSTONE AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17514 MAIDSTONE AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17516 MAIDSTONE AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17516 MAIDSTONE AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17516 MAIDSTONE AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17519 MAIDSTONE AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17519 MAIDSTONE AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17519 MAIDSTONE AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17520 JERSEY AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17520 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17520 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17521 MAIDSTONE AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17521 MAIDSTONE AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17521 MAIDSTONE AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17522 JERSEY AVE	2014, 2009, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17522 JERSEY AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17522 JERSEY AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17524 MAIDSTONE AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17524 MAIDSTONE AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17524 MAIDSTONE AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17525 MAIDSTONE AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17525 MAIDSTONE AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17525 MAIDSTONE AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17526 MAIDSTONE AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17533 MAIDSTONE AVE	2006, 2003, 2001, 2000, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17533 MAIDSTONE AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17533 MAIDSTONE AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17534 MAIDSTONE AVE	2014, 2009, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920
17534 MAIDSTONE AVE	2006, 2003, 2001, 2000, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

FINDINGS

Address Researched	Address Not Identified in Research Source
17534 MAIDSTONE AVE S	2014, 2009, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1994, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched	Address Not Identified in Research Source
11709 Artesia Boulevard	2004, 2003, 2001, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

APPENDIX C.4
HISTORICAL FIRE INSURANCE MAPS

11709 Artesia Boulevard

11709 Artesia Boulevard

Artesia, CA 90701

Inquiry Number: 6777008.3

December 06, 2021

Certified Sanborn® Map Report

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

12/06/21

Site Name:

11709 Artesia Boulevard
11709 Artesia Boulevard
Artesia, CA 90701
EDR Inquiry # 6777008.3

Client Name:

Ramboll
18100 Von Karman Avenue
Irvine, CA 92612
Contact: Cara Thomann

The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Ramboll were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 0239-4512-AF17

PO # NA

Project 1690009964 Borstein

UNMAPPED PROPERTY

This report certifies that the complete holdings of the Sanborn Library, LLC collection have been searched based on client supplied target property information, and fire insurance maps covering the target property were not found.

Sanborn® Library search results

Certification #: 0239-4512-AF17

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☑ Library of Congress
- ☑ University Publications of America
- ☑ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Ramboll (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2021 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

APPENDIX D
2021 RAMBOLL SUBSURFACE INVESTIGATION RESULTS – SOIL AND SOIL VAPOR ANALYTICAL SUMMARY TABLES AND ANALYTICAL LABORATORY REPORTS

Table 10. Summary of Soil Vapor Results for VOCs
11709 East Artesia Boulevard
Artesia, California

Sample ID	Depth (feet bgs)	Date Sampled	Tetrachloroethene (PCE)	Benzene	Ethylbenzen	Toluene	m,p-Xylene	o-Xylene	1,2,4-Trimethylbenzene	Chloroform
Commerical Soil Vapor Screening Level (Attenuation Factor 0.001)			**2.0**	**0.42**	**4.9**	**1,300**	**440**	**440**	**260**	**0.53**
Residential Soil Vapor Screening Level (Attenuation Factor 0.001)			**0.46**	**0.097**	**1.1**	**310**	**100**	**100**	**63**	**0.12**
Commerical Soil Vapor Screening Level (Attenuation Factor 0.03)			**0.067**	**0.014**	**0.16**	**43**	**14.7**	**14.7**	**8.7**	**0.018**
Residential Soil Vapor Screening Level (Attenuation Factor 0.03)			**0.015**	**0.003**	**0.037**	**10**	**3**	**3**	**2**	**0.004**
RSV-1	5	12/3/2021	<0.0125	<0.025	<0.025	<0.0125	<0.0250	<0.025	<0.025	<0.025
RSV-2	5	12/3/2021	<0.0125	<0.025	<0.025	<0.0125	<0.0250	<0.025	<0.025	<0.025
RSV-3	5	12/3/2021	**0.13**	<0.025	<0.025	<0.0125	<0.0250	<0.025	<0.025	<0.025
RSV-4	5	12/3/2021	<0.0125	<0.025	<0.025	<0.0125	<0.0250	<0.025	<0.025	<0.025
RSV-5	5	12/3/2021	**0.050**	**0.030**	**0.020 J**	**1.8**	**0.080**	**0.030**	**0.020 J**	<0.025
RSV-6	5	12/3/2021	--	--	--	--	--	--	--	--
RSV-7	5	12/3/2021	<0.0125	<0.025	<0.025	**0.040**	<0.0250	<0.025	<0.025	<0.025
RSV-8	5	12/3/2021	<0.0125	<0.025	<0.025	<0.0125	<0.0250	<0.025	<0.025	<0.025
	5	*12/3/2021*	<0.0125	*<0.025*	*<0.025*	<0.0125	*<0.0250*	*<0.025*	*<0.025*	*<0.025*
RSV-9	5	12/3/2021	<0.0125	<0.025	<0.025	<0.0125	<0.0250	<0.025	<0.025	<0.025
RSV-10	5	12/3/2021	<0.0125	<0.025	<0.025	**0.020 J**	<0.0250	<0.025	<0.025	**0.27**

Notes:
µg/l - micrograms per liter
<X - value not reported above the laboratory reporting limit
-- - not analyzed
Data is presented in µg/l units
Duplicate sample is italicized
J - Analyte concentration detected between Reporting Limit (RL) and Method Detection Limit (MDL)
Soil vapor samples were analyzed for VOCs by USEPA Method 8260B.
Only compounds reported above the laboratory reporting limit are shown
VOCs - Volatile Organic Compounds
Indicates compounds exceed soil gas residential scenario screening levels using a 0.001 AF, and less stringent screening levels.
Indicates compounds exceed soil gas commercial building scenario screening levels using a 0.03 AF, and less stringent screening levels.
Indicates compounds exceed soil gas residential building scenario screening levels using a 0.03 AF.

References:

Cal/EPA. 2020. Human and Ecological Risk Office (HERO) Human Health Risk assessment (HHRA) Note Number 4, Issue: DTSC-Modified Screening Levels (DTSC-SLs). June.
USEPA. 2021. Regional Screening Levels Summary Table. November.

Table 10. Summary of Soil Sampling Results for TPH and pH
11709 East Artesia Boulevard
Artesia, California

Location	Depth (feet bgs)	Date Sampled	TPH (mg/kg)			pH
			TPH - GRO	TPH - DRO	TPH - ORO	
Soil Commercial Screening Level			**420**	**440**	**18,000**	**NE**
Soil Residential Screening Level			**82**	**96**	**2,400**	**NE**
B1	2	11/2/2021	**0.28**	<5.0	**21**	**8.2**
	4	11/2/2021	<0.10	<5.1	**6.4**	**8.3**
	6	11/2/2021	**1.6**	**5.8**	**23**	**8.9**
B2	2	11/2/2021	**0.51**	**5.2**	**100**	NA
	4	11/2/2021	**1.9**	**16**	**32**	NA
	6	11/2/2021	**1.1**	**5.3**	**28**	NA
B3	2	11/2/2021	**0.13**	<5.1	<5.1	**7.7**
	4	11/2/2021	**0.23**	<4.9	**4.9**	**8.1**
	6	11/2/2021	**0.76**	<4.8	<4.8	**8.2**

Notes:
bgs = below ground surface
DRO = diesel range organics
GRO = gasoline range organics
mg/kg = milligrams per kilogram
NA = Sample not analyzed for this compound
NE = Not established
ORO = oil range organics
TPH = total petroleum hydrocarbons
USEPA = United States Environmental Protection Agency
Soil samples were analyzed for TPH by USEPA Method 8015M and selectively for pH.
Results and screening levels for TPH are reported in milligrams per kilogram (mg/kg).
pH are reported in standard units.

References:

Cal/EPA. 2020. Human and Ecological Risk Office (HERO) Human Health Risk assessment (HHRA) Note Number 4, Issue: DTSC-Modified Screening Levels (DTSC-SLs). June.

USEPA. 2021. Regional Screening Levels Summary Table. June.

eurofins | Environment Testing America

ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-74585-1
Laboratory SDG: 11709 East Artesia Blvd., Artesia, CA
Client Project/Site: Artesia Dairies

For:
Ramboll US Corporation
5 Park Plaza
Suite 500
Irvine, California 92614

Attn: Brian Bauer

Authorized for release by:
11/9/2021 8:24:38 AM

Danielle Roberts, Senior Project Manager
(949)260-3249
Danielle.Roberts@Eurofinset.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Definitions/Glossary 3
Case Narrative 4
Detection Summary 5
Client Sample Results 7
Surrogate Summary 11
QC Sample Results 12
QC Association Summary 16
Lab Chronicle 19
Certification Summary 22
Method Summary 23
Sample Summary 24
Chain of Custody 25
Receipt Checklists 26

Definitions/Glossary

Client: Ramboll US Corporation
Project/Site: Artesia Dairies

Job ID: 570-74585-1
SDG: 11709 East Artesia Blvd., Artesia, CA

Qualifiers

GC VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.

GC Semi VOA

Qualifier	Qualifier Description
*1	LCS/LCSD RPD exceeds control limits.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 570-74585-1

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative
570-74585-1

Comments
No additional comments.

Receipt
The samples were received on 11/2/2021 3:35 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 5.0º C.

HPLC/IC
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

GC VOA
Method 8015B: The matrix spike duplicate (MSD) recoveries of Gasoline Range Organics (C4-C13) for preparation batch 570-191858 and analytical batch 570-191842 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC Semi VOA
Method 8015B: The RPD of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for preparation batch 570-191634 and analytical batch 570-191771 recovered outside control limits for the following analytes: C10-C28 Laboratory control sample / laboratory control sample duplicate (LCS/LCSD) percent recovery is in control for affected analytes.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Detection Summary

Client: Ramboll US Corporation
Project/Site: Artesia Dairies

Job ID: 570-74585-1
SDG: 11709 East Artesia Blvd., Artesia, CA

Client Sample ID: B1-2-211102 — Lab Sample ID: 570-74585-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (C4-C12)	0.28		0.099	0.055	mg/Kg	1		8015B	Total/NA
C23-C40	21		5.0	3.8	mg/Kg	1		8015B	Total/NA
pH	8.2		0.01	0.01	S.U.	1		9045C	Total/NA

Client Sample ID: B1-4-211102 — Lab Sample ID: 570-74585-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
C23-C40	6.4		5.1	3.9	mg/Kg	1		8015B	Total/NA
pH	8.3		0.01	0.01	S.U.	1		9045C	Total/NA

Client Sample ID: B1-6-211102 — Lab Sample ID: 570-74585-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (C4-C12)	1.6		0.099	0.055	mg/Kg	1		8015B	Total/NA
C13-C22	5.8		4.7	3.6	mg/Kg	1		8015B	Total/NA
C23-C40	23		4.7	3.6	mg/Kg	1		8015B	Total/NA
pH	8.9		0.01	0.01	S.U.	1		9045C	Total/NA

Client Sample ID: B2-2-211102 — Lab Sample ID: 570-74585-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (C4-C12)	0.51		0.10	0.056	mg/Kg	1		8015B	Total/NA
C13-C22	5.2		5.2	4.0	mg/Kg	1		8015B	Total/NA
C23-C40	100		5.2	4.0	mg/Kg	1		8015B	Total/NA

Client Sample ID: B2-4-211102 — Lab Sample ID: 570-74585-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (C4-C12)	1.9		0.10	0.055	mg/Kg	1		8015B	Total/NA
C13-C22	16		4.8	3.7	mg/Kg	1		8015B	Total/NA
C23-C40	32		4.8	3.7	mg/Kg	1		8015B	Total/NA

Client Sample ID: B2-6-211102 — Lab Sample ID: 570-74585-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (C4-C12)	1.1		0.10	0.056	mg/Kg	1		8015B	Total/NA
C13-C22	5.3		5.3	4.1	mg/Kg	1		8015B	Total/NA
C23-C40	28		5.3	4.1	mg/Kg	1		8015B	Total/NA

Client Sample ID: B3-2-211102 — Lab Sample ID: 570-74585-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (C4-C12)	0.13		0.10	0.056	mg/Kg	1		8015B	Total/NA
pH	7.7		0.01	0.01	S.U.	1		9045C	Total/NA

Client Sample ID: B3-4-211102 — Lab Sample ID: 570-74585-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (C4-C12)	0.23		0.099	0.055	mg/Kg	1		8015B	Total/NA
C23-C40	4.9		4.9	3.7	mg/Kg	1		8015B	Total/NA
pH	8.1		0.01	0.01	S.U.	1		9045C	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: Ramboll US Corporation
Project/Site: Artesia Dairies

Job ID: 570-74585-1
SDG: 11709 East Artesia Blvd., Artesia, CA

Client Sample ID: B3-6-211102

Lab Sample ID: 570-74585-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Gasoline Range Organics (C4-C12)	0.76		0.10	0.056	mg/Kg	1		8015B	Total/NA
pH	8.2		0.01	0.01	S.U.	1		9045C	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample ID: B1-2-211102

Lab Sample ID: 570-74585-1

Date Collected: 11/02/21 08:48
Matrix: Solid
Date Received: 11/02/21 15:35

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	0.28		0.099	0.055	mg/Kg		11/04/21 14:44	11/04/21 20:37	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
4-Bromofluorobenzene (Surr)	*71*		*42 - 126*	*11/04/21 14:44*	*11/04/21 20:37*	*1*

Method: 8015B - Diesel Range Organics(DRO)/Oil Range Organics (ORO)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C13-C22	ND		5.0	3.8	mg/Kg		11/03/21 21:50	11/04/21 22:15	1
C23-C40	21		5.0	3.8	mg/Kg		11/03/21 21:50	11/04/21 22:15	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
n-Octacosane (Surr)	*118*		*60 - 138*	*11/03/21 21:50*	*11/04/21 22:15*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	8.2		0.01	0.01	S.U.			11/03/21 22:11	1

Client Sample ID: B1-4-211102

Lab Sample ID: 570-74585-2

Date Collected: 11/02/21 08:56
Matrix: Solid
Date Received: 11/02/21 15:35

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	ND		0.10	0.056	mg/Kg		11/04/21 14:44	11/04/21 22:04	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
4-Bromofluorobenzene (Surr)	*62*		*42 - 126*	*11/04/21 14:44*	*11/04/21 22:04*	*1*

Method: 8015B - Diesel Range Organics(DRO)/Oil Range Organics (ORO)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C13-C22	ND		5.1	3.9	mg/Kg		11/03/21 21:50	11/04/21 22:35	1
C23-C40	6.4		5.1	3.9	mg/Kg		11/03/21 21:50	11/04/21 22:35	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
n-Octacosane (Surr)	*113*		*60 - 138*	*11/03/21 21:50*	*11/04/21 22:35*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	8.3		0.01	0.01	S.U.			11/03/21 22:11	1

Client Sample ID: B1-6-211102

Lab Sample ID: 570-74585-3

Date Collected: 11/02/21 09:02
Matrix: Solid
Date Received: 11/02/21 15:35

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	1.6		0.099	0.055	mg/Kg		11/04/21 14:44	11/04/21 23:34	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
4-Bromofluorobenzene (Surr)	*73*		*42 - 126*	*11/04/21 14:44*	*11/04/21 23:34*	*1*

Client Sample ID: B1-6-211102

Lab Sample ID: 570-74585-3
Date Collected: 11/02/21 09:02
Matrix: Solid
Date Received: 11/02/21 15:35

Method: 8015B - Diesel Range Organics(DRO)/Oil Range Organics (ORO)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C13-C22	5.8		4.7	3.6	mg/Kg		11/03/21 21:50	11/04/21 22:56	1
C23-C40	23		4.7	3.6	mg/Kg		11/03/21 21:50	11/04/21 22:56	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
n-Octacosane (Surr)	*125*		*60 - 138*	*11/03/21 21:50*	*11/04/21 22:56*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	8.9		0.01	0.01	S.U.			11/03/21 22:11	1

Client Sample ID: B2-2-211102

Lab Sample ID: 570-74585-4
Date Collected: 11/02/21 11:40
Matrix: Solid
Date Received: 11/02/21 15:35

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	0.51		0.10	0.056	mg/Kg		11/05/21 13:30	11/05/21 19:27	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
4-Bromofluorobenzene (Surr)	*69*		*42 - 126*	*11/05/21 13:30*	*11/05/21 19:27*	*1*

Method: 8015B - Diesel Range Organics(DRO)/Oil Range Organics (ORO)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C13-C22	5.2		5.2	4.0	mg/Kg		11/03/21 21:50	11/04/21 23:17	1
C23-C40	100		5.2	4.0	mg/Kg		11/03/21 21:50	11/04/21 23:17	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
n-Octacosane (Surr)	*110*		*60 - 138*	*11/03/21 21:50*	*11/04/21 23:17*	*1*

Client Sample ID: B2-4-211102

Lab Sample ID: 570-74585-5
Date Collected: 11/02/21 11:45
Matrix: Solid
Date Received: 11/02/21 15:35

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	1.9		0.10	0.055	mg/Kg		11/04/21 14:44	11/05/21 00:32	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
4-Bromofluorobenzene (Surr)	*96*		*42 - 126*	*11/04/21 14:44*	*11/05/21 00:32*	*1*

Method: 8015B - Diesel Range Organics(DRO)/Oil Range Organics (ORO)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C13-C22	16		4.8	3.7	mg/Kg		11/03/21 21:50	11/04/21 23:37	1
C23-C40	32		4.8	3.7	mg/Kg		11/03/21 21:50	11/04/21 23:37	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
n-Octacosane (Surr)	*112*		*60 - 138*	*11/03/21 21:50*	*11/04/21 23:37*	*1*

Client Sample ID: B2-6-211102

Lab Sample ID: 570-74585-6

Date Collected: 11/02/21 11:50
Matrix: Solid
Date Received: 11/02/21 15:35

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	1.1		0.10	0.056	mg/Kg		11/04/21 14:44	11/05/21 01:01	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
4-Bromofluorobenzene (Surr)	*81*		*42 - 126*	*11/04/21 14:44*	*11/05/21 01:01*	*1*

Method: 8015B - Diesel Range Organics(DRO)/Oil Range Organics (ORO)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C13-C22	5.3		5.3	4.1	mg/Kg		11/03/21 21:50	11/04/21 23:58	1
C23-C40	28		5.3	4.1	mg/Kg		11/03/21 21:50	11/04/21 23:58	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
n-Octacosane (Surr)	*112*		*60 - 138*	*11/03/21 21:50*	*11/04/21 23:58*	*1*

Client Sample ID: B3-2-211102

Lab Sample ID: 570-74585-7

Date Collected: 11/02/21 13:55
Matrix: Solid
Date Received: 11/02/21 15:35

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	0.13		0.10	0.056	mg/Kg		11/05/21 13:30	11/05/21 17:52	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
4-Bromofluorobenzene (Surr)	*76*		*42 - 126*	*11/05/21 13:30*	*11/05/21 17:52*	*1*

Method: 8015B - Diesel Range Organics(DRO)/Oil Range Organics (ORO)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C13-C22	ND		5.1	3.9	mg/Kg		11/03/21 21:50	11/05/21 00:18	1
C23-C40	ND		5.1	3.9	mg/Kg		11/03/21 21:50	11/05/21 00:18	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
n-Octacosane (Surr)	*113*		*60 - 138*	*11/03/21 21:50*	*11/05/21 00:18*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.7		0.01	0.01	S.U.			11/03/21 22:11	1

Client Sample ID: B3-4-211102

Lab Sample ID: 570-74585-8

Date Collected: 11/02/21 14:00
Matrix: Solid
Date Received: 11/02/21 15:35

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	0.23		0.099	0.055	mg/Kg		11/05/21 13:30	11/05/21 19:03	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
4-Bromofluorobenzene (Surr)	*88*		*42 - 126*	*11/05/21 13:30*	*11/05/21 19:03*	*1*

Method: 8015B - Diesel Range Organics(DRO)/Oil Range Organics (ORO)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C13-C22	ND		4.9	3.7	mg/Kg		11/03/21 21:50	11/05/21 00:40	1

Client: Ramboll US Corporation
Project/Site: Artesia Dairies

Job ID: 570-74585-1
SDG: 11709 East Artesia Blvd., Artesia, CA

Client Sample ID: B3-4-211102

Lab Sample ID: 570-74585-8
Matrix: Solid
Date Collected: 11/02/21 14:00
Date Received: 11/02/21 15:35

Method: 8015B - Diesel Range Organics(DRO)/Oil Range Organics (ORO) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C23-C40	4.9		4.9	3.7	mg/Kg		11/03/21 21:50	11/05/21 00:40	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
n-Octacosane (Surr)	*112*		*60 - 138*	*11/03/21 21:50*	*11/05/21 00:40*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	8.1		0.01	0.01	S.U.			11/03/21 22:11	1

Client Sample ID: B3-6-211102

Lab Sample ID: 570-74585-9
Matrix: Solid
Date Collected: 11/02/21 14:05
Date Received: 11/02/21 15:35

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	0.76		0.10	0.056	mg/Kg		11/04/21 14:44	11/05/21 02:28	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
4-Bromofluorobenzene (Surr)	*69*		*42 - 126*	*11/04/21 14:44*	*11/05/21 02:28*	*1*

Method: 8015B - Diesel Range Organics(DRO)/Oil Range Organics (ORO)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C13-C22	ND		4.8	3.7	mg/Kg		11/03/21 21:50	11/05/21 01:01	1
C23-C40	ND		4.8	3.7	mg/Kg		11/03/21 21:50	11/05/21 01:01	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
n-Octacosane (Surr)	*110*		*60 - 138*	*11/03/21 21:50*	*11/05/21 01:01*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	8.2		0.01	0.01	S.U.			11/03/21 22:11	1

Surrogate Summary

Client: Ramboll US Corporation
Project/Site: Artesia Dairies

Job ID: 570-74585-1
SDG: 11709 East Artesia Blvd., Artesia, CA

Method: 8015B - Gasoline Range Organics - (GC)

Matrix: Solid **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
Lab Sample ID	Client Sample ID	BFB1 (42-126)
570-74585-1	B1-2-211102	71
570-74585-1 MS	B1-2-211102	79
570-74585-1 MSD	B1-2-211102	79
570-74585-2	B1-4-211102	62
570-74585-3	B1-6-211102	73
570-74585-4	B2-2-211102	69
570-74585-5	B2-4-211102	96
570-74585-6	B2-6-211102	81
570-74585-7	B3-2-211102	76
570-74585-7 MS	B3-2-211102	98
570-74585-7 MSD	B3-2-211102	69
570-74585-8	B3-4-211102	88
570-74585-9	B3-6-211102	69
LCS 570-191858/1-A	Lab Control Sample	91
LCS 570-192185/1-A	Lab Control Sample	86
LCSD 570-191858/2-A	Lab Control Sample Dup	91
LCSD 570-192185/2-A	Lab Control Sample Dup	66
MB 570-191858/3-A	Method Blank	61
MB 570-192185/3-A	Method Blank	62

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

Method: 8015B - Diesel Range Organics(DRO)/Oil Range Organics (ORO)

Matrix: Solid **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
Lab Sample ID	Client Sample ID	OTCSN1 (60-138)
570-73736-A-1-C MS	Matrix Spike	107
570-73736-A-1-D MSD	Matrix Spike Duplicate	104
570-74585-1	B1-2-211102	118
570-74585-2	B1-4-211102	113
570-74585-3	B1-6-211102	125
570-74585-4	B2-2-211102	110
570-74585-5	B2-4-211102	112
570-74585-6	B2-6-211102	112
570-74585-7	B3-2-211102	113
570-74585-8	B3-4-211102	112
570-74585-9	B3-6-211102	110
LCS 570-191634/2-A	Lab Control Sample	108
LCSD 570-191634/3-A	Lab Control Sample Dup	109
MB 570-191634/1-A	Method Blank	105

Surrogate Legend

OTCSN = n-Octacosane (Surr)

Method: 8015B - Gasoline Range Organics - (GC)

Lab Sample ID: MB 570-191858/3-A
Matrix: Solid
Analysis Batch: 191842

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 191858

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	ND		0.10	0.055	mg/Kg		11/04/21 14:44	11/04/21 16:43	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
4-Bromofluorobenzene (Surr)	*61*		*42 - 126*	*11/04/21 14:44*	*11/04/21 16:43*	*1*

Lab Sample ID: LCS 570-191858/1-A
Matrix: Solid
Analysis Batch: 191842

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 191858

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Gasoline Range Organics (C4-C13)			2.12	1.89		mg/Kg		89	70 - 124		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
4-Bromofluorobenzene (Surr)	*91*		*42 - 126*

Lab Sample ID: LCSD 570-191858/2-A
Matrix: Solid
Analysis Batch: 191842

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 191858

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)			2.13	1.85		mg/Kg		87	70 - 124	2	18

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
4-Bromofluorobenzene (Surr)	*91*		*42 - 126*

Lab Sample ID: 570-74585-1 MS
Matrix: Solid
Analysis Batch: 191842

Client Sample ID: B1-2-211102
Prep Type: Total/NA
Prep Batch: 191858

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
Gasoline Range Organics (C4-C13)	0.34	F1	2.13	1.55		mg/Kg		57	48 - 114		

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
4-Bromofluorobenzene (Surr)	*79*		*42 - 126*

Lab Sample ID: 570-74585-1 MSD
Matrix: Solid
Analysis Batch: 191842

Client Sample ID: B1-2-211102
Prep Type: Total/NA
Prep Batch: 191858

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	0.34	F1	2.12	1.35	F1	mg/Kg		47	48 - 114	14	23

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
4-Bromofluorobenzene (Surr)	*79*		*42 - 126*

Method: 8015B - Gasoline Range Organics - (GC)

Lab Sample ID: MB 570-192185/3-A
Matrix: Solid
Analysis Batch: 192206

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 192185

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (C4-C12)	ND		0.10	0.055	mg/Kg		11/05/21 13:30	11/05/21 16:58	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
4-Bromofluorobenzene (Surr)	*62*		*42 - 126*	*11/05/21 13:30*	*11/05/21 16:58*	*1*

Lab Sample ID: LCS 570-192185/1-A
Matrix: Solid
Analysis Batch: 192206

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 192185

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Gasoline Range Organics (C4-C13)			2.13	1.71		mg/Kg		80	70 - 124		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
4-Bromofluorobenzene (Surr)	*86*		*42 - 126*

Lab Sample ID: LCSD 570-192185/2-A
Matrix: Solid
Analysis Batch: 192206

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 192185

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)			2.12	1.74		mg/Kg		82	70 - 124	2	18

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
4-Bromofluorobenzene (Surr)	*66*		*42 - 126*

Lab Sample ID: 570-74585-7 MS
Matrix: Solid
Analysis Batch: 192206

Client Sample ID: B3-2-211102
Prep Type: Total/NA
Prep Batch: 192185

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
Gasoline Range Organics (C4-C13)	0.14		2.12	1.54		mg/Kg		66	48 - 114		

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
4-Bromofluorobenzene (Surr)	*98*		*42 - 126*

Lab Sample ID: 570-74585-7 MSD
Matrix: Solid
Analysis Batch: 192206

Client Sample ID: B3-2-211102
Prep Type: Total/NA
Prep Batch: 192185

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (C4-C13)	0.14		2.11	1.60		mg/Kg		69	48 - 114	4	23

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
4-Bromofluorobenzene (Surr)	*69*		*42 - 126*

Method: 8015B - Diesel Range Organics(DRO)/Oil Range Organics (ORO)

Lab Sample ID: MB 570-191634/1-A
Matrix: Solid
Analysis Batch: 191771

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 191634

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
C13-C22	ND		5.0	3.8	mg/Kg		11/03/21 21:50	11/04/21 17:05	1
C23-C40	ND		5.0	3.8	mg/Kg		11/03/21 21:50	11/04/21 17:05	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
n-Octacosane (Surr)	*105*		*60 - 138*	*11/03/21 21:50*	*11/04/21 17:05*	*1*

Lab Sample ID: LCS 570-191634/2-A
Matrix: Solid
Analysis Batch: 191771

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 191634

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Diesel Range Organics [C10-C28]			400	354		mg/Kg		89	80 - 130		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
n-Octacosane (Surr)	*108*		*60 - 138*

Lab Sample ID: LCSD 570-191634/3-A
Matrix: Solid
Analysis Batch: 191771

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 191634

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]			400	457	*1	mg/Kg		114	80 - 130	25	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
n-Octacosane (Surr)	*109*		*60 - 138*

Lab Sample ID: 570-73736-A-1-C MS
Matrix: Solid
Analysis Batch: 191771

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 191634

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
Diesel Range Organics [C10-C28]	ND	*1	382	435		mg/Kg		114	43 - 165		

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
n-Octacosane (Surr)	*107*		*60 - 138*

Lab Sample ID: 570-73736-A-1-D MSD
Matrix: Solid
Analysis Batch: 191771

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 191634

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	ND	*1	385	425		mg/Kg		110	43 - 165	2	35

Method: 8015B - Diesel Range Organics(DRO)/Oil Range Organics (ORO) (Continued)

Lab Sample ID: 570-73736-A-1-D MSD
Matrix: Solid
Analysis Batch: 191771

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 191634

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
n-Octacosane (Surr)	*104*		*60 - 138*

Method: 9045C - pH

Lab Sample ID: 570-74585-1 DU
Matrix: Solid
Analysis Batch: 191636

Client Sample ID: B1-2-211102
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier		DU Result	DU Qualifier	Unit	D			RPD	RPD Limit
pH	8.2			8.3		S.U.				1	25

GC VOA

Analysis Batch: 191842

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-74585-1	B1-2-211102	Total/NA	Solid	8015B	191858
570-74585-2	B1-4-211102	Total/NA	Solid	8015B	191858
570-74585-3	B1-6-211102	Total/NA	Solid	8015B	191858
570-74585-5	B2-4-211102	Total/NA	Solid	8015B	191858
570-74585-6	B2-6-211102	Total/NA	Solid	8015B	191858
570-74585-9	B3-6-211102	Total/NA	Solid	8015B	191858
MB 570-191858/3-A	Method Blank	Total/NA	Solid	8015B	191858
LCS 570-191858/1-A	Lab Control Sample	Total/NA	Solid	8015B	191858
LCSD 570-191858/2-A	Lab Control Sample Dup	Total/NA	Solid	8015B	191858
570-74585-1 MS	B1-2-211102	Total/NA	Solid	8015B	191858
570-74585-1 MSD	B1-2-211102	Total/NA	Solid	8015B	191858

Prep Batch: 191858

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-74585-1	B1-2-211102	Total/NA	Solid	5030C	
570-74585-2	B1-4-211102	Total/NA	Solid	5030C	
570-74585-3	B1-6-211102	Total/NA	Solid	5030C	
570-74585-5	B2-4-211102	Total/NA	Solid	5030C	
570-74585-6	B2-6-211102	Total/NA	Solid	5030C	
570-74585-9	B3-6-211102	Total/NA	Solid	5030C	
MB 570-191858/3-A	Method Blank	Total/NA	Solid	5030C	
LCS 570-191858/1-A	Lab Control Sample	Total/NA	Solid	5030C	
LCSD 570-191858/2-A	Lab Control Sample Dup	Total/NA	Solid	5030C	
570-74585-1 MS	B1-2-211102	Total/NA	Solid	5030C	
570-74585-1 MSD	B1-2-211102	Total/NA	Solid	5030C	

Prep Batch: 192185

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-74585-4	B2-2-211102	Total/NA	Solid	5030C	
570-74585-7	B3-2-211102	Total/NA	Solid	5030C	
570-74585-8	B3-4-211102	Total/NA	Solid	5030C	
MB 570-192185/3-A	Method Blank	Total/NA	Solid	5030C	
LCS 570-192185/1-A	Lab Control Sample	Total/NA	Solid	5030C	
LCSD 570-192185/2-A	Lab Control Sample Dup	Total/NA	Solid	5030C	
570-74585-7 MS	B3-2-211102	Total/NA	Solid	5030C	
570-74585-7 MSD	B3-2-211102	Total/NA	Solid	5030C	

Analysis Batch: 192206

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-74585-4	B2-2-211102	Total/NA	Solid	8015B	192185
570-74585-7	B3-2-211102	Total/NA	Solid	8015B	192185
570-74585-8	B3-4-211102	Total/NA	Solid	8015B	192185
MB 570-192185/3-A	Method Blank	Total/NA	Solid	8015B	192185
LCS 570-192185/1-A	Lab Control Sample	Total/NA	Solid	8015B	192185
LCSD 570-192185/2-A	Lab Control Sample Dup	Total/NA	Solid	8015B	192185
570-74585-7 MS	B3-2-211102	Total/NA	Solid	8015B	192185
570-74585-7 MSD	B3-2-211102	Total/NA	Solid	8015B	192185

GC Semi VOA

Prep Batch: 191634

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-74585-1	B1-2-211102	Total/NA	Solid	3550C	
570-74585-2	B1-4-211102	Total/NA	Solid	3550C	
570-74585-3	B1-6-211102	Total/NA	Solid	3550C	
570-74585-4	B2-2-211102	Total/NA	Solid	3550C	
570-74585-5	B2-4-211102	Total/NA	Solid	3550C	
570-74585-6	B2-6-211102	Total/NA	Solid	3550C	
570-74585-7	B3-2-211102	Total/NA	Solid	3550C	
570-74585-8	B3-4-211102	Total/NA	Solid	3550C	
570-74585-9	B3-6-211102	Total/NA	Solid	3550C	
MB 570-191634/1-A	Method Blank	Total/NA	Solid	3550C	
LCS 570-191634/2-A	Lab Control Sample	Total/NA	Solid	3550C	
LCSD 570-191634/3-A	Lab Control Sample Dup	Total/NA	Solid	3550C	
570-73736-A-1-C MS	Matrix Spike	Total/NA	Solid	3550C	
570-73736-A-1-D MSD	Matrix Spike Duplicate	Total/NA	Solid	3550C	

Analysis Batch: 191771

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-74585-1	B1-2-211102	Total/NA	Solid	8015B	191634
570-74585-2	B1-4-211102	Total/NA	Solid	8015B	191634
570-74585-3	B1-6-211102	Total/NA	Solid	8015B	191634
570-74585-4	B2-2-211102	Total/NA	Solid	8015B	191634
570-74585-5	B2-4-211102	Total/NA	Solid	8015B	191634
570-74585-6	B2-6-211102	Total/NA	Solid	8015B	191634
570-74585-7	B3-2-211102	Total/NA	Solid	8015B	191634
570-74585-8	B3-4-211102	Total/NA	Solid	8015B	191634
570-74585-9	B3-6-211102	Total/NA	Solid	8015B	191634
MB 570-191634/1-A	Method Blank	Total/NA	Solid	8015B	191634
LCS 570-191634/2-A	Lab Control Sample	Total/NA	Solid	8015B	191634
LCSD 570-191634/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B	191634
570-73736-A-1-C MS	Matrix Spike	Total/NA	Solid	8015B	191634
570-73736-A-1-D MSD	Matrix Spike Duplicate	Total/NA	Solid	8015B	191634

General Chemistry

Leach Batch: 191605

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-74585-1	B1-2-211102	Total/NA	Solid	DI Leach	
570-74585-2	B1-4-211102	Total/NA	Solid	DI Leach	
570-74585-3	B1-6-211102	Total/NA	Solid	DI Leach	
570-74585-7	B3-2-211102	Total/NA	Solid	DI Leach	
570-74585-8	B3-4-211102	Total/NA	Solid	DI Leach	
570-74585-9	B3-6-211102	Total/NA	Solid	DI Leach	
570-74585-1 DU	B1-2-211102	Total/NA	Solid	DI Leach	

Analysis Batch: 191636

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-74585-1	B1-2-211102	Total/NA	Solid	9045C	191605
570-74585-2	B1-4-211102	Total/NA	Solid	9045C	191605
570-74585-3	B1-6-211102	Total/NA	Solid	9045C	191605
570-74585-7	B3-2-211102	Total/NA	Solid	9045C	191605
570-74585-8	B3-4-211102	Total/NA	Solid	9045C	191605

General Chemistry (Continued)

Analysis Batch: 191636 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-74585-9	B3-6-211102	Total/NA	Solid	9045C	191605
570-74585-1 DU	B1-2-211102	Total/NA	Solid	9045C	191605

Lab Chronicle

Client: Ramboll US Corporation
Project/Site: Artesia Dairies

Job ID: 570-74585-1
SDG: 11709 East Artesia Blvd., Artesia, CA

Client Sample ID: B1-2-211102
Date Collected: 11/02/21 08:48
Date Received: 11/02/21 15:35

Lab Sample ID: 570-74585-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			5.04 g	5 mL	191858	11/04/21 14:44	VA9L	ECL 2
Total/NA	Analysis	8015B		1	5 g	5 mL	191842	11/04/21 20:37	P1R	ECL 2
	Instrument ID: GC25									
Total/NA	Prep	3550C			10.04 g	10 mL	191634	11/03/21 21:50	N5Y3	ECL 1
Total/NA	Analysis	8015B		1			191771	11/04/21 22:15	N5Y3	ECL 1
	Instrument ID: GC48									
Total/NA	Leach	DI Leach			20.01 g	20 mL	191605	11/03/21 19:22	WN6Y	ECL 1
Total/NA	Analysis	9045C		1	20 mL	20 mL	191636	11/03/21 22:11	WN6Y	ECL 1
	Instrument ID: PH4									

Client Sample ID: B1-4-211102
Date Collected: 11/02/21 08:56
Date Received: 11/02/21 15:35

Lab Sample ID: 570-74585-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			5.00 g	5 mL	191858	11/04/21 14:44	VA9L	ECL 2
Total/NA	Analysis	8015B		1	5 g	5 mL	191842	11/04/21 22:04	P1R	ECL 2
	Instrument ID: GC25									
Total/NA	Prep	3550C			9.77 g	10 mL	191634	11/03/21 21:50	N5Y3	ECL 1
Total/NA	Analysis	8015B		1			191771	11/04/21 22:35	N5Y3	ECL 1
	Instrument ID: GC48									
Total/NA	Leach	DI Leach			20.02 g	20 mL	191605	11/03/21 19:22	WN6Y	ECL 1
Total/NA	Analysis	9045C		1	20 mL	20 mL	191636	11/03/21 22:11	WN6Y	ECL 1
	Instrument ID: PH4									

Client Sample ID: B1-6-211102
Date Collected: 11/02/21 09:02
Date Received: 11/02/21 15:35

Lab Sample ID: 570-74585-3
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			5.03 g	5 mL	191858	11/04/21 14:44	VA9L	ECL 2
Total/NA	Analysis	8015B		1	5 g	5 mL	191842	11/04/21 23:34	P1R	ECL 2
	Instrument ID: GC25									
Total/NA	Prep	3550C			10.73 g	10 mL	191634	11/03/21 21:50	N5Y3	ECL 1
Total/NA	Analysis	8015B		1			191771	11/04/21 22:56	N5Y3	ECL 1
	Instrument ID: GC48									
Total/NA	Leach	DI Leach			20.03 g	20 mL	191605	11/03/21 19:22	WN6Y	ECL 1
Total/NA	Analysis	9045C		1	20 mL	20 mL	191636	11/03/21 22:11	WN6Y	ECL 1
	Instrument ID: PH4									

Lab Chronicle

Client: Ramboll US Corporation
Project/Site: Artesia Dairies

Job ID: 570-74585-1
SDG: 11709 East Artesia Blvd., Artesia, CA

Client Sample ID: B2-2-211102
Date Collected: 11/02/21 11:40
Date Received: 11/02/21 15:35

Lab Sample ID: 570-74585-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			5.00 g	5 mL	192185	11/05/21 13:30	VA9L	ECL 2
Total/NA	Analysis	8015B		1	5 g	5 mL	192206	11/05/21 19:27	A9VE	ECL 2
	Instrument ID: GC57									
Total/NA	Prep	3550C			9.63 g	10 mL	191634	11/03/21 21:50	N5Y3	ECL 1
Total/NA	Analysis	8015B		1			191771	11/04/21 23:17	N5Y3	ECL 1
	Instrument ID: GC48									

Client Sample ID: B2-4-211102
Date Collected: 11/02/21 11:45
Date Received: 11/02/21 15:35

Lab Sample ID: 570-74585-5
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			5.01 g	5 mL	191858	11/04/21 14:44	VA9L	ECL 2
Total/NA	Analysis	8015B		1	5 g	5 mL	191842	11/05/21 00:32	P1R	ECL 2
	Instrument ID: GC25									
Total/NA	Prep	3550C			10.47 g	10 mL	191634	11/03/21 21:50	N5Y3	ECL 1
Total/NA	Analysis	8015B		1			191771	11/04/21 23:37	N5Y3	ECL 1
	Instrument ID: GC48									

Client Sample ID: B2-6-211102
Date Collected: 11/02/21 11:50
Date Received: 11/02/21 15:35

Lab Sample ID: 570-74585-6
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			5.00 g	5 mL	191858	11/04/21 14:44	VA9L	ECL 2
Total/NA	Analysis	8015B		1	5 g	5 mL	191842	11/05/21 01:01	P1R	ECL 2
	Instrument ID: GC25									
Total/NA	Prep	3550C			9.39 g	10 mL	191634	11/03/21 21:50	N5Y3	ECL 1
Total/NA	Analysis	8015B		1			191771	11/04/21 23:58	N5Y3	ECL 1
	Instrument ID: GC48									

Client Sample ID: B3-2-211102
Date Collected: 11/02/21 13:55
Date Received: 11/02/21 15:35

Lab Sample ID: 570-74585-7
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			5.00 g	5 mL	192185	11/05/21 13:30	VA9L	ECL 2
Total/NA	Analysis	8015B		1	5 g	5 mL	192206	11/05/21 17:52	A9VE	ECL 2
	Instrument ID: GC57									
Total/NA	Prep	3550C			9.82 g	10 mL	191634	11/03/21 21:50	N5Y3	ECL 1
Total/NA	Analysis	8015B		1			191771	11/05/21 00:18	N5Y3	ECL 1
	Instrument ID: GC48									
Total/NA	Leach	DI Leach			20.02 g	20 mL	191605	11/03/21 19:22	WN6Y	ECL 1
Total/NA	Analysis	9045C		1	20 mL	20 mL	191636	11/03/21 22:11	WN6Y	ECL 1
	Instrument ID: PH4									

Lab Chronicle

Client: Ramboll US Corporation
Project/Site: Artesia Dairies

Job ID: 570-74585-1
SDG: 11709 East Artesia Blvd., Artesia, CA

Client Sample ID: B3-4-211102

Date Collected: 11/02/21 14:00
Date Received: 11/02/21 15:35

Lab Sample ID: 570-74585-8

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			5.03 g	5 mL	192185	11/05/21 13:30	VA9L	ECL 2
Total/NA	Analysis	8015B		1	5 g	5 mL	192206	11/05/21 19:03	A9VE	ECL 2
	Instrument ID: GC57									
Total/NA	Prep	3550C			10.27 g	10 mL	191634	11/03/21 21:50	N5Y3	ECL 1
Total/NA	Analysis	8015B		1			191771	11/05/21 00:40	N5Y3	ECL 1
	Instrument ID: GC48									
Total/NA	Leach	DI Leach			20.01 g	20 mL	191605	11/03/21 19:22	WN6Y	ECL 1
Total/NA	Analysis	9045C		1	20 mL	20 mL	191636	11/03/21 22:11	WN6Y	ECL 1
	Instrument ID: PH4									

Client Sample ID: B3-6-211102

Date Collected: 11/02/21 14:05
Date Received: 11/02/21 15:35

Lab Sample ID: 570-74585-9

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			4.99 g	5 mL	191858	11/04/21 14:44	VA9L	ECL 2
Total/NA	Analysis	8015B		1	5 g	5 mL	191842	11/05/21 02:28	P1R	ECL 2
	Instrument ID: GC25									
Total/NA	Prep	3550C			10.38 g	10 mL	191634	11/03/21 21:50	N5Y3	ECL 1
Total/NA	Analysis	8015B		1			191771	11/05/21 01:01	N5Y3	ECL 1
	Instrument ID: GC48									
Total/NA	Leach	DI Leach			20.01 g	20 mL	191605	11/03/21 19:22	WN6Y	ECL 1
Total/NA	Analysis	9045C		1	20 mL	20 mL	191636	11/03/21 22:11	WN6Y	ECL 1
	Instrument ID: PH4									

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

ECL 2 = Eurofins Calscience LLC Lampson, 7445 Lampson Ave, Garden Grove, CA 92841, TEL (714)895-5494

Accreditation/Certification Summary

Client: Ramboll US Corporation
Project/Site: Artesia Dairies

Job ID: 570-74585-1
SDG: 11709 East Artesia Blvd., Artesia, CA

Laboratory: Eurofins Calscience LLC

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2944	09-30-22

Method Summary

Client: Ramboll US Corporation
Project/Site: Artesia Dairies

Job ID: 570-74585-1
SDG: 11709 East Artesia Blvd., Artesia, CA

Method	Method Description	Protocol	Laboratory
8015B	Gasoline Range Organics - (GC)	SW846	ECL 2
8015B	Diesel Range Organics(DRO)/Oil Range Organics (ORO)	SW846	ECL 1
9045C	pH	SW846	ECL 1
3550C	Ultrasonic Extraction	SW846	ECL 1
5030C	Purge and Trap	SW846	ECL 2
DI Leach	Deionized Water Leaching Procedure	ASTM	ECL 1

Protocol References:

ASTM = ASTM International

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

ECL 2 = Eurofins Calscience LLC Lampson, 7445 Lampson Ave, Garden Grove, CA 92841, TEL (714)895-5494

Sample Summary

Client: Ramboll US Corporation
Project/Site: Artesia Dairies

Job ID: 570-74585-1
SDG: 11709 East Artesia Blvd., Artesia, CA

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
570-74585-1	B1-2-211102	Solid	11/02/21 08:48	11/02/21 15:35
570-74585-2	B1-4-211102	Solid	11/02/21 08:56	11/02/21 15:35
570-74585-3	B1-6-211102	Solid	11/02/21 09:02	11/02/21 15:35
570-74585-4	B2-2-211102	Solid	11/02/21 11:40	11/02/21 15:35
570-74585-5	B2-4-211102	Solid	11/02/21 11:45	11/02/21 15:35
570-74585-6	B2-6-211102	Solid	11/02/21 11:50	11/02/21 15:35
570-74585-7	B3-2-211102	Solid	11/02/21 13:55	11/02/21 15:35
570-74585-8	B3-4-211102	Solid	11/02/21 14:00	11/02/21 15:35
570-74585-9	B3-6-211102	Solid	11/02/21 14:05	11/02/21 15:35

RAMBOLL

CHAIN-OF-CUSTODY FORM

№ 16619 74585

PROJECT NAME/FACILITY ID: Artesia Dairies
PROJECT NUMBER: 44025523
PROJECT LOCATION: Artesia, CA
DATE: 11/2/2021
FIELD PERSON#: J. Totaro
PROJECT MANAGER: B. Bauer
LABORATORY: Eurofins

Sampler: Jacob Totaro
Signature: Jacob Totaro

570-74585 Chain of Custody

	SAMPLE ID NUMBER	SAMPLE DATE	SAMPLE TIME	SAMPLE DEPTH (F)	AIR SAMPLE VOLUME (L)	MATRIX (A) AIR, (SG) SOIL GAS, (so) SOIL (W) WATER	NUMBER OF CONTAINERS	FILTERED/UNFILTERED (F/U)	PRESERVATION (SEE KEY)	Analysis Required: TPH (full range)	Analysis Required: pH	COMMENTS
1	B1-2-211102	11/2/21	0848	2	-	SO	1	-	NO	X	X	email results to BBauer@rambll.com MRaposo@rambll.com
2	B1-4-211102		0856	4						X	X	DO NOT ANALYZE for PH at B2- locations
3	B1-6-211102		0902	6						X	X	
4	B2-2-211102		1140	2						X	X	
5	B2-4-211102		1145	4						X	X	
6	B2-6-211102		1150	6						X	X	
7	B3-2-211102		1355	2						X	X	
8	B3-4-211102		1400	4						X	X	
9	B3-6-211102	11/2/21	1405	6	-	SO	1	-	NO	X	X	
	TOTAL											

11/2/21 BT

11/2/21 BT

H = HCL N = HNO S = H_2SO U = UNKNOWN NO = NONE O = OTHER V = VARIOUS

RELINQUISHED BY	TIME/DATE	RECEIVED BY COMPANY	TIME/DATE
Jacob Totaro	1535 11/2/2021	ECI	15:35 11-2-2021
RELINQUISHED BY	TIME/DATE	RECEIVED BY COMPANY	TIME/DATE
RELINQUISHED BY	TIME/DATE	RECEIVED BY COMPANY	TIME/DATE

TURNAROUND TIME (CIRCLE ONE): SAME DAY | 24 HOURS | 48 HOURS | 72 HOURS | 5 DAYS | NORMAL

SAMPLE INTEGRITY: INTACT Y N TEMP_____

SAMPLE INTEGRITY: INTACT Y N

SWBU Office Locations
- ☐ 5 Park Plaza, Suite 500, Irvine CA 92614 +1 949 261 5151 +1 949 261 6202
- ☐ 350 S Grand Avenue, Suite 2800, Los Angeles, CA 90071 +1 213 943 6300 +1 213 943 6301
- ☐ 2111 East Highland Avenue Suite 402 Phoenix AZ 85016 +1 602 734 7700 +1 602 734-7701

4.1/5.0 SCS

Page | of |

Page 25 of 26

11/9/2021

Login Sample Receipt Checklist

Client: Ramboll US Corporation

Job Number: 570-74585-1
SDG Number: 11709 East Artesia Blvd., Artesia, CA

Login Number: 74585
List Number: 1
Creator: Cortez Diaz, Antonio

List Source: Eurofins Calscience LLC

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CASE NARRATIVE

Authorized Signature Name / Title (print)	Ken Zheng, President
Signature / Date	Ken Zheng, President 12/08/2021 10:40:45
Laboratory Job No. (Certificate of Analysis No.)	2112-00027
Project Name / No.	11709 E. Artesia Blvd., Artesia, CA Borstein Artesia
Dates Sampled (from/to)	12/03/21 To 12/03/21
Dates Received (from/to)	12/03/21 To 12/03/21
Dates Reported (from/to)	12/08/21 To 12/8/2021
Chains of Custody Received	Yes

Comments:

Subcontracting

Organic Analyses

No analyses sub-contracted

Sample Condition(s)

All samples intact

Positive Results (Organic Compounds)

Sample	Analyte	Result	Qual	Units	RL	Sample	Analyte	Result	Qual	Units	RL
RSV-3-5,211203	Tetrachloroethene	**0.13**		µg/L	0.025	RSV-5-5,211203	1,2,4-Trimethylbenzene	***0.020***	J	µg/L	0.025
RSV-5-5,211203	Benzene	**0.030**		µg/L	0.025	RSV-5-5,211203	Ethylbenzene	***0.020***	J	µg/L	0.025
RSV-5-5,211203	Tetrachloroethene	**0.050**		µg/L	0.025	RSV-5-5,211203	Toluene	**1.8**		µg/L	0.025
RSV-5-5,211203	m,p-Xylenes	**0.080**		µg/L	0.050	RSV-5-5,211203	o-Xylene	**0.030**		µg/L	0.025
RSV-7-5,211203	Toluene	**0.040**		µg/L	0.025	RSV-10-5,211203	Chloroform	**0.27**		µg/L	0.025
RSV-10-5,211203	Toluene	***0.020***	J	µg/L	0.025						

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported	12/08/21
Date Received	12/03/21
Invoice No.	93553
Cust #	R001
Permit Number	
Customer P.O.	Borstein Artesia

Sample: 001 **RSV-1-5,211203** Date & Time Sampled: 12/03/21 @ 7:38
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
[VOCs by GCMS]										
Acetone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	7:48	IG
t-Amyl Methyl Ether (TAME)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Benzene	<0.0060		µg/L	EPA 8260B	0.3	0.0060	0.025	12/03/21	7:48	IG
Bromobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Bromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Bromodichloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Bromoform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Bromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
t-Butanol (TBA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	7:48	IG
2-Butanone (MEK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	7:48	IG
n-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
sec-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
tert-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Carbon Disulfide	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	7:48	IG
Carbon Tetrachloride	<0.0063		µg/L	EPA 8260B	0.3	0.0063	0.013	12/03/21	7:48	IG
Chlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Chloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Chloroform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Chloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
2-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
4-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Dibromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,2-Dibromoethane (EDB)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,2-Dibromo-3-Chloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Dibromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,2-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,3-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,4-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Dichlorodifluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,1-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported	12/08/21
Date Received	12/03/21
Invoice No.	93553
Cust #	R001
Permit Number	
Customer P.O.	Borstein Artesia

Sample: 001 **RSV-1-5,211203** Date & Time Sampled: 12/03/21 @ 7:38
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
1,2-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,1-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
cis-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
trans-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,3-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
2,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,1-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
cis-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
trans-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Diisopropyl Ether (DiPE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Ethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Ethyl-t-Butyl Ether (EtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Hexachlorobutadiene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
2-Hexanone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	7:48	IG
Isopropylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
4-Isopropyltoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Methylene Chloride	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.03	12/03/21	7:48	IG
4-Methyl-2-Pentanone (MIBK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	7:48	IG
Methyl-t-butyl Ether (MtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Naphthalene	<0.0080		µg/L	EPA 8260B	0.3	0.0080	0.013	12/03/21	7:48	IG
n-Propylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Styrene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,1,1,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,1,2,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Tetrachloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Toluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,2,3-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,2,4-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,1,1-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
Sample: 001 **RSV-1-5,211203**								Date & Time Sampled: 12/03/21 @ 7:38		
Sample Matrix: **Air**										
Purge Volume Sampled: **3**										
.....continued										
1,1,2-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Trichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,2,3-Trichloropropane	<0.0050		µg/L	EPA 8260B	0.3	0.0050	0.025	12/03/21	7:48	IG
Trichlorofluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Trichlorotrifluoroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,2,4-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
1,3,5-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
Vinyl Chloride	<0.0020		µg/L	EPA 8260B	0.3	0.0020	0.013	12/03/21	7:48	IG
m,p-Xylenes	<0.0250		µg/L	EPA 8260B	0.3	0.0250	0.050	12/03/21	7:48	IG
o-Xylene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	7:48	IG
[VOC Vapor Sampling Tracer]										
Isopropanol (IPA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	7:48	IG
[VOC Surrogates]										
Dibromofluoromethane	106		%REC	EPA 8260B			70-130	12/03/21	7:48	IG
Toluene-D8	108		%REC	EPA 8260B			70-130	12/03/21	7:48	IG
Bromofluorobenzene	81		%REC	EPA 8260B			70-130	12/03/21	7:48	IG
Sample: 002 **RSV-2-5,211203**								Date & Time Sampled: 12/03/21 @ 7:59		
Sample Matrix: **Air**										
Purge Volume Sampled: **3**										
[VOCs by GCMS]										
Acetone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:09	IG
t-Amyl Methyl Ether (TAME)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Benzene	<0.0060		µg/L	EPA 8260B	0.3	0.0060	0.025	12/03/21	8:09	IG
Bromobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Bromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Bromodichloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Bromoform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Bromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
t-Butanol (TBA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:09	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Sample: 002 **RSV-2-5,211203** Date & Time Sampled: 12/03/21 @ 7:59
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
2-Butanone (MEK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:09	IG
n-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
sec-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
tert-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Carbon Disulfide	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:09	IG
Carbon Tetrachloride	<0.0063		µg/L	EPA 8260B	0.3	0.0063	0.013	12/03/21	8:09	IG
Chlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Chloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Chloroform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Chloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
2-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
4-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Dibromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,2-Dibromoethane (EDB)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,2-Dibromo-3-Chloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Dibromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,2-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,3-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,4-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Dichlorodifluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,1-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,2-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,1-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
cis-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
trans-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,3-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
2,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,1-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
cis-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Sample: 002 **RSV-2-5,211203** Date & Time Sampled: 12/03/21 @ 7:59
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
trans-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Diisopropyl Ether (DiPE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Ethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Ethyl-t-Butyl Ether (EtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Hexachlorobutadiene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
2-Hexanone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:09	IG
Isopropylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
4-Isopropyltoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Methylene Chloride	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.03	12/03/21	8:09	IG
4-Methyl-2-Pentanone (MIBK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:09	IG
Methyl-t-butyl Ether (MtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Naphthalene	<0.0080		µg/L	EPA 8260B	0.3	0.0080	0.013	12/03/21	8:09	IG
n-Propylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Styrene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,1,1,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,1,2,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Tetrachloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Toluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,2,3-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,2,4-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,1,1-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,1,2-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Trichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,2,3-Trichloropropane	<0.0050		µg/L	EPA 8260B	0.3	0.0050	0.025	12/03/21	8:09	IG
Trichlorofluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Trichlorotrifluoroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,2,4-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
1,3,5-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
Vinyl Chloride	<0.0020		µg/L	EPA 8260B	0.3	0.0020	0.013	12/03/21	8:09	IG
m,p-Xylenes	<0.0250		µg/L	EPA 8260B	0.3	0.0250	0.050	12/03/21	8:09	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
Sample: 002 **RSV-2-5,211203**							Date & Time Sampled:	12/03/21	@	7:59
Sample Matrix: **Air**										
Purge Volume Sampled: **3**										
.....continued										
o-Xylene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:09	IG
[VOC Vapor Sampling Tracer]										
Isopropanol (IPA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:09	IG
[VOC Surrogates]										
Dibromofluoromethane	99		%REC	EPA 8260B			70-130	12/03/21	8:09	IG
Toluene-D8	107		%REC	EPA 8260B			70-130	12/03/21	8:09	IG
Bromofluorobenzene	85		%REC	EPA 8260B			70-130	12/03/21	8:09	IG
Sample: 003 **RSV-3-5,211203**							Date & Time Sampled:	12/03/21	@	8:21
Sample Matrix: **Air**										
Purge Volume Sampled: **3**										
[VOCs by GCMS]										
Acetone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:31	IG
t-Amyl Methyl Ether (TAME)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Benzene	<0.0060		µg/L	EPA 8260B	0.3	0.0060	0.025	12/03/21	8:31	IG
Bromobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Bromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Bromodichloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Bromoform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Bromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
t-Butanol (TBA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:31	IG
2-Butanone (MEK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:31	IG
n-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
sec-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
tert-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Carbon Disulfide	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:31	IG
Carbon Tetrachloride	<0.0063		µg/L	EPA 8260B	0.3	0.0063	0.013	12/03/21	8:31	IG
Chlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Chloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Chloroform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Sample: 003 **RSV-3-5,211203** Date & Time Sampled: 12/03/21 @ 8:21
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
Chloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
2-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
4-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Dibromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,2-Dibromoethane (EDB)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,2-Dibromo-3-Chloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Dibromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,2-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,3-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,4-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Dichlorodifluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,1-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,2-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,1-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
cis-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
trans-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,3-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
2,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,1-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
cis-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
trans-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Diisopropyl Ether (DiPE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Ethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Ethyl-t-Butyl Ether (EtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Hexachlorobutadiene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
2-Hexanone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:31	IG
Isopropylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
4-Isopropyltoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Methylene Chloride	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.03	12/03/21	8:31	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported	12/08/21
Date Received	12/03/21
Invoice No.	93553
Cust #	R001
Permit Number	
Customer P.O.	Borstein Artesia

Sample: 003 **RSV-3-5,211203** Date & Time Sampled: 12/03/21 @ 8:21
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
4-Methyl-2-Pentanone (MIBK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:31	IG
Methyl-t-butyl Ether (MtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Naphthalene	<0.0080		µg/L	EPA 8260B	0.3	0.0080	0.013	12/03/21	8:31	IG
n-Propylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Styrene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,1,1,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,1,2,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Tetrachloroethene	**0.13**		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Toluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,2,3-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,2,4-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,1,1-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,1,2-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Trichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,2,3-Trichloropropane	<0.0050		µg/L	EPA 8260B	0.3	0.0050	0.025	12/03/21	8:31	IG
Trichlorofluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Trichlorotrifluoroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,2,4-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
1,3,5-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
Vinyl Chloride	<0.0020		µg/L	EPA 8260B	0.3	0.0020	0.013	12/03/21	8:31	IG
m,p-Xylenes	<0.0250		µg/L	EPA 8260B	0.3	0.0250	0.050	12/03/21	8:31	IG
o-Xylene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:31	IG
[VOC Vapor Sampling Tracer]										
Isopropanol (IPA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:31	IG
[VOC Surrogates]										
Dibromofluoromethane	105		%REC	EPA 8260B			70-130	12/03/21	8:31	IG
Toluene-D8	105		%REC	EPA 8260B			70-130	12/03/21	8:31	IG
Bromofluorobenzene	79		%REC	EPA 8260B			70-130	12/03/21	8:31	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Sample: 004 **RSV-4-5,211203** Date & Time Sampled: 12/03/21 @ 8:43
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
[VOCs by GCMS]										
Acetone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:53	IG
t-Amyl Methyl Ether (TAME)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Benzene	<0.0060		µg/L	EPA 8260B	0.3	0.0060	0.025	12/03/21	8:53	IG
Bromobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Bromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Bromodichloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Bromoform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Bromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
t-Butanol (TBA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:53	IG
2-Butanone (MEK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:53	IG
n-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
sec-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
tert-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Carbon Disulfide	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:53	IG
Carbon Tetrachloride	<0.0063		µg/L	EPA 8260B	0.3	0.0063	0.013	12/03/21	8:53	IG
Chlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Chloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Chloroform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Chloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
2-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
4-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Dibromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,2-Dibromoethane (EDB)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,2-Dibromo-3-Chloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Dibromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,2-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,3-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,4-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Dichlorodifluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,1-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported	12/08/21
Date Received	12/03/21
Invoice No.	93553
Cust #	R001
Permit Number	
Customer P.O.	Borstein Artesia

Sample: 004 **RSV-4-5,211203** Date & Time Sampled: 12/03/21 @ 8:43
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
1,2-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,1-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
cis-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
trans-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,3-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
2,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,1-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
cis-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
trans-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Diisopropyl Ether (DiPE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Ethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Ethyl-t-Butyl Ether (EtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Hexachlorobutadiene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
2-Hexanone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:53	IG
Isopropylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
4-Isopropyltoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Methylene Chloride	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.03	12/03/21	8:53	IG
4-Methyl-2-Pentanone (MIBK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:53	IG
Methyl-t-butyl Ether (MtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Naphthalene	<0.0080		µg/L	EPA 8260B	0.3	0.0080	0.013	12/03/21	8:53	IG
n-Propylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Styrene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,1,1,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,1,2,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Tetrachloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Toluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,2,3-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,2,4-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,1,1-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
Sample: 004 **RSV-4-5,211203**								Date & Time Sampled:	12/03/21 @	8:43
Sample Matrix: **Air**										
Purge Volume Sampled: **3**										
.....continued										
1,1,2-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Trichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,2,3-Trichloropropane	<0.0050		µg/L	EPA 8260B	0.3	0.0050	0.025	12/03/21	8:53	IG
Trichlorofluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Trichlorotrifluoroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,2,4-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
1,3,5-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
Vinyl Chloride	<0.0020		µg/L	EPA 8260B	0.3	0.0020	0.013	12/03/21	8:53	IG
m,p-Xylenes	<0.0250		µg/L	EPA 8260B	0.3	0.0250	0.050	12/03/21	8:53	IG
o-Xylene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	8:53	IG
[VOC Vapor Sampling Tracer]										
Isopropanol (IPA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	8:53	IG
[VOC Surrogates]										
Dibromofluoromethane	111		%REC	EPA 8260B			70-130	12/03/21	8:53	IG
Toluene-D8	106		%REC	EPA 8260B			70-130	12/03/21	8:53	IG
Bromofluorobenzene	84		%REC	EPA 8260B			70-130	12/03/21	8:53	IG
Sample: 005 **RSV-5-5,211203**								Date & Time Sampled:	12/03/21 @	9:05
Sample Matrix: **Air**										
Purge Volume Sampled: **3**										
[VOCs by GCMS]										
Acetone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:15	IG
t-Amyl Methyl Ether (TAME)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Benzene	**0.030**		µg/L	EPA 8260B	0.3	0.0060	0.025	12/03/21	9:15	IG
Bromobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Bromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Bromodichloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Bromoform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Bromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
t-Butanol (TBA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:15	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Sample: 005 **RSV-5-5,211203** Date & Time Sampled: 12/03/21 @ 9:05
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
2-Butanone (MEK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:15	IG
n-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
sec-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
tert-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Carbon Disulfide	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:15	IG
Carbon Tetrachloride	<0.0063		µg/L	EPA 8260B	0.3	0.0063	0.013	12/03/21	9:15	IG
Chlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Chloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Chloroform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Chloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
2-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
4-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Dibromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,2-Dibromoethane (EDB)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,2-Dibromo-3-Chloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Dibromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,2-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,3-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,4-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Dichlorodifluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,1-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,2-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,1-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
cis-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
trans-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,3-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
2,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,1-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
cis-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported	12/08/21
Date Received	12/03/21
Invoice No.	93553
Cust #	R001
Permit Number	
Customer P.O.	Borstein Artesia

Sample: 005 **RSV-5-5,211203** Date & Time Sampled: 12/03/21 @ 9:05
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
trans-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Diisopropyl Ether (DiPE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Ethylbenzene	***0.020***	J	µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Ethyl-t-Butyl Ether (EtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Hexachlorobutadiene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
2-Hexanone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:15	IG
Isopropylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
4-Isopropyltoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Methylene Chloride	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.03	12/03/21	9:15	IG
4-Methyl-2-Pentanone (MIBK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:15	IG
Methyl-t-butyl Ether (MtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Naphthalene	<0.0080		µg/L	EPA 8260B	0.3	0.0080	0.013	12/03/21	9:15	IG
n-Propylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Styrene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,1,1,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,1,2,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Tetrachloroethene	**0.050**		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Toluene	**1.8**		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,2,3-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,2,4-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,1,1-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,1,2-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Trichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,2,3-Trichloropropane	<0.0050		µg/L	EPA 8260B	0.3	0.0050	0.025	12/03/21	9:15	IG
Trichlorofluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Trichlorotrifluoroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,2,4-Trimethylbenzene	***0.020***	J	µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
1,3,5-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
Vinyl Chloride	<0.0020		µg/L	EPA 8260B	0.3	0.0020	0.013	12/03/21	9:15	IG
m,p-Xylenes	**0.080**		µg/L	EPA 8260B	0.3	0.0250	0.050	12/03/21	9:15	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
Sample: 005 **RSV-5-5,211203**							Date & Time Sampled:	12/03/21	@	9:05
Sample Matrix: **Air**										
Purge Volume Sampled: **3**										
.....continued										
o-Xylene	**0.030**		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:15	IG
[VOC Vapor Sampling Tracer]										
Isopropanol (IPA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:15	IG
[VOC Surrogates]										
Dibromofluoromethane	105		%REC	EPA 8260B			70-130	12/03/21	9:15	IG
Toluene-D8	108		%REC	EPA 8260B			70-130	12/03/21	9:15	IG
Bromofluorobenzene	82		%REC	EPA 8260B			70-130	12/03/21	9:15	IG
Sample: 006 **RSV-7-5,211203**							Date & Time Sampled:	12/03/21	@	9:17
Sample Matrix: **Air**										
Purge Volume Sampled: **3**										
[VOCs by GCMS]										
Acetone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:37	IG
t-Amyl Methyl Ether (TAME)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Benzene	<0.0060		µg/L	EPA 8260B	0.3	0.0060	0.025	12/03/21	9:37	IG
Bromobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Bromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Bromodichloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Bromoform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Bromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
t-Butanol (TBA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:37	IG
2-Butanone (MEK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:37	IG
n-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
sec-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
tert-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Carbon Disulfide	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:37	IG
Carbon Tetrachloride	<0.0063		µg/L	EPA 8260B	0.3	0.0063	0.013	12/03/21	9:37	IG
Chlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Chloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Chloroform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Sample: 006 **RSV-7-5,211203** Date & Time Sampled: 12/03/21 @ 9:17
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
Chloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
2-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
4-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Dibromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,2-Dibromoethane (EDB)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,2-Dibromo-3-Chloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Dibromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,2-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,3-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,4-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Dichlorodifluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,1-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,2-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,1-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
cis-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
trans-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,3-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
2,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,1-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
cis-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
trans-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Diisopropyl Ether (DiPE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Ethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Ethyl-t-Butyl Ether (EtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Hexachlorobutadiene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
2-Hexanone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:37	IG
Isopropylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
4-Isopropyltoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Methylene Chloride	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.03	12/03/21	9:37	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported	12/08/21
Date Received	12/03/21
Invoice No.	93553
Cust #	R001
Permit Number	
Customer P.O.	Borstein Artesia

Sample: 006 **RSV-7-5,211203** Date & Time Sampled: 12/03/21 @ 9:17
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
4-Methyl-2-Pentanone (MIBK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:37	IG
Methyl-t-butyl Ether (MtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Naphthalene	<0.0080		µg/L	EPA 8260B	0.3	0.0080	0.013	12/03/21	9:37	IG
n-Propylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Styrene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,1,1,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,1,2,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Tetrachloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Toluene	**0.040**		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,2,3-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,2,4-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,1,1-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,1,2-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Trichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,2,3-Trichloropropane	<0.0050		µg/L	EPA 8260B	0.3	0.0050	0.025	12/03/21	9:37	IG
Trichlorofluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Trichlorotrifluoroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,2,4-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
1,3,5-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
Vinyl Chloride	<0.0020		µg/L	EPA 8260B	0.3	0.0020	0.013	12/03/21	9:37	IG
m,p-Xylenes	<0.0250		µg/L	EPA 8260B	0.3	0.0250	0.050	12/03/21	9:37	IG
o-Xylene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:37	IG
[VOC Vapor Sampling Tracer]										
Isopropanol (IPA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:37	IG
[VOC Surrogates]										
Dibromofluoromethane	103		%REC	EPA 8260B			70-130	12/03/21	9:37	IG
Toluene-D8	106		%REC	EPA 8260B			70-130	12/03/21	9:37	IG
Bromofluorobenzene	80		%REC	EPA 8260B			70-130	12/03/21	9:37	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Sample: 007 **RSV-10-5,211203** Date & Time Sampled: 12/03/21 @ 9:49
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
[VOCs by GCMS]										
Acetone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:59	IG
t-Amyl Methyl Ether (TAME)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Benzene	<0.0060		µg/L	EPA 8260B	0.3	0.0060	0.025	12/03/21	9:59	IG
Bromobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Bromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Bromodichloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Bromoform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Bromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
t-Butanol (TBA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:59	IG
2-Butanone (MEK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:59	IG
n-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
sec-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
tert-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Carbon Disulfide	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:59	IG
Carbon Tetrachloride	<0.0063		µg/L	EPA 8260B	0.3	0.0063	0.013	12/03/21	9:59	IG
Chlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Chloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Chloroform	**0.27**		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Chloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
2-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
4-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Dibromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,2-Dibromoethane (EDB)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,2-Dibromo-3-Chloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Dibromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,2-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,3-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,4-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Dichlorodifluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,1-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Sample: 007 **RSV-10-5,211203** Date & Time Sampled: 12/03/21 @ 9:49
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
1,2-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,1-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
cis-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
trans-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,3-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
2,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,1-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
cis-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
trans-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Diisopropyl Ether (DiPE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Ethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Ethyl-t-Butyl Ether (EtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Hexachlorobutadiene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
2-Hexanone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:59	IG
Isopropylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
4-Isopropyltoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Methylene Chloride	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.03	12/03/21	9:59	IG
4-Methyl-2-Pentanone (MIBK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:59	IG
Methyl-t-butyl Ether (MtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Naphthalene	<0.0080		µg/L	EPA 8260B	0.3	0.0080	0.013	12/03/21	9:59	IG
n-Propylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Styrene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,1,1,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,1,2,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Tetrachloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Toluene	***0.020***	J	µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,2,3-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,2,4-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,1,1-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
Sample: 007 **RSV-10-5,211203**							Date & Time Sampled:	12/03/21	@ 9:49	
Sample Matrix: **Air**										
Purge Volume Sampled: **3**										
.....continued										
1,1,2-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Trichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,2,3-Trichloropropane	<0.0050		µg/L	EPA 8260B	0.3	0.0050	0.025	12/03/21	9:59	IG
Trichlorofluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Trichlorotrifluoroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,2,4-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
1,3,5-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
Vinyl Chloride	<0.0020		µg/L	EPA 8260B	0.3	0.0020	0.013	12/03/21	9:59	IG
m,p-Xylenes	<0.0250		µg/L	EPA 8260B	0.3	0.0250	0.050	12/03/21	9:59	IG
o-Xylene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	9:59	IG
[VOC Vapor Sampling Tracer]										
Isopropanol (IPA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	9:59	IG
[VOC Surrogates]										
Dibromofluoromethane	106		%REC	EPA 8260B			70-130	12/03/21	9:59	IG
Toluene-D8	107		%REC	EPA 8260B			70-130	12/03/21	9:59	IG
Bromofluorobenzene	81		%REC	EPA 8260B			70-130	12/03/21	9:59	IG
Sample: 008 **RSV-9-5,211203**							Date & Time Sampled:	12/03/21	@ 10:13	
Sample Matrix: **Air**										
Purge Volume Sampled: **3**										
[VOCs by GCMS]										
Acetone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	10:23	IG
t-Amyl Methyl Ether (TAME)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Benzene	<0.0060		µg/L	EPA 8260B	0.3	0.0060	0.025	12/03/21	10:23	IG
Bromobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Bromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Bromodichloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Bromoform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Bromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
t-Butanol (TBA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	10:23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Sample: 008 **RSV-9-5,211203** Date & Time Sampled: 12/03/21 @ 10:13
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
2-Butanone (MEK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	10:23	IG
n-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
sec-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
tert-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Carbon Disulfide	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	10:23	IG
Carbon Tetrachloride	<0.0063		µg/L	EPA 8260B	0.3	0.0063	0.013	12/03/21	10:23	IG
Chlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Chloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Chloroform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Chloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
2-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
4-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Dibromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,2-Dibromoethane (EDB)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,2-Dibromo-3-Chloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Dibromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,2-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,3-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,4-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Dichlorodifluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,1-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,2-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,1-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
cis-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
trans-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,3-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
2,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,1-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
cis-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Sample: 008 **RSV-9-5,211203** Date & Time Sampled: 12/03/21 @ 10:13
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
trans-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Diisopropyl Ether (DiPE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Ethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Ethyl-t-Butyl Ether (EtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Hexachlorobutadiene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
2-Hexanone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	10:23	IG
Isopropylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
4-Isopropyltoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Methylene Chloride	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.03	12/03/21	10:23	IG
4-Methyl-2-Pentanone (MIBK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	10:23	IG
Methyl-t-butyl Ether (MtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Naphthalene	<0.0080		µg/L	EPA 8260B	0.3	0.0080	0.013	12/03/21	10:23	IG
n-Propylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Styrene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,1,1,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,1,2,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Tetrachloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Toluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,2,3-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,2,4-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,1,1-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,1,2-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Trichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,2,3-Trichloropropane	<0.0050		µg/L	EPA 8260B	0.3	0.0050	0.025	12/03/21	10:23	IG
Trichlorofluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Trichlorotrifluoroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,2,4-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
1,3,5-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
Vinyl Chloride	<0.0020		µg/L	EPA 8260B	0.3	0.0020	0.013	12/03/21	10:23	IG
m,p-Xylenes	<0.0250		µg/L	EPA 8260B	0.3	0.0250	0.050	12/03/21	10:23	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
Sample: 008 **RSV-9-5,211203**							Date & Time Sampled:	12/03/21	@	10:13
Sample Matrix: **Air**										
Purge Volume Sampled: **3**										
.....continued										
o-Xylene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:23	IG
[VOC Vapor Sampling Tracer]										
Isopropanol (IPA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	10:23	IG
[VOC Surrogates]										
Dibromofluoromethane	111		%REC	EPA 8260B			70-130	12/03/21	10:23	IG
Toluene-D8	105		%REC	EPA 8260B			70-130	12/03/21	10:23	IG
Bromofluorobenzene	85		%REC	EPA 8260B			70-130	12/03/21	10:23	IG
Sample: 009 **RSV-8-5,211203**							Date & Time Sampled:	12/03/21	@	10:37
Sample Matrix: **Air**										
Purge Volume Sampled: **3**										
[VOCs by GCMS]										
Acetone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	10:47	IG
t-Amyl Methyl Ether (TAME)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Benzene	<0.0060		µg/L	EPA 8260B	0.3	0.0060	0.025	12/03/21	10:47	IG
Bromobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Bromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Bromodichloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Bromoform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Bromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
t-Butanol (TBA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	10:47	IG
2-Butanone (MEK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	10:47	IG
n-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
sec-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
tert-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Carbon Disulfide	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	10:47	IG
Carbon Tetrachloride	<0.0063		µg/L	EPA 8260B	0.3	0.0063	0.013	12/03/21	10:47	IG
Chlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Chloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Chloroform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported	12/08/21
Date Received	12/03/21
Invoice No.	93553
Cust #	R001
Permit Number	
Customer P.O.	Borstein Artesia

Sample: 009 **RSV-8-5,211203** Date & Time Sampled: 12/03/21 @ 10:37
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
Chloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
2-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
4-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Dibromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,2-Dibromoethane (EDB)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,2-Dibromo-3-Chloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Dibromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,2-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,3-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,4-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Dichlorodifluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,1-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,2-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,1-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
cis-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
trans-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,3-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
2,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,1-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
cis-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
trans-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Diisopropyl Ether (DiPE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Ethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Ethyl-t-Butyl Ether (EtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Hexachlorobutadiene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
2-Hexanone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	10:47	IG
Isopropylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
4-Isopropyltoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Methylene Chloride	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.03	12/03/21	10:47	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported	12/08/21
Date Received	12/03/21
Invoice No.	93553
Cust #	R001
Permit Number	
Customer P.O.	Borstein Artesia

Sample: 009 **RSV-8-5,211203** Date & Time Sampled: 12/03/21 @ 10:37
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
4-Methyl-2-Pentanone (MIBK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	10:47	IG
Methyl-t-butyl Ether (MtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Naphthalene	<0.0080		µg/L	EPA 8260B	0.3	0.0080	0.013	12/03/21	10:47	IG
n-Propylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Styrene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,1,1,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,1,2,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Tetrachloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Toluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,2,3-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,2,4-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,1,1-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,1,2-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Trichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,2,3-Trichloropropane	<0.0050		µg/L	EPA 8260B	0.3	0.0050	0.025	12/03/21	10:47	IG
Trichlorofluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Trichlorotrifluoroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,2,4-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
1,3,5-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
Vinyl Chloride	<0.0020		µg/L	EPA 8260B	0.3	0.0020	0.013	12/03/21	10:47	IG
m,p-Xylenes	<0.0250		µg/L	EPA 8260B	0.3	0.0250	0.050	12/03/21	10:47	IG
o-Xylene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	10:47	IG
[VOC Vapor Sampling Tracer]										
Isopropanol (IPA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	10:47	IG
[VOC Surrogates]										
Dibromofluoromethane	108		%REC	EPA 8260B			70-130	12/03/21	10:47	IG
Toluene-D8	105		%REC	EPA 8260B			70-130	12/03/21	10:47	IG
Bromofluorobenzene	82		%REC	EPA 8260B			70-130	12/03/21	10:47	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Sample: 010 **RSV-8-5 DUP,211203** Date & Time Sampled: 12/03/21 @ 10:37
Sample Matrix: **Air**
Purge Volume Sampled: **3**

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
[VOCs by GCMS]										
Acetone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	11:09	IG
t-Amyl Methyl Ether (TAME)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Benzene	<0.0060		µg/L	EPA 8260B	0.3	0.0060	0.025	12/03/21	11:09	IG
Bromobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Bromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Bromodichloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Bromoform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Bromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
t-Butanol (TBA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	11:09	IG
2-Butanone (MEK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	11:09	IG
n-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
sec-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
tert-Butylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Carbon Disulfide	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	11:09	IG
Carbon Tetrachloride	<0.0063		µg/L	EPA 8260B	0.3	0.0063	0.013	12/03/21	11:09	IG
Chlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Chloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Chloroform	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Chloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
2-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
4-Chlorotoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Dibromochloromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,2-Dibromoethane (EDB)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,2-Dibromo-3-Chloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Dibromomethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,2-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,3-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,4-Dichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Dichlorodifluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,1-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported 12/08/21
Date Received 12/03/21
Invoice No. 93553
Cust # R001
Permit Number
Customer P.O. Borstein Artesia

Sample: 010 **RSV-8-5 DUP,211203** Date & Time Sampled: 12/03/21 @ 10:37
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
1,2-Dichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,1-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
cis-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
trans-1,2-Dichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,3-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
2,2-Dichloropropane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,1-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
cis-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
trans-1,3-Dichloropropene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Diisopropyl Ether (DiPE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Ethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Ethyl-t-Butyl Ether (EtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Hexachlorobutadiene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
2-Hexanone	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	11:09	IG
Isopropylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
4-Isopropyltoluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Methylene Chloride	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.03	12/03/21	11:09	IG
4-Methyl-2-Pentanone (MIBK)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	11:09	IG
Methyl-t-butyl Ether (MtBE)	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Naphthalene	<0.0080		µg/L	EPA 8260B	0.3	0.0080	0.013	12/03/21	11:09	IG
n-Propylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Styrene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,1,1,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,1,2,2-Tetrachloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Tetrachloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Toluene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,2,3-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,2,4-Trichlorobenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,1,1-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

CERTIFICATE OF ANALYSIS

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported	12/08/21
Date Received	12/03/21
Invoice No.	93553
Cust #	R001
Permit Number	
Customer P.O.	Borstein Artesia

Sample: 010 **RSV-8-5 DUP,211203** Date & Time Sampled: 12/03/21 @ 10:37
Sample Matrix: **Air**
Purge Volume Sampled: **3**
.....continued

Analysis	Result	Qual	Units	Method	DF	MDL	RL	Date	Time	Tech
1,1,2-Trichloroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Trichloroethene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,2,3-Trichloropropane	<0.0050		µg/L	EPA 8260B	0.3	0.0050	0.025	12/03/21	11:09	IG
Trichlorofluoromethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Trichlorotrifluoroethane	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,2,4-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
1,3,5-Trimethylbenzene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
Vinyl Chloride	<0.0020		µg/L	EPA 8260B	0.3	0.0020	0.013	12/03/21	11:09	IG
m,p-Xylenes	<0.0250		µg/L	EPA 8260B	0.3	0.0250	0.050	12/03/21	11:09	IG
o-Xylene	<0.0125		µg/L	EPA 8260B	0.3	0.0125	0.025	12/03/21	11:09	IG
[VOC Vapor Sampling Tracer]										
Isopropanol (IPA)	<0.1250		µg/L	EPA 8260B	0.3	0.1250	0.25	12/03/21	11:09	IG
[VOC Surrogates]										
Dibromofluoromethane	103		%REC	EPA 8260B			70-130	12/03/21	11:09	IG
Toluene-D8	107		%REC	EPA 8260B			70-130	12/03/21	11:09	IG
Bromofluorobenzene	80		%REC	EPA 8260B			70-130	12/03/21	11:09	IG

Respectfully Submitted: Ken Zheng

Ken Zheng - President

QUALIFIERS

B = Detected in the associated Method Blank at a concentration above the routine RL.
B1 = BOD dilution water is over specifications . The reported result may be biased high.
D = Surrogate recoveries are not calculated due to sample dilution.
E = Estimated value; Value exceeds calibration level of instrument.
H = Analyte was prepared and/or analyzed outside of the analytical method holding time
I = Matrix Interference.
J = Analyte concentration detected between RL and MDL.
Q = One or more quality control criteria did not meet specifications. See Comments for further explanation.
S = Customer provided specification limit exceeded.

ABBREVIATIONS

DF = Dilution Factor
RL = Reporting Limit, Adjusted by DF
MDL = Method Detection Limit, Adjusted by DF
Qual = Qualifier
Tech = Technician

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTARIO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTAIRO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

2112-00027

RAMBOLL
DENISSE SAHAKIAN
350 S. GRAND AVE.
SUITE 2800
LOS ANGELES, CA 90071

Project: 11709 E. Artesia Blvd., Artesia, CA

Date Reported	**12/08/2021**
Date Received	**12/03/2021**
Date Sampled	**12/03/2021**
Invoice No.	**93553**
Customer #	**R001**
Customer P.O.	**Borstein Artesia**

Method # EPA 8260B
QC Reference # 99819 **Date Analyzed:** 12/3/2021 **Technician:** IG
Samples 001 002 003 004 005 006 007 008 009 010

Results

	LCS %REC	LCS %DUP	LCS %RPD	BLKSRR% REC
1,1-Dichloroethene	95	94	1.1	
Benzene	130	116	17.8	
Bromofluorobenzene				89
Chlorobenzene	122	106	13.8	
Dibromofluoromethan				110
Toluene	130	109	18.0	
Toluene-D8				103
Trichloroethene	120	102	16.2	

Control Ranges

LCS %REC	LCS %RPD	BLKSRR%REC
70 - 130	0 - 25	
70 - 130	0 - 25	
		50 - 150
70 - 130	0 - 25	
		50 - 150
70 - 130	0 - 25	
		50 - 150
70 - 130	0 - 25	

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTAIRO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

2112-00027

RAMBOLL
DENISSE SAHAKIAN

Date Reported 12/08/2021
Date Received 12/03/2021
Date Sampled 12/03/2021

Project: 11709 E. Artesia Blvd., Artesia, CA

Method blank results

Ref	Test Name	Result	Qualif	Units	MDL
99819	Acetone	<0.1250		µg/L	0.1250
	t-Amyl Methyl Ether (TAME)	<0.0125		µg/L	0.0125
	Benzene	<0.0060		µg/L	0.0060
	Bromobenzene	<0.0125		µg/L	0.0125
	Bromochloromethane	<0.0125		µg/L	0.0125
	Bromodichloromethane	<0.0125		µg/L	0.0125
	Bromoform	<0.0125		µg/L	0.0125
	Bromomethane	<0.0125		µg/L	0.0125
	t-Butanol (TBA)	<0.1250		µg/L	0.1250
	2-Butanone (MEK)	<0.1250		µg/L	0.1250
	n-Butylbenzene	<0.0125		µg/L	0.0125
	sec-Butylbenzene	<0.0125		µg/L	0.0125
	tert-Butylbenzene	<0.0125		µg/L	0.0125
	Carbon Disulfide	<0.1250		µg/L	0.1250
	Carbon Tetrachloride	<0.0063		µg/L	0.0063
	Chlorobenzene	<0.0125		µg/L	0.0125
	Chloroethane	<0.0125		µg/L	0.0125
	Chloroform	<0.0125		µg/L	0.0125
	Chloromethane	<0.0125		µg/L	0.0125
	2-Chlorotoluene	<0.0125		µg/L	0.0125
	4-Chlorotoluene	<0.0125		µg/L	0.0125
	Dibromochloromethane	<0.0125		µg/L	0.0125
	1,2-Dibromoethane (EDB)	<0.0125		µg/L	0.0125
	1,2-Dibromo-3-Chloropropane	<0.0125		µg/L	0.0125
	Dibromomethane	<0.0125		µg/L	0.0125
	1,2-Dichlorobenzene	<0.0125		µg/L	0.0125
	1,3-Dichlorobenzene	<0.0125		µg/L	0.0125
	1,4-Dichlorobenzene	<0.0125		µg/L	0.0125
	Dichlorodifluoromethane	<0.0125		µg/L	0.0125
	1,1-Dichloroethane	<0.0125		µg/L	0.0125
	1,2-Dichloroethane	<0.0125		µg/L	0.0125
	1,1-Dichloroethene	<0.0125		µg/L	0.0125
	cis-1,2-Dichloroethene	<0.0125		µg/L	0.0125
	trans-1,2-Dichloroethene	<0.0125		µg/L	0.0125
	1,2-Dichloropropane	<0.0125		µg/L	0.0125
	1,3-Dichloropropane	<0.0125		µg/L	0.0125
	2,2-Dichloropropane	<0.0125		µg/L	0.0125
	1,1-Dichloropropene	<0.0125		µg/L	0.0125
	cis-1,3-Dichloropropene	<0.0125		µg/L	0.0125
	trans-1,3-Dichloropropene	<0.0125		µg/L	0.0125
	Diisopropyl Ether (DiPE)	<0.0125		µg/L	0.0125
	Ethylbenzene	<0.0125		µg/L	0.0125
	Ethyl-t-Butyl Ether (EtBE)	<0.0125		µg/L	0.0125
	Hexachlorobutadiene	<0.0125		µg/L	0.0125
	2-Hexanone	<0.1250		µg/L	0.1250
	Isopropylbenzene	<0.0125		µg/L	0.0125
	4-Isopropyltoluene	<0.0125		µg/L	0.0125
	Methylene Chloride	<0.0125		µg/L	0.0125
	4-Methyl-2-Pentanone (MIBK)	<0.1250		µg/L	0.1250
	Methyl-t-butyl Ether (MtBE)	<0.0125		µg/L	0.0125
	Naphthalene	<0.0080		µg/L	0.0080
	n-Propylbenzene	<0.0125		µg/L	0.0125
	Styrene	<0.0125		µg/L	0.0125
	1,1,1,2-Tetrachloroethane	<0.0125		µg/L	0.0125
	1,1,2,2-Tetrachloroethane	<0.0125		µg/L	0.0125
	Tetrachloroethene	<0.0125		µg/L	0.0125
	Toluene	<0.0125		µg/L	0.0125
	1,2,3-Trichlorobenzene	<0.0125		µg/L	0.0125
	1,2,4-Trichlorobenzene	<0.0125		µg/L	0.0125
	1,1,1-Trichloroethane	<0.0125		µg/L	0.0125
	1,1,2-Trichloroethane	<0.0125		µg/L	0.0125
	Trichloroethene	<0.0125		µg/L	0.0125
	1,2,3-Trichloropropane	<0.0050		µg/L	0.0050
	Trichlorofluoromethane	<0.0125		µg/L	0.0125
	Trichlorotrifluoroethane	<0.0125		µg/L	0.0125
	1,2,4-Trimethylbenzene	<0.0125		µg/L	0.0125
	1,3,5-Trimethylbenzene	<0.0125		µg/L	0.0125
	Vinyl Chloride	<0.0020		µg/L	0.0020
	m,p-Xylenes	<0.0250		µg/L	0.0250
	o-Xylene	<0.0125		µg/L	0.0125
	Isopropanol (IPA)	<0.1250		µg/L	0.1250

A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C
ONTAIRO, CA 91761
909-781-6335
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

QUALITY CONTROL DATA REPORT

2112-00027

RAMBOLL
DENISSE SAHAKIAN

Date Reported	**12/08/2021**
Date Received	**12/03/2021**
Date Sampled	**12/03/2021**

Project: 11709 E. Artesia Blvd., Artesia, CA

Respectfully Submitted: Ken Zheng

Ken Zheng - President

ARL

A & R Laboratories
1650 S. Grove Ave., Ste C, Ontario, CA 91761
Tel: 951-779-0310 / 909-781-6335 Fax: 951-779-0344
E-mail: office@arlaboratories.com

CHAIN OF CUSTODY

A & R Work Order #: 2112-27

Page 1 of 1

Client Name: Ramboll
E-mail: DHernandez@ramboll.com
Address: 350 S. Grand Ave., Ste. 2800, LA, CA 90071
Report Attention: Derusse H. | Phone #: 213-943-6312 | Fax: # | Sampled By: IG
Project No./ Name:
Project Site: 11709 E. Artesia Blvd, Artesia, CA 90701

☐ Chilled ☒ Intact ☐ Seal

Turn Around Time Requested: ☐ Rush 8 12 24 48 Hours ☒ Normal

Mobile

Lab # (Lab use)	Client Sample ID	Sample Collection Date	Sample Collection Time	Matrix Type	Sample Preserve	No., type* & size of container	EPA8260B (VOCs & Oxygenates)	EPA8260B(BTEX & Oxygenates)	LUFT / 8015 (Gasoline)	LUFT / 8015 (Diesel)	EPA8081A (Organochlorine Pesticides)	EPA 8082 (PCBs)	EPA 8015M (Carbon Chain C4-C40)	EPA 6010B/7000 (CAM 17 Metals)	Micro: Plate Cnt., Coliform, E-Coli	Remarks
1	RSV-1-S,211203	12/03/21	7:38	AIR		250mL G	X									3X purge
2	RSV-2-S,211203	↓	7:59	↓		↓	↓									volume
3	RSV-3-S,211203		8:21													
4	RSV-4-S,211203		8:43													
5	RSV-5-S,211203		9:05													
6	RSV-7-S,211203		9:17													
7	RSV-10-S,211203		9:49													
8	RSV-9-S,211203		10:13													
9	RSV-8-S,211203		10:37													
10	RSV-8-S-DUP,211203	↓	10:37	↓		↓	↓									

Relinquished By	Company	Date	Time	Received By	Company	Date	Time
[signature]	Ramboll	12/3/21	~~H90~~ 1130	[signature]	A&R	12/3/21	~~H90~~ 1130

Note: Samples are discarded 30 days after results are reported unless other arrangements are made.

Matrix Code: DW=Drinking Water; GW=Ground Water; WW=Waste Water; SD=Solid Waste; SL=Sludge; SS=Soil/Sediment; AR=Air; PP=Pure Product

Preservative Code: IC=Ice; HC=HCl; HN=HNO_3; SH=NaOH; ST=$Na_2S_2O_3$; HS=H_2SO_4

* Sample Container Types: T=Tedlar Air Bag; G=Glass Container; ST= Steel Tube; B= Brass Tube; P=Plastic Bottle; V=VOA Vial; E= EnCore

APPENDIX E
BORING LOGS

RAMBOLL

Site ID:	RSV-1	Date(s):	**12/01/21**
Location:	**11709 East Artesia Boulevard, Artesia, California**		
Logged By:	**J. Duffey**	Checked By:	**B. Bauer, PG**
Contractor:	**ABC Liovin**	Purpose:	**Soil Vapor Sampling**
Drilling Method:	**Hand Auger**	GS Elevation:	**Not available**
		TOC Elevation:	**Not available**
Sampling Method:	**Not applicable**	X Coordinate:	**Not available**
		Y Coordinate:	**Not available**
Vapor Well Construction:		Borehole Dia.:	**3.25 inches**
		Total Depth:	**5.5 feet**
Blank Tubing: **Nylaflow Tubing**		Project Number:	**Not Available**
		Datum:	**Not Available**
Screened Interval: **6-inch Probe** **4.5-5 feet**		Project Name:	**Artesia**
Annular Fill: **Hydrated Bentonite Chips 0-3 feet** **Dry Granular Bentonite 3-4 feet** **Sand 4-5.5 feet**		Remarks:	**Hand auger to 5.5 feet below ground surface (bgs). Soil vapor probe installed at aproximately 5 feet bgs.**

Elevation (ft)	Depth (ft)	Sample Interval	Sample No.		PID (ppm)	Graphic Log	USCS Code	Material Description	Water Level	Vapor Well Construction
	0							Asphalt		
							GP	GRAVEL (GP): Dark Gray, slightly moist; 90% fine to medium gravel, 5% sand, 5% fines.		
	1						ML	SANDY SILT (ML): Dark Brown, moist; 70% non-plasticity silt, 30% fine to medium sand.		
	2									
	3									
	4									
					1.1					
	5							Boring terminated at 5.5 feet bgs. Groundwater not encountered.		

Sample Graphics

No Recovery
Fill reflects sample type

Hand auger.

Report: VAPOR_LOG; File: BORSTEIN ARTESIA-SV PROBES.GPJ; 12/16/21; Library RAMBOLL 2019 LIBRARY.GLB

Site ID:	RSV-2	Date(s):	**12/01/21**
Location:	**11709 East Artesia Boulevard, Artesia, California**		
Logged By:	**J. Duffey**	Checked By:	**B. Bauer, PG**
Contractor:	**ABC Liovin**	Purpose:	**Soil Vapor Sampling**
Drilling Method:	**Hand Auger**	GS Elevation: **Not available**	TOC Elevation: **Not available**
Sampling Method:	**Not applicable**	X Coordinate: **Not available**	Y Coordinate: **Not available**
Vapor Well Construction:		Borehole Dia.: **3.25 inches**	Total Depth: **5.5 feet**
Blank Tubing: **Nylaflow Tubing**		Project Number: **Not Available**	Datum: **Not Available**
Screened Interval: **6-inch Probe** **4.5-5 feet**		Project Name: **Artesia**	
Annular Fill: **Hydrated Bentonite Chips 0-3 feet** **Dry Granular Bentonite 3-4 feet** **Sand 4-5.5 feet**		Remarks: **Hand auger to 5 feet below ground surface (bgs). Soil vapor probe installed at aproximately 5 feet bgs.**	

Elevation (ft)	Depth (ft)	Sample Interval	Sample No.	PID (ppm)	Graphic Log	USCS Code	Material Description	Water Level	Vapor Well Construction
	0						Concrete		
	1					SM	SILTY SAND (SM): Dark Gray, moist; 70% fine to medium sand, 25% fines, 5% gravel.		
	2								
	3								
	4					ML	SANDY SILT (ML): Dark Brown, moist; 70% low plasticity fines, 30% very fine sand.		
	5			4.1					
							Boring terminated at 5.5 feet bgs. Groundwater not encountered.		

Sample Graphics

No Recovery
Fill reflects sample type

Hand auger.

Report: VAPOR_LOG; File: BORSTEIN ARTESIA-SV PROBES.GPJ; 12/16/21: Library RAMBOLL 2019 LIBRARY GLB

Site ID:	RSV-3	Date(s):	**12/01/21**
Location:	**11709 East Artesia Boulevard, Artesia, California**		
Logged By:	**J. Duffey**	Checked By:	**B. Bauer, PG**
Contractor:	**ABC Liovin**	Purpose:	**Soil Vapor Sampling**
Drilling Method:	**Hand Auger**	GS Elevation: **Not available**	TOC Elevation: **Not available**
Sampling Method:	**Not applicable**	X Coordinate: **Not available**	Y Coordinate: **Not available**
Vapor Well Construction:		Borehole Dia.: **3.25 inches**	Total Depth: **5.5 feet**
Blank Tubing: **Nylaflow Tubing**		Project Number: **Not Available**	Datum: **Not Available**
Screened Interval: **6-inch Probe** **4.5-5 feet**		Project Name: **Artesia**	
Annular Fill: **Hydrated Bentonite Chips 0-3 feet** **Dry Granular Bentonite 3-4 feet** **Sand 4-5.5 feet**		Remarks: **Hand auger to 5 feet below ground surface (bgs). Soil vapor probe installed at aproximately 5 feet bgs.**	

Elevation (ft)	Depth (ft)	Sample Interval	Sample No.		PID (ppm)	Graphic Log	USCS Code	Material Description	Water Level	Vapor Well Construction
	0							Concrete.		
	1						SM	SILTY SAND (SM): Dark Brown, moist; 60% fine sand, 40% non-plastic fines.		
	2									
	3						ML	SANDY SILT (ML): Dark Brown, moist; 70% low plasticity fines, 30% very fine sand.		
	4				3.7					
	5							Boring terminated at 5.5 feet bgs. Groundwater not encountered.		

Sample Graphics

No Recovery
Fill reflects sample type

Hand auger.

Report: VAPOR_LOG; File: BORSTEIN ARTESIA-SV PROBES.GPJ; 12/16/21; Library RAMBOLL 2019 LIBRARY GLB

Site ID:	RSV-4	Date(s):	**12/01/21**
Location:	**11709 East Artesia Boulevard, Artesia, California**		
Logged By:	**J. Duffey**	Checked By:	**B. Bauer, PG**
Contractor:	**ABC Liovin**	Purpose:	**Soil Vapor Sampling**
Drilling Method:	**Hand Auger**	GS Elevation: **Not available**	TOC Elevation: **Not available**
Sampling Method:	**Not applicable**	X Coordinate: **Not available**	Y Coordinate: **Not available**
Vapor Well Construction:		Borehole Dia.: **3.25 inches**	Total Depth: **5.5 feet**
Blank Tubing: **Nylaflow Tubing**		Project Number: **Not Available**	Datum: **Not Available**
Screened Interval: **6-inch Probe** **4.5-5 feet**		Project Name: **Artesia**	
Annular Fill: **Hydrated Bentonite Chips 0-3 feet** **Dry Granular Bentonite 3-4 feet** **Sand 4-5.5 feet**		Remarks: **Hand auger to 5 feet below ground surface (bgs). Soil vapor probe installed at aproximately 5 feet bgs.**	

Elevation (ft)	Depth (ft)	Sample Interval	Sample No.		PID (ppm)	Graphic Log	USCS Code	Material Description	Water Level	Vapor Well Construction
	0							Concrete.		
	1						ML	SANDY SILT (ML): Dark Brown, slightly moist; 70% low plasticity fines, 30% fine sand.		
	2									
	3									
	4									
	5				2.0					
								Boring terminated at 5.5 feet bgs. Groundwater not encountered.		

Sample Graphics

No Recovery
Fill reflects sample type

Hand auger.

Report: VAPOR_LOG; File: BORSTEIN ARTESIA-SV PROBES.GPJ; 12/16/21; Library RAMBOLL 2019 LIBRARY.GLB

Site ID:	RSV-5	Date(s):	**12/01/21**
Location:	**11709 East Artesia Boulevard, Artesia, California**		
Logged By:	**J. Duffey**	Checked By:	**B. Bauer, PG**
Contractor:	**ABC Liovin**	Purpose:	**Soil Vapor Sampling**
Drilling Method:	**Hand Auger**	GS Elevation:	**Not available**
		TOC Elevation:	**Not available**
Sampling Method:	**Not applicable**	X Coordinate:	**Not available**
		Y Coordinate:	**Not available**
Vapor Well Construction:		Borehole Dia.:	**3.25 inches**
		Total Depth:	**5.5 feet**
Blank Tubing: **Nylaflow Tubing**		Project Number:	**Not Available**
		Datum:	**Not Available**
Screened Interval: **6-inch Probe** **4.5-5 feet**		Project Name:	**Artesia**
Annular Fill: **Hydrated Bentonite Chips** **0-3 feet** **Dry Granular Bentonite** **3-4 feet** **Sand** **4-5.5 feet**		Remarks:	**Hand auger to 5 feet below ground surface (bgs). Soil vapor probe installed at aproximately 5 feet bgs.**

Elevation (ft)	Depth (ft)	Sample Interval	Sample No.		PID (ppm)	Graphic Log	USCS Code	Material Description	Water Level	Vapor Well Construction
	1							Concrete.		
	2						GP	GRAVEL (GP): Gray, slighlty moist; 100% medium gravel.		
	3									
	4									
	5				0.8					
								Boring terminated at 5.5 feet bgs. Groundwater not encountered.		

Sample Graphics

No Recovery
Fill reflects sample type

Hand auger.

Report: VAPOR_LOG; File: BORSTEIN ARTESIA-SV PROBES.GPJ; 12/16/21; Library RAMBOLL 2019 LIBRARY GLB

Site ID:	RSV-6	Date(s):	**12/01/21**
Location:	**11709 East Artesia Boulevard, Artesia, California**		
Logged By:	**J. Duffey**	Checked By:	**B. Bauer, PG**
Contractor:	**ABC Liovin**	Purpose:	**Soil Vapor Sampling**
Drilling Method:	**Hand Auger**	GS Elevation: **Not available**	TOC Elevation: **Not available**
Sampling Method:	**Not applicable**	X Coordinate: **Not available**	Y Coordinate: **Not available**
Vapor Well Construction:		Borehole Dia.: **3.25 inches**	Total Depth: **2.5 feet**
Blank Tubing: **Not applicable**		Project Number: **Not Available**	Datum: **Not Available**
Screened Interval: **Not applicable**		Project Name: **Artesia**	
Annular Fill: **Not applicable**		Remarks: **2.5 feet of concrete encountered. Soil vapor probe not installed.**	

Elevation (ft)	Depth (ft)	Sample Interval	Sample No.		PID (ppm)	Graphic Log	USCS Code	Material Description	Water Level	Vapor Well Construction
	1							Approximately 2.5 feet of concrete. Groundwater not encountered.		
	2									
	3									
	4									
	5									

Sample Graphics

No Recovery
Fill reflects sample type

Rock core

Report: VAPOR_LOG; File: BORSTEIN ARTESIA-SV PROBES.GPJ; 12/16/21: Library RAMBOLL 2019 LIBRARY GLB

Site ID:	RSV-7	Date(s):	**12/01/21**
Location:	**11709 East Artesia Boulevard, Artesia, California**		
Logged By:	**J. Duffey**	Checked By:	**B. Bauer, PG**
Contractor:	**ABC Liovin**	Purpose:	**Soil Vapor Sampling**
Drilling Method:	**Hand Auger**	GS Elevation: **Not available**	TOC Elevation: **Not available**
Sampling Method:	**Not applicable**	X Coordinate: **Not available**	Y Coordinate: **Not available**
Vapor Well Construction:		Borehole Dia.: **3.25 inches**	Total Depth: **5.5 feet**
Blank Tubing: **Nylaflow Tubing**		Project Number: **Not Available**	Datum: **Not Available**
Screened Interval: **6-inch Probe** **4.5-5 feet**		Project Name: **Artesia**	
Annular Fill: **Hydrated Bentonite Chips 0-3 feet** **Dry Granular Bentonite 3-4 feet** **Sand 4-5.5 feet**		Remarks: **Hand auger to 5 feet below ground surface (bgs). Soil vapor probe installed at aproximately 5 feet bgs.**	

Elevation (ft)	Depth (ft)	Sample Interval	Sample No.	PID (ppm)	Graphic Log	USCS Code	Material Description	Water Level	Vapor Well Construction
	0						Concrete.		
	1					ML	SILT WITH SAND (ML): Dark Gray, moist; 90% low plasticity fines, 10% fine sand.		
	2								
	3					SM	SILTY SAND (SM): Brown, slightly moist; 70% very fine sand, 30% non-plasticity fines.		
	4								
	5			3.1					
							Boring terminated at 5.5 feet bgs. Groundwater not encountered.		

Sample Graphics

No Recovery
Fill reflects sample type

Hand auger.

Report: VAPOR_LOG; File: BORSTEIN ARTESIA-SV PROBES.GPJ; 12/16/21; Library RAMBOLL 2019 LIBRARY.GLB

RAMBOLL

Site ID:	RSV-8	Date(s):	**12/01/21**
Location:	**11709 East Artesia Boulevard, Artesia, California**		
Logged By:	**J. Duffey**	Checked By:	**B. Bauer, PG**
Contractor:	**ABC Liovin**	Purpose:	**Soil Vapor Sampling**
Drilling Method:	**Hand Auger**	GS Elevation:	**Not available**
		TOC Elevation:	**Not available**
Sampling Method:	**Not applicable**	X Coordinate:	**Not available**
		Y Coordinate:	**Not available**
Vapor Well Construction:		Borehole Dia.:	**3.25 inches**
		Total Depth:	**5.5 feet**
Blank Tubing: **Nylaflow Tubing**		Project Number:	**Not Available**
		Datum:	**Not Available**
Screened Interval: **6-inch Probe** **4.5-5 feet**		Project Name:	**Artesia**
Annular Fill: **Hydrated Bentonite Chips 0-3 feet** **Dry Granular Bentonite 3-4 feet** **Sand 4-5.5 feet**		Remarks:	**Hand auger to 5 feet below ground surface (bgs). Soil vapor probe installed at aproximately 5 feet bgs.**

Elevation (ft)	Depth (ft)	Sample Interval	Sample No.		PID (ppm)	Graphic Log	USCS Code	Material Description	Water Level	Vapor Well Construction
	0							Concrete.		
	1						ML	SANDY SILT (ML): Dark Brown, moist; 60% non-plasticity fines, 40% fine sand.		
	2									
	3									
	4									
	5				3.1					
								Boring terminated at 5.5 feet bgs. Groundwater not encountered.		

Sample Graphics

No Recovery
Fill reflects sample type

Hand auger.

Report: VAPOR_LOG; File: BORSTEIN ARTESIA-SV PROBES.GPJ; 12/16/21; Library RAMBOLL 2019 LIBRARY.GLB

Site ID:	RSV-9	Date(s):	**12/01/21**
Location:	**11709 East Artesia Boulevard, Artesia, California**		
Logged By:	**J. Duffey**	Checked By:	**B. Bauer, PG**
Contractor:	**ABC Liovin**	Purpose:	**Soil Vapor Sampling**
Drilling Method:	**Hand Auger**	GS Elevation: **Not available**	TOC Elevation: **Not available**
Sampling Method:	**Not applicable**	X Coordinate: **Not available**	Y Coordinate: **Not available**
Borehole Dia.:	**3.25 inches**	Total Depth:	**5.5 feet**
Project Number:	**Not Available**	Datum:	**Not Available**
Project Name:	**Artesia**		
Remarks:	**Hand auger to 5 feet below ground surface (bgs). Soil vapor probe installed at aproximately 5 feet bgs.**		

Vapor Well Construction:

Blank Tubing: **Nylaflow Tubing**

Screened Interval: **6-inch Probe** **4.5-5 feet**

Annular Fill: **Hydrated Bentonite Chips** **0-3 feet**
Dry Granular Bentonite **3-4 feet**
Sand **4-5.5 feet**

Elevation (ft)	Depth (ft)	Sample Interval	Sample No.		PID (ppm)	Graphic Log	USCS Code	Material Description	Water Level	Vapor Well Construction
	0							Concrete.		
	1						ML	SILT (ML): Brown, moist; 100% low plasticity fines.		
	2									
	3									
	4									
	5				2.2					
								Boring terminated at 5.5 feet bgs. Groundwater not encountered.		

Sample Graphics

No Recovery
Fill reflects sample type

Hand auger.

Report: VAPOR_LOG; File: BORSTEIN ARTESIA-SV PROBES.GPJ; 12/16/21; Library RAMBOLL 2019 LIBRARY GLB

Site ID:	RSV-10	Date(s):	**12/01/21**
Location:	**11709 East Artesia Boulevard, Artesia, California**		
Logged By:	**J. Duffey**	Checked By:	**B. Bauer, PG**
Contractor:	**ABC Liovin**	Purpose:	**Soil Vapor Sampling**
Drilling Method:	**Hand Auger**	GS Elevation: **Not available**	TOC Elevation: **Not available**
Sampling Method:	**Not applicable**	X Coordinate: **Not available**	Y Coordinate: **Not available**
Vapor Well Construction:		Borehole Dia.: **3.25 inches**	Total Depth: **5.5 feet**
Blank Tubing:		Project Number: **Not Available**	Datum: **Not Available**
Screened Interval:		Project Name: **Artesia**	
Annular Fill:		Remarks: **Hand auger to 5 feet below ground surface (bgs). Soil vapor probe installed at aproximately 5 feet bgs.**	

Elevation (ft)	Depth (ft)	Sample Interval	Sample No.		PID (ppm)	Graphic Log	USCS Code	Material Description	Water Level	Vapor Well Construction
								Concrete		
	1						SM	SILTY SAND (SM): Brown, moist; 60% fine to medium sand, 40% non-plasticity fines.		
	2									
	3						ML	SANDY SILT (ML): Brown, moist; 70% non-plasticity fines, 30% very fine sand.		
	4				2.2					
	5							Boring terminated at 5.5 feet bgs. Groundwater not encountered.		

Sample Graphics

No Recovery
Fill reflects sample type

Hand auger.

Report: VAPOR_LOG; File: BORSTEIN ARTESIA-SV PROBES.GPJ; 12/16/21: Library RAMBOLL 2019 LIBRARY GLB

APPENDIX F
QUALIFICATIONS OF ENVIRONMENTAL PROFESSIONALS

LEO REBELE

Principal

Mr. Rebele is a Principal in the Irvine office of Ramboll, with responsibilities that include business development, client liaison, senior oversight and execution on projects involving environmental site investigation, litigation, remediation, environmental permitting and natural resource management. Experience includes the following:

- Supported private industry for more than 25 years by delivering solutions to problems involving real estate due diligence, waterfront and brownfield redevelopment, transit-oriented development, and ports/harbors and watershed-related services. Project experience has been split between managing uplands projects focusing on property transfer/redevelopment and assisting private and port clients with aquatic-related environmental issues.
- Provided high-level strategic redevelopment consulting services to municipalities and private developers in connection with the transfer and redevelopment of contaminated real estate. Clients include residential, commercial and industrial developers, land owners, attorneys, and real estate brokers. Implementing cost recovery actions by providing environmental litigation support services; designing and implementing environmental liability transfer programs including guaranteed fixed-price remediation (GFPR) contracts.
- Provided environmental litigation support services in matters involving cost recovery actions against responsible parties. Deposition and trial experience including a landmark litigation case 3000 E. Imperial v. Robertshaw Controls et al. Routinely conducts environmental forensics analyses with a specialty in compound-specific isotope analysis (CSIA). Develops and applies multi-media video and animation for purposes of trial exhibits and mediation settlement discussions.
- Managed and supervised dozens of Phase I and II environmental site assessments (ESAs) and remediation projects throughout the western United States, Canada, and Mexico; assessed sites affected by landfill materials, chlorinated solvents, heavy metals, petroleum hydrocarbons (including free product), polychlorinated biphenyls (PCBs), and strong acids; prepared site conceptual models; performed remedial investigation/feasibility studies (RI/FSs); managed the completion of human health risk assessments; and evaluated remedial action alternatives under the Comprehensive

CONTACT INFORMATION
Leo Rebele

LRebele@ramboll.com
+1 (949) 798 3604

Ramboll
5 Park Plaza
Suite 5
Irvine, 92614
United States of America

Environmental Response, Compensation, and Liability Act (CERCLA) and ensuring compliance with the National Contingency Plan (NCP). Regulatory negotiation/site closure experience with various jurisdictional offices of the Regional Water Quality Control Board (CRWQCB) and the California Department of Toxic Substances Control (DTSC), Orange County (California) Health Care Agency, the City and County Fire Departments of Los Angeles and the San Diego County of Environmental Health.

- Managed and provided oversight for projects involving natural resource management issues, including wetland evaluations and permitting, marine benthological studies, sediment and water quality monitoring, and underwater and eelgrass surveys. Experience has also included developing public outreach materials on behalf of private-sector clients, conducting resource mapping using Global Positioning System (GPS) software and geographic information system (GIS) technology.
- Served as program manager for several environmental impact assessments under National Environmental Policy Act (NEPA) and California Environmental Quality Act. Projects include environmental assessments (EAs) for proposed telecommunication sites on federal land, municipal well installations, private urban infill developments and mega-scale solar facilities located in Los Angeles County and San Bernardino County.

EDUCATION

1997
MS, Marine Resource Management (Minor, Aquatic Toxicology)
Oregon State University

1994
BS, Biological Oceanography (Honors)
University of British Columbia

PROJECTS

2016-2017
Environmental Oversight
Mr. Rebele served as the principal-in-charge for the environmental oversight of a sewer line replacement in an area where groundwater impacted by chlorinated volatile organic compounds (cVOCs) associated with a State Superfund site may be encountered by city workers. The scope of work involves navigating concerns of a contentious community group and ensuring the protection of City workers through the development and implementation of a field monitoring program during sewer line construction activities.

2017
Due Diligence and Environmental Compliance Review
Mr. Rebele lead a due diligence and environmental compliance team in support of an acquisition of a 700-acre terminal in the Port of Los Angeles. The work involved a comprehensive assessment of current practices involving the use, storage and disposal of hazardous materials, compliance with air and stormwater regulations, and a review of historical spills and cleanup activities. A Phase I Environmental Site Assessment was conducted as part of the review. A review of California Environmental Quality Act (CEQA) permitting issues was also performed to evaluate the potential for terminal expansion onto an unoccupied portion of the facility.

2017-present

Pilot Testing and Support of Guaranteed Fixed Price Remediation Program

Mr. Rebele is heading a comprehensive site investigation and pilot test to evaluate a proposed groundwater and soil remediation strategy in support of a guaranteed fixed-price remediation (GFPR) strategy. The property, which is being sold to an industrial developer, is impacted by moderated levels of trichloroethylene and perchloroethylene in groundwater, with impacts extending off-site. Concentrations of chlorinated VOCs in soil vapor beneath the manufacturing facility were found to be very high, requiring immediate mitigation. Mr. Rebele is leading the project team to develop a groundwater remedy under a possible GFPR contract option while designing soil vapor extraction and vapor mitigation system that can be implemented in the short term.

2016-present

Implementation of Mitigation Monitoring, New Residential Development

Mr. Rebele served as principal-in-charge for a project involving implementing mitigation monitoring requirements for biological and cultural resources under California Environmental Quality Act (CEQA). Work included conducting ongoing monitoring for cultural and biological resources during disturbance of native soils during grading for a new residential development. Challenges included working with changing client schedules and interfacing with regulatory personnel to keep the project on-track on-schedule.

2016-present

Redevelopment of former ITT Site into new Industrial Complex

Lead consultant for a high-profile industrial redevelopment project in Santa Ana, California. The project involves assisting the prospective developer with the pre-bid due diligence during the seller's auction, evaluating seller's proposed remedial strategy in the context of the proposed development, performing Phase I and II environmental assessments, regulatory agency negotiation, and the design of a vapor mitigation system. Complexities in the due diligence activities include the integration of a polychlorinated biphenyl (PCB) cap into the proposed development and integrating the proposed electrical resistance heating/steam injection remedial program with client's development plans.

2016-2017

Implementation of Soil Management Plan and Soil Stockpile Profiling for Residential Development Project

Mr. Rebele served as client services manager for a project involving the redevelopment of a former foundry and iron works facility. The soils beneath the property were identified though a combined Phase I/II Environmental Site Assessment to be impacted with Cal-Hazardous levels of lead. A combination of field screening using a portable X-Ray Fluorescence (XRF) meter and confirmation soil sampling with formal laboratory analysis in order to profile soils to be exported and to establish residual concentrations in soils. Cost effective management of soils was achieved through carefully interfacing with the client's grading contractor and project phasing.

2015-present

Innovative In-Situ Remediation of Chlorinated Solvents

Account manager for Griffon Corporation to remediate a chlorinated VOC plume in groundwater which is commingled with chlorinated solvent plumes on adjacent properties. The remediation is confounded by access restrictions associated with a storm channel and two sewer lines. In addition two distinct groundwater mounds resulting from leaks in the sewer lines are affecting the groundwater flow and distribution of the contamination. Mr. Rebele is overseeing the forensic evaluation of sources of VOCs, general strategy, remedial approach and is leading regulatory negotiations.

2015-2017

In-situ Capping of Heavy Metal Impacted Soils

For this former tool manufacturing facility (Union Fork and Hoe Company) in upstate New York, Mr. Rebele served as project principal and client service manager. The site, which has been under the

oversight of the New York State Department of Environmental Conservation (NYSDEC) and Department of Environmental Health. Mr. Rebele helped Griffon negotiate a capping remedy of the heavy metals impacted soil. A significant component of the work has been negotiating with NYSDEC and DOH to eliminate a mature wooded area from the remediation area and to reduce the long-term groundwater monitoring obligations.

2005->>>

Ongoing Brownfield Advisory and Consulting Services

Serves in a strategic consulting role on behalf of the City for the remediation and brownfield planning of a 170-acre downtown core area targeted for redevelopment. Work to date has included federal and state brownfield grant procurement and execution, brownfield inventory, development of a GIS system, development of an area-wide brownfield remediation strategy, Phase I and II Environmental Site Assessments, development of multiple remedial action plans under the oversight of the Department of Toxic Substances Control, litigation support for cleanup cost recovery, and waste to energy (WTE) consulting.

2007->>>

Alameda Triangle Redevelopment

Provided oversight and consulting services for an 11.2 acre project comprised of 5 parcels with multiple ownerships and a history of manufacture use dating to World War II. The property uses identified including a former Witco chemical facility located on Caltrans property, a Magnetek transformer repair and refurbishment business, two auto-wrecking yards, a former railroad right-of-way, and a variety of other uses involving the manufacture and use of various chemical materials. The chemicals detected on-site during Gannett Fleming and other site investigations included organochlorine pesticides, PCBs, free product petroleum hydrocarbons in groundwater and soil, chlorinated VOCs in soil and soil vapor, heavy metals and polynuclear aromatic hydrocarbons. The City is in the process of marketing the site for development. Following a multi-media investigation involving substantial site access coordination, Gannett Fleming prepared a Site Investigation Report, Feasibility Study and a Remedial Action Plan (RAP) for the entire Site. The reports were submitted to Department of Toxic Substances Control (DTSC) for review. Gannett Fleming is working with city's environmental counsel to develop a cost recovery strategy.

2017

Economic Development Department

Mr. Rebele is working with the City of South Gate Economic Development Department and their economic development consultant, Rosenow Spivasek Group (RSG,) in addressing environmental impacts associated with a historical gasoline service station. Mr. Rebele and his team were retained to take over all aspects of the assessment and cleanup activities from a prior consultant due to a stalled remedial program.

2015-2016

Operational Transition/Environmental Compliance

Project Principal for an operational transition project involving all aspects of environmental compliance as Bombardier took over rail service and maintenance responsibilities for all rail facilities from the prior operators of the North County Transit District (NCTD) facilities at the Escondido and Oceanside yards. Work involved initial consultation, environmental compliance audits, permitting, preparation of spill prevention control and countermeasure (SPCC) plans, stormwater pollution prevention plans (SWPPS) and environmental compliance plans for ongoing rail operations and facility maintenance.

2014->>>

Remediation of Organochlorine Pesticide Impacted Soils in Support of Residential Development

Mr. Rebele serves as the principal-in-charge for a residential development project involving the remediation of organochlorine pesticides (OCPs) and closure of historical underground storage tanks

(USTs), irrigation wells and low-level volatile organic compounds (VOCs). In his role, Mr. Rebele is served in a strategic capacity to result in a fast-track review and approval of a remedial action plan by transferring the open case file from a local oversight agency to the Santa Ana Regional Water Quality Control Board.

2014-present
Remediation of Groundwater at Logistically Constrained Shopping Center
Mr. Rebele has been serving as principal-in-charge for a complex gasoline remediation project involving very high concentrations of gasoline at a commercial shopping center where site access precludes implementation of many traditional remedies. Mr. Rebele serves as senior technical advisor to the client's environmental counsel and is working to reduce the environmental liabilities of the property owner. Mr. Rebele helped devise a two-part strategy aimed at protecting the current tenants against indoor air intrusion through the development of vapor mitigation systems while conducting an aggressive groundwater remedial program consisting of trenching/product removal followed by in-situ chemical oxidation of groundwater.

2014-present
Environmental Remediation Consulting in Support of Residential Development
Mr. Rebele served in a strategic consulting role for New Urban West, Inc. (NUWI) to support the redevelopment of infill properties throughout southern California. Projects have included former nursery/greenhouse areas, manufacturing operations and properties and areas impacted by fill materials. Currently executing several cleanup programs under a California Land Reuse and Revitalization Act (CLRRA) agreement with the Department of Toxic Substances Control.

2014-2017
Redevelopment Consulting and Remediation
Mr. Rebele serves as the project principal for a residential redevelopment project at a former Teledyne research and development facility and historical agricultural operation. Work has involved several phases of soil, soil vapor and groundwater investigation that included multiple degreaser locations, additional potential source areas of metals and petroleum hydrocarbons and organochlorine pesticides associated with the historical agricultural use. A soil vapor extraction (SVE) was implemented to reduce elevated concentrations of PCE to acceptable levels in order to prepare the Site for residential occupancy. The site is currently undergoing redevelopment.

PUBLICATIONS & PRESENTATIONS

2017
Contaminated Soil Cleanup Methods & Remediation Techniques.
Lorman National Live Webinar.
Rebele, Leo and Tom Bois, Esq.

2017
On the Application of Contaminant Source Identification, Environmental Forensics and Geomorphological Assessment in the Context of Large-Scale Restoration of Sediments in Riverine and Estuarine Depositional Environments.
Rebele, Leo.

2013
Innovative Insurance and Cleanup Strategies: Life Beyond Cost Cap.
Brownfields 2013.
Rebele, Leo and Preston W. Brooks, Esq.

2013
The Renaissance of Lynwood – Community Partnership, Brownfield Revitalization and Transit-Oriented Development.
13th Annual Urban Marketplace. Make a Deal, Make a Difference.
Rebele, Leo and Sarah Withers.

2013
The Use of Compound Specific Isotope Analysis (CSIA) for Discerning Sources of Trichlroethylene (TCE) and Perchloroethylene (PCE) within a Commingled Groundwater Plume in California, USA.
International Network For Environmental Forensics.
Rebele, Leo and Dr. Alan Jeffrey.

2013
Comparison of Two Vacuum Enhanced LNAPL Recovery Systems under the EAR Account Program.
Association for Environmental Health and Sciences Foundation.
Lenker, Carl W., Leo M. Rebele, Arul Ayyaswami.

2012
TOD, Infill and Brownfield Development without Redevelopment Agencies – What Tools are Available Now?
ULI Marketplace.
Rebele, Leo M. (roundtable moderator).

2011
A Forensic Approach to Evaluating Sources and Relative Ages of Free Product and Chlorinated Solvents at a Commingled Plume Site in Support of Cleanup Cost Recovery Litigation.
International Network of Environmental Forensics.
Rebele, Leo M. and Dr. Alan Jeffrey.

2010
Expediting Brownfield Redevelopment by Combining Innovative In-Site Remedial Technologies with GFPR Solutions.
International Network of Environmental Forensics.
Lenker, Carl W., Arul Ayyaswami and Leo M. Rebele.

2009
The Newest Tool In The Brownfields Tool Box.
Brownfields 2009.
Rebele, Leo M. (moderator), Kevin Daehnke, Charlie Bartsch, Tom Cota, Bruce Rasher.

2009
The Road Less Traveled: Transit-Oriented Development From Conception To Implementation During Economic Hard Times.
Brownfields 2009.
Myrna Valdez (moderator), Leo Rebele, Rosanne Albright, Rick Simonetta.

2009
Utilizing 3-Dimensional Modeling and Environmental Visualization Software (EVS) in Support of Forensic Investigations.
INEF.
Rebele, Leo M.

2009
A Meso-Scale Application of a Mixture of Nitrate/Phosphate and Oxygen Release Compound (ORC) to Remediate a Crude Oil Spill.
IPEC.
Rebele, Leo M., Arul Ayyaswami and Ian Ziraldo.

2009
Innovative Approaches to Negotiating A Guaranteed Fixed-Price Remediation (GFPR).
Contract.
Rebele, Leo M. and Arul Ayyaswami.

2008
Electrical Resistance Heating – Selection and Implementation at Brownfield Sites.
Presented at the Paths to Site Closure Workshop.
Rebele, Leo M.

2008
The Power of Combining Rapid Screening Technologies with Environmental Data Visualization Software.
Battelle Conference on the Remediation of Chlorinated and Recalcitrant Compounds.
Rebele, Leo M.

2003
Positive Marine Impacts Resulting From the Construction of Four Artificial Oil Exploration and Production Islands Within the Greater Long Beach/Los Angeles Harbor.
Oceans 2003 Conference.
Rebele, Leo M., Jon Houghton, Dennis Lees, Linda Arsenault, and John Kirby.

1997
An Evaluation of Citizen Volunteer Monitoring Initiatives in the National Estuary Program.
Thesis submitted in partial fulfillment of the requirements for an M.S. degree, College of Oceanic and Atmospheric Sciences, Oregon State University.
Rebele, Leo M.

1994
Observations on the Macrobenthos of a Tidal Flat Previously Affected by Sewage Pollution at Sturgeon Bank, British Columbia.
Submitted in partial fulfillment of the requirements for a B.Sc. degree at the University of British Columbia.
Rebele, Leo M., and Colin D. Levings.

REGISTRATIONS/CERTIFICATIONS

AHERA Certified Building Inspector; 1998

TRAINING/MEMBERSHIPS

40-Hour OSHA Hazardous Waste Operations and Emergency Response (HAZWOPER) Training at Clayton Environmental; 1998
Wetland Delineator; USACE; 1999
Environmental Forensics Short Course; Penn State University; 2013
Leadership in Urban Infill and Sustainable Communities; Urban Land Institute; 2012
Senior Project Manager Training; Gannett Fleming; 2012
Project Principal Training; PSMJ Resources; 2013
Business Development Training, Tetra Tech, 2015
8-Hour OSHA HAZWOPER Refresher Training; 2017

RAMBOLL

ENVIRONMENT & HEALTH

BRIAN BAUER

Managing Consultant

Brian Bauer is a California-licensed Professional Geologist and project manager with over ten years of experience in environmental consulting and geology. During his time at Ramboll, he has focused on the characterization and remediation of subsurface contamination in soil, soil vapor, groundwater and has also conducted extensive indoor air evaluations. Brian has designed, managed, and implemented site characterization programs for properties throughout California involving various hazardous substances including heavy metals, VOCs, petroleum hydrocarbons, polychlorinated biphenyls (PCBs) and per- and polyfluorinated alkyl substances (PFAS). He has provided strategic redevelopment consulting services to private developers and also has supported private industry by developing innovative solutions to complex environmental problems. For example, he recently managed a redevelopment project in Southern California that involved an innovative solution consisting of developing site-specific commercial screening levels, coupled with a land use covenant that allowed impacted soils to remain in-place, saving the client several hundred thousand in remediation costs, making it a viable Brownfield redevelopment project. He is also presently involved in conducting a PFAS liability evaluation to assist with a property transaction. He has directed field investigations and implemented remediation programs under the oversight of regulatory agencies including the DTSC, RWQCB and USEPA. Prior to joining Ramboll, he worked as a staff geologist for a Bowyer Environmental Consulting.

CAREER

2011-2021
Geologist, RAMBOLL

2010-2011
Staff Geologist, Bowyer Environmental Consulting

COURSES/CERTIFICATIONS

Professional Geologist, 2016

EDUCATION

2010-2012
Master's Degree in Geology
CSULB, Long Beach , United States

2008-2010
Bachelors Degree
CSULB, Long Beach , United States

CONTACT INFORMATION

Brian Bauer

bbauer@ramboll.com
+1 (949) 7983668

Ramboll
5 Park Plaza
Suite 500
Irvine, CA 92614
United States of America

PROJECTS

2011-2020

Arrow: Norco Project

Arrow Electronics, Inc., United States

As part of RI/FS, Ramboll conducted characterization and remediation for a site location in Norco, California. The characterization and remediation consisted of soil, soil vapor, and groundwater subsurface investigations, on-going operation of a hydraulic control system (HCS) and its associated operation and maintenance (O&M), ISCO injection, phytoremediation and its associated O&M, in-situ thermal desorption (ISTD), zero-valent iron (ZVI) injection, and on-going groundwater monitoring.

2017-2018

Turner: Addl Subsurface and IAW Sampling-17352 Derian Ave

Turner Royalty LLC, United States

Ramboll Environ conducted additional subsurface investigation, including groundwater and soil vapor sampling, and indoor air sampling at the property located at 17352 Derian Avenue, Irvine, California. Information and data obtained during the described investigations will be incorporated into a report for submittal to a regulatory agency, likely the Santa Ana Regional Water Quality Control Board (RWQCB).

2017-2018

CA & NV Phase II ESAs-Project Coordination

Ramboll conducted Limited Phase II Environmental Site Assessments at 24 facilities located in California and Nevada. The work consisted of soil, soil vapor, groundwater, and indoor air quality sampling. The work also consisted of conducting geophysical surveys to identify underground storage tanks (USTs) and locations of former USTs. Due to the large amount (~100 anomalies) and complexity of the geophysical data, a ranking system was developed to evaluate and prioritize the geophysical anomalies. Follow up excavations were conducted at geophysical anomaly locations.

2018

Groundwater Sampling

This project consisted of conducting groundwater sampling from over 50 monitoring wells and preparing an annual report. In addition, a remedial pilot study proposal was prepared for work anticipated to start in 2019.

2013-2014

Monitoring Well Installation

United States, United States

Directed the installation of monitoring wells using using hollow-stem auger and air-rotary drilling methods in alluvium and fractured bedrock. Field work included aquifer classification using field conditions to develop well construction details. Aquifers encountered at the site included unconfined, confined, fractures and slow recharge.

2013

Excavation

Supervised the field work for a large scale excavation and enhanced groundwater bioremediation project. Once the excavation reached total depth, bioremediation-enhancing products, LACTOIL and ACCELERITE were added to the floor of the excavation to enhance the bioremediation of chlorinated solvents. During backfilling, vent pipes were installed as a sub-slab mitigation system.

PUBLICATIONS

2012

Measurement of Percolation from an Artificial Recharge Basin using Fiber Optic Distributed Sensing.

Groundwater

Authors: Mathew W. Becker, Brian Bauer, Adam Hutchinson

STEPHANIE T ECKELMAN

Senior Consultant 1

KEY COMPETENCIES

Stephanie Eckelman has been an environmental consultant since 2000. Stephanie has conducted numerous ASTM Phase I Environmental Site Assessments of commercial, industrial and residential properties. She has assisted with multiple soil, groundwater, and soil vapor investigations for subsurface investigations and groundwater monitoring programs. Stephanie has conducted multiple waste audits for clients and has helped prepare waste audit documentation forms.

PROJECTS

Phase I Environmental Site Assessment

Black Equities Warner Ctr Phase I, Woodland Hills, California, United States, Black Equities Group Ltd., 2018-2019

Ramboll conducted a Phase I ESA for the northwestern portion of a property (former Northrop Grumman facility "Parcel A") located at 5500 Canoga Ave and 21240 Burbank Blvd, Woodland Hills, CA, referred to by the client, Black Equities Group, as the Warner Center Project.

Site environmental auditor

Conduct the site visit, interview on-site personnel, contact agencies, update staff on site status and prepare closing report.

Manufacturing Facility Potential Relocation, Bakersfield, California, United States, 2008

Water supply availability research and compilation

Research and report preparation

Researched and prepared report detailing various Urban Water Management Plans in the Central Basin for client to make informed decision on future land use purchase.

Multiple Phase I ESA projects, California, United States, 2005-2020

Prepared ASTM Phase I reports, including site visits, agency records reviews, and aerial photograph reviews on numerous properties including manufacturing, commercial retail properties, defense-related facilities;

Consultant

conducted multiple Phase I ESA site audits, client communication, subcontractor communication, report preparation and staff scheduling as needed.

Phase I Environmental Site Assessments, California, United States, 2005-2020

Ramboll conducted Phase I Environmental Site Assessments on multiple private, public and municipal properties.

SPECIAL COMPETENCIES

Due Diligence Phase I ESA
Waste Audits
gINT boring log template creation

TOTAL YEARS OF EXPERIENCE

17

EDUCATION

1998 BS, Environmental Studies

COURSES/CERTIFICATIONS

2020 OSHA 40-hour Hazardous Waste Operations and Emergency Response Standard - HAZWOPER

Consultant
Conduct site visits, prepare written reports, interact with clients and agencies, contract with subcontractors and update additional staff if the project required additional Ramboll services.

Site Solutions

Investec: 2019 DryCleaner Comp Rev, Santa Barbara, Camarillo, Chula Vista, California, United States, Investec Real Estate, 2019
Ramboll conducted reviews of three drycleaners located at the Central Plaza Shopping Center, 708 Arneill Road, Camarillo, California; the Mesa Shopping Center, 1998 Cliff Drive at Meigs Road, Santa Barbara, California; and the Plaza at Sunbow, 601 East Palomar Street Chula Vista, California.
Site personnel
Conduct site inspection, conduct personnel interviews, prepare report and share findings with client.

Underground Storage Tank Removal Oversight, Alhambra, California, United States, 2018-2019
Multiple abandoned UST's located and removed from the site.
Field Supervisor
Tasks included scheduling subcontractors, overseeing UST removals, collection of confirmation sampling, agency oversight communication, and report preparation.

KS: Home Depot - LBP - California, California, United States, The Home Depot, 2017-2019
Ramboll Environ assisted in connection with an investigation involving Home Depot’s renovation projects in homes that may have contained lead based paint.
Site auditor
Conducted lead based paint sampling oversight, coordinate subcontractors and residents, prepare written documentation.

Former Oil Field Pre- and Post- Stormwater Site Inspection, Santa Clarita, California, United States, 2007-2008
Conducted Storm Water Pollution Prevention Plan monitoring including pre- and post-storm surface inspection on a form large oil field
Inspector
Conduct pre- and post-storm water site investigation for damaged BMP's on a large vacant former oil field.

Lage Redevelopment Project, Santa Clarita, California, United States, 2006-2011
Conducted soil sampling, surface water runoff sampling, groundwater sampling, soil vapor sampling and groundwater pump tests at a 1000-acre property;
Site staff
Collect soil samples, storm water samples, groundwater sampling and soil vapor samples.

Pool Product Manufacturer, California, United States, 2002-2009
Prepared and submitted Wastewater Treatment Surcharge Statements and tracked Wastewater Treatment Surcharge Quartely Reports for a facility in South Los Angeles;
Site staff
Prepared wastewater treatment surcharge statements, updated staff and client on changes and maintained submission requirements.

Entertainment Industry, Glendale, California, United States, 2001
Managed well decommissioning, including permitting, for deep wells for various municipalities;
Onsite personnel
Managed well decommissioning, including permitting, for deep well located in Glendale.

Generate various boring log templates.

Baker: SSF Add. Site Investigation, Not specified, California, United States, Baker Properties, Inc., 2017-2018
Ramboll Environ conducted a soil, soil vapor, groundwater, and indoor air investigation at 160-180 Sylvester Road, South San Francisco, CA.
Boring log
Prepare MIP boring logs for the site.

Boring Log template generation, California, United States, Multiple client projects., 2015-2020
Prepared multiple subsurface boring log templates for multi-office use with gINT boring log software.
Boring Log Generator
Created and implemented new boring log templates and reports for numerous large scale projects.

Large Shipping Company: 2019 California Waste Audit, California, United States, Amazon.com Services Inc., 2019-2020
Ramboll performed an evaluation of the contents of municipal solid waste containers at three locations in California.
Waste Auditor
Conducted waste audit of compacted 40 cubic yard bin with agency oversight.

Telecommunication: CA CJ Audits, Not specified, California, United States, 2015-2020
Ramboll Environ conducted hazardous waste audits and trash sorts at multiple California locations of a telecommunications company in order to fulfill the requirements of a Consent Judgment against the company.
Auditor
Conducted multiple waste audits through multiple years at facilities throughout Southern and Central California.

NE Corner Victoria St/Central, Carson RAP, Corner of South Central Avenue and Victoria Street, Carson, CA, United States, The Carson Project Owner, LLC, 2017-2018
Ramboll prepared a Human Health Risk Assessment, conducted a statistical evaluation on distribution of chemicals, prepared a Remedial Action Plan and provided project management, attended meetings, and provided estimated costs for site remediation

Appendix C

Human Health Risk Evaluation

RAMBOLL

ENVIRONMENT
& HEALTH

Artesia & Flallon, LLC and Borstein Enterprises

Human Health Risk Evaluation for 11709 Artesia Boulevard, 17208 and 17212 Alburtis Avenue, Artesia, California

Date June 14, 2022

Ramboll US Consulting, Inc. ("Ramboll") conducted a screening human health risk assessment (HHRA) for the properties located at 11709 Artesia Boulevard and 17208 and 17212 Alburtis Avenue in Artesia, Los Angeles County, California (the "site" or "Property"). The objective of the screening HHRA was to assess the potential health risks to future on-site commercial/industrial workers and residents based on residual concentrations of chemicals in soil, soil gas and groundwater.

Ramboll
2200 Powell Street
Suite 700
Emeryville, CA 94608
USA

T +1 510 655 7400
F +1 510 655 9517
https://ramboll.com

The following sections include a discussion of site background, investigation results, a screening health risk assessment (HRA) and conclusions.

Click or tap here to enter text.

Background

California Dairies Inc. owns and formerly operated a dairy product processing facility and associated parking lot located at 11709 Artesia Boulevard and 17208 and 17212 Alburtis Avenue in Artesia, Los Angeles County, California. The approximately 3.33-acre processing facility and 0.248-acre parking lot parcels that comprise the site are located approximately 20 miles southeast of the City of Los Angeles (Figure 1). The main portion of the site is improved as the former California Dairies Inc. manufacturing facility. Structures at the site include approximately five (5) buildings totaling over 50,000-square-feet.

The site is currently vacant. Future development plans include commercial, live/work and townhomes. Future onsite populations would include commercial/industrial workers and residents.

Investigation Results

A Phase II Environmental Site Assessment (ESA) was conducted by GHD Services Inc. (GHD) in 2020 for the property at 11709 East Artesia Boulevard, Artesia, California (GHD 2020). This was followed by a Phase I Environmental Site Assessment and additional Phase II Subsurface Investigation that were conducted by Ramboll in 2021 for 11709 Artesia Boulevard, 17208 and 17212 Alburtis Avenue, Artesia, California (Ramboll 2021). These investigations are discussed below.

GHS Phase II ESA
During the GHD Phase II ESA, six soil borings were advanced to 25 feet below ground surface (bgs).

Soil samples were collected on July 30/31, 2020, and analyzed for the following constituents:

- Volatile Organic Compounds (VOCs) by United States Environmental Protection Agency (USEPA) Method 8260B
- Semi-Volatile Organic Compounds (SVOCs) by USEPA Method 8270C
- Organochlorine Pesticides by USEPA Method 8081A
- Polychlorinated Biphenyls (PCBs) by USEPA Method 8082
- Herbicides by USEPA Method 8151A
- CAM 17 metals by USEPA Method 6010B; mercury by USEPA Method 7471A
- Total Petroleum Hydrocarbons (TPH) by USEPA Method 8015 reported as Gasoline Range and Organics (GRO) (C4-C12), Diesel Range Organics (DRO) (C10-C28), and TPH as Motor Oil (C17-C44).

The TPH analysis was only performed on the deepest soil samples collected from Borings B1 and B3. Pesticide, PCB, and herbicide analysis was not performed on the deepest soil sample collected from each of the six borings, because such constituents are unlikely to be present at depth.

Attachment A, Figure A-1, shows the six boring locations. Soil sample results are presented in the Attachment A tables (Tables A-1 through A-3). The results of the GHD soil sampling indicated that limited and *de minimis* concentrations of pesticides and VOCs are present in soil. Table 1 of this letter report summarizes the detected pesticides and VOCs in soil. Table 2 of this letter report summarizes the maximum detected concentration of metals in soil.

Groundwater was first encountered in each of the six soil borings at depths ranging from 11 to 17 ft. Temporary wells were installed and grab groundwater samples were collected on July 30/31, 2020, and analyzed for the following constituents:

- Ammonia by USEPA Method 350.1
- Nitrates and Nitrites by USEPA Method 300.0
- CAM 17 Metals by USEPA Method 6010B, except mercury by USEPA Method 7470A
- TPH, VOCs, and SVOCs by the same methods employed for soil sample analysis and listed above.

Groundwater sampling results are presented in the Attachment A tables (Tables A-4 and A-5). No VOCs were detected in groundwater (*i.e.*, the results were "non-detect"). Metals detected in groundwater

were compared by GHD to maximum contaminant levels (MCLs) for drinking water. The results showed that only mercury slightly exceeded its MCL at a maximum detected concentration of 3.31 micrograms per liter (µg/L) compared to its MCL of 2 µg/L. This concentration appears to be anomalous and not indicative of any site-wide mercury concern.

Ramboll Phase II Subsurface Investigation

Based on the results from the previous Phase II subsurface investigation, Ramboll conducted a subsequent subsurface investigation at the site that included the collection of soil and soil gas samples. On November 2, 2021, Ramboll collected soil samples from three borings (B1 through B3). Soil samples were collected at approximately 2, 4, and 6 feet bgs at each of the boring locations. Soil samples were analyzed for total TPH. Soil vapor probes were installed at 9 locations on December 1, 2021, and analyzed for VOCs by USEPA Method 8260.

Soil and soil gas sample locations are shown on Figure 2. Table 3 of this letter report summarizes the detected in chemicals in soil and Table 4 summarizes the detected chemicals in soil gas.

The results of the Ramboll sampling indicated limited VOCs were detected in soil gas at low concentrations. TPH was detected in all soil borings.

Screening Human Health Risk Assessment

Based on the proposed land use, Ramboll developed a conceptual site model (CSM; see Figure 3). The CSM describes the potentially exposed populations and potentially complete exposure pathways identified for the site. As noted previously, the potential onsite receptors would include commercial/industrial workers and residents.

Potential exposure pathways and routes for commercial/industrial workers and residents are as follows:

- Direct contact with soil (soil ingestion, dermal contact, inhalation of windblown particulates); and
- Inhalation of vapors (migration of soil gas from the subsurface into indoor air).

Only inhalation of VOCs in indoor air was quantitatively evaluated since outdoor concentrations of VOCs will be lower than indoor air concentrations due to higher mixing in the ambient environment.

It is Ramboll's understanding that groundwater will not be used as a drinking water source, and that the drinking water will be municipally-supplied, and that groundwater will not be directly contacted due to the depth of the water table. Since no VOCs were detected in groundwater, there is no complete exposure pathway for migration to air.

All detected soil concentrations were screened using commercial/industrial and residential California Environmental Protection Agency (Cal/EPA) Department of Toxic Substance Control (DTSC)-modified screening levels (SLs) from Cal/EPA DTSC's Human and Ecological Risk Office (HERO) Note 3 (Cal/EPA 2022). If no SLs were available, the commercial/industrial and residential soil RSLs from USEPA (USEPA 2022) were used. According to Cal/EPA (2015), TPH soil data were compared to Environmental Screening Levels (ESLs) developed by California Regional Water Quality Control Board - San Francisco

Bay Region (RWQCB-SF 2016). The soil SLs assume exposure though direct contact with soil (soil ingestion, dermal contact, inhalation of windblown particulates).

Arsenic occurs naturally in soil. An evaluation of arsenic soil data from school sites in Southern California found arsenic concentrations ranging from 0.15 mg/kg to 20 mg/kg, with an upper-bound background arsenic concentration of 12 mg/kg (Chernoff et al, 2008). Arsenic concentrations in soil samples collected at the site were conservatively screened against 12 mg/kg.

The soil gas screening analysis used the default air screening level for each detected VOC from Cal/EPA DTSC HERO Note 3 (Cal/EPA 2022) and USEPA RSL Table (USEPA 2022). These default screening levels were used in combination with a default future commercial buildings attenuation factor (AF) of 0.0005 and a default future residential attenuation factor of 0.001 (for migration from the contamination source to indoor air), as recommended in the 2011 Cal/EPA Vapor Intrusion Guidance (Cal/EPA 2011, Cal/EPA HERO Note 4, 2022).

The health-based screening levels represents the concentration of a chemical that is protective of human health. As a conservative measure, the screening levels were calculated to correspond to a target cancer risk of one in a million (1×10^{-6}) and a target non-cancer hazard quotient (HQ) of one. The National Contingency Plan (NCP) (40 Code of Federal Regulations [CFR] § 300) is commonly cited as the basis for target risk and hazard levels. According to the NCP, lifetime incremental cancer risks posed by a site should not exceed 1×10^{-6} to one hundred in a million (1×10^{-4}), and noncarcinogenic chemicals should not be present at levels expected to cause adverse health effects (i.e., HQ greater than one). As a risk management policy, the Cal/EPA generally considers 1×10^{-6} to be a point of departure for purposes of making risk management decisions, with most approved remediation achieving incremental risk levels of ten in a million (1×10^{-5}) or lower. Since the screening levels correspond to the low end of the target risk range considered by USEPA and Cal/EPA to be protective of human health, the presence of a chemical at a concentration in excess of the screening level does not indicate that adverse impacts to human health are occurring or will occur but suggests that further evaluation may be warranted.

The screening levels used in this evaluation are included in Tables 1 through 4.

Risk Results

As shown in Table 1, the detected concentrations of pesticides and VOCs in soil are below their corresponding health-based soil screening levels. As shown in Table 2, the maximum detected concentration for all metals in soil are below their corresponding health-based soil screening levels. As shown in Table 3, TPH was below screening levels. All chemicals detected in soil are well below their screening levels and cumulatively would not exceed an excess lifetime cancer risk above 1×10^{-6} or a hazard index above one.

As shown in Table 4, all VOCs detected in soil gas were below their corresponding health-based soil gas screening level except for chloroform in RSV-10 with a concentration of 0.27 µg/L which slightly exceeded its residential screening level of 0.12 µg/L. A concentration of 0.12 µg/L corresponds to an estimated excess lifetime cancer risk of 1×10^{-6}; a concentration of 0.23 µg/L corresponds to an estimated excess lifetime cancer risk of 2×10^{-6}, well within the lower (more conservative) end of the NCP risk range.

Conclusions

All chemicals detected in soil are well below their screening levels and cumulatively would not exceed an excess lifetime cancer risk above 1 x 10^{-6} or a hazard index above one. Based on the results of this HHRA analysis of the data collected to date, no significant health risks associated with exposures to soils at the site are expected to occur for the potential future on-site residents and commercial workers. Furthermore, potential vapor intrusion concerns are considered adequately addressed, and vapor mitigation systems (VMS) are not required or warranted for potential future on-site populations.

Yours sincerely

Elizabeth A Miesner
Principal

D +1 (415) 7961938
M +1 (510) 3038720
emiesner@ramboll.com

Table 1. Summary of Soil Sampling Results for VOCs, SVOCs, Pesticides, PCBs and Herbicides (GHD 2020)
Table 2. Summary of Soil Sampling Results for the Maximum Detected Concentration of Metals (GHD 2020)
Table 3. Summary of Soil Sampling Results for TPH
Table 4. Summary of Soil Gas Results for VOCs (Ramboll 2021)

Figure 1: Site Location
Figure 2: Soil Vapor and Soil Sampling Locations (Ramboll 2021)
Figure 3: Conceptual Site Model

Attachment A: Location and results of Phase II ESA soil borings and groundwater temporary wells from GSD (2020).

References

GHD. 2020. Phase II Environmental Site Assessment, California Dairies, Inc., 11709 East Artesia Boulevard, Artesia, California. August 21.

Ramboll. 2021. Phase I Environmental Site Assessment and Phase II Subsurface Investigation, 11709 Artesia Boulevard, 17208 and 17212 Alburtis Avenue, Artesia, California. December 20.

Cal/EPA. 2011. Department of Toxic Substances Control. Final Guidance for the Evaluation and Mitigation of Subsurface Vapor Intrusion to Indoor Air (Vapor Intrusion Guidance). October.

Cal/EPA. 2022. Human Health Risk Assessment (HHRA) Note Number 3, DTSC-modified Screening Levels (DTSC-SLs). May.

Cal/EPA. 2022. Human Health Risk Assessment (HHRA) Note Number 4, Guidance for Screening Level Human Health Risk Assessments. March.

Chernoff G., Bosan W., Oudiz D. 2008. Determination of a Southern California Regional Background Arsenic Concentration in Soil.

Code of Federal Regulations (CFR). Title 40, Environmental Protection Agency. Part 300, National Oil and Hazardous Substances Pollution Contingency Plan. (40 CFR § 300).

USEPA. 2022. Regional Screening Levels (RSLs). May.

Table 1. Summary of Soil Sampling Results for VOCs, SVOCs, Pesticides, PCBs and Herbicides (GHD 2020)
11709 East Artesia Boulevard
Artesia, California

Location	Depth (feet bgs)	Date Sampled	(µg/kg)						
			4,4'DDE	Alpha-Chlordane	Dieldren	Acetone	Benzene	Isopropyl Benzene	Toluene
DTSC Commercial			NE	NE	93	NE	1,400	NE	5,300,000
USEPA Commercial			9,300	500,000	140	1,100,000,000	5,100	NE	47,000,000
DTSC Residential			NE	NE	34	NE	330	NE	1,100,000
USEPA Residential			2,000	36,000	34	70,000,000	1,200	NE	4,900,000
Soil Commercial Screening Level			**9,300**	**500,000**	**93**	**1,100,000,000**	**1,400**	**NE**	**5,300,000**
Soil Residential Screening Level			**2,000**	**36,000**	**34**	**70,000,000**	**330**	**NE**	**1,100,000**
B1	0.5	7/30/2020	<5.0	**5.1**	**1.3**	**52**	<0.93	<0.93	<0.93
	2	7/30/2020	<5.0	<1.0	<1.1	**81**	**5.8**	<1.1	**2.9**
	20	7/30/2020	NA	NA	NA	<38	**1.3**	<0.75	**1.1**
B2	0.5	7/30/2020	<5.0	<1.0	<1.1	**49**	**1.3**	<0.86	<0.86
	2	7/30/2020	**12**	<0.99	<0.99	**61**	**3.2**	<1.0	**1.7**
	15	7/30/2020	NA	NA	NA	<39	<0.78	<0.78	<0.78
B3	0.5	7/30/2020	<5.0	**1.2**	**1.3**	<45	<0.89	<0.89	<0.89
	2	7/30/2020	<5.0	<0.99	<0.99	<46	**3.8**	<0.91	**1.4**
	18	7/30/2020	NA	NA	NA	<40	**0.98**	<0.81	<0.81
B4	0.5	7/31/2020	<5.0	**1.2**	<1.0	<61	<1.2	<1.2	<1.2
	2	7/31/2020	<5.0	**2.4**	<1.0	<53	**1.4**	<1.1	<1.1
	15	7/31/2020	NA	NA	NA	<44	<0.87	<0.87	<0.87
B5	1	7/31/2020	<5.0	<1.0	<1.0	**42**	**1.6**	**1.1**	**2.0**
	2	7/31/2020	<5.0	<1.0	<1.0	<45	**2.5**	<0.90	**1.8**
	18	7/31/2020	NA	NA	NA	<37	**3.0**	<0.75	**2.2**
B6	0.5	7/31/2020	<5.0	<1.0	<1.0	<51	<1.0	<1.0	<1.0
	2	7/31/2020	<5.0	<0.99	<0.99	**71**	**3.4**	<0.85	**1.9**
	18	7/31/2020	NA	NA	NA	<39	**3.5**	<0.77	**2.0**

Notes:
bgs = below ground surface
µg/kg = micrograms per kilogram
NA = Sample not analyzed for this compound
Cal/EPA = California Environmental Protection Agency
USEPA = United States Environmental Protection Agency
Only compounds reported above the detection limit are shown.

References:
Cal/EPA. 2022. Human and Ecological Risk Office (HERO) Human Health Risk assessment (HHRA) Note Number 3, Issue: DTSC-Modified Screening Levels (DTSC-SLs). May.
USEPA. 2022. Regional Screening Levels Summary Table. May.

Table 2. Summary of Soil Sampling Results for the Maximum Detected Concentration of Metals (GHD 2020)
11709 East Artesia Boulevard
Artesia, California

	(mg/kg)												
Maximum Concentration Detected	**Arsenic**	**Barium**	**Berrylium**	**Chromium**	**Cobalt**	**Copper**	**Lead**	**Mercury**	**Molybdenum**	**Nickel**	**Silver**	**Vanadium**	**Zinc**
DTSC Commercial	0.36	NE	230	NE	NE	NE	500	4.4	NE	11,000	NE	NE	NE
USEPA Commercial	3	220,000	2,300	1,800,000	350	47,000	800	46	5,800	22,000	5,800	5,800	350,000
DTSC Residential	0.11	NE	16	NE	NE	NE	80	1	NE	820	NE	NE	NE
USEPA Residential	0.68	15,000	160	120,000	23	3,100	400	11	390	1,500	390	390	23,000
Background	12a												
Soil Commercial Screening Level	**12**	**220,000**	**230**	**1,800,000**	**350**	**47,000**	**500**	**4.4**	**5,800**	**11,000**	**5,800**	**5,800**	**350,000**
Soil Residential Screening Level	**12**	**15,000**	**16**	**120,000**	**23**	**3,100**	**80**	**1**	**390**	**820**	**390**	**390**	**23,000**
	8.64	197	0.86	24.3	12.4	39.6	57.8	0.165	0.758	19.2	0.508	47.7	66.3

Notes:
bgs = below ground surface
mg/kg = millograms per kilogram
Cal/EPA = California Environmental Protection Agency
USEPA = United States Environmental Protection Agency
Only compounds reported above the laboratory reporting limit are shown.

[a] Arsenic occurs naturally in soil. An evaluation of arsenic soil data from school sites in Southern California found arsenic concentrations ranging from 0.15 mg/kg to 20 mg/kg, with an upper-bound background arsenic concentration of 12 mg/kg (Chernoff G., Bosan W., Oudiz D. 2008. Determination of a Southern California Regional Background Arsenic Concentration in Soil). Arsenic concentrations in soil samples collected at the site were conservatively screened against 12 mg/kg.

References:

Cal/EPA. 2022. Human and Ecological Risk Office (HERO) Human Health Risk assessment (HHRA) Note Number 3, Issue: DTSC-Modified Screening Levels (DTSC-SLs). May.

USEPA. 2022. Regional Screening Levels Summary Table. May.

Table 3. Summary of Soil Sampling Results for TPH (Ramboll 2021)
11709 East Artesia Boulevard
Artesia, California

Location	Depth (feet bgs)	Date Sampled	TPH (mg/kg)		
			TPH - GRO	TPH - DRO	TPH - ORO
SFRWQCB Commercial			2,000	1,200	180,000
SFRWQCB Residential			430	260	12,000
Soil Commercial Screening Level			**2,000**	**1,200**	**180,000**
Soil Residential Screening Level			**430**	**260**	**12,000**
B1	2	11/2/2021	**0.28**	<5.0	**21**
	4	11/2/2021	<0.10	<5.1	**6.4**
	6	11/2/2021	**1.6**	**5.8**	**23**
B2	2	11/2/2021	**0.51**	**5.2**	**100**
	4	11/2/2021	**1.9**	**16**	**32**
	6	11/2/2021	**1.1**	**5.3**	**28**
B3	2	11/2/2021	**0.13**	<5.1	<5.1
	4	11/2/2021	**0.23**	<4.9	**4.9**
	6	11/2/2021	**0.76**	<4.8	<4.8

Notes:
bgs = below ground surface
DRO = diesel range organics
GRO = gasoline range organics
mg/kg = milligrams per kilogram
ORO = oil range organics
SFRWQCB = San Francisco Bay Regional Water Quality Control Board
TPH = total petroleum hydrocarbons
Soil samples were analyzed for TPH by USEPA Method 8015M.

References:
SFRWQCB. 2019. Environmental Screening Levels. Rev. 2.

Table 4. Summary of Soil Vapor Results for VOCs (Ramboll 2021)
11709 East Artesia Boulevard
Artesia, California

Sample ID	Depth (feet bgs)	Date Sampled	Tetrachloroethene (PCE)	Benzene	Ethylbenzene	Toluene	m,p-Xylene	o-Xylene	1,2,4-Trimethylbenzene	Chloroform
Commerical Soil Vapor Screening Level (Attenuation Factor 0.0005)			**4**	**0.84**	**9.8**	**2,600**	**880**	**880**	**520**	**1.06**
Residential Soil Vapor Screening Level (Attenuation Factor 0.001)			**0.46**	**0.097**	**1.1**	**310**	**100**	**100**	**63**	**0.12**
RSV-1	5	12/3/2021	<0.0125	<0.025	<0.025	<0.0125	<0.0250	<0.025	<0.025	<0.025
RSV-2	5	12/3/2021	<0.0125	<0.025	<0.025	<0.0125	<0.0250	<0.025	<0.025	<0.025
RSV-3	5	12/3/2021	**0.13**	<0.025	<0.025	<0.0125	<0.0250	<0.025	<0.025	<0.025
RSV-4	5	12/3/2021	<0.0125	<0.025	<0.025	<0.0125	<0.0250	<0.025	<0.025	<0.025
RSV-5	5	12/3/2021	**0.050**	**0.030**	**0.020 J**	**1.8**	**0.080**	**0.030**	**0.020 J**	<0.025
RSV-6	5	12/3/2021	--	--	--	--	--	--	--	--
RSV-7	5	12/3/2021	<0.0125	<0.025	<0.025	**0.040**	<0.0250	<0.025	<0.025	<0.025
RSV-8	5	12/3/2021	<0.0125	<0.025	<0.025	<0.0125	<0.0250	<0.025	<0.025	<0.025
	5	*12/3/2021*	<0.0125	*<0.025*	*<0.025*	<0.0125	*<0.0250*	*<0.025*	*<0.025*	*<0.025*
RSV-9	5	12/3/2021	<0.0125	<0.025	<0.025	<0.0125	<0.0250	<0.025	<0.025	<0.025
RSV-10	5	12/3/2021	<0.0125	<0.025	<0.025	**0.020 J**	<0.0250	<0.025	<0.025	**0.27**

Notes:
µg/l - micrograms per liter
<X - value not reported above the laboratory reporting limit
-- - not analyzed
Duplicate sample is italicized
J - Analyte concentration detected between Reporting Limit (RL) and Method Detection Limit (MDL)
VOCs - Volatile Organic Compounds
Soil vapor samples were analyzed for VOCs by USEPA Method 8260B.
Only compounds reported above the laboratory reporting limit are shown.
Indicates compounds exceed soil gas residential scenario screening level using a 0.001 AF.

References:

Cal/EPA. 2022. Human and Ecological Risk Office (HERO) Human Health Risk assessment (HHRA) Note Number 3, Issue: DTSC-Modified Screening Levels (DTSC-SLs). May.

Cal/EPA. 2022. Human and Ecological Risk Office (HERO) Human Health Risk assessment (HHRA) Note Number 4, Issue: Guidance for Screening Level Human Health Risk Assessments. May.

USEPA. 2022. Regional Screening Levels Summary Table. May.



C:\Users\CWILLIAMSFREIER\Ramboll\Melody Kneale - Projects\Borstein\Artesia Dairies\03_GIS\PhaseIFigures\PhaseIFigures.aprx\Figure 01 - Site Location

Map Scale: 1:24,000 | Map Center: 118°5'1"W 33°52'27"N

KEY MAP (not to scale)

Property Boundary

0 1,000 2,000 Feet

SITE LOCATION

Artesia Dairies
11709 East Artesia Boulevard
Artesia, California

FIGURE 1

RAMBOLL US CONSULTING, INC.
A RAMBOLL COMPANY

RAMBOLL



C:\Users\CWILLIAMSFREIER\Ramboll\Melody Kneale - Projects\BorsteinArtesia Dairies\03_GIS\20211102_Figures\20211102_FigureCreation.aprx\Figure 03 - Soil Vapor and Soil Sampling Locations

Property Boundary

Soil Vapor Probe Locations (Ramboll, December 2021)

Soil Sample Location (Ramboll, November 2021)

0 50 100 Feet

SOIL VAPOR AND SOIL SAMPLING LOCATIONS

Artesia Dairies
11709 East Artesia Boulevard
Artesia, California

FIGURE 2

RAMBOLL US CONSULTING, INC.
A RAMBOLL COMPANY

RAMBOLL



Notes:
X = Complete or potentially complete exposure pathway
(X) = Complete or potentially complete exposure pathway, but not evaluated quantitatively
inc = Incomplete

[1] The exposure to volatile compounds in outdoor air is not quantitatively evaluated because it is expected to be much lower than the exposure to volatile compounds in indoor air.

RAMBOLL

Conceptual Site Model
11709 East Artesia Boulevard
Artesia, California

Drafter: | Date: 6/10/22 | Contract Number:

Figure
3

Attachment A:

Location and results of Phase II ESA soil borings and groundwater temporary wells from GSD (2020).



Source: Microsoft Product Screen Shot(s) Reprinted with permission from Microsoft Corporation, Accessed: 2020

11709 EAST ARTESIA BOULEVARD, ARTESIA, CALIFORNIA
PHASE II ENVIRONMENTAL SITE ASSESSMENT
CALIFORNIA DAIRIES INC

081103-55

Aug 11, 2020

SITE PLAN AND BORING LOCATIONS

FIGURE A-1

CAD File: N:\US\Santa Rosa\Projects\Sonoma Legacy\Sonoma.Public\CAD\drawings\080000s\081103\081103-REPORTS\081103-55(021)GN\081103-55(021)GN-SO002.DWG

Table A-1

Soil Sample Analytical Results for Pesticides, Herbicides, and PCBs
Phase II ESA for California Dairies, Inc.
11709 East Artesia Boulevard, Artesia, California

Sample Location	B1	B1	B2	B2	B3	B3	B4	B4	B5	B5	B6	B6	
Sample Identification	B1-0.5	B1-2	B2-0.5	B2-2	B3-0.5	B3-2	B4-0.5	B4-2	B5-1	B5-2	B6-05	B6-2	
Sample Date	07/30/2020	07/30/2020	07/30/2020	07/30/2020	07/30/2020	07/30/2020	07/31/2020	07/31/2020	07/31/2020	07/31/2020	07/31/2020	07/31/2020	
Sample Depth	(0.5) ft BGS	(2) ft BGS	(0.5) ft BGS	(2) ft BGS	(0.5) ft BGS	(2) ft BGS	(0.5) ft BGS	(2) ft BGS	(1) ft BGS	(2) ft BGS	(0.5) ft BGS	(2) ft BGS	Tier 1 ESL
Herbicides by EPA Method 8151A													
2-(2-Methyl-4-chlorophenoxy)propionic acid (MCPP)	10000 U	10000 U	10000 U	10000 U	10000 U	10000 U	10000 U	9900 U	10000 U	9900 U	9800 U	9900 U	
2,4,5-T	10 U	10 U	10 U	10 U	10 U	10 U	10 U	9.9 U	10 U	9.9 U	9.8 U	9.9 U	
2,4,5-TP (Silvex)	10 U	10 U	10 U	10 U	10 U	10 U	10 U	9.9 U	10 U	9.9 U	9.8 U	9.9 U	
2,4-DB	100 U	100 U	100 U	100 U	100 U	100 U	100 U	99 U	100 U	99 U	98 U	99 U	
2,4-Dichlorophenoxyacetic acid (2,4-D)	100 U	100 U	100 U	100 U	100 U	100 U	100 U	99 U	100 U	99 U	98 U	99 U	
2-Methyl-4-chlorophenoxyacetic acid (MCPA)	20000 U	20000 U	20000 U	20000 U	20000 U	20000 U	20000 U	20000 U	20000 U	20000 U	20000 U	20000 U	
Dalapon	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	
Dicamba	10 U	10 U	10 U	10 U	10 U	10 U	10 U	9.9 U	10 U	9.9 U	9.8 U	9.9 U	
Dichlorprop	100 U	100 U	100 U	100 U	100 U	100 U	100 U	99 U	100 U	99 U	98 U	99 U	
Dinoseb	100 U	100 U	100 U	100 U	100 U	100 U	100 U	99 U	100 U	99 U	98 U	99 U	
PCBs by EPA Method 8082													
Aroclor-1016 (PCB-1016)	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	
Aroclor-1221 (PCB-1221)	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	
Aroclor-1232 (PCB-1232)	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	
Aroclor-1242 (PCB-1242)	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	
Aroclor-1248 (PCB-1248)	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	
Aroclor-1254 (PCB-1254)	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	
Aroclor-1260 (PCB-1260)	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	
Aroclor-1262 (PCB-1262)	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	
Aroclor-1268 (PCB-1268)	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	
Organochlorine Pesticides by EPA Method 8081A													
4,4'-DDD	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
4,4'-DDE	5.0 U	5.0 U	5.0 U	**12**	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	--
4,4'-DDT	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
Aldrin	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
alpha-BHC	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
alpha-Chlordane	**5.1**	1.0 U	1.0 U	0.99 U	**1.2**	0.99 U	**1.2**	**2.4**	1.0 U	1.0 U	1.0 U	0.99 U	--
beta-BHC	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
Chlordane	25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U	
delta-BHC	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
Dieldrin	**1.3**	1.0 U	1.0 U	0.99 U	**1.3**	0.99 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.99 U	0.46
Endosulfan I	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
Endosulfan II	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
Endosulfan sulfate	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
Endrin	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
Endrin aldehyde	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
Endrin ketone	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
gamma-BHC (lindane)	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
gamma-Chlordane	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
Heptachlor	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
Heptachlor epoxide	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
Methoxychlor	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	
Toxaphene	25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U	25 U	

Notes:

U - Not detected at the associated reporting limit.
Values are reported in micrograms per kilogram.
ft BGS - feet below ground surface
PCBs - Polychlorinated Biphenyls
EPA - Environmental Protection Agency
Tier 1 ESL - San Francisco Bay Regional Water Quality Control Board Tier 1 Environmental Screening Level
Detections are **bolded.**

TableA- A-2

Soil Sample Analytical Results for TPH, SVOCs, and VOCs
Phase II ESA for California Dairies, Inc.
11709 East Artesia Boulevard, Artesia, California

Sample Location	**B1**	**B1**	**B1**	**B2**	**B2**	**B2**	**B3**	**B3**	**B3**	**B4**	**B4**	**B4**	**B5**	**B5**	**B5**	**B6**	**B6**	**B6**	
Sample Identification	**B1-0.5**	**B1-2**	**B1-20**	**B2-0.5**	**B2-2**	**B2-15**	**B3-0.5**	**B3-2**	**B3-18**	**B4-0.5**	**B4-2**	**B4-15**	**B5-1**	**B5-2**	**B5-18**	**B6-05**	**B6-2**	**B6-18**	
Sample Date	**07/30/2020**	**07/30/2020**	**07/30/2020**	**07/30/2020**	**07/30/2020**	**07/30/2020**	**07/30/2020**	**07/30/2020**	**07/30/2020**	**07/31/2020**	**07/31/2020**	**07/31/2020**	**07/31/2020**	**07/31/2020**	**07/31/2020**	**07/31/2020**	**07/31/2020**	**07/31/2020**	
Sample Depth	**(0.5) ft BGS**	**(2) ft BGS**	**(20) ft BGS**	**(0.5) ft BGS**	**(2) ft BGS**	**(15) ft BGS**	**(0.5) ft BGS**	**(2) ft BGS**	**(18) ft BGS**	**(0.5) ft BGS**	**(2) ft BGS**	**(15) ft BGS**	**(1) ft BGS**	**(2) ft BGS**	**(18) ft BGS**	**(0.5) ft BGS**	**(2) ft BGS**	**(18) ft BGS**	**Tier 1 ESL**
Total Petroleum Hydrocarbons (TPH) by EPA Method 8015B																			
Petroleum Hydrocarbons as Gasoline	--	--	100 U	--	--	100 U	--	--	--	--	--	--	--	--	--	--	--	--	
Total Petroleum Hydrocarbons (C10-C28) DRO	--	--	5300 U	--	--	4800 U	--	--	--	--	--	--	--	--	--	--	--	--	
Total Petroleum Hydrocarbons (C17-C44) Motor Oil	--	--	26000 U	--	--	24000 U	--	--	--	--	--	--	--	--	--	--	--	--	
Semi-Volatile Organic Compounds (SVOCs) by EPA Method 8270C																			
1,2,4-Trichlorobenzene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
1,2-Dichlorobenzene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
1,3-Dichlorobenzene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
1,4-Dichlorobenzene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
1-Methylnaphthalene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
2,2'-Oxybis(1-chloropropane) (bis(2-Chloroisopropyl) ether)	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
2,4,5-Trichlorophenol	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
2,4,6-Trichlorophenol	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
2,4-Dichlorophenol	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
2,4-Dimethylphenol	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
2,4-Dinitrophenol	10000 U	2000 U	2000 U	2000 U	2000 U	2000 U	20000 U	2000 U	2000 U	4000 U	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	
2,4-Dinitrotoluene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
2,6-Dichlorophenol	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
2,6-Dinitrotoluene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
2-Chloronaphthalene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
2-Chlorophenol	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
2-Methylnaphthalene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
2-Methylphenol	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
2-Nitroaniline	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
2-Nitrophenol	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
3&4-Methylphenol	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
3,3'-Dichlorobenzidine	13000 U	2500 U	2500 U	2500 U	2500 U	2500 U	25000 U	2500 U	2500 U	5000 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	
3-Nitroaniline	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
4,6-Dinitro-2-methylphenol	13000 U	2500 U	2500 U	2500 U	2500 U	2500 U	25000 U	2500 U	2500 U	5000 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	
4-Bromophenyl phenyl ether	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
4-Chloro-3-methylphenol	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
4-Chloroaniline	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
4-Chlorophenyl phenyl ether	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
4-Nitroaniline	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
4-Nitrophenol	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Acenaphthene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Acenaphthylene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Aniline	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Anthracene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Azobenzene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Benzidine	25000 U	5000 U	5000 U	5000 U	5000 U	5000 U	50000 U	5000 U	5000 U	10000 U	5000 U	5000 U	5000 U	5000 U	5000 U	5000 U	5000 U	5000 U	
Benzo(a)anthracene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Benzo(a)pyrene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Benzo(b)fluoranthene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Benzo(g,h,i)perylene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Benzo(k)fluoranthene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Benzoic acid	13000 U	2500 U	2500 U	2500 U	2500 U	2500 U	25000 U	2500 U	2500 U	5000 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	
Benzyl alcohol	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
bis(2-Chloroethoxy)methane	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
bis(2-Chloroethyl)ether	13000 U	2500 U	2500 U	2500 U	2500 U	2500 U	25000 U	2500 U	2500 U	5000 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	
bis(2-Ethylhexyl)phthalate (DEHP)	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Butyl benzylphthalate (BBP)	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Chrysene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Dibenz(a,h)anthracene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Dibenzofuran	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Diethyl phthalate	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Dimethyl phthalate	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Di-n-butylphthalate (DBP)	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Di-n-octyl phthalate (DnOP)	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Fluoranthene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Fluorene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Hexachlorobenzene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Hexachlorobutadiene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Hexachlorocyclopentadiene	7500 U	1500 U	1500 U	1500 U	1500 U	1500 U	15000 U	1500 U	1500 U	3000 U	1500 U	1500 U	1500 U	1500 U	1500 U	1500 U	1500 U	1500 U	
Hexachloroethane	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Indeno(1,2,3-cd)pyrene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Isophorone	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Naphthalene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Nitrobenzene	10000 U	2000 U	2000 U	2000 U	2000 U	2000 U	20000 U	2000 U	2000 U	4000 U	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	2000 U	
N-Nitrosodimethylamine	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
N-Nitrosodi-n-propylamine	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
N-Nitrosodiphenylamine	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Pentachlorophenol	13000 U	2500 U	2500 U	2500 U	2500 U	2500 U	25000 U	2500 U	2500 U	5000 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	
Phenanthrene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Phenol	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Pyrene	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	
Pyridine	2500 U	500 U	500 U	500 U	500 U	500 U	5000 U	500 U	500 U	1000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	

Table A-2

Soil Sample Analytical Results for TPH, SVOCs, and VOCs
Phase II ESA for California Dairies, Inc.
11709 East Artesia Boulevard, Artesia, California

Sample Location	B1	B1	B1	B2	B2	B2	B3	B3	B3	B4	B4	B4	B5	B5	B5	B6	B6	B6	
Sample Identification	B1-0.5	B1-2	B1-20	B2-0.5	B2-2	B2-15	B3-0.5	B3-2	B3-18	B4-0.5	B4-2	B4-15	B5-1	B5-2	B5-18	B6-05	B6-2	B6-18	
Sample Date	07/30/2020	07/30/2020	07/30/2020	07/30/2020	07/30/2020	07/30/2020	07/30/2020	07/30/2020	07/30/2020	07/31/2020	07/31/2020	07/31/2020	07/31/2020	07/31/2020	07/31/2020	07/31/2020	07/31/2020	07/31/2020	
Sample Depth	(0.5) ft BGS	(2) ft BGS	(20) ft BGS	(0.5) ft BGS	(2) ft BGS	(15) ft BGS	(0.5) ft BGS	(2) ft BGS	(18) ft BGS	(0.5) ft BGS	(2) ft BGS	(15) ft BGS	(1) ft BGS	(2) ft BGS	(18) ft BGS	(0.5) ft BGS	(2) ft BGS	(18) ft BGS	Tier 1 ESL
Volatile Organic Compounds (VOCs) by EPA Method 8260B																			
1,1,1,2-Tetrachloroethane	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
1,1,1-Trichloroethane	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
1,1,2,2-Tetrachloroethane	1.9 U	2.1 U	1.5 U	1.7 U	2.0 U	1.6 U	1.8 U	1.8 U	1.6 U	2.5 U	2.1 U	1.7 U	1.7 U	1.8 U	1.5 U	2.0 U	1.7 U	1.5 U	
1,1,2-Trichloroethane	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
1,1-Dichloroethane	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
1,1-Dichloroethene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
1,1-Dichloropropene	1.9 U	2.1 U	1.5 U	1.7 U	2.0 U	1.6 U	1.8 U	1.8 U	1.6 U	2.5 U	2.1 U	1.7 U	1.7 U	1.8 U	1.5 U	2.0 U	1.7 U	1.5 U	
1,2,3-Trichlorobenzene	1.9 U	2.1 U	1.5 U	1.7 U	2.0 U	1.6 U	1.8 U	1.8 U	1.6 U	2.5 U	2.1 U	1.7 U	1.7 U	1.8 U	1.5 U	2.0 U	1.7 U	1.5 U	
1,2,3-Trichloropropane	1.9 U	2.1 U	1.5 U	1.7 U	2.0 U	1.6 U	1.8 U	1.8 U	1.6 U	2.5 U	2.1 U	1.7 U	1.7 U	1.8 U	1.5 U	2.0 U	1.7 U	1.5 U	
1,2,4-Trichlorobenzene	1.9 U	2.1 U	1.5 U	1.7 U	2.0 U	1.6 U	1.8 U	1.8 U	1.6 U	2.5 U	2.1 U	1.7 U	1.7 U	1.8 U	1.5 U	2.0 U	1.7 U	1.5 U	
1,2,4-Trimethylbenzene	1.9 U	2.1 U	1.5 U	1.7 U	2.0 U	1.6 U	1.8 U	1.8 U	1.6 U	2.5 U	2.1 U	1.7 U	1.7 U	1.8 U	1.5 U	2.0 U	1.7 U	1.5 U	
1,2-Dibromo-3-chloropropane (DBCP)	9.3 U	11 U	7.5 U	8.6 U	10 U	7.8 U	8.9 U	9.1 U	8.1 U	12 U	11 U	8.7 U	8.3 U	9.0 U	7.5 U	10 U	8.5 U	7.7 U	
1,2-Dibromoethane (Ethylene dibromide)	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
1,2-Dichlorobenzene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
1,2-Dichloroethane	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
1,2-Dichloropropane	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
1,3,5-Trimethylbenzene	1.9 U	2.1 U	1.5 U	1.7 U	2.0 U	1.6 U	1.8 U	1.8 U	1.6 U	2.5 U	2.1 U	1.7 U	1.7 U	1.8 U	1.5 U	2.0 U	1.7 U	1.5 U	
1,3-Dichlorobenzene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
1,3-Dichloropropane	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
1,4-Dichlorobenzene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
2,2-Dichloropropane	4.7 U	5.3 U	3.8 U	4.3 U	5.0 U	3.9 U	4.5 U	4.6 U	4.0 U	6.1 U	5.3 U	4.4 U	4.1 U	4.5 U	3.7 U	5.1 U	4.3 U	3.9 U	
2-Butanone (Methyl ethyl ketone) (MEK)	19 U	21 U	15 U	17 U	20 U	16 U	18 U	18 U	16 U	25 U	21 U	17 U	17 U	18 U	15 U	20 U	17 U	15 U	
2-Chlorotoluene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
2-Hexanone	19 U	21 U	15 U	17 U	20 U	16 U	18 U	18 U	16 U	25 U	21 U	17 U	17 U	18 U	15 U	20 U	17 U	15 U	
2-Phenylbutane (sec-Butylbenzene)	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
4-Chlorotoluene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	19 U	21 U	15 U	17 U	20 U	16 U	18 U	18 U	16 U	25 U	21 U	17 U	17 U	18 U	15 U	20 U	17 U	15 U	
Acetone	**52**	**81**	38 U	**49**	**61**	39 U	45 U	46 U	40 U	61 U	53 U	44 U	**42**	45 U	37 U	51 U	**71**	39 U	920
Benzene	0.93 U	**5.8**	**1.3**	**1.3**	**3.2**	0.78 U	0.89 U	**3.8**	**0.98**	1.2 U	1.4	0.87 U	**1.6**	**2.5**	**3.0**	1.0 U	**3.4**	**3.5**	25
Bromobenzene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
Bromodichloromethane	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
Bromoform	4.7 U	5.3 U	3.8 U	4.3 U	5.0 U	3.9 U	4.5 U	4.6 U	4.0 U	6.1 U	5.3 U	4.4 U	4.1 U	4.5 U	3.7 U	5.1 U	4.3 U	3.9 U	
Bromomethane (Methyl bromide)	19 U	21 U	15 U	17 U	20 U	16 U	18 U	18 U	16 U	25 U	21 U	17 U	17 U	18 U	15 U	20 U	17 U	15 U	
Carbon disulfide	9.3 U	11 U	7.5 U	8.6 U	10 U	7.8 U	8.9 U	9.1 U	8.1 U	12 U	11 U	8.7 U	8.3 U	9.0 U	7.5 U	10 U	8.5 U	7.7 U	
Carbon tetrachloride	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
Chlorobenzene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
Chlorobromomethane	1.9 U	2.1 U	1.5 U	1.7 U	2.0 U	1.6 U	1.8 U	1.8 U	1.6 U	2.5 U	2.1 U	1.7 U	1.7 U	1.8 U	1.5 U	2.0 U	1.7 U	1.5 U	
Chloroethane	1.9 U	2.1 U	1.5 U	1.7 U	2.0 U	1.6 U	1.8 U	1.8 U	1.6 U	2.5 U	2.1 U	1.7 U	1.7 U	1.8 U	1.5 U	2.0 U	1.7 U	1.5 U	
Chloroform (Trichloromethane)	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
Chloromethane (Methyl chloride)	19 U	21 U	15 U	17 U	20 U	16 U	18 U	18 U	16 U	25 U	21 U	17 U	17 U	18 U	15 U	20 U	17 U	15 U	
cis-1,2-Dichloroethene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
cis-1,3-Dichloropropene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
Cymene (p-Isopropyltoluene)	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
Dibromochloromethane	1.9 U	2.1 U	1.5 U	1.7 U	2.0 U	1.6 U	1.8 U	1.8 U	1.6 U	2.5 U	2.1 U	1.7 U	1.7 U	1.8 U	1.5 U	2.0 U	1.7 U	1.5 U	
Dibromomethane	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
Dichlorodifluoromethane (CFC-12)	1.9 U	2.1 U	1.5 U	1.7 U	2.0 U	1.6 U	1.8 U	1.8 U	1.6 U	2.5 U	2.1 U	1.7 U	1.7 U	1.8 U	1.5 U	2.0 U	1.7 U	1.5 U	
Ethylbenzene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
Isopropyl benzene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	**1.1**	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	--
m&p-Xylenes	1.9 U	2.1 U	1.5 U	1.7 U	2.0 U	1.6 U	1.8 U	1.8 U	1.6 U	2.5 U	2.1 U	1.7 U	1.7 U	1.8 U	1.5 U	2.0 U	1.7 U	1.5 U	
Methyl tert butyl ether (MTBE)	1.9 U	2.1 U	1.5 U	1.7 U	2.0 U	1.6 U	1.8 U	1.8 U	1.6 U	2.5 U	2.1 U	1.7 U	1.7 U	1.8 U	1.5 U	2.0 U	1.7 U	1.5 U	
Methylene chloride	9.3 U	11 U	7.5 U	8.6 U	10 U	7.8 U	8.9 U	9.1 U	8.1 U	12 U	11 U	8.7 U	8.3 U	9.0 U	7.5 U	10 U	8.5 U	7.7 U	
Naphthalene	9.3 U	11 U	7.5 U	8.6 U	10 U	7.8 U	8.9 U	9.1 U	8.1 U	12 U	11 U	8.7 U	8.3 U	9.0 U	7.5 U	10 U	8.5 U	7.7 U	
N-Butylbenzene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
N-Propylbenzene	1.9 U	2.1 U	1.5 U	1.7 U	2.0 U	1.6 U	1.8 U	1.8 U	1.6 U	2.5 U	2.1 U	1.7 U	1.7 U	1.8 U	1.5 U	2.0 U	1.7 U	1.5 U	
o-Xylene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
Styrene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
tert-Butylbenzene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
Tetrachloroethene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
Toluene	0.93 U	**2.9**	**1.1**	0.86 U	**1.7**	0.78 U	0.89 U	**1.4**	0.81 U	1.2 U	1.1 U	0.87 U	**2.0**	**1.8**	**2.2**	1.0 U	**1.9**	**2.0**	3,200
trans-1,2-Dichloroethene	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	
trans-1,3-Dichloropropene	1.9 U	2.1 U	1.5 U	1.7 U	2.0 U	1.6 U	1.8 U	1.8 U	1.6 U	2.5 U	2.1 U	1.7 U	1.7 U	1.8 U	1.5 U	2.0 U	1.7 U	1.5 U	
Trichloroethene	1.9 U	2.1 U	1.5 U	1.7 U	2.0 U	1.6 U	1.8 U	1.8 U	1.6 U	2.5 U	2.1 U	1.7 U	1.7 U	1.8 U	1.5 U	2.0 U	1.7 U	1.5 U	
Trichlorofluoromethane (CFC-11)	9.3 U	11 U	7.5 U	8.6 U	10 U	7.8 U	8.9 U	9.1 U	8.1 U	12 U	11 U	8.7 U	8.3 U	9.0 U	7.5 U	10 U	8.5 U	7.7 U	
Trifluorotrichloroethane (CFC-113)	9.3 U	11 U	7.5 U	8.6 U	10 U	7.8 U	8.9 U	9.1 U	8.1 U	12 U	11 U	8.7 U	8.3 U	9.0 U	7.5 U	10 U	8.5 U	7.7 U	
Vinyl acetate	9.3 U	11 U	7.5 U	8.6 U	10 U	7.8 U	8.9 U	9.1 U	8.1 U	12 U	11 U	8.7 U	8.3 U	9.0 U	7.5 U	10 U	8.5 U	7.7 U	
Vinyl chloride	0.93 U	1.1 U	0.75 U	0.86 U	1.0 U	0.78 U	0.89 U	0.91 U	0.81 U	1.2 U	1.1 U	0.87 U	0.83 U	0.90 U	0.75 U	1.0 U	0.85 U	0.77 U	

Notes:

U - Not detected at the associated reporting limit.
Values are reported in micrograms per kilogram.
ft BGS - feet below ground surface
EPA - Environmental Protection Agency
Tier 1 ESL - San Francisco Bay Regional Water Quality Control Board Tier 1 Environmental Screening Level
Detections are **bolded.**

Table A-3

Soil Sample Analytical Results for Metals
Phase II ESA for California Dairies, Inc.
11709 Artesia Boulevard, Artesia, California

Sample Location	**B1**	**B1**	**B1**	**B2**	**B2**	**B2**	**B3**	**B3**	**B3**	**B4**	**B4**	**B4**	**B5**	**B5**	**B5**	**B6**	**B6**	**B6**	
Sample Identification	**B1-0.5**	**B1-2**	**B1-20**	**B2-0.5**	**B2-2**	**B2-15**	**B3-0.5**	**B3-2**	**B3-18**	**B4-0.5**	**B4-2**	**B4-15**	**B5-1**	**B5-2**	**B5-18**	**B6-05**	**B6-2**	**B6-18**	
Sample Date	**07/30/2020**	**07/30/2020**	**07/30/2020**	**07/30/2020**	**07/30/2020**	**07/30/2020**	**07/30/2020**	**07/30/2020**	**07/30/2020**	**07/31/2020**	**07/31/2020**	**07/31/2020**	**07/31/2020**	**07/31/2020**	**07/31/2020**	**07/31/2020**	**07/31/2020**	**07/31/2020**	
Sample Depth	**(0.5) ft BGS**	**(2) ft BGS**	**(20) ft BGS**	**(0.5) ft BGS**	**(2) ft BGS**	**(15) ft BGS**	**(0.5) ft BGS**	**(2) ft BGS**	**(18) ft BGS**	**(0.5) ft BGS**	**(2) ft BGS**	**(15) ft BGS**	**(1) ft BGS**	**(2) ft BGS**	**(18) ft BGS**	**(0.5) ft BGS**	**(2) ft BGS**	**(18) ft BGS**	**Tier 1 ESL**
Antimony	754 U	732 U	732 U	746 U	728 U	715 U	765 U	773 U	769 U	725 U	732 U	739 U	777 U	765 U	765 U	758 U	735 U	732 U	
Arsenic	**7,850**	**4,070**	**1,440**	**3,620**	**2,960**	**5,730**	**3,920**	**7,200**	**2,000**	**5,710**	**5,630**	**1,260**	**4,280**	**8,640**	**2,210**	**1,750**	**5,380**	**1,670**	67
Barium	**81,300**	**177,000**	**158,000**	**138,000**	**122,000**	**103,000**	**75,900**	**184,000**	**74,100**	**119,000**	**125,000**	**56,000**	**159,000**	**197,000**	**122,000**	**64,000**	**181,000**	**141,000**	390,000
Beryllium	251 U	**713**	**676**	**535**	**531**	**494**	**340**	**779**	**299**	**483**	**524**	**264**	**723**	**806**	**460**	**434**	**781**	**590**	5,000
Cadmium	503 U	488 U	488 U	498 U	485 U	477 U	510 U	515 U	513 U	483 U	488 U	493 U	518 U	510 U	510 U	505 U	490 U	488 U	
Chromium	**8,580**	**22,200**	**19,600**	**15,400**	**17,100**	**14,700**	**8,390**	**22,900**	**10,100**	**15,100**	**15,300**	**8,030**	**21,200**	**24,300**	**14,600**	**5,970**	**23,000**	**19,200**	160,000
Cobalt	**3,490**	**11,400**	**10,600**	**8,370**	**8,950**	**8,370**	**4,850**	**12,200**	**5,640**	**7,960**	**8,240**	**4,980**	**9,820**	**12,400**	**8,080**	**2,560**	**11,700**	**9,470**	23,000
Copper	**11,000**	**31,000**	**28,200**	**23,200**	**22,000**	**18,500**	**13,200**	**32,700**	**10,400**	**18,800**	**22,000**	**8,390**	**29,000**	**35,200**	**17,000**	**2,730**	**39,600**	**23,200**	180,000
Lead	**17,900**	**5,100**	**4,060**	**57,800**	**20,400**	**1,850**	**39,200**	**5,020**	**1,030**	**4,400**	**5,720**	**758**	**9,900**	**4,410**	**2,450**	**1,880**	**6,290**	**2,860**	32,000
Mercury	**108**	**103**	83.3 U	80.6 U	84.7 U	82 U	**142**	**106**	84.7 U	86.2 U	**110**	80.6 U	82 U	165	86.2 U	84.7 U	83.3 U	80.6 U	13,000
Molybdenum	251 U	244 U	244 U	249 U	243 U	238 U	255 U	258 U	256 U	242 U	244 U	246 U	259 U	255 U	255 U	**758**	245 U	244 U	
Nickel	**6,200**	**18,100**	**16,600**	**13,300**	**14,900**	**12,400**	**8,170**	**19,200**	**7,970**	**12,800**	**12,800**	**7,130**	**15,600**	**19,200**	**12,900**	**3,660**	**18,500**	**14,800**	86,000
Selenium	754 U	732 U	732 U	746 U	728 U	715 U	765 U	773 U	769 U	725 U	732 U	739 U	777 U	765 U	765 U	758 U	735 U	732 U	
Silver	**508**	244 U	244 U	249 U	243 U	238 U	255 U	258 U	256 U	242 U	244 U	246 U	259 U	255 U	255 U	253 U	245 U	244 U	
Thallium	754 U	732 U	732 U	746 U	728 U	715 U	765 U	773 U	769 U	725 U	732 U	739 U	777 U	765 U	765 U	758 U	735 U	732 U	
Vanadium	**13,900**	**37,800**	**36,200**	**27,900**	**32,800**	**29,200**	**18,300**	**44,100**	**18,700**	**28,000**	**30,300**	**17,200**	**39,000**	**47,700**	**28,400**	**18,000**	**39,700**	**35,000**	18,000
Zinc	**29,500**	**58,300**	**47,100**	**61,000**	**56,100**	**36,200**	**42,500**	**55,600**	**26,400**	**41,100**	**50,600**	**23,100**	**64,900**	**53,900**	**36,600**	**13,400**	**66,300**	**42,600**	340,000

Notes:

U - Not detected at the associated reporting limit.
Values are reported in micrograms per kilogram.
ft BGS - feet below ground surface
Metals Analysis by EPA Method 6010B except mercury, by EPA Method 7471A
EPA - Environmental Protection Agency
Tier 1 ESL - San Francisco Bay Regional Water Quality Control Board Tier 1 Environmental Screening Level
Detections are **bolded**.

Table A-4

Groundwater Analytical Results for TPH, SVOCs, and VOCs
Phase II ESA for California Dairies, Inc.
11709 Artesia Boulevard, Artesia, California

Sample Location	**B1**	**B2**	**B3**	**B4**	**B5**	**B6**
Sample Identification	**B1**	**B2**	**B3**	**B4**	**B5**	**B6**
Sample Date	**07/30/2020**	**07/30/2020**	**07/30/2020**	**07/31/2020**	**07/31/2020**	**07/31/2020**
Total Petroleum Hydrocarbons (TPH) by EPA Method 8015B						
Total Petroleum Hydrocarbons (C10-C28) DRO	46 U	47 U	--	--	--	--
Total Petroleum Hydrocarbons (C17-C44) Motor Oil	230 U	240 U	--	--	--	--
Total Petroleum Hydrocarbons (C4-C12) GRO	50 U	50 U	--	--	--	--
Semi-Volatile Organic Compounds (SVOCs) by EPA Method 8270C						
1,2,4-Trichlorobenzene	10 U	10 U	10 U	11 U	11 U	9.8 U
1,2-Dichlorobenzene	10 U	10 U	10 U	11 U	11 U	9.8 U
1,3-Dichlorobenzene	10 U	10 U	10 U	11 U	11 U	9.8 U
1,4-Dichlorobenzene	10 U	10 U	10 U	11 U	11 U	9.8 U
1-Methylnaphthalene	10 U	10 U	10 U	11 U	11 U	9.8 U
2,2'-Oxybis(1-chloropropane) (bis(2-Chloroisopropyl) ether)	10 U	10 U	10 U	11 U	11 U	9.8 U
2,4,5-Trichlorophenol	10 U	10 U	10 U	11 U	11 U	9.8 U
2,4,6-Trichlorophenol	10 U	10 U	10 U	11 U	11 U	9.8 U
2,4-Dichlorophenol	10 U	10 U	10 U	11 U	11 U	9.8 U
2,4-Dimethylphenol	10 U	10 U	10 U	11 U	11 U	9.8 U
2,4-Dinitrophenol	50 U	51 U	51 U	54 U	54 U	49 U
2,4-Dinitrotoluene	10 U	10 U	10 U	11 U	11 U	9.8 U
2,6-Dichlorophenol	10 U	10 U	10 U	11 U	11 U	9.8 U
2,6-Dinitrotoluene	10 U	10 U	10 U	11 U	11 U	9.8 U
2-Chloronaphthalene	10 U	10 U	10 U	11 U	11 U	9.8 U
2-Chlorophenol	10 U	10 U	10 U	11 U	11 U	9.8 U
2-Methylnaphthalene	10 U	10 U	10 U	11 U	11 U	9.8 U
2-Methylphenol	10 U	10 U	10 U	11 U	11 U	9.8 U
2-Nitroaniline	10 U	10 U	10 U	11 U	11 U	9.8 U
2-Nitrophenol	10 U	10 U	10 U	11 U	11 U	9.8 U
3&4-Methylphenol	10 U	10 U	10 U	11 U	11 U	9.8 U
3,3'-Dichlorobenzidine	25 U	26 U	25 U	27 U	27 U	25 U
3-Nitroaniline	10 U	10 U	10 U	11 U	11 U	9.8 U
4,6-Dinitro-2-methylphenol	50 U	51 U	51 U	54 U	54 U	49 U
4-Bromophenyl phenyl ether	10 U	10 U	10 U	11 U	11 U	9.8 U
4-Chloro-3-methylphenol	10 U	10 U	10 U	11 U	11 U	9.8 U
4-Chloroaniline	10 U	10 U	10 U	11 U	11 U	9.8 U
4-Chlorophenyl phenyl ether	10 U	10 U	10 U	11 U	11 U	9.8 U
4-Nitroaniline	10 U	10 U	10 U	11 U	11 U	9.8 U
4-Nitrophenol	10 U	10 U	10 U	11 U	11 U	9.8 U
Acenaphthene	10 U	10 U	10 U	11 U	11 U	9.8 U
Acenaphthylene	10 U	10 U	10 U	11 U	11 U	9.8 U
Aniline	10 U	10 U	10 U	11 U	11 U	9.8 U
Anthracene	10 U	10 U	10 U	11 U	11 U	9.8 U
Azobenzene	10 U	10 U	10 U	11 U	11 U	9.8 U
Benzidine	50 U	51 U	51 U	54 U	54 U	49 U
Benzo(a)anthracene	10 U	10 U	10 U	11 U	11 U	9.8 U
Benzo(a)pyrene	10 U	10 U	10 U	11 U	11 U	9.8 U
Benzo(b)fluoranthene	10 U	10 U	10 U	11 U	11 U	9.8 U
Benzo(g,h,i)perylene	10 U	10 U	10 U	11 U	11 U	9.8 U
Benzo(k)fluoranthene	10 U	10 U	10 U	11 U	11 U	9.8 U
Benzoic acid	50 U	51 U	51 U	54 U	54 U	49 U
Benzyl alcohol	10 U	10 U	10 U	11 U	11 U	9.8 U
bis(2-Chloroethoxy)methane	10 U	10 U	10 U	11 U	11 U	9.8 U
bis(2-Chloroethyl)ether	25 U	26 U	25 U	27 U	27 U	25 U
bis(2-Ethylhexyl)phthalate (DEHP)	10 U	10 U	10 U	11 U	11 U	9.8 U
Butyl benzylphthalate (BBP)	10 U	10 U	10 U	11 U	11 U	9.8 U
Chrysene	10 U	10 U	10 U	11 U	11 U	9.8 U
Dibenz(a,h)anthracene	10 U	10 U	10 U	11 U	11 U	9.8 U
Dibenzofuran	10 U	10 U	10 U	11 U	11 U	9.8 U
Diethyl phthalate	10 U	10 U	10 U	11 U	11 U	9.8 U
Dimethyl phthalate	10 U	10 U	10 U	11 U	11 U	9.8 U
Di-n-butylphthalate (DBP)	10 U	10 U	10 U	11 U	11 U	9.8 U
Di-n-octyl phthalate (DnOP)	10 U	10 U	10 U	11 U	11 U	9.8 U
Fluoranthene	10 U	10 U	10 U	11 U	11 U	9.8 U
Fluorene	10 U	10 U	10 U	11 U	11 U	9.8 U
Hexachlorobenzene	10 U	10 U	10 U	11 U	11 U	9.8 U
Hexachlorobutadiene	10 U	10 U	10 U	11 U	11 U	9.8 U
Hexachlorocyclopentadiene	25 U	26 U	25 U	27 U	27 U	25 U
Hexachloroethane	10 U	10 U	10 U	11 U	11 U	9.8 U
Indeno(1,2,3-cd)pyrene	10 U	10 U	10 U	11 U	11 U	9.8 U
Isophorone	10 U	10 U	10 U	11 U	11 U	9.8 U
Naphthalene	10 U	10 U	10 U	11 U	11 U	9.8 U
Nitrobenzene	25 U	26 U	25 U	27 U	27 U	25 U
N-Nitrosodimethylamine	10 U	10 U	10 U	11 U	11 U	9.8 U
N-Nitrosodi-n-propylamine	10 U	10 U	10 U	11 U	11 U	9.8 U
N-Nitrosodiphenylamine	10 U	10 U	10 U	11 U	11 U	9.8 U
Pentachlorophenol	10 U	10 U	10 U	11 U	11 U	9.8 U
Phenanthrene	10 U	10 U	10 U	11 U	11 U	9.8 U
Phenol	10 U	10 U	10 U	11 U	11 U	9.8 U
Pyrene	10 U	10 U	10 U	11 U	11 U	9.8 U
Pyridine	10 U	10 U	10 U	11 U	11 U	9.8 U

Table A-4

Groundwater Analytical Results for TPH, SVOCs, and VOCs
Phase II ESA for California Dairies, Inc.
11709 Artesia Boulevard, Artesia, California

Sample Location	**B1**	**B2**	**B3**	**B4**	**B5**	**B6**
Sample Identification	**B1**	**B2**	**B3**	**B4**	**B5**	**B6**
Sample Date	**07/30/2020**	**07/30/2020**	**07/30/2020**	**07/31/2020**	**07/31/2020**	**07/31/2020**
Volatile Organic Compounds (VOCs) by EPA Method 8260B						
1,1,1,2-Tetrachloroethane	2.0 U	4.0 U	2.0 U	2.0 U	4.0 U	2.0 U
1,1,1-Trichloroethane	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,1,2,2-Tetrachloroethane	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,1,2-Trichloroethane	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,1-Dichloroethane	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,1-Dichloroethene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,1-Dichloropropene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,2,3-Trichlorobenzene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,2,3-Trichloropropane	5.0 U	10 U	5.0 U	5.0 U	10 U	5.0 U
1,2,4-Trichlorobenzene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,2,4-Trimethylbenzene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,2-Dibromo-3-chloropropane (DBCP)	10 U	20 U	10 U	10 U	20 U	10 U
1,2-Dibromoethane (Ethylene dibromide)	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,2-Dichlorobenzene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,2-Dichloroethane	0.50 U	1.0 U	0.50 U	0.50 U	1.0 U	0.50 U
1,2-Dichloropropane	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,3,5-Trimethylbenzene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,3-Dichlorobenzene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,3-Dichloropropane	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
1,4-Dichlorobenzene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
2,2-Dichloropropane	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
2-Butanone (Methyl ethyl ketone) (MEK)	20 U	40 U	20 U	20 U	40 U	20 U
2-Chlorotoluene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
2-Hexanone	10 U	20 U	10 U	10 U	20 U	10 U
2-Phenylbutane (sec-Butylbenzene)	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
4-Chlorotoluene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	10 U	20 U	10 U	10 U	20 U	10 U
Acetone	20 U	40 U	20 U	20 U	40 U	20 U
Benzene	0.50 U	1.0 U	0.50 U	0.50 U	1.0 U	0.50 U
Bromobenzene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Bromodichloromethane	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Bromoform	5.0 U	10 U	5.0 U	5.0 U	10 U	5.0 U
Bromomethane (Methyl bromide)	50 U	100 U	50 U	50 U	100 U	50 U
Carbon disulfide	10 U	20 U	10 U	10 U	20 U	10 U
Carbon tetrachloride	0.50 U	1.0 U	0.50 U	0.50 U	1.0 U	0.50 U
Chlorobenzene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Chlorobromomethane	2.0 U	4.0 U	2.0 U	2.0 U	4.0 U	2.0 U
Chloroethane	5.0 U	10 U	5.0 U	5.0 U	10 U	5.0 U
Chloroform (Trichloromethane)	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Chloromethane (Methyl chloride)	10 U	20 U	10 U	10 U	20 U	10 U
cis-1,2-Dichloroethene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
cis-1,3-Dichloropropene	0.50 U	1.0 U	0.50 U	0.50 U	1.0 U	0.50 U
Cymene (p-Isopropyltoluene)	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Dibromochloromethane	2.0 U	4.0 U	2.0 U	2.0 U	4.0 U	2.0 U
Dibromomethane	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Dichlorodifluoromethane (CFC-12)	5.0 U	10 U	5.0 U	5.0 U	10 U	5.0 U
Ethylbenzene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Isopropyl benzene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
m&p-Xylenes	2.0 U	4.0 U	2.0 U	2.0 U	4.0 U	2.0 U
Methyl tert butyl ether (MTBE)	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Methylene chloride	10 U	20 U	10 U	10 U	20 U	10 U
Naphthalene	10 U	20 U	10 U	10 U	20 U	10 U
N-Butylbenzene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
N-Propylbenzene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
o-Xylene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Styrene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
tert-Butylbenzene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Tetrachloroethene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Toluene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
trans-1,2-Dichloroethene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
trans-1,3-Dichloropropene	0.50 U	1.0 U	0.50 U	0.50 U	1.0 U	0.50 U
Trichloroethene	1.0 U	2.0 U	1.0 U	1.0 U	2.0 U	1.0 U
Trichlorofluoromethane (CFC-11)	10 U	20 U	10 U	10 U	20 U	10 U
Trifluorotrichloroethane (CFC-113)	10 U	20 U	10 U	10 U	20 U	10 U
Vinyl acetate	10 U	20 U	10 U	10 U	20 U	10 U
Vinyl chloride	0.50 U	1.0 U	0.50 U	0.50 U	1.0 U	0.50 U

Notes:

U - Not detected at the associated reporting limit.
Values are reported in micrograms per Liter.
EPA - Environmental Protection Agency

Table A-5

Groundwater Sample Analytical Results for Metals and Nitrogen Compounds
Phase II ESA for California Dairies, Inc.
11709 East Artesia Boulevard, Artesia, California

Sample Location	**B1**	**B2**	**B3**	**B4**	**B5**	**B6**		
Sample Identification	**B1**	**B2**	**B3**	**B4**	**B5**	**B6**		
Sample Date	**07/30/2020**	**07/30/2020**	**07/30/2020**	**07/31/2020**	**07/31/2020**	**07/31/2020**	**EPA MCL**	**CA MCL**
Metals								
Antimony	100 U	100 U	100 U	100 U	100 U	100 U		
Arsenic	100 U	100 U	100 U	100 U	100 U	100 U		
Barium	**162**	**161**	**125**	**537**	**706**	**211**	2,000	1,000
Beryllium	10 U	10 U	10 U	10 U	10 U	10 U		
Cadmium	10 U	10 U	10 U	10 U	10 U	10 U		
Chromium	50 U	50 U	50 U	50 U	50 U	50 U		
Cobalt	50 U	50 U	50 U	50 U	50 U	50 U		
Copper	50 U	50 U	50 U	50 U	50 U	50 U		
Lead	50 U	50 U	50 U	50 U	50 U	50 U		
Mercury	0.5 U	**3.31**	**2.71**	**2.86**	**1.34**	0.5 U	2	2
Molybdenum	50 U	50 U	50 U	50 U	50 U	50 U		
Nickel	50 U	50 U	50 U	50 U	**57.4**	50 U	--	100
Selenium	100 U	100 U	100 U	100 U	100 U	100 U		
Silver	10 U	10 U	10 U	10 U	10 U	10 U		
Thallium	50 U	50 U	50 U	50 U	50 U	50 U		
Vanadium	**13.3**	10 U	**13.1**	10 U	**76**	**12.5**	--	--
Zinc	250 U	250 U	250 U	250 U	250 U	250 U		
General Chemistry								
Ammonia-N	**117**	**269**	**162**	**648**	**575**	**536**	--	--
Nitrate (as N)	**120**	**9,400**	**4,500**	100 U	100 U	470	1,000	45,000 (as NO_3)
Nitrite (as N)	100 U	100 U	100 U	100 U	100 U	100 U		

Notes:

U - Not detected at the associated reporting limit.
Values are reported in micrograms per Liter.
Metals analysis by EPA Method 6010B except mercury, by EPA Method 7471A
Ammonia analysis by EPA Method 350.1
Nitrate and Nitrite analysis by EPA Method 300.0
N - Nitrogen
MCL - Maximum Contaminant Level
EPA - U.S. Environmental Protection Agency
CA - California
Detections are **bolded.**

Appendix D

Preliminary Hydrology Study

PRELIMINARY HYDROLOGY STUDY

VTTM NO. 83834
11709 Artesia Boulevard
City of Artesia, County of Los Angeles

Project Address:
11709 Artesia Boulevard
Artesia, CA 90701

Prepared For:

G3 Urban
15235 S. Western Avenue
Gardena, CA 90249
Contact: Mitchell Gardner

Prepared By:

C&V Consulting, Inc.
9830 Irvine Center Drive
Irvine, CA 92618
Contact: Ryan Bittner, P.E.

June 2022

Preliminary Hydrology Study
For
Vesting Tentative Tract Map No. 83834

Acknowledgement and Signature Page

This Preliminary Hydrology Study was prepared by C&V Consulting, Inc. under the supervision of Ryan Bittner, P.E.

Ryan Bittner, P.E. 68167
C&V Consulting, Inc.

6/10/2022
Date

TABLE OF CONTENTS

I. PURPOSE 1
II. SITE DESCRIPTION 1
III. METHODOLOGY 2
IV. DESIGN ASSUMPTION 2
V. HYDROLOGY CALCULATION 3
Hydrology Summary 3
Detention Sizing 4
VI. HYDRAULIC CALCULATION 5
Pipe Sizing 5
Catch Basin Inlet Sizing 5
100-Year Water Surface Elevation (WSE) 5
VII. CONCLUSION 6
VIII. REFERENCES 6

APPENDICES

APPENDIX A VICINITY MAP
APPENDIX B LOS ALAMITOS ISOHYET MAP
APPENDIX C HYDROCALC OUTPUTS
Existing Conditions
Proposed Conditions
Detention Routing Analysis
APPENDIX D PRELIMINARY EXISTING CONDITIONS HYDROLOGY MAP
APPENDIX E PRELIMINARY PROPOSED CONDITIONS HYDROLOGY MAP
APPENDIX F HYDRAULIC CALCULATION
APPENDIX G REFERENCES

I. Purpose

The purpose of this report is to provide quantitative information to verify the design of the storm drain infrastructure and hydrologic methodology of the project site. The values and statements within the confirm the subject site is designed and planned in accordance with the Los Angeles County Hydrology Manual and the City of Artesia drainage requirements.

II. Site Description

The proposed project site consists of several existing lots that forms a rectangular shape area with a gross area of 4.99 acre and the proposed improvement of the project comprises of an area of 3.30 acre. It is located at 11709 Artesia Boulevard, in the City of Artesia (APN:7035-016-064). The site is bounded by Flallon Avenue to the west, Alburtis Avenue to the east, Artesia Boulevard to the south, and an industrial building to the north.

The existing conditions of the project site consist of a vacant lot. The entire site is completely paved with no landscaping on site per geospatial images which is assumed to have a negligible pervious area coverage.

The existing drainage of the project site generally surface flows southerly to confluence with the street flows to the existing catch basins at the public right of way adjacent to the site near the corner of Artesia Boulevard and Flallon Avenue. There is an existing drainage inlet near the center of the site that collects a portion of the center of the site. As the portion of the site that collects flow are generally flat and the low point ponds to slope towards the Fallon Avenue, the site is analyzed as a single drainage area that is tributary to the downstream system.

The project proposes the construction of 16 residential buildings with 80 attached condominiums with private garages, private drive aisles, sidewalks, and common landscaped areas. The project site will be accessible with entrances/ exits along Flallon Avenue and Alburtis Avenue. The proposed site is separated into nine (9) drainage areas where each tributary area's runoff enters the proposed inlet near each entrance of the site. The proposed catch basin inlets and grated inlets collect the proposed site's generated runoff to be routed to an underground detention system that feeds into a bio-filtration system via pump station for water quality treatment. The treated flow will be pumped to a parkway culvert and be routed to the downstream system following existing drainage pattern. When the underground detention is at full capacity, the confluence of the flows will be mitigated to the proposed overflow parkway culvert through the interconnected storm drain system. The public streets, which will not be a part of this hydrological analysis are to be remain in-kind to preserve the historical drainage pattern.

In cases of higher storm event, the site is graded to outlet overflow at the entrances of the site towards Flallon Avenue and Alburtis Avenue after the detention fills up and storm runoff bubbles out from the inlets of the site. The runoff will then continue along the street flow downstream following existing conditions.

According to the federal Emergency Management Agency (FEMA) FIRM rate map number 06037C1980F, effective date September 26, 2008, the site is located within flood Zone X, area with reduced flood risk due to levee.

A separately preliminary LID plan is prepared to address the Los Angeles County storm water quality requirements.

A separately preliminary LID plan is prepared to address the Los Angeles County storm water quality requirements.

Refer to Vicinity Map in Appendix A for site location.

III. Methodology

The project site's drainage was analyzed per the Los Angeles County Hydrology Manual. The existing and proposed conditions of the site were analyzed for peak flow rate and time of concentration for the 25- and 100- storm events based on acreage and land cover per LACDPW HydroCalc program.

IV. Design Assumption

1. The LACDPW HydroCalc Calculator Program was used to determine Tc, Peak run-off flow rate, and run-off volume for subarea based on the longest flow path and elevation difference.
2. The Property is located in the "Los Alamitos" rainfall region per Figure 1.H1.6 of the Hydrology Manual. A depth of 5.5 inches of rainfall was determined from the 50-year storm 24-hour isohyet map.
3. The site is in the soil classification of "006" per Figure 1.H1.6 of the Hydrology Manual.
4. Existing condition is assumed to be a value of 100% impervious based on geospatial observation of google earth images.
5. Proposed condition is assumed to be approximately 86% impervious base on the recommended values of Medium-Rise Apartments, Condominiums per Hydrology Manual.
6. Proposed storm drains will be sized to convey the 25-year storm per urban flood requirement.
7. No direct connections to the public storm drain are proposed. Therefore, proposed peak flow mitigation will governed by the existing peak flows.

V. Hydrology Calculation

A summary of the project site's existing and proposed conditions peak runoff values generated from the project site has been provided below.

Hydrology Summary

Generated runoff peak flowrate summary:

Pre-Development Conditions	Area (ac)	Q_{25} (cfs)	Q_{100} (cfs)
DMA-XA	3.30	6.86	10.04

Post-Development Conditions	Area (ac)	Q_{25} (cfs)	Q_{100} (cfs)
DMA-A-1	0.41	1.05	1.35
DMA-A-2	0.31	0.79	1.02
DMA-A-3	0.39	1.00	1.29
DMA-A-4	0.29	0.74	0.96
DMA-A-5	0.28	0.72	0.92
DMA-A-6	0.36	0.92	1.19
DMA-A-7	0.21	0.54	0.69
DMA-A-8	0.69	1.78	2.28
DMA-A-9	0.36	0.93	1.19
Total	3.30	8.47	10.89

Mitigated drainage summary:

	Area (ac)	Q_{25} (cfs)
Pre-Development Conditions Drainage	3.30	6.86
Post-Development Conditions Drainage	3.30	5.56

Q25 Percent Difference	-19.0%

Refer to Appendix C, D, & E of this report for additional information and LACDPW HydroCalc output data, as well as the pre- and post-development hydrology maps.

Detention Sizing

Detention volume calculation was verified that the proposed drainage mitigates to 25-year storm event pre-development peak flowrate as well as detained per water quality treatment volume requirement. Refer to summary of detention sizing below:

	Area (ac)	Q_{25} generated Runoff Volume (cu-ft)
Pre-Development Conditions Drainage	3.30	51,631.7
Post-Development Conditions Drainage	3.30	47,516.5
Pre. vs Post. Difference		-4,115.2

	Area (ac)	Pre- vs. Post Q_{25} Hydrograph Difference (cu-ft)	Required Water Quality Treatment Volume (cu-ft)	Proposed Underground Detention Volume (cu-ft)
Proposed Project Site	3.30	-4,115.2	12,712.8	13,095.0

Refer to separate prepared LID for additional information on water quality treatment volume.

VI. Hydraulic Calculation

Pipe Sizing

Onsite storm drain piping will be sized for the 25-year storm event and will be analyzed based on open channel flow. Therefore, WSPG hydraulic pressure analysis is not warranted.

$Q = \frac{k'}{n} d^{8/3} S^{1/2}$ per King's Handbook

k' = 0.463

d = pipe diameter

n=0.013*

S=0.005

Pipe Diameter	Max. Q (cfs)
8"	0.854
12"	2.518
15"	4.566
18"	7.425
24"	15.991
36"	47.146

n=0.013*

S=0.010

Pipe Diameter	Max. Q (cfs)
8"	1.208
12"	3.562
15"	6.457
18"	10.501
24"	22.614
36"	66.675

*A Manning's Roughness Coefficient of 0.013 has been utilized to represent the roughness coefficient of PVC and/or HDPE piping.

Catch Basin Inlet Sizing

Catch Basin inlet sizing will be sized based on the 25-year storm event to conform with LACDPW Hydrology urban flood street capacity and will be provided during final engineering.

100-Year Water Surface Elevation (WSE)

The elevation of the 100-year water surface will be analyzed during final engineering. Building finished floors will be set at a minimum of at least 1 foot above the 100-year WSE.

VII. Conclusion

The result from this hydrology study demonstrate that the overall proposed development condition will generate a higher peak runoff flowrate but a lower runoff volume than the existing condition of the site. Detention/ Routing analysis demonstrated that the 25-year storm mitigated runoff peak flow will be lower than existing conditions, which will also satisfy water quality treatment requirements. During final engineering, pervious area is to be verify with final landscape plan to confirm the water quality treatment detention volume and water quality flow rate with the routing analysis.

In cases of higher storm event, the site is graded to outlet overflow at the entrances of the site towards Flallon Avenue and Alburtis Avenue after the detention fills up and storm runoff bubbles out from the inlets of the site. The runoff will then continue along the street flow downstream following existing conditions.

VIII. References

1. Los Angeles County Department of Public Works (LACDPW) Hydrology Manual, January 2006.
2. LACDPW HydroCalc Program was utilized to determine flow rates and time of concentrations.
3. Existing and Proposed Conditions Hydrology Maps, prepared by C&V Consulting, Inc.
4. KING, HORACE WILLIAMS HANDBOOK OF HYDRAULICS: for the Solution of Hydraulic Problems (Classic Reprint). FORGOTTEN Books, 2015

APPENDIX A

Vicinity Map



VICINITY MAP
N.T.S.

11709 ARTESIA BOULEVARD

ARTESIA, CALIFORNIA

APPENDIX B

Los Alamitos Isohyet Map



N
W E
S

016 SOIL CLASSIFICATION AREA

7.2 INCHES OF RAINFALL

DPA - 6 DEBRIS POTENTIAL AREA

1 0 1 2 Miles

25-YEAR 24-HOUR ISOHYET REDUCTION FACTOR: 0.878
10-YEAR 24-HOUR ISOHYET REDUCTION FACTOR: 0.714

LOS ALAMITOS
50-YEAR 24-HOUR ISOHYET

1-H1.6

LOS ANGELES COUNTY PUBLIC WORKS
Public Service That Works

APPENDIX C

HydroCalc Outputs

Existing Conditions

Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/GTHR-006 - DMA-XA_25-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-XA
Area (ac)	3.3
Flow Path Length (ft)	390.0
Flow Path Slope (vft/hft)	0.0051
50-yr Rainfall Depth (in)	5.5
Percent Impervious	1.0
Soil Type	6
Design Storm Frequency	25-yr
Fire Factor	0
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	4.829
Peak Intensity (in/hr)	2.3101
Undeveloped Runoff Coefficient (Cu)	0.7663
Developed Runoff Coefficient (Cd)	0.9
Time of Concentration (min)	8.0
Clear Peak Flow Rate (cfs)	6.8609
Burned Peak Flow Rate (cfs)	6.8609
24-Hr Clear Runoff Volume (ac-ft)	1.1853
24-Hr Clear Runoff Volume (cu-ft)	51631.7095



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/GTHR-006 - DMA-XA_100-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-XA
Area (ac)	3.3
Flow Path Length (ft)	390.0
Flow Path Slope (vft/hft)	0.0051
50-yr Rainfall Depth (in)	5.5
Percent Impervious	1.0
Soil Type	6
Design Storm Frequency	100-yr
Fire Factor	0
LID	False

Output Results

Modeled (100-yr) Rainfall Depth (in)	6.171
Peak Intensity (in/hr)	3.3794
Undeveloped Runoff Coefficient (Cu)	0.8489
Developed Runoff Coefficient (Cd)	0.9
Time of Concentration (min)	6.0
Clear Peak Flow Rate (cfs)	10.0369
Burned Peak Flow Rate (cfs)	10.0369
24-Hr Clear Runoff Volume (ac-ft)	1.5147
24-Hr Clear Runoff Volume (cu-ft)	65980.3618



Proposed Conditions

Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-1/GTHR-006 - DMA-A-1_25-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-1
Area (ac)	0.41
Flow Path Length (ft)	123.0
Flow Path Slope (vft/hft)	0.0073
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.83
Soil Type	6
Design Storm Frequency	25-yr
Fire Factor	0
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	4.829
Peak Intensity (in/hr)	2.8811
Undeveloped Runoff Coefficient (Cu)	0.8139
Developed Runoff Coefficient (Cd)	0.8854
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	1.0458
Burned Peak Flow Rate (cfs)	1.0458
24-Hr Clear Runoff Volume (ac-ft)	0.1275
24-Hr Clear Runoff Volume (cu-ft)	5555.3071



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-2/GTHR-006 - DMA-A-2_25-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-2
Area (ac)	0.31
Flow Path Length (ft)	91.0
Flow Path Slope (vft/hft)	0.0077
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.79
Soil Type	6
Design Storm Frequency	25-yr
Fire Factor	0
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	4.829
Peak Intensity (in/hr)	2.8811
Undeveloped Runoff Coefficient (Cu)	0.8139
Developed Runoff Coefficient (Cd)	0.8819
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	0.7877
Burned Peak Flow Rate (cfs)	0.7877
24-Hr Clear Runoff Volume (ac-ft)	0.0929
24-Hr Clear Runoff Volume (cu-ft)	4047.4377



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-3/GTHR-006 - DMA-A-3_25-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-3
Area (ac)	0.39
Flow Path Length (ft)	91.0
Flow Path Slope (vft/hft)	0.0077
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.88
Soil Type	6
Design Storm Frequency	25-yr
Fire Factor	0
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	4.829
Peak Intensity (in/hr)	2.8811
Undeveloped Runoff Coefficient (Cu)	0.8139
Developed Runoff Coefficient (Cd)	0.8897
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	0.9997
Burned Peak Flow Rate (cfs)	0.9997
24-Hr Clear Runoff Volume (ac-ft)	0.1268
24-Hr Clear Runoff Volume (cu-ft)	5524.79



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-4/GTHR-006 - DMA-A-4_25-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-4
Area (ac)	0.29
Flow Path Length (ft)	91.0
Flow Path Slope (vft/hft)	0.0077
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.87
Soil Type	6
Design Storm Frequency	25-yr
Fire Factor	0
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	4.829
Peak Intensity (in/hr)	2.8811
Undeveloped Runoff Coefficient (Cu)	0.8139
Developed Runoff Coefficient (Cd)	0.8888
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	0.7426
Burned Peak Flow Rate (cfs)	0.7426
24-Hr Clear Runoff Volume (ac-ft)	0.0935
24-Hr Clear Runoff Volume (cu-ft)	4072.4144



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-5/GTHR-006 - DMA-A-5_25-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-5
Area (ac)	0.28
Flow Path Length (ft)	91.0
Flow Path Slope (vft/hft)	0.011
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.87
Soil Type	6
Design Storm Frequency	25-yr
Fire Factor	0
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	4.829
Peak Intensity (in/hr)	2.8811
Undeveloped Runoff Coefficient (Cu)	0.8139
Developed Runoff Coefficient (Cd)	0.8888
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	0.717
Burned Peak Flow Rate (cfs)	0.717
24-Hr Clear Runoff Volume (ac-ft)	0.0903
24-Hr Clear Runoff Volume (cu-ft)	3931.9863



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-6/GTHR-006 - DMA-A-6_25-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-6
Area (ac)	0.36
Flow Path Length (ft)	123.0
Flow Path Slope (vft/hft)	0.0073
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.9
Soil Type	6
Design Storm Frequency	25-yr
Fire Factor	0
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	4.829
Peak Intensity (in/hr)	2.8811
Undeveloped Runoff Coefficient (Cu)	0.8139
Developed Runoff Coefficient (Cd)	0.8914
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	0.9246
Burned Peak Flow Rate (cfs)	0.9246
24-Hr Clear Runoff Volume (ac-ft)	0.1191
24-Hr Clear Runoff Volume (cu-ft)	5188.5963



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-7/GTHR-006 - DMA-A-7_25-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-7
Area (ac)	0.21
Flow Path Length (ft)	113.0
Flow Path Slope (vft/hft)	0.0107
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.95
Soil Type	6
Design Storm Frequency	25-yr
Fire Factor	0
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	4.829
Peak Intensity (in/hr)	2.8811
Undeveloped Runoff Coefficient (Cu)	0.8139
Developed Runoff Coefficient (Cd)	0.8957
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	0.5419
Burned Peak Flow Rate (cfs)	0.5419
24-Hr Clear Runoff Volume (ac-ft)	0.0725
24-Hr Clear Runoff Volume (cu-ft)	3156.1669



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-8/GTHR-006 - DMA-A-8_25-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-8
Area (ac)	0.69
Flow Path Length (ft)	132.0
Flow Path Slope (vft/hft)	0.0068
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.97
Soil Type	6
Design Storm Frequency	25-yr
Fire Factor	0
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	4.829
Peak Intensity (in/hr)	2.8811
Undeveloped Runoff Coefficient (Cu)	0.8139
Developed Runoff Coefficient (Cd)	0.8974
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	1.784
Burned Peak Flow Rate (cfs)	1.784
24-Hr Clear Runoff Volume (ac-ft)	0.242
24-Hr Clear Runoff Volume (cu-ft)	10540.4439



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-9/GTHR-006 - DMA-A-9_25-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-9
Area (ac)	0.36
Flow Path Length (ft)	0.92
Flow Path Slope (vft/hft)	0.0076
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.97
Soil Type	6
Design Storm Frequency	25-yr
Fire Factor	0
LID	False

Output Results

Modeled (25-yr) Rainfall Depth (in)	4.829
Peak Intensity (in/hr)	2.8811
Undeveloped Runoff Coefficient (Cu)	0.8139
Developed Runoff Coefficient (Cd)	0.8974
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	0.9308
Burned Peak Flow Rate (cfs)	0.9308
24-Hr Clear Runoff Volume (ac-ft)	0.1262
24-Hr Clear Runoff Volume (cu-ft)	5499.3621



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-1/GTHR-006 - DMA-A-1_100-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-1
Area (ac)	0.41
Flow Path Length (ft)	123.0
Flow Path Slope (vft/hft)	0.0073
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.83
Soil Type	6
Design Storm Frequency	100-yr
Fire Factor	0
LID	False

Output Results

Modeled (100-yr) Rainfall Depth (in)	6.171
Peak Intensity (in/hr)	3.6818
Undeveloped Runoff Coefficient (Cu)	0.8643
Developed Runoff Coefficient (Cd)	0.8939
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	1.3494
Burned Peak Flow Rate (cfs)	1.3494
24-Hr Clear Runoff Volume (ac-ft)	0.164
24-Hr Clear Runoff Volume (cu-ft)	7145.3412



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-2/GTHR-006 - DMA-A-2_100-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-2
Area (ac)	0.31
Flow Path Length (ft)	91.0
Flow Path Slope (vft/hft)	0.0077
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.79
Soil Type	6
Design Storm Frequency	100-yr
Fire Factor	0
LID	False

Output Results

Modeled (100-yr) Rainfall Depth (in)	6.171
Peak Intensity (in/hr)	3.6818
Undeveloped Runoff Coefficient (Cu)	0.8643
Developed Runoff Coefficient (Cd)	0.8925
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	1.0187
Burned Peak Flow Rate (cfs)	1.0187
24-Hr Clear Runoff Volume (ac-ft)	0.1197
24-Hr Clear Runoff Volume (cu-ft)	5215.3799



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-3/GTHR-006 - DMA-A-3_100-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-3
Area (ac)	0.39
Flow Path Length (ft)	91.0
Flow Path Slope (vft/hft)	0.0077
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.88
Soil Type	6
Design Storm Frequency	100-yr
Fire Factor	0
LID	False

Output Results

Modeled (100-yr) Rainfall Depth (in)	6.171
Peak Intensity (in/hr)	3.6818
Undeveloped Runoff Coefficient (Cu)	0.8643
Developed Runoff Coefficient (Cd)	0.8957
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	1.2862
Burned Peak Flow Rate (cfs)	1.2862
24-Hr Clear Runoff Volume (ac-ft)	0.1628
24-Hr Clear Runoff Volume (cu-ft)	7091.1674



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-4/GTHR-006 - DMA-A-4_100-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-4
Area (ac)	0.29
Flow Path Length (ft)	91.0
Flow Path Slope (vft/hft)	0.0077
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.87
Soil Type	6
Design Storm Frequency	100-yr
Fire Factor	0
LID	False

Output Results

Modeled (100-yr) Rainfall Depth (in)	6.171
Peak Intensity (in/hr)	3.6818
Undeveloped Runoff Coefficient (Cu)	0.8643
Developed Runoff Coefficient (Cd)	0.8954
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	0.956
Burned Peak Flow Rate (cfs)	0.956
24-Hr Clear Runoff Volume (ac-ft)	0.12
24-Hr Clear Runoff Volume (cu-ft)	5229.1399



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-5/GTHR-006 - DMA-A-5_100-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-5
Area (ac)	0.28
Flow Path Length (ft)	91.0
Flow Path Slope (vft/hft)	0.011
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.87
Soil Type	6
Design Storm Frequency	100-yr
Fire Factor	0
LID	False

Output Results

Modeled (100-yr) Rainfall Depth (in)	6.171
Peak Intensity (in/hr)	3.6818
Undeveloped Runoff Coefficient (Cu)	0.8643
Developed Runoff Coefficient (Cd)	0.8954
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	0.923
Burned Peak Flow Rate (cfs)	0.923
24-Hr Clear Runoff Volume (ac-ft)	0.1159
24-Hr Clear Runoff Volume (cu-ft)	5048.8247



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-6/GTHR-006 - DMA-A-6_100-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-6
Area (ac)	0.36
Flow Path Length (ft)	123.0
Flow Path Slope (vft/hft)	0.0073
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.9
Soil Type	6
Design Storm Frequency	100-yr
Fire Factor	0
LID	False

Output Results

Modeled (100-yr) Rainfall Depth (in)	6.171
Peak Intensity (in/hr)	3.6818
Undeveloped Runoff Coefficient (Cu)	0.8643
Developed Runoff Coefficient (Cd)	0.8964
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	1.1882
Burned Peak Flow Rate (cfs)	1.1882
24-Hr Clear Runoff Volume (ac-ft)	0.1528
24-Hr Clear Runoff Volume (cu-ft)	6654.3869



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-7/GTHR-006 - DMA-A-7_100-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-7
Area (ac)	0.21
Flow Path Length (ft)	113.0
Flow Path Slope (vft/hft)	0.0107
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.95
Soil Type	6
Design Storm Frequency	100-yr
Fire Factor	0
LID	False

Output Results

Modeled (100-yr) Rainfall Depth (in)	6.171
Peak Intensity (in/hr)	3.6818
Undeveloped Runoff Coefficient (Cu)	0.8643
Developed Runoff Coefficient (Cd)	0.8982
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	0.6945
Burned Peak Flow Rate (cfs)	0.6945
24-Hr Clear Runoff Volume (ac-ft)	0.0928
24-Hr Clear Runoff Volume (cu-ft)	4040.2377



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-8/GTHR-006 - DMA-A-8_100-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-8
Area (ac)	0.69
Flow Path Length (ft)	132.0
Flow Path Slope (vft/hft)	0.0068
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.97
Soil Type	6
Design Storm Frequency	100-yr
Fire Factor	0
LID	False

Output Results

Modeled (100-yr) Rainfall Depth (in)	6.171
Peak Intensity (in/hr)	3.6818
Undeveloped Runoff Coefficient (Cu)	0.8643
Developed Runoff Coefficient (Cd)	0.8989
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	2.2837
Burned Peak Flow Rate (cfs)	2.2837
24-Hr Clear Runoff Volume (ac-ft)	0.3095
24-Hr Clear Runoff Volume (cu-ft)	13483.3968



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/Hydrology/Preliminary/Appendix C - HydroCalc/HydroCalc/DMA-A-9/GTHR-006 - DMA-A-9_100-yr.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A-9
Area (ac)	0.36
Flow Path Length (ft)	0.92
Flow Path Slope (vft/hft)	0.0076
50-yr Rainfall Depth (in)	5.5
Percent Impervious	0.97
Soil Type	6
Design Storm Frequency	100-yr
Fire Factor	0
LID	False

Output Results

Modeled (100-yr) Rainfall Depth (in)	6.171
Peak Intensity (in/hr)	3.6818
Undeveloped Runoff Coefficient (Cu)	0.8643
Developed Runoff Coefficient (Cd)	0.8989
Time of Concentration (min)	5.0
Clear Peak Flow Rate (cfs)	1.1915
Burned Peak Flow Rate (cfs)	1.1915
24-Hr Clear Runoff Volume (ac-ft)	0.1615
24-Hr Clear Runoff Volume (cu-ft)	7034.8157



Detention Routing Analysis


Routed Hydrographs
Proposed Development - Q25
unmitigated flow:
8.47 cfs
mitigated flow:
5.56 cfs
Discharge (cfs)
Time (min)
0
1
2
3
4
5
6
7
8
0
500
1000
1500
2000
2500
3000

Hydraulic Analysis Report

Project Data

Project Title: GTHR-006 Detention

Designer:

Project Date: Wednesday, June 8, 2022

Project Units: U.S. Customary Units

Notes:

Detention Basin Analysis: Q25 Routing Analysis

Notes:

Storage Input Parameters

Storage Capacity: Known volume

Elevation ft	Volume acre-ft
0.00	0.00
1.00	0.04
2.00	0.08
3.00	0.11
4.00	0.15
5.00	0.19
6.00	0.23
7.00	0.26
8.00	0.30
8.50	0.35

Discharge Input Parameters

Known Discharge: Known Discharge 1

Elevation ft	Discharge cfs
0.00	0.14
1.00	0.14
2.00	0.14
3.00	0.14
4.00	0.14
5.00	0.14
6.00	0.14
7.00	0.14
8.00	0.14
8.50	0.14

Riser: Riser 2

Rectangular Opening

Opening Width: 6.0000 ft

Opening Height: 0.3330 ft

Weir Coefficient: 3.3300

Orifice Coefficient: 0.6000

Height above Base Elev to Bottom of Opening: 8.0000 ft

Base Elevation: 0.0000 ft

Storage & Discharge Input Parameters

Elevation - Storage - Discharge

Elevation ft	Storage acre-ft	Discharge cfs
0.00	0.00	0.14
1.00	0.04	0.14
2.00	0.08	0.14
3.00	0.11	0.14
4.00	0.15	0.14
5.00	0.19	0.14
6.00	0.23	0.14
7.00	0.26	0.14
8.00	0.30	0.14
8.50	0.35	5.69

0.14 CFS TREATMENT DISCHARGE PER WETLANDMOD-6-24 MODEL AT A DESIGN RATE OF 12IN/HR, REFER TO MANUFACTURER SPEC FOR ADDITIONAL INFORMATION

Detention Basin Input Parameters

Inflow Hydrograph

Peak Inflow Discharge: 8.474 cfs, Time to Peak: 1153.00 (min), Total Inflow Volume: 47516.51 ft^3

Time (min)	Discharge cfs
0.00	0.00
0.20	0.01
0.40	0.02
0.60	0.03
0.80	0.05
1.00	0.06
1.20	0.07
1.40	0.08
1.60	0.09
1.80	0.10
2.00	0.12
2.20	0.13
2.40	0.14
2.60	0.15
2.80	0.16
3.00	0.17
3.20	0.18
3.40	0.20
3.60	0.21
3.80	0.22
4.00	0.23
4.20	0.24
4.40	0.25
4.60	0.27
4.80	0.28
5.00	0.29
5.20	0.29
5.40	0.29
5.60	0.29
5.80	0.29
6.00	0.29
6.20	0.29
6.40	0.29
6.60	0.29
6.80	0.29
7.00	0.29
7.20	0.29
7.40	0.29
7.60	0.29
7.80	0.29
8.00	0.29
8.20	0.29
8.40	0.29
8.60	0.29
8.80	0.29

9.00	0.29
9.20	0.29
9.40	0.29
9.60	0.29
9.80	0.29
10.00	0.29
10.20	0.29
10.40	0.29
10.60	0.29
10.80	0.29
11.00	0.29
11.20	0.29
11.40	0.29
11.60	0.29
11.80	0.29
12.00	0.29
12.20	0.29
12.40	0.29
12.60	0.29
12.80	0.29
13.00	0.29
13.20	0.29
13.40	0.29
13.60	0.29
13.80	0.29
14.00	0.29
14.20	0.29
14.40	0.29
14.60	0.29
14.80	0.29
15.00	0.29
15.20	0.29
15.40	0.29
15.60	0.29
15.80	0.29
16.00	0.29
16.20	0.29
16.40	0.29
16.60	0.29
16.80	0.29
17.00	0.29
17.20	0.29
17.40	0.29
17.60	0.29
17.80	0.29
18.00	0.29
18.20	0.29
18.40	0.29
18.60	0.29
18.80	0.29
19.00	0.29
19.20	0.29
19.40	0.29
19.60	0.29
19.80	0.29
20.00	0.29
20.20	0.29

20.40	0.29
20.60	0.29
20.80	0.29
21.00	0.29
21.20	0.29
21.40	0.29
21.60	0.29
21.80	0.29
22.00	0.29
22.20	0.29
22.40	0.29
22.60	0.29
22.80	0.29
23.00	0.29
23.20	0.29
23.40	0.29
23.60	0.29
23.80	0.29
24.00	0.29
24.20	0.29
24.40	0.29
24.60	0.29
24.80	0.29
25.00	0.29
25.20	0.29
25.40	0.29
25.60	0.29
25.80	0.29
26.00	0.29
26.20	0.29
26.40	0.29
26.60	0.29
26.80	0.29
27.00	0.29
27.20	0.29
27.40	0.29
27.60	0.29
27.80	0.29
28.00	0.29
28.20	0.29
28.40	0.29
28.60	0.29
28.80	0.29
29.00	0.29
29.20	0.29
29.40	0.29
29.60	0.29
29.80	0.29
30.00	0.29
30.20	0.29
30.40	0.29
30.60	0.29
30.80	0.29
31.00	0.29
31.20	0.29
31.40	0.29
31.60	0.29

31.80	0.29
32.00	0.29
32.20	0.29
32.40	0.29
32.60	0.29
32.80	0.29
33.00	0.29
33.20	0.29
33.40	0.29
33.60	0.29
33.80	0.29
34.00	0.29
34.20	0.29
34.40	0.29
34.60	0.29
34.80	0.29
35.00	0.29
35.20	0.29
35.40	0.29
35.60	0.29
35.80	0.29
36.00	0.29
36.20	0.29
36.40	0.29
36.60	0.29
36.80	0.29
37.00	0.29
37.20	0.29
37.40	0.29
37.60	0.29
37.80	0.29
38.00	0.29
38.20	0.29
38.40	0.29
38.60	0.29
38.80	0.29
39.00	0.29
39.20	0.29
39.40	0.29
39.60	0.29
39.80	0.29
40.00	0.29
40.20	0.29
40.40	0.29
40.60	0.29
40.80	0.29
41.00	0.29
41.20	0.29
41.40	0.29
41.60	0.29
41.80	0.29
42.00	0.29
42.20	0.29
42.40	0.29
42.60	0.29
42.80	0.29
43.00	0.29

43.20	0.29
43.40	0.29
43.60	0.29
43.80	0.29
44.00	0.29
44.20	0.29
44.40	0.29
44.60	0.29
44.80	0.29
45.00	0.29
45.20	0.29
45.40	0.29
45.60	0.29
45.80	0.29
46.00	0.29
46.20	0.29
46.40	0.29
46.60	0.29
46.80	0.29
47.00	0.29
47.20	0.29
47.40	0.29
47.60	0.29
47.80	0.29
48.00	0.29
48.20	0.29
48.40	0.29
48.60	0.29
48.80	0.29
49.00	0.29
49.20	0.29
49.40	0.29
49.60	0.29
49.80	0.29
50.00	0.29
50.20	0.29
50.40	0.29
50.60	0.29
50.80	0.29
51.00	0.29
51.20	0.29
51.40	0.29
51.60	0.29
51.80	0.29
52.00	0.29
52.20	0.29
52.40	0.29
52.60	0.29
52.80	0.29
53.00	0.29
53.20	0.29
53.40	0.29
53.60	0.29
53.80	0.29
54.00	0.29
54.20	0.29
54.40	0.29

54.60	0.29
54.80	0.29
55.00	0.29
55.20	0.29
55.40	0.29
55.60	0.29
55.80	0.29
56.00	0.29
56.20	0.29
56.40	0.29
56.60	0.29
56.80	0.29
57.00	0.29
57.20	0.29
57.40	0.29
57.60	0.29
57.80	0.29
58.00	0.29
58.20	0.29
58.40	0.30
58.60	0.30
58.80	0.30
59.00	0.30
59.20	0.30
59.40	0.30
59.60	0.30
59.80	0.30
60.00	0.30
60.20	0.30
60.40	0.30
60.60	0.30
60.80	0.30
61.00	0.30
61.20	0.30
61.40	0.30
61.60	0.30
61.80	0.30
62.00	0.30
62.20	0.30
62.40	0.30
62.60	0.30
62.80	0.30
63.00	0.30
63.20	0.30
63.40	0.30
63.60	0.30
63.80	0.30
64.00	0.30
64.20	0.30
64.40	0.30
64.60	0.30
64.80	0.30
65.00	0.30
65.20	0.30
65.40	0.30
65.60	0.30
65.80	0.30

66.00	0.30
66.20	0.30
66.40	0.30
66.60	0.30
66.80	0.30
67.00	0.30
67.20	0.30
67.40	0.30
67.60	0.30
67.80	0.30
68.00	0.30
68.20	0.30
68.40	0.30
68.60	0.30
68.80	0.30
69.00	0.30
69.20	0.30
69.40	0.30
69.60	0.30
69.80	0.30
70.00	0.30
70.20	0.30
70.40	0.30
70.60	0.30
70.80	0.30
71.00	0.30
71.20	0.30
71.40	0.30
71.60	0.30
71.80	0.30
72.00	0.30
72.20	0.30
72.40	0.30
72.60	0.30
72.80	0.30
73.00	0.30
73.20	0.30
73.40	0.30
73.60	0.30
73.80	0.30
74.00	0.30
74.20	0.30
74.40	0.30
74.60	0.30
74.80	0.30
75.00	0.30
75.20	0.30
75.40	0.30
75.60	0.30
75.80	0.30
76.00	0.30
76.20	0.30
76.40	0.30
76.60	0.30
76.80	0.30
77.00	0.30
77.20	0.30

77.40	0.30
77.60	0.30
77.80	0.30
78.00	0.30
78.20	0.30
78.40	0.30
78.60	0.30
78.80	0.30
79.00	0.30
79.20	0.30
79.40	0.30
79.60	0.30
79.80	0.30
80.00	0.30
80.20	0.30
80.40	0.30
80.60	0.30
80.80	0.30
81.00	0.30
81.20	0.30
81.40	0.30
81.60	0.30
81.80	0.30
82.00	0.30
82.20	0.30
82.40	0.30
82.60	0.30
82.80	0.30
83.00	0.30
83.20	0.30
83.40	0.30
83.60	0.30
83.80	0.30
84.00	0.30
84.20	0.30
84.40	0.30
84.60	0.30
84.80	0.30
85.00	0.30
85.20	0.30
85.40	0.30
85.60	0.30
85.80	0.30
86.00	0.30
86.20	0.30
86.40	0.30
86.60	0.30
86.80	0.30
87.00	0.30
87.20	0.30
87.40	0.30
87.60	0.30
87.80	0.30
88.00	0.30
88.20	0.30
88.40	0.30
88.60	0.30

88.80	0.30
89.00	0.30
89.20	0.30
89.40	0.30
89.60	0.30
89.80	0.30
90.00	0.30
90.20	0.30
90.40	0.30
90.60	0.30
90.80	0.30
91.00	0.30
91.20	0.30
91.40	0.30
91.60	0.30
91.80	0.30
92.00	0.30
92.20	0.30
92.40	0.30
92.60	0.30
92.80	0.30
93.00	0.30
93.20	0.30
93.40	0.30
93.60	0.30
93.80	0.30
94.00	0.30
94.20	0.30
94.40	0.30
94.60	0.30
94.80	0.30
95.00	0.30
95.20	0.30
95.40	0.30
95.60	0.30
95.80	0.30
96.00	0.30
96.20	0.30
96.40	0.30
96.60	0.30
96.80	0.30
97.00	0.30
97.20	0.30
97.40	0.30
97.60	0.30
97.80	0.30
98.00	0.30
98.20	0.30
98.40	0.30
98.60	0.30
98.80	0.30
99.00	0.30
99.20	0.30
99.40	0.30
99.60	0.30
99.80	0.30
100.00	0.30

100.20	0.30
100.40	0.30
100.60	0.30
100.80	0.30
101.00	0.30
101.20	0.30
101.40	0.30
101.60	0.30
101.80	0.30
102.00	0.30
102.20	0.30
102.40	0.30
102.60	0.30
102.80	0.30
103.00	0.30
103.20	0.30
103.40	0.30
103.60	0.30
103.80	0.30
104.00	0.30
104.20	0.30
104.40	0.30
104.60	0.30
104.80	0.30
105.00	0.30
105.20	0.30
105.40	0.30
105.60	0.30
105.80	0.30
106.00	0.30
106.20	0.30
106.40	0.30
106.60	0.30
106.80	0.30
107.00	0.30
107.20	0.30
107.40	0.30
107.60	0.30
107.80	0.30
108.00	0.30
108.20	0.30
108.40	0.30
108.60	0.30
108.80	0.30
109.00	0.30
109.20	0.30
109.40	0.30
109.60	0.30
109.80	0.30
110.00	0.30
110.20	0.30
110.40	0.30
110.60	0.30
110.80	0.30
111.00	0.30
111.20	0.30
111.40	0.30

111.60	0.30
111.80	0.30
112.00	0.30
112.20	0.30
112.40	0.30
112.60	0.30
112.80	0.30
113.00	0.30
113.20	0.30
113.40	0.30
113.60	0.30
113.80	0.30
114.00	0.30
114.20	0.30
114.40	0.30
114.60	0.30
114.80	0.30
115.00	0.30
115.20	0.30
115.40	0.30
115.60	0.30
115.80	0.30
116.00	0.30
116.20	0.30
116.40	0.30
116.60	0.30
116.80	0.30
117.00	0.30
117.20	0.30
117.40	0.30
117.60	0.30
117.80	0.30
118.00	0.30
118.20	0.30
118.40	0.30
118.60	0.30
118.80	0.30
119.00	0.30
119.20	0.30
119.40	0.30
119.60	0.30
119.80	0.30
120.00	0.30
120.20	0.30
120.40	0.30
120.60	0.30
120.80	0.30
121.00	0.30
121.20	0.30
121.40	0.30
121.60	0.30
121.80	0.30
122.00	0.30
122.20	0.30
122.40	0.30
122.60	0.30
122.80	0.30

123.00	0.30
123.20	0.30
123.40	0.30
123.60	0.30
123.80	0.30
124.00	0.30
124.20	0.30
124.40	0.30
124.60	0.30
124.80	0.30
125.00	0.30
125.20	0.30
125.40	0.30
125.60	0.30
125.80	0.30
126.00	0.30
126.20	0.30
126.40	0.30
126.60	0.30
126.80	0.30
127.00	0.30
127.20	0.30
127.40	0.30
127.60	0.30
127.80	0.30
128.00	0.30
128.20	0.30
128.40	0.30
128.60	0.30
128.80	0.30
129.00	0.30
129.20	0.30
129.40	0.30
129.60	0.30
129.80	0.30
130.00	0.30
130.20	0.30
130.40	0.30
130.60	0.30
130.80	0.30
131.00	0.30
131.20	0.30
131.40	0.30
131.60	0.30
131.80	0.30
132.00	0.30
132.20	0.30
132.40	0.30
132.60	0.30
132.80	0.30
133.00	0.30
133.20	0.30
133.40	0.31
133.60	0.31
133.80	0.31
134.00	0.31
134.20	0.31

134.40	0.31
134.60	0.31
134.80	0.31
135.00	0.31
135.20	0.31
135.40	0.31
135.60	0.31
135.80	0.31
136.00	0.31
136.20	0.31
136.40	0.31
136.60	0.31
136.80	0.31
137.00	0.31
137.20	0.31
137.40	0.31
137.60	0.31
137.80	0.31
138.00	0.31
138.20	0.31
138.40	0.31
138.60	0.31
138.80	0.31
139.00	0.31
139.20	0.31
139.40	0.31
139.60	0.31
139.80	0.31
140.00	0.31
140.20	0.31
140.40	0.31
140.60	0.31
140.80	0.31
141.00	0.31
141.20	0.31
141.40	0.31
141.60	0.31
141.80	0.31
142.00	0.31
142.20	0.31
142.40	0.31
142.60	0.31
142.80	0.31
143.00	0.31
143.20	0.31
143.40	0.31
143.60	0.31
143.80	0.31
144.00	0.31
144.20	0.31
144.40	0.31
144.60	0.31
144.80	0.31
145.00	0.31
145.20	0.31
145.40	0.31
145.60	0.31

145.80	0.31
146.00	0.31
146.20	0.31
146.40	0.31
146.60	0.31
146.80	0.31
147.00	0.31
147.20	0.31
147.40	0.31
147.60	0.31
147.80	0.31
148.00	0.31
148.20	0.31
148.40	0.31
148.60	0.31
148.80	0.31
149.00	0.31
149.20	0.31
149.40	0.31
149.60	0.31
149.80	0.31
150.00	0.31
150.20	0.31
150.40	0.31
150.60	0.31
150.80	0.31
151.00	0.31
151.20	0.31
151.40	0.31
151.60	0.31
151.80	0.31
152.00	0.31
152.20	0.31
152.40	0.31
152.60	0.31
152.80	0.31
153.00	0.31
153.20	0.31
153.40	0.31
153.60	0.31
153.80	0.31
154.00	0.31
154.20	0.31
154.40	0.31
154.60	0.31
154.80	0.31
155.00	0.31
155.20	0.31
155.40	0.31
155.60	0.31
155.80	0.31
156.00	0.31
156.20	0.31
156.40	0.31
156.60	0.31
156.80	0.31
157.00	0.31

157.20	0.31
157.40	0.31
157.60	0.31
157.80	0.31
158.00	0.31
158.20	0.31
158.40	0.31
158.60	0.31
158.80	0.31
159.00	0.31
159.20	0.31
159.40	0.31
159.60	0.31
159.80	0.31
160.00	0.31
160.20	0.31
160.40	0.31
160.60	0.31
160.80	0.31
161.00	0.31
161.20	0.31
161.40	0.31
161.60	0.31
161.80	0.31
162.00	0.31
162.20	0.31
162.40	0.31
162.60	0.31
162.80	0.31
163.00	0.31
163.20	0.31
163.40	0.31
163.60	0.31
163.80	0.31
164.00	0.31
164.20	0.31
164.40	0.31
164.60	0.31
164.80	0.31
165.00	0.31
165.20	0.31
165.40	0.31
165.60	0.31
165.80	0.31
166.00	0.31
166.20	0.31
166.40	0.31
166.60	0.31
166.80	0.31
167.00	0.31
167.20	0.31
167.40	0.31
167.60	0.31
167.80	0.31
168.00	0.31
168.20	0.31
168.40	0.31

168.60	0.31
168.80	0.31
169.00	0.31
169.20	0.31
169.40	0.31
169.60	0.31
169.80	0.31
170.00	0.31
170.20	0.31
170.40	0.31
170.60	0.31
170.80	0.31
171.00	0.31
171.20	0.31
171.40	0.31
171.60	0.31
171.80	0.31
172.00	0.31
172.20	0.31
172.40	0.31
172.60	0.31
172.80	0.31
173.00	0.31
173.20	0.31
173.40	0.31
173.60	0.31
173.80	0.31
174.00	0.31
174.20	0.31
174.40	0.31
174.60	0.31
174.80	0.31
175.00	0.31
175.20	0.31
175.40	0.31
175.60	0.31
175.80	0.31
176.00	0.31
176.20	0.31
176.40	0.31
176.60	0.31
176.80	0.31
177.00	0.31
177.20	0.31
177.40	0.31
177.60	0.31
177.80	0.31
178.00	0.31
178.20	0.31
178.40	0.31
178.60	0.31
178.80	0.31
179.00	0.31
179.20	0.31
179.40	0.31
179.60	0.31
179.80	0.31

180.00	0.31
180.20	0.31
180.40	0.31
180.60	0.31
180.80	0.31
181.00	0.31
181.20	0.31
181.40	0.31
181.60	0.31
181.80	0.31
182.00	0.31
182.20	0.31
182.40	0.31
182.60	0.31
182.80	0.31
183.00	0.31
183.20	0.31
183.40	0.31
183.60	0.31
183.80	0.31
184.00	0.31
184.20	0.31
184.40	0.31
184.60	0.31
184.80	0.31
185.00	0.31
185.20	0.31
185.40	0.31
185.60	0.31
185.80	0.31
186.00	0.31
186.20	0.31
186.40	0.31
186.60	0.31
186.80	0.31
187.00	0.31
187.20	0.31
187.40	0.31
187.60	0.31
187.80	0.31
188.00	0.31
188.20	0.31
188.40	0.31
188.60	0.31
188.80	0.31
189.00	0.31
189.20	0.31
189.40	0.31
189.60	0.31
189.80	0.31
190.00	0.31
190.20	0.31
190.40	0.31
190.60	0.31
190.80	0.31
191.00	0.31
191.20	0.31

191.40	0.31
191.60	0.31
191.80	0.31
192.00	0.31
192.20	0.31
192.40	0.31
192.60	0.31
192.80	0.31
193.00	0.31
193.20	0.31
193.40	0.31
193.60	0.31
193.80	0.31
194.00	0.31
194.20	0.31
194.40	0.31
194.60	0.31
194.80	0.31
195.00	0.31
195.20	0.31
195.40	0.31
195.60	0.31
195.80	0.31
196.00	0.31
196.20	0.31
196.40	0.31
196.60	0.31
196.80	0.31
197.00	0.31
197.20	0.31
197.40	0.31
197.60	0.31
197.80	0.31
198.00	0.31
198.20	0.31
198.40	0.31
198.60	0.31
198.80	0.31
199.00	0.31
199.20	0.31
199.40	0.31
199.60	0.31
199.80	0.31
200.00	0.31
200.20	0.31
200.40	0.32
200.60	0.32
200.80	0.32
201.00	0.32
201.20	0.32
201.40	0.32
201.60	0.32
201.80	0.32
202.00	0.32
202.20	0.32
202.40	0.32
202.60	0.32

202.80	0.32
203.00	0.32
203.20	0.32
203.40	0.32
203.60	0.32
203.80	0.32
204.00	0.32
204.20	0.32
204.40	0.32
204.60	0.32
204.80	0.32
205.00	0.32
205.20	0.32
205.40	0.32
205.60	0.32
205.80	0.32
206.00	0.32
206.20	0.32
206.40	0.32
206.60	0.32
206.80	0.32
207.00	0.32
207.20	0.32
207.40	0.32
207.60	0.32
207.80	0.32
208.00	0.32
208.20	0.32
208.40	0.32
208.60	0.32
208.80	0.32
209.00	0.32
209.20	0.32
209.40	0.32
209.60	0.32
209.80	0.32
210.00	0.32
210.20	0.32
210.40	0.32
210.60	0.32
210.80	0.32
211.00	0.32
211.20	0.32
211.40	0.32
211.60	0.32
211.80	0.32
212.00	0.32
212.20	0.32
212.40	0.32
212.60	0.32
212.80	0.32
213.00	0.32
213.20	0.32
213.40	0.32
213.60	0.32
213.80	0.32
214.00	0.32

214.20	0.32
214.40	0.32
214.60	0.32
214.80	0.32
215.00	0.32
215.20	0.32
215.40	0.32
215.60	0.32
215.80	0.32
216.00	0.32
216.20	0.32
216.40	0.32
216.60	0.32
216.80	0.32
217.00	0.32
217.20	0.32
217.40	0.32
217.60	0.32
217.80	0.32
218.00	0.32
218.20	0.32
218.40	0.32
218.60	0.32
218.80	0.32
219.00	0.32
219.20	0.32
219.40	0.32
219.60	0.32
219.80	0.32
220.00	0.32
220.20	0.32
220.40	0.32
220.60	0.32
220.80	0.32
221.00	0.32
221.20	0.32
221.40	0.32
221.60	0.32
221.80	0.32
222.00	0.32
222.20	0.32
222.40	0.32
222.60	0.32
222.80	0.32
223.00	0.32
223.20	0.32
223.40	0.32
223.60	0.32
223.80	0.32
224.00	0.32
224.20	0.32
224.40	0.32
224.60	0.32
224.80	0.32
225.00	0.32
225.20	0.32
225.40	0.32

225.60	0.32
225.80	0.32
226.00	0.32
226.20	0.32
226.40	0.32
226.60	0.32
226.80	0.32
227.00	0.32
227.20	0.32
227.40	0.32
227.60	0.32
227.80	0.32
228.00	0.32
228.20	0.32
228.40	0.32
228.60	0.32
228.80	0.32
229.00	0.32
229.20	0.32
229.40	0.32
229.60	0.32
229.80	0.32
230.00	0.32
230.20	0.32
230.40	0.32
230.60	0.32
230.80	0.32
231.00	0.32
231.20	0.32
231.40	0.32
231.60	0.32
231.80	0.32
232.00	0.32
232.20	0.32
232.40	0.32
232.60	0.32
232.80	0.32
233.00	0.32
233.20	0.32
233.40	0.32
233.60	0.32
233.80	0.32
234.00	0.32
234.20	0.32
234.40	0.32
234.60	0.32
234.80	0.32
235.00	0.32
235.20	0.32
235.40	0.32
235.60	0.32
235.80	0.32
236.00	0.32
236.20	0.32
236.40	0.32
236.60	0.32
236.80	0.32

237.00	0.32
237.20	0.32
237.40	0.32
237.60	0.32
237.80	0.32
238.00	0.32
238.20	0.32
238.40	0.32
238.60	0.32
238.80	0.32
239.00	0.32
239.20	0.32
239.40	0.32
239.60	0.32
239.80	0.32
240.00	0.32
240.20	0.32
240.40	0.32
240.60	0.32
240.80	0.32
241.00	0.32
241.20	0.32
241.40	0.32
241.60	0.32
241.80	0.32
242.00	0.32
242.20	0.32
242.40	0.32
242.60	0.32
242.80	0.32
243.00	0.32
243.20	0.32
243.40	0.32
243.60	0.32
243.80	0.32
244.00	0.32
244.20	0.32
244.40	0.32
244.60	0.32
244.80	0.32
245.00	0.32
245.20	0.32
245.40	0.32
245.60	0.32
245.80	0.32
246.00	0.32
246.20	0.32
246.40	0.32
246.60	0.32
246.80	0.32
247.00	0.32
247.20	0.32
247.40	0.32
247.60	0.32
247.80	0.32
248.00	0.32
248.20	0.32

248.40	0.32
248.60	0.32
248.80	0.32
249.00	0.32
249.20	0.32
249.40	0.32
249.60	0.32
249.80	0.32
250.00	0.32
250.20	0.32
250.40	0.32
250.60	0.32
250.80	0.32
251.00	0.32
251.20	0.32
251.40	0.32
251.60	0.32
251.80	0.32
252.00	0.32
252.20	0.32
252.40	0.32
252.60	0.32
252.80	0.32
253.00	0.32
253.20	0.32
253.40	0.32
253.60	0.32
253.80	0.32
254.00	0.32
254.20	0.32
254.40	0.32
254.60	0.32
254.80	0.32
255.00	0.32
255.20	0.32
255.40	0.32
255.60	0.32
255.80	0.32
256.00	0.32
256.20	0.32
256.40	0.32
256.60	0.32
256.80	0.32
257.00	0.32
257.20	0.32
257.40	0.32
257.60	0.32
257.80	0.32
258.00	0.32
258.20	0.32
258.40	0.32
258.60	0.32
258.80	0.32
259.00	0.32
259.20	0.32
259.40	0.32
259.60	0.32

259.80	0.32
260.00	0.32
260.20	0.32
260.40	0.32
260.60	0.32
260.80	0.32
261.00	0.32
261.20	0.32
261.40	0.32
261.60	0.32
261.80	0.33
262.00	0.33
262.20	0.33
262.40	0.33
262.60	0.33
262.80	0.33
263.00	0.33
263.20	0.33
263.40	0.33
263.60	0.33
263.80	0.33
264.00	0.33
264.20	0.33
264.40	0.33
264.60	0.33
264.80	0.33
265.00	0.33
265.20	0.33
265.40	0.33
265.60	0.33
265.80	0.33
266.00	0.33
266.20	0.33
266.40	0.33
266.60	0.33
266.80	0.33
267.00	0.33
267.20	0.33
267.40	0.33
267.60	0.33
267.80	0.33
268.00	0.33
268.20	0.33
268.40	0.33
268.60	0.33
268.80	0.33
269.00	0.33
269.20	0.33
269.40	0.33
269.60	0.33
269.80	0.33
270.00	0.33
270.20	0.33
270.40	0.33
270.60	0.33
270.80	0.33
271.00	0.33

271.20	0.33
271.40	0.33
271.60	0.33
271.80	0.33
272.00	0.33
272.20	0.33
272.40	0.33
272.60	0.33
272.80	0.33
273.00	0.33
273.20	0.33
273.40	0.33
273.60	0.33
273.80	0.33
274.00	0.33
274.20	0.33
274.40	0.33
274.60	0.33
274.80	0.33
275.00	0.33
275.20	0.33
275.40	0.33
275.60	0.33
275.80	0.33
276.00	0.33
276.20	0.33
276.40	0.33
276.60	0.33
276.80	0.33
277.00	0.33
277.20	0.33
277.40	0.33
277.60	0.33
277.80	0.33
278.00	0.33
278.20	0.33
278.40	0.33
278.60	0.33
278.80	0.33
279.00	0.33
279.20	0.33
279.40	0.33
279.60	0.33
279.80	0.33
280.00	0.33
280.20	0.33
280.40	0.33
280.60	0.33
280.80	0.33
281.00	0.33
281.20	0.33
281.40	0.33
281.60	0.33
281.80	0.33
282.00	0.33
282.20	0.33
282.40	0.33

282.60	0.33
282.80	0.33
283.00	0.33
283.20	0.33
283.40	0.33
283.60	0.33
283.80	0.33
284.00	0.33
284.20	0.33
284.40	0.33
284.60	0.33
284.80	0.33
285.00	0.33
285.20	0.33
285.40	0.33
285.60	0.33
285.80	0.33
286.00	0.33
286.20	0.33
286.40	0.33
286.60	0.33
286.80	0.33
287.00	0.33
287.20	0.33
287.40	0.33
287.60	0.33
287.80	0.33
288.00	0.33
288.20	0.33
288.40	0.33
288.60	0.33
288.80	0.33
289.00	0.33
289.20	0.33
289.40	0.33
289.60	0.33
289.80	0.33
290.00	0.33
290.20	0.33
290.40	0.33
290.60	0.33
290.80	0.33
291.00	0.33
291.20	0.33
291.40	0.33
291.60	0.33
291.80	0.33
292.00	0.33
292.20	0.33
292.40	0.33
292.60	0.33
292.80	0.33
293.00	0.33
293.20	0.33
293.40	0.33
293.60	0.33
293.80	0.33

294.00	0.33
294.20	0.33
294.40	0.33
294.60	0.33
294.80	0.33
295.00	0.33
295.20	0.33
295.40	0.33
295.60	0.33
295.80	0.33
296.00	0.33
296.20	0.33
296.40	0.33
296.60	0.33
296.80	0.33
297.00	0.33
297.20	0.33
297.40	0.33
297.60	0.33
297.80	0.33
298.00	0.33
298.20	0.33
298.40	0.33
298.60	0.33
298.80	0.33
299.00	0.33
299.20	0.33
299.40	0.33
299.60	0.33
299.80	0.33
300.00	0.33
300.20	0.33
300.40	0.33
300.60	0.33
300.80	0.33
301.00	0.33
301.20	0.33
301.40	0.33
301.60	0.33
301.80	0.33
302.00	0.33
302.20	0.33
302.40	0.33
302.60	0.33
302.80	0.33
303.00	0.33
303.20	0.33
303.40	0.33
303.60	0.33
303.80	0.33
304.00	0.33
304.20	0.33
304.40	0.33
304.60	0.33
304.80	0.33
305.00	0.33
305.20	0.33

305.40	0.33
305.60	0.33
305.80	0.33
306.00	0.33
306.20	0.33
306.40	0.33
306.60	0.33
306.80	0.33
307.00	0.33
307.20	0.33
307.40	0.33
307.60	0.33
307.80	0.33
308.00	0.33
308.20	0.33
308.40	0.33
308.60	0.33
308.80	0.33
309.00	0.33
309.20	0.33
309.40	0.33
309.60	0.33
309.80	0.33
310.00	0.33
310.20	0.33
310.40	0.33
310.60	0.33
310.80	0.33
311.00	0.33
311.20	0.33
311.40	0.33
311.60	0.33
311.80	0.33
312.00	0.33
312.20	0.33
312.40	0.33
312.60	0.33
312.80	0.33
313.00	0.33
313.20	0.33
313.40	0.33
313.60	0.33
313.80	0.33
314.00	0.33
314.20	0.33
314.40	0.33
314.60	0.33
314.80	0.33
315.00	0.33
315.20	0.33
315.40	0.33
315.60	0.33
315.80	0.33
316.00	0.33
316.20	0.33
316.40	0.33
316.60	0.33

316.80	0.33
317.00	0.33
317.20	0.33
317.40	0.33
317.60	0.34
317.80	0.34
318.00	0.34
318.20	0.34
318.40	0.34
318.60	0.34
318.80	0.34
319.00	0.34
319.20	0.34
319.40	0.34
319.60	0.34
319.80	0.34
320.00	0.34
320.20	0.34
320.40	0.34
320.60	0.34
320.80	0.34
321.00	0.34
321.20	0.34
321.40	0.34
321.60	0.34
321.80	0.34
322.00	0.34
322.20	0.34
322.40	0.34
322.60	0.34
322.80	0.34
323.00	0.34
323.20	0.34
323.40	0.34
323.60	0.34
323.80	0.34
324.00	0.34
324.20	0.34
324.40	0.34
324.60	0.34
324.80	0.34
325.00	0.34
325.20	0.34
325.40	0.34
325.60	0.34
325.80	0.34
326.00	0.34
326.20	0.34
326.40	0.34
326.60	0.34
326.80	0.34
327.00	0.34
327.20	0.34
327.40	0.34
327.60	0.34
327.80	0.34
328.00	0.34

328.20	0.34
328.40	0.34
328.60	0.34
328.80	0.34
329.00	0.34
329.20	0.34
329.40	0.34
329.60	0.34
329.80	0.34
330.00	0.34
330.20	0.34
330.40	0.34
330.60	0.34
330.80	0.34
331.00	0.34
331.20	0.34
331.40	0.34
331.60	0.34
331.80	0.34
332.00	0.34
332.20	0.34
332.40	0.34
332.60	0.34
332.80	0.34
333.00	0.34
333.20	0.34
333.40	0.34
333.60	0.34
333.80	0.34
334.00	0.34
334.20	0.34
334.40	0.34
334.60	0.34
334.80	0.34
335.00	0.34
335.20	0.34
335.40	0.34
335.60	0.34
335.80	0.34
336.00	0.34
336.20	0.34
336.40	0.34
336.60	0.34
336.80	0.34
337.00	0.34
337.20	0.34
337.40	0.34
337.60	0.34
337.80	0.34
338.00	0.34
338.20	0.34
338.40	0.34
338.60	0.34
338.80	0.34
339.00	0.34
339.20	0.34
339.40	0.34

339.60	0.34
339.80	0.34
340.00	0.34
340.20	0.34
340.40	0.34
340.60	0.34
340.80	0.34
341.00	0.34
341.20	0.34
341.40	0.34
341.60	0.34
341.80	0.34
342.00	0.34
342.20	0.34
342.40	0.34
342.60	0.34
342.80	0.34
343.00	0.34
343.20	0.34
343.40	0.34
343.60	0.34
343.80	0.34
344.00	0.34
344.20	0.34
344.40	0.34
344.60	0.34
344.80	0.34
345.00	0.34
345.20	0.34
345.40	0.34
345.60	0.34
345.80	0.34
346.00	0.34
346.20	0.34
346.40	0.34
346.60	0.34
346.80	0.34
347.00	0.34
347.20	0.34
347.40	0.34
347.60	0.34
347.80	0.34
348.00	0.34
348.20	0.34
348.40	0.34
348.60	0.34
348.80	0.34
349.00	0.34
349.20	0.34
349.40	0.34
349.60	0.34
349.80	0.34
350.00	0.34
350.20	0.34
350.40	0.34
350.60	0.34
350.80	0.34

351.00	0.34
351.20	0.34
351.40	0.34
351.60	0.34
351.80	0.34
352.00	0.34
352.20	0.34
352.40	0.34
352.60	0.34
352.80	0.34
353.00	0.34
353.20	0.34
353.40	0.34
353.60	0.34
353.80	0.34
354.00	0.34
354.20	0.34
354.40	0.34
354.60	0.34
354.80	0.34
355.00	0.34
355.20	0.34
355.40	0.34
355.60	0.34
355.80	0.34
356.00	0.34
356.20	0.34
356.40	0.34
356.60	0.34
356.80	0.34
357.00	0.34
357.20	0.34
357.40	0.34
357.60	0.34
357.80	0.34
358.00	0.34
358.20	0.34
358.40	0.34
358.60	0.34
358.80	0.34
359.00	0.34
359.20	0.34
359.40	0.34
359.60	0.34
359.80	0.34
360.00	0.34
360.20	0.34
360.40	0.34
360.60	0.34
360.80	0.34
361.00	0.34
361.20	0.34
361.40	0.34
361.60	0.34
361.80	0.34
362.00	0.34
362.20	0.34

362.40	0.34
362.60	0.34
362.80	0.34
363.00	0.34
363.20	0.34
363.40	0.34
363.60	0.34
363.80	0.34
364.00	0.34
364.20	0.34
364.40	0.34
364.60	0.34
364.80	0.34
365.00	0.34
365.20	0.34
365.40	0.34
365.60	0.34
365.80	0.34
366.00	0.34
366.20	0.34
366.40	0.34
366.60	0.34
366.80	0.34
367.00	0.34
367.20	0.34
367.40	0.34
367.60	0.34
367.80	0.34
368.00	0.34
368.20	0.34
368.40	0.34
368.60	0.34
368.80	0.35
369.00	0.35
369.20	0.35
369.40	0.35
369.60	0.35
369.80	0.35
370.00	0.35
370.20	0.35
370.40	0.35
370.60	0.35
370.80	0.35
371.00	0.35
371.20	0.35
371.40	0.35
371.60	0.35
371.80	0.35
372.00	0.35
372.20	0.35
372.40	0.35
372.60	0.35
372.80	0.35
373.00	0.35
373.20	0.35
373.40	0.35
373.60	0.35

373.80	0.35
374.00	0.35
374.20	0.35
374.40	0.35
374.60	0.35
374.80	0.35
375.00	0.35
375.20	0.35
375.40	0.35
375.60	0.35
375.80	0.35
376.00	0.35
376.20	0.35
376.40	0.35
376.60	0.35
376.80	0.35
377.00	0.35
377.20	0.35
377.40	0.35
377.60	0.35
377.80	0.35
378.00	0.35
378.20	0.35
378.40	0.35
378.60	0.35
378.80	0.35
379.00	0.35
379.20	0.35
379.40	0.35
379.60	0.35
379.80	0.35
380.00	0.35
380.20	0.35
380.40	0.35
380.60	0.35
380.80	0.35
381.00	0.35
381.20	0.35
381.40	0.35
381.60	0.35
381.80	0.35
382.00	0.35
382.20	0.35
382.40	0.35
382.60	0.35
382.80	0.35
383.00	0.35
383.20	0.35
383.40	0.35
383.60	0.35
383.80	0.35
384.00	0.35
384.20	0.35
384.40	0.35
384.60	0.35
384.80	0.35
385.00	0.35

385.20	0.35
385.40	0.35
385.60	0.35
385.80	0.35
386.00	0.35
386.20	0.35
386.40	0.35
386.60	0.35
386.80	0.35
387.00	0.35
387.20	0.35
387.40	0.35
387.60	0.35
387.80	0.35
388.00	0.35
388.20	0.35
388.40	0.35
388.60	0.35
388.80	0.35
389.00	0.35
389.20	0.35
389.40	0.35
389.60	0.35
389.80	0.35
390.00	0.35
390.20	0.35
390.40	0.35
390.60	0.35
390.80	0.35
391.00	0.35
391.20	0.35
391.40	0.35
391.60	0.35
391.80	0.35
392.00	0.35
392.20	0.35
392.40	0.35
392.60	0.35
392.80	0.35
393.00	0.35
393.20	0.35
393.40	0.35
393.60	0.35
393.80	0.35
394.00	0.35
394.20	0.35
394.40	0.35
394.60	0.35
394.80	0.35
395.00	0.35
395.20	0.35
395.40	0.35
395.60	0.35
395.80	0.35
396.00	0.35
396.20	0.35
396.40	0.35

396.60	0.35
396.80	0.35
397.00	0.35
397.20	0.35
397.40	0.35
397.60	0.35
397.80	0.35
398.00	0.35
398.20	0.35
398.40	0.35
398.60	0.35
398.80	0.35
399.00	0.35
399.20	0.35
399.40	0.35
399.60	0.35
399.80	0.35
400.00	0.35
400.20	0.35
400.40	0.35
400.60	0.35
400.80	0.35
401.00	0.35
401.20	0.35
401.40	0.35
401.60	0.35
401.80	0.35
402.00	0.35
402.20	0.35
402.40	0.35
402.60	0.35
402.80	0.35
403.00	0.35
403.20	0.35
403.40	0.35
403.60	0.35
403.80	0.35
404.00	0.35
404.20	0.35
404.40	0.35
404.60	0.35
404.80	0.35
405.00	0.35
405.20	0.35
405.40	0.35
405.60	0.35
405.80	0.35
406.00	0.35
406.20	0.35
406.40	0.35
406.60	0.35
406.80	0.35
407.00	0.35
407.20	0.35
407.40	0.35
407.60	0.35
407.80	0.35

408.00	0.35
408.20	0.35
408.40	0.35
408.60	0.35
408.80	0.35
409.00	0.35
409.20	0.35
409.40	0.35
409.60	0.35
409.80	0.35
410.00	0.35
410.20	0.35
410.40	0.35
410.60	0.35
410.80	0.35
411.00	0.35
411.20	0.35
411.40	0.35
411.60	0.35
411.80	0.35
412.00	0.35
412.20	0.35
412.40	0.35
412.60	0.35
412.80	0.35
413.00	0.35
413.20	0.35
413.40	0.35
413.60	0.35
413.80	0.35
414.00	0.35
414.20	0.35
414.40	0.35
414.60	0.35
414.80	0.35
415.00	0.35
415.20	0.36
415.40	0.36
415.60	0.36
415.80	0.36
416.00	0.36
416.20	0.36
416.40	0.36
416.60	0.36
416.80	0.36
417.00	0.36
417.20	0.36
417.40	0.36
417.60	0.36
417.80	0.36
418.00	0.36
418.20	0.36
418.40	0.36
418.60	0.36
418.80	0.36
419.00	0.36
419.20	0.36

419.40	0.36
419.60	0.36
419.80	0.36
420.00	0.36
420.20	0.36
420.40	0.36
420.60	0.36
420.80	0.36
421.00	0.36
421.20	0.36
421.40	0.36
421.60	0.36
421.80	0.36
422.00	0.36
422.20	0.36
422.40	0.36
422.60	0.36
422.80	0.36
423.00	0.36
423.20	0.36
423.40	0.36
423.60	0.36
423.80	0.36
424.00	0.36
424.20	0.36
424.40	0.36
424.60	0.36
424.80	0.36
425.00	0.36
425.20	0.36
425.40	0.36
425.60	0.36
425.80	0.36
426.00	0.36
426.20	0.36
426.40	0.36
426.60	0.36
426.80	0.36
427.00	0.36
427.20	0.36
427.40	0.36
427.60	0.36
427.80	0.36
428.00	0.36
428.20	0.36
428.40	0.36
428.60	0.36
428.80	0.36
429.00	0.36
429.20	0.36
429.40	0.36
429.60	0.36
429.80	0.36
430.00	0.36
430.20	0.36
430.40	0.36
430.60	0.36

430.80	0.36
431.00	0.36
431.20	0.36
431.40	0.36
431.60	0.36
431.80	0.36
432.00	0.36
432.20	0.36
432.40	0.36
432.60	0.36
432.80	0.36
433.00	0.36
433.20	0.36
433.40	0.36
433.60	0.36
433.80	0.36
434.00	0.36
434.20	0.36
434.40	0.36
434.60	0.36
434.80	0.36
435.00	0.36
435.20	0.36
435.40	0.36
435.60	0.36
435.80	0.36
436.00	0.36
436.20	0.36
436.40	0.36
436.60	0.36
436.80	0.36
437.00	0.36
437.20	0.36
437.40	0.36
437.60	0.36
437.80	0.36
438.00	0.36
438.20	0.36
438.40	0.36
438.60	0.36
438.80	0.36
439.00	0.36
439.20	0.36
439.40	0.36
439.60	0.36
439.80	0.36
440.00	0.36
440.20	0.36
440.40	0.36
440.60	0.36
440.80	0.36
441.00	0.36
441.20	0.36
441.40	0.36
441.60	0.36
441.80	0.36
442.00	0.36

442.20	0.36
442.40	0.36
442.60	0.36
442.80	0.36
443.00	0.36
443.20	0.36
443.40	0.36
443.60	0.36
443.80	0.36
444.00	0.36
444.20	0.36
444.40	0.36
444.60	0.36
444.80	0.36
445.00	0.36
445.20	0.36
445.40	0.36
445.60	0.36
445.80	0.36
446.00	0.36
446.20	0.36
446.40	0.36
446.60	0.36
446.80	0.36
447.00	0.36
447.20	0.36
447.40	0.36
447.60	0.36
447.80	0.36
448.00	0.36
448.20	0.36
448.40	0.36
448.60	0.36
448.80	0.36
449.00	0.36
449.20	0.36
449.40	0.36
449.60	0.36
449.80	0.36
450.00	0.36
450.20	0.36
450.40	0.36
450.60	0.36
450.80	0.36
451.00	0.36
451.20	0.36
451.40	0.36
451.60	0.36
451.80	0.36
452.00	0.36
452.20	0.36
452.40	0.36
452.60	0.36
452.80	0.36
453.00	0.36
453.20	0.36
453.40	0.36

453.60	0.36
453.80	0.36
454.00	0.36
454.20	0.36
454.40	0.36
454.60	0.36
454.80	0.36
455.00	0.36
455.20	0.36
455.40	0.36
455.60	0.36
455.80	0.36
456.00	0.36
456.20	0.36
456.40	0.36
456.60	0.36
456.80	0.36
457.00	0.36
457.20	0.36
457.40	0.36
457.60	0.37
457.80	0.37
458.00	0.37
458.20	0.37
458.40	0.37
458.60	0.37
458.80	0.37
459.00	0.37
459.20	0.37
459.40	0.37
459.60	0.37
459.80	0.37
460.00	0.37
460.20	0.37
460.40	0.37
460.60	0.37
460.80	0.37
461.00	0.37
461.20	0.37
461.40	0.37
461.60	0.37
461.80	0.37
462.00	0.37
462.20	0.37
462.40	0.37
462.60	0.37
462.80	0.37
463.00	0.37
463.20	0.37
463.40	0.37
463.60	0.37
463.80	0.37
464.00	0.37
464.20	0.37
464.40	0.37
464.60	0.37
464.80	0.37

465.00	0.37
465.20	0.37
465.40	0.37
465.60	0.37
465.80	0.37
466.00	0.37
466.20	0.37
466.40	0.37
466.60	0.37
466.80	0.37
467.00	0.37
467.20	0.37
467.40	0.37
467.60	0.37
467.80	0.37
468.00	0.37
468.20	0.37
468.40	0.37
468.60	0.37
468.80	0.37
469.00	0.37
469.20	0.37
469.40	0.37
469.60	0.37
469.80	0.37
470.00	0.37
470.20	0.37
470.40	0.37
470.60	0.37
470.80	0.37
471.00	0.37
471.20	0.37
471.40	0.37
471.60	0.37
471.80	0.37
472.00	0.37
472.20	0.37
472.40	0.37
472.60	0.37
472.80	0.37
473.00	0.37
473.20	0.37
473.40	0.37
473.60	0.37
473.80	0.37
474.00	0.37
474.20	0.37
474.40	0.37
474.60	0.37
474.80	0.37
475.00	0.37
475.20	0.37
475.40	0.37
475.60	0.37
475.80	0.37
476.00	0.37
476.20	0.37

476.40	0.37
476.60	0.37
476.80	0.37
477.00	0.37
477.20	0.37
477.40	0.37
477.60	0.37
477.80	0.37
478.00	0.37
478.20	0.37
478.40	0.37
478.60	0.37
478.80	0.37
479.00	0.37
479.20	0.37
479.40	0.37
479.60	0.37
479.80	0.37
480.00	0.37
480.20	0.37
480.40	0.37
480.60	0.37
480.80	0.37
481.00	0.37
481.20	0.37
481.40	0.37
481.60	0.37
481.80	0.37
482.00	0.37
482.20	0.37
482.40	0.37
482.60	0.37
482.80	0.37
483.00	0.37
483.20	0.37
483.40	0.37
483.60	0.37
483.80	0.37
484.00	0.37
484.20	0.37
484.40	0.37
484.60	0.37
484.80	0.37
485.00	0.37
485.20	0.37
485.40	0.37
485.60	0.37
485.80	0.37
486.00	0.37
486.20	0.37
486.40	0.37
486.60	0.37
486.80	0.37
487.00	0.37
487.20	0.37
487.40	0.37
487.60	0.37

487.80	0.37
488.00	0.37
488.20	0.37
488.40	0.37
488.60	0.37
488.80	0.37
489.00	0.37
489.20	0.37
489.40	0.37
489.60	0.37
489.80	0.37
490.00	0.37
490.20	0.37
490.40	0.37
490.60	0.37
490.80	0.37
491.00	0.37
491.20	0.37
491.40	0.37
491.60	0.37
491.80	0.37
492.00	0.37
492.20	0.37
492.40	0.37
492.60	0.37
492.80	0.37
493.00	0.37
493.20	0.37
493.40	0.37
493.60	0.37
493.80	0.37
494.00	0.37
494.20	0.37
494.40	0.37
494.60	0.37
494.80	0.37
495.00	0.37
495.20	0.37
495.40	0.37
495.60	0.37
495.80	0.37
496.00	0.37
496.20	0.38
496.40	0.38
496.60	0.38
496.80	0.38
497.00	0.38
497.20	0.38
497.40	0.38
497.60	0.38
497.80	0.38
498.00	0.38
498.20	0.38
498.40	0.38
498.60	0.38
498.80	0.38
499.00	0.38

499.20	0.38
499.40	0.38
499.60	0.38
499.80	0.38
500.00	0.38
500.20	0.38
500.40	0.38
500.60	0.38
500.80	0.38
501.00	0.38
501.20	0.38
501.40	0.38
501.60	0.38
501.80	0.38
502.00	0.38
502.20	0.38
502.40	0.38
502.60	0.38
502.80	0.38
503.00	0.38
503.20	0.38
503.40	0.38
503.60	0.38
503.80	0.38
504.00	0.38
504.20	0.38
504.40	0.38
504.60	0.38
504.80	0.38
505.00	0.38
505.20	0.38
505.40	0.38
505.60	0.38
505.80	0.38
506.00	0.38
506.20	0.38
506.40	0.38
506.60	0.38
506.80	0.38
507.00	0.38
507.20	0.38
507.40	0.38
507.60	0.38
507.80	0.38
508.00	0.38
508.20	0.38
508.40	0.38
508.60	0.38
508.80	0.38
509.00	0.38
509.20	0.38
509.40	0.38
509.60	0.38
509.80	0.38
510.00	0.38
510.20	0.38
510.40	0.38

510.60	0.38
510.80	0.38
511.00	0.38
511.20	0.38
511.40	0.38
511.60	0.38
511.80	0.38
512.00	0.38
512.20	0.38
512.40	0.38
512.60	0.38
512.80	0.38
513.00	0.38
513.20	0.38
513.40	0.38
513.60	0.38
513.80	0.38
514.00	0.38
514.20	0.38
514.40	0.38
514.60	0.38
514.80	0.38
515.00	0.38
515.20	0.38
515.40	0.38
515.60	0.38
515.80	0.38
516.00	0.38
516.20	0.38
516.40	0.38
516.60	0.38
516.80	0.38
517.00	0.38
517.20	0.38
517.40	0.38
517.60	0.38
517.80	0.38
518.00	0.38
518.20	0.38
518.40	0.38
518.60	0.38
518.80	0.38
519.00	0.38
519.20	0.38
519.40	0.38
519.60	0.38
519.80	0.38
520.00	0.38
520.20	0.38
520.40	0.38
520.60	0.38
520.80	0.38
521.00	0.38
521.20	0.38
521.40	0.38
521.60	0.38
521.80	0.38

522.00	0.38
522.20	0.38
522.40	0.38
522.60	0.38
522.80	0.38
523.00	0.38
523.20	0.38
523.40	0.38
523.60	0.38
523.80	0.38
524.00	0.38
524.20	0.38
524.40	0.38
524.60	0.38
524.80	0.38
525.00	0.38
525.20	0.38
525.40	0.38
525.60	0.38
525.80	0.38
526.00	0.38
526.20	0.38
526.40	0.38
526.60	0.38
526.80	0.38
527.00	0.38
527.20	0.38
527.40	0.38
527.60	0.38
527.80	0.38
528.00	0.38
528.20	0.38
528.40	0.38
528.60	0.38
528.80	0.38
529.00	0.38
529.20	0.38
529.40	0.38
529.60	0.38
529.80	0.38
530.00	0.38
530.20	0.38
530.40	0.38
530.60	0.38
530.80	0.38
531.00	0.38
531.20	0.38
531.40	0.38
531.60	0.38
531.80	0.38
532.00	0.39
532.20	0.39
532.40	0.39
532.60	0.39
532.80	0.39
533.00	0.39
533.20	0.39

533.40	0.39
533.60	0.39
533.80	0.39
534.00	0.39
534.20	0.39
534.40	0.39
534.60	0.39
534.80	0.39
535.00	0.39
535.20	0.39
535.40	0.39
535.60	0.39
535.80	0.39
536.00	0.39
536.20	0.39
536.40	0.39
536.60	0.39
536.80	0.39
537.00	0.39
537.20	0.39
537.40	0.39
537.60	0.39
537.80	0.39
538.00	0.39
538.20	0.39
538.40	0.39
538.60	0.39
538.80	0.39
539.00	0.39
539.20	0.39
539.40	0.39
539.60	0.39
539.80	0.39
540.00	0.39
540.20	0.39
540.40	0.39
540.60	0.39
540.80	0.39
541.00	0.39
541.20	0.39
541.40	0.39
541.60	0.39
541.80	0.39
542.00	0.39
542.20	0.39
542.40	0.39
542.60	0.39
542.80	0.39
543.00	0.39
543.20	0.39
543.40	0.39
543.60	0.39
543.80	0.39
544.00	0.39
544.20	0.39
544.40	0.39
544.60	0.39

544.80	0.39
545.00	0.39
545.20	0.39
545.40	0.39
545.60	0.39
545.80	0.39
546.00	0.39
546.20	0.39
546.40	0.39
546.60	0.39
546.80	0.39
547.00	0.39
547.20	0.39
547.40	0.39
547.60	0.39
547.80	0.39
548.00	0.39
548.20	0.39
548.40	0.39
548.60	0.39
548.80	0.39
549.00	0.39
549.20	0.39
549.40	0.39
549.60	0.39
549.80	0.39
550.00	0.39
550.20	0.39
550.40	0.39
550.60	0.39
550.80	0.39
551.00	0.39
551.20	0.39
551.40	0.39
551.60	0.39
551.80	0.39
552.00	0.39
552.20	0.39
552.40	0.39
552.60	0.39
552.80	0.39
553.00	0.39
553.20	0.39
553.40	0.39
553.60	0.39
553.80	0.39
554.00	0.39
554.20	0.39
554.40	0.39
554.60	0.39
554.80	0.39
555.00	0.39
555.20	0.39
555.40	0.39
555.60	0.39
555.80	0.39
556.00	0.39

556.20	0.39
556.40	0.39
556.60	0.39
556.80	0.39
557.00	0.39
557.20	0.39
557.40	0.39
557.60	0.39
557.80	0.39
558.00	0.39
558.20	0.39
558.40	0.39
558.60	0.39
558.80	0.39
559.00	0.39
559.20	0.39
559.40	0.39
559.60	0.39
559.80	0.39
560.00	0.39
560.20	0.39
560.40	0.39
560.60	0.39
560.80	0.39
561.00	0.39
561.20	0.39
561.40	0.39
561.60	0.39
561.80	0.39
562.00	0.39
562.20	0.39
562.40	0.39
562.60	0.39
562.80	0.39
563.00	0.39
563.20	0.39
563.40	0.39
563.60	0.39
563.80	0.39
564.00	0.39
564.20	0.39
564.40	0.39
564.60	0.39
564.80	0.39
565.00	0.39
565.20	0.40
565.40	0.40
565.60	0.40
565.80	0.40
566.00	0.40
566.20	0.40
566.40	0.40
566.60	0.40
566.80	0.40
567.00	0.40
567.20	0.40
567.40	0.40

567.60	0.40
567.80	0.40
568.00	0.40
568.20	0.40
568.40	0.40
568.60	0.40
568.80	0.40
569.00	0.40
569.20	0.40
569.40	0.40
569.60	0.40
569.80	0.40
570.00	0.40
570.20	0.40
570.40	0.40
570.60	0.40
570.80	0.40
571.00	0.40
571.20	0.40
571.40	0.40
571.60	0.40
571.80	0.40
572.00	0.40
572.20	0.40
572.40	0.40
572.60	0.40
572.80	0.40
573.00	0.40
573.20	0.40
573.40	0.40
573.60	0.40
573.80	0.40
574.00	0.40
574.20	0.40
574.40	0.40
574.60	0.40
574.80	0.40
575.00	0.40
575.20	0.40
575.40	0.40
575.60	0.40
575.80	0.40
576.00	0.40
576.20	0.40
576.40	0.40
576.60	0.40
576.80	0.40
577.00	0.40
577.20	0.40
577.40	0.40
577.60	0.40
577.80	0.40
578.00	0.40
578.20	0.40
578.40	0.40
578.60	0.40
578.80	0.40

579.00	0.40
579.20	0.40
579.40	0.40
579.60	0.40
579.80	0.40
580.00	0.40
580.20	0.40
580.40	0.40
580.60	0.40
580.80	0.40
581.00	0.40
581.20	0.40
581.40	0.40
581.60	0.40
581.80	0.40
582.00	0.40
582.20	0.40
582.40	0.40
582.60	0.40
582.80	0.40
583.00	0.40
583.20	0.40
583.40	0.40
583.60	0.40
583.80	0.40
584.00	0.40
584.20	0.40
584.40	0.40
584.60	0.40
584.80	0.40
585.00	0.40
585.20	0.40
585.40	0.40
585.60	0.40
585.80	0.40
586.00	0.40
586.20	0.40
586.40	0.40
586.60	0.40
586.80	0.40
587.00	0.40
587.20	0.40
587.40	0.40
587.60	0.40
587.80	0.40
588.00	0.40
588.20	0.40
588.40	0.40
588.60	0.40
588.80	0.40
589.00	0.40
589.20	0.40
589.40	0.40
589.60	0.40
589.80	0.40
590.00	0.40
590.20	0.40

590.40	0.40
590.60	0.40
590.80	0.40
591.00	0.40
591.20	0.40
591.40	0.40
591.60	0.40
591.80	0.40
592.00	0.40
592.20	0.40
592.40	0.40
592.60	0.40
592.80	0.40
593.00	0.40
593.20	0.40
593.40	0.40
593.60	0.40
593.80	0.40
594.00	0.40
594.20	0.40
594.40	0.40
594.60	0.40
594.80	0.40
595.00	0.40
595.20	0.40
595.40	0.40
595.60	0.41
595.80	0.41
596.00	0.41
596.20	0.41
596.40	0.41
596.60	0.41
596.80	0.41
597.00	0.41
597.20	0.41
597.40	0.41
597.60	0.41
597.80	0.41
598.00	0.41
598.20	0.41
598.40	0.41
598.60	0.41
598.80	0.41
599.00	0.41
599.20	0.41
599.40	0.41
599.60	0.41
599.80	0.41
600.00	0.41
600.20	0.41
600.40	0.41
600.60	0.41
600.80	0.41
601.00	0.41
601.20	0.41
601.40	0.41
601.60	0.41

601.80	0.41
602.00	0.41
602.20	0.41
602.40	0.41
602.60	0.41
602.80	0.41
603.00	0.41
603.20	0.41
603.40	0.41
603.60	0.41
603.80	0.41
604.00	0.41
604.20	0.41
604.40	0.41
604.60	0.41
604.80	0.41
605.00	0.41
605.20	0.41
605.40	0.41
605.60	0.41
605.80	0.41
606.00	0.41
606.20	0.41
606.40	0.41
606.60	0.41
606.80	0.41
607.00	0.41
607.20	0.41
607.40	0.41
607.60	0.41
607.80	0.41
608.00	0.41
608.20	0.41
608.40	0.41
608.60	0.41
608.80	0.41
609.00	0.41
609.20	0.41
609.40	0.41
609.60	0.41
609.80	0.41
610.00	0.41
610.20	0.41
610.40	0.41
610.60	0.41
610.80	0.41
611.00	0.41
611.20	0.41
611.40	0.41
611.60	0.41
611.80	0.41
612.00	0.41
612.20	0.41
612.40	0.41
612.60	0.41
612.80	0.41
613.00	0.41

613.20	0.41
613.40	0.41
613.60	0.41
613.80	0.41
614.00	0.41
614.20	0.41
614.40	0.41
614.60	0.41
614.80	0.41
615.00	0.41
615.20	0.41
615.40	0.41
615.60	0.41
615.80	0.41
616.00	0.41
616.20	0.41
616.40	0.41
616.60	0.41
616.80	0.41
617.00	0.41
617.20	0.41
617.40	0.41
617.60	0.41
617.80	0.41
618.00	0.41
618.20	0.41
618.40	0.41
618.60	0.41
618.80	0.41
619.00	0.41
619.20	0.41
619.40	0.41
619.60	0.41
619.80	0.41
620.00	0.41
620.20	0.41
620.40	0.41
620.60	0.41
620.80	0.41
621.00	0.41
621.20	0.41
621.40	0.41
621.60	0.41
621.80	0.41
622.00	0.41
622.20	0.41
622.40	0.41
622.60	0.41
622.80	0.41
623.00	0.41
623.20	0.41
623.40	0.41
623.60	0.41
623.80	0.41
624.00	0.41
624.20	0.42
624.40	0.42

624.60	0.42
624.80	0.42
625.00	0.42
625.20	0.42
625.40	0.42
625.60	0.42
625.80	0.42
626.00	0.42
626.20	0.42
626.40	0.42
626.60	0.42
626.80	0.42
627.00	0.42
627.20	0.42
627.40	0.42
627.60	0.42
627.80	0.42
628.00	0.42
628.20	0.42
628.40	0.42
628.60	0.42
628.80	0.42
629.00	0.42
629.20	0.42
629.40	0.42
629.60	0.42
629.80	0.42
630.00	0.42
630.20	0.42
630.40	0.42
630.60	0.42
630.80	0.42
631.00	0.42
631.20	0.42
631.40	0.42
631.60	0.42
631.80	0.42
632.00	0.42
632.20	0.42
632.40	0.42
632.60	0.42
632.80	0.42
633.00	0.42
633.20	0.42
633.40	0.42
633.60	0.42
633.80	0.42
634.00	0.42
634.20	0.42
634.40	0.42
634.60	0.42
634.80	0.42
635.00	0.42
635.20	0.42
635.40	0.42
635.60	0.42
635.80	0.42

636.00	0.42
636.20	0.42
636.40	0.42
636.60	0.42
636.80	0.42
637.00	0.42
637.20	0.42
637.40	0.42
637.60	0.42
637.80	0.42
638.00	0.42
638.20	0.42
638.40	0.42
638.60	0.42
638.80	0.42
639.00	0.42
639.20	0.42
639.40	0.42
639.60	0.42
639.80	0.42
640.00	0.42
640.20	0.42
640.40	0.42
640.60	0.42
640.80	0.42
641.00	0.42
641.20	0.42
641.40	0.42
641.60	0.42
641.80	0.42
642.00	0.42
642.20	0.42
642.40	0.42
642.60	0.42
642.80	0.42
643.00	0.42
643.20	0.42
643.40	0.42
643.60	0.42
643.80	0.42
644.00	0.42
644.20	0.42
644.40	0.42
644.60	0.42
644.80	0.42
645.00	0.42
645.20	0.42
645.40	0.42
645.60	0.42
645.80	0.42
646.00	0.42
646.20	0.42
646.40	0.42
646.60	0.42
646.80	0.42
647.00	0.42
647.20	0.42

647.40	0.42
647.60	0.42
647.80	0.42
648.00	0.42
648.20	0.42
648.40	0.42
648.60	0.42
648.80	0.42
649.00	0.42
649.20	0.42
649.40	0.42
649.60	0.42
649.80	0.42
650.00	0.42
650.20	0.42
650.40	0.43
650.60	0.43
650.80	0.43
651.00	0.43
651.20	0.43
651.40	0.43
651.60	0.43
651.80	0.43
652.00	0.43
652.20	0.43
652.40	0.43
652.60	0.43
652.80	0.43
653.00	0.43
653.20	0.43
653.40	0.43
653.60	0.43
653.80	0.43
654.00	0.43
654.20	0.43
654.40	0.43
654.60	0.43
654.80	0.43
655.00	0.43
655.20	0.43
655.40	0.43
655.60	0.43
655.80	0.43
656.00	0.43
656.20	0.43
656.40	0.43
656.60	0.43
656.80	0.43
657.00	0.43
657.20	0.43
657.40	0.43
657.60	0.43
657.80	0.43
658.00	0.43
658.20	0.43
658.40	0.43
658.60	0.43

658.80	0.43
659.00	0.43
659.20	0.43
659.40	0.43
659.60	0.43
659.80	0.43
660.00	0.43
660.20	0.43
660.40	0.43
660.60	0.43
660.80	0.43
661.00	0.43
661.20	0.43
661.40	0.43
661.60	0.43
661.80	0.43
662.00	0.43
662.20	0.43
662.40	0.43
662.60	0.43
662.80	0.43
663.00	0.43
663.20	0.43
663.40	0.43
663.60	0.43
663.80	0.43
664.00	0.43
664.20	0.43
664.40	0.43
664.60	0.43
664.80	0.43
665.00	0.43
665.20	0.43
665.40	0.43
665.60	0.43
665.80	0.43
666.00	0.43
666.20	0.43
666.40	0.43
666.60	0.43
666.80	0.43
667.00	0.43
667.20	0.43
667.40	0.43
667.60	0.43
667.80	0.43
668.00	0.43
668.20	0.43
668.40	0.43
668.60	0.43
668.80	0.43
669.00	0.43
669.20	0.43
669.40	0.43
669.60	0.43
669.80	0.43
670.00	0.43

670.20	0.43
670.40	0.43
670.60	0.43
670.80	0.43
671.00	0.43
671.20	0.43
671.40	0.43
671.60	0.43
671.80	0.43
672.00	0.43
672.20	0.43
672.40	0.43
672.60	0.43
672.80	0.43
673.00	0.43
673.20	0.43
673.40	0.43
673.60	0.43
673.80	0.43
674.00	0.43
674.20	0.43
674.40	0.43
674.60	0.44
674.80	0.44
675.00	0.44
675.20	0.44
675.40	0.44
675.60	0.44
675.80	0.44
676.00	0.44
676.20	0.44
676.40	0.44
676.60	0.44
676.80	0.44
677.00	0.44
677.20	0.44
677.40	0.44
677.60	0.44
677.80	0.44
678.00	0.44
678.20	0.44
678.40	0.44
678.60	0.44
678.80	0.44
679.00	0.44
679.20	0.44
679.40	0.44
679.60	0.44
679.80	0.44
680.00	0.44
680.20	0.44
680.40	0.44
680.60	0.44
680.80	0.44
681.00	0.44
681.20	0.44
681.40	0.44

681.60	0.44
681.80	0.44
682.00	0.44
682.20	0.44
682.40	0.44
682.60	0.44
682.80	0.44
683.00	0.44
683.20	0.44
683.40	0.44
683.60	0.44
683.80	0.44
684.00	0.44
684.20	0.44
684.40	0.44
684.60	0.44
684.80	0.44
685.00	0.44
685.20	0.44
685.40	0.44
685.60	0.44
685.80	0.44
686.00	0.44
686.20	0.44
686.40	0.44
686.60	0.44
686.80	0.44
687.00	0.44
687.20	0.44
687.40	0.44
687.60	0.44
687.80	0.44
688.00	0.44
688.20	0.44
688.40	0.44
688.60	0.44
688.80	0.44
689.00	0.44
689.20	0.44
689.40	0.44
689.60	0.44
689.80	0.44
690.00	0.44
690.20	0.44
690.40	0.44
690.60	0.44
690.80	0.44
691.00	0.44
691.20	0.44
691.40	0.44
691.60	0.44
691.80	0.44
692.00	0.44
692.20	0.44
692.40	0.44
692.60	0.44
692.80	0.44

693.00	0.44
693.20	0.44
693.40	0.44
693.60	0.44
693.80	0.44
694.00	0.44
694.20	0.44
694.40	0.44
694.60	0.44
694.80	0.44
695.00	0.44
695.20	0.44
695.40	0.44
695.60	0.44
695.80	0.44
696.00	0.44
696.20	0.44
696.40	0.44
696.60	0.44
696.80	0.44
697.00	0.44
697.20	0.45
697.40	0.45
697.60	0.45
697.80	0.45
698.00	0.45
698.20	0.45
698.40	0.45
698.60	0.45
698.80	0.45
699.00	0.45
699.20	0.45
699.40	0.45
699.60	0.45
699.80	0.45
700.00	0.45
700.20	0.45
700.40	0.45
700.60	0.45
700.80	0.45
701.00	0.45
701.20	0.45
701.40	0.45
701.60	0.45
701.80	0.45
702.00	0.45
702.20	0.45
702.40	0.45
702.60	0.45
702.80	0.45
703.00	0.45
703.20	0.45
703.40	0.45
703.60	0.45
703.80	0.45
704.00	0.45
704.20	0.45

704.40	0.45
704.60	0.45
704.80	0.45
705.00	0.45
705.20	0.45
705.40	0.45
705.60	0.45
705.80	0.45
706.00	0.45
706.20	0.45
706.40	0.45
706.60	0.45
706.80	0.45
707.00	0.45
707.20	0.45
707.40	0.45
707.60	0.45
707.80	0.45
708.00	0.45
708.20	0.45
708.40	0.45
708.60	0.45
708.80	0.45
709.00	0.45
709.20	0.45
709.40	0.45
709.60	0.45
709.80	0.45
710.00	0.45
710.20	0.45
710.40	0.45
710.60	0.45
710.80	0.45
711.00	0.45
711.20	0.45
711.40	0.45
711.60	0.45
711.80	0.45
712.00	0.45
712.20	0.45
712.40	0.45
712.60	0.45
712.80	0.45
713.00	0.45
713.20	0.45
713.40	0.45
713.60	0.45
713.80	0.45
714.00	0.45
714.20	0.45
714.40	0.45
714.60	0.45
714.80	0.45
715.00	0.45
715.20	0.45
715.40	0.45
715.60	0.45

715.80	0.45
716.00	0.45
716.20	0.45
716.40	0.45
716.60	0.45
716.80	0.45
717.00	0.45
717.20	0.45
717.40	0.45
717.60	0.45
717.80	0.45
718.00	0.45
718.20	0.45
718.40	0.46
718.60	0.46
718.80	0.46
719.00	0.46
719.20	0.46
719.40	0.46
719.60	0.46
719.80	0.46
720.00	0.46
720.20	0.46
720.40	0.46
720.60	0.46
720.80	0.46
721.00	0.46
721.20	0.46
721.40	0.46
721.60	0.46
721.80	0.46
722.00	0.46
722.20	0.46
722.40	0.46
722.60	0.46
722.80	0.46
723.00	0.46
723.20	0.46
723.40	0.46
723.60	0.46
723.80	0.46
724.00	0.46
724.20	0.46
724.40	0.46
724.60	0.46
724.80	0.46
725.00	0.46
725.20	0.46
725.40	0.46
725.60	0.46
725.80	0.46
726.00	0.46
726.20	0.46
726.40	0.46
726.60	0.46
726.80	0.46
727.00	0.46

727.20	0.46
727.40	0.46
727.60	0.46
727.80	0.46
728.00	0.46
728.20	0.46
728.40	0.46
728.60	0.46
728.80	0.46
729.00	0.46
729.20	0.46
729.40	0.46
729.60	0.46
729.80	0.46
730.00	0.46
730.20	0.46
730.40	0.46
730.60	0.46
730.80	0.46
731.00	0.46
731.20	0.46
731.40	0.46
731.60	0.46
731.80	0.46
732.00	0.46
732.20	0.46
732.40	0.46
732.60	0.46
732.80	0.46
733.00	0.46
733.20	0.46
733.40	0.46
733.60	0.46
733.80	0.46
734.00	0.46
734.20	0.46
734.40	0.46
734.60	0.46
734.80	0.46
735.00	0.46
735.20	0.46
735.40	0.46
735.60	0.46
735.80	0.46
736.00	0.46
736.20	0.46
736.40	0.46
736.60	0.46
736.80	0.46
737.00	0.46
737.20	0.46
737.40	0.46
737.60	0.46
737.80	0.46
738.00	0.47
738.20	0.47
738.40	0.47

738.60	0.47
738.80	0.47
739.00	0.47
739.20	0.47
739.40	0.47
739.60	0.47
739.80	0.47
740.00	0.47
740.20	0.47
740.40	0.47
740.60	0.47
740.80	0.47
741.00	0.47
741.20	0.47
741.40	0.47
741.60	0.47
741.80	0.47
742.00	0.47
742.20	0.47
742.40	0.47
742.60	0.47
742.80	0.47
743.00	0.47
743.20	0.47
743.40	0.47
743.60	0.47
743.80	0.47
744.00	0.47
744.20	0.47
744.40	0.47
744.60	0.47
744.80	0.47
745.00	0.47
745.20	0.47
745.40	0.47
745.60	0.47
745.80	0.47
746.00	0.47
746.20	0.47
746.40	0.47
746.60	0.47
746.80	0.47
747.00	0.47
747.20	0.47
747.40	0.47
747.60	0.47
747.80	0.47
748.00	0.47
748.20	0.47
748.40	0.47
748.60	0.47
748.80	0.47
749.00	0.47
749.20	0.47
749.40	0.47
749.60	0.47
749.80	0.47

750.00	0.47
750.20	0.47
750.40	0.47
750.60	0.47
750.80	0.47
751.00	0.47
751.20	0.47
751.40	0.47
751.60	0.47
751.80	0.47
752.00	0.47
752.20	0.47
752.40	0.47
752.60	0.47
752.80	0.47
753.00	0.47
753.20	0.47
753.40	0.47
753.60	0.47
753.80	0.47
754.00	0.47
754.20	0.47
754.40	0.47
754.60	0.47
754.80	0.47
755.00	0.47
755.20	0.47
755.40	0.47
755.60	0.47
755.80	0.47
756.00	0.47
756.20	0.47
756.40	0.47
756.60	0.48
756.80	0.48
757.00	0.48
757.20	0.48
757.40	0.48
757.60	0.48
757.80	0.48
758.00	0.48
758.20	0.48
758.40	0.48
758.60	0.48
758.80	0.48
759.00	0.48
759.20	0.48
759.40	0.48
759.60	0.48
759.80	0.48
760.00	0.48
760.20	0.48
760.40	0.48
760.60	0.48
760.80	0.48
761.00	0.48
761.20	0.48

761.40	0.48
761.60	0.48
761.80	0.48
762.00	0.48
762.20	0.48
762.40	0.48
762.60	0.48
762.80	0.48
763.00	0.48
763.20	0.48
763.40	0.48
763.60	0.48
763.80	0.48
764.00	0.48
764.20	0.48
764.40	0.48
764.60	0.48
764.80	0.48
765.00	0.48
765.20	0.48
765.40	0.48
765.60	0.48
765.80	0.48
766.00	0.48
766.20	0.48
766.40	0.48
766.60	0.48
766.80	0.48
767.00	0.48
767.20	0.48
767.40	0.48
767.60	0.48
767.80	0.48
768.00	0.48
768.20	0.48
768.40	0.48
768.60	0.48
768.80	0.48
769.00	0.48
769.20	0.48
769.40	0.48
769.60	0.48
769.80	0.48
770.00	0.48
770.20	0.48
770.40	0.48
770.60	0.48
770.80	0.48
771.00	0.48
771.20	0.48
771.40	0.48
771.60	0.48
771.80	0.48
772.00	0.48
772.20	0.48
772.40	0.48
772.60	0.48

772.80	0.48
773.00	0.48
773.20	0.48
773.40	0.48
773.60	0.48
773.80	0.48
774.00	0.49
774.20	0.49
774.40	0.49
774.60	0.49
774.80	0.49
775.00	0.49
775.20	0.49
775.40	0.49
775.60	0.49
775.80	0.49
776.00	0.49
776.20	0.49
776.40	0.49
776.60	0.49
776.80	0.49
777.00	0.49
777.20	0.49
777.40	0.49
777.60	0.49
777.80	0.49
778.00	0.49
778.20	0.49
778.40	0.49
778.60	0.49
778.80	0.49
779.00	0.49
779.20	0.49
779.40	0.49
779.60	0.49
779.80	0.49
780.00	0.49
780.20	0.49
780.40	0.49
780.60	0.49
780.80	0.49
781.00	0.49
781.20	0.49
781.40	0.49
781.60	0.49
781.80	0.49
782.00	0.49
782.20	0.49
782.40	0.49
782.60	0.49
782.80	0.49
783.00	0.49
783.20	0.49
783.40	0.49
783.60	0.49
783.80	0.49
784.00	0.49

784.20	0.49
784.40	0.49
784.60	0.49
784.80	0.49
785.00	0.49
785.20	0.49
785.40	0.49
785.60	0.49
785.80	0.49
786.00	0.49
786.20	0.49
786.40	0.49
786.60	0.49
786.80	0.49
787.00	0.49
787.20	0.49
787.40	0.49
787.60	0.49
787.80	0.49
788.00	0.49
788.20	0.49
788.40	0.49
788.60	0.49
788.80	0.49
789.00	0.49
789.20	0.49
789.40	0.49
789.60	0.49
789.80	0.49
790.00	0.50
790.20	0.50
790.40	0.50
790.60	0.50
790.80	0.50
791.00	0.50
791.20	0.50
791.40	0.50
791.60	0.50
791.80	0.50
792.00	0.50
792.20	0.50
792.40	0.50
792.60	0.50
792.80	0.50
793.00	0.50
793.20	0.50
793.40	0.50
793.60	0.50
793.80	0.50
794.00	0.50
794.20	0.50
794.40	0.50
794.60	0.50
794.80	0.50
795.00	0.50
795.20	0.50
795.40	0.50

795.60	0.50
795.80	0.50
796.00	0.50
796.20	0.50
796.40	0.50
796.60	0.50
796.80	0.50
797.00	0.50
797.20	0.50
797.40	0.50
797.60	0.50
797.80	0.50
798.00	0.50
798.20	0.50
798.40	0.50
798.60	0.50
798.80	0.50
799.00	0.50
799.20	0.50
799.40	0.50
799.60	0.50
799.80	0.50
800.00	0.50
800.20	0.50
800.40	0.50
800.60	0.50
800.80	0.50
801.00	0.50
801.20	0.50
801.40	0.50
801.60	0.50
801.80	0.50
802.00	0.50
802.20	0.50
802.40	0.50
802.60	0.50
802.80	0.50
803.00	0.50
803.20	0.50
803.40	0.50
803.60	0.50
803.80	0.50
804.00	0.50
804.20	0.50
804.40	0.50
804.60	0.50
804.80	0.50
805.00	0.50
805.20	0.51
805.40	0.51
805.60	0.51
805.80	0.51
806.00	0.51
806.20	0.51
806.40	0.51
806.60	0.51
806.80	0.51

807.00	0.51
807.20	0.51
807.40	0.51
807.60	0.51
807.80	0.51
808.00	0.51
808.20	0.51
808.40	0.51
808.60	0.51
808.80	0.51
809.00	0.51
809.20	0.51
809.40	0.51
809.60	0.51
809.80	0.51
810.00	0.51
810.20	0.51
810.40	0.51
810.60	0.51
810.80	0.51
811.00	0.51
811.20	0.51
811.40	0.51
811.60	0.51
811.80	0.51
812.00	0.51
812.20	0.51
812.40	0.51
812.60	0.51
812.80	0.51
813.00	0.51
813.20	0.51
813.40	0.51
813.60	0.51
813.80	0.51
814.00	0.51
814.20	0.51
814.40	0.51
814.60	0.51
814.80	0.51
815.00	0.51
815.20	0.51
815.40	0.51
815.60	0.51
815.80	0.51
816.00	0.51
816.20	0.51
816.40	0.51
816.60	0.51
816.80	0.51
817.00	0.51
817.20	0.51
817.40	0.51
817.60	0.51
817.80	0.51
818.00	0.51
818.20	0.51

818.40	0.51
818.60	0.51
818.80	0.51
819.00	0.51
819.20	0.51
819.40	0.52
819.60	0.52
819.80	0.52
820.00	0.52
820.20	0.52
820.40	0.52
820.60	0.52
820.80	0.52
821.00	0.52
821.20	0.52
821.40	0.52
821.60	0.52
821.80	0.52
822.00	0.52
822.20	0.52
822.40	0.52
822.60	0.52
822.80	0.52
823.00	0.52
823.20	0.52
823.40	0.52
823.60	0.52
823.80	0.52
824.00	0.52
824.20	0.52
824.40	0.52
824.60	0.52
824.80	0.52
825.00	0.52
825.20	0.52
825.40	0.52
825.60	0.52
825.80	0.52
826.00	0.52
826.20	0.52
826.40	0.52
826.60	0.52
826.80	0.52
827.00	0.52
827.20	0.52
827.40	0.52
827.60	0.52
827.80	0.52
828.00	0.52
828.20	0.52
828.40	0.52
828.60	0.52
828.80	0.52
829.00	0.52
829.20	0.52
829.40	0.52
829.60	0.52

829.80	0.52
830.00	0.52
830.20	0.52
830.40	0.52
830.60	0.52
830.80	0.52
831.00	0.52
831.20	0.52
831.40	0.52
831.60	0.52
831.80	0.52
832.00	0.52
832.20	0.52
832.40	0.52
832.60	0.52
832.80	0.53
833.00	0.53
833.20	0.53
833.40	0.53
833.60	0.53
833.80	0.53
834.00	0.53
834.20	0.53
834.40	0.53
834.60	0.53
834.80	0.53
835.00	0.53
835.20	0.53
835.40	0.53
835.60	0.53
835.80	0.53
836.00	0.53
836.20	0.53
836.40	0.53
836.60	0.53
836.80	0.53
837.00	0.53
837.20	0.53
837.40	0.53
837.60	0.53
837.80	0.53
838.00	0.53
838.20	0.53
838.40	0.53
838.60	0.53
838.80	0.53
839.00	0.53
839.20	0.53
839.40	0.53
839.60	0.53
839.80	0.53
840.00	0.53
840.20	0.53
840.40	0.53
840.60	0.53
840.80	0.53
841.00	0.53

841.20	0.53
841.40	0.53
841.60	0.53
841.80	0.53
842.00	0.53
842.20	0.53
842.40	0.53
842.60	0.53
842.80	0.53
843.00	0.53
843.20	0.53
843.40	0.53
843.60	0.53
843.80	0.53
844.00	0.53
844.20	0.53
844.40	0.53
844.60	0.53
844.80	0.53
845.00	0.53
845.20	0.53
845.40	0.54
845.60	0.54
845.80	0.54
846.00	0.54
846.20	0.54
846.40	0.54
846.60	0.54
846.80	0.54
847.00	0.54
847.20	0.54
847.40	0.54
847.60	0.54
847.80	0.54
848.00	0.54
848.20	0.54
848.40	0.54
848.60	0.54
848.80	0.54
849.00	0.54
849.20	0.54
849.40	0.54
849.60	0.54
849.80	0.54
850.00	0.54
850.20	0.54
850.40	0.54
850.60	0.54
850.80	0.54
851.00	0.54
851.20	0.54
851.40	0.54
851.60	0.54
851.80	0.54
852.00	0.54
852.20	0.54
852.40	0.54

852.60	0.54
852.80	0.54
853.00	0.54
853.20	0.54
853.40	0.54
853.60	0.54
853.80	0.54
854.00	0.54
854.20	0.54
854.40	0.54
854.60	0.54
854.80	0.54
855.00	0.54
855.20	0.54
855.40	0.54
855.60	0.54
855.80	0.54
856.00	0.54
856.20	0.54
856.40	0.54
856.60	0.54
856.80	0.54
857.00	0.54
857.20	0.54
857.40	0.55
857.60	0.55
857.80	0.55
858.00	0.55
858.20	0.55
858.40	0.55
858.60	0.55
858.80	0.55
859.00	0.55
859.20	0.55
859.40	0.55
859.60	0.55
859.80	0.55
860.00	0.55
860.20	0.55
860.40	0.55
860.60	0.55
860.80	0.55
861.00	0.55
861.20	0.55
861.40	0.55
861.60	0.55
861.80	0.55
862.00	0.55
862.20	0.55
862.40	0.55
862.60	0.55
862.80	0.55
863.00	0.55
863.20	0.55
863.40	0.55
863.60	0.55
863.80	0.55

864.00	0.55
864.20	0.55
864.40	0.55
864.60	0.55
864.80	0.55
865.00	0.55
865.20	0.55
865.40	0.55
865.60	0.55
865.80	0.55
866.00	0.55
866.20	0.55
866.40	0.55
866.60	0.55
866.80	0.55
867.00	0.55
867.20	0.55
867.40	0.55
867.60	0.55
867.80	0.55
868.00	0.55
868.20	0.55
868.40	0.55
868.60	0.55
868.80	0.56
869.00	0.56
869.20	0.56
869.40	0.56
869.60	0.56
869.80	0.56
870.00	0.56
870.20	0.56
870.40	0.56
870.60	0.56
870.80	0.56
871.00	0.56
871.20	0.56
871.40	0.56
871.60	0.56
871.80	0.56
872.00	0.56
872.20	0.56
872.40	0.56
872.60	0.56
872.80	0.56
873.00	0.56
873.20	0.56
873.40	0.56
873.60	0.56
873.80	0.56
874.00	0.56
874.20	0.56
874.40	0.56
874.60	0.56
874.80	0.56
875.00	0.56
875.20	0.56

875.40	0.56
875.60	0.56
875.80	0.56
876.00	0.56
876.20	0.56
876.40	0.56
876.60	0.56
876.80	0.56
877.00	0.56
877.20	0.56
877.40	0.56
877.60	0.56
877.80	0.56
878.00	0.56
878.20	0.56
878.40	0.56
878.60	0.56
878.80	0.56
879.00	0.56
879.20	0.56
879.40	0.57
879.60	0.57
879.80	0.57
880.00	0.57
880.20	0.57
880.40	0.57
880.60	0.57
880.80	0.57
881.00	0.57
881.20	0.57
881.40	0.57
881.60	0.57
881.80	0.57
882.00	0.57
882.20	0.57
882.40	0.57
882.60	0.57
882.80	0.57
883.00	0.57
883.20	0.57
883.40	0.57
883.60	0.57
883.80	0.57
884.00	0.57
884.20	0.57
884.40	0.57
884.60	0.57
884.80	0.57
885.00	0.57
885.20	0.57
885.40	0.57
885.60	0.57
885.80	0.57
886.00	0.57
886.20	0.57
886.40	0.57
886.60	0.57

886.80	0.57
887.00	0.57
887.20	0.57
887.40	0.57
887.60	0.57
887.80	0.57
888.00	0.57
888.20	0.57
888.40	0.57
888.60	0.57
888.80	0.57
889.00	0.57
889.20	0.57
889.40	0.57
889.60	0.58
889.80	0.58
890.00	0.58
890.20	0.58
890.40	0.58
890.60	0.58
890.80	0.58
891.00	0.58
891.20	0.58
891.40	0.58
891.60	0.58
891.80	0.58
892.00	0.58
892.20	0.58
892.40	0.58
892.60	0.58
892.80	0.58
893.00	0.58
893.20	0.58
893.40	0.58
893.60	0.58
893.80	0.58
894.00	0.58
894.20	0.58
894.40	0.58
894.60	0.58
894.80	0.58
895.00	0.58
895.20	0.58
895.40	0.58
895.60	0.58
895.80	0.58
896.00	0.58
896.20	0.58
896.40	0.58
896.60	0.58
896.80	0.58
897.00	0.58
897.20	0.58
897.40	0.58
897.60	0.58
897.80	0.58
898.00	0.58

898.20	0.58
898.40	0.58
898.60	0.58
898.80	0.58
899.00	0.58
899.20	0.59
899.40	0.59
899.60	0.59
899.80	0.59
900.00	0.59
900.20	0.59
900.40	0.59
900.60	0.59
900.80	0.59
901.00	0.59
901.20	0.59
901.40	0.59
901.60	0.59
901.80	0.59
902.00	0.59
902.20	0.59
902.40	0.59
902.60	0.59
902.80	0.59
903.00	0.59
903.20	0.59
903.40	0.59
903.60	0.59
903.80	0.59
904.00	0.59
904.20	0.59
904.40	0.59
904.60	0.59
904.80	0.59
905.00	0.59
905.20	0.59
905.40	0.59
905.60	0.59
905.80	0.59
906.00	0.59
906.20	0.59
906.40	0.59
906.60	0.59
906.80	0.59
907.00	0.59
907.20	0.59
907.40	0.59
907.60	0.59
907.80	0.59
908.00	0.59
908.20	0.60
908.40	0.60
908.60	0.60
908.80	0.60
909.00	0.60
909.20	0.60
909.40	0.60

909.60	0.60
909.80	0.60
910.00	0.60
910.20	0.60
910.40	0.60
910.60	0.60
910.80	0.60
911.00	0.60
911.20	0.60
911.40	0.60
911.60	0.60
911.80	0.60
912.00	0.60
912.20	0.60
912.40	0.60
912.60	0.60
912.80	0.60
913.00	0.60
913.20	0.60
913.40	0.60
913.60	0.60
913.80	0.60
914.00	0.60
914.20	0.60
914.40	0.60
914.60	0.60
914.80	0.60
915.00	0.60
915.20	0.60
915.40	0.60
915.60	0.60
915.80	0.60
916.00	0.60
916.20	0.60
916.40	0.60
916.60	0.60
916.80	0.61
917.00	0.61
917.20	0.61
917.40	0.61
917.60	0.61
917.80	0.61
918.00	0.61
918.20	0.61
918.40	0.61
918.60	0.61
918.80	0.61
919.00	0.61
919.20	0.61
919.40	0.61
919.60	0.61
919.80	0.61
920.00	0.61
920.20	0.61
920.40	0.61
920.60	0.61
920.80	0.61

921.00	0.61
921.20	0.61
921.40	0.61
921.60	0.61
921.80	0.61
922.00	0.61
922.20	0.61
922.40	0.61
922.60	0.61
922.80	0.61
923.00	0.61
923.20	0.61
923.40	0.61
923.60	0.61
923.80	0.61
924.00	0.61
924.20	0.61
924.40	0.61
924.60	0.61
924.80	0.62
925.00	0.62
925.20	0.62
925.40	0.62
925.60	0.62
925.80	0.62
926.00	0.62
926.20	0.62
926.40	0.62
926.60	0.62
926.80	0.62
927.00	0.62
927.20	0.62
927.40	0.62
927.60	0.62
927.80	0.62
928.00	0.62
928.20	0.62
928.40	0.62
928.60	0.62
928.80	0.62
929.00	0.62
929.20	0.62
929.40	0.62
929.60	0.62
929.80	0.62
930.00	0.62
930.20	0.62
930.40	0.62
930.60	0.62
930.80	0.62
931.00	0.62
931.20	0.62
931.40	0.62
931.60	0.62
931.80	0.62
932.00	0.62
932.20	0.62

932.40	0.62
932.60	0.63
932.80	0.63
933.00	0.63
933.20	0.63
933.40	0.63
933.60	0.63
933.80	0.63
934.00	0.63
934.20	0.63
934.40	0.63
934.60	0.63
934.80	0.63
935.00	0.63
935.20	0.63
935.40	0.63
935.60	0.63
935.80	0.63
936.00	0.63
936.20	0.63
936.40	0.63
936.60	0.63
936.80	0.63
937.00	0.63
937.20	0.63
937.40	0.63
937.60	0.63
937.80	0.63
938.00	0.63
938.20	0.63
938.40	0.63
938.60	0.63
938.80	0.63
939.00	0.63
939.20	0.63
939.40	0.63
939.60	0.63
939.80	0.63
940.00	0.64
940.20	0.64
940.40	0.64
940.60	0.64
940.80	0.64
941.00	0.64
941.20	0.64
941.40	0.64
941.60	0.64
941.80	0.64
942.00	0.64
942.20	0.64
942.40	0.64
942.60	0.64
942.80	0.64
943.00	0.64
943.20	0.64
943.40	0.64
943.60	0.64

943.80	0.64
944.00	0.64
944.20	0.64
944.40	0.64
944.60	0.64
944.80	0.64
945.00	0.64
945.20	0.64
945.40	0.64
945.60	0.64
945.80	0.64
946.00	0.64
946.20	0.64
946.40	0.64
946.60	0.64
946.80	0.64
947.00	0.65
947.20	0.65
947.40	0.65
947.60	0.65
947.80	0.65
948.00	0.65
948.20	0.65
948.40	0.65
948.60	0.65
948.80	0.65
949.00	0.65
949.20	0.65
949.40	0.65
949.60	0.65
949.80	0.65
950.00	0.65
950.20	0.65
950.40	0.65
950.60	0.65
950.80	0.65
951.00	0.65
951.20	0.65
951.40	0.65
951.60	0.65
951.80	0.65
952.00	0.65
952.20	0.65
952.40	0.65
952.60	0.65
952.80	0.65
953.00	0.65
953.20	0.65
953.40	0.65
953.60	0.66
953.80	0.66
954.00	0.66
954.20	0.66
954.40	0.66
954.60	0.66
954.80	0.66
955.00	0.66

955.20	0.66
955.40	0.66
955.60	0.66
955.80	0.66
956.00	0.66
956.20	0.66
956.40	0.66
956.60	0.66
956.80	0.66
957.00	0.66
957.20	0.66
957.40	0.66
957.60	0.66
957.80	0.66
958.00	0.66
958.20	0.66
958.40	0.66
958.60	0.66
958.80	0.66
959.00	0.66
959.20	0.66
959.40	0.66
959.60	0.66
959.80	0.66
960.00	0.67
960.20	0.67
960.40	0.67
960.60	0.67
960.80	0.67
961.00	0.67
961.20	0.67
961.40	0.67
961.60	0.67
961.80	0.67
962.00	0.67
962.20	0.67
962.40	0.67
962.60	0.67
962.80	0.67
963.00	0.67
963.20	0.67
963.40	0.67
963.60	0.67
963.80	0.67
964.00	0.67
964.20	0.67
964.40	0.67
964.60	0.67
964.80	0.67
965.00	0.67
965.20	0.67
965.40	0.67
965.60	0.67
965.80	0.67
966.00	0.67
966.20	0.68
966.40	0.68

966.60	0.68
966.80	0.68
967.00	0.68
967.20	0.68
967.40	0.68
967.60	0.68
967.80	0.68
968.00	0.68
968.20	0.68
968.40	0.68
968.60	0.68
968.80	0.68
969.00	0.68
969.20	0.68
969.40	0.68
969.60	0.68
969.80	0.68
970.00	0.68
970.20	0.68
970.40	0.68
970.60	0.68
970.80	0.68
971.00	0.68
971.20	0.68
971.40	0.68
971.60	0.68
971.80	0.68
972.00	0.69
972.20	0.69
972.40	0.69
972.60	0.69
972.80	0.69
973.00	0.69
973.20	0.69
973.40	0.69
973.60	0.69
973.80	0.69
974.00	0.69
974.20	0.69
974.40	0.69
974.60	0.69
974.80	0.69
975.00	0.69
975.20	0.69
975.40	0.69
975.60	0.69
975.80	0.69
976.00	0.69
976.20	0.69
976.40	0.69
976.60	0.69
976.80	0.69
977.00	0.69
977.20	0.69
977.40	0.69
977.60	0.70
977.80	0.70

978.00	0.70
978.20	0.70
978.40	0.70
978.60	0.70
978.80	0.70
979.00	0.70
979.20	0.70
979.40	0.70
979.60	0.70
979.80	0.70
980.00	0.70
980.20	0.70
980.40	0.70
980.60	0.70
980.80	0.70
981.00	0.70
981.20	0.70
981.40	0.70
981.60	0.70
981.80	0.70
982.00	0.70
982.20	0.70
982.40	0.70
982.60	0.70
982.80	0.71
983.00	0.71
983.20	0.71
983.40	0.71
983.60	0.71
983.80	0.71
984.00	0.71
984.20	0.71
984.40	0.71
984.60	0.71
984.80	0.71
985.00	0.71
985.20	0.71
985.40	0.71
985.60	0.71
985.80	0.71
986.00	0.71
986.20	0.71
986.40	0.71
986.60	0.71
986.80	0.71
987.00	0.71
987.20	0.71
987.40	0.71
987.60	0.71
987.80	0.72
988.00	0.72
988.20	0.72
988.40	0.72
988.60	0.72
988.80	0.72
989.00	0.72
989.20	0.72

989.40	0.72
989.60	0.72
989.80	0.72
990.00	0.72
990.20	0.72
990.40	0.72
990.60	0.72
990.80	0.72
991.00	0.72
991.20	0.72
991.40	0.72
991.60	0.72
991.80	0.72
992.00	0.72
992.20	0.72
992.40	0.72
992.60	0.72
992.80	0.73
993.00	0.73
993.20	0.73
993.40	0.73
993.60	0.73
993.80	0.73
994.00	0.73
994.20	0.73
994.40	0.73
994.60	0.73
994.80	0.73
995.00	0.73
995.20	0.73
995.40	0.73
995.60	0.73
995.80	0.73
996.00	0.73
996.20	0.73
996.40	0.73
996.60	0.73
996.80	0.73
997.00	0.73
997.20	0.73
997.40	0.74
997.60	0.74
997.80	0.74
998.00	0.74
998.20	0.74
998.40	0.74
998.60	0.74
998.80	0.74
999.00	0.74
999.20	0.74
999.40	0.74
999.60	0.74
999.80	0.74
1000.00	0.74
1000.20	0.74
1000.40	0.74
1000.60	0.74

1000.80	0.74
1001.00	0.74
1001.20	0.74
1001.40	0.74
1001.60	0.74
1001.80	0.75
1002.00	0.75
1002.20	0.75
1002.40	0.75
1002.60	0.75
1002.80	0.75
1003.00	0.75
1003.20	0.75
1003.40	0.75
1003.60	0.75
1003.80	0.75
1004.00	0.75
1004.20	0.75
1004.40	0.75
1004.60	0.75
1004.80	0.75
1005.00	0.75
1005.20	0.75
1005.40	0.75
1005.60	0.75
1005.80	0.75
1006.00	0.76
1006.20	0.76
1006.40	0.76
1006.60	0.76
1006.80	0.76
1007.00	0.76
1007.20	0.76
1007.40	0.76
1007.60	0.76
1007.80	0.76
1008.00	0.76
1008.20	0.76
1008.40	0.76
1008.60	0.76
1008.80	0.76
1009.00	0.76
1009.20	0.76
1009.40	0.76
1009.60	0.76
1009.80	0.76
1010.00	0.76
1010.20	0.77
1010.40	0.77
1010.60	0.77
1010.80	0.77
1011.00	0.77
1011.20	0.77
1011.40	0.77
1011.60	0.77
1011.80	0.77
1012.00	0.77

1012.20	0.77
1012.40	0.77
1012.60	0.77
1012.80	0.77
1013.00	0.77
1013.20	0.77
1013.40	0.77
1013.60	0.77
1013.80	0.77
1014.00	0.77
1014.20	0.78
1014.40	0.78
1014.60	0.78
1014.80	0.78
1015.00	0.78
1015.20	0.78
1015.40	0.78
1015.60	0.78
1015.80	0.78
1016.00	0.78
1016.20	0.78
1016.40	0.78
1016.60	0.78
1016.80	0.78
1017.00	0.78
1017.20	0.78
1017.40	0.78
1017.60	0.78
1017.80	0.79
1018.00	0.79
1018.20	0.79
1018.40	0.79
1018.60	0.79
1018.80	0.79
1019.00	0.79
1019.20	0.79
1019.40	0.79
1019.60	0.79
1019.80	0.79
1020.00	0.79
1020.20	0.79
1020.40	0.79
1020.60	0.79
1020.80	0.79
1021.00	0.79
1021.20	0.79
1021.40	0.79
1021.60	0.80
1021.80	0.80
1022.00	0.80
1022.20	0.80
1022.40	0.80
1022.60	0.80
1022.80	0.80
1023.00	0.80
1023.20	0.80
1023.40	0.80

1023.60	0.80
1023.80	0.80
1024.00	0.80
1024.20	0.80
1024.40	0.80
1024.60	0.80
1024.80	0.80
1025.00	0.81
1025.20	0.81
1025.40	0.81
1025.60	0.81
1025.80	0.81
1026.00	0.81
1026.20	0.81
1026.40	0.81
1026.60	0.81
1026.80	0.81
1027.00	0.81
1027.20	0.81
1027.40	0.81
1027.60	0.81
1027.80	0.81
1028.00	0.81
1028.20	0.81
1028.40	0.82
1028.60	0.82
1028.80	0.82
1029.00	0.82
1029.20	0.82
1029.40	0.82
1029.60	0.82
1029.80	0.82
1030.00	0.82
1030.20	0.82
1030.40	0.82
1030.60	0.82
1030.80	0.82
1031.00	0.82
1031.20	0.82
1031.40	0.82
1031.60	0.83
1031.80	0.83
1032.00	0.83
1032.20	0.83
1032.40	0.83
1032.60	0.83
1032.80	0.83
1033.00	0.83
1033.20	0.83
1033.40	0.83
1033.60	0.83
1033.80	0.83
1034.00	0.83
1034.20	0.83
1034.40	0.83
1034.60	0.83
1034.80	0.84

1035.00	0.84
1035.20	0.84
1035.40	0.84
1035.60	0.84
1035.80	0.84
1036.00	0.84
1036.20	0.84
1036.40	0.84
1036.60	0.84
1036.80	0.84
1037.00	0.84
1037.20	0.84
1037.40	0.84
1037.60	0.84
1037.80	0.85
1038.00	0.85
1038.20	0.85
1038.40	0.85
1038.60	0.85
1038.80	0.85
1039.00	0.85
1039.20	0.85
1039.40	0.85
1039.60	0.85
1039.80	0.85
1040.00	0.85
1040.20	0.85
1040.40	0.85
1040.60	0.86
1040.80	0.86
1041.00	0.86
1041.20	0.86
1041.40	0.86
1041.60	0.86
1041.80	0.86
1042.00	0.86
1042.20	0.86
1042.40	0.86
1042.60	0.86
1042.80	0.86
1043.00	0.86
1043.20	0.86
1043.40	0.87
1043.60	0.87
1043.80	0.87
1044.00	0.87
1044.20	0.87
1044.40	0.87
1044.60	0.87
1044.80	0.87
1045.00	0.87
1045.20	0.87
1045.40	0.87
1045.60	0.87
1045.80	0.87
1046.00	0.88
1046.20	0.88

1046.40	0.88
1046.60	0.88
1046.80	0.88
1047.00	0.88
1047.20	0.88
1047.40	0.88
1047.60	0.88
1047.80	0.88
1048.00	0.88
1048.20	0.88
1048.40	0.88
1048.60	0.89
1048.80	0.89
1049.00	0.89
1049.20	0.89
1049.40	0.89
1049.60	0.89
1049.80	0.89
1050.00	0.89
1050.20	0.89
1050.40	0.89
1050.60	0.89
1050.80	0.89
1051.00	0.89
1051.20	0.90
1051.40	0.90
1051.60	0.90
1051.80	0.90
1052.00	0.90
1052.20	0.90
1052.40	0.90
1052.60	0.90
1052.80	0.90
1053.00	0.90
1053.20	0.90
1053.40	0.90
1053.60	0.91
1053.80	0.91
1054.00	0.91
1054.20	0.91
1054.40	0.91
1054.60	0.91
1054.80	0.91
1055.00	0.91
1055.20	0.91
1055.40	0.91
1055.60	0.91
1055.80	0.91
1056.00	0.92
1056.20	0.92
1056.40	0.92
1056.60	0.92
1056.80	0.92
1057.00	0.92
1057.20	0.92
1057.40	0.92
1057.60	0.92

1057.80	0.92
1058.00	0.92
1058.20	0.93
1058.40	0.93
1058.60	0.93
1058.80	0.93
1059.00	0.93
1059.20	0.93
1059.40	0.93
1059.60	0.93
1059.80	0.93
1060.00	0.93
1060.20	0.93
1060.40	0.94
1060.60	0.94
1060.80	0.94
1061.00	0.94
1061.20	0.94
1061.40	0.94
1061.60	0.94
1061.80	0.94
1062.00	0.94
1062.20	0.94
1062.40	0.95
1062.60	0.95
1062.80	0.95
1063.00	0.95
1063.20	0.95
1063.40	0.95
1063.60	0.95
1063.80	0.95
1064.00	0.95
1064.20	0.95
1064.40	0.95
1064.60	0.96
1064.80	0.96
1065.00	0.96
1065.20	0.96
1065.40	0.96
1065.60	0.96
1065.80	0.96
1066.00	0.96
1066.20	0.96
1066.40	0.97
1066.60	0.97
1066.80	0.97
1067.00	0.97
1067.20	0.97
1067.40	0.97
1067.60	0.97
1067.80	0.97
1068.00	0.97
1068.20	0.97
1068.40	0.98
1068.60	0.98
1068.80	0.98
1069.00	0.98

1069.20	0.98
1069.40	0.98
1069.60	0.98
1069.80	0.98
1070.00	0.98
1070.20	0.99
1070.40	0.99
1070.60	0.99
1070.80	0.99
1071.00	0.99
1071.20	0.99
1071.40	0.99
1071.60	0.99
1071.80	0.99
1072.00	1.00
1072.20	1.00
1072.40	1.00
1072.60	1.00
1072.80	1.00
1073.00	1.00
1073.20	1.00
1073.40	1.00
1073.60	1.00
1073.80	1.01
1074.00	1.01
1074.20	1.01
1074.40	1.01
1074.60	1.01
1074.80	1.01
1075.00	1.01
1075.20	1.02
1075.40	1.02
1075.60	1.02
1075.80	1.02
1076.00	1.02
1076.20	1.02
1076.40	1.02
1076.60	1.02
1076.80	1.03
1077.00	1.03
1077.20	1.03
1077.40	1.03
1077.60	1.03
1077.80	1.03
1078.00	1.03
1078.20	1.04
1078.40	1.04
1078.60	1.04
1078.80	1.04
1079.00	1.04
1079.20	1.04
1079.40	1.04
1079.60	1.04
1079.80	1.05
1080.00	1.05
1080.20	1.05
1080.40	1.05

1080.60	1.05
1080.80	1.05
1081.00	1.06
1081.20	1.06
1081.40	1.06
1081.60	1.06
1081.80	1.06
1082.00	1.06
1082.20	1.06
1082.40	1.07
1082.60	1.07
1082.80	1.07
1083.00	1.07
1083.20	1.07
1083.40	1.07
1083.60	1.07
1083.80	1.08
1084.00	1.08
1084.20	1.08
1084.40	1.08
1084.60	1.08
1084.80	1.08
1085.00	1.09
1085.20	1.09
1085.40	1.09
1085.60	1.09
1085.80	1.09
1086.00	1.09
1086.20	1.10
1086.40	1.10
1086.60	1.10
1086.80	1.10
1087.00	1.10
1087.20	1.10
1087.40	1.11
1087.60	1.11
1087.80	1.11
1088.00	1.11
1088.20	1.11
1088.40	1.11
1088.60	1.12
1088.80	1.12
1089.00	1.12
1089.20	1.12
1089.40	1.12
1089.60	1.12
1089.80	1.13
1090.00	1.13
1090.20	1.13
1090.40	1.13
1090.60	1.13
1090.80	1.14
1091.00	1.14
1091.20	1.14
1091.40	1.14
1091.60	1.14
1091.80	1.14

1092.00	1.15
1092.20	1.15
1092.40	1.15
1092.60	1.15
1092.80	1.15
1093.00	1.16
1093.20	1.16
1093.40	1.16
1093.60	1.16
1093.80	1.16
1094.00	1.17
1094.20	1.17
1094.40	1.17
1094.60	1.17
1094.80	1.17
1095.00	1.18
1095.20	1.18
1095.40	1.18
1095.60	1.18
1095.80	1.18
1096.00	1.19
1096.20	1.19
1096.40	1.19
1096.60	1.19
1096.80	1.19
1097.00	1.20
1097.20	1.20
1097.40	1.20
1097.60	1.20
1097.80	1.20
1098.00	1.21
1098.20	1.21
1098.40	1.21
1098.60	1.21
1098.80	1.22
1099.00	1.22
1099.20	1.22
1099.40	1.22
1099.60	1.22
1099.80	1.23
1100.00	1.23
1100.20	1.23
1100.40	1.23
1100.60	1.24
1100.80	1.24
1101.00	1.24
1101.20	1.24
1101.40	1.25
1101.60	1.25
1101.80	1.25
1102.00	1.25
1102.20	1.26
1102.40	1.26
1102.60	1.26
1102.80	1.26
1103.00	1.27
1103.20	1.27

1103.40	1.27
1103.60	1.27
1103.80	1.28
1104.00	1.28
1104.20	1.28
1104.40	1.28
1104.60	1.29
1104.80	1.29
1105.00	1.29
1105.20	1.29
1105.40	1.30
1105.60	1.30
1105.80	1.30
1106.00	1.31
1106.20	1.31
1106.40	1.31
1106.60	1.31
1106.80	1.32
1107.00	1.32
1107.20	1.32
1107.40	1.33
1107.60	1.33
1107.80	1.33
1108.00	1.33
1108.20	1.34
1108.40	1.34
1108.60	1.34
1108.80	1.35
1109.00	1.35
1109.20	1.35
1109.40	1.36
1109.60	1.36
1109.80	1.36
1110.00	1.37
1110.20	1.37
1110.40	1.37
1110.60	1.37
1110.80	1.38
1111.00	1.38
1111.20	1.38
1111.40	1.39
1111.60	1.39
1111.80	1.39
1112.00	1.40
1112.20	1.40
1112.40	1.40
1112.60	1.41
1112.80	1.41
1113.00	1.41
1113.20	1.42
1113.40	1.42
1113.60	1.42
1113.80	1.43
1114.00	1.43
1114.20	1.43
1114.40	1.44
1114.60	1.44

1114.80	1.45
1115.00	1.45
1115.20	1.45
1115.40	1.46
1115.60	1.46
1115.80	1.46
1116.00	1.47
1116.20	1.47
1116.40	1.47
1116.60	1.48
1116.80	1.48
1117.00	1.49
1117.20	1.49
1117.40	1.49
1117.60	1.50
1117.80	1.50
1118.00	1.51
1118.20	1.51
1118.40	1.51
1118.60	1.52
1118.80	1.52
1119.00	1.53
1119.20	1.53
1119.40	1.54
1119.60	1.54
1119.80	1.54
1120.00	1.55
1120.20	1.55
1120.40	1.56
1120.60	1.56
1120.80	1.57
1121.00	1.57
1121.20	1.58
1121.40	1.58
1121.60	1.59
1121.80	1.59
1122.00	1.60
1122.20	1.60
1122.40	1.60
1122.60	1.61
1122.80	1.61
1123.00	1.62
1123.20	1.63
1123.40	1.63
1123.60	1.64
1123.80	1.64
1124.00	1.65
1124.20	1.65
1124.40	1.66
1124.60	1.66
1124.80	1.67
1125.00	1.67
1125.20	1.68
1125.40	1.68
1125.60	1.69
1125.80	1.70
1126.00	1.70

1126.20	1.71
1126.40	1.71
1126.60	1.72
1126.80	1.73
1127.00	1.73
1127.20	1.74
1127.40	1.75
1127.60	1.75
1127.80	1.76
1128.00	1.76
1128.20	1.77
1128.40	1.78
1128.60	1.78
1128.80	1.79
1129.00	1.80
1129.20	1.81
1129.40	1.81
1129.60	1.82
1129.80	1.83
1130.00	1.84
1130.20	1.84
1130.40	1.85
1130.60	1.86
1130.80	1.87
1131.00	1.87
1131.20	1.88
1131.40	1.89
1131.60	1.90
1131.80	1.91
1132.00	1.91
1132.20	1.92
1132.40	1.93
1132.60	1.94
1132.80	1.95
1133.00	1.96
1133.20	1.97
1133.40	1.98
1133.60	1.99
1133.80	2.00
1134.00	2.01
1134.20	2.02
1134.40	2.03
1134.60	2.04
1134.80	2.05
1135.00	2.06
1135.20	2.07
1135.40	2.08
1135.60	2.09
1135.80	2.10
1136.00	2.11
1136.20	2.12
1136.40	2.14
1136.60	2.15
1136.80	2.16
1137.00	2.17
1137.20	2.18
1137.40	2.20

1137.60	2.21
1137.80	2.22
1138.00	2.23
1138.20	2.25
1138.40	2.26
1138.60	2.28
1138.80	2.29
1139.00	2.30
1139.20	2.32
1139.40	2.33
1139.60	2.35
1139.80	2.36
1140.00	2.38
1140.20	2.40
1140.40	2.41
1140.60	2.43
1140.80	2.45
1141.00	2.47
1141.20	2.48
1141.40	2.50
1141.60	2.52
1141.80	2.54
1142.00	2.56
1142.20	2.58
1142.40	2.60
1142.60	2.63
1142.80	2.65
1143.00	2.67
1143.20	2.69
1143.40	2.72
1143.60	2.74
1143.80	2.77
1144.00	2.80
1144.20	2.82
1144.40	2.85
1144.60	2.88
1144.80	2.91
1145.00	2.94
1145.20	2.97
1145.40	3.00
1145.60	3.04
1145.80	3.07
1146.00	3.11
1146.20	3.14
1146.40	3.18
1146.60	3.22
1146.80	3.27
1147.00	3.31
1147.20	3.36
1147.40	3.40
1147.60	3.45
1147.80	3.51
1148.00	3.56
1148.20	3.62
1148.40	3.68
1148.60	3.75
1148.80	3.82

1149.00	3.89
1149.20	3.97
1149.40	4.06
1149.60	4.15
1149.80	4.25
1150.00	4.36
1150.20	4.47
1150.40	4.60
1150.60	4.74
1150.80	4.91
1151.00	5.09
1151.20	5.30
1151.40	5.56
1151.60	5.89
1151.80	6.36
1152.00	7.61
1152.20	8.18
1152.40	8.34
1152.60	8.42
1152.80	8.46
1153.00	8.47
1153.20	8.46
1153.40	8.44
1153.60	8.39
1153.80	8.33
1154.00	8.26
1154.20	8.18
1154.40	8.08
1154.60	7.97
1154.80	7.85
1155.00	7.71
1155.20	7.56
1155.40	7.39
1155.60	7.20
1155.80	6.99
1156.00	6.75
1156.20	6.47
1156.40	6.15
1156.60	5.75
1156.80	5.22
1157.00	3.90
1157.20	3.26
1157.40	3.02
1157.60	2.85
1157.80	2.72
1158.00	2.61
1158.20	2.51
1158.40	2.43
1158.60	2.35
1158.80	2.29
1159.00	2.23
1159.20	2.17
1159.40	2.12
1159.60	2.07
1159.80	2.03
1160.00	1.99
1160.20	1.95

1160.40	1.91
1160.60	1.88
1160.80	1.84
1161.00	1.81
1161.20	1.78
1161.40	1.76
1161.60	1.73
1161.80	1.71
1162.00	1.68
1162.20	1.66
1162.40	1.64
1162.60	1.62
1162.80	1.60
1163.00	1.58
1163.20	1.56
1163.40	1.54
1163.60	1.52
1163.80	1.50
1164.00	1.49
1164.20	1.47
1164.40	1.46
1164.60	1.44
1164.80	1.43
1165.00	1.42
1165.20	1.40
1165.40	1.39
1165.60	1.38
1165.80	1.36
1166.00	1.35
1166.20	1.34
1166.40	1.33
1166.60	1.31
1166.80	1.30
1167.00	1.29
1167.20	1.28
1167.40	1.27
1167.60	1.26
1167.80	1.25
1168.00	1.24
1168.20	1.23
1168.40	1.22
1168.60	1.21
1168.80	1.20
1169.00	1.20
1169.20	1.19
1169.40	1.18
1169.60	1.17
1169.80	1.16
1170.00	1.15
1170.20	1.15
1170.40	1.14
1170.60	1.13
1170.80	1.12
1171.00	1.12
1171.20	1.11
1171.40	1.10
1171.60	1.10

1171.80	1.09
1172.00	1.08
1172.20	1.08
1172.40	1.07
1172.60	1.07
1172.80	1.06
1173.00	1.05
1173.20	1.05
1173.40	1.04
1173.60	1.04
1173.80	1.03
1174.00	1.03
1174.20	1.02
1174.40	1.02
1174.60	1.01
1174.80	1.00
1175.00	1.00
1175.20	1.00
1175.40	0.99
1175.60	0.99
1175.80	0.98
1176.00	0.98
1176.20	0.97
1176.40	0.97
1176.60	0.96
1176.80	0.96
1177.00	0.96
1177.20	0.95
1177.40	0.95
1177.60	0.94
1177.80	0.94
1178.00	0.94
1178.20	0.93
1178.40	0.93
1178.60	0.93
1178.80	0.92
1179.00	0.92
1179.20	0.92
1179.40	0.91
1179.60	0.91
1179.80	0.91
1180.00	0.90
1180.20	0.90
1180.40	0.90
1180.60	0.89
1180.80	0.89
1181.00	0.89
1181.20	0.88
1181.40	0.88
1181.60	0.88
1181.80	0.87
1182.00	0.87
1182.20	0.87
1182.40	0.86
1182.60	0.86
1182.80	0.86
1183.00	0.86

1183.20	0.85
1183.40	0.85
1183.60	0.85
1183.80	0.84
1184.00	0.84
1184.20	0.84
1184.40	0.84
1184.60	0.83
1184.80	0.83
1185.00	0.83
1185.20	0.83
1185.40	0.82
1185.60	0.82
1185.80	0.82
1186.00	0.82
1186.20	0.81
1186.40	0.81
1186.60	0.81
1186.80	0.81
1187.00	0.80
1187.20	0.80
1187.40	0.80
1187.60	0.80
1187.80	0.80
1188.00	0.79
1188.20	0.79
1188.40	0.79
1188.60	0.79
1188.80	0.78
1189.00	0.78
1189.20	0.78
1189.40	0.78
1189.60	0.78
1189.80	0.77
1190.00	0.77
1190.20	0.77
1190.40	0.77
1190.60	0.77
1190.80	0.76
1191.00	0.76
1191.20	0.76
1191.40	0.76
1191.60	0.76
1191.80	0.75
1192.00	0.75
1192.20	0.75
1192.40	0.75
1192.60	0.75
1192.80	0.74
1193.00	0.74
1193.20	0.74
1193.40	0.74
1193.60	0.74
1193.80	0.74
1194.00	0.73
1194.20	0.73
1194.40	0.73

1194.60	0.73
1194.80	0.73
1195.00	0.73
1195.20	0.72
1195.40	0.72
1195.60	0.72
1195.80	0.72
1196.00	0.72
1196.20	0.72
1196.40	0.71
1196.60	0.71
1196.80	0.71
1197.00	0.71
1197.20	0.71
1197.40	0.71
1197.60	0.70
1197.80	0.70
1198.00	0.70
1198.20	0.70
1198.40	0.70
1198.60	0.70
1198.80	0.70
1199.00	0.69
1199.20	0.69
1199.40	0.69
1199.60	0.69
1199.80	0.69
1200.00	0.69
1200.20	0.69
1200.40	0.68
1200.60	0.68
1200.80	0.68
1201.00	0.68
1201.20	0.68
1201.40	0.68
1201.60	0.68
1201.80	0.67
1202.00	0.67
1202.20	0.67
1202.40	0.67
1202.60	0.67
1202.80	0.67
1203.00	0.67
1203.20	0.66
1203.40	0.66
1203.60	0.66
1203.80	0.66
1204.00	0.66
1204.20	0.66
1204.40	0.66
1204.60	0.66
1204.80	0.65
1205.00	0.65
1205.20	0.65
1205.40	0.65
1205.60	0.65
1205.80	0.65

1206.00	0.65
1206.20	0.65
1206.40	0.65
1206.60	0.64
1206.80	0.64
1207.00	0.64
1207.20	0.64
1207.40	0.64
1207.60	0.64
1207.80	0.64
1208.00	0.64
1208.20	0.63
1208.40	0.63
1208.60	0.63
1208.80	0.63
1209.00	0.63
1209.20	0.63
1209.40	0.63
1209.60	0.63
1209.80	0.63
1210.00	0.63
1210.20	0.62
1210.40	0.62
1210.60	0.62
1210.80	0.62
1211.00	0.62
1211.20	0.62
1211.40	0.62
1211.60	0.62
1211.80	0.62
1212.00	0.61
1212.20	0.61
1212.40	0.61
1212.60	0.61
1212.80	0.61
1213.00	0.61
1213.20	0.61
1213.40	0.61
1213.60	0.61
1213.80	0.61
1214.00	0.60
1214.20	0.60
1214.40	0.60
1214.60	0.60
1214.80	0.60
1215.00	0.60
1215.20	0.60
1215.40	0.60
1215.60	0.60
1215.80	0.60
1216.00	0.60
1216.20	0.59
1216.40	0.59
1216.60	0.59
1216.80	0.59
1217.00	0.59
1217.20	0.59

1217.40	0.59
1217.60	0.59
1217.80	0.59
1218.00	0.59
1218.20	0.59
1218.40	0.58
1218.60	0.58
1218.80	0.58
1219.00	0.58
1219.20	0.58
1219.40	0.58
1219.60	0.58
1219.80	0.58
1220.00	0.58
1220.20	0.58
1220.40	0.58
1220.60	0.58
1220.80	0.57
1221.00	0.57
1221.20	0.57
1221.40	0.57
1221.60	0.57
1221.80	0.57
1222.00	0.57
1222.20	0.57
1222.40	0.57
1222.60	0.57
1222.80	0.57
1223.00	0.57
1223.20	0.57
1223.40	0.56
1223.60	0.56
1223.80	0.56
1224.00	0.56
1224.20	0.56
1224.40	0.56
1224.60	0.56
1224.80	0.56
1225.00	0.56
1225.20	0.56
1225.40	0.56
1225.60	0.56
1225.80	0.56
1226.00	0.55
1226.20	0.55
1226.40	0.55
1226.60	0.55
1226.80	0.55
1227.00	0.55
1227.20	0.55
1227.40	0.55
1227.60	0.55
1227.80	0.55
1228.00	0.55
1228.20	0.55
1228.40	0.55
1228.60	0.55

1228.80	0.55
1229.00	0.54
1229.20	0.54
1229.40	0.54
1229.60	0.54
1229.80	0.54
1230.00	0.54
1230.20	0.54
1230.40	0.54
1230.60	0.54
1230.80	0.54
1231.00	0.54
1231.20	0.54
1231.40	0.54
1231.60	0.54
1231.80	0.53
1232.00	0.53
1232.20	0.53
1232.40	0.53
1232.60	0.53
1232.80	0.53
1233.00	0.53
1233.20	0.53
1233.40	0.53
1233.60	0.53
1233.80	0.53
1234.00	0.53
1234.20	0.53
1234.40	0.53
1234.60	0.53
1234.80	0.53
1235.00	0.52
1235.20	0.52
1235.40	0.52
1235.60	0.52
1235.80	0.52
1236.00	0.52
1236.20	0.52
1236.40	0.52
1236.60	0.52
1236.80	0.52
1237.00	0.52
1237.20	0.52
1237.40	0.52
1237.60	0.52
1237.80	0.52
1238.00	0.52
1238.20	0.52
1238.40	0.51
1238.60	0.51
1238.80	0.51
1239.00	0.51
1239.20	0.51
1239.40	0.51
1239.60	0.51
1239.80	0.51
1240.00	0.51

1240.20	0.51
1240.40	0.51
1240.60	0.51
1240.80	0.51
1241.00	0.51
1241.20	0.51
1241.40	0.51
1241.60	0.51
1241.80	0.51
1242.00	0.50
1242.20	0.50
1242.40	0.50
1242.60	0.50
1242.80	0.50
1243.00	0.50
1243.20	0.50
1243.40	0.50
1243.60	0.50
1243.80	0.50
1244.00	0.50
1244.20	0.50
1244.40	0.50
1244.60	0.50
1244.80	0.50
1245.00	0.50
1245.20	0.50
1245.40	0.50
1245.60	0.50
1245.80	0.49
1246.00	0.49
1246.20	0.49
1246.40	0.49
1246.60	0.49
1246.80	0.49
1247.00	0.49
1247.20	0.49
1247.40	0.49
1247.60	0.49
1247.80	0.49
1248.00	0.49
1248.20	0.49
1248.40	0.49
1248.60	0.49
1248.80	0.49
1249.00	0.49
1249.20	0.49
1249.40	0.49
1249.60	0.49
1249.80	0.48
1250.00	0.48
1250.20	0.48
1250.40	0.48
1250.60	0.48
1250.80	0.48
1251.00	0.48
1251.20	0.48
1251.40	0.48

1251.60	0.48
1251.80	0.48
1252.00	0.48
1252.20	0.48
1252.40	0.48
1252.60	0.48
1252.80	0.48
1253.00	0.48
1253.20	0.48
1253.40	0.48
1253.60	0.48
1253.80	0.48
1254.00	0.48
1254.20	0.47
1254.40	0.47
1254.60	0.47
1254.80	0.47
1255.00	0.47
1255.20	0.47
1255.40	0.47
1255.60	0.47
1255.80	0.47
1256.00	0.47
1256.20	0.47
1256.40	0.47
1256.60	0.47
1256.80	0.47
1257.00	0.47
1257.20	0.47
1257.40	0.47
1257.60	0.47
1257.80	0.47
1258.00	0.47
1258.20	0.47
1258.40	0.47
1258.60	0.47
1258.80	0.46
1259.00	0.46
1259.20	0.46
1259.40	0.46
1259.60	0.46
1259.80	0.46
1260.00	0.46
1260.20	0.46
1260.40	0.46
1260.60	0.46
1260.80	0.46
1261.00	0.46
1261.20	0.46
1261.40	0.46
1261.60	0.46
1261.80	0.46
1262.00	0.46
1262.20	0.46
1262.40	0.46
1262.60	0.46
1262.80	0.46

1263.00	0.46
1263.20	0.46
1263.40	0.46
1263.60	0.45
1263.80	0.45
1264.00	0.45
1264.20	0.45
1264.40	0.45
1264.60	0.45
1264.80	0.45
1265.00	0.45
1265.20	0.45
1265.40	0.45
1265.60	0.45
1265.80	0.45
1266.00	0.45
1266.20	0.45
1266.40	0.45
1266.60	0.45
1266.80	0.45
1267.00	0.45
1267.20	0.45
1267.40	0.45
1267.60	0.45
1267.80	0.45
1268.00	0.45
1268.20	0.45
1268.40	0.45
1268.60	0.45
1268.80	0.45
1269.00	0.44
1269.20	0.44
1269.40	0.44
1269.60	0.44
1269.80	0.44
1270.00	0.44
1270.20	0.44
1270.40	0.44
1270.60	0.44
1270.80	0.44
1271.00	0.44
1271.20	0.44
1271.40	0.44
1271.60	0.44
1271.80	0.44
1272.00	0.44
1272.20	0.44
1272.40	0.44
1272.60	0.44
1272.80	0.44
1273.00	0.44
1273.20	0.44
1273.40	0.44
1273.60	0.44
1273.80	0.44
1274.00	0.44
1274.20	0.44

1274.40	0.44
1274.60	0.43
1274.80	0.43
1275.00	0.43
1275.20	0.43
1275.40	0.43
1275.60	0.43
1275.80	0.43
1276.00	0.43
1276.20	0.43
1276.40	0.43
1276.60	0.43
1276.80	0.43
1277.00	0.43
1277.20	0.43
1277.40	0.43
1277.60	0.43
1277.80	0.43
1278.00	0.43
1278.20	0.43
1278.40	0.43
1278.60	0.43
1278.80	0.43
1279.00	0.43
1279.20	0.43
1279.40	0.43
1279.60	0.43
1279.80	0.43
1280.00	0.43
1280.20	0.43
1280.40	0.43
1280.60	0.42
1280.80	0.42
1281.00	0.42
1281.20	0.42
1281.40	0.42
1281.60	0.42
1281.80	0.42
1282.00	0.42
1282.20	0.42
1282.40	0.42
1282.60	0.42
1282.80	0.42
1283.00	0.42
1283.20	0.42
1283.40	0.42
1283.60	0.42
1283.80	0.42
1284.00	0.42
1284.20	0.42
1284.40	0.42
1284.60	0.42
1284.80	0.42
1285.00	0.42
1285.20	0.42
1285.40	0.42
1285.60	0.42

1285.80	0.42
1286.00	0.42
1286.20	0.42
1286.40	0.42
1286.60	0.42
1286.80	0.42
1287.00	0.42
1287.20	0.41
1287.40	0.41
1287.60	0.41
1287.80	0.41
1288.00	0.41
1288.20	0.41
1288.40	0.41
1288.60	0.41
1288.80	0.41
1289.00	0.41
1289.20	0.41
1289.40	0.41
1289.60	0.41
1289.80	0.41
1290.00	0.41
1290.20	0.41
1290.40	0.41
1290.60	0.41
1290.80	0.41
1291.00	0.41
1291.20	0.41
1291.40	0.41
1291.60	0.41
1291.80	0.41
1292.00	0.41
1292.20	0.41
1292.40	0.41
1292.60	0.41
1292.80	0.41
1293.00	0.41
1293.20	0.41
1293.40	0.41
1293.60	0.41
1293.80	0.41
1294.00	0.41
1294.20	0.41
1294.40	0.40
1294.60	0.40
1294.80	0.40
1295.00	0.40
1295.20	0.40
1295.40	0.40
1295.60	0.40
1295.80	0.40
1296.00	0.40
1296.20	0.40
1296.40	0.40
1296.60	0.40
1296.80	0.40
1297.00	0.40

1297.20	0.40
1297.40	0.40
1297.60	0.40
1297.80	0.40
1298.00	0.40
1298.20	0.40
1298.40	0.40
1298.60	0.40
1298.80	0.40
1299.00	0.40
1299.20	0.40
1299.40	0.40
1299.60	0.40
1299.80	0.40
1300.00	0.40
1300.20	0.40
1300.40	0.40
1300.60	0.40
1300.80	0.40
1301.00	0.40
1301.20	0.40
1301.40	0.40
1301.60	0.40
1301.80	0.40
1302.00	0.39
1302.20	0.39
1302.40	0.39
1302.60	0.39
1302.80	0.39
1303.00	0.39
1303.20	0.39
1303.40	0.39
1303.60	0.39
1303.80	0.39
1304.00	0.39
1304.20	0.39
1304.40	0.39
1304.60	0.39
1304.80	0.39
1305.00	0.39
1305.20	0.39
1305.40	0.39
1305.60	0.39
1305.80	0.39
1306.00	0.39
1306.20	0.39
1306.40	0.39
1306.60	0.39
1306.80	0.39
1307.00	0.39
1307.20	0.39
1307.40	0.39
1307.60	0.39
1307.80	0.39
1308.00	0.39
1308.20	0.39
1308.40	0.39

1308.60	0.39
1308.80	0.39
1309.00	0.39
1309.20	0.39
1309.40	0.39
1309.60	0.39
1309.80	0.39
1310.00	0.39
1310.20	0.38
1310.40	0.38
1310.60	0.38
1310.80	0.38
1311.00	0.38
1311.20	0.38
1311.40	0.38
1311.60	0.38
1311.80	0.38
1312.00	0.38
1312.20	0.38
1312.40	0.38
1312.60	0.38
1312.80	0.38
1313.00	0.38
1313.20	0.38
1313.40	0.38
1313.60	0.38
1313.80	0.38
1314.00	0.38
1314.20	0.38
1314.40	0.38
1314.60	0.38
1314.80	0.38
1315.00	0.38
1315.20	0.38
1315.40	0.38
1315.60	0.38
1315.80	0.38
1316.00	0.38
1316.20	0.38
1316.40	0.38
1316.60	0.38
1316.80	0.38
1317.00	0.38
1317.20	0.38
1317.40	0.38
1317.60	0.38
1317.80	0.38
1318.00	0.38
1318.20	0.38
1318.40	0.38
1318.60	0.38
1318.80	0.38
1319.00	0.38
1319.20	0.37
1319.40	0.37
1319.60	0.37
1319.80	0.37

1320.00	0.37
1320.20	0.37
1320.40	0.37
1320.60	0.37
1320.80	0.37
1321.00	0.37
1321.20	0.37
1321.40	0.37
1321.60	0.37
1321.80	0.37
1322.00	0.37
1322.20	0.37
1322.40	0.37
1322.60	0.37
1322.80	0.37
1323.00	0.37
1323.20	0.37
1323.40	0.37
1323.60	0.37
1323.80	0.37
1324.00	0.37
1324.20	0.37
1324.40	0.37
1324.60	0.37
1324.80	0.37
1325.00	0.37
1325.20	0.37
1325.40	0.37
1325.60	0.37
1325.80	0.37
1326.00	0.37
1326.20	0.37
1326.40	0.37
1326.60	0.37
1326.80	0.37
1327.00	0.37
1327.20	0.37
1327.40	0.37
1327.60	0.37
1327.80	0.37
1328.00	0.37
1328.20	0.37
1328.40	0.37
1328.60	0.37
1328.80	0.36
1329.00	0.36
1329.20	0.36
1329.40	0.36
1329.60	0.36
1329.80	0.36
1330.00	0.36
1330.20	0.36
1330.40	0.36
1330.60	0.36
1330.80	0.36
1331.00	0.36
1331.20	0.36

1331.40	0.36
1331.60	0.36
1331.80	0.36
1332.00	0.36
1332.20	0.36
1332.40	0.36
1332.60	0.36
1332.80	0.36
1333.00	0.36
1333.20	0.36
1333.40	0.36
1333.60	0.36
1333.80	0.36
1334.00	0.36
1334.20	0.36
1334.40	0.36
1334.60	0.36
1334.80	0.36
1335.00	0.36
1335.20	0.36
1335.40	0.36
1335.60	0.36
1335.80	0.36
1336.00	0.36
1336.20	0.36
1336.40	0.36
1336.60	0.36
1336.80	0.36
1337.00	0.36
1337.20	0.36
1337.40	0.36
1337.60	0.36
1337.80	0.36
1338.00	0.36
1338.20	0.36
1338.40	0.36
1338.60	0.36
1338.80	0.36
1339.00	0.36
1339.20	0.36
1339.40	0.35
1339.60	0.35
1339.80	0.35
1340.00	0.35
1340.20	0.35
1340.40	0.35
1340.60	0.35
1340.80	0.35
1341.00	0.35
1341.20	0.35
1341.40	0.35
1341.60	0.35
1341.80	0.35
1342.00	0.35
1342.20	0.35
1342.40	0.35
1342.60	0.35

1342.80	0.35
1343.00	0.35
1343.20	0.35
1343.40	0.35
1343.60	0.35
1343.80	0.35
1344.00	0.35
1344.20	0.35
1344.40	0.35
1344.60	0.35
1344.80	0.35
1345.00	0.35
1345.20	0.35
1345.40	0.35
1345.60	0.35
1345.80	0.35
1346.00	0.35
1346.20	0.35
1346.40	0.35
1346.60	0.35
1346.80	0.35
1347.00	0.35
1347.20	0.35
1347.40	0.35
1347.60	0.35
1347.80	0.35
1348.00	0.35
1348.20	0.35
1348.40	0.35
1348.60	0.35
1348.80	0.35
1349.00	0.35
1349.20	0.35
1349.40	0.35
1349.60	0.35
1349.80	0.35
1350.00	0.35
1350.20	0.35
1350.40	0.35
1350.60	0.35
1350.80	0.35
1351.00	0.34
1351.20	0.34
1351.40	0.34
1351.60	0.34
1351.80	0.34
1352.00	0.34
1352.20	0.34
1352.40	0.34
1352.60	0.34
1352.80	0.34
1353.00	0.34
1353.20	0.34
1353.40	0.34
1353.60	0.34
1353.80	0.34
1354.00	0.34

1354.20	0.34
1354.40	0.34
1354.60	0.34
1354.80	0.34
1355.00	0.34
1355.20	0.34
1355.40	0.34
1355.60	0.34
1355.80	0.34
1356.00	0.34
1356.20	0.34
1356.40	0.34
1356.60	0.34
1356.80	0.34
1357.00	0.34
1357.20	0.34
1357.40	0.34
1357.60	0.34
1357.80	0.34
1358.00	0.34
1358.20	0.34
1358.40	0.34
1358.60	0.34
1358.80	0.34
1359.00	0.34
1359.20	0.34
1359.40	0.34
1359.60	0.34
1359.80	0.34
1360.00	0.34
1360.20	0.34
1360.40	0.34
1360.60	0.34
1360.80	0.34
1361.00	0.34
1361.20	0.34
1361.40	0.34
1361.60	0.34
1361.80	0.34
1362.00	0.34
1362.20	0.34
1362.40	0.34
1362.60	0.34
1362.80	0.34
1363.00	0.34
1363.20	0.34
1363.40	0.34
1363.60	0.34
1363.80	0.33
1364.00	0.33
1364.20	0.33
1364.40	0.33
1364.60	0.33
1364.80	0.33
1365.00	0.33
1365.20	0.33
1365.40	0.33

1365.60	0.33
1365.80	0.33
1366.00	0.33
1366.20	0.33
1366.40	0.33
1366.60	0.33
1366.80	0.33
1367.00	0.33
1367.20	0.33
1367.40	0.33
1367.60	0.33
1367.80	0.33
1368.00	0.33
1368.20	0.33
1368.40	0.33
1368.60	0.33
1368.80	0.33
1369.00	0.33
1369.20	0.33
1369.40	0.33
1369.60	0.33
1369.80	0.33
1370.00	0.33
1370.20	0.33
1370.40	0.33
1370.60	0.33
1370.80	0.33
1371.00	0.33
1371.20	0.33
1371.40	0.33
1371.60	0.33
1371.80	0.33
1372.00	0.33
1372.20	0.33
1372.40	0.33
1372.60	0.33
1372.80	0.33
1373.00	0.33
1373.20	0.33
1373.40	0.33
1373.60	0.33
1373.80	0.33
1374.00	0.33
1374.20	0.33
1374.40	0.33
1374.60	0.33
1374.80	0.33
1375.00	0.33
1375.20	0.33
1375.40	0.33
1375.60	0.33
1375.80	0.33
1376.00	0.33
1376.20	0.33
1376.40	0.33
1376.60	0.33
1376.80	0.33

1377.00	0.33
1377.20	0.33
1377.40	0.33
1377.60	0.33
1377.80	0.32
1378.00	0.32
1378.20	0.32
1378.40	0.32
1378.60	0.32
1378.80	0.32
1379.00	0.32
1379.20	0.32
1379.40	0.32
1379.60	0.32
1379.80	0.32
1380.00	0.32
1380.20	0.32
1380.40	0.32
1380.60	0.32
1380.80	0.32
1381.00	0.32
1381.20	0.32
1381.40	0.32
1381.60	0.32
1381.80	0.32
1382.00	0.32
1382.20	0.32
1382.40	0.32
1382.60	0.32
1382.80	0.32
1383.00	0.32
1383.20	0.32
1383.40	0.32
1383.60	0.32
1383.80	0.32
1384.00	0.32
1384.20	0.32
1384.40	0.32
1384.60	0.32
1384.80	0.32
1385.00	0.32
1385.20	0.32
1385.40	0.32
1385.60	0.32
1385.80	0.32
1386.00	0.32
1386.20	0.32
1386.40	0.32
1386.60	0.32
1386.80	0.32
1387.00	0.32
1387.20	0.32
1387.40	0.32
1387.60	0.32
1387.80	0.32
1388.00	0.32
1388.20	0.32

1388.40	0.32
1388.60	0.32
1388.80	0.32
1389.00	0.32
1389.20	0.32
1389.40	0.32
1389.60	0.32
1389.80	0.32
1390.00	0.32
1390.20	0.32
1390.40	0.32
1390.60	0.32
1390.80	0.32
1391.00	0.32
1391.20	0.32
1391.40	0.32
1391.60	0.32
1391.80	0.32
1392.00	0.32
1392.20	0.32
1392.40	0.32
1392.60	0.32
1392.80	0.32
1393.00	0.32
1393.20	0.31
1393.40	0.31
1393.60	0.31
1393.80	0.31
1394.00	0.31
1394.20	0.31
1394.40	0.31
1394.60	0.31
1394.80	0.31
1395.00	0.31
1395.20	0.31
1395.40	0.31
1395.60	0.31
1395.80	0.31
1396.00	0.31
1396.20	0.31
1396.40	0.31
1396.60	0.31
1396.80	0.31
1397.00	0.31
1397.20	0.31
1397.40	0.31
1397.60	0.31
1397.80	0.31
1398.00	0.31
1398.20	0.31
1398.40	0.31
1398.60	0.31
1398.80	0.31
1399.00	0.31
1399.20	0.31
1399.40	0.31
1399.60	0.31

1399.80	0.31
1400.00	0.31
1400.20	0.31
1400.40	0.31
1400.60	0.31
1400.80	0.31
1401.00	0.31
1401.20	0.31
1401.40	0.31
1401.60	0.31
1401.80	0.31
1402.00	0.31
1402.20	0.31
1402.40	0.31
1402.60	0.31
1402.80	0.31
1403.00	0.31
1403.20	0.31
1403.40	0.31
1403.60	0.31
1403.80	0.31
1404.00	0.31
1404.20	0.31
1404.40	0.31
1404.60	0.31
1404.80	0.31
1405.00	0.31
1405.20	0.31
1405.40	0.31
1405.60	0.31
1405.80	0.31
1406.00	0.31
1406.20	0.31
1406.40	0.31
1406.60	0.31
1406.80	0.31
1407.00	0.31
1407.20	0.31
1407.40	0.31
1407.60	0.31
1407.80	0.31
1408.00	0.31
1408.20	0.31
1408.40	0.31
1408.60	0.31
1408.80	0.31
1409.00	0.31
1409.20	0.31
1409.40	0.31
1409.60	0.31
1409.80	0.31
1410.00	0.30
1410.20	0.30
1410.40	0.30
1410.60	0.30
1410.80	0.30
1411.00	0.30

1411.20	0.30
1411.40	0.30
1411.60	0.30
1411.80	0.30
1412.00	0.30
1412.20	0.30
1412.40	0.30
1412.60	0.30
1412.80	0.30
1413.00	0.30
1413.20	0.30
1413.40	0.30
1413.60	0.30
1413.80	0.30
1414.00	0.30
1414.20	0.30
1414.40	0.30
1414.60	0.30
1414.80	0.30
1415.00	0.30
1415.20	0.30
1415.40	0.30
1415.60	0.30
1415.80	0.30
1416.00	0.30
1416.20	0.30
1416.40	0.30
1416.60	0.30
1416.80	0.30
1417.00	0.30
1417.20	0.30
1417.40	0.30
1417.60	0.30
1417.80	0.30
1418.00	0.30
1418.20	0.30
1418.40	0.30
1418.60	0.30
1418.80	0.30
1419.00	0.30
1419.20	0.30
1419.40	0.30
1419.60	0.30
1419.80	0.30
1420.00	0.30
1420.20	0.30
1420.40	0.30
1420.60	0.30
1420.80	0.30
1421.00	0.30
1421.20	0.30
1421.40	0.30
1421.60	0.30
1421.80	0.30
1422.00	0.30
1422.20	0.30
1422.40	0.30

1422.60	0.30
1422.80	0.30
1423.00	0.30
1423.20	0.30
1423.40	0.30
1423.60	0.30
1423.80	0.30
1424.00	0.30
1424.20	0.30
1424.40	0.30
1424.60	0.30
1424.80	0.30
1425.00	0.30
1425.20	0.30
1425.40	0.30
1425.60	0.30
1425.80	0.30
1426.00	0.30
1426.20	0.30
1426.40	0.30
1426.60	0.30
1426.80	0.30
1427.00	0.30
1427.20	0.30
1427.40	0.30
1427.60	0.30
1427.80	0.30
1428.00	0.30
1428.20	0.30
1428.40	0.30
1428.60	0.29
1428.80	0.29
1429.00	0.29
1429.20	0.29
1429.40	0.29
1429.60	0.29
1429.80	0.29
1430.00	0.29
1430.20	0.29
1430.40	0.29
1430.60	0.29
1430.80	0.29
1431.00	0.29
1431.20	0.29
1431.40	0.29
1431.60	0.29
1431.80	0.29
1432.00	0.29
1432.20	0.29
1432.40	0.29
1432.60	0.29
1432.80	0.29
1433.00	0.29
1433.20	0.29
1433.40	0.29
1433.60	0.29
1433.80	0.29

1434.00	0.29
1434.20	0.29
1434.40	0.29
1434.60	0.29
1434.80	0.29
1435.00	0.29
1435.20	0.29
1435.40	0.29
1435.60	0.29
1435.80	0.29
1436.00	0.29
1436.20	0.29
1436.40	0.29
1436.60	0.29
1436.80	0.29
1437.00	0.29
1437.20	0.29
1437.40	0.29
1437.60	0.29
1437.80	0.29
1438.00	0.29
1438.20	0.29
1438.40	0.29
1438.60	0.29
1438.80	0.29
1439.00	0.29
1439.20	0.29
1439.40	0.29
1439.60	0.29
1439.80	0.29
1440.00	0.29
1440.20	0.28
1440.40	0.27
1440.60	0.25
1440.80	0.24
1441.00	0.23
1441.20	0.22
1441.40	0.21
1441.60	0.20
1441.80	0.19
1442.00	0.17
1442.20	0.16
1442.40	0.15
1442.60	0.14
1442.80	0.13
1443.00	0.12
1443.20	0.10
1443.40	0.09
1443.60	0.08
1443.80	0.07
1444.00	0.06
1444.20	0.05
1444.40	0.03
1444.60	0.02
1444.80	0.01
1445.00	0.00

Initial Storage = 0.0000 acre-ft

Detention Basin Result Parameters

Routed Hydrograph

Peak Outflow Discharge: 5.559 cfs, Time to Peak: 1156.60 (min), Total Outflow Volume: 47516.82 ft^3

Time min	Discharge cfs	Storage acre-ft
0.00	0.00	0.000000
0.20	0.00	0.000003
0.40	0.00	0.000010
0.60	0.00	0.000019
0.80	0.14	0.000000
1.00	0.00	0.000016
1.20	0.14	0.000000
1.40	0.00	0.000022
1.60	0.14	0.000010
1.80	0.00	0.000039
2.00	0.14	0.000033
2.20	0.14	0.000030
2.40	0.14	0.000030
2.60	0.14	0.000034
2.80	0.14	0.000040
3.00	0.14	0.000050
3.20	0.14	0.000063
3.40	0.14	0.000080
3.60	0.14	0.000099
3.80	0.14	0.000122
4.00	0.14	0.000148
4.20	0.14	0.000177
4.40	0.14	0.000209
4.60	0.14	0.000244
4.80	0.14	0.000283
5.00	0.14	0.000325
5.20	0.14	0.000366
5.40	0.14	0.000408
5.60	0.14	0.000450
5.80	0.14	0.000491
6.00	0.14	0.000533
6.20	0.14	0.000575
6.40	0.14	0.000617
6.60	0.14	0.000659
6.80	0.14	0.000700
7.00	0.14	0.000742
7.20	0.14	0.000784
7.40	0.14	0.000826
7.60	0.14	0.000867
7.80	0.14	0.000909
8.00	0.14	0.000951
8.20	0.14	0.000993
8.40	0.14	0.001035
8.60	0.14	0.001077
8.80	0.14	0.001118
9.00	0.14	0.001160

9.20	0.14	0.001202
9.40	0.14	0.001244
9.60	0.14	0.001286
9.80	0.14	0.001328
10.00	0.14	0.001370
10.20	0.14	0.001412
10.40	0.14	0.001453
10.60	0.14	0.001495
10.80	0.14	0.001537
11.00	0.14	0.001579
11.20	0.14	0.001621
11.40	0.14	0.001663
11.60	0.14	0.001705
11.80	0.14	0.001747
12.00	0.14	0.001789
12.20	0.14	0.001831
12.40	0.14	0.001873
12.60	0.14	0.001915
12.80	0.14	0.001957
13.00	0.14	0.001999
13.20	0.14	0.002041
13.40	0.14	0.002083
13.60	0.14	0.002125
13.80	0.14	0.002167
14.00	0.14	0.002209
14.20	0.14	0.002251
14.40	0.14	0.002293
14.60	0.14	0.002335
14.80	0.14	0.002377
15.00	0.14	0.002419
15.20	0.14	0.002461
15.40	0.14	0.002503
15.60	0.14	0.002545
15.80	0.14	0.002587
16.00	0.14	0.002629
16.20	0.14	0.002671
16.40	0.14	0.002713
16.60	0.14	0.002755
16.80	0.14	0.002798
17.00	0.14	0.002840
17.20	0.14	0.002882
17.40	0.14	0.002924
17.60	0.14	0.002966
17.80	0.14	0.003008
18.00	0.14	0.003050
18.20	0.14	0.003093
18.40	0.14	0.003135
18.60	0.14	0.003177
18.80	0.14	0.003219
19.00	0.14	0.003261
19.20	0.14	0.003303
19.40	0.14	0.003346
19.60	0.14	0.003388
19.80	0.14	0.003430
20.00	0.14	0.003472
20.20	0.14	0.003514
20.40	0.14	0.003557

20.60	0.14	0.003599
20.80	0.14	0.003641
21.00	0.14	0.003683
21.20	0.14	0.003726
21.40	0.14	0.003768
21.60	0.14	0.003810
21.80	0.14	0.003852
22.00	0.14	0.003895
22.20	0.14	0.003937
22.40	0.14	0.003979
22.60	0.14	0.004022
22.80	0.14	0.004064
23.00	0.14	0.004106
23.20	0.14	0.004149
23.40	0.14	0.004191
23.60	0.14	0.004233
23.80	0.14	0.004276
24.00	0.14	0.004318
24.20	0.14	0.004360
24.40	0.14	0.004403
24.60	0.14	0.004445
24.80	0.14	0.004487
25.00	0.14	0.004530
25.20	0.14	0.004572
25.40	0.14	0.004614
25.60	0.14	0.004657
25.80	0.14	0.004699
26.00	0.14	0.004742
26.20	0.14	0.004784
26.40	0.14	0.004827
26.60	0.14	0.004869
26.80	0.14	0.004911
27.00	0.14	0.004954
27.20	0.14	0.004996
27.40	0.14	0.005039
27.60	0.14	0.005081
27.80	0.14	0.005124
28.00	0.14	0.005166
28.20	0.14	0.005209
28.40	0.14	0.005251
28.60	0.14	0.005294
28.80	0.14	0.005336
29.00	0.14	0.005379
29.20	0.14	0.005421
29.40	0.14	0.005464
29.60	0.14	0.005506
29.80	0.14	0.005549
30.00	0.14	0.005591
30.20	0.14	0.005634
30.40	0.14	0.005677
30.60	0.14	0.005719
30.80	0.14	0.005762
31.00	0.14	0.005804
31.20	0.14	0.005847
31.40	0.14	0.005889
31.60	0.14	0.005932
31.80	0.14	0.005975

32.00	0.14	0.006017
32.20	0.14	0.006060
32.40	0.14	0.006102
32.60	0.14	0.006145
32.80	0.14	0.006188
33.00	0.14	0.006230
33.20	0.14	0.006273
33.40	0.14	0.006316
33.60	0.14	0.006358
33.80	0.14	0.006401
34.00	0.14	0.006444
34.20	0.14	0.006486
34.40	0.14	0.006529
34.60	0.14	0.006572
34.80	0.14	0.006615
35.00	0.14	0.006657
35.20	0.14	0.006700
35.40	0.14	0.006743
35.60	0.14	0.006785
35.80	0.14	0.006828
36.00	0.14	0.006871
36.20	0.14	0.006914
36.40	0.14	0.006956
36.60	0.14	0.006999
36.80	0.14	0.007042
37.00	0.14	0.007085
37.20	0.14	0.007128
37.40	0.14	0.007170
37.60	0.14	0.007213
37.80	0.14	0.007256
38.00	0.14	0.007299
38.20	0.14	0.007342
38.40	0.14	0.007384
38.60	0.14	0.007427
38.80	0.14	0.007470
39.00	0.14	0.007513
39.20	0.14	0.007556
39.40	0.14	0.007599
39.60	0.14	0.007642
39.80	0.14	0.007684
40.00	0.14	0.007727
40.20	0.14	0.007770
40.40	0.14	0.007813
40.60	0.14	0.007856
40.80	0.14	0.007899
41.00	0.14	0.007942
41.20	0.14	0.007985
41.40	0.14	0.008028
41.60	0.14	0.008071
41.80	0.14	0.008114
42.00	0.14	0.008157
42.20	0.14	0.008199
42.40	0.14	0.008242
42.60	0.14	0.008285
42.80	0.14	0.008328
43.00	0.14	0.008371
43.20	0.14	0.008414

43.40	0.14	0.008457
43.60	0.14	0.008500
43.80	0.14	0.008543
44.00	0.14	0.008586
44.20	0.14	0.008629
44.40	0.14	0.008672
44.60	0.14	0.008716
44.80	0.14	0.008759
45.00	0.14	0.008802
45.20	0.14	0.008845
45.40	0.14	0.008888
45.60	0.14	0.008931
45.80	0.14	0.008974
46.00	0.14	0.009017
46.20	0.14	0.009060
46.40	0.14	0.009103
46.60	0.14	0.009146
46.80	0.14	0.009189
47.00	0.14	0.009233
47.20	0.14	0.009276
47.40	0.14	0.009319
47.60	0.14	0.009362
47.80	0.14	0.009405
48.00	0.14	0.009448
48.20	0.14	0.009491
48.40	0.14	0.009535
48.60	0.14	0.009578
48.80	0.14	0.009621
49.00	0.14	0.009664
49.20	0.14	0.009707
49.40	0.14	0.009751
49.60	0.14	0.009794
49.80	0.14	0.009837
50.00	0.14	0.009880
50.20	0.14	0.009923
50.40	0.14	0.009967
50.60	0.14	0.010010
50.80	0.14	0.010053
51.00	0.14	0.010096
51.20	0.14	0.010140
51.40	0.14	0.010183
51.60	0.14	0.010226
51.80	0.14	0.010270
52.00	0.14	0.010313
52.20	0.14	0.010356
52.40	0.14	0.010399
52.60	0.14	0.010443
52.80	0.14	0.010486
53.00	0.14	0.010529
53.20	0.14	0.010573
53.40	0.14	0.010616
53.60	0.14	0.010659
53.80	0.14	0.010703
54.00	0.14	0.010746
54.20	0.14	0.010790
54.40	0.14	0.010833
54.60	0.14	0.010876

54.80	0.14	0.010920
55.00	0.14	0.010963
55.20	0.14	0.011007
55.40	0.14	0.011050
55.60	0.14	0.011093
55.80	0.14	0.011137
56.00	0.14	0.011180
56.20	0.14	0.011224
56.40	0.14	0.011267
56.60	0.14	0.011311
56.80	0.14	0.011354
57.00	0.14	0.011398
57.20	0.14	0.011441
57.40	0.14	0.011484
57.60	0.14	0.011528
57.80	0.14	0.011571
58.00	0.14	0.011615
58.20	0.14	0.011658
58.40	0.14	0.011702
58.60	0.14	0.011745
58.80	0.14	0.011789
59.00	0.14	0.011833
59.20	0.14	0.011876
59.40	0.14	0.011920
59.60	0.14	0.011963
59.80	0.14	0.012007
60.00	0.14	0.012050
60.20	0.14	0.012094
60.40	0.14	0.012137
60.60	0.14	0.012181
60.80	0.14	0.012225
61.00	0.14	0.012268
61.20	0.14	0.012312
61.40	0.14	0.012356
61.60	0.14	0.012399
61.80	0.14	0.012443
62.00	0.14	0.012486
62.20	0.14	0.012530
62.40	0.14	0.012574
62.60	0.14	0.012617
62.80	0.14	0.012661
63.00	0.14	0.012705
63.20	0.14	0.012749
63.40	0.14	0.012792
63.60	0.14	0.012836
63.80	0.14	0.012880
64.00	0.14	0.012923
64.20	0.14	0.012967
64.40	0.14	0.013011
64.60	0.14	0.013055
64.80	0.14	0.013098
65.00	0.14	0.013142
65.20	0.14	0.013186
65.40	0.14	0.013230
65.60	0.14	0.013273
65.80	0.14	0.013317
66.00	0.14	0.013361

66.20	0.14	0.013405
66.40	0.14	0.013448
66.60	0.14	0.013492
66.80	0.14	0.013536
67.00	0.14	0.013580
67.20	0.14	0.013624
67.40	0.14	0.013668
67.60	0.14	0.013711
67.80	0.14	0.013755
68.00	0.14	0.013799
68.20	0.14	0.013843
68.40	0.14	0.013887
68.60	0.14	0.013931
68.80	0.14	0.013975
69.00	0.14	0.014018
69.20	0.14	0.014062
69.40	0.14	0.014106
69.60	0.14	0.014150
69.80	0.14	0.014194
70.00	0.14	0.014238
70.20	0.14	0.014282
70.40	0.14	0.014326
70.60	0.14	0.014370
70.80	0.14	0.014414
71.00	0.14	0.014458
71.20	0.14	0.014502
71.40	0.14	0.014546
71.60	0.14	0.014590
71.80	0.14	0.014634
72.00	0.14	0.014678
72.20	0.14	0.014722
72.40	0.14	0.014766
72.60	0.14	0.014810
72.80	0.14	0.014854
73.00	0.14	0.014898
73.20	0.14	0.014942
73.40	0.14	0.014986
73.60	0.14	0.015030
73.80	0.14	0.015074
74.00	0.14	0.015118
74.20	0.14	0.015162
74.40	0.14	0.015206
74.60	0.14	0.015250
74.80	0.14	0.015294
75.00	0.14	0.015338
75.20	0.14	0.015383
75.40	0.14	0.015427
75.60	0.14	0.015471
75.80	0.14	0.015515
76.00	0.14	0.015559
76.20	0.14	0.015603
76.40	0.14	0.015647
76.60	0.14	0.015692
76.80	0.14	0.015736
77.00	0.14	0.015780
77.20	0.14	0.015824
77.40	0.14	0.015868

77.60	0.14	0.015912
77.80	0.14	0.015957
78.00	0.14	0.016001
78.20	0.14	0.016045
78.40	0.14	0.016089
78.60	0.14	0.016134
78.80	0.14	0.016178
79.00	0.14	0.016222
79.20	0.14	0.016266
79.40	0.14	0.016311
79.60	0.14	0.016355
79.80	0.14	0.016399
80.00	0.14	0.016443
80.20	0.14	0.016488
80.40	0.14	0.016532
80.60	0.14	0.016576
80.80	0.14	0.016621
81.00	0.14	0.016665
81.20	0.14	0.016709
81.40	0.14	0.016754
81.60	0.14	0.016798
81.80	0.14	0.016842
82.00	0.14	0.016887
82.20	0.14	0.016931
82.40	0.14	0.016975
82.60	0.14	0.017020
82.80	0.14	0.017064
83.00	0.14	0.017108
83.20	0.14	0.017153
83.40	0.14	0.017197
83.60	0.14	0.017242
83.80	0.14	0.017286
84.00	0.14	0.017331
84.20	0.14	0.017375
84.40	0.14	0.017419
84.60	0.14	0.017464
84.80	0.14	0.017508
85.00	0.14	0.017553
85.20	0.14	0.017597
85.40	0.14	0.017642
85.60	0.14	0.017686
85.80	0.14	0.017731
86.00	0.14	0.017775
86.20	0.14	0.017820
86.40	0.14	0.017864
86.60	0.14	0.017909
86.80	0.14	0.017953
87.00	0.14	0.017998
87.20	0.14	0.018042
87.40	0.14	0.018087
87.60	0.14	0.018131
87.80	0.14	0.018176
88.00	0.14	0.018221
88.20	0.14	0.018265
88.40	0.14	0.018310
88.60	0.14	0.018354
88.80	0.14	0.018399

89.00	0.14	0.018444
89.20	0.14	0.018488
89.40	0.14	0.018533
89.60	0.14	0.018577
89.80	0.14	0.018622
90.00	0.14	0.018667
90.20	0.14	0.018711
90.40	0.14	0.018756
90.60	0.14	0.018801
90.80	0.14	0.018845
91.00	0.14	0.018890
91.20	0.14	0.018935
91.40	0.14	0.018979
91.60	0.14	0.019024
91.80	0.14	0.019069
92.00	0.14	0.019114
92.20	0.14	0.019158
92.40	0.14	0.019203
92.60	0.14	0.019248
92.80	0.14	0.019292
93.00	0.14	0.019337
93.20	0.14	0.019382
93.40	0.14	0.019427
93.60	0.14	0.019472
93.80	0.14	0.019516
94.00	0.14	0.019561
94.20	0.14	0.019606
94.40	0.14	0.019651
94.60	0.14	0.019696
94.80	0.14	0.019740
95.00	0.14	0.019785
95.20	0.14	0.019830
95.40	0.14	0.019875
95.60	0.14	0.019920
95.80	0.14	0.019965
96.00	0.14	0.020009
96.20	0.14	0.020054
96.40	0.14	0.020099
96.60	0.14	0.020144
96.80	0.14	0.020189
97.00	0.14	0.020234
97.20	0.14	0.020279
97.40	0.14	0.020324
97.60	0.14	0.020369
97.80	0.14	0.020413
98.00	0.14	0.020458
98.20	0.14	0.020503
98.40	0.14	0.020548
98.60	0.14	0.020593
98.80	0.14	0.020638
99.00	0.14	0.020683
99.20	0.14	0.020728
99.40	0.14	0.020773
99.60	0.14	0.020818
99.80	0.14	0.020863
100.00	0.14	0.020908
100.20	0.14	0.020953

100.40	0.14	0.020998
100.60	0.14	0.021043
100.80	0.14	0.021088
101.00	0.14	0.021133
101.20	0.14	0.021178
101.40	0.14	0.021223
101.60	0.14	0.021269
101.80	0.14	0.021314
102.00	0.14	0.021359
102.20	0.14	0.021404
102.40	0.14	0.021449
102.60	0.14	0.021494
102.80	0.14	0.021539
103.00	0.14	0.021584
103.20	0.14	0.021629
103.40	0.14	0.021674
103.60	0.14	0.021720
103.80	0.14	0.021765
104.00	0.14	0.021810
104.20	0.14	0.021855
104.40	0.14	0.021900
104.60	0.14	0.021945
104.80	0.14	0.021991
105.00	0.14	0.022036
105.20	0.14	0.022081
105.40	0.14	0.022126
105.60	0.14	0.022171
105.80	0.14	0.022217
106.00	0.14	0.022262
106.20	0.14	0.022307
106.40	0.14	0.022352
106.60	0.14	0.022398
106.80	0.14	0.022443
107.00	0.14	0.022488
107.20	0.14	0.022533
107.40	0.14	0.022579
107.60	0.14	0.022624
107.80	0.14	0.022669
108.00	0.14	0.022715
108.20	0.14	0.022760
108.40	0.14	0.022805
108.60	0.14	0.022851
108.80	0.14	0.022896
109.00	0.14	0.022941
109.20	0.14	0.022987
109.40	0.14	0.023032
109.60	0.14	0.023077
109.80	0.14	0.023123
110.00	0.14	0.023168
110.20	0.14	0.023214
110.40	0.14	0.023259
110.60	0.14	0.023304
110.80	0.14	0.023350
111.00	0.14	0.023395
111.20	0.14	0.023441
111.40	0.14	0.023486
111.60	0.14	0.023531

111.80	0.14	0.023577
112.00	0.14	0.023622
112.20	0.14	0.023668
112.40	0.14	0.023713
112.60	0.14	0.023759
112.80	0.14	0.023804
113.00	0.14	0.023850
113.20	0.14	0.023895
113.40	0.14	0.023941
113.60	0.14	0.023986
113.80	0.14	0.024032
114.00	0.14	0.024077
114.20	0.14	0.024123
114.40	0.14	0.024168
114.60	0.14	0.024214
114.80	0.14	0.024260
115.00	0.14	0.024305
115.20	0.14	0.024351
115.40	0.14	0.024396
115.60	0.14	0.024442
115.80	0.14	0.024487
116.00	0.14	0.024533
116.20	0.14	0.024579
116.40	0.14	0.024624
116.60	0.14	0.024670
116.80	0.14	0.024716
117.00	0.14	0.024761
117.20	0.14	0.024807
117.40	0.14	0.024853
117.60	0.14	0.024898
117.80	0.14	0.024944
118.00	0.14	0.024990
118.20	0.14	0.025035
118.40	0.14	0.025081
118.60	0.14	0.025127
118.80	0.14	0.025172
119.00	0.14	0.025218
119.20	0.14	0.025264
119.40	0.14	0.025310
119.60	0.14	0.025355
119.80	0.14	0.025401
120.00	0.14	0.025447
120.20	0.14	0.025493
120.40	0.14	0.025538
120.60	0.14	0.025584
120.80	0.14	0.025630
121.00	0.14	0.025676
121.20	0.14	0.025722
121.40	0.14	0.025767
121.60	0.14	0.025813
121.80	0.14	0.025859
122.00	0.14	0.025905
122.20	0.14	0.025951
122.40	0.14	0.025997
122.60	0.14	0.026042
122.80	0.14	0.026088
123.00	0.14	0.026134

123.20	0.14	0.026180
123.40	0.14	0.026226
123.60	0.14	0.026272
123.80	0.14	0.026318
124.00	0.14	0.026364
124.20	0.14	0.026410
124.40	0.14	0.026455
124.60	0.14	0.026501
124.80	0.14	0.026547
125.00	0.14	0.026593
125.20	0.14	0.026639
125.40	0.14	0.026685
125.60	0.14	0.026731
125.80	0.14	0.026777
126.00	0.14	0.026823
126.20	0.14	0.026869
126.40	0.14	0.026915
126.60	0.14	0.026961
126.80	0.14	0.027007
127.00	0.14	0.027053
127.20	0.14	0.027099
127.40	0.14	0.027145
127.60	0.14	0.027191
127.80	0.14	0.027237
128.00	0.14	0.027283
128.20	0.14	0.027329
128.40	0.14	0.027376
128.60	0.14	0.027422
128.80	0.14	0.027468
129.00	0.14	0.027514
129.20	0.14	0.027560
129.40	0.14	0.027606
129.60	0.14	0.027652
129.80	0.14	0.027698
130.00	0.14	0.027744
130.20	0.14	0.027791
130.40	0.14	0.027837
130.60	0.14	0.027883
130.80	0.14	0.027929
131.00	0.14	0.027975
131.20	0.14	0.028021
131.40	0.14	0.028068
131.60	0.14	0.028114
131.80	0.14	0.028160
132.00	0.14	0.028206
132.20	0.14	0.028253
132.40	0.14	0.028299
132.60	0.14	0.028345
132.80	0.14	0.028391
133.00	0.14	0.028438
133.20	0.14	0.028484
133.40	0.14	0.028530
133.60	0.14	0.028576
133.80	0.14	0.028623
134.00	0.14	0.028669
134.20	0.14	0.028715
134.40	0.14	0.028762

134.60	0.14	0.028808
134.80	0.14	0.028854
135.00	0.14	0.028901
135.20	0.14	0.028947
135.40	0.14	0.028993
135.60	0.14	0.029040
135.80	0.14	0.029086
136.00	0.14	0.029132
136.20	0.14	0.029179
136.40	0.14	0.029225
136.60	0.14	0.029271
136.80	0.14	0.029318
137.00	0.14	0.029364
137.20	0.14	0.029411
137.40	0.14	0.029457
137.60	0.14	0.029504
137.80	0.14	0.029550
138.00	0.14	0.029596
138.20	0.14	0.029643
138.40	0.14	0.029689
138.60	0.14	0.029736
138.80	0.14	0.029782
139.00	0.14	0.029829
139.20	0.14	0.029875
139.40	0.14	0.029922
139.60	0.14	0.029968
139.80	0.14	0.030015
140.00	0.14	0.030061
140.20	0.14	0.030108
140.40	0.14	0.030154
140.60	0.14	0.030201
140.80	0.14	0.030248
141.00	0.14	0.030294
141.20	0.14	0.030341
141.40	0.14	0.030387
141.60	0.14	0.030434
141.80	0.14	0.030480
142.00	0.14	0.030527
142.20	0.14	0.030574
142.40	0.14	0.030620
142.60	0.14	0.030667
142.80	0.14	0.030714
143.00	0.14	0.030760
143.20	0.14	0.030807
143.40	0.14	0.030854
143.60	0.14	0.030900
143.80	0.14	0.030947
144.00	0.14	0.030994
144.20	0.14	0.031040
144.40	0.14	0.031087
144.60	0.14	0.031134
144.80	0.14	0.031180
145.00	0.14	0.031227
145.20	0.14	0.031274
145.40	0.14	0.031321
145.60	0.14	0.031367
145.80	0.14	0.031414

146.00	0.14	0.031461
146.20	0.14	0.031508
146.40	0.14	0.031554
146.60	0.14	0.031601
146.80	0.14	0.031648
147.00	0.14	0.031695
147.20	0.14	0.031742
147.40	0.14	0.031788
147.60	0.14	0.031835
147.80	0.14	0.031882
148.00	0.14	0.031929
148.20	0.14	0.031976
148.40	0.14	0.032023
148.60	0.14	0.032070
148.80	0.14	0.032116
149.00	0.14	0.032163
149.20	0.14	0.032210
149.40	0.14	0.032257
149.60	0.14	0.032304
149.80	0.14	0.032351
150.00	0.14	0.032398
150.20	0.14	0.032445
150.40	0.14	0.032492
150.60	0.14	0.032539
150.80	0.14	0.032586
151.00	0.14	0.032633
151.20	0.14	0.032680
151.40	0.14	0.032727
151.60	0.14	0.032774
151.80	0.14	0.032821
152.00	0.14	0.032867
152.20	0.14	0.032914
152.40	0.14	0.032962
152.60	0.14	0.033009
152.80	0.14	0.033056
153.00	0.14	0.033103
153.20	0.14	0.033150
153.40	0.14	0.033197
153.60	0.14	0.033244
153.80	0.14	0.033291
154.00	0.14	0.033338
154.20	0.14	0.033385
154.40	0.14	0.033432
154.60	0.14	0.033479
154.80	0.14	0.033526
155.00	0.14	0.033573
155.20	0.14	0.033621
155.40	0.14	0.033668
155.60	0.14	0.033715
155.80	0.14	0.033762
156.00	0.14	0.033809
156.20	0.14	0.033856
156.40	0.14	0.033904
156.60	0.14	0.033951
156.80	0.14	0.033998
157.00	0.14	0.034045
157.20	0.14	0.034092

157.40	0.14	0.034140
157.60	0.14	0.034187
157.80	0.14	0.034234
158.00	0.14	0.034281
158.20	0.14	0.034328
158.40	0.14	0.034376
158.60	0.14	0.034423
158.80	0.14	0.034470
159.00	0.14	0.034518
159.20	0.14	0.034565
159.40	0.14	0.034612
159.60	0.14	0.034659
159.80	0.14	0.034707
160.00	0.14	0.034754
160.20	0.14	0.034801
160.40	0.14	0.034849
160.60	0.14	0.034896
160.80	0.14	0.034943
161.00	0.14	0.034991
161.20	0.14	0.035038
161.40	0.14	0.035086
161.60	0.14	0.035133
161.80	0.14	0.035180
162.00	0.14	0.035228
162.20	0.14	0.035275
162.40	0.14	0.035323
162.60	0.14	0.035370
162.80	0.14	0.035417
163.00	0.14	0.035465
163.20	0.14	0.035512
163.40	0.14	0.035560
163.60	0.14	0.035607
163.80	0.14	0.035655
164.00	0.14	0.035702
164.20	0.14	0.035750
164.40	0.14	0.035797
164.60	0.14	0.035845
164.80	0.14	0.035892
165.00	0.14	0.035940
165.20	0.14	0.035987
165.40	0.14	0.036035
165.60	0.14	0.036082
165.80	0.14	0.036130
166.00	0.14	0.036177
166.20	0.14	0.036225
166.40	0.14	0.036273
166.60	0.14	0.036320
166.80	0.14	0.036368
167.00	0.14	0.036415
167.20	0.14	0.036463
167.40	0.14	0.036511
167.60	0.14	0.036558
167.80	0.14	0.036606
168.00	0.14	0.036654
168.20	0.14	0.036701
168.40	0.14	0.036749
168.60	0.14	0.036796

168.80	0.14	0.036844
169.00	0.14	0.036892
169.20	0.14	0.036940
169.40	0.14	0.036987
169.60	0.14	0.037035
169.80	0.14	0.037083
170.00	0.14	0.037130
170.20	0.14	0.037178
170.40	0.14	0.037226
170.60	0.14	0.037274
170.80	0.14	0.037321
171.00	0.14	0.037369
171.20	0.14	0.037417
171.40	0.14	0.037465
171.60	0.14	0.037513
171.80	0.14	0.037560
172.00	0.14	0.037608
172.20	0.14	0.037656
172.40	0.14	0.037704
172.60	0.14	0.037752
172.80	0.14	0.037799
173.00	0.14	0.037847
173.20	0.14	0.037895
173.40	0.14	0.037943
173.60	0.14	0.037991
173.80	0.14	0.038039
174.00	0.14	0.038087
174.20	0.14	0.038135
174.40	0.14	0.038182
174.60	0.14	0.038230
174.80	0.14	0.038278
175.00	0.14	0.038326
175.20	0.14	0.038374
175.40	0.14	0.038422
175.60	0.14	0.038470
175.80	0.14	0.038518
176.00	0.14	0.038566
176.20	0.14	0.038614
176.40	0.14	0.038662
176.60	0.14	0.038710
176.80	0.14	0.038758
177.00	0.14	0.038806
177.20	0.14	0.038854
177.40	0.14	0.038902
177.60	0.14	0.038950
177.80	0.14	0.038998
178.00	0.14	0.039046
178.20	0.14	0.039094
178.40	0.14	0.039142
178.60	0.14	0.039190
178.80	0.14	0.039238
179.00	0.14	0.039287
179.20	0.14	0.039335
179.40	0.14	0.039383
179.60	0.14	0.039431
179.80	0.14	0.039479
180.00	0.14	0.039527

180.20	0.14	0.039575
180.40	0.14	0.039623
180.60	0.14	0.039672
180.80	0.14	0.039720
181.00	0.14	0.039768
181.20	0.14	0.039816
181.40	0.14	0.039864
181.60	0.14	0.039913
181.80	0.14	0.039961
182.00	0.14	0.040009
182.20	0.14	0.040057
182.40	0.14	0.040105
182.60	0.14	0.040154
182.80	0.14	0.040202
183.00	0.14	0.040250
183.20	0.14	0.040298
183.40	0.14	0.040347
183.60	0.14	0.040395
183.80	0.14	0.040443
184.00	0.14	0.040492
184.20	0.14	0.040540
184.40	0.14	0.040588
184.60	0.14	0.040637
184.80	0.14	0.040685
185.00	0.14	0.040733
185.20	0.14	0.040782
185.40	0.14	0.040830
185.60	0.14	0.040878
185.80	0.14	0.040927
186.00	0.14	0.040975
186.20	0.14	0.041024
186.40	0.14	0.041072
186.60	0.14	0.041120
186.80	0.14	0.041169
187.00	0.14	0.041217
187.20	0.14	0.041266
187.40	0.14	0.041314
187.60	0.14	0.041363
187.80	0.14	0.041411
188.00	0.14	0.041459
188.20	0.14	0.041508
188.40	0.14	0.041556
188.60	0.14	0.041605
188.80	0.14	0.041653
189.00	0.14	0.041702
189.20	0.14	0.041750
189.40	0.14	0.041799
189.60	0.14	0.041848
189.80	0.14	0.041896
190.00	0.14	0.041945
190.20	0.14	0.041993
190.40	0.14	0.042042
190.60	0.14	0.042090
190.80	0.14	0.042139
191.00	0.14	0.042188
191.20	0.14	0.042236
191.40	0.14	0.042285

191.60	0.14	0.042333
191.80	0.14	0.042382
192.00	0.14	0.042431
192.20	0.14	0.042479
192.40	0.14	0.042528
192.60	0.14	0.042577
192.80	0.14	0.042625
193.00	0.14	0.042674
193.20	0.14	0.042723
193.40	0.14	0.042771
193.60	0.14	0.042820
193.80	0.14	0.042869
194.00	0.14	0.042917
194.20	0.14	0.042966
194.40	0.14	0.043015
194.60	0.14	0.043064
194.80	0.14	0.043112
195.00	0.14	0.043161
195.20	0.14	0.043210
195.40	0.14	0.043259
195.60	0.14	0.043308
195.80	0.14	0.043356
196.00	0.14	0.043405
196.20	0.14	0.043454
196.40	0.14	0.043503
196.60	0.14	0.043552
196.80	0.14	0.043601
197.00	0.14	0.043649
197.20	0.14	0.043698
197.40	0.14	0.043747
197.60	0.14	0.043796
197.80	0.14	0.043845
198.00	0.14	0.043894
198.20	0.14	0.043943
198.40	0.14	0.043992
198.60	0.14	0.044040
198.80	0.14	0.044089
199.00	0.14	0.044138
199.20	0.14	0.044187
199.40	0.14	0.044236
199.60	0.14	0.044285
199.80	0.14	0.044334
200.00	0.14	0.044383
200.20	0.14	0.044432
200.40	0.14	0.044481
200.60	0.14	0.044530
200.80	0.14	0.044579
201.00	0.14	0.044628
201.20	0.14	0.044677
201.40	0.14	0.044726
201.60	0.14	0.044775
201.80	0.14	0.044824
202.00	0.14	0.044873
202.20	0.14	0.044922
202.40	0.14	0.044972
202.60	0.14	0.045021
202.80	0.14	0.045070

203.00	0.14	0.045119
203.20	0.14	0.045168
203.40	0.14	0.045217
203.60	0.14	0.045266
203.80	0.14	0.045315
204.00	0.14	0.045365
204.20	0.14	0.045414
204.40	0.14	0.045463
204.60	0.14	0.045512
204.80	0.14	0.045561
205.00	0.14	0.045610
205.20	0.14	0.045660
205.40	0.14	0.045709
205.60	0.14	0.045758
205.80	0.14	0.045807
206.00	0.14	0.045856
206.20	0.14	0.045906
206.40	0.14	0.045955
206.60	0.14	0.046004
206.80	0.14	0.046054
207.00	0.14	0.046103
207.20	0.14	0.046152
207.40	0.14	0.046201
207.60	0.14	0.046251
207.80	0.14	0.046300
208.00	0.14	0.046349
208.20	0.14	0.046399
208.40	0.14	0.046448
208.60	0.14	0.046497
208.80	0.14	0.046547
209.00	0.14	0.046596
209.20	0.14	0.046645
209.40	0.14	0.046695
209.60	0.14	0.046744
209.80	0.14	0.046794
210.00	0.14	0.046843
210.20	0.14	0.046892
210.40	0.14	0.046942
210.60	0.14	0.046991
210.80	0.14	0.047041
211.00	0.14	0.047090
211.20	0.14	0.047140
211.40	0.14	0.047189
211.60	0.14	0.047239
211.80	0.14	0.047288
212.00	0.14	0.047338
212.20	0.14	0.047387
212.40	0.14	0.047437
212.60	0.14	0.047486
212.80	0.14	0.047536
213.00	0.14	0.047585
213.20	0.14	0.047635
213.40	0.14	0.047684
213.60	0.14	0.047734
213.80	0.14	0.047783
214.00	0.14	0.047833
214.20	0.14	0.047883

214.40	0.14	0.047932
214.60	0.14	0.047982
214.80	0.14	0.048031
215.00	0.14	0.048081
215.20	0.14	0.048131
215.40	0.14	0.048180
215.60	0.14	0.048230
215.80	0.14	0.048280
216.00	0.14	0.048329
216.20	0.14	0.048379
216.40	0.14	0.048429
216.60	0.14	0.048478
216.80	0.14	0.048528
217.00	0.14	0.048578
217.20	0.14	0.048628
217.40	0.14	0.048677
217.60	0.14	0.048727
217.80	0.14	0.048777
218.00	0.14	0.048827
218.20	0.14	0.048876
218.40	0.14	0.048926
218.60	0.14	0.048976
218.80	0.14	0.049026
219.00	0.14	0.049075
219.20	0.14	0.049125
219.40	0.14	0.049175
219.60	0.14	0.049225
219.80	0.14	0.049275
220.00	0.14	0.049325
220.20	0.14	0.049374
220.40	0.14	0.049424
220.60	0.14	0.049474
220.80	0.14	0.049524
221.00	0.14	0.049574
221.20	0.14	0.049624
221.40	0.14	0.049674
221.60	0.14	0.049724
221.80	0.14	0.049774
222.00	0.14	0.049824
222.20	0.14	0.049873
222.40	0.14	0.049923
222.60	0.14	0.049973
222.80	0.14	0.050023
223.00	0.14	0.050073
223.20	0.14	0.050123
223.40	0.14	0.050173
223.60	0.14	0.050223
223.80	0.14	0.050273
224.00	0.14	0.050323
224.20	0.14	0.050373
224.40	0.14	0.050423
224.60	0.14	0.050474
224.80	0.14	0.050524
225.00	0.14	0.050574
225.20	0.14	0.050624
225.40	0.14	0.050674
225.60	0.14	0.050724

225.80	0.14	0.050774
226.00	0.14	0.050824
226.20	0.14	0.050874
226.40	0.14	0.050924
226.60	0.14	0.050974
226.80	0.14	0.051025
227.00	0.14	0.051075
227.20	0.14	0.051125
227.40	0.14	0.051175
227.60	0.14	0.051225
227.80	0.14	0.051275
228.00	0.14	0.051326
228.20	0.14	0.051376
228.40	0.14	0.051426
228.60	0.14	0.051476
228.80	0.14	0.051527
229.00	0.14	0.051577
229.20	0.14	0.051627
229.40	0.14	0.051677
229.60	0.14	0.051728
229.80	0.14	0.051778
230.00	0.14	0.051828
230.20	0.14	0.051879
230.40	0.14	0.051929
230.60	0.14	0.051979
230.80	0.14	0.052029
231.00	0.14	0.052080
231.20	0.14	0.052130
231.40	0.14	0.052181
231.60	0.14	0.052231
231.80	0.14	0.052281
232.00	0.14	0.052332
232.20	0.14	0.052382
232.40	0.14	0.052432
232.60	0.14	0.052483
232.80	0.14	0.052533
233.00	0.14	0.052584
233.20	0.14	0.052634
233.40	0.14	0.052685
233.60	0.14	0.052735
233.80	0.14	0.052785
234.00	0.14	0.052836
234.20	0.14	0.052886
234.40	0.14	0.052937
234.60	0.14	0.052987
234.80	0.14	0.053038
235.00	0.14	0.053088
235.20	0.14	0.053139
235.40	0.14	0.053189
235.60	0.14	0.053240
235.80	0.14	0.053291
236.00	0.14	0.053341
236.20	0.14	0.053392
236.40	0.14	0.053442
236.60	0.14	0.053493
236.80	0.14	0.053543
237.00	0.14	0.053594

237.20	0.14	0.053645
237.40	0.14	0.053695
237.60	0.14	0.053746
237.80	0.14	0.053797
238.00	0.14	0.053847
238.20	0.14	0.053898
238.40	0.14	0.053948
238.60	0.14	0.053999
238.80	0.14	0.054050
239.00	0.14	0.054101
239.20	0.14	0.054151
239.40	0.14	0.054202
239.60	0.14	0.054253
239.80	0.14	0.054303
240.00	0.14	0.054354
240.20	0.14	0.054405
240.40	0.14	0.054456
240.60	0.14	0.054506
240.80	0.14	0.054557
241.00	0.14	0.054608
241.20	0.14	0.054659
241.40	0.14	0.054710
241.60	0.14	0.054760
241.80	0.14	0.054811
242.00	0.14	0.054862
242.20	0.14	0.054913
242.40	0.14	0.054964
242.60	0.14	0.055015
242.80	0.14	0.055066
243.00	0.14	0.055116
243.20	0.14	0.055167
243.40	0.14	0.055218
243.60	0.14	0.055269
243.80	0.14	0.055320
244.00	0.14	0.055371
244.20	0.14	0.055422
244.40	0.14	0.055473
244.60	0.14	0.055524
244.80	0.14	0.055575
245.00	0.14	0.055626
245.20	0.14	0.055677
245.40	0.14	0.055728
245.60	0.14	0.055779
245.80	0.14	0.055830
246.00	0.14	0.055881
246.20	0.14	0.055932
246.40	0.14	0.055983
246.60	0.14	0.056034
246.80	0.14	0.056085
247.00	0.14	0.056136
247.20	0.14	0.056187
247.40	0.14	0.056238
247.60	0.14	0.056289
247.80	0.14	0.056340
248.00	0.14	0.056391
248.20	0.14	0.056443
248.40	0.14	0.056494

248.60	0.14	0.056545
248.80	0.14	0.056596
249.00	0.14	0.056647
249.20	0.14	0.056698
249.40	0.14	0.056749
249.60	0.14	0.056801
249.80	0.14	0.056852
250.00	0.14	0.056903
250.20	0.14	0.056954
250.40	0.14	0.057006
250.60	0.14	0.057057
250.80	0.14	0.057108
251.00	0.14	0.057159
251.20	0.14	0.057210
251.40	0.14	0.057262
251.60	0.14	0.057313
251.80	0.14	0.057364
252.00	0.14	0.057416
252.20	0.14	0.057467
252.40	0.14	0.057518
252.60	0.14	0.057570
252.80	0.14	0.057621
253.00	0.14	0.057672
253.20	0.14	0.057724
253.40	0.14	0.057775
253.60	0.14	0.057826
253.80	0.14	0.057878
254.00	0.14	0.057929
254.20	0.14	0.057980
254.40	0.14	0.058032
254.60	0.14	0.058083
254.80	0.14	0.058135
255.00	0.14	0.058186
255.20	0.14	0.058238
255.40	0.14	0.058289
255.60	0.14	0.058340
255.80	0.14	0.058392
256.00	0.14	0.058443
256.20	0.14	0.058495
256.40	0.14	0.058546
256.60	0.14	0.058598
256.80	0.14	0.058649
257.00	0.14	0.058701
257.20	0.14	0.058752
257.40	0.14	0.058804
257.60	0.14	0.058856
257.80	0.14	0.058907
258.00	0.14	0.058959
258.20	0.14	0.059010
258.40	0.14	0.059062
258.60	0.14	0.059113
258.80	0.14	0.059165
259.00	0.14	0.059217
259.20	0.14	0.059268
259.40	0.14	0.059320
259.60	0.14	0.059372
259.80	0.14	0.059423

260.00	0.14	0.059475
260.20	0.14	0.059527
260.40	0.14	0.059578
260.60	0.14	0.059630
260.80	0.14	0.059682
261.00	0.14	0.059733
261.20	0.14	0.059785
261.40	0.14	0.059837
261.60	0.14	0.059889
261.80	0.14	0.059940
262.00	0.14	0.059992
262.20	0.14	0.060044
262.40	0.14	0.060096
262.60	0.14	0.060147
262.80	0.14	0.060199
263.00	0.14	0.060251
263.20	0.14	0.060303
263.40	0.14	0.060355
263.60	0.14	0.060407
263.80	0.14	0.060458
264.00	0.14	0.060510
264.20	0.14	0.060562
264.40	0.14	0.060614
264.60	0.14	0.060666
264.80	0.14	0.060718
265.00	0.14	0.060770
265.20	0.14	0.060822
265.40	0.14	0.060874
265.60	0.14	0.060925
265.80	0.14	0.060977
266.00	0.14	0.061029
266.20	0.14	0.061081
266.40	0.14	0.061133
266.60	0.14	0.061185
266.80	0.14	0.061237
267.00	0.14	0.061289
267.20	0.14	0.061341
267.40	0.14	0.061393
267.60	0.14	0.061445
267.80	0.14	0.061497
268.00	0.14	0.061549
268.20	0.14	0.061601
268.40	0.14	0.061653
268.60	0.14	0.061706
268.80	0.14	0.061758
269.00	0.14	0.061810
269.20	0.14	0.061862
269.40	0.14	0.061914
269.60	0.14	0.061966
269.80	0.14	0.062018
270.00	0.14	0.062070
270.20	0.14	0.062122
270.40	0.14	0.062175
270.60	0.14	0.062227
270.80	0.14	0.062279
271.00	0.14	0.062331
271.20	0.14	0.062383

271.40	0.14	0.062436
271.60	0.14	0.062488
271.80	0.14	0.062540
272.00	0.14	0.062592
272.20	0.14	0.062644
272.40	0.14	0.062697
272.60	0.14	0.062749
272.80	0.14	0.062801
273.00	0.14	0.062854
273.20	0.14	0.062906
273.40	0.14	0.062958
273.60	0.14	0.063010
273.80	0.14	0.063063
274.00	0.14	0.063115
274.20	0.14	0.063167
274.40	0.14	0.063220
274.60	0.14	0.063272
274.80	0.14	0.063325
275.00	0.14	0.063377
275.20	0.14	0.063429
275.40	0.14	0.063482
275.60	0.14	0.063534
275.80	0.14	0.063587
276.00	0.14	0.063639
276.20	0.14	0.063691
276.40	0.14	0.063744
276.60	0.14	0.063796
276.80	0.14	0.063849
277.00	0.14	0.063901
277.20	0.14	0.063954
277.40	0.14	0.064006
277.60	0.14	0.064059
277.80	0.14	0.064111
278.00	0.14	0.064164
278.20	0.14	0.064216
278.40	0.14	0.064269
278.60	0.14	0.064321
278.80	0.14	0.064374
279.00	0.14	0.064427
279.20	0.14	0.064479
279.40	0.14	0.064532
279.60	0.14	0.064584
279.80	0.14	0.064637
280.00	0.14	0.064690
280.20	0.14	0.064742
280.40	0.14	0.064795
280.60	0.14	0.064848
280.80	0.14	0.064900
281.00	0.14	0.064953
281.20	0.14	0.065006
281.40	0.14	0.065058
281.60	0.14	0.065111
281.80	0.14	0.065164
282.00	0.14	0.065216
282.20	0.14	0.065269
282.40	0.14	0.065322
282.60	0.14	0.065375

282.80	0.14	0.065427
283.00	0.14	0.065480
283.20	0.14	0.065533
283.40	0.14	0.065586
283.60	0.14	0.065638
283.80	0.14	0.065691
284.00	0.14	0.065744
284.20	0.14	0.065797
284.40	0.14	0.065850
284.60	0.14	0.065903
284.80	0.14	0.065955
285.00	0.14	0.066008
285.20	0.14	0.066061
285.40	0.14	0.066114
285.60	0.14	0.066167
285.80	0.14	0.066220
286.00	0.14	0.066273
286.20	0.14	0.066326
286.40	0.14	0.066379
286.60	0.14	0.066432
286.80	0.14	0.066485
287.00	0.14	0.066538
287.20	0.14	0.066590
287.40	0.14	0.066643
287.60	0.14	0.066696
287.80	0.14	0.066749
288.00	0.14	0.066802
288.20	0.14	0.066855
288.40	0.14	0.066909
288.60	0.14	0.066962
288.80	0.14	0.067015
289.00	0.14	0.067068
289.20	0.14	0.067121
289.40	0.14	0.067174
289.60	0.14	0.067227
289.80	0.14	0.067280
290.00	0.14	0.067333
290.20	0.14	0.067386
290.40	0.14	0.067439
290.60	0.14	0.067493
290.80	0.14	0.067546
291.00	0.14	0.067599
291.20	0.14	0.067652
291.40	0.14	0.067705
291.60	0.14	0.067758
291.80	0.14	0.067812
292.00	0.14	0.067865
292.20	0.14	0.067918
292.40	0.14	0.067971
292.60	0.14	0.068024
292.80	0.14	0.068078
293.00	0.14	0.068131
293.20	0.14	0.068184
293.40	0.14	0.068238
293.60	0.14	0.068291
293.80	0.14	0.068344
294.00	0.14	0.068397

294.20	0.14	0.068451
294.40	0.14	0.068504
294.60	0.14	0.068557
294.80	0.14	0.068611
295.00	0.14	0.068664
295.20	0.14	0.068718
295.40	0.14	0.068771
295.60	0.14	0.068824
295.80	0.14	0.068878
296.00	0.14	0.068931
296.20	0.14	0.068985
296.40	0.14	0.069038
296.60	0.14	0.069091
296.80	0.14	0.069145
297.00	0.14	0.069198
297.20	0.14	0.069252
297.40	0.14	0.069305
297.60	0.14	0.069359
297.80	0.14	0.069412
298.00	0.14	0.069466
298.20	0.14	0.069519
298.40	0.14	0.069573
298.60	0.14	0.069626
298.80	0.14	0.069680
299.00	0.14	0.069733
299.20	0.14	0.069787
299.40	0.14	0.069841
299.60	0.14	0.069894
299.80	0.14	0.069948
300.00	0.14	0.070001
300.20	0.14	0.070055
300.40	0.14	0.070109
300.60	0.14	0.070162
300.80	0.14	0.070216
301.00	0.14	0.070270
301.20	0.14	0.070323
301.40	0.14	0.070377
301.60	0.14	0.070431
301.80	0.14	0.070484
302.00	0.14	0.070538
302.20	0.14	0.070592
302.40	0.14	0.070646
302.60	0.14	0.070699
302.80	0.14	0.070753
303.00	0.14	0.070807
303.20	0.14	0.070861
303.40	0.14	0.070914
303.60	0.14	0.070968
303.80	0.14	0.071022
304.00	0.14	0.071076
304.20	0.14	0.071130
304.40	0.14	0.071183
304.60	0.14	0.071237
304.80	0.14	0.071291
305.00	0.14	0.071345
305.20	0.14	0.071399
305.40	0.14	0.071453

305.60	0.14	0.071507
305.80	0.14	0.071561
306.00	0.14	0.071614
306.20	0.14	0.071668
306.40	0.14	0.071722
306.60	0.14	0.071776
306.80	0.14	0.071830
307.00	0.14	0.071884
307.20	0.14	0.071938
307.40	0.14	0.071992
307.60	0.14	0.072046
307.80	0.14	0.072100
308.00	0.14	0.072154
308.20	0.14	0.072208
308.40	0.14	0.072262
308.60	0.14	0.072316
308.80	0.14	0.072370
309.00	0.14	0.072424
309.20	0.14	0.072478
309.40	0.14	0.072532
309.60	0.14	0.072587
309.80	0.14	0.072641
310.00	0.14	0.072695
310.20	0.14	0.072749
310.40	0.14	0.072803
310.60	0.14	0.072857
310.80	0.14	0.072911
311.00	0.14	0.072966
311.20	0.14	0.073020
311.40	0.14	0.073074
311.60	0.14	0.073128
311.80	0.14	0.073182
312.00	0.14	0.073237
312.20	0.14	0.073291
312.40	0.14	0.073345
312.60	0.14	0.073399
312.80	0.14	0.073454
313.00	0.14	0.073508
313.20	0.14	0.073562
313.40	0.14	0.073616
313.60	0.14	0.073671
313.80	0.14	0.073725
314.00	0.14	0.073779
314.20	0.14	0.073834
314.40	0.14	0.073888
314.60	0.14	0.073942
314.80	0.14	0.073997
315.00	0.14	0.074051
315.20	0.14	0.074105
315.40	0.14	0.074160
315.60	0.14	0.074214
315.80	0.14	0.074269
316.00	0.14	0.074323
316.20	0.14	0.074378
316.40	0.14	0.074432
316.60	0.14	0.074486
316.80	0.14	0.074541

317.00	0.14	0.074595
317.20	0.14	0.074650
317.40	0.14	0.074704
317.60	0.14	0.074759
317.80	0.14	0.074813
318.00	0.14	0.074868
318.20	0.14	0.074922
318.40	0.14	0.074977
318.60	0.14	0.075032
318.80	0.14	0.075086
319.00	0.14	0.075141
319.20	0.14	0.075195
319.40	0.14	0.075250
319.60	0.14	0.075305
319.80	0.14	0.075359
320.00	0.14	0.075414
320.20	0.14	0.075468
320.40	0.14	0.075523
320.60	0.14	0.075578
320.80	0.14	0.075632
321.00	0.14	0.075687
321.20	0.14	0.075742
321.40	0.14	0.075797
321.60	0.14	0.075851
321.80	0.14	0.075906
322.00	0.14	0.075961
322.20	0.14	0.076015
322.40	0.14	0.076070
322.60	0.14	0.076125
322.80	0.14	0.076180
323.00	0.14	0.076235
323.20	0.14	0.076289
323.40	0.14	0.076344
323.60	0.14	0.076399
323.80	0.14	0.076454
324.00	0.14	0.076509
324.20	0.14	0.076563
324.40	0.14	0.076618
324.60	0.14	0.076673
324.80	0.14	0.076728
325.00	0.14	0.076783
325.20	0.14	0.076838
325.40	0.14	0.076893
325.60	0.14	0.076948
325.80	0.14	0.077003
326.00	0.14	0.077058
326.20	0.14	0.077113
326.40	0.14	0.077168
326.60	0.14	0.077223
326.80	0.14	0.077278
327.00	0.14	0.077333
327.20	0.14	0.077388
327.40	0.14	0.077443
327.60	0.14	0.077498
327.80	0.14	0.077553
328.00	0.14	0.077608
328.20	0.14	0.077663

328.40	0.14	0.077718
328.60	0.14	0.077773
328.80	0.14	0.077828
329.00	0.14	0.077883
329.20	0.14	0.077938
329.40	0.14	0.077993
329.60	0.14	0.078048
329.80	0.14	0.078104
330.00	0.14	0.078159
330.20	0.14	0.078214
330.40	0.14	0.078269
330.60	0.14	0.078324
330.80	0.14	0.078380
331.00	0.14	0.078435
331.20	0.14	0.078490
331.40	0.14	0.078545
331.60	0.14	0.078600
331.80	0.14	0.078656
332.00	0.14	0.078711
332.20	0.14	0.078766
332.40	0.14	0.078822
332.60	0.14	0.078877
332.80	0.14	0.078932
333.00	0.14	0.078987
333.20	0.14	0.079043
333.40	0.14	0.079098
333.60	0.14	0.079153
333.80	0.14	0.079209
334.00	0.14	0.079264
334.20	0.14	0.079320
334.40	0.14	0.079375
334.60	0.14	0.079430
334.80	0.14	0.079486
335.00	0.14	0.079541
335.20	0.14	0.079597
335.40	0.14	0.079652
335.60	0.14	0.079708
335.80	0.14	0.079763
336.00	0.14	0.079818
336.20	0.14	0.079874
336.40	0.14	0.079929
336.60	0.14	0.079985
336.80	0.14	0.080040
337.00	0.14	0.080096
337.20	0.14	0.080152
337.40	0.14	0.080207
337.60	0.14	0.080263
337.80	0.14	0.080318
338.00	0.14	0.080374
338.20	0.14	0.080429
338.40	0.14	0.080485
338.60	0.14	0.080541
338.80	0.14	0.080596
339.00	0.14	0.080652
339.20	0.14	0.080708
339.40	0.14	0.080763
339.60	0.14	0.080819

339.80	0.14	0.080875
340.00	0.14	0.080930
340.20	0.14	0.080986
340.40	0.14	0.081042
340.60	0.14	0.081097
340.80	0.14	0.081153
341.00	0.14	0.081209
341.20	0.14	0.081265
341.40	0.14	0.081320
341.60	0.14	0.081376
341.80	0.14	0.081432
342.00	0.14	0.081488
342.20	0.14	0.081544
342.40	0.14	0.081599
342.60	0.14	0.081655
342.80	0.14	0.081711
343.00	0.14	0.081767
343.20	0.14	0.081823
343.40	0.14	0.081879
343.60	0.14	0.081935
343.80	0.14	0.081990
344.00	0.14	0.082046
344.20	0.14	0.082102
344.40	0.14	0.082158
344.60	0.14	0.082214
344.80	0.14	0.082270
345.00	0.14	0.082326
345.20	0.14	0.082382
345.40	0.14	0.082438
345.60	0.14	0.082494
345.80	0.14	0.082550
346.00	0.14	0.082606
346.20	0.14	0.082662
346.40	0.14	0.082718
346.60	0.14	0.082774
346.80	0.14	0.082830
347.00	0.14	0.082886
347.20	0.14	0.082942
347.40	0.14	0.082999
347.60	0.14	0.083055
347.80	0.14	0.083111
348.00	0.14	0.083167
348.20	0.14	0.083223
348.40	0.14	0.083279
348.60	0.14	0.083335
348.80	0.14	0.083391
349.00	0.14	0.083448
349.20	0.14	0.083504
349.40	0.14	0.083560
349.60	0.14	0.083616
349.80	0.14	0.083673
350.00	0.14	0.083729
350.20	0.14	0.083785
350.40	0.14	0.083841
350.60	0.14	0.083898
350.80	0.14	0.083954
351.00	0.14	0.084010

351.20	0.14	0.084066
351.40	0.14	0.084123
351.60	0.14	0.084179
351.80	0.14	0.084235
352.00	0.14	0.084292
352.20	0.14	0.084348
352.40	0.14	0.084404
352.60	0.14	0.084461
352.80	0.14	0.084517
353.00	0.14	0.084574
353.20	0.14	0.084630
353.40	0.14	0.084686
353.60	0.14	0.084743
353.80	0.14	0.084799
354.00	0.14	0.084856
354.20	0.14	0.084912
354.40	0.14	0.084969
354.60	0.14	0.085025
354.80	0.14	0.085082
355.00	0.14	0.085138
355.20	0.14	0.085195
355.40	0.14	0.085251
355.60	0.14	0.085308
355.80	0.14	0.085364
356.00	0.14	0.085421
356.20	0.14	0.085478
356.40	0.14	0.085534
356.60	0.14	0.085591
356.80	0.14	0.085647
357.00	0.14	0.085704
357.20	0.14	0.085761
357.40	0.14	0.085817
357.60	0.14	0.085874
357.80	0.14	0.085931
358.00	0.14	0.085987
358.20	0.14	0.086044
358.40	0.14	0.086101
358.60	0.14	0.086157
358.80	0.14	0.086214
359.00	0.14	0.086271
359.20	0.14	0.086328
359.40	0.14	0.086384
359.60	0.14	0.086441
359.80	0.14	0.086498
360.00	0.14	0.086555
360.20	0.14	0.086611
360.40	0.14	0.086668
360.60	0.14	0.086725
360.80	0.14	0.086782
361.00	0.14	0.086839
361.20	0.14	0.086896
361.40	0.14	0.086952
361.60	0.14	0.087009
361.80	0.14	0.087066
362.00	0.14	0.087123
362.20	0.14	0.087180
362.40	0.14	0.087237

362.60	0.14	0.087294
362.80	0.14	0.087351
363.00	0.14	0.087408
363.20	0.14	0.087465
363.40	0.14	0.087522
363.60	0.14	0.087579
363.80	0.14	0.087636
364.00	0.14	0.087693
364.20	0.14	0.087750
364.40	0.14	0.087807
364.60	0.14	0.087864
364.80	0.14	0.087921
365.00	0.14	0.087978
365.20	0.14	0.088035
365.40	0.14	0.088092
365.60	0.14	0.088149
365.80	0.14	0.088206
366.00	0.14	0.088264
366.20	0.14	0.088321
366.40	0.14	0.088378
366.60	0.14	0.088435
366.80	0.14	0.088492
367.00	0.14	0.088549
367.20	0.14	0.088607
367.40	0.14	0.088664
367.60	0.14	0.088721
367.80	0.14	0.088778
368.00	0.14	0.088835
368.20	0.14	0.088893
368.40	0.14	0.088950
368.60	0.14	0.089007
368.80	0.14	0.089065
369.00	0.14	0.089122
369.20	0.14	0.089179
369.40	0.14	0.089237
369.60	0.14	0.089294
369.80	0.14	0.089351
370.00	0.14	0.089409
370.20	0.14	0.089466
370.40	0.14	0.089523
370.60	0.14	0.089581
370.80	0.14	0.089638
371.00	0.14	0.089695
371.20	0.14	0.089753
371.40	0.14	0.089810
371.60	0.14	0.089868
371.80	0.14	0.089925
372.00	0.14	0.089983
372.20	0.14	0.090040
372.40	0.14	0.090098
372.60	0.14	0.090155
372.80	0.14	0.090213
373.00	0.14	0.090270
373.20	0.14	0.090328
373.40	0.14	0.090385
373.60	0.14	0.090443
373.80	0.14	0.090500

374.00	0.14	0.090558
374.20	0.14	0.090616
374.40	0.14	0.090673
374.60	0.14	0.090731
374.80	0.14	0.090789
375.00	0.14	0.090846
375.20	0.14	0.090904
375.40	0.14	0.090961
375.60	0.14	0.091019
375.80	0.14	0.091077
376.00	0.14	0.091135
376.20	0.14	0.091192
376.40	0.14	0.091250
376.60	0.14	0.091308
376.80	0.14	0.091365
377.00	0.14	0.091423
377.20	0.14	0.091481
377.40	0.14	0.091539
377.60	0.14	0.091597
377.80	0.14	0.091654
378.00	0.14	0.091712
378.20	0.14	0.091770
378.40	0.14	0.091828
378.60	0.14	0.091886
378.80	0.14	0.091944
379.00	0.14	0.092001
379.20	0.14	0.092059
379.40	0.14	0.092117
379.60	0.14	0.092175
379.80	0.14	0.092233
380.00	0.14	0.092291
380.20	0.14	0.092349
380.40	0.14	0.092407
380.60	0.14	0.092465
380.80	0.14	0.092523
381.00	0.14	0.092581
381.20	0.14	0.092639
381.40	0.14	0.092697
381.60	0.14	0.092755
381.80	0.14	0.092813
382.00	0.14	0.092871
382.20	0.14	0.092929
382.40	0.14	0.092987
382.60	0.14	0.093045
382.80	0.14	0.093103
383.00	0.14	0.093161
383.20	0.14	0.093219
383.40	0.14	0.093278
383.60	0.14	0.093336
383.80	0.14	0.093394
384.00	0.14	0.093452
384.20	0.14	0.093510
384.40	0.14	0.093568
384.60	0.14	0.093627
384.80	0.14	0.093685
385.00	0.14	0.093743
385.20	0.14	0.093801

385.40	0.14	0.093859
385.60	0.14	0.093918
385.80	0.14	0.093976
386.00	0.14	0.094034
386.20	0.14	0.094093
386.40	0.14	0.094151
386.60	0.14	0.094209
386.80	0.14	0.094268
387.00	0.14	0.094326
387.20	0.14	0.094384
387.40	0.14	0.094443
387.60	0.14	0.094501
387.80	0.14	0.094559
388.00	0.14	0.094618
388.20	0.14	0.094676
388.40	0.14	0.094735
388.60	0.14	0.094793
388.80	0.14	0.094851
389.00	0.14	0.094910
389.20	0.14	0.094968
389.40	0.14	0.095027
389.60	0.14	0.095085
389.80	0.14	0.095144
390.00	0.14	0.095202
390.20	0.14	0.095261
390.40	0.14	0.095319
390.60	0.14	0.095378
390.80	0.14	0.095437
391.00	0.14	0.095495
391.20	0.14	0.095554
391.40	0.14	0.095612
391.60	0.14	0.095671
391.80	0.14	0.095730
392.00	0.14	0.095788
392.20	0.14	0.095847
392.40	0.14	0.095905
392.60	0.14	0.095964
392.80	0.14	0.096023
393.00	0.14	0.096082
393.20	0.14	0.096140
393.40	0.14	0.096199
393.60	0.14	0.096258
393.80	0.14	0.096316
394.00	0.14	0.096375
394.20	0.14	0.096434
394.40	0.14	0.096493
394.60	0.14	0.096552
394.80	0.14	0.096610
395.00	0.14	0.096669
395.20	0.14	0.096728
395.40	0.14	0.096787
395.60	0.14	0.096846
395.80	0.14	0.096905
396.00	0.14	0.096963
396.20	0.14	0.097022
396.40	0.14	0.097081
396.60	0.14	0.097140

396.80	0.14	0.097199
397.00	0.14	0.097258
397.20	0.14	0.097317
397.40	0.14	0.097376
397.60	0.14	0.097435
397.80	0.14	0.097494
398.00	0.14	0.097553
398.20	0.14	0.097612
398.40	0.14	0.097671
398.60	0.14	0.097730
398.80	0.14	0.097789
399.00	0.14	0.097848
399.20	0.14	0.097907
399.40	0.14	0.097966
399.60	0.14	0.098025
399.80	0.14	0.098084
400.00	0.14	0.098143
400.20	0.14	0.098203
400.40	0.14	0.098262
400.60	0.14	0.098321
400.80	0.14	0.098380
401.00	0.14	0.098439
401.20	0.14	0.098498
401.40	0.14	0.098558
401.60	0.14	0.098617
401.80	0.14	0.098676
402.00	0.14	0.098735
402.20	0.14	0.098795
402.40	0.14	0.098854
402.60	0.14	0.098913
402.80	0.14	0.098972
403.00	0.14	0.099032
403.20	0.14	0.099091
403.40	0.14	0.099150
403.60	0.14	0.099210
403.80	0.14	0.099269
404.00	0.14	0.099328
404.20	0.14	0.099388
404.40	0.14	0.099447
404.60	0.14	0.099506
404.80	0.14	0.099566
405.00	0.14	0.099625
405.20	0.14	0.099685
405.40	0.14	0.099744
405.60	0.14	0.099804
405.80	0.14	0.099863
406.00	0.14	0.099923
406.20	0.14	0.099982
406.40	0.14	0.100042
406.60	0.14	0.100101
406.80	0.14	0.100161
407.00	0.14	0.100220
407.20	0.14	0.100280
407.40	0.14	0.100339
407.60	0.14	0.100399
407.80	0.14	0.100458
408.00	0.14	0.100518

408.20	0.14	0.100578
408.40	0.14	0.100637
408.60	0.14	0.100697
408.80	0.14	0.100757
409.00	0.14	0.100816
409.20	0.14	0.100876
409.40	0.14	0.100936
409.60	0.14	0.100995
409.80	0.14	0.101055
410.00	0.14	0.101115
410.20	0.14	0.101174
410.40	0.14	0.101234
410.60	0.14	0.101294
410.80	0.14	0.101354
411.00	0.14	0.101413
411.20	0.14	0.101473
411.40	0.14	0.101533
411.60	0.14	0.101593
411.80	0.14	0.101653
412.00	0.14	0.101713
412.20	0.14	0.101772
412.40	0.14	0.101832
412.60	0.14	0.101892
412.80	0.14	0.101952
413.00	0.14	0.102012
413.20	0.14	0.102072
413.40	0.14	0.102132
413.60	0.14	0.102192
413.80	0.14	0.102252
414.00	0.14	0.102312
414.20	0.14	0.102372
414.40	0.14	0.102432
414.60	0.14	0.102492
414.80	0.14	0.102552
415.00	0.14	0.102612
415.20	0.14	0.102672
415.40	0.14	0.102732
415.60	0.14	0.102792
415.80	0.14	0.102852
416.00	0.14	0.102912
416.20	0.14	0.102972
416.40	0.14	0.103032
416.60	0.14	0.103093
416.80	0.14	0.103153
417.00	0.14	0.103213
417.20	0.14	0.103273
417.40	0.14	0.103333
417.60	0.14	0.103393
417.80	0.14	0.103454
418.00	0.14	0.103514
418.20	0.14	0.103574
418.40	0.14	0.103634
418.60	0.14	0.103695
418.80	0.14	0.103755
419.00	0.14	0.103815
419.20	0.14	0.103875
419.40	0.14	0.103936

419.60	0.14	0.103996
419.80	0.14	0.104056
420.00	0.14	0.104117
420.20	0.14	0.104177
420.40	0.14	0.104237
420.60	0.14	0.104298
420.80	0.14	0.104358
421.00	0.14	0.104419
421.20	0.14	0.104479
421.40	0.14	0.104539
421.60	0.14	0.104600
421.80	0.14	0.104660
422.00	0.14	0.104721
422.20	0.14	0.104781
422.40	0.14	0.104842
422.60	0.14	0.104902
422.80	0.14	0.104963
423.00	0.14	0.105023
423.20	0.14	0.105084
423.40	0.14	0.105144
423.60	0.14	0.105205
423.80	0.14	0.105266
424.00	0.14	0.105326
424.20	0.14	0.105387
424.40	0.14	0.105447
424.60	0.14	0.105508
424.80	0.14	0.105569
425.00	0.14	0.105629
425.20	0.14	0.105690
425.40	0.14	0.105751
425.60	0.14	0.105811
425.80	0.14	0.105872
426.00	0.14	0.105933
426.20	0.14	0.105994
426.40	0.14	0.106054
426.60	0.14	0.106115
426.80	0.14	0.106176
427.00	0.14	0.106237
427.20	0.14	0.106298
427.40	0.14	0.106358
427.60	0.14	0.106419
427.80	0.14	0.106480
428.00	0.14	0.106541
428.20	0.14	0.106602
428.40	0.14	0.106663
428.60	0.14	0.106723
428.80	0.14	0.106784
429.00	0.14	0.106845
429.20	0.14	0.106906
429.40	0.14	0.106967
429.60	0.14	0.107028
429.80	0.14	0.107089
430.00	0.14	0.107150
430.20	0.14	0.107211
430.40	0.14	0.107272
430.60	0.14	0.107333
430.80	0.14	0.107394

431.00	0.14	0.107455
431.20	0.14	0.107516
431.40	0.14	0.107577
431.60	0.14	0.107638
431.80	0.14	0.107699
432.00	0.14	0.107761
432.20	0.14	0.107822
432.40	0.14	0.107883
432.60	0.14	0.107944
432.80	0.14	0.108005
433.00	0.14	0.108066
433.20	0.14	0.108128
433.40	0.14	0.108189
433.60	0.14	0.108250
433.80	0.14	0.108311
434.00	0.14	0.108372
434.20	0.14	0.108434
434.40	0.14	0.108495
434.60	0.14	0.108556
434.80	0.14	0.108617
435.00	0.14	0.108679
435.20	0.14	0.108740
435.40	0.14	0.108801
435.60	0.14	0.108863
435.80	0.14	0.108924
436.00	0.14	0.108985
436.20	0.14	0.109047
436.40	0.14	0.109108
436.60	0.14	0.109170
436.80	0.14	0.109231
437.00	0.14	0.109293
437.20	0.14	0.109354
437.40	0.14	0.109415
437.60	0.14	0.109477
437.80	0.14	0.109538
438.00	0.14	0.109600
438.20	0.14	0.109661
438.40	0.14	0.109723
438.60	0.14	0.109784
438.80	0.14	0.109846
439.00	0.14	0.109908
439.20	0.14	0.109969
439.40	0.14	0.110031
439.60	0.14	0.110092
439.80	0.14	0.110154
440.00	0.14	0.110216
440.20	0.14	0.110277
440.40	0.14	0.110339
440.60	0.14	0.110401
440.80	0.14	0.110462
441.00	0.14	0.110524
441.20	0.14	0.110586
441.40	0.14	0.110647
441.60	0.14	0.110709
441.80	0.14	0.110771
442.00	0.14	0.110833
442.20	0.14	0.110894

442.40	0.14	0.110956
442.60	0.14	0.111018
442.80	0.14	0.111080
443.00	0.14	0.111142
443.20	0.14	0.111203
443.40	0.14	0.111265
443.60	0.14	0.111327
443.80	0.14	0.111389
444.00	0.14	0.111451
444.20	0.14	0.111513
444.40	0.14	0.111575
444.60	0.14	0.111637
444.80	0.14	0.111699
445.00	0.14	0.111761
445.20	0.14	0.111823
445.40	0.14	0.111884
445.60	0.14	0.111946
445.80	0.14	0.112008
446.00	0.14	0.112070
446.20	0.14	0.112133
446.40	0.14	0.112195
446.60	0.14	0.112257
446.80	0.14	0.112319
447.00	0.14	0.112381
447.20	0.14	0.112443
447.40	0.14	0.112505
447.60	0.14	0.112567
447.80	0.14	0.112629
448.00	0.14	0.112691
448.20	0.14	0.112754
448.40	0.14	0.112816
448.60	0.14	0.112878
448.80	0.14	0.112940
449.00	0.14	0.113002
449.20	0.14	0.113065
449.40	0.14	0.113127
449.60	0.14	0.113189
449.80	0.14	0.113251
450.00	0.14	0.113314
450.20	0.14	0.113376
450.40	0.14	0.113438
450.60	0.14	0.113501
450.80	0.14	0.113563
451.00	0.14	0.113625
451.20	0.14	0.113688
451.40	0.14	0.113750
451.60	0.14	0.113813
451.80	0.14	0.113875
452.00	0.14	0.113937
452.20	0.14	0.114000
452.40	0.14	0.114062
452.60	0.14	0.114125
452.80	0.14	0.114187
453.00	0.14	0.114250
453.20	0.14	0.114312
453.40	0.14	0.114375
453.60	0.14	0.114437

453.80	0.14	0.114500
454.00	0.14	0.114562
454.20	0.14	0.114625
454.40	0.14	0.114687
454.60	0.14	0.114750
454.80	0.14	0.114813
455.00	0.14	0.114875
455.20	0.14	0.114938
455.40	0.14	0.115001
455.60	0.14	0.115063
455.80	0.14	0.115126
456.00	0.14	0.115189
456.20	0.14	0.115251
456.40	0.14	0.115314
456.60	0.14	0.115377
456.80	0.14	0.115439
457.00	0.14	0.115502
457.20	0.14	0.115565
457.40	0.14	0.115628
457.60	0.14	0.115691
457.80	0.14	0.115753
458.00	0.14	0.115816
458.20	0.14	0.115879
458.40	0.14	0.115942
458.60	0.14	0.116005
458.80	0.14	0.116068
459.00	0.14	0.116131
459.20	0.14	0.116194
459.40	0.14	0.116256
459.60	0.14	0.116319
459.80	0.14	0.116382
460.00	0.14	0.116445
460.20	0.14	0.116508
460.40	0.14	0.116571
460.60	0.14	0.116634
460.80	0.14	0.116697
461.00	0.14	0.116760
461.20	0.14	0.116823
461.40	0.14	0.116886
461.60	0.14	0.116950
461.80	0.14	0.117013
462.00	0.14	0.117076
462.20	0.14	0.117139
462.40	0.14	0.117202
462.60	0.14	0.117265
462.80	0.14	0.117328
463.00	0.14	0.117391
463.20	0.14	0.117455
463.40	0.14	0.117518
463.60	0.14	0.117581
463.80	0.14	0.117644
464.00	0.14	0.117707
464.20	0.14	0.117771
464.40	0.14	0.117834
464.60	0.14	0.117897
464.80	0.14	0.117961
465.00	0.14	0.118024

465.20	0.14	0.118087
465.40	0.14	0.118150
465.60	0.14	0.118214
465.80	0.14	0.118277
466.00	0.14	0.118341
466.20	0.14	0.118404
466.40	0.14	0.118467
466.60	0.14	0.118531
466.80	0.14	0.118594
467.00	0.14	0.118658
467.20	0.14	0.118721
467.40	0.14	0.118785
467.60	0.14	0.118848
467.80	0.14	0.118912
468.00	0.14	0.118975
468.20	0.14	0.119039
468.40	0.14	0.119102
468.60	0.14	0.119166
468.80	0.14	0.119229
469.00	0.14	0.119293
469.20	0.14	0.119356
469.40	0.14	0.119420
469.60	0.14	0.119484
469.80	0.14	0.119547
470.00	0.14	0.119611
470.20	0.14	0.119675
470.40	0.14	0.119738
470.60	0.14	0.119802
470.80	0.14	0.119866
471.00	0.14	0.119930
471.20	0.14	0.119993
471.40	0.14	0.120057
471.60	0.14	0.120121
471.80	0.14	0.120185
472.00	0.14	0.120248
472.20	0.14	0.120312
472.40	0.14	0.120376
472.60	0.14	0.120440
472.80	0.14	0.120504
473.00	0.14	0.120568
473.20	0.14	0.120631
473.40	0.14	0.120695
473.60	0.14	0.120759
473.80	0.14	0.120823
474.00	0.14	0.120887
474.20	0.14	0.120951
474.40	0.14	0.121015
474.60	0.14	0.121079
474.80	0.14	0.121143
475.00	0.14	0.121207
475.20	0.14	0.121271
475.40	0.14	0.121335
475.60	0.14	0.121399
475.80	0.14	0.121463
476.00	0.14	0.121527
476.20	0.14	0.121591
476.40	0.14	0.121655

476.60	0.14	0.121719
476.80	0.14	0.121784
477.00	0.14	0.121848
477.20	0.14	0.121912
477.40	0.14	0.121976
477.60	0.14	0.122040
477.80	0.14	0.122104
478.00	0.14	0.122169
478.20	0.14	0.122233
478.40	0.14	0.122297
478.60	0.14	0.122361
478.80	0.14	0.122426
479.00	0.14	0.122490
479.20	0.14	0.122554
479.40	0.14	0.122619
479.60	0.14	0.122683
479.80	0.14	0.122747
480.00	0.14	0.122812
480.20	0.14	0.122876
480.40	0.14	0.122940
480.60	0.14	0.123005
480.80	0.14	0.123069
481.00	0.14	0.123134
481.20	0.14	0.123198
481.40	0.14	0.123262
481.60	0.14	0.123327
481.80	0.14	0.123391
482.00	0.14	0.123456
482.20	0.14	0.123520
482.40	0.14	0.123585
482.60	0.14	0.123649
482.80	0.14	0.123714
483.00	0.14	0.123779
483.20	0.14	0.123843
483.40	0.14	0.123908
483.60	0.14	0.123972
483.80	0.14	0.124037
484.00	0.14	0.124102
484.20	0.14	0.124166
484.40	0.14	0.124231
484.60	0.14	0.124296
484.80	0.14	0.124360
485.00	0.14	0.124425
485.20	0.14	0.124490
485.40	0.14	0.124555
485.60	0.14	0.124619
485.80	0.14	0.124684
486.00	0.14	0.124749
486.20	0.14	0.124814
486.40	0.14	0.124878
486.60	0.14	0.124943
486.80	0.14	0.125008
487.00	0.14	0.125073
487.20	0.14	0.125138
487.40	0.14	0.125203
487.60	0.14	0.125268
487.80	0.14	0.125333

488.00	0.14	0.125397
488.20	0.14	0.125462
488.40	0.14	0.125527
488.60	0.14	0.125592
488.80	0.14	0.125657
489.00	0.14	0.125722
489.20	0.14	0.125787
489.40	0.14	0.125852
489.60	0.14	0.125917
489.80	0.14	0.125983
490.00	0.14	0.126048
490.20	0.14	0.126113
490.40	0.14	0.126178
490.60	0.14	0.126243
490.80	0.14	0.126308
491.00	0.14	0.126373
491.20	0.14	0.126438
491.40	0.14	0.126504
491.60	0.14	0.126569
491.80	0.14	0.126634
492.00	0.14	0.126699
492.20	0.14	0.126764
492.40	0.14	0.126830
492.60	0.14	0.126895
492.80	0.14	0.126960
493.00	0.14	0.127025
493.20	0.14	0.127091
493.40	0.14	0.127156
493.60	0.14	0.127221
493.80	0.14	0.127287
494.00	0.14	0.127352
494.20	0.14	0.127418
494.40	0.14	0.127483
494.60	0.14	0.127548
494.80	0.14	0.127614
495.00	0.14	0.127679
495.20	0.14	0.127745
495.40	0.14	0.127810
495.60	0.14	0.127876
495.80	0.14	0.127941
496.00	0.14	0.128007
496.20	0.14	0.128072
496.40	0.14	0.128138
496.60	0.14	0.128203
496.80	0.14	0.128269
497.00	0.14	0.128334
497.20	0.14	0.128400
497.40	0.14	0.128466
497.60	0.14	0.128531
497.80	0.14	0.128597
498.00	0.14	0.128663
498.20	0.14	0.128728
498.40	0.14	0.128794
498.60	0.14	0.128860
498.80	0.14	0.128925
499.00	0.14	0.128991
499.20	0.14	0.129057

499.40	0.14	0.129123
499.60	0.14	0.129188
499.80	0.14	0.129254
500.00	0.14	0.129320
500.20	0.14	0.129386
500.40	0.14	0.129452
500.60	0.14	0.129518
500.80	0.14	0.129583
501.00	0.14	0.129649
501.20	0.14	0.129715
501.40	0.14	0.129781
501.60	0.14	0.129847
501.80	0.14	0.129913
502.00	0.14	0.129979
502.20	0.14	0.130045
502.40	0.14	0.130111
502.60	0.14	0.130177
502.80	0.14	0.130243
503.00	0.14	0.130309
503.20	0.14	0.130375
503.40	0.14	0.130441
503.60	0.14	0.130507
503.80	0.14	0.130573
504.00	0.14	0.130639
504.20	0.14	0.130706
504.40	0.14	0.130772
504.60	0.14	0.130838
504.80	0.14	0.130904
505.00	0.14	0.130970
505.20	0.14	0.131036
505.40	0.14	0.131103
505.60	0.14	0.131169
505.80	0.14	0.131235
506.00	0.14	0.131301
506.20	0.14	0.131368
506.40	0.14	0.131434
506.60	0.14	0.131500
506.80	0.14	0.131566
507.00	0.14	0.131633
507.20	0.14	0.131699
507.40	0.14	0.131766
507.60	0.14	0.131832
507.80	0.14	0.131898
508.00	0.14	0.131965
508.20	0.14	0.132031
508.40	0.14	0.132098
508.60	0.14	0.132164
508.80	0.14	0.132231
509.00	0.14	0.132297
509.20	0.14	0.132364
509.40	0.14	0.132430
509.60	0.14	0.132497
509.80	0.14	0.132563
510.00	0.14	0.132630
510.20	0.14	0.132696
510.40	0.14	0.132763
510.60	0.14	0.132829

510.80	0.14	0.132896
511.00	0.14	0.132963
511.20	0.14	0.133029
511.40	0.14	0.133096
511.60	0.14	0.133163
511.80	0.14	0.133229
512.00	0.14	0.133296
512.20	0.14	0.133363
512.40	0.14	0.133430
512.60	0.14	0.133496
512.80	0.14	0.133563
513.00	0.14	0.133630
513.20	0.14	0.133697
513.40	0.14	0.133764
513.60	0.14	0.133830
513.80	0.14	0.133897
514.00	0.14	0.133964
514.20	0.14	0.134031
514.40	0.14	0.134098
514.60	0.14	0.134165
514.80	0.14	0.134232
515.00	0.14	0.134299
515.20	0.14	0.134366
515.40	0.14	0.134433
515.60	0.14	0.134500
515.80	0.14	0.134567
516.00	0.14	0.134634
516.20	0.14	0.134701
516.40	0.14	0.134768
516.60	0.14	0.134835
516.80	0.14	0.134902
517.00	0.14	0.134969
517.20	0.14	0.135036
517.40	0.14	0.135103
517.60	0.14	0.135170
517.80	0.14	0.135238
518.00	0.14	0.135305
518.20	0.14	0.135372
518.40	0.14	0.135439
518.60	0.14	0.135506
518.80	0.14	0.135574
519.00	0.14	0.135641
519.20	0.14	0.135708
519.40	0.14	0.135775
519.60	0.14	0.135843
519.80	0.14	0.135910
520.00	0.14	0.135977
520.20	0.14	0.136045
520.40	0.14	0.136112
520.60	0.14	0.136179
520.80	0.14	0.136247
521.00	0.14	0.136314
521.20	0.14	0.136382
521.40	0.14	0.136449
521.60	0.14	0.136517
521.80	0.14	0.136584
522.00	0.14	0.136652

522.20	0.14	0.136719
522.40	0.14	0.136787
522.60	0.14	0.136854
522.80	0.14	0.136922
523.00	0.14	0.136989
523.20	0.14	0.137057
523.40	0.14	0.137124
523.60	0.14	0.137192
523.80	0.14	0.137260
524.00	0.14	0.137327
524.20	0.14	0.137395
524.40	0.14	0.137463
524.60	0.14	0.137530
524.80	0.14	0.137598
525.00	0.14	0.137666
525.20	0.14	0.137733
525.40	0.14	0.137801
525.60	0.14	0.137869
525.80	0.14	0.137937
526.00	0.14	0.138005
526.20	0.14	0.138072
526.40	0.14	0.138140
526.60	0.14	0.138208
526.80	0.14	0.138276
527.00	0.14	0.138344
527.20	0.14	0.138412
527.40	0.14	0.138480
527.60	0.14	0.138548
527.80	0.14	0.138616
528.00	0.14	0.138684
528.20	0.14	0.138752
528.40	0.14	0.138819
528.60	0.14	0.138888
528.80	0.14	0.138956
529.00	0.14	0.139024
529.20	0.14	0.139092
529.40	0.14	0.139160
529.60	0.14	0.139228
529.80	0.14	0.139296
530.00	0.14	0.139364
530.20	0.14	0.139432
530.40	0.14	0.139500
530.60	0.14	0.139568
530.80	0.14	0.139637
531.00	0.14	0.139705
531.20	0.14	0.139773
531.40	0.14	0.139841
531.60	0.14	0.139910
531.80	0.14	0.139978
532.00	0.14	0.140046
532.20	0.14	0.140114
532.40	0.14	0.140183
532.60	0.14	0.140251
532.80	0.14	0.140319
533.00	0.14	0.140388
533.20	0.14	0.140456
533.40	0.14	0.140525

533.60	0.14	0.140593
533.80	0.14	0.140661
534.00	0.14	0.140730
534.20	0.14	0.140798
534.40	0.14	0.140867
534.60	0.14	0.140935
534.80	0.14	0.141004
535.00	0.14	0.141072
535.20	0.14	0.141141
535.40	0.14	0.141209
535.60	0.14	0.141278
535.80	0.14	0.141346
536.00	0.14	0.141415
536.20	0.14	0.141484
536.40	0.14	0.141552
536.60	0.14	0.141621
536.80	0.14	0.141690
537.00	0.14	0.141758
537.20	0.14	0.141827
537.40	0.14	0.141896
537.60	0.14	0.141964
537.80	0.14	0.142033
538.00	0.14	0.142102
538.20	0.14	0.142171
538.40	0.14	0.142240
538.60	0.14	0.142308
538.80	0.14	0.142377
539.00	0.14	0.142446
539.20	0.14	0.142515
539.40	0.14	0.142584
539.60	0.14	0.142653
539.80	0.14	0.142722
540.00	0.14	0.142790
540.20	0.14	0.142859
540.40	0.14	0.142928
540.60	0.14	0.142997
540.80	0.14	0.143066
541.00	0.14	0.143135
541.20	0.14	0.143204
541.40	0.14	0.143273
541.60	0.14	0.143342
541.80	0.14	0.143412
542.00	0.14	0.143481
542.20	0.14	0.143550
542.40	0.14	0.143619
542.60	0.14	0.143688
542.80	0.14	0.143757
543.00	0.14	0.143826
543.20	0.14	0.143896
543.40	0.14	0.143965
543.60	0.14	0.144034
543.80	0.14	0.144103
544.00	0.14	0.144172
544.20	0.14	0.144242
544.40	0.14	0.144311
544.60	0.14	0.144380
544.80	0.14	0.144450

545.00	0.14	0.144519
545.20	0.14	0.144588
545.40	0.14	0.144658
545.60	0.14	0.144727
545.80	0.14	0.144797
546.00	0.14	0.144866
546.20	0.14	0.144935
546.40	0.14	0.145005
546.60	0.14	0.145074
546.80	0.14	0.145144
547.00	0.14	0.145213
547.20	0.14	0.145283
547.40	0.14	0.145352
547.60	0.14	0.145422
547.80	0.14	0.145491
548.00	0.14	0.145561
548.20	0.14	0.145631
548.40	0.14	0.145700
548.60	0.14	0.145770
548.80	0.14	0.145840
549.00	0.14	0.145909
549.20	0.14	0.145979
549.40	0.14	0.146049
549.60	0.14	0.146118
549.80	0.14	0.146188
550.00	0.14	0.146258
550.20	0.14	0.146328
550.40	0.14	0.146397
550.60	0.14	0.146467
550.80	0.14	0.146537
551.00	0.14	0.146607
551.20	0.14	0.146677
551.40	0.14	0.146747
551.60	0.14	0.146816
551.80	0.14	0.146886
552.00	0.14	0.146956
552.20	0.14	0.147026
552.40	0.14	0.147096
552.60	0.14	0.147166
552.80	0.14	0.147236
553.00	0.14	0.147306
553.20	0.14	0.147376
553.40	0.14	0.147446
553.60	0.14	0.147516
553.80	0.14	0.147586
554.00	0.14	0.147656
554.20	0.14	0.147727
554.40	0.14	0.147797
554.60	0.14	0.147867
554.80	0.14	0.147937
555.00	0.14	0.148007
555.20	0.14	0.148077
555.40	0.14	0.148148
555.60	0.14	0.148218
555.80	0.14	0.148288
556.00	0.14	0.148358
556.20	0.14	0.148428

556.40	0.14	0.148499
556.60	0.14	0.148569
556.80	0.14	0.148639
557.00	0.14	0.148710
557.20	0.14	0.148780
557.40	0.14	0.148851
557.60	0.14	0.148921
557.80	0.14	0.148991
558.00	0.14	0.149062
558.20	0.14	0.149132
558.40	0.14	0.149203
558.60	0.14	0.149273
558.80	0.14	0.149344
559.00	0.14	0.149414
559.20	0.14	0.149485
559.40	0.14	0.149555
559.60	0.14	0.149626
559.80	0.14	0.149696
560.00	0.14	0.149767
560.20	0.14	0.149838
560.40	0.14	0.149908
560.60	0.14	0.149979
560.80	0.14	0.150050
561.00	0.14	0.150120
561.20	0.14	0.150191
561.40	0.14	0.150262
561.60	0.14	0.150332
561.80	0.14	0.150403
562.00	0.14	0.150474
562.20	0.14	0.150545
562.40	0.14	0.150615
562.60	0.14	0.150686
562.80	0.14	0.150757
563.00	0.14	0.150828
563.20	0.14	0.150899
563.40	0.14	0.150970
563.60	0.14	0.151041
563.80	0.14	0.151112
564.00	0.14	0.151183
564.20	0.14	0.151253
564.40	0.14	0.151324
564.60	0.14	0.151395
564.80	0.14	0.151467
565.00	0.14	0.151538
565.20	0.14	0.151609
565.40	0.14	0.151680
565.60	0.14	0.151751
565.80	0.14	0.151822
566.00	0.14	0.151893
566.20	0.14	0.151964
566.40	0.14	0.152035
566.60	0.14	0.152106
566.80	0.14	0.152178
567.00	0.14	0.152249
567.20	0.14	0.152320
567.40	0.14	0.152391
567.60	0.14	0.152463

567.80	0.14	0.152534
568.00	0.14	0.152605
568.20	0.14	0.152676
568.40	0.14	0.152748
568.60	0.14	0.152819
568.80	0.14	0.152890
569.00	0.14	0.152962
569.20	0.14	0.153033
569.40	0.14	0.153105
569.60	0.14	0.153176
569.80	0.14	0.153247
570.00	0.14	0.153319
570.20	0.14	0.153390
570.40	0.14	0.153462
570.60	0.14	0.153533
570.80	0.14	0.153605
571.00	0.14	0.153677
571.20	0.14	0.153748
571.40	0.14	0.153820
571.60	0.14	0.153891
571.80	0.14	0.153963
572.00	0.14	0.154035
572.20	0.14	0.154106
572.40	0.14	0.154178
572.60	0.14	0.154250
572.80	0.14	0.154321
573.00	0.14	0.154393
573.20	0.14	0.154465
573.40	0.14	0.154537
573.60	0.14	0.154608
573.80	0.14	0.154680
574.00	0.14	0.154752
574.20	0.14	0.154824
574.40	0.14	0.154896
574.60	0.14	0.154968
574.80	0.14	0.155039
575.00	0.14	0.155111
575.20	0.14	0.155183
575.40	0.14	0.155255
575.60	0.14	0.155327
575.80	0.14	0.155399
576.00	0.14	0.155471
576.20	0.14	0.155543
576.40	0.14	0.155615
576.60	0.14	0.155687
576.80	0.14	0.155759
577.00	0.14	0.155831
577.20	0.14	0.155904
577.40	0.14	0.155976
577.60	0.14	0.156048
577.80	0.14	0.156120
578.00	0.14	0.156192
578.20	0.14	0.156264
578.40	0.14	0.156337
578.60	0.14	0.156409
578.80	0.14	0.156481
579.00	0.14	0.156553

579.20	0.14	0.156626
579.40	0.14	0.156698
579.60	0.14	0.156770
579.80	0.14	0.156843
580.00	0.14	0.156915
580.20	0.14	0.156987
580.40	0.14	0.157060
580.60	0.14	0.157132
580.80	0.14	0.157204
581.00	0.14	0.157277
581.20	0.14	0.157349
581.40	0.14	0.157422
581.60	0.14	0.157494
581.80	0.14	0.157567
582.00	0.14	0.157639
582.20	0.14	0.157712
582.40	0.14	0.157785
582.60	0.14	0.157857
582.80	0.14	0.157930
583.00	0.14	0.158002
583.20	0.14	0.158075
583.40	0.14	0.158148
583.60	0.14	0.158220
583.80	0.14	0.158293
584.00	0.14	0.158366
584.20	0.14	0.158438
584.40	0.14	0.158511
584.60	0.14	0.158584
584.80	0.14	0.158657
585.00	0.14	0.158730
585.20	0.14	0.158802
585.40	0.14	0.158875
585.60	0.14	0.158948
585.80	0.14	0.159021
586.00	0.14	0.159094
586.20	0.14	0.159167
586.40	0.14	0.159240
586.60	0.14	0.159313
586.80	0.14	0.159386
587.00	0.14	0.159459
587.20	0.14	0.159532
587.40	0.14	0.159605
587.60	0.14	0.159678
587.80	0.14	0.159751
588.00	0.14	0.159824
588.20	0.14	0.159897
588.40	0.14	0.159970
588.60	0.14	0.160043
588.80	0.14	0.160116
589.00	0.14	0.160190
589.20	0.14	0.160263
589.40	0.14	0.160336
589.60	0.14	0.160409
589.80	0.14	0.160483
590.00	0.14	0.160556
590.20	0.14	0.160629
590.40	0.14	0.160702

590.60	0.14	0.160776
590.80	0.14	0.160849
591.00	0.14	0.160922
591.20	0.14	0.160996
591.40	0.14	0.161069
591.60	0.14	0.161143
591.80	0.14	0.161216
592.00	0.14	0.161290
592.20	0.14	0.161363
592.40	0.14	0.161436
592.60	0.14	0.161510
592.80	0.14	0.161584
593.00	0.14	0.161657
593.20	0.14	0.161731
593.40	0.14	0.161804
593.60	0.14	0.161878
593.80	0.14	0.161951
594.00	0.14	0.162025
594.20	0.14	0.162099
594.40	0.14	0.162172
594.60	0.14	0.162246
594.80	0.14	0.162320
595.00	0.14	0.162394
595.20	0.14	0.162467
595.40	0.14	0.162541
595.60	0.14	0.162615
595.80	0.14	0.162689
596.00	0.14	0.162763
596.20	0.14	0.162836
596.40	0.14	0.162910
596.60	0.14	0.162984
596.80	0.14	0.163058
597.00	0.14	0.163132
597.20	0.14	0.163206
597.40	0.14	0.163280
597.60	0.14	0.163354
597.80	0.14	0.163428
598.00	0.14	0.163502
598.20	0.14	0.163576
598.40	0.14	0.163650
598.60	0.14	0.163724
598.80	0.14	0.163798
599.00	0.14	0.163872
599.20	0.14	0.163946
599.40	0.14	0.164020
599.60	0.14	0.164095
599.80	0.14	0.164169
600.00	0.14	0.164243
600.20	0.14	0.164317
600.40	0.14	0.164391
600.60	0.14	0.164466
600.80	0.14	0.164540
601.00	0.14	0.164614
601.20	0.14	0.164689
601.40	0.14	0.164763
601.60	0.14	0.164837
601.80	0.14	0.164912

602.00	0.14	0.164986
602.20	0.14	0.165061
602.40	0.14	0.165135
602.60	0.14	0.165209
602.80	0.14	0.165284
603.00	0.14	0.165358
603.20	0.14	0.165433
603.40	0.14	0.165507
603.60	0.14	0.165582
603.80	0.14	0.165657
604.00	0.14	0.165731
604.20	0.14	0.165806
604.40	0.14	0.165880
604.60	0.14	0.165955
604.80	0.14	0.166030
605.00	0.14	0.166104
605.20	0.14	0.166179
605.40	0.14	0.166254
605.60	0.14	0.166329
605.80	0.14	0.166403
606.00	0.14	0.166478
606.20	0.14	0.166553
606.40	0.14	0.166628
606.60	0.14	0.166703
606.80	0.14	0.166777
607.00	0.14	0.166852
607.20	0.14	0.166927
607.40	0.14	0.167002
607.60	0.14	0.167077
607.80	0.14	0.167152
608.00	0.14	0.167227
608.20	0.14	0.167302
608.40	0.14	0.167377
608.60	0.14	0.167452
608.80	0.14	0.167527
609.00	0.14	0.167602
609.20	0.14	0.167677
609.40	0.14	0.167752
609.60	0.14	0.167827
609.80	0.14	0.167903
610.00	0.14	0.167978
610.20	0.14	0.168053
610.40	0.14	0.168128
610.60	0.14	0.168203
610.80	0.14	0.168279
611.00	0.14	0.168354
611.20	0.14	0.168429
611.40	0.14	0.168504
611.60	0.14	0.168580
611.80	0.14	0.168655
612.00	0.14	0.168730
612.20	0.14	0.168806
612.40	0.14	0.168881
612.60	0.14	0.168957
612.80	0.14	0.169032
613.00	0.14	0.169108
613.20	0.14	0.169183

613.40	0.14	0.169259
613.60	0.14	0.169334
613.80	0.14	0.169410
614.00	0.14	0.169485
614.20	0.14	0.169561
614.40	0.14	0.169636
614.60	0.14	0.169712
614.80	0.14	0.169788
615.00	0.14	0.169863
615.20	0.14	0.169939
615.40	0.14	0.170015
615.60	0.14	0.170090
615.80	0.14	0.170166
616.00	0.14	0.170242
616.20	0.14	0.170318
616.40	0.14	0.170393
616.60	0.14	0.170469
616.80	0.14	0.170545
617.00	0.14	0.170621
617.20	0.14	0.170697
617.40	0.14	0.170773
617.60	0.14	0.170849
617.80	0.14	0.170925
618.00	0.14	0.171001
618.20	0.14	0.171076
618.40	0.14	0.171152
618.60	0.14	0.171228
618.80	0.14	0.171305
619.00	0.14	0.171381
619.20	0.14	0.171457
619.40	0.14	0.171533
619.60	0.14	0.171609
619.80	0.14	0.171685
620.00	0.14	0.171761
620.20	0.14	0.171837
620.40	0.14	0.171914
620.60	0.14	0.171990
620.80	0.14	0.172066
621.00	0.14	0.172142
621.20	0.14	0.172219
621.40	0.14	0.172295
621.60	0.14	0.172371
621.80	0.14	0.172447
622.00	0.14	0.172524
622.20	0.14	0.172600
622.40	0.14	0.172677
622.60	0.14	0.172753
622.80	0.14	0.172829
623.00	0.14	0.172906
623.20	0.14	0.172982
623.40	0.14	0.173059
623.60	0.14	0.173135
623.80	0.14	0.173212
624.00	0.14	0.173288
624.20	0.14	0.173365
624.40	0.14	0.173442
624.60	0.14	0.173518

624.80	0.14	0.173595
625.00	0.14	0.173672
625.20	0.14	0.173748
625.40	0.14	0.173825
625.60	0.14	0.173902
625.80	0.14	0.173978
626.00	0.14	0.174055
626.20	0.14	0.174132
626.40	0.14	0.174209
626.60	0.14	0.174286
626.80	0.14	0.174362
627.00	0.14	0.174439
627.20	0.14	0.174516
627.40	0.14	0.174593
627.60	0.14	0.174670
627.80	0.14	0.174747
628.00	0.14	0.174824
628.20	0.14	0.174901
628.40	0.14	0.174978
628.60	0.14	0.175055
628.80	0.14	0.175132
629.00	0.14	0.175209
629.20	0.14	0.175286
629.40	0.14	0.175363
629.60	0.14	0.175440
629.80	0.14	0.175518
630.00	0.14	0.175595
630.20	0.14	0.175672
630.40	0.14	0.175749
630.60	0.14	0.175826
630.80	0.14	0.175904
631.00	0.14	0.175981
631.20	0.14	0.176058
631.40	0.14	0.176135
631.60	0.14	0.176213
631.80	0.14	0.176290
632.00	0.14	0.176368
632.20	0.14	0.176445
632.40	0.14	0.176522
632.60	0.14	0.176600
632.80	0.14	0.176677
633.00	0.14	0.176755
633.20	0.14	0.176832
633.40	0.14	0.176910
633.60	0.14	0.176987
633.80	0.14	0.177065
634.00	0.14	0.177142
634.20	0.14	0.177220
634.40	0.14	0.177298
634.60	0.14	0.177375
634.80	0.14	0.177453
635.00	0.14	0.177531
635.20	0.14	0.177608
635.40	0.14	0.177686
635.60	0.14	0.177764
635.80	0.14	0.177842
636.00	0.14	0.177919

636.20	0.14	0.177997
636.40	0.14	0.178075
636.60	0.14	0.178153
636.80	0.14	0.178231
637.00	0.14	0.178309
637.20	0.14	0.178387
637.40	0.14	0.178465
637.60	0.14	0.178543
637.80	0.14	0.178621
638.00	0.14	0.178699
638.20	0.14	0.178777
638.40	0.14	0.178855
638.60	0.14	0.178933
638.80	0.14	0.179011
639.00	0.14	0.179089
639.20	0.14	0.179167
639.40	0.14	0.179245
639.60	0.14	0.179323
639.80	0.14	0.179402
640.00	0.14	0.179480
640.20	0.14	0.179558
640.40	0.14	0.179636
640.60	0.14	0.179715
640.80	0.14	0.179793
641.00	0.14	0.179871
641.20	0.14	0.179950
641.40	0.14	0.180028
641.60	0.14	0.180106
641.80	0.14	0.180185
642.00	0.14	0.180263
642.20	0.14	0.180342
642.40	0.14	0.180420
642.60	0.14	0.180499
642.80	0.14	0.180577
643.00	0.14	0.180656
643.20	0.14	0.180734
643.40	0.14	0.180813
643.60	0.14	0.180891
643.80	0.14	0.180970
644.00	0.14	0.181049
644.20	0.14	0.181127
644.40	0.14	0.181206
644.60	0.14	0.181285
644.80	0.14	0.181363
645.00	0.14	0.181442
645.20	0.14	0.181521
645.40	0.14	0.181600
645.60	0.14	0.181678
645.80	0.14	0.181757
646.00	0.14	0.181836
646.20	0.14	0.181915
646.40	0.14	0.181994
646.60	0.14	0.182073
646.80	0.14	0.182152
647.00	0.14	0.182231
647.20	0.14	0.182310
647.40	0.14	0.182389

647.60	0.14	0.182468
647.80	0.14	0.182547
648.00	0.14	0.182626
648.20	0.14	0.182705
648.40	0.14	0.182784
648.60	0.14	0.182863
648.80	0.14	0.182942
649.00	0.14	0.183022
649.20	0.14	0.183101
649.40	0.14	0.183180
649.60	0.14	0.183259
649.80	0.14	0.183339
650.00	0.14	0.183418
650.20	0.14	0.183497
650.40	0.14	0.183577
650.60	0.14	0.183656
650.80	0.14	0.183735
651.00	0.14	0.183815
651.20	0.14	0.183894
651.40	0.14	0.183974
651.60	0.14	0.184053
651.80	0.14	0.184132
652.00	0.14	0.184212
652.20	0.14	0.184291
652.40	0.14	0.184371
652.60	0.14	0.184451
652.80	0.14	0.184530
653.00	0.14	0.184610
653.20	0.14	0.184689
653.40	0.14	0.184769
653.60	0.14	0.184849
653.80	0.14	0.184929
654.00	0.14	0.185008
654.20	0.14	0.185088
654.40	0.14	0.185168
654.60	0.14	0.185248
654.80	0.14	0.185327
655.00	0.14	0.185407
655.20	0.14	0.185487
655.40	0.14	0.185567
655.60	0.14	0.185647
655.80	0.14	0.185727
656.00	0.14	0.185807
656.20	0.14	0.185887
656.40	0.14	0.185967
656.60	0.14	0.186047
656.80	0.14	0.186127
657.00	0.14	0.186207
657.20	0.14	0.186287
657.40	0.14	0.186367
657.60	0.14	0.186447
657.80	0.14	0.186527
658.00	0.14	0.186607
658.20	0.14	0.186688
658.40	0.14	0.186768
658.60	0.14	0.186848
658.80	0.14	0.186928

659.00	0.14	0.187009
659.20	0.14	0.187089
659.40	0.14	0.187169
659.60	0.14	0.187250
659.80	0.14	0.187330
660.00	0.14	0.187410
660.20	0.14	0.187491
660.40	0.14	0.187571
660.60	0.14	0.187652
660.80	0.14	0.187732
661.00	0.14	0.187813
661.20	0.14	0.187893
661.40	0.14	0.187974
661.60	0.14	0.188054
661.80	0.14	0.188135
662.00	0.14	0.188216
662.20	0.14	0.188296
662.40	0.14	0.188377
662.60	0.14	0.188458
662.80	0.14	0.188538
663.00	0.14	0.188619
663.20	0.14	0.188700
663.40	0.14	0.188781
663.60	0.14	0.188861
663.80	0.14	0.188942
664.00	0.14	0.189023
664.20	0.14	0.189104
664.40	0.14	0.189185
664.60	0.14	0.189266
664.80	0.14	0.189347
665.00	0.14	0.189428
665.20	0.14	0.189509
665.40	0.14	0.189590
665.60	0.14	0.189671
665.80	0.14	0.189752
666.00	0.14	0.189833
666.20	0.14	0.189914
666.40	0.14	0.189995
666.60	0.14	0.190076
666.80	0.14	0.190157
667.00	0.14	0.190239
667.20	0.14	0.190320
667.40	0.14	0.190401
667.60	0.14	0.190482
667.80	0.14	0.190564
668.00	0.14	0.190645
668.20	0.14	0.190726
668.40	0.14	0.190808
668.60	0.14	0.190889
668.80	0.14	0.190970
669.00	0.14	0.191052
669.20	0.14	0.191133
669.40	0.14	0.191215
669.60	0.14	0.191296
669.80	0.14	0.191378
670.00	0.14	0.191459
670.20	0.14	0.191541

670.40	0.14	0.191622
670.60	0.14	0.191704
670.80	0.14	0.191786
671.00	0.14	0.191867
671.20	0.14	0.191949
671.40	0.14	0.192031
671.60	0.14	0.192112
671.80	0.14	0.192194
672.00	0.14	0.192276
672.20	0.14	0.192358
672.40	0.14	0.192440
672.60	0.14	0.192521
672.80	0.14	0.192603
673.00	0.14	0.192685
673.20	0.14	0.192767
673.40	0.14	0.192849
673.60	0.14	0.192931
673.80	0.14	0.193013
674.00	0.14	0.193095
674.20	0.14	0.193177
674.40	0.14	0.193259
674.60	0.14	0.193341
674.80	0.14	0.193423
675.00	0.14	0.193505
675.20	0.14	0.193587
675.40	0.14	0.193670
675.60	0.14	0.193752
675.80	0.14	0.193834
676.00	0.14	0.193916
676.20	0.14	0.193998
676.40	0.14	0.194081
676.60	0.14	0.194163
676.80	0.14	0.194245
677.00	0.14	0.194328
677.20	0.14	0.194410
677.40	0.14	0.194493
677.60	0.14	0.194575
677.80	0.14	0.194657
678.00	0.14	0.194740
678.20	0.14	0.194822
678.40	0.14	0.194905
678.60	0.14	0.194987
678.80	0.14	0.195070
679.00	0.14	0.195153
679.20	0.14	0.195235
679.40	0.14	0.195318
679.60	0.14	0.195401
679.80	0.14	0.195483
680.00	0.14	0.195566
680.20	0.14	0.195649
680.40	0.14	0.195731
680.60	0.14	0.195814
680.80	0.14	0.195897
681.00	0.14	0.195980
681.20	0.14	0.196063
681.40	0.14	0.196146
681.60	0.14	0.196228

681.80	0.14	0.196311
682.00	0.14	0.196394
682.20	0.14	0.196477
682.40	0.14	0.196560
682.60	0.14	0.196643
682.80	0.14	0.196726
683.00	0.14	0.196810
683.20	0.14	0.196893
683.40	0.14	0.196976
683.60	0.14	0.197059
683.80	0.14	0.197142
684.00	0.14	0.197225
684.20	0.14	0.197308
684.40	0.14	0.197392
684.60	0.14	0.197475
684.80	0.14	0.197558
685.00	0.14	0.197642
685.20	0.14	0.197725
685.40	0.14	0.197808
685.60	0.14	0.197892
685.80	0.14	0.197975
686.00	0.14	0.198058
686.20	0.14	0.198142
686.40	0.14	0.198225
686.60	0.14	0.198309
686.80	0.14	0.198392
687.00	0.14	0.198476
687.20	0.14	0.198560
687.40	0.14	0.198643
687.60	0.14	0.198727
687.80	0.14	0.198810
688.00	0.14	0.198894
688.20	0.14	0.198978
688.40	0.14	0.199062
688.60	0.14	0.199145
688.80	0.14	0.199229
689.00	0.14	0.199313
689.20	0.14	0.199397
689.40	0.14	0.199481
689.60	0.14	0.199564
689.80	0.14	0.199648
690.00	0.14	0.199732
690.20	0.14	0.199816
690.40	0.14	0.199900
690.60	0.14	0.199984
690.80	0.14	0.200068
691.00	0.14	0.200152
691.20	0.14	0.200236
691.40	0.14	0.200320
691.60	0.14	0.200405
691.80	0.14	0.200489
692.00	0.14	0.200573
692.20	0.14	0.200657
692.40	0.14	0.200741
692.60	0.14	0.200826
692.80	0.14	0.200910
693.00	0.14	0.200994

693.20	0.14	0.201078
693.40	0.14	0.201163
693.60	0.14	0.201247
693.80	0.14	0.201332
694.00	0.14	0.201416
694.20	0.14	0.201500
694.40	0.14	0.201585
694.60	0.14	0.201669
694.80	0.14	0.201754
695.00	0.14	0.201838
695.20	0.14	0.201923
695.40	0.14	0.202008
695.60	0.14	0.202092
695.80	0.14	0.202177
696.00	0.14	0.202262
696.20	0.14	0.202346
696.40	0.14	0.202431
696.60	0.14	0.202516
696.80	0.14	0.202600
697.00	0.14	0.202685
697.20	0.14	0.202770
697.40	0.14	0.202855
697.60	0.14	0.202940
697.80	0.14	0.203025
698.00	0.14	0.203110
698.20	0.14	0.203195
698.40	0.14	0.203280
698.60	0.14	0.203365
698.80	0.14	0.203450
699.00	0.14	0.203535
699.20	0.14	0.203620
699.40	0.14	0.203705
699.60	0.14	0.203790
699.80	0.14	0.203875
700.00	0.14	0.203960
700.20	0.14	0.204045
700.40	0.14	0.204131
700.60	0.14	0.204216
700.80	0.14	0.204301
701.00	0.14	0.204387
701.20	0.14	0.204472
701.40	0.14	0.204557
701.60	0.14	0.204643
701.80	0.14	0.204728
702.00	0.14	0.204813
702.20	0.14	0.204899
702.40	0.14	0.204984
702.60	0.14	0.205070
702.80	0.14	0.205155
703.00	0.14	0.205241
703.20	0.14	0.205327
703.40	0.14	0.205412
703.60	0.14	0.205498
703.80	0.14	0.205584
704.00	0.14	0.205669
704.20	0.14	0.205755
704.40	0.14	0.205841

704.60	0.14	0.205926
704.80	0.14	0.206012
705.00	0.14	0.206098
705.20	0.14	0.206184
705.40	0.14	0.206270
705.60	0.14	0.206356
705.80	0.14	0.206441
706.00	0.14	0.206527
706.20	0.14	0.206613
706.40	0.14	0.206699
706.60	0.14	0.206785
706.80	0.14	0.206872
707.00	0.14	0.206958
707.20	0.14	0.207044
707.40	0.14	0.207130
707.60	0.14	0.207216
707.80	0.14	0.207302
708.00	0.14	0.207388
708.20	0.14	0.207475
708.40	0.14	0.207561
708.60	0.14	0.207647
708.80	0.14	0.207733
709.00	0.14	0.207820
709.20	0.14	0.207906
709.40	0.14	0.207993
709.60	0.14	0.208079
709.80	0.14	0.208165
710.00	0.14	0.208252
710.20	0.14	0.208338
710.40	0.14	0.208425
710.60	0.14	0.208511
710.80	0.14	0.208598
711.00	0.14	0.208685
711.20	0.14	0.208771
711.40	0.14	0.208858
711.60	0.14	0.208945
711.80	0.14	0.209031
712.00	0.14	0.209118
712.20	0.14	0.209205
712.40	0.14	0.209292
712.60	0.14	0.209378
712.80	0.14	0.209465
713.00	0.14	0.209552
713.20	0.14	0.209639
713.40	0.14	0.209726
713.60	0.14	0.209813
713.80	0.14	0.209900
714.00	0.14	0.209987
714.20	0.14	0.210074
714.40	0.14	0.210161
714.60	0.14	0.210248
714.80	0.14	0.210335
715.00	0.14	0.210422
715.20	0.14	0.210509
715.40	0.14	0.210596
715.60	0.14	0.210684
715.80	0.14	0.210771

716.00	0.14	0.210858
716.20	0.14	0.210946
716.40	0.14	0.211033
716.60	0.14	0.211120
716.80	0.14	0.211208
717.00	0.14	0.211295
717.20	0.14	0.211382
717.40	0.14	0.211470
717.60	0.14	0.211557
717.80	0.14	0.211645
718.00	0.14	0.211732
718.20	0.14	0.211820
718.40	0.14	0.211908
718.60	0.14	0.211995
718.80	0.14	0.212083
719.00	0.14	0.212170
719.20	0.14	0.212258
719.40	0.14	0.212346
719.60	0.14	0.212434
719.80	0.14	0.212521
720.00	0.14	0.212609
720.20	0.14	0.212697
720.40	0.14	0.212785
720.60	0.14	0.212873
720.80	0.14	0.212961
721.00	0.14	0.213049
721.20	0.14	0.213136
721.40	0.14	0.213224
721.60	0.14	0.213312
721.80	0.14	0.213401
722.00	0.14	0.213489
722.20	0.14	0.213577
722.40	0.14	0.213665
722.60	0.14	0.213753
722.80	0.14	0.213841
723.00	0.14	0.213929
723.20	0.14	0.214018
723.40	0.14	0.214106
723.60	0.14	0.214194
723.80	0.14	0.214282
724.00	0.14	0.214371
724.20	0.14	0.214459
724.40	0.14	0.214548
724.60	0.14	0.214636
724.80	0.14	0.214724
725.00	0.14	0.214813
725.20	0.14	0.214901
725.40	0.14	0.214990
725.60	0.14	0.215079
725.80	0.14	0.215167
726.00	0.14	0.215256
726.20	0.14	0.215344
726.40	0.14	0.215433
726.60	0.14	0.215522
726.80	0.14	0.215611
727.00	0.14	0.215699
727.20	0.14	0.215788

727.40	0.14	0.215877
727.60	0.14	0.215966
727.80	0.14	0.216055
728.00	0.14	0.216144
728.20	0.14	0.216232
728.40	0.14	0.216321
728.60	0.14	0.216410
728.80	0.14	0.216499
729.00	0.14	0.216588
729.20	0.14	0.216678
729.40	0.14	0.216767
729.60	0.14	0.216856
729.80	0.14	0.216945
730.00	0.14	0.217034
730.20	0.14	0.217123
730.40	0.14	0.217212
730.60	0.14	0.217302
730.80	0.14	0.217391
731.00	0.14	0.217480
731.20	0.14	0.217570
731.40	0.14	0.217659
731.60	0.14	0.217749
731.80	0.14	0.217838
732.00	0.14	0.217928
732.20	0.14	0.218017
732.40	0.14	0.218107
732.60	0.14	0.218196
732.80	0.14	0.218286
733.00	0.14	0.218375
733.20	0.14	0.218465
733.40	0.14	0.218555
733.60	0.14	0.218644
733.80	0.14	0.218734
734.00	0.14	0.218824
734.20	0.14	0.218914
734.40	0.14	0.219003
734.60	0.14	0.219093
734.80	0.14	0.219183
735.00	0.14	0.219273
735.20	0.14	0.219363
735.40	0.14	0.219453
735.60	0.14	0.219543
735.80	0.14	0.219633
736.00	0.14	0.219723
736.20	0.14	0.219813
736.40	0.14	0.219903
736.60	0.14	0.219993
736.80	0.14	0.220083
737.00	0.14	0.220173
737.20	0.14	0.220264
737.40	0.14	0.220354
737.60	0.14	0.220444
737.80	0.14	0.220535
738.00	0.14	0.220625
738.20	0.14	0.220715
738.40	0.14	0.220806
738.60	0.14	0.220896

738.80	0.14	0.220986
739.00	0.14	0.221077
739.20	0.14	0.221167
739.40	0.14	0.221258
739.60	0.14	0.221348
739.80	0.14	0.221439
740.00	0.14	0.221530
740.20	0.14	0.221620
740.40	0.14	0.221711
740.60	0.14	0.221802
740.80	0.14	0.221892
741.00	0.14	0.221983
741.20	0.14	0.222074
741.40	0.14	0.222165
741.60	0.14	0.222256
741.80	0.14	0.222347
742.00	0.14	0.222437
742.20	0.14	0.222528
742.40	0.14	0.222619
742.60	0.14	0.222710
742.80	0.14	0.222801
743.00	0.14	0.222892
743.20	0.14	0.222984
743.40	0.14	0.223075
743.60	0.14	0.223166
743.80	0.14	0.223257
744.00	0.14	0.223348
744.20	0.14	0.223439
744.40	0.14	0.223531
744.60	0.14	0.223622
744.80	0.14	0.223713
745.00	0.14	0.223805
745.20	0.14	0.223896
745.40	0.14	0.223987
745.60	0.14	0.224079
745.80	0.14	0.224170
746.00	0.14	0.224262
746.20	0.14	0.224353
746.40	0.14	0.224445
746.60	0.14	0.224537
746.80	0.14	0.224628
747.00	0.14	0.224720
747.20	0.14	0.224811
747.40	0.14	0.224903
747.60	0.14	0.224995
747.80	0.14	0.225087
748.00	0.14	0.225178
748.20	0.14	0.225270
748.40	0.14	0.225362
748.60	0.14	0.225454
748.80	0.14	0.225546
749.00	0.14	0.225638
749.20	0.14	0.225730
749.40	0.14	0.225822
749.60	0.14	0.225914
749.80	0.14	0.226006
750.00	0.14	0.226098

750.20	0.14	0.226190
750.40	0.14	0.226282
750.60	0.14	0.226375
750.80	0.14	0.226467
751.00	0.14	0.226559
751.20	0.14	0.226651
751.40	0.14	0.226744
751.60	0.14	0.226836
751.80	0.14	0.226928
752.00	0.14	0.227021
752.20	0.14	0.227113
752.40	0.14	0.227206
752.60	0.14	0.227298
752.80	0.14	0.227391
753.00	0.14	0.227483
753.20	0.14	0.227576
753.40	0.14	0.227668
753.60	0.14	0.227761
753.80	0.14	0.227854
754.00	0.14	0.227946
754.20	0.14	0.228039
754.40	0.14	0.228132
754.60	0.14	0.228225
754.80	0.14	0.228318
755.00	0.14	0.228410
755.20	0.14	0.228503
755.40	0.14	0.228596
755.60	0.14	0.228689
755.80	0.14	0.228782
756.00	0.14	0.228875
756.20	0.14	0.228968
756.40	0.14	0.229061
756.60	0.14	0.229154
756.80	0.14	0.229248
757.00	0.14	0.229341
757.20	0.14	0.229434
757.40	0.14	0.229527
757.60	0.14	0.229620
757.80	0.14	0.229714
758.00	0.14	0.229807
758.20	0.14	0.229900
758.40	0.14	0.229994
758.60	0.14	0.230087
758.80	0.14	0.230181
759.00	0.14	0.230274
759.20	0.14	0.230368
759.40	0.14	0.230461
759.60	0.14	0.230555
759.80	0.14	0.230648
760.00	0.14	0.230742
760.20	0.14	0.230836
760.40	0.14	0.230929
760.60	0.14	0.231023
760.80	0.14	0.231117
761.00	0.14	0.231211
761.20	0.14	0.231304
761.40	0.14	0.231398

761.60	0.14	0.231492
761.80	0.14	0.231586
762.00	0.14	0.231680
762.20	0.14	0.231774
762.40	0.14	0.231868
762.60	0.14	0.231962
762.80	0.14	0.232056
763.00	0.14	0.232150
763.20	0.14	0.232244
763.40	0.14	0.232339
763.60	0.14	0.232433
763.80	0.14	0.232527
764.00	0.14	0.232621
764.20	0.14	0.232716
764.40	0.14	0.232810
764.60	0.14	0.232904
764.80	0.14	0.232999
765.00	0.14	0.233093
765.20	0.14	0.233188
765.40	0.14	0.233282
765.60	0.14	0.233377
765.80	0.14	0.233471
766.00	0.14	0.233566
766.20	0.14	0.233660
766.40	0.14	0.233755
766.60	0.14	0.233850
766.80	0.14	0.233944
767.00	0.14	0.234039
767.20	0.14	0.234134
767.40	0.14	0.234229
767.60	0.14	0.234324
767.80	0.14	0.234418
768.00	0.14	0.234513
768.20	0.14	0.234608
768.40	0.14	0.234703
768.60	0.14	0.234798
768.80	0.14	0.234893
769.00	0.14	0.234988
769.20	0.14	0.235083
769.40	0.14	0.235179
769.60	0.14	0.235274
769.80	0.14	0.235369
770.00	0.14	0.235464
770.20	0.14	0.235559
770.40	0.14	0.235655
770.60	0.14	0.235750
770.80	0.14	0.235845
771.00	0.14	0.235941
771.20	0.14	0.236036
771.40	0.14	0.236132
771.60	0.14	0.236227
771.80	0.14	0.236323
772.00	0.14	0.236418
772.20	0.14	0.236514
772.40	0.14	0.236610
772.60	0.14	0.236705
772.80	0.14	0.236801

773.00	0.14	0.236897
773.20	0.14	0.236992
773.40	0.14	0.237088
773.60	0.14	0.237184
773.80	0.14	0.237280
774.00	0.14	0.237376
774.20	0.14	0.237472
774.40	0.14	0.237568
774.60	0.14	0.237664
774.80	0.14	0.237760
775.00	0.14	0.237856
775.20	0.14	0.237952
775.40	0.14	0.238048
775.60	0.14	0.238144
775.80	0.14	0.238240
776.00	0.14	0.238336
776.20	0.14	0.238433
776.40	0.14	0.238529
776.60	0.14	0.238625
776.80	0.14	0.238722
777.00	0.14	0.238818
777.20	0.14	0.238914
777.40	0.14	0.239011
777.60	0.14	0.239107
777.80	0.14	0.239204
778.00	0.14	0.239300
778.20	0.14	0.239397
778.40	0.14	0.239494
778.60	0.14	0.239590
778.80	0.14	0.239687
779.00	0.14	0.239784
779.20	0.14	0.239880
779.40	0.14	0.239977
779.60	0.14	0.240074
779.80	0.14	0.240171
780.00	0.14	0.240268
780.20	0.14	0.240365
780.40	0.14	0.240462
780.60	0.14	0.240559
780.80	0.14	0.240656
781.00	0.14	0.240753
781.20	0.14	0.240850
781.40	0.14	0.240947
781.60	0.14	0.241044
781.80	0.14	0.241141
782.00	0.14	0.241238
782.20	0.14	0.241336
782.40	0.14	0.241433
782.60	0.14	0.241530
782.80	0.14	0.241628
783.00	0.14	0.241725
783.20	0.14	0.241823
783.40	0.14	0.241920
783.60	0.14	0.242018
783.80	0.14	0.242115
784.00	0.14	0.242213
784.20	0.14	0.242310

784.40	0.14	0.242408
784.60	0.14	0.242506
784.80	0.14	0.242603
785.00	0.14	0.242701
785.20	0.14	0.242799
785.40	0.14	0.242897
785.60	0.14	0.242994
785.80	0.14	0.243092
786.00	0.14	0.243190
786.20	0.14	0.243288
786.40	0.14	0.243386
786.60	0.14	0.243484
786.80	0.14	0.243582
787.00	0.14	0.243680
787.20	0.14	0.243779
787.40	0.14	0.243877
787.60	0.14	0.243975
787.80	0.14	0.244073
788.00	0.14	0.244171
788.20	0.14	0.244270
788.40	0.14	0.244368
788.60	0.14	0.244466
788.80	0.14	0.244565
789.00	0.14	0.244663
789.20	0.14	0.244762
789.40	0.14	0.244860
789.60	0.14	0.244959
789.80	0.14	0.245057
790.00	0.14	0.245156
790.20	0.14	0.245255
790.40	0.14	0.245353
790.60	0.14	0.245452
790.80	0.14	0.245551
791.00	0.14	0.245649
791.20	0.14	0.245748
791.40	0.14	0.245847
791.60	0.14	0.245946
791.80	0.14	0.246045
792.00	0.14	0.246144
792.20	0.14	0.246243
792.40	0.14	0.246342
792.60	0.14	0.246441
792.80	0.14	0.246540
793.00	0.14	0.246639
793.20	0.14	0.246738
793.40	0.14	0.246838
793.60	0.14	0.246937
793.80	0.14	0.247036
794.00	0.14	0.247136
794.20	0.14	0.247235
794.40	0.14	0.247334
794.60	0.14	0.247434
794.80	0.14	0.247533
795.00	0.14	0.247633
795.20	0.14	0.247732
795.40	0.14	0.247832
795.60	0.14	0.247931

795.80	0.14	0.248031
796.00	0.14	0.248131
796.20	0.14	0.248230
796.40	0.14	0.248330
796.60	0.14	0.248430
796.80	0.14	0.248530
797.00	0.14	0.248630
797.20	0.14	0.248730
797.40	0.14	0.248829
797.60	0.14	0.248929
797.80	0.14	0.249029
798.00	0.14	0.249129
798.20	0.14	0.249230
798.40	0.14	0.249330
798.60	0.14	0.249430
798.80	0.14	0.249530
799.00	0.14	0.249630
799.20	0.14	0.249731
799.40	0.14	0.249831
799.60	0.14	0.249931
799.80	0.14	0.250032
800.00	0.14	0.250132
800.20	0.14	0.250232
800.40	0.14	0.250333
800.60	0.14	0.250433
800.80	0.14	0.250534
801.00	0.14	0.250634
801.20	0.14	0.250735
801.40	0.14	0.250836
801.60	0.14	0.250936
801.80	0.14	0.251037
802.00	0.14	0.251138
802.20	0.14	0.251239
802.40	0.14	0.251340
802.60	0.14	0.251441
802.80	0.14	0.251541
803.00	0.14	0.251642
803.20	0.14	0.251743
803.40	0.14	0.251844
803.60	0.14	0.251946
803.80	0.14	0.252047
804.00	0.14	0.252148
804.20	0.14	0.252249
804.40	0.14	0.252350
804.60	0.14	0.252451
804.80	0.14	0.252553
805.00	0.14	0.252654
805.20	0.14	0.252755
805.40	0.14	0.252857
805.60	0.14	0.252958
805.80	0.14	0.253060
806.00	0.14	0.253161
806.20	0.14	0.253263
806.40	0.14	0.253364
806.60	0.14	0.253466
806.80	0.14	0.253568
807.00	0.14	0.253669

807.20	0.14	0.253771
807.40	0.14	0.253873
807.60	0.14	0.253975
807.80	0.14	0.254077
808.00	0.14	0.254179
808.20	0.14	0.254280
808.40	0.14	0.254382
808.60	0.14	0.254484
808.80	0.14	0.254587
809.00	0.14	0.254689
809.20	0.14	0.254791
809.40	0.14	0.254893
809.60	0.14	0.254995
809.80	0.14	0.255097
810.00	0.14	0.255200
810.20	0.14	0.255302
810.40	0.14	0.255404
810.60	0.14	0.255507
810.80	0.14	0.255609
811.00	0.14	0.255712
811.20	0.14	0.255814
811.40	0.14	0.255917
811.60	0.14	0.256019
811.80	0.14	0.256122
812.00	0.14	0.256225
812.20	0.14	0.256327
812.40	0.14	0.256430
812.60	0.14	0.256533
812.80	0.14	0.256636
813.00	0.14	0.256738
813.20	0.14	0.256841
813.40	0.14	0.256944
813.60	0.14	0.257047
813.80	0.14	0.257150
814.00	0.14	0.257253
814.20	0.14	0.257356
814.40	0.14	0.257459
814.60	0.14	0.257563
814.80	0.14	0.257666
815.00	0.14	0.257769
815.20	0.14	0.257872
815.40	0.14	0.257976
815.60	0.14	0.258079
815.80	0.14	0.258182
816.00	0.14	0.258286
816.20	0.14	0.258389
816.40	0.14	0.258493
816.60	0.14	0.258596
816.80	0.14	0.258700
817.00	0.14	0.258804
817.20	0.14	0.258907
817.40	0.14	0.259011
817.60	0.14	0.259115
817.80	0.14	0.259219
818.00	0.14	0.259322
818.20	0.14	0.259426
818.40	0.14	0.259530

818.60	0.14	0.259634
818.80	0.14	0.259738
819.00	0.14	0.259842
819.20	0.14	0.259946
819.40	0.14	0.260050
819.60	0.14	0.260155
819.80	0.14	0.260259
820.00	0.14	0.260363
820.20	0.14	0.260467
820.40	0.14	0.260572
820.60	0.14	0.260676
820.80	0.14	0.260780
821.00	0.14	0.260885
821.20	0.14	0.260989
821.40	0.14	0.261094
821.60	0.14	0.261198
821.80	0.14	0.261303
822.00	0.14	0.261407
822.20	0.14	0.261512
822.40	0.14	0.261617
822.60	0.14	0.261722
822.80	0.14	0.261826
823.00	0.14	0.261931
823.20	0.14	0.262036
823.40	0.14	0.262141
823.60	0.14	0.262246
823.80	0.14	0.262351
824.00	0.14	0.262456
824.20	0.14	0.262561
824.40	0.14	0.262666
824.60	0.14	0.262771
824.80	0.14	0.262877
825.00	0.14	0.262982
825.20	0.14	0.263087
825.40	0.14	0.263192
825.60	0.14	0.263298
825.80	0.14	0.263403
826.00	0.14	0.263509
826.20	0.14	0.263614
826.40	0.14	0.263720
826.60	0.14	0.263825
826.80	0.14	0.263931
827.00	0.14	0.264036
827.20	0.14	0.264142
827.40	0.14	0.264248
827.60	0.14	0.264354
827.80	0.14	0.264459
828.00	0.14	0.264565
828.20	0.14	0.264671
828.40	0.14	0.264777
828.60	0.14	0.264883
828.80	0.14	0.264989
829.00	0.14	0.265095
829.20	0.14	0.265201
829.40	0.14	0.265308
829.60	0.14	0.265414
829.80	0.14	0.265520

830.00	0.14	0.265626
830.20	0.14	0.265733
830.40	0.14	0.265839
830.60	0.14	0.265945
830.80	0.14	0.266052
831.00	0.14	0.266158
831.20	0.14	0.266265
831.40	0.14	0.266371
831.60	0.14	0.266478
831.80	0.14	0.266585
832.00	0.14	0.266691
832.20	0.14	0.266798
832.40	0.14	0.266905
832.60	0.14	0.267012
832.80	0.14	0.267118
833.00	0.14	0.267225
833.20	0.14	0.267332
833.40	0.14	0.267439
833.60	0.14	0.267546
833.80	0.14	0.267653
834.00	0.14	0.267760
834.20	0.14	0.267868
834.40	0.14	0.267975
834.60	0.14	0.268082
834.80	0.14	0.268189
835.00	0.14	0.268297
835.20	0.14	0.268404
835.40	0.14	0.268511
835.60	0.14	0.268619
835.80	0.14	0.268726
836.00	0.14	0.268834
836.20	0.14	0.268941
836.40	0.14	0.269049
836.60	0.14	0.269157
836.80	0.14	0.269264
837.00	0.14	0.269372
837.20	0.14	0.269480
837.40	0.14	0.269588
837.60	0.14	0.269696
837.80	0.14	0.269804
838.00	0.14	0.269912
838.20	0.14	0.270020
838.40	0.14	0.270128
838.60	0.14	0.270236
838.80	0.14	0.270344
839.00	0.14	0.270452
839.20	0.14	0.270560
839.40	0.14	0.270669
839.60	0.14	0.270777
839.80	0.14	0.270885
840.00	0.14	0.270994
840.20	0.14	0.271102
840.40	0.14	0.271211
840.60	0.14	0.271319
840.80	0.14	0.271428
841.00	0.14	0.271536
841.20	0.14	0.271645

841.40	0.14	0.271754
841.60	0.14	0.271863
841.80	0.14	0.271971
842.00	0.14	0.272080
842.20	0.14	0.272189
842.40	0.14	0.272298
842.60	0.14	0.272407
842.80	0.14	0.272516
843.00	0.14	0.272625
843.20	0.14	0.272734
843.40	0.14	0.272843
843.60	0.14	0.272953
843.80	0.14	0.273062
844.00	0.14	0.273171
844.20	0.14	0.273280
844.40	0.14	0.273390
844.60	0.14	0.273499
844.80	0.14	0.273609
845.00	0.14	0.273718
845.20	0.14	0.273828
845.40	0.14	0.273937
845.60	0.14	0.274047
845.80	0.14	0.274157
846.00	0.14	0.274266
846.20	0.14	0.274376
846.40	0.14	0.274486
846.60	0.14	0.274596
846.80	0.14	0.274706
847.00	0.14	0.274816
847.20	0.14	0.274926
847.40	0.14	0.275036
847.60	0.14	0.275146
847.80	0.14	0.275256
848.00	0.14	0.275366
848.20	0.14	0.275476
848.40	0.14	0.275587
848.60	0.14	0.275697
848.80	0.14	0.275807
849.00	0.14	0.275918
849.20	0.14	0.276028
849.40	0.14	0.276139
849.60	0.14	0.276249
849.80	0.14	0.276360
850.00	0.14	0.276471
850.20	0.14	0.276581
850.40	0.14	0.276692
850.60	0.14	0.276803
850.80	0.14	0.276914
851.00	0.14	0.277025
851.20	0.14	0.277135
851.40	0.14	0.277246
851.60	0.14	0.277357
851.80	0.14	0.277468
852.00	0.14	0.277580
852.20	0.14	0.277691
852.40	0.14	0.277802
852.60	0.14	0.277913

852.80	0.14	0.278024
853.00	0.14	0.278136
853.20	0.14	0.278247
853.40	0.14	0.278359
853.60	0.14	0.278470
853.80	0.14	0.278582
854.00	0.14	0.278693
854.20	0.14	0.278805
854.40	0.14	0.278916
854.60	0.14	0.279028
854.80	0.14	0.279140
855.00	0.14	0.279252
855.20	0.14	0.279364
855.40	0.14	0.279475
855.60	0.14	0.279587
855.80	0.14	0.279699
856.00	0.14	0.279811
856.20	0.14	0.279923
856.40	0.14	0.280036
856.60	0.14	0.280148
856.80	0.14	0.280260
857.00	0.14	0.280372
857.20	0.14	0.280485
857.40	0.14	0.280597
857.60	0.14	0.280709
857.80	0.14	0.280822
858.00	0.14	0.280934
858.20	0.14	0.281047
858.40	0.14	0.281160
858.60	0.14	0.281272
858.80	0.14	0.281385
859.00	0.14	0.281498
859.20	0.14	0.281610
859.40	0.14	0.281723
859.60	0.14	0.281836
859.80	0.14	0.281949
860.00	0.14	0.282062
860.20	0.14	0.282175
860.40	0.14	0.282288
860.60	0.14	0.282401
860.80	0.14	0.282515
861.00	0.14	0.282628
861.20	0.14	0.282741
861.40	0.14	0.282854
861.60	0.14	0.282968
861.80	0.14	0.283081
862.00	0.14	0.283195
862.20	0.14	0.283308
862.40	0.14	0.283422
862.60	0.14	0.283535
862.80	0.14	0.283649
863.00	0.14	0.283763
863.20	0.14	0.283877
863.40	0.14	0.283990
863.60	0.14	0.284104
863.80	0.14	0.284218
864.00	0.14	0.284332

864.20	0.14	0.284446
864.40	0.14	0.284560
864.60	0.14	0.284674
864.80	0.14	0.284788
865.00	0.14	0.284903
865.20	0.14	0.285017
865.40	0.14	0.285131
865.60	0.14	0.285246
865.80	0.14	0.285360
866.00	0.14	0.285474
866.20	0.14	0.285589
866.40	0.14	0.285704
866.60	0.14	0.285818
866.80	0.14	0.285933
867.00	0.14	0.286047
867.20	0.14	0.286162
867.40	0.14	0.286277
867.60	0.14	0.286392
867.80	0.14	0.286507
868.00	0.14	0.286622
868.20	0.14	0.286737
868.40	0.14	0.286852
868.60	0.14	0.286967
868.80	0.14	0.287082
869.00	0.14	0.287197
869.20	0.14	0.287313
869.40	0.14	0.287428
869.60	0.14	0.287543
869.80	0.14	0.287659
870.00	0.14	0.287774
870.20	0.14	0.287890
870.40	0.14	0.288005
870.60	0.14	0.288121
870.80	0.14	0.288236
871.00	0.14	0.288352
871.20	0.14	0.288468
871.40	0.14	0.288584
871.60	0.14	0.288700
871.80	0.14	0.288815
872.00	0.14	0.288931
872.20	0.14	0.289047
872.40	0.14	0.289164
872.60	0.14	0.289280
872.80	0.14	0.289396
873.00	0.14	0.289512
873.20	0.14	0.289628
873.40	0.14	0.289745
873.60	0.14	0.289861
873.80	0.14	0.289977
874.00	0.14	0.290094
874.20	0.14	0.290210
874.40	0.14	0.290327
874.60	0.14	0.290444
874.80	0.14	0.290560
875.00	0.14	0.290677
875.20	0.14	0.290794
875.40	0.14	0.290911

875.60	0.14	0.291028
875.80	0.14	0.291145
876.00	0.14	0.291262
876.20	0.14	0.291379
876.40	0.14	0.291496
876.60	0.14	0.291613
876.80	0.14	0.291730
877.00	0.14	0.291847
877.20	0.14	0.291965
877.40	0.14	0.292082
877.60	0.14	0.292199
877.80	0.14	0.292317
878.00	0.14	0.292434
878.20	0.14	0.292552
878.40	0.14	0.292670
878.60	0.14	0.292787
878.80	0.14	0.292905
879.00	0.14	0.293023
879.20	0.14	0.293141
879.40	0.14	0.293259
879.60	0.14	0.293377
879.80	0.14	0.293495
880.00	0.14	0.293613
880.20	0.14	0.293731
880.40	0.14	0.293849
880.60	0.14	0.293967
880.80	0.14	0.294085
881.00	0.14	0.294204
881.20	0.14	0.294322
881.40	0.14	0.294441
881.60	0.14	0.294559
881.80	0.14	0.294678
882.00	0.14	0.294796
882.20	0.14	0.294915
882.40	0.14	0.295034
882.60	0.14	0.295152
882.80	0.14	0.295271
883.00	0.14	0.295390
883.20	0.14	0.295509
883.40	0.14	0.295628
883.60	0.14	0.295747
883.80	0.14	0.295866
884.00	0.14	0.295985
884.20	0.14	0.296104
884.40	0.14	0.296224
884.60	0.14	0.296343
884.80	0.14	0.296462
885.00	0.14	0.296582
885.20	0.14	0.296701
885.40	0.14	0.296821
885.60	0.14	0.296940
885.80	0.14	0.297060
886.00	0.14	0.297180
886.20	0.14	0.297299
886.40	0.14	0.297419
886.60	0.14	0.297539
886.80	0.14	0.297659

887.00	0.14	0.297779
887.20	0.14	0.297899
887.40	0.14	0.298019
887.60	0.14	0.298139
887.80	0.14	0.298259
888.00	0.14	0.298380
888.20	0.14	0.298500
888.40	0.14	0.298620
888.60	0.14	0.298741
888.80	0.14	0.298861
889.00	0.14	0.298982
889.20	0.14	0.299102
889.40	0.14	0.299223
889.60	0.14	0.299344
889.80	0.14	0.299464
890.00	0.14	0.299585
890.20	0.14	0.299706
890.40	0.14	0.299827
890.60	0.14	0.299948
890.80	0.14	0.300069
891.00	0.14	0.300190
891.20	0.14	0.300311
891.40	0.14	0.300432
891.60	0.14	0.300553
891.80	0.14	0.300675
892.00	0.15	0.300792
892.20	0.16	0.300907
892.40	0.17	0.301018
892.60	0.19	0.301126
892.80	0.20	0.301231
893.00	0.21	0.301333
893.20	0.22	0.301433
893.40	0.23	0.301529
893.60	0.24	0.301623
893.80	0.25	0.301714
894.00	0.26	0.301803
894.20	0.27	0.301889
894.40	0.28	0.301973
894.60	0.28	0.302054
894.80	0.29	0.302133
895.00	0.30	0.302210
895.20	0.31	0.302285
895.40	0.32	0.302358
895.60	0.32	0.302428
895.80	0.33	0.302497
896.00	0.34	0.302564
896.20	0.35	0.302629
896.40	0.35	0.302692
896.60	0.36	0.302753
896.80	0.37	0.302813
897.00	0.37	0.302871
897.20	0.38	0.302928
897.40	0.38	0.302982
897.60	0.39	0.303036
897.80	0.40	0.303088
898.00	0.40	0.303138
898.20	0.41	0.303187

898.40	0.41	0.303235
898.60	0.42	0.303282
898.80	0.42	0.303327
899.00	0.43	0.303371
899.20	0.43	0.303414
899.40	0.43	0.303455
899.60	0.44	0.303496
899.80	0.44	0.303535
900.00	0.45	0.303573
900.20	0.45	0.303611
900.40	0.45	0.303647
900.60	0.46	0.303682
900.80	0.46	0.303717
901.00	0.47	0.303750
901.20	0.47	0.303783
901.40	0.47	0.303814
901.60	0.48	0.303845
901.80	0.48	0.303875
902.00	0.48	0.303904
902.20	0.49	0.303933
902.40	0.49	0.303960
902.60	0.49	0.303987
902.80	0.49	0.304014
903.00	0.50	0.304039
903.20	0.50	0.304064
903.40	0.50	0.304088
903.60	0.50	0.304112
903.80	0.51	0.304135
904.00	0.51	0.304157
904.20	0.51	0.304179
904.40	0.51	0.304200
904.60	0.52	0.304221
904.80	0.52	0.304241
905.00	0.52	0.304261
905.20	0.52	0.304280
905.40	0.52	0.304298
905.60	0.53	0.304317
905.80	0.53	0.304334
906.00	0.53	0.304352
906.20	0.53	0.304368
906.40	0.53	0.304385
906.60	0.54	0.304401
906.80	0.54	0.304416
907.00	0.54	0.304432
907.20	0.54	0.304447
907.40	0.54	0.304461
907.60	0.54	0.304475
907.80	0.54	0.304489
908.00	0.55	0.304503
908.20	0.55	0.304516
908.40	0.55	0.304528
908.60	0.55	0.304541
908.80	0.55	0.304553
909.00	0.55	0.304565
909.20	0.55	0.304577
909.40	0.56	0.304588
909.60	0.56	0.304599

909.80	0.56	0.304610
910.00	0.56	0.304621
910.20	0.56	0.304631
910.40	0.56	0.304641
910.60	0.56	0.304651
910.80	0.56	0.304661
911.00	0.56	0.304671
911.20	0.56	0.304680
911.40	0.57	0.304689
911.60	0.57	0.304698
911.80	0.57	0.304706
912.00	0.57	0.304715
912.20	0.57	0.304723
912.40	0.57	0.304731
912.60	0.57	0.304739
912.80	0.57	0.304747
913.00	0.57	0.304755
913.20	0.57	0.304762
913.40	0.57	0.304770
913.60	0.58	0.304777
913.80	0.58	0.304784
914.00	0.58	0.304791
914.20	0.58	0.304798
914.40	0.58	0.304804
914.60	0.58	0.304811
914.80	0.58	0.304817
915.00	0.58	0.304824
915.20	0.58	0.304830
915.40	0.58	0.304836
915.60	0.58	0.304842
915.80	0.58	0.304848
916.00	0.58	0.304853
916.20	0.58	0.304859
916.40	0.58	0.304865
916.60	0.59	0.304870
916.80	0.59	0.304875
917.00	0.59	0.304881
917.20	0.59	0.304886
917.40	0.59	0.304891
917.60	0.59	0.304896
917.80	0.59	0.304901
918.00	0.59	0.304906
918.20	0.59	0.304911
918.40	0.59	0.304915
918.60	0.59	0.304920
918.80	0.59	0.304925
919.00	0.59	0.304929
919.20	0.59	0.304934
919.40	0.59	0.304938
919.60	0.59	0.304942
919.80	0.59	0.304947
920.00	0.59	0.304951
920.20	0.59	0.304955
920.40	0.59	0.304959
920.60	0.60	0.304963
920.80	0.60	0.304967
921.00	0.60	0.304971

921.20	0.60	0.304975
921.40	0.60	0.304979
921.60	0.60	0.304983
921.80	0.60	0.304987
922.00	0.60	0.304990
922.20	0.60	0.304994
922.40	0.60	0.304998
922.60	0.60	0.305001
922.80	0.60	0.305005
923.00	0.60	0.305009
923.20	0.60	0.305012
923.40	0.60	0.305016
923.60	0.60	0.305019
923.80	0.60	0.305023
924.00	0.60	0.305026
924.20	0.60	0.305029
924.40	0.60	0.305033
924.60	0.60	0.305036
924.80	0.60	0.305039
925.00	0.60	0.305043
925.20	0.60	0.305046
925.40	0.60	0.305049
925.60	0.60	0.305052
925.80	0.60	0.305055
926.00	0.61	0.305059
926.20	0.61	0.305062
926.40	0.61	0.305065
926.60	0.61	0.305068
926.80	0.61	0.305071
927.00	0.61	0.305074
927.20	0.61	0.305077
927.40	0.61	0.305080
927.60	0.61	0.305083
927.80	0.61	0.305086
928.00	0.61	0.305089
928.20	0.61	0.305092
928.40	0.61	0.305095
928.60	0.61	0.305098
928.80	0.61	0.305101
929.00	0.61	0.305104
929.20	0.61	0.305106
929.40	0.61	0.305109
929.60	0.61	0.305112
929.80	0.61	0.305115
930.00	0.61	0.305118
930.20	0.61	0.305121
930.40	0.61	0.305124
930.60	0.61	0.305126
930.80	0.61	0.305129
931.00	0.61	0.305132
931.20	0.61	0.305135
931.40	0.61	0.305138
931.60	0.61	0.305140
931.80	0.61	0.305143
932.00	0.61	0.305146
932.20	0.61	0.305149
932.40	0.61	0.305151

932.60	0.62	0.305154
932.80	0.62	0.305157
933.00	0.62	0.305159
933.20	0.62	0.305162
933.40	0.62	0.305165
933.60	0.62	0.305168
933.80	0.62	0.305170
934.00	0.62	0.305173
934.20	0.62	0.305176
934.40	0.62	0.305178
934.60	0.62	0.305181
934.80	0.62	0.305184
935.00	0.62	0.305186
935.20	0.62	0.305189
935.40	0.62	0.305192
935.60	0.62	0.305194
935.80	0.62	0.305197
936.00	0.62	0.305200
936.20	0.62	0.305202
936.40	0.62	0.305205
936.60	0.62	0.305208
936.80	0.62	0.305210
937.00	0.62	0.305213
937.20	0.62	0.305216
937.40	0.62	0.305218
937.60	0.62	0.305221
937.80	0.62	0.305224
938.00	0.62	0.305226
938.20	0.62	0.305229
938.40	0.62	0.305232
938.60	0.62	0.305234
938.80	0.62	0.305237
939.00	0.62	0.305239
939.20	0.62	0.305242
939.40	0.62	0.305245
939.60	0.63	0.305247
939.80	0.63	0.305250
940.00	0.63	0.305253
940.20	0.63	0.305255
940.40	0.63	0.305258
940.60	0.63	0.305261
940.80	0.63	0.305263
941.00	0.63	0.305266
941.20	0.63	0.305268
941.40	0.63	0.305271
941.60	0.63	0.305274
941.80	0.63	0.305276
942.00	0.63	0.305279
942.20	0.63	0.305282
942.40	0.63	0.305284
942.60	0.63	0.305287
942.80	0.63	0.305290
943.00	0.63	0.305292
943.20	0.63	0.305295
943.40	0.63	0.305298
943.60	0.63	0.305300
943.80	0.63	0.305303

944.00	0.63	0.305306
944.20	0.63	0.305308
944.40	0.63	0.305311
944.60	0.63	0.305314
944.80	0.63	0.305316
945.00	0.63	0.305319
945.20	0.63	0.305322
945.40	0.63	0.305324
945.60	0.63	0.305327
945.80	0.63	0.305330
946.00	0.63	0.305332
946.20	0.63	0.305335
946.40	0.63	0.305338
946.60	0.63	0.305340
946.80	0.64	0.305343
947.00	0.64	0.305346
947.20	0.64	0.305348
947.40	0.64	0.305351
947.60	0.64	0.305354
947.80	0.64	0.305356
948.00	0.64	0.305359
948.20	0.64	0.305362
948.40	0.64	0.305365
948.60	0.64	0.305367
948.80	0.64	0.305370
949.00	0.64	0.305373
949.20	0.64	0.305375
949.40	0.64	0.305378
949.60	0.64	0.305381
949.80	0.64	0.305384
950.00	0.64	0.305386
950.20	0.64	0.305389
950.40	0.64	0.305392
950.60	0.64	0.305395
950.80	0.64	0.305397
951.00	0.64	0.305400
951.20	0.64	0.305403
951.40	0.64	0.305406
951.60	0.64	0.305408
951.80	0.64	0.305411
952.00	0.64	0.305414
952.20	0.64	0.305417
952.40	0.64	0.305419
952.60	0.64	0.305422
952.80	0.64	0.305425
953.00	0.64	0.305428
953.20	0.64	0.305431
953.40	0.64	0.305433
953.60	0.64	0.305436
953.80	0.65	0.305439
954.00	0.65	0.305442
954.20	0.65	0.305445
954.40	0.65	0.305447
954.60	0.65	0.305450
954.80	0.65	0.305453
955.00	0.65	0.305456
955.20	0.65	0.305459

955.40	0.65	0.305461
955.60	0.65	0.305464
955.80	0.65	0.305467
956.00	0.65	0.305470
956.20	0.65	0.305473
956.40	0.65	0.305476
956.60	0.65	0.305478
956.80	0.65	0.305481
957.00	0.65	0.305484
957.20	0.65	0.305487
957.40	0.65	0.305490
957.60	0.65	0.305493
957.80	0.65	0.305496
958.00	0.65	0.305499
958.20	0.65	0.305501
958.40	0.65	0.305504
958.60	0.65	0.305507
958.80	0.65	0.305510
959.00	0.65	0.305513
959.20	0.65	0.305516
959.40	0.65	0.305519
959.60	0.65	0.305522
959.80	0.65	0.305525
960.00	0.65	0.305527
960.20	0.65	0.305530
960.40	0.66	0.305533
960.60	0.66	0.305536
960.80	0.66	0.305539
961.00	0.66	0.305542
961.20	0.66	0.305545
961.40	0.66	0.305548
961.60	0.66	0.305551
961.80	0.66	0.305554
962.00	0.66	0.305557
962.20	0.66	0.305560
962.40	0.66	0.305563
962.60	0.66	0.305566
962.80	0.66	0.305569
963.00	0.66	0.305572
963.20	0.66	0.305575
963.40	0.66	0.305578
963.60	0.66	0.305581
963.80	0.66	0.305584
964.00	0.66	0.305587
964.20	0.66	0.305590
964.40	0.66	0.305593
964.60	0.66	0.305596
964.80	0.66	0.305599
965.00	0.66	0.305602
965.20	0.66	0.305605
965.40	0.66	0.305608
965.60	0.66	0.305611
965.80	0.66	0.305614
966.00	0.66	0.305617
966.20	0.66	0.305620
966.40	0.66	0.305623
966.60	0.66	0.305626

966.80	0.67	0.305629
967.00	0.67	0.305632
967.20	0.67	0.305635
967.40	0.67	0.305638
967.60	0.67	0.305641
967.80	0.67	0.305644
968.00	0.67	0.305648
968.20	0.67	0.305651
968.40	0.67	0.305654
968.60	0.67	0.305657
968.80	0.67	0.305660
969.00	0.67	0.305663
969.20	0.67	0.305666
969.40	0.67	0.305669
969.60	0.67	0.305672
969.80	0.67	0.305676
970.00	0.67	0.305679
970.20	0.67	0.305682
970.40	0.67	0.305685
970.60	0.67	0.305688
970.80	0.67	0.305691
971.00	0.67	0.305694
971.20	0.67	0.305698
971.40	0.67	0.305701
971.60	0.67	0.305704
971.80	0.67	0.305707
972.00	0.67	0.305710
972.20	0.67	0.305713
972.40	0.67	0.305717
972.60	0.67	0.305720
972.80	0.68	0.305723
973.00	0.68	0.305726
973.20	0.68	0.305730
973.40	0.68	0.305733
973.60	0.68	0.305736
973.80	0.68	0.305739
974.00	0.68	0.305742
974.20	0.68	0.305746
974.40	0.68	0.305749
974.60	0.68	0.305752
974.80	0.68	0.305755
975.00	0.68	0.305759
975.20	0.68	0.305762
975.40	0.68	0.305765
975.60	0.68	0.305768
975.80	0.68	0.305772
976.00	0.68	0.305775
976.20	0.68	0.305778
976.40	0.68	0.305782
976.60	0.68	0.305785
976.80	0.68	0.305788
977.00	0.68	0.305792
977.20	0.68	0.305795
977.40	0.68	0.305798
977.60	0.68	0.305802
977.80	0.68	0.305805
978.00	0.68	0.305808

978.20	0.68	0.305812
978.40	0.68	0.305815
978.60	0.69	0.305818
978.80	0.69	0.305822
979.00	0.69	0.305825
979.20	0.69	0.305828
979.40	0.69	0.305832
979.60	0.69	0.305835
979.80	0.69	0.305839
980.00	0.69	0.305842
980.20	0.69	0.305845
980.40	0.69	0.305849
980.60	0.69	0.305852
980.80	0.69	0.305856
981.00	0.69	0.305859
981.20	0.69	0.305862
981.40	0.69	0.305866
981.60	0.69	0.305869
981.80	0.69	0.305873
982.00	0.69	0.305876
982.20	0.69	0.305880
982.40	0.69	0.305883
982.60	0.69	0.305887
982.80	0.69	0.305890
983.00	0.69	0.305894
983.20	0.69	0.305897
983.40	0.69	0.305900
983.60	0.69	0.305904
983.80	0.69	0.305907
984.00	0.69	0.305911
984.20	0.70	0.305915
984.40	0.70	0.305918
984.60	0.70	0.305922
984.80	0.70	0.305925
985.00	0.70	0.305929
985.20	0.70	0.305932
985.40	0.70	0.305936
985.60	0.70	0.305939
985.80	0.70	0.305943
986.00	0.70	0.305946
986.20	0.70	0.305950
986.40	0.70	0.305954
986.60	0.70	0.305957
986.80	0.70	0.305961
987.00	0.70	0.305964
987.20	0.70	0.305968
987.40	0.70	0.305972
987.60	0.70	0.305975
987.80	0.70	0.305979
988.00	0.70	0.305982
988.20	0.70	0.305986
988.40	0.70	0.305990
988.60	0.70	0.305993
988.80	0.70	0.305997
989.00	0.70	0.306001
989.20	0.70	0.306004
989.40	0.71	0.306008

989.60	0.71	0.306012
989.80	0.71	0.306015
990.00	0.71	0.306019
990.20	0.71	0.306023
990.40	0.71	0.306026
990.60	0.71	0.306030
990.80	0.71	0.306034
991.00	0.71	0.306038
991.20	0.71	0.306041
991.40	0.71	0.306045
991.60	0.71	0.306049
991.80	0.71	0.306052
992.00	0.71	0.306056
992.20	0.71	0.306060
992.40	0.71	0.306064
992.60	0.71	0.306068
992.80	0.71	0.306071
993.00	0.71	0.306075
993.20	0.71	0.306079
993.40	0.71	0.306083
993.60	0.71	0.306086
993.80	0.71	0.306090
994.00	0.71	0.306094
994.20	0.71	0.306098
994.40	0.71	0.306102
994.60	0.72	0.306106
994.80	0.72	0.306109
995.00	0.72	0.306113
995.20	0.72	0.306117
995.40	0.72	0.306121
995.60	0.72	0.306125
995.80	0.72	0.306129
996.00	0.72	0.306133
996.20	0.72	0.306137
996.40	0.72	0.306140
996.60	0.72	0.306144
996.80	0.72	0.306148
997.00	0.72	0.306152
997.20	0.72	0.306156
997.40	0.72	0.306160
997.60	0.72	0.306164
997.80	0.72	0.306168
998.00	0.72	0.306172
998.20	0.72	0.306176
998.40	0.72	0.306180
998.60	0.72	0.306184
998.80	0.72	0.306188
999.00	0.72	0.306192
999.20	0.72	0.306196
999.40	0.73	0.306200
999.60	0.73	0.306204
999.80	0.73	0.306208
1000.00	0.73	0.306212
1000.20	0.73	0.306216
1000.40	0.73	0.306220
1000.60	0.73	0.306224
1000.80	0.73	0.306228

1001.00	0.73	0.306232
1001.20	0.73	0.306236
1001.40	0.73	0.306240
1001.60	0.73	0.306244
1001.80	0.73	0.306249
1002.00	0.73	0.306253
1002.20	0.73	0.306257
1002.40	0.73	0.306261
1002.60	0.73	0.306265
1002.80	0.73	0.306269
1003.00	0.73	0.306273
1003.20	0.73	0.306277
1003.40	0.73	0.306282
1003.60	0.73	0.306286
1003.80	0.73	0.306290
1004.00	0.74	0.306294
1004.20	0.74	0.306298
1004.40	0.74	0.306303
1004.60	0.74	0.306307
1004.80	0.74	0.306311
1005.00	0.74	0.306315
1005.20	0.74	0.306319
1005.40	0.74	0.306324
1005.60	0.74	0.306328
1005.80	0.74	0.306332
1006.00	0.74	0.306336
1006.20	0.74	0.306341
1006.40	0.74	0.306345
1006.60	0.74	0.306349
1006.80	0.74	0.306354
1007.00	0.74	0.306358
1007.20	0.74	0.306362
1007.40	0.74	0.306366
1007.60	0.74	0.306371
1007.80	0.74	0.306375
1008.00	0.74	0.306379
1008.20	0.74	0.306384
1008.40	0.74	0.306388
1008.60	0.75	0.306393
1008.80	0.75	0.306397
1009.00	0.75	0.306401
1009.20	0.75	0.306406
1009.40	0.75	0.306410
1009.60	0.75	0.306415
1009.80	0.75	0.306419
1010.00	0.75	0.306423
1010.20	0.75	0.306428
1010.40	0.75	0.306432
1010.60	0.75	0.306437
1010.80	0.75	0.306441
1011.00	0.75	0.306446
1011.20	0.75	0.306450
1011.40	0.75	0.306455
1011.60	0.75	0.306459
1011.80	0.75	0.306464
1012.00	0.75	0.306468
1012.20	0.75	0.306473

1012.40	0.75	0.306477
1012.60	0.75	0.306482
1012.80	0.76	0.306486
1013.00	0.76	0.306491
1013.20	0.76	0.306496
1013.40	0.76	0.306500
1013.60	0.76	0.306505
1013.80	0.76	0.306509
1014.00	0.76	0.306514
1014.20	0.76	0.306519
1014.40	0.76	0.306523
1014.60	0.76	0.306528
1014.80	0.76	0.306532
1015.00	0.76	0.306537
1015.20	0.76	0.306542
1015.40	0.76	0.306546
1015.60	0.76	0.306551
1015.80	0.76	0.306556
1016.00	0.76	0.306561
1016.20	0.76	0.306565
1016.40	0.76	0.306570
1016.60	0.76	0.306575
1016.80	0.77	0.306579
1017.00	0.77	0.306584
1017.20	0.77	0.306589
1017.40	0.77	0.306594
1017.60	0.77	0.306598
1017.80	0.77	0.306603
1018.00	0.77	0.306608
1018.20	0.77	0.306613
1018.40	0.77	0.306618
1018.60	0.77	0.306623
1018.80	0.77	0.306627
1019.00	0.77	0.306632
1019.20	0.77	0.306637
1019.40	0.77	0.306642
1019.60	0.77	0.306647
1019.80	0.77	0.306652
1020.00	0.77	0.306657
1020.20	0.77	0.306662
1020.40	0.77	0.306666
1020.60	0.77	0.306671
1020.80	0.78	0.306676
1021.00	0.78	0.306681
1021.20	0.78	0.306686
1021.40	0.78	0.306691
1021.60	0.78	0.306696
1021.80	0.78	0.306701
1022.00	0.78	0.306706
1022.20	0.78	0.306711
1022.40	0.78	0.306716
1022.60	0.78	0.306721
1022.80	0.78	0.306726
1023.00	0.78	0.306731
1023.20	0.78	0.306736
1023.40	0.78	0.306742
1023.60	0.78	0.306747

1023.80	0.78	0.306752
1024.00	0.78	0.306757
1024.20	0.78	0.306762
1024.40	0.78	0.306767
1024.60	0.79	0.306772
1024.80	0.79	0.306777
1025.00	0.79	0.306783
1025.20	0.79	0.306788
1025.40	0.79	0.306793
1025.60	0.79	0.306798
1025.80	0.79	0.306803
1026.00	0.79	0.306809
1026.20	0.79	0.306814
1026.40	0.79	0.306819
1026.60	0.79	0.306824
1026.80	0.79	0.306830
1027.00	0.79	0.306835
1027.20	0.79	0.306840
1027.40	0.79	0.306845
1027.60	0.79	0.306851
1027.80	0.79	0.306856
1028.00	0.79	0.306861
1028.20	0.80	0.306867
1028.40	0.80	0.306872
1028.60	0.80	0.306878
1028.80	0.80	0.306883
1029.00	0.80	0.306888
1029.20	0.80	0.306894
1029.40	0.80	0.306899
1029.60	0.80	0.306905
1029.80	0.80	0.306910
1030.00	0.80	0.306916
1030.20	0.80	0.306921
1030.40	0.80	0.306927
1030.60	0.80	0.306932
1030.80	0.80	0.306938
1031.00	0.80	0.306943
1031.20	0.80	0.306949
1031.40	0.80	0.306954
1031.60	0.81	0.306960
1031.80	0.81	0.306965
1032.00	0.81	0.306971
1032.20	0.81	0.306976
1032.40	0.81	0.306982
1032.60	0.81	0.306988
1032.80	0.81	0.306993
1033.00	0.81	0.306999
1033.20	0.81	0.307005
1033.40	0.81	0.307010
1033.60	0.81	0.307016
1033.80	0.81	0.307022
1034.00	0.81	0.307027
1034.20	0.81	0.307033
1034.40	0.81	0.307039
1034.60	0.81	0.307045
1034.80	0.81	0.307050
1035.00	0.82	0.307056

1035.20	0.82	0.307062
1035.40	0.82	0.307068
1035.60	0.82	0.307074
1035.80	0.82	0.307080
1036.00	0.82	0.307085
1036.20	0.82	0.307091
1036.40	0.82	0.307097
1036.60	0.82	0.307103
1036.80	0.82	0.307109
1037.00	0.82	0.307115
1037.20	0.82	0.307121
1037.40	0.82	0.307127
1037.60	0.82	0.307133
1037.80	0.82	0.307139
1038.00	0.82	0.307145
1038.20	0.83	0.307151
1038.40	0.83	0.307157
1038.60	0.83	0.307163
1038.80	0.83	0.307169
1039.00	0.83	0.307175
1039.20	0.83	0.307181
1039.40	0.83	0.307187
1039.60	0.83	0.307193
1039.80	0.83	0.307199
1040.00	0.83	0.307205
1040.20	0.83	0.307212
1040.40	0.83	0.307218
1040.60	0.83	0.307224
1040.80	0.83	0.307230
1041.00	0.83	0.307236
1041.20	0.83	0.307243
1041.40	0.84	0.307249
1041.60	0.84	0.307255
1041.80	0.84	0.307261
1042.00	0.84	0.307268
1042.20	0.84	0.307274
1042.40	0.84	0.307280
1042.60	0.84	0.307287
1042.80	0.84	0.307293
1043.00	0.84	0.307299
1043.20	0.84	0.307306
1043.40	0.84	0.307312
1043.60	0.84	0.307319
1043.80	0.84	0.307325
1044.00	0.84	0.307332
1044.20	0.84	0.307338
1044.40	0.85	0.307344
1044.60	0.85	0.307351
1044.80	0.85	0.307357
1045.00	0.85	0.307364
1045.20	0.85	0.307371
1045.40	0.85	0.307377
1045.60	0.85	0.307384
1045.80	0.85	0.307390
1046.00	0.85	0.307397
1046.20	0.85	0.307404
1046.40	0.85	0.307410

1046.60	0.85	0.307417
1046.80	0.85	0.307424
1047.00	0.85	0.307430
1047.20	0.86	0.307437
1047.40	0.86	0.307444
1047.60	0.86	0.307451
1047.80	0.86	0.307457
1048.00	0.86	0.307464
1048.20	0.86	0.307471
1048.40	0.86	0.307478
1048.60	0.86	0.307485
1048.80	0.86	0.307491
1049.00	0.86	0.307498
1049.20	0.86	0.307505
1049.40	0.86	0.307512
1049.60	0.86	0.307519
1049.80	0.86	0.307526
1050.00	0.87	0.307533
1050.20	0.87	0.307540
1050.40	0.87	0.307547
1050.60	0.87	0.307554
1050.80	0.87	0.307561
1051.00	0.87	0.307568
1051.20	0.87	0.307575
1051.40	0.87	0.307582
1051.60	0.87	0.307589
1051.80	0.87	0.307597
1052.00	0.87	0.307604
1052.20	0.87	0.307611
1052.40	0.87	0.307618
1052.60	0.88	0.307625
1052.80	0.88	0.307633
1053.00	0.88	0.307640
1053.20	0.88	0.307647
1053.40	0.88	0.307655
1053.60	0.88	0.307662
1053.80	0.88	0.307669
1054.00	0.88	0.307677
1054.20	0.88	0.307684
1054.40	0.88	0.307691
1054.60	0.88	0.307699
1054.80	0.88	0.307706
1055.00	0.88	0.307714
1055.20	0.89	0.307721
1055.40	0.89	0.307729
1055.60	0.89	0.307736
1055.80	0.89	0.307744
1056.00	0.89	0.307751
1056.20	0.89	0.307759
1056.40	0.89	0.307767
1056.60	0.89	0.307774
1056.80	0.89	0.307782
1057.00	0.89	0.307790
1057.20	0.89	0.307797
1057.40	0.89	0.307805
1057.60	0.89	0.307813
1057.80	0.90	0.307820

1058.00	0.90	0.307828
1058.20	0.90	0.307836
1058.40	0.90	0.307844
1058.60	0.90	0.307852
1058.80	0.90	0.307860
1059.00	0.90	0.307867
1059.20	0.90	0.307875
1059.40	0.90	0.307883
1059.60	0.90	0.307891
1059.80	0.90	0.307899
1060.00	0.90	0.307907
1060.20	0.91	0.307915
1060.40	0.91	0.307923
1060.60	0.91	0.307932
1060.80	0.91	0.307940
1061.00	0.91	0.307948
1061.20	0.91	0.307956
1061.40	0.91	0.307964
1061.60	0.91	0.307972
1061.80	0.91	0.307981
1062.00	0.91	0.307989
1062.20	0.91	0.307997
1062.40	0.91	0.308005
1062.60	0.92	0.308014
1062.80	0.92	0.308022
1063.00	0.92	0.308031
1063.20	0.92	0.308039
1063.40	0.92	0.308047
1063.60	0.92	0.308056
1063.80	0.92	0.308064
1064.00	0.92	0.308073
1064.20	0.92	0.308081
1064.40	0.92	0.308090
1064.60	0.92	0.308099
1064.80	0.93	0.308107
1065.00	0.93	0.308116
1065.20	0.93	0.308125
1065.40	0.93	0.308133
1065.60	0.93	0.308142
1065.80	0.93	0.308151
1066.00	0.93	0.308160
1066.20	0.93	0.308168
1066.40	0.93	0.308177
1066.60	0.93	0.308186
1066.80	0.93	0.308195
1067.00	0.94	0.308204
1067.20	0.94	0.308213
1067.40	0.94	0.308222
1067.60	0.94	0.308231
1067.80	0.94	0.308240
1068.00	0.94	0.308249
1068.20	0.94	0.308258
1068.40	0.94	0.308267
1068.60	0.94	0.308276
1068.80	0.94	0.308285
1069.00	0.95	0.308295
1069.20	0.95	0.308304

1069.40	0.95	0.308313
1069.60	0.95	0.308322
1069.80	0.95	0.308332
1070.00	0.95	0.308341
1070.20	0.95	0.308350
1070.40	0.95	0.308360
1070.60	0.95	0.308369
1070.80	0.95	0.308379
1071.00	0.96	0.308388
1071.20	0.96	0.308398
1071.40	0.96	0.308407
1071.60	0.96	0.308417
1071.80	0.96	0.308427
1072.00	0.96	0.308436
1072.20	0.96	0.308446
1072.40	0.96	0.308456
1072.60	0.96	0.308466
1072.80	0.96	0.308475
1073.00	0.97	0.308485
1073.20	0.97	0.308495
1073.40	0.97	0.308505
1073.60	0.97	0.308515
1073.80	0.97	0.308525
1074.00	0.97	0.308535
1074.20	0.97	0.308546
1074.40	0.97	0.308556
1074.60	0.97	0.308566
1074.80	0.97	0.308577
1075.00	0.98	0.308587
1075.20	0.98	0.308597
1075.40	0.98	0.308608
1075.60	0.98	0.308618
1075.80	0.98	0.308629
1076.00	0.98	0.308640
1076.20	0.98	0.308651
1076.40	0.98	0.308661
1076.60	0.98	0.308672
1076.80	0.99	0.308683
1077.00	0.99	0.308694
1077.20	0.99	0.308705
1077.40	0.99	0.308716
1077.60	0.99	0.308727
1077.80	0.99	0.308738
1078.00	0.99	0.308750
1078.20	0.99	0.308761
1078.40	1.00	0.308772
1078.60	1.00	0.308784
1078.80	1.00	0.308795
1079.00	1.00	0.308807
1079.20	1.00	0.308818
1079.40	1.00	0.308830
1079.60	1.00	0.308841
1079.80	1.00	0.308853
1080.00	1.01	0.308865
1080.20	1.01	0.308877
1080.40	1.01	0.308888
1080.60	1.01	0.308900

1080.80	1.01	0.308912
1081.00	1.01	0.308924
1081.20	1.01	0.308936
1081.40	1.01	0.308949
1081.60	1.02	0.308961
1081.80	1.02	0.308973
1082.00	1.02	0.308985
1082.20	1.02	0.308998
1082.40	1.02	0.309010
1082.60	1.02	0.309023
1082.80	1.02	0.309035
1083.00	1.02	0.309048
1083.20	1.03	0.309060
1083.40	1.03	0.309073
1083.60	1.03	0.309086
1083.80	1.03	0.309098
1084.00	1.03	0.309111
1084.20	1.03	0.309124
1084.40	1.03	0.309137
1084.60	1.04	0.309150
1084.80	1.04	0.309163
1085.00	1.04	0.309176
1085.20	1.04	0.309190
1085.40	1.04	0.309203
1085.60	1.04	0.309216
1085.80	1.04	0.309230
1086.00	1.04	0.309243
1086.20	1.05	0.309256
1086.40	1.05	0.309270
1086.60	1.05	0.309284
1086.80	1.05	0.309297
1087.00	1.05	0.309311
1087.20	1.05	0.309325
1087.40	1.05	0.309339
1087.60	1.06	0.309353
1087.80	1.06	0.309367
1088.00	1.06	0.309381
1088.20	1.06	0.309395
1088.40	1.06	0.309409
1088.60	1.06	0.309423
1088.80	1.07	0.309437
1089.00	1.07	0.309452
1089.20	1.07	0.309466
1089.40	1.07	0.309481
1089.60	1.07	0.309495
1089.80	1.07	0.309510
1090.00	1.07	0.309524
1090.20	1.08	0.309539
1090.40	1.08	0.309554
1090.60	1.08	0.309569
1090.80	1.08	0.309584
1091.00	1.08	0.309599
1091.20	1.08	0.309614
1091.40	1.09	0.309629
1091.60	1.09	0.309644
1091.80	1.09	0.309660
1092.00	1.09	0.309675

1092.20	1.09	0.309691
1092.40	1.09	0.309706
1092.60	1.10	0.309722
1092.80	1.10	0.309737
1093.00	1.10	0.309753
1093.20	1.10	0.309769
1093.40	1.10	0.309785
1093.60	1.10	0.309801
1093.80	1.11	0.309817
1094.00	1.11	0.309833
1094.20	1.11	0.309849
1094.40	1.11	0.309865
1094.60	1.11	0.309882
1094.80	1.11	0.309898
1095.00	1.12	0.309915
1095.20	1.12	0.309931
1095.40	1.12	0.309948
1095.60	1.12	0.309965
1095.80	1.12	0.309982
1096.00	1.12	0.309998
1096.20	1.13	0.310015
1096.40	1.13	0.310033
1096.60	1.13	0.310050
1096.80	1.13	0.310067
1097.00	1.13	0.310084
1097.20	1.14	0.310102
1097.40	1.14	0.310119
1097.60	1.14	0.310137
1097.80	1.14	0.310154
1098.00	1.14	0.310172
1098.20	1.14	0.310190
1098.40	1.15	0.310208
1098.60	1.15	0.310226
1098.80	1.15	0.310244
1099.00	1.15	0.310263
1099.20	1.15	0.310281
1099.40	1.16	0.310299
1099.60	1.16	0.310318
1099.80	1.16	0.310336
1100.00	1.16	0.310355
1100.20	1.16	0.310374
1100.40	1.17	0.310393
1100.60	1.17	0.310412
1100.80	1.17	0.310431
1101.00	1.17	0.310450
1101.20	1.17	0.310469
1101.40	1.18	0.310489
1101.60	1.18	0.310508
1101.80	1.18	0.310528
1102.00	1.18	0.310548
1102.20	1.18	0.310567
1102.40	1.19	0.310587
1102.60	1.19	0.310607
1102.80	1.19	0.310628
1103.00	1.19	0.310648
1103.20	1.19	0.310668
1103.40	1.20	0.310689

1103.60	1.20	0.310709
1103.80	1.20	0.310730
1104.00	1.20	0.310751
1104.20	1.21	0.310772
1104.40	1.21	0.310793
1104.60	1.21	0.310814
1104.80	1.21	0.310835
1105.00	1.21	0.310857
1105.20	1.22	0.310878
1105.40	1.22	0.310900
1105.60	1.22	0.310922
1105.80	1.22	0.310944
1106.00	1.23	0.310966
1106.20	1.23	0.310988
1106.40	1.23	0.311010
1106.60	1.23	0.311033
1106.80	1.24	0.311055
1107.00	1.24	0.311078
1107.20	1.24	0.311101
1107.40	1.24	0.311124
1107.60	1.24	0.311147
1107.80	1.25	0.311170
1108.00	1.25	0.311193
1108.20	1.25	0.311217
1108.40	1.25	0.311241
1108.60	1.26	0.311264
1108.80	1.26	0.311288
1109.00	1.26	0.311313
1109.20	1.26	0.311337
1109.40	1.27	0.311361
1109.60	1.27	0.311386
1109.80	1.27	0.311410
1110.00	1.27	0.311435
1110.20	1.28	0.311460
1110.40	1.28	0.311485
1110.60	1.28	0.311511
1110.80	1.29	0.311536
1111.00	1.29	0.311562
1111.20	1.29	0.311588
1111.40	1.29	0.311614
1111.60	1.30	0.311640
1111.80	1.30	0.311666
1112.00	1.30	0.311693
1112.20	1.30	0.311719
1112.40	1.31	0.311746
1112.60	1.31	0.311772
1112.80	1.31	0.311799
1113.00	1.32	0.311826
1113.20	1.32	0.311854
1113.40	1.32	0.311881
1113.60	1.32	0.311908
1113.80	1.33	0.311936
1114.00	1.33	0.311964
1114.20	1.33	0.311992
1114.40	1.34	0.312020
1114.60	1.34	0.312048
1114.80	1.34	0.312076

1115.00	1.35	0.312105
1115.20	1.35	0.312134
1115.40	1.35	0.312162
1115.60	1.35	0.312192
1115.80	1.36	0.312221
1116.00	1.36	0.312250
1116.20	1.36	0.312280
1116.40	1.37	0.312310
1116.60	1.37	0.312340
1116.80	1.37	0.312370
1117.00	1.38	0.312400
1117.20	1.38	0.312431
1117.40	1.38	0.312461
1117.60	1.39	0.312492
1117.80	1.39	0.312524
1118.00	1.39	0.312555
1118.20	1.40	0.312586
1118.40	1.40	0.312618
1118.60	1.40	0.312650
1118.80	1.41	0.312683
1119.00	1.41	0.312715
1119.20	1.41	0.312748
1119.40	1.42	0.312781
1119.60	1.42	0.312814
1119.80	1.42	0.312847
1120.00	1.43	0.312881
1120.20	1.43	0.312915
1120.40	1.43	0.312949
1120.60	1.44	0.312983
1120.80	1.44	0.313018
1121.00	1.44	0.313053
1121.20	1.45	0.313088
1121.40	1.45	0.313123
1121.60	1.46	0.313159
1121.80	1.46	0.313195
1122.00	1.46	0.313231
1122.20	1.47	0.313268
1122.40	1.47	0.313305
1122.60	1.47	0.313342
1122.80	1.48	0.313380
1123.00	1.48	0.313417
1123.20	1.49	0.313455
1123.40	1.49	0.313494
1123.60	1.49	0.313532
1123.80	1.50	0.313571
1124.00	1.50	0.313611
1124.20	1.51	0.313651
1124.40	1.51	0.313691
1124.60	1.52	0.313731
1124.80	1.52	0.313772
1125.00	1.52	0.313813
1125.20	1.53	0.313854
1125.40	1.53	0.313896
1125.60	1.54	0.313938
1125.80	1.54	0.313981
1126.00	1.55	0.314024
1126.20	1.55	0.314067

1126.40	1.56	0.314111
1126.60	1.56	0.314155
1126.80	1.56	0.314199
1127.00	1.57	0.314244
1127.20	1.57	0.314290
1127.40	1.58	0.314335
1127.60	1.58	0.314382
1127.80	1.59	0.314428
1128.00	1.59	0.314475
1128.20	1.60	0.314523
1128.40	1.60	0.314571
1128.60	1.61	0.314620
1128.80	1.61	0.314669
1129.00	1.62	0.314718
1129.20	1.62	0.314768
1129.40	1.63	0.314819
1129.60	1.63	0.314870
1129.80	1.64	0.314922
1130.00	1.65	0.314974
1130.20	1.65	0.315026
1130.40	1.66	0.315080
1130.60	1.66	0.315133
1130.80	1.67	0.315188
1131.00	1.67	0.315243
1131.20	1.68	0.315298
1131.40	1.69	0.315355
1131.60	1.69	0.315411
1131.80	1.70	0.315469
1132.00	1.70	0.315527
1132.20	1.71	0.315586
1132.40	1.72	0.315645
1132.60	1.72	0.315705
1132.80	1.73	0.315766
1133.00	1.74	0.315828
1133.20	1.74	0.315890
1133.40	1.75	0.315953
1133.60	1.76	0.316017
1133.80	1.76	0.316082
1134.00	1.77	0.316147
1134.20	1.78	0.316213
1134.40	1.78	0.316280
1134.60	1.79	0.316348
1134.80	1.80	0.316417
1135.00	1.80	0.316487
1135.20	1.81	0.316557
1135.40	1.82	0.316629
1135.60	1.83	0.316701
1135.80	1.83	0.316775
1136.00	1.84	0.316849
1136.20	1.85	0.316925
1136.40	1.86	0.317001
1136.60	1.87	0.317079
1136.80	1.87	0.317157
1137.00	1.88	0.317237
1137.20	1.89	0.317317
1137.40	1.90	0.317399
1137.60	1.91	0.317481

1137.80	1.92	0.317565
1138.00	1.93	0.317650
1138.20	1.93	0.317736
1138.40	1.94	0.317824
1138.60	1.95	0.317913
1138.80	1.96	0.318003
1139.00	1.97	0.318094
1139.20	1.98	0.318187
1139.40	1.99	0.318281
1139.60	2.00	0.318377
1139.80	2.01	0.318474
1140.00	2.02	0.318573
1140.20	2.03	0.318674
1140.40	2.04	0.318776
1140.60	2.05	0.318880
1140.80	2.07	0.318985
1141.00	2.08	0.319093
1141.20	2.09	0.319202
1141.40	2.10	0.319313
1141.60	2.11	0.319427
1141.80	2.12	0.319542
1142.00	2.14	0.319660
1142.20	2.15	0.319780
1142.40	2.16	0.319902
1142.60	2.17	0.320026
1142.80	2.19	0.320153
1143.00	2.20	0.320283
1143.20	2.21	0.320415
1143.40	2.23	0.320550
1143.60	2.24	0.320688
1143.80	2.26	0.320829
1144.00	2.27	0.320974
1144.20	2.29	0.321121
1144.40	2.30	0.321272
1144.60	2.32	0.321426
1144.80	2.34	0.321584
1145.00	2.35	0.321745
1145.20	2.37	0.321911
1145.40	2.39	0.322080
1145.60	2.41	0.322254
1145.80	2.42	0.322432
1146.00	2.44	0.322615
1146.20	2.46	0.322803
1146.40	2.48	0.322996
1146.60	2.50	0.323194
1146.80	2.52	0.323399
1147.00	2.55	0.323609
1147.20	2.57	0.323826
1147.40	2.59	0.324050
1147.60	2.62	0.324281
1147.80	2.64	0.324520
1148.00	2.67	0.324767
1148.20	2.69	0.325024
1148.40	2.72	0.325289
1148.60	2.75	0.325565
1148.80	2.78	0.325852
1149.00	2.81	0.326151

1149.20	2.84	0.326463
1149.40	2.87	0.326789
1149.60	2.91	0.327131
1149.80	2.95	0.327490
1150.00	2.99	0.327868
1150.20	3.03	0.328266
1150.40	3.07	0.328688
1150.60	3.12	0.329137
1150.80	3.16	0.329617
1151.00	3.22	0.330133
1151.20	3.27	0.330692
1151.40	3.33	0.331306
1151.60	3.40	0.331992
1151.80	3.48	0.332786
1152.00	3.58	0.333896
1152.20	3.70	0.335130
1152.40	3.83	0.336371
1152.60	3.96	0.337599
1152.80	4.09	0.338803
1153.00	4.22	0.339976
1153.20	4.34	0.341112
1153.40	4.46	0.342208
1153.60	4.57	0.343261
1153.80	4.68	0.344269
1154.00	4.78	0.345228
1154.20	4.88	0.346137
1154.40	4.97	0.346993
1154.60	5.06	0.347796
1154.80	5.14	0.348542
1155.00	5.22	0.349230
1155.20	5.29	0.349857
1155.40	5.35	0.350419
1155.60	5.40	0.350915
1155.80	5.45	0.351338
1156.00	5.49	0.351684
1156.20	5.53	0.351945
1156.40	5.55	0.352110
1156.60	5.56	0.352163
1156.80	5.56	0.352107
1157.00	5.53	0.351836
1157.20	5.47	0.351308
1157.40	5.41	0.350675
1157.60	5.34	0.350005
1157.80	5.26	0.349313
1158.00	5.19	0.348607
1158.20	5.11	0.347893
1158.40	5.04	0.347175
1158.60	4.96	0.346457
1158.80	4.89	0.345741
1159.00	4.81	0.345029
1159.20	4.74	0.344322
1159.40	4.66	0.343622
1159.60	4.59	0.342929
1159.80	4.52	0.342243
1160.00	4.45	0.341566
1160.20	4.37	0.340898
1160.40	4.30	0.340238

1160.60	4.24	0.339588
1160.80	4.17	0.338948
1161.00	4.10	0.338318
1161.20	4.04	0.337698
1161.40	3.97	0.337088
1161.60	3.91	0.336489
1161.80	3.84	0.335900
1162.00	3.78	0.335321
1162.20	3.72	0.334752
1162.40	3.66	0.334194
1162.60	3.61	0.333645
1162.80	3.55	0.333108
1163.00	3.49	0.332580
1163.20	3.44	0.332062
1163.40	3.38	0.331554
1163.60	3.33	0.331056
1163.80	3.28	0.330567
1164.00	3.23	0.330088
1164.20	3.18	0.329619
1164.40	3.13	0.329158
1164.60	3.08	0.328707
1164.80	3.03	0.328265
1165.00	2.99	0.327832
1165.20	2.94	0.327408
1165.40	2.90	0.326992
1165.60	2.85	0.326584
1165.80	2.81	0.326185
1166.00	2.77	0.325793
1166.20	2.73	0.325410
1166.40	2.69	0.325034
1166.60	2.65	0.324666
1166.80	2.61	0.324305
1167.00	2.57	0.323951
1167.20	2.54	0.323605
1167.40	2.50	0.323266
1167.60	2.47	0.322933
1167.80	2.43	0.322608
1168.00	2.40	0.322289
1168.20	2.36	0.321976
1168.40	2.33	0.321670
1168.60	2.30	0.321371
1168.80	2.27	0.321077
1169.00	2.24	0.320789
1169.20	2.21	0.320508
1169.40	2.18	0.320232
1169.60	2.15	0.319962
1169.80	2.12	0.319697
1170.00	2.10	0.319438
1170.20	2.07	0.319184
1170.40	2.04	0.318936
1170.60	2.02	0.318692
1170.80	1.99	0.318454
1171.00	1.97	0.318220
1171.20	1.94	0.317991
1171.40	1.92	0.317767
1171.60	1.89	0.317548
1171.80	1.87	0.317333

1172.00	1.85	0.317122
1172.20	1.83	0.316916
1172.40	1.81	0.316714
1172.60	1.78	0.316516
1172.80	1.76	0.316322
1173.00	1.74	0.316132
1173.20	1.72	0.315945
1173.40	1.70	0.315763
1173.60	1.69	0.315584
1173.80	1.67	0.315409
1174.00	1.65	0.315238
1174.20	1.63	0.315069
1174.40	1.61	0.314905
1174.60	1.60	0.314743
1174.80	1.58	0.314585
1175.00	1.56	0.314430
1175.20	1.55	0.314278
1175.40	1.53	0.314129
1175.60	1.52	0.313984
1175.80	1.50	0.313841
1176.00	1.49	0.313701
1176.20	1.47	0.313564
1176.40	1.46	0.313430
1176.60	1.44	0.313298
1176.80	1.43	0.313169
1177.00	1.42	0.313043
1177.20	1.40	0.312919
1177.40	1.39	0.312798
1177.60	1.38	0.312679
1177.80	1.36	0.312563
1178.00	1.35	0.312448
1178.20	1.34	0.312336
1178.40	1.33	0.312226
1178.60	1.32	0.312119
1178.80	1.31	0.312013
1179.00	1.29	0.311910
1179.20	1.28	0.311808
1179.40	1.27	0.311709
1179.60	1.26	0.311611
1179.80	1.25	0.311515
1180.00	1.24	0.311421
1180.20	1.23	0.311329
1180.40	1.22	0.311239
1180.60	1.21	0.311150
1180.80	1.20	0.311063
1181.00	1.20	0.310977
1181.20	1.19	0.310894
1181.40	1.18	0.310811
1181.60	1.17	0.310730
1181.80	1.16	0.310651
1182.00	1.15	0.310573
1182.20	1.14	0.310497
1182.40	1.14	0.310422
1182.60	1.13	0.310348
1182.80	1.12	0.310276
1183.00	1.11	0.310205
1183.20	1.11	0.310135

1183.40	1.10	0.310066
1183.60	1.09	0.309999
1183.80	1.08	0.309933
1184.00	1.08	0.309868
1184.20	1.07	0.309804
1184.40	1.06	0.309741
1184.60	1.06	0.309679
1184.80	1.05	0.309619
1185.00	1.05	0.309559
1185.20	1.04	0.309501
1185.40	1.03	0.309443
1185.60	1.03	0.309386
1185.80	1.02	0.309331
1186.00	1.02	0.309276
1186.20	1.01	0.309222
1186.40	1.00	0.309169
1186.60	1.00	0.309117
1186.80	0.99	0.309066
1187.00	0.99	0.309015
1187.20	0.98	0.308966
1187.40	0.98	0.308917
1187.60	0.97	0.308869
1187.80	0.97	0.308821
1188.00	0.96	0.308775
1188.20	0.96	0.308729
1188.40	0.95	0.308684
1188.60	0.95	0.308639
1188.80	0.94	0.308596
1189.00	0.94	0.308553
1189.20	0.93	0.308510
1189.40	0.93	0.308468
1189.60	0.93	0.308427
1189.80	0.92	0.308387
1190.00	0.92	0.308347
1190.20	0.91	0.308307
1190.40	0.91	0.308268
1190.60	0.90	0.308230
1190.80	0.90	0.308193
1191.00	0.90	0.308155
1191.20	0.89	0.308119
1191.40	0.89	0.308083
1191.60	0.88	0.308047
1191.80	0.88	0.308012
1192.00	0.88	0.307978
1192.20	0.87	0.307943
1192.40	0.87	0.307910
1192.60	0.87	0.307877
1192.80	0.86	0.307844
1193.00	0.86	0.307812
1193.20	0.86	0.307780
1193.40	0.85	0.307748
1193.60	0.85	0.307717
1193.80	0.85	0.307687
1194.00	0.84	0.307656
1194.20	0.84	0.307627
1194.40	0.84	0.307597
1194.60	0.83	0.307568

1194.80	0.83	0.307539
1195.00	0.83	0.307511
1195.20	0.82	0.307483
1195.40	0.82	0.307455
1195.60	0.82	0.307428
1195.80	0.82	0.307401
1196.00	0.81	0.307375
1196.20	0.81	0.307348
1196.40	0.81	0.307322
1196.60	0.81	0.307297
1196.80	0.80	0.307271
1197.00	0.80	0.307246
1197.20	0.80	0.307221
1197.40	0.79	0.307197
1197.60	0.79	0.307172
1197.80	0.79	0.307149
1198.00	0.79	0.307125
1198.20	0.78	0.307101
1198.40	0.78	0.307078
1198.60	0.78	0.307055
1198.80	0.78	0.307033
1199.00	0.77	0.307010
1199.20	0.77	0.306988
1199.40	0.77	0.306966
1199.60	0.77	0.306945
1199.80	0.77	0.306923
1200.00	0.76	0.306902
1200.20	0.76	0.306881
1200.40	0.76	0.306860
1200.60	0.76	0.306839
1200.80	0.75	0.306819
1201.00	0.75	0.306799
1201.20	0.75	0.306779
1201.40	0.75	0.306759
1201.60	0.75	0.306740
1201.80	0.74	0.306720
1202.00	0.74	0.306701
1202.20	0.74	0.306682
1202.40	0.74	0.306663
1202.60	0.74	0.306645
1202.80	0.73	0.306626
1203.00	0.73	0.306608
1203.20	0.73	0.306590
1203.40	0.73	0.306572
1203.60	0.73	0.306554
1203.80	0.72	0.306537
1204.00	0.72	0.306519
1204.20	0.72	0.306502
1204.40	0.72	0.306485
1204.60	0.72	0.306468
1204.80	0.72	0.306451
1205.00	0.71	0.306434
1205.20	0.71	0.306418
1205.40	0.71	0.306401
1205.60	0.71	0.306385
1205.80	0.71	0.306369
1206.00	0.71	0.306353

1206.20	0.70	0.306337
1206.40	0.70	0.306322
1206.60	0.70	0.306306
1206.80	0.70	0.306291
1207.00	0.70	0.306275
1207.20	0.70	0.306260
1207.40	0.69	0.306245
1207.60	0.69	0.306230
1207.80	0.69	0.306215
1208.00	0.69	0.306201
1208.20	0.69	0.306186
1208.40	0.69	0.306172
1208.60	0.68	0.306157
1208.80	0.68	0.306143
1209.00	0.68	0.306129
1209.20	0.68	0.306115
1209.40	0.68	0.306101
1209.60	0.68	0.306087
1209.80	0.68	0.306073
1210.00	0.67	0.306060
1210.20	0.67	0.306046
1210.40	0.67	0.306033
1210.60	0.67	0.306020
1210.80	0.67	0.306006
1211.00	0.67	0.305993
1211.20	0.67	0.305980
1211.40	0.66	0.305967
1211.60	0.66	0.305955
1211.80	0.66	0.305942
1212.00	0.66	0.305929
1212.20	0.66	0.305917
1212.40	0.66	0.305904
1212.60	0.66	0.305892
1212.80	0.66	0.305879
1213.00	0.65	0.305867
1213.20	0.65	0.305855
1213.40	0.65	0.305843
1213.60	0.65	0.305831
1213.80	0.65	0.305819
1214.00	0.65	0.305807
1214.20	0.65	0.305796
1214.40	0.65	0.305784
1214.60	0.64	0.305773
1214.80	0.64	0.305761
1215.00	0.64	0.305750
1215.20	0.64	0.305738
1215.40	0.64	0.305727
1215.60	0.64	0.305716
1215.80	0.64	0.305705
1216.00	0.64	0.305694
1216.20	0.63	0.305683
1216.40	0.63	0.305672
1216.60	0.63	0.305661
1216.80	0.63	0.305650
1217.00	0.63	0.305639
1217.20	0.63	0.305629
1217.40	0.63	0.305618

1217.60	0.63	0.305608
1217.80	0.63	0.305597
1218.00	0.62	0.305587
1218.20	0.62	0.305576
1218.40	0.62	0.305566
1218.60	0.62	0.305556
1218.80	0.62	0.305546
1219.00	0.62	0.305536
1219.20	0.62	0.305526
1219.40	0.62	0.305516
1219.60	0.62	0.305506
1219.80	0.61	0.305496
1220.00	0.61	0.305486
1220.20	0.61	0.305476
1220.40	0.61	0.305466
1220.60	0.61	0.305457
1220.80	0.61	0.305447
1221.00	0.61	0.305438
1221.20	0.61	0.305428
1221.40	0.61	0.305419
1221.60	0.61	0.305409
1221.80	0.60	0.305400
1222.00	0.60	0.305391
1222.20	0.60	0.305381
1222.40	0.60	0.305372
1222.60	0.60	0.305363
1222.80	0.60	0.305354
1223.00	0.60	0.305345
1223.20	0.60	0.305336
1223.40	0.60	0.305327
1223.60	0.60	0.305318
1223.80	0.60	0.305309
1224.00	0.59	0.305301
1224.20	0.59	0.305292
1224.40	0.59	0.305283
1224.60	0.59	0.305274
1224.80	0.59	0.305266
1225.00	0.59	0.305257
1225.20	0.59	0.305249
1225.40	0.59	0.305240
1225.60	0.59	0.305232
1225.80	0.59	0.305223
1226.00	0.59	0.305215
1226.20	0.58	0.305207
1226.40	0.58	0.305198
1226.60	0.58	0.305190
1226.80	0.58	0.305182
1227.00	0.58	0.305174
1227.20	0.58	0.305166
1227.40	0.58	0.305157
1227.60	0.58	0.305149
1227.80	0.58	0.305141
1228.00	0.58	0.305133
1228.20	0.58	0.305126
1228.40	0.58	0.305118
1228.60	0.57	0.305110
1228.80	0.57	0.305102

1229.00	0.57	0.305094
1229.20	0.57	0.305086
1229.40	0.57	0.305079
1229.60	0.57	0.305071
1229.80	0.57	0.305063
1230.00	0.57	0.305056
1230.20	0.57	0.305048
1230.40	0.57	0.305041
1230.60	0.57	0.305033
1230.80	0.57	0.305026
1231.00	0.56	0.305018
1231.20	0.56	0.305011
1231.40	0.56	0.305003
1231.60	0.56	0.304996
1231.80	0.56	0.304989
1232.00	0.56	0.304981
1232.20	0.56	0.304974
1232.40	0.56	0.304967
1232.60	0.56	0.304960
1232.80	0.56	0.304953
1233.00	0.56	0.304946
1233.20	0.56	0.304938
1233.40	0.56	0.304931
1233.60	0.55	0.304924
1233.80	0.55	0.304917
1234.00	0.55	0.304910
1234.20	0.55	0.304904
1234.40	0.55	0.304897
1234.60	0.55	0.304890
1234.80	0.55	0.304883
1235.00	0.55	0.304876
1235.20	0.55	0.304869
1235.40	0.55	0.304863
1235.60	0.55	0.304856
1235.80	0.55	0.304849
1236.00	0.55	0.304842
1236.20	0.55	0.304836
1236.40	0.54	0.304829
1236.60	0.54	0.304823
1236.80	0.54	0.304816
1237.00	0.54	0.304809
1237.20	0.54	0.304803
1237.40	0.54	0.304796
1237.60	0.54	0.304790
1237.80	0.54	0.304784
1238.00	0.54	0.304777
1238.20	0.54	0.304771
1238.40	0.54	0.304764
1238.60	0.54	0.304758
1238.80	0.54	0.304752
1239.00	0.54	0.304745
1239.20	0.54	0.304739
1239.40	0.53	0.304733
1239.60	0.53	0.304727
1239.80	0.53	0.304721
1240.00	0.53	0.304714
1240.20	0.53	0.304708

1240.40	0.53	0.304702
1240.60	0.53	0.304696
1240.80	0.53	0.304690
1241.00	0.53	0.304684
1241.20	0.53	0.304678
1241.40	0.53	0.304672
1241.60	0.53	0.304666
1241.80	0.53	0.304660
1242.00	0.53	0.304654
1242.20	0.53	0.304648
1242.40	0.52	0.304642
1242.60	0.52	0.304636
1242.80	0.52	0.304631
1243.00	0.52	0.304625
1243.20	0.52	0.304619
1243.40	0.52	0.304613
1243.60	0.52	0.304607
1243.80	0.52	0.304602
1244.00	0.52	0.304596
1244.20	0.52	0.304590
1244.40	0.52	0.304585
1244.60	0.52	0.304579
1244.80	0.52	0.304573
1245.00	0.52	0.304568
1245.20	0.52	0.304562
1245.40	0.52	0.304557
1245.60	0.52	0.304551
1245.80	0.51	0.304546
1246.00	0.51	0.304540
1246.20	0.51	0.304535
1246.40	0.51	0.304529
1246.60	0.51	0.304524
1246.80	0.51	0.304518
1247.00	0.51	0.304513
1247.20	0.51	0.304507
1247.40	0.51	0.304502
1247.60	0.51	0.304497
1247.80	0.51	0.304491
1248.00	0.51	0.304486
1248.20	0.51	0.304481
1248.40	0.51	0.304475
1248.60	0.51	0.304470
1248.80	0.51	0.304465
1249.00	0.51	0.304460
1249.20	0.51	0.304454
1249.40	0.50	0.304449
1249.60	0.50	0.304444
1249.80	0.50	0.304439
1250.00	0.50	0.304434
1250.20	0.50	0.304429
1250.40	0.50	0.304424
1250.60	0.50	0.304419
1250.80	0.50	0.304413
1251.00	0.50	0.304408
1251.20	0.50	0.304403
1251.40	0.50	0.304398
1251.60	0.50	0.304393

1251.80	0.50	0.304388
1252.00	0.50	0.304383
1252.20	0.50	0.304378
1252.40	0.50	0.304374
1252.60	0.50	0.304369
1252.80	0.50	0.304364
1253.00	0.50	0.304359
1253.20	0.49	0.304354
1253.40	0.49	0.304349
1253.60	0.49	0.304344
1253.80	0.49	0.304339
1254.00	0.49	0.304335
1254.20	0.49	0.304330
1254.40	0.49	0.304325
1254.60	0.49	0.304320
1254.80	0.49	0.304316
1255.00	0.49	0.304311
1255.20	0.49	0.304306
1255.40	0.49	0.304301
1255.60	0.49	0.304297
1255.80	0.49	0.304292
1256.00	0.49	0.304287
1256.20	0.49	0.304283
1256.40	0.49	0.304278
1256.60	0.49	0.304274
1256.80	0.49	0.304269
1257.00	0.49	0.304264
1257.20	0.48	0.304260
1257.40	0.48	0.304255
1257.60	0.48	0.304251
1257.80	0.48	0.304246
1258.00	0.48	0.304242
1258.20	0.48	0.304237
1258.40	0.48	0.304233
1258.60	0.48	0.304228
1258.80	0.48	0.304224
1259.00	0.48	0.304219
1259.20	0.48	0.304215
1259.40	0.48	0.304211
1259.60	0.48	0.304206
1259.80	0.48	0.304202
1260.00	0.48	0.304197
1260.20	0.48	0.304193
1260.40	0.48	0.304189
1260.60	0.48	0.304184
1260.80	0.48	0.304180
1261.00	0.48	0.304176
1261.20	0.48	0.304171
1261.40	0.47	0.304167
1261.60	0.47	0.304163
1261.80	0.47	0.304159
1262.00	0.47	0.304154
1262.20	0.47	0.304150
1262.40	0.47	0.304146
1262.60	0.47	0.304142
1262.80	0.47	0.304138
1263.00	0.47	0.304133

1263.20	0.47	0.304129
1263.40	0.47	0.304125
1263.60	0.47	0.304121
1263.80	0.47	0.304117
1264.00	0.47	0.304113
1264.20	0.47	0.304108
1264.40	0.47	0.304104
1264.60	0.47	0.304100
1264.80	0.47	0.304096
1265.00	0.47	0.304092
1265.20	0.47	0.304088
1265.40	0.47	0.304084
1265.60	0.47	0.304080
1265.80	0.47	0.304076
1266.00	0.46	0.304072
1266.20	0.46	0.304068
1266.40	0.46	0.304064
1266.60	0.46	0.304060
1266.80	0.46	0.304056
1267.00	0.46	0.304052
1267.20	0.46	0.304048
1267.40	0.46	0.304044
1267.60	0.46	0.304040
1267.80	0.46	0.304037
1268.00	0.46	0.304033
1268.20	0.46	0.304029
1268.40	0.46	0.304025
1268.60	0.46	0.304021
1268.80	0.46	0.304017
1269.00	0.46	0.304013
1269.20	0.46	0.304010
1269.40	0.46	0.304006
1269.60	0.46	0.304002
1269.80	0.46	0.303998
1270.00	0.46	0.303994
1270.20	0.46	0.303991
1270.40	0.46	0.303987
1270.60	0.46	0.303983
1270.80	0.46	0.303979
1271.00	0.45	0.303976
1271.20	0.45	0.303972
1271.40	0.45	0.303968
1271.60	0.45	0.303964
1271.80	0.45	0.303961
1272.00	0.45	0.303957
1272.20	0.45	0.303953
1272.40	0.45	0.303950
1272.60	0.45	0.303946
1272.80	0.45	0.303942
1273.00	0.45	0.303939
1273.20	0.45	0.303935
1273.40	0.45	0.303932
1273.60	0.45	0.303928
1273.80	0.45	0.303924
1274.00	0.45	0.303921
1274.20	0.45	0.303917
1274.40	0.45	0.303914

1274.60	0.45	0.303910
1274.80	0.45	0.303906
1275.00	0.45	0.303903
1275.20	0.45	0.303899
1275.40	0.45	0.303896
1275.60	0.45	0.303892
1275.80	0.45	0.303889
1276.00	0.45	0.303885
1276.20	0.44	0.303882
1276.40	0.44	0.303878
1276.60	0.44	0.303875
1276.80	0.44	0.303871
1277.00	0.44	0.303868
1277.20	0.44	0.303865
1277.40	0.44	0.303861
1277.60	0.44	0.303858
1277.80	0.44	0.303854
1278.00	0.44	0.303851
1278.20	0.44	0.303848
1278.40	0.44	0.303844
1278.60	0.44	0.303841
1278.80	0.44	0.303837
1279.00	0.44	0.303834
1279.20	0.44	0.303831
1279.40	0.44	0.303827
1279.60	0.44	0.303824
1279.80	0.44	0.303821
1280.00	0.44	0.303817
1280.20	0.44	0.303814
1280.40	0.44	0.303811
1280.60	0.44	0.303807
1280.80	0.44	0.303804
1281.00	0.44	0.303801
1281.20	0.44	0.303798
1281.40	0.44	0.303794
1281.60	0.44	0.303791
1281.80	0.43	0.303788
1282.00	0.43	0.303785
1282.20	0.43	0.303781
1282.40	0.43	0.303778
1282.60	0.43	0.303775
1282.80	0.43	0.303772
1283.00	0.43	0.303769
1283.20	0.43	0.303765
1283.40	0.43	0.303762
1283.60	0.43	0.303759
1283.80	0.43	0.303756
1284.00	0.43	0.303753
1284.20	0.43	0.303750
1284.40	0.43	0.303746
1284.60	0.43	0.303743
1284.80	0.43	0.303740
1285.00	0.43	0.303737
1285.20	0.43	0.303734
1285.40	0.43	0.303731
1285.60	0.43	0.303728
1285.80	0.43	0.303725

1286.00	0.43	0.303722
1286.20	0.43	0.303718
1286.40	0.43	0.303715
1286.60	0.43	0.303712
1286.80	0.43	0.303709
1287.00	0.43	0.303706
1287.20	0.43	0.303703
1287.40	0.43	0.303700
1287.60	0.43	0.303697
1287.80	0.42	0.303694
1288.00	0.42	0.303691
1288.20	0.42	0.303688
1288.40	0.42	0.303685
1288.60	0.42	0.303682
1288.80	0.42	0.303679
1289.00	0.42	0.303676
1289.20	0.42	0.303673
1289.40	0.42	0.303670
1289.60	0.42	0.303667
1289.80	0.42	0.303664
1290.00	0.42	0.303661
1290.20	0.42	0.303658
1290.40	0.42	0.303655
1290.60	0.42	0.303653
1290.80	0.42	0.303650
1291.00	0.42	0.303647
1291.20	0.42	0.303644
1291.40	0.42	0.303641
1291.60	0.42	0.303638
1291.80	0.42	0.303635
1292.00	0.42	0.303632
1292.20	0.42	0.303629
1292.40	0.42	0.303627
1292.60	0.42	0.303624
1292.80	0.42	0.303621
1293.00	0.42	0.303618
1293.20	0.42	0.303615
1293.40	0.42	0.303612
1293.60	0.42	0.303609
1293.80	0.42	0.303607
1294.00	0.42	0.303604
1294.20	0.42	0.303601
1294.40	0.41	0.303598
1294.60	0.41	0.303595
1294.80	0.41	0.303593
1295.00	0.41	0.303590
1295.20	0.41	0.303587
1295.40	0.41	0.303584
1295.60	0.41	0.303582
1295.80	0.41	0.303579
1296.00	0.41	0.303576
1296.20	0.41	0.303573
1296.40	0.41	0.303571
1296.60	0.41	0.303568
1296.80	0.41	0.303565
1297.00	0.41	0.303562
1297.20	0.41	0.303560

1297.40	0.41	0.303557
1297.60	0.41	0.303554
1297.80	0.41	0.303552
1298.00	0.41	0.303549
1298.20	0.41	0.303546
1298.40	0.41	0.303543
1298.60	0.41	0.303541
1298.80	0.41	0.303538
1299.00	0.41	0.303535
1299.20	0.41	0.303533
1299.40	0.41	0.303530
1299.60	0.41	0.303528
1299.80	0.41	0.303525
1300.00	0.41	0.303522
1300.20	0.41	0.303520
1300.40	0.41	0.303517
1300.60	0.41	0.303514
1300.80	0.41	0.303512
1301.00	0.41	0.303509
1301.20	0.41	0.303507
1301.40	0.40	0.303504
1301.60	0.40	0.303501
1301.80	0.40	0.303499
1302.00	0.40	0.303496
1302.20	0.40	0.303494
1302.40	0.40	0.303491
1302.60	0.40	0.303489
1302.80	0.40	0.303486
1303.00	0.40	0.303483
1303.20	0.40	0.303481
1303.40	0.40	0.303478
1303.60	0.40	0.303476
1303.80	0.40	0.303473
1304.00	0.40	0.303471
1304.20	0.40	0.303468
1304.40	0.40	0.303466
1304.60	0.40	0.303463
1304.80	0.40	0.303461
1305.00	0.40	0.303458
1305.20	0.40	0.303456
1305.40	0.40	0.303453
1305.60	0.40	0.303451
1305.80	0.40	0.303448
1306.00	0.40	0.303446
1306.20	0.40	0.303443
1306.40	0.40	0.303441
1306.60	0.40	0.303438
1306.80	0.40	0.303436
1307.00	0.40	0.303433
1307.20	0.40	0.303431
1307.40	0.40	0.303429
1307.60	0.40	0.303426
1307.80	0.40	0.303424
1308.00	0.40	0.303421
1308.20	0.40	0.303419
1308.40	0.40	0.303416
1308.60	0.40	0.303414

1308.80	0.40	0.303412
1309.00	0.39	0.303409
1309.20	0.39	0.303407
1309.40	0.39	0.303404
1309.60	0.39	0.303402
1309.80	0.39	0.303400
1310.00	0.39	0.303397
1310.20	0.39	0.303395
1310.40	0.39	0.303393
1310.60	0.39	0.303390
1310.80	0.39	0.303388
1311.00	0.39	0.303385
1311.20	0.39	0.303383
1311.40	0.39	0.303381
1311.60	0.39	0.303378
1311.80	0.39	0.303376
1312.00	0.39	0.303374
1312.20	0.39	0.303371
1312.40	0.39	0.303369
1312.60	0.39	0.303367
1312.80	0.39	0.303365
1313.00	0.39	0.303362
1313.20	0.39	0.303360
1313.40	0.39	0.303358
1313.60	0.39	0.303355
1313.80	0.39	0.303353
1314.00	0.39	0.303351
1314.20	0.39	0.303348
1314.40	0.39	0.303346
1314.60	0.39	0.303344
1314.80	0.39	0.303342
1315.00	0.39	0.303339
1315.20	0.39	0.303337
1315.40	0.39	0.303335
1315.60	0.39	0.303333
1315.80	0.39	0.303330
1316.00	0.39	0.303328
1316.20	0.39	0.303326
1316.40	0.39	0.303324
1316.60	0.39	0.303321
1316.80	0.39	0.303319
1317.00	0.39	0.303317
1317.20	0.39	0.303315
1317.40	0.38	0.303313
1317.60	0.38	0.303310
1317.80	0.38	0.303308
1318.00	0.38	0.303306
1318.20	0.38	0.303304
1318.40	0.38	0.303302
1318.60	0.38	0.303299
1318.80	0.38	0.303297
1319.00	0.38	0.303295
1319.20	0.38	0.303293
1319.40	0.38	0.303291
1319.60	0.38	0.303289
1319.80	0.38	0.303286
1320.00	0.38	0.303284

1320.20	0.38	0.303282
1320.40	0.38	0.303280
1320.60	0.38	0.303278
1320.80	0.38	0.303276
1321.00	0.38	0.303273
1321.20	0.38	0.303271
1321.40	0.38	0.303269
1321.60	0.38	0.303267
1321.80	0.38	0.303265
1322.00	0.38	0.303263
1322.20	0.38	0.303261
1322.40	0.38	0.303259
1322.60	0.38	0.303257
1322.80	0.38	0.303254
1323.00	0.38	0.303252
1323.20	0.38	0.303250
1323.40	0.38	0.303248
1323.60	0.38	0.303246
1323.80	0.38	0.303244
1324.00	0.38	0.303242
1324.20	0.38	0.303240
1324.40	0.38	0.303238
1324.60	0.38	0.303236
1324.80	0.38	0.303234
1325.00	0.38	0.303232
1325.20	0.38	0.303229
1325.40	0.38	0.303227
1325.60	0.38	0.303225
1325.80	0.38	0.303223
1326.00	0.38	0.303221
1326.20	0.37	0.303219
1326.40	0.37	0.303217
1326.60	0.37	0.303215
1326.80	0.37	0.303213
1327.00	0.37	0.303211
1327.20	0.37	0.303209
1327.40	0.37	0.303207
1327.60	0.37	0.303205
1327.80	0.37	0.303203
1328.00	0.37	0.303201
1328.20	0.37	0.303199
1328.40	0.37	0.303197
1328.60	0.37	0.303195
1328.80	0.37	0.303193
1329.00	0.37	0.303191
1329.20	0.37	0.303189
1329.40	0.37	0.303187
1329.60	0.37	0.303185
1329.80	0.37	0.303183
1330.00	0.37	0.303181
1330.20	0.37	0.303179
1330.40	0.37	0.303177
1330.60	0.37	0.303175
1330.80	0.37	0.303173
1331.00	0.37	0.303171
1331.20	0.37	0.303169
1331.40	0.37	0.303167

1331.60	0.37	0.303166
1331.80	0.37	0.303164
1332.00	0.37	0.303162
1332.20	0.37	0.303160
1332.40	0.37	0.303158
1332.60	0.37	0.303156
1332.80	0.37	0.303154
1333.00	0.37	0.303152
1333.20	0.37	0.303150
1333.40	0.37	0.303148
1333.60	0.37	0.303146
1333.80	0.37	0.303144
1334.00	0.37	0.303142
1334.20	0.37	0.303141
1334.40	0.37	0.303139
1334.60	0.37	0.303137
1334.80	0.37	0.303135
1335.00	0.37	0.303133
1335.20	0.37	0.303131
1335.40	0.37	0.303129
1335.60	0.37	0.303127
1335.80	0.37	0.303125
1336.00	0.36	0.303124
1336.20	0.36	0.303122
1336.40	0.36	0.303120
1336.60	0.36	0.303118
1336.80	0.36	0.303116
1337.00	0.36	0.303114
1337.20	0.36	0.303112
1337.40	0.36	0.303111
1337.60	0.36	0.303109
1337.80	0.36	0.303107
1338.00	0.36	0.303105
1338.20	0.36	0.303103
1338.40	0.36	0.303101
1338.60	0.36	0.303100
1338.80	0.36	0.303098
1339.00	0.36	0.303096
1339.20	0.36	0.303094
1339.40	0.36	0.303092
1339.60	0.36	0.303090
1339.80	0.36	0.303089
1340.00	0.36	0.303087
1340.20	0.36	0.303085
1340.40	0.36	0.303083
1340.60	0.36	0.303081
1340.80	0.36	0.303080
1341.00	0.36	0.303078
1341.20	0.36	0.303076
1341.40	0.36	0.303074
1341.60	0.36	0.303072
1341.80	0.36	0.303071
1342.00	0.36	0.303069
1342.20	0.36	0.303067
1342.40	0.36	0.303065
1342.60	0.36	0.303064
1342.80	0.36	0.303062

1343.00	0.36	0.303060
1343.20	0.36	0.303058
1343.40	0.36	0.303057
1343.60	0.36	0.303055
1343.80	0.36	0.303053
1344.00	0.36	0.303051
1344.20	0.36	0.303050
1344.40	0.36	0.303048
1344.60	0.36	0.303046
1344.80	0.36	0.303044
1345.00	0.36	0.303043
1345.20	0.36	0.303041
1345.40	0.36	0.303039
1345.60	0.36	0.303037
1345.80	0.36	0.303036
1346.00	0.36	0.303034
1346.20	0.36	0.303032
1346.40	0.36	0.303030
1346.60	0.35	0.303029
1346.80	0.35	0.303027
1347.00	0.35	0.303025
1347.20	0.35	0.303024
1347.40	0.35	0.303022
1347.60	0.35	0.303020
1347.80	0.35	0.303018
1348.00	0.35	0.303017
1348.20	0.35	0.303015
1348.40	0.35	0.303013
1348.60	0.35	0.303012
1348.80	0.35	0.303010
1349.00	0.35	0.303008
1349.20	0.35	0.303007
1349.40	0.35	0.303005
1349.60	0.35	0.303003
1349.80	0.35	0.303002
1350.00	0.35	0.303000
1350.20	0.35	0.302998
1350.40	0.35	0.302997
1350.60	0.35	0.302995
1350.80	0.35	0.302993
1351.00	0.35	0.302992
1351.20	0.35	0.302990
1351.40	0.35	0.302988
1351.60	0.35	0.302987
1351.80	0.35	0.302985
1352.00	0.35	0.302983
1352.20	0.35	0.302982
1352.40	0.35	0.302980
1352.60	0.35	0.302978
1352.80	0.35	0.302977
1353.00	0.35	0.302975
1353.20	0.35	0.302974
1353.40	0.35	0.302972
1353.60	0.35	0.302970
1353.80	0.35	0.302969
1354.00	0.35	0.302967
1354.20	0.35	0.302965

1354.40	0.35	0.302964
1354.60	0.35	0.302962
1354.80	0.35	0.302961
1355.00	0.35	0.302959
1355.20	0.35	0.302957
1355.40	0.35	0.302956
1355.60	0.35	0.302954
1355.80	0.35	0.302953
1356.00	0.35	0.302951
1356.20	0.35	0.302949
1356.40	0.35	0.302948
1356.60	0.35	0.302946
1356.80	0.35	0.302945
1357.00	0.35	0.302943
1357.20	0.35	0.302941
1357.40	0.35	0.302940
1357.60	0.35	0.302938
1357.80	0.35	0.302937
1358.00	0.35	0.302935
1358.20	0.34	0.302934
1358.40	0.34	0.302932
1358.60	0.34	0.302930
1358.80	0.34	0.302929
1359.00	0.34	0.302927
1359.20	0.34	0.302926
1359.40	0.34	0.302924
1359.60	0.34	0.302923
1359.80	0.34	0.302921
1360.00	0.34	0.302920
1360.20	0.34	0.302918
1360.40	0.34	0.302917
1360.60	0.34	0.302915
1360.80	0.34	0.302913
1361.00	0.34	0.302912
1361.20	0.34	0.302910
1361.40	0.34	0.302909
1361.60	0.34	0.302907
1361.80	0.34	0.302906
1362.00	0.34	0.302904
1362.20	0.34	0.302903
1362.40	0.34	0.302901
1362.60	0.34	0.302900
1362.80	0.34	0.302898
1363.00	0.34	0.302897
1363.20	0.34	0.302895
1363.40	0.34	0.302894
1363.60	0.34	0.302892
1363.80	0.34	0.302891
1364.00	0.34	0.302889
1364.20	0.34	0.302888
1364.40	0.34	0.302886
1364.60	0.34	0.302885
1364.80	0.34	0.302883
1365.00	0.34	0.302882
1365.20	0.34	0.302880
1365.40	0.34	0.302879
1365.60	0.34	0.302877

1365.80	0.34	0.302876
1366.00	0.34	0.302874
1366.20	0.34	0.302873
1366.40	0.34	0.302871
1366.60	0.34	0.302870
1366.80	0.34	0.302868
1367.00	0.34	0.302867
1367.20	0.34	0.302865
1367.40	0.34	0.302864
1367.60	0.34	0.302862
1367.80	0.34	0.302861
1368.00	0.34	0.302859
1368.20	0.34	0.302858
1368.40	0.34	0.302857
1368.60	0.34	0.302855
1368.80	0.34	0.302854
1369.00	0.34	0.302852
1369.20	0.34	0.302851
1369.40	0.34	0.302849
1369.60	0.34	0.302848
1369.80	0.34	0.302846
1370.00	0.34	0.302845
1370.20	0.34	0.302844
1370.40	0.34	0.302842
1370.60	0.34	0.302841
1370.80	0.33	0.302839
1371.00	0.33	0.302838
1371.20	0.33	0.302836
1371.40	0.33	0.302835
1371.60	0.33	0.302834
1371.80	0.33	0.302832
1372.00	0.33	0.302831
1372.20	0.33	0.302829
1372.40	0.33	0.302828
1372.60	0.33	0.302826
1372.80	0.33	0.302825
1373.00	0.33	0.302824
1373.20	0.33	0.302822
1373.40	0.33	0.302821
1373.60	0.33	0.302819
1373.80	0.33	0.302818
1374.00	0.33	0.302817
1374.20	0.33	0.302815
1374.40	0.33	0.302814
1374.60	0.33	0.302812
1374.80	0.33	0.302811
1375.00	0.33	0.302810
1375.20	0.33	0.302808
1375.40	0.33	0.302807
1375.60	0.33	0.302806
1375.80	0.33	0.302804
1376.00	0.33	0.302803
1376.20	0.33	0.302801
1376.40	0.33	0.302800
1376.60	0.33	0.302799
1376.80	0.33	0.302797
1377.00	0.33	0.302796

1377.20	0.33	0.302795
1377.40	0.33	0.302793
1377.60	0.33	0.302792
1377.80	0.33	0.302790
1378.00	0.33	0.302789
1378.20	0.33	0.302788
1378.40	0.33	0.302786
1378.60	0.33	0.302785
1378.80	0.33	0.302784
1379.00	0.33	0.302782
1379.20	0.33	0.302781
1379.40	0.33	0.302780
1379.60	0.33	0.302778
1379.80	0.33	0.302777
1380.00	0.33	0.302776
1380.20	0.33	0.302774
1380.40	0.33	0.302773
1380.60	0.33	0.302772
1380.80	0.33	0.302770
1381.00	0.33	0.302769
1381.20	0.33	0.302767
1381.40	0.33	0.302766
1381.60	0.33	0.302765
1381.80	0.33	0.302764
1382.00	0.33	0.302762
1382.20	0.33	0.302761
1382.40	0.33	0.302760
1382.60	0.33	0.302758
1382.80	0.33	0.302757
1383.00	0.33	0.302756
1383.20	0.33	0.302754
1383.40	0.33	0.302753
1383.60	0.33	0.302752
1383.80	0.33	0.302750
1384.00	0.33	0.302749
1384.20	0.33	0.302748
1384.40	0.33	0.302746
1384.60	0.33	0.302745
1384.80	0.32	0.302744
1385.00	0.32	0.302743
1385.20	0.32	0.302741
1385.40	0.32	0.302740
1385.60	0.32	0.302739
1385.80	0.32	0.302737
1386.00	0.32	0.302736
1386.20	0.32	0.302735
1386.40	0.32	0.302733
1386.60	0.32	0.302732
1386.80	0.32	0.302731
1387.00	0.32	0.302730
1387.20	0.32	0.302728
1387.40	0.32	0.302727
1387.60	0.32	0.302726
1387.80	0.32	0.302724
1388.00	0.32	0.302723
1388.20	0.32	0.302722
1388.40	0.32	0.302721

1388.60	0.32	0.302719
1388.80	0.32	0.302718
1389.00	0.32	0.302717
1389.20	0.32	0.302716
1389.40	0.32	0.302714
1389.60	0.32	0.302713
1389.80	0.32	0.302712
1390.00	0.32	0.302711
1390.20	0.32	0.302709
1390.40	0.32	0.302708
1390.60	0.32	0.302707
1390.80	0.32	0.302706
1391.00	0.32	0.302704
1391.20	0.32	0.302703
1391.40	0.32	0.302702
1391.60	0.32	0.302701
1391.80	0.32	0.302699
1392.00	0.32	0.302698
1392.20	0.32	0.302697
1392.40	0.32	0.302696
1392.60	0.32	0.302694
1392.80	0.32	0.302693
1393.00	0.32	0.302692
1393.20	0.32	0.302691
1393.40	0.32	0.302689
1393.60	0.32	0.302688
1393.80	0.32	0.302687
1394.00	0.32	0.302686
1394.20	0.32	0.302684
1394.40	0.32	0.302683
1394.60	0.32	0.302682
1394.80	0.32	0.302681
1395.00	0.32	0.302680
1395.20	0.32	0.302678
1395.40	0.32	0.302677
1395.60	0.32	0.302676
1395.80	0.32	0.302675
1396.00	0.32	0.302674
1396.20	0.32	0.302672
1396.40	0.32	0.302671
1396.60	0.32	0.302670
1396.80	0.32	0.302669
1397.00	0.32	0.302668
1397.20	0.32	0.302666
1397.40	0.32	0.302665
1397.60	0.32	0.302664
1397.80	0.32	0.302663
1398.00	0.32	0.302662
1398.20	0.32	0.302660
1398.40	0.32	0.302659
1398.60	0.32	0.302658
1398.80	0.32	0.302657
1399.00	0.32	0.302656
1399.20	0.32	0.302654
1399.40	0.32	0.302653
1399.60	0.32	0.302652
1399.80	0.32	0.302651

1400.00	0.32	0.302650
1400.20	0.31	0.302648
1400.40	0.31	0.302647
1400.60	0.31	0.302646
1400.80	0.31	0.302645
1401.00	0.31	0.302644
1401.20	0.31	0.302643
1401.40	0.31	0.302641
1401.60	0.31	0.302640
1401.80	0.31	0.302639
1402.00	0.31	0.302638
1402.20	0.31	0.302637
1402.40	0.31	0.302636
1402.60	0.31	0.302634
1402.80	0.31	0.302633
1403.00	0.31	0.302632
1403.20	0.31	0.302631
1403.40	0.31	0.302630
1403.60	0.31	0.302629
1403.80	0.31	0.302628
1404.00	0.31	0.302626
1404.20	0.31	0.302625
1404.40	0.31	0.302624
1404.60	0.31	0.302623
1404.80	0.31	0.302622
1405.00	0.31	0.302621
1405.20	0.31	0.302619
1405.40	0.31	0.302618
1405.60	0.31	0.302617
1405.80	0.31	0.302616
1406.00	0.31	0.302615
1406.20	0.31	0.302614
1406.40	0.31	0.302613
1406.60	0.31	0.302612
1406.80	0.31	0.302610
1407.00	0.31	0.302609
1407.20	0.31	0.302608
1407.40	0.31	0.302607
1407.60	0.31	0.302606
1407.80	0.31	0.302605
1408.00	0.31	0.302604
1408.20	0.31	0.302602
1408.40	0.31	0.302601
1408.60	0.31	0.302600
1408.80	0.31	0.302599
1409.00	0.31	0.302598
1409.20	0.31	0.302597
1409.40	0.31	0.302596
1409.60	0.31	0.302595
1409.80	0.31	0.302594
1410.00	0.31	0.302592
1410.20	0.31	0.302591
1410.40	0.31	0.302590
1410.60	0.31	0.302589
1410.80	0.31	0.302588
1411.00	0.31	0.302587
1411.20	0.31	0.302586

1411.40	0.31	0.302585
1411.60	0.31	0.302584
1411.80	0.31	0.302582
1412.00	0.31	0.302581
1412.20	0.31	0.302580
1412.40	0.31	0.302579
1412.60	0.31	0.302578
1412.80	0.31	0.302577
1413.00	0.31	0.302576
1413.20	0.31	0.302575
1413.40	0.31	0.302574
1413.60	0.31	0.302573
1413.80	0.31	0.302572
1414.00	0.31	0.302570
1414.20	0.31	0.302569
1414.40	0.31	0.302568
1414.60	0.31	0.302567
1414.80	0.31	0.302566
1415.00	0.31	0.302565
1415.20	0.31	0.302564
1415.40	0.31	0.302563
1415.60	0.31	0.302562
1415.80	0.31	0.302561
1416.00	0.31	0.302560
1416.20	0.31	0.302559
1416.40	0.31	0.302558
1416.60	0.31	0.302556
1416.80	0.31	0.302555
1417.00	0.30	0.302554
1417.20	0.30	0.302553
1417.40	0.30	0.302552
1417.60	0.30	0.302551
1417.80	0.30	0.302550
1418.00	0.30	0.302549
1418.20	0.30	0.302548
1418.40	0.30	0.302547
1418.60	0.30	0.302546
1418.80	0.30	0.302545
1419.00	0.30	0.302544
1419.20	0.30	0.302543
1419.40	0.30	0.302542
1419.60	0.30	0.302541
1419.80	0.30	0.302539
1420.00	0.30	0.302538
1420.20	0.30	0.302537
1420.40	0.30	0.302536
1420.60	0.30	0.302535
1420.80	0.30	0.302534
1421.00	0.30	0.302533
1421.20	0.30	0.302532
1421.40	0.30	0.302531
1421.60	0.30	0.302530
1421.80	0.30	0.302529
1422.00	0.30	0.302528
1422.20	0.30	0.302527
1422.40	0.30	0.302526
1422.60	0.30	0.302525

1422.80	0.30	0.302524
1423.00	0.30	0.302523
1423.20	0.30	0.302522
1423.40	0.30	0.302521
1423.60	0.30	0.302520
1423.80	0.30	0.302519
1424.00	0.30	0.302518
1424.20	0.30	0.302517
1424.40	0.30	0.302516
1424.60	0.30	0.302515
1424.80	0.30	0.302514
1425.00	0.30	0.302513
1425.20	0.30	0.302512
1425.40	0.30	0.302511
1425.60	0.30	0.302510
1425.80	0.30	0.302509
1426.00	0.30	0.302508
1426.20	0.30	0.302507
1426.40	0.30	0.302506
1426.60	0.30	0.302505
1426.80	0.30	0.302504
1427.00	0.30	0.302503
1427.20	0.30	0.302502
1427.40	0.30	0.302501
1427.60	0.30	0.302499
1427.80	0.30	0.302498
1428.00	0.30	0.302497
1428.20	0.30	0.302496
1428.40	0.30	0.302495
1428.60	0.30	0.302494
1428.80	0.30	0.302493
1429.00	0.30	0.302492
1429.20	0.30	0.302491
1429.40	0.30	0.302490
1429.60	0.30	0.302489
1429.80	0.30	0.302488
1430.00	0.30	0.302487
1430.20	0.30	0.302486
1430.40	0.30	0.302485
1430.60	0.30	0.302484
1430.80	0.30	0.302483
1431.00	0.30	0.302482
1431.20	0.30	0.302481
1431.40	0.30	0.302480
1431.60	0.30	0.302479
1431.80	0.30	0.302478
1432.00	0.30	0.302477
1432.20	0.30	0.302477
1432.40	0.30	0.302476
1432.60	0.30	0.302475
1432.80	0.30	0.302474
1433.00	0.30	0.302473
1433.20	0.30	0.302472
1433.40	0.30	0.302471
1433.60	0.30	0.302470
1433.80	0.30	0.302469
1434.00	0.30	0.302468

1434.20	0.30	0.302467
1434.40	0.30	0.302466
1434.60	0.30	0.302465
1434.80	0.30	0.302464
1435.00	0.30	0.302463
1435.20	0.30	0.302462
1435.40	0.30	0.302461
1435.60	0.30	0.302460
1435.80	0.29	0.302459
1436.00	0.29	0.302458
1436.20	0.29	0.302457
1436.40	0.29	0.302456
1436.60	0.29	0.302455
1436.80	0.29	0.302454
1437.00	0.29	0.302453
1437.20	0.29	0.302452
1437.40	0.29	0.302451
1437.60	0.29	0.302451
1437.80	0.29	0.302450
1438.00	0.29	0.302449
1438.20	0.29	0.302448
1438.40	0.29	0.302447
1438.60	0.29	0.302446
1438.80	0.29	0.302445
1439.00	0.29	0.302444
1439.20	0.29	0.302443
1439.40	0.29	0.302442
1439.60	0.29	0.302441
1439.80	0.29	0.302440
1440.00	0.29	0.302439
1440.20	0.29	0.302435
1440.40	0.29	0.302428
1440.60	0.29	0.302418
1440.80	0.29	0.302405
1441.00	0.29	0.302389
1441.20	0.29	0.302371
1441.40	0.28	0.302350
1441.60	0.28	0.302326
1441.80	0.28	0.302300
1442.00	0.28	0.302272
1442.20	0.27	0.302241
1442.40	0.27	0.302208
1442.60	0.27	0.302173
1442.80	0.26	0.302135
1443.00	0.26	0.302096
1443.20	0.25	0.302054
1443.40	0.25	0.302011
1443.60	0.25	0.301966
1443.80	0.24	0.301918
1444.00	0.24	0.301869
1444.20	0.23	0.301819
1444.40	0.22	0.301766
1444.60	0.22	0.301712
1444.80	0.21	0.301657
1445.00	0.21	0.301600
1445.20	0.20	0.301544
1445.40	0.20	0.301490

1445.60	0.19	0.301438
1445.80	0.18	0.301387
1446.00	0.18	0.301337
1446.20	0.17	0.301289
1446.40	0.17	0.301243
1446.60	0.16	0.301197
1446.80	0.16	0.301153
1447.00	0.16	0.301111
1447.20	0.15	0.301069
1447.40	0.15	0.301029
1447.60	0.14	0.300990
1447.80	0.14	0.300951
1448.00	0.14	0.300914
1448.20	0.14	0.300876
1448.40	0.14	0.300838
1448.60	0.14	0.300800
1448.80	0.14	0.300763
1449.00	0.14	0.300725
1449.20	0.14	0.300687
1449.40	0.14	0.300649
1449.60	0.14	0.300612
1449.80	0.14	0.300574
1450.00	0.14	0.300536
1450.20	0.14	0.300498
1450.40	0.14	0.300460
1450.60	0.14	0.300423
1450.80	0.14	0.300385
1451.00	0.14	0.300347
1451.20	0.14	0.300309
1451.40	0.14	0.300272
1451.60	0.14	0.300234
1451.80	0.14	0.300196
1452.00	0.14	0.300158
1452.20	0.14	0.300121
1452.40	0.14	0.300083
1452.60	0.14	0.300045
1452.80	0.14	0.300007
1453.00	0.14	0.299969
1453.20	0.14	0.299932
1453.40	0.14	0.299894
1453.60	0.14	0.299856
1453.80	0.14	0.299818
1454.00	0.14	0.299781
1454.20	0.14	0.299743
1454.40	0.14	0.299705
1454.60	0.14	0.299667
1454.80	0.14	0.299630
1455.00	0.14	0.299592
1455.20	0.14	0.299554
1455.40	0.14	0.299516
1455.60	0.14	0.299478
1455.80	0.14	0.299441
1456.00	0.14	0.299403
1456.20	0.14	0.299365
1456.40	0.14	0.299327
1456.60	0.14	0.299290
1456.80	0.14	0.299252

1457.00	0.14	0.299214
1457.20	0.14	0.299176
1457.40	0.14	0.299139
1457.60	0.14	0.299101
1457.80	0.14	0.299063
1458.00	0.14	0.299025
1458.20	0.14	0.298987
1458.40	0.14	0.298950
1458.60	0.14	0.298912
1458.80	0.14	0.298874
1459.00	0.14	0.298836
1459.20	0.14	0.298799
1459.40	0.14	0.298761
1459.60	0.14	0.298723
1459.80	0.14	0.298685
1460.00	0.14	0.298648
1460.20	0.14	0.298610
1460.40	0.14	0.298572
1460.60	0.14	0.298534
1460.80	0.14	0.298496
1461.00	0.14	0.298459
1461.20	0.14	0.298421
1461.40	0.14	0.298383
1461.60	0.14	0.298345
1461.80	0.14	0.298308
1462.00	0.14	0.298270
1462.20	0.14	0.298232
1462.40	0.14	0.298194
1462.60	0.14	0.298157
1462.80	0.14	0.298119
1463.00	0.14	0.298081
1463.20	0.14	0.298043
1463.40	0.14	0.298005
1463.60	0.14	0.297968
1463.80	0.14	0.297930
1464.00	0.14	0.297892
1464.20	0.14	0.297854
1464.40	0.14	0.297817
1464.60	0.14	0.297779
1464.80	0.14	0.297741
1465.00	0.14	0.297703
1465.20	0.14	0.297666
1465.40	0.14	0.297628
1465.60	0.14	0.297590
1465.80	0.14	0.297552
1466.00	0.14	0.297514
1466.20	0.14	0.297477
1466.40	0.14	0.297439
1466.60	0.14	0.297401
1466.80	0.14	0.297363
1467.00	0.14	0.297326
1467.20	0.14	0.297288
1467.40	0.14	0.297250
1467.60	0.14	0.297212
1467.80	0.14	0.297175
1468.00	0.14	0.297137
1468.20	0.14	0.297099

1468.40	0.14	0.297061
1468.60	0.14	0.297024
1468.80	0.14	0.296986
1469.00	0.14	0.296948
1469.20	0.14	0.296910
1469.40	0.14	0.296872
1469.60	0.14	0.296835
1469.80	0.14	0.296797
1470.00	0.14	0.296759
1470.20	0.14	0.296721
1470.40	0.14	0.296684
1470.60	0.14	0.296646
1470.80	0.14	0.296608
1471.00	0.14	0.296570
1471.20	0.14	0.296533
1471.40	0.14	0.296495
1471.60	0.14	0.296457
1471.80	0.14	0.296419
1472.00	0.14	0.296381
1472.20	0.14	0.296344
1472.40	0.14	0.296306
1472.60	0.14	0.296268
1472.80	0.14	0.296230
1473.00	0.14	0.296193
1473.20	0.14	0.296155
1473.40	0.14	0.296117
1473.60	0.14	0.296079
1473.80	0.14	0.296042
1474.00	0.14	0.296004
1474.20	0.14	0.295966
1474.40	0.14	0.295928
1474.60	0.14	0.295890
1474.80	0.14	0.295853
1475.00	0.14	0.295815
1475.20	0.14	0.295777
1475.40	0.14	0.295739
1475.60	0.14	0.295702
1475.80	0.14	0.295664
1476.00	0.14	0.295626
1476.20	0.14	0.295588
1476.40	0.14	0.295551
1476.60	0.14	0.295513
1476.80	0.14	0.295475
1477.00	0.14	0.295437
1477.20	0.14	0.295399
1477.40	0.14	0.295362
1477.60	0.14	0.295324
1477.80	0.14	0.295286
1478.00	0.14	0.295248
1478.20	0.14	0.295211
1478.40	0.14	0.295173
1478.60	0.14	0.295135
1478.80	0.14	0.295097
1479.00	0.14	0.295060
1479.20	0.14	0.295022
1479.40	0.14	0.294984
1479.60	0.14	0.294946

1479.80	0.14	0.294908
1480.00	0.14	0.294871
1480.20	0.14	0.294833
1480.40	0.14	0.294795
1480.60	0.14	0.294757
1480.80	0.14	0.294720
1481.00	0.14	0.294682
1481.20	0.14	0.294644
1481.40	0.14	0.294606
1481.60	0.14	0.294569
1481.80	0.14	0.294531
1482.00	0.14	0.294493
1482.20	0.14	0.294455
1482.40	0.14	0.294417
1482.60	0.14	0.294380
1482.80	0.14	0.294342
1483.00	0.14	0.294304
1483.20	0.14	0.294266
1483.40	0.14	0.294229
1483.60	0.14	0.294191
1483.80	0.14	0.294153
1484.00	0.14	0.294115
1484.20	0.14	0.294078
1484.40	0.14	0.294040
1484.60	0.14	0.294002
1484.80	0.14	0.293964
1485.00	0.14	0.293926
1485.20	0.14	0.293889
1485.40	0.14	0.293851
1485.60	0.14	0.293813
1485.80	0.14	0.293775
1486.00	0.14	0.293738
1486.20	0.14	0.293700
1486.40	0.14	0.293662
1486.60	0.14	0.293624
1486.80	0.14	0.293587
1487.00	0.14	0.293549
1487.20	0.14	0.293511
1487.40	0.14	0.293473
1487.60	0.14	0.293436
1487.80	0.14	0.293398
1488.00	0.14	0.293360
1488.20	0.14	0.293322
1488.40	0.14	0.293284
1488.60	0.14	0.293247
1488.80	0.14	0.293209
1489.00	0.14	0.293171
1489.20	0.14	0.293133
1489.40	0.14	0.293096
1489.60	0.14	0.293058
1489.80	0.14	0.293020
1490.00	0.14	0.292982
1490.20	0.14	0.292945
1490.40	0.14	0.292907
1490.60	0.14	0.292869
1490.80	0.14	0.292831
1491.00	0.14	0.292793

1491.20	0.14	0.292756
1491.40	0.14	0.292718
1491.60	0.14	0.292680
1491.80	0.14	0.292642
1492.00	0.14	0.292605
1492.20	0.14	0.292567
1492.40	0.14	0.292529
1492.60	0.14	0.292491
1492.80	0.14	0.292454
1493.00	0.14	0.292416
1493.20	0.14	0.292378
1493.40	0.14	0.292340
1493.60	0.14	0.292302
1493.80	0.14	0.292265
1494.00	0.14	0.292227
1494.20	0.14	0.292189
1494.40	0.14	0.292151
1494.60	0.14	0.292114
1494.80	0.14	0.292076
1495.00	0.14	0.292038
1495.20	0.14	0.292000
1495.40	0.14	0.291963
1495.60	0.14	0.291925
1495.80	0.14	0.291887
1496.00	0.14	0.291849
1496.20	0.14	0.291811
1496.40	0.14	0.291774
1496.60	0.14	0.291736
1496.80	0.14	0.291698
1497.00	0.14	0.291660
1497.20	0.14	0.291623
1497.40	0.14	0.291585
1497.60	0.14	0.291547
1497.80	0.14	0.291509
1498.00	0.14	0.291472
1498.20	0.14	0.291434
1498.40	0.14	0.291396
1498.60	0.14	0.291358
1498.80	0.14	0.291320
1499.00	0.14	0.291283
1499.20	0.14	0.291245
1499.40	0.14	0.291207
1499.60	0.14	0.291169
1499.80	0.14	0.291132
1500.00	0.14	0.291094
1500.20	0.14	0.291056
1500.40	0.14	0.291018
1500.60	0.14	0.290981
1500.80	0.14	0.290943
1501.00	0.14	0.290905
1501.20	0.14	0.290867
1501.40	0.14	0.290829
1501.60	0.14	0.290792
1501.80	0.14	0.290754
1502.00	0.14	0.290716
1502.20	0.14	0.290678
1502.40	0.14	0.290641

1502.60	0.14	0.290603
1502.80	0.14	0.290565
1503.00	0.14	0.290527
1503.20	0.14	0.290490
1503.40	0.14	0.290452
1503.60	0.14	0.290414
1503.80	0.14	0.290376
1504.00	0.14	0.290338
1504.20	0.14	0.290301
1504.40	0.14	0.290263
1504.60	0.14	0.290225
1504.80	0.14	0.290187
1505.00	0.14	0.290150
1505.20	0.14	0.290112
1505.40	0.14	0.290074
1505.60	0.14	0.290036
1505.80	0.14	0.289999
1506.00	0.14	0.289961
1506.20	0.14	0.289923
1506.40	0.14	0.289885
1506.60	0.14	0.289848
1506.80	0.14	0.289810
1507.00	0.14	0.289772
1507.20	0.14	0.289734
1507.40	0.14	0.289696
1507.60	0.14	0.289659
1507.80	0.14	0.289621
1508.00	0.14	0.289583
1508.20	0.14	0.289545
1508.40	0.14	0.289508
1508.60	0.14	0.289470
1508.80	0.14	0.289432
1509.00	0.14	0.289394
1509.20	0.14	0.289357
1509.40	0.14	0.289319
1509.60	0.14	0.289281
1509.80	0.14	0.289243
1510.00	0.14	0.289205
1510.20	0.14	0.289168
1510.40	0.14	0.289130
1510.60	0.14	0.289092
1510.80	0.14	0.289054
1511.00	0.14	0.289017
1511.20	0.14	0.288979
1511.40	0.14	0.288941
1511.60	0.14	0.288903
1511.80	0.14	0.288866
1512.00	0.14	0.288828
1512.20	0.14	0.288790
1512.40	0.14	0.288752
1512.60	0.14	0.288714
1512.80	0.14	0.288677
1513.00	0.14	0.288639
1513.20	0.14	0.288601
1513.40	0.14	0.288563
1513.60	0.14	0.288526
1513.80	0.14	0.288488

1514.00	0.14	0.288450
1514.20	0.14	0.288412
1514.40	0.14	0.288375
1514.60	0.14	0.288337
1514.80	0.14	0.288299
1515.00	0.14	0.288261
1515.20	0.14	0.288223
1515.40	0.14	0.288186
1515.60	0.14	0.288148
1515.80	0.14	0.288110
1516.00	0.14	0.288072
1516.20	0.14	0.288035
1516.40	0.14	0.287997
1516.60	0.14	0.287959
1516.80	0.14	0.287921
1517.00	0.14	0.287884
1517.20	0.14	0.287846
1517.40	0.14	0.287808
1517.60	0.14	0.287770
1517.80	0.14	0.287732
1518.00	0.14	0.287695
1518.20	0.14	0.287657
1518.40	0.14	0.287619
1518.60	0.14	0.287581
1518.80	0.14	0.287544
1519.00	0.14	0.287506
1519.20	0.14	0.287468
1519.40	0.14	0.287430
1519.60	0.14	0.287393
1519.80	0.14	0.287355
1520.00	0.14	0.287317
1520.20	0.14	0.287279
1520.40	0.14	0.287241
1520.60	0.14	0.287204
1520.80	0.14	0.287166
1521.00	0.14	0.287128
1521.20	0.14	0.287090
1521.40	0.14	0.287053
1521.60	0.14	0.287015
1521.80	0.14	0.286977
1522.00	0.14	0.286939
1522.20	0.14	0.286902
1522.40	0.14	0.286864
1522.60	0.14	0.286826
1522.80	0.14	0.286788
1523.00	0.14	0.286750
1523.20	0.14	0.286713
1523.40	0.14	0.286675
1523.60	0.14	0.286637
1523.80	0.14	0.286599
1524.00	0.14	0.286562
1524.20	0.14	0.286524
1524.40	0.14	0.286486
1524.60	0.14	0.286448
1524.80	0.14	0.286411
1525.00	0.14	0.286373
1525.20	0.14	0.286335

1525.40	0.14	0.286297
1525.60	0.14	0.286260
1525.80	0.14	0.286222
1526.00	0.14	0.286184
1526.20	0.14	0.286146
1526.40	0.14	0.286108
1526.60	0.14	0.286071
1526.80	0.14	0.286033
1527.00	0.14	0.285995
1527.20	0.14	0.285957
1527.40	0.14	0.285920
1527.60	0.14	0.285882
1527.80	0.14	0.285844
1528.00	0.14	0.285806
1528.20	0.14	0.285769
1528.40	0.14	0.285731
1528.60	0.14	0.285693
1528.80	0.14	0.285655
1529.00	0.14	0.285617
1529.20	0.14	0.285580
1529.40	0.14	0.285542
1529.60	0.14	0.285504
1529.80	0.14	0.285466
1530.00	0.14	0.285429
1530.20	0.14	0.285391
1530.40	0.14	0.285353
1530.60	0.14	0.285315
1530.80	0.14	0.285278
1531.00	0.14	0.285240
1531.20	0.14	0.285202
1531.40	0.14	0.285164
1531.60	0.14	0.285126
1531.80	0.14	0.285089
1532.00	0.14	0.285051
1532.20	0.14	0.285013
1532.40	0.14	0.284975
1532.60	0.14	0.284938
1532.80	0.14	0.284900
1533.00	0.14	0.284862
1533.20	0.14	0.284824
1533.40	0.14	0.284787
1533.60	0.14	0.284749
1533.80	0.14	0.284711
1534.00	0.14	0.284673
1534.20	0.14	0.284635
1534.40	0.14	0.284598
1534.60	0.14	0.284560
1534.80	0.14	0.284522
1535.00	0.14	0.284484
1535.20	0.14	0.284447
1535.40	0.14	0.284409
1535.60	0.14	0.284371
1535.80	0.14	0.284333
1536.00	0.14	0.284296
1536.20	0.14	0.284258
1536.40	0.14	0.284220
1536.60	0.14	0.284182

1536.80	0.14	0.284144
1537.00	0.14	0.284107
1537.20	0.14	0.284069
1537.40	0.14	0.284031
1537.60	0.14	0.283993
1537.80	0.14	0.283956
1538.00	0.14	0.283918
1538.20	0.14	0.283880
1538.40	0.14	0.283842
1538.60	0.14	0.283805
1538.80	0.14	0.283767
1539.00	0.14	0.283729
1539.20	0.14	0.283691
1539.40	0.14	0.283653
1539.60	0.14	0.283616
1539.80	0.14	0.283578
1540.00	0.14	0.283540
1540.20	0.14	0.283502
1540.40	0.14	0.283465
1540.60	0.14	0.283427
1540.80	0.14	0.283389
1541.00	0.14	0.283351
1541.20	0.14	0.283314
1541.40	0.14	0.283276
1541.60	0.14	0.283238
1541.80	0.14	0.283200
1542.00	0.14	0.283162
1542.20	0.14	0.283125
1542.40	0.14	0.283087
1542.60	0.14	0.283049
1542.80	0.14	0.283011
1543.00	0.14	0.282974
1543.20	0.14	0.282936
1543.40	0.14	0.282898
1543.60	0.14	0.282860
1543.80	0.14	0.282823
1544.00	0.14	0.282785
1544.20	0.14	0.282747
1544.40	0.14	0.282709
1544.60	0.14	0.282671
1544.80	0.14	0.282634
1545.00	0.14	0.282596
1545.20	0.14	0.282558
1545.40	0.14	0.282520
1545.60	0.14	0.282483
1545.80	0.14	0.282445
1546.00	0.14	0.282407
1546.20	0.14	0.282369
1546.40	0.14	0.282332
1546.60	0.14	0.282294
1546.80	0.14	0.282256
1547.00	0.14	0.282218
1547.20	0.14	0.282181
1547.40	0.14	0.282143
1547.60	0.14	0.282105
1547.80	0.14	0.282067
1548.00	0.14	0.282029

1548.20	0.14	0.281992
1548.40	0.14	0.281954
1548.60	0.14	0.281916
1548.80	0.14	0.281878
1549.00	0.14	0.281841
1549.20	0.14	0.281803
1549.40	0.14	0.281765
1549.60	0.14	0.281727
1549.80	0.14	0.281690
1550.00	0.14	0.281652
1550.20	0.14	0.281614
1550.40	0.14	0.281576
1550.60	0.14	0.281538
1550.80	0.14	0.281501
1551.00	0.14	0.281463
1551.20	0.14	0.281425
1551.40	0.14	0.281387
1551.60	0.14	0.281350
1551.80	0.14	0.281312
1552.00	0.14	0.281274
1552.20	0.14	0.281236
1552.40	0.14	0.281199
1552.60	0.14	0.281161
1552.80	0.14	0.281123
1553.00	0.14	0.281085
1553.20	0.14	0.281047
1553.40	0.14	0.281010
1553.60	0.14	0.280972
1553.80	0.14	0.280934
1554.00	0.14	0.280896
1554.20	0.14	0.280859
1554.40	0.14	0.280821
1554.60	0.14	0.280783
1554.80	0.14	0.280745
1555.00	0.14	0.280708
1555.20	0.14	0.280670
1555.40	0.14	0.280632
1555.60	0.14	0.280594
1555.80	0.14	0.280556
1556.00	0.14	0.280519
1556.20	0.14	0.280481
1556.40	0.14	0.280443
1556.60	0.14	0.280405
1556.80	0.14	0.280368
1557.00	0.14	0.280330
1557.20	0.14	0.280292
1557.40	0.14	0.280254
1557.60	0.14	0.280217
1557.80	0.14	0.280179
1558.00	0.14	0.280141
1558.20	0.14	0.280103
1558.40	0.14	0.280065
1558.60	0.14	0.280028
1558.80	0.14	0.279990
1559.00	0.14	0.279952
1559.20	0.14	0.279914
1559.40	0.14	0.279877

1559.60	0.14	0.279839
1559.80	0.14	0.279801
1560.00	0.14	0.279763
1560.20	0.14	0.279726
1560.40	0.14	0.279688
1560.60	0.14	0.279650
1560.80	0.14	0.279612
1561.00	0.14	0.279574
1561.20	0.14	0.279537
1561.40	0.14	0.279499
1561.60	0.14	0.279461
1561.80	0.14	0.279423
1562.00	0.14	0.279386
1562.20	0.14	0.279348
1562.40	0.14	0.279310
1562.60	0.14	0.279272
1562.80	0.14	0.279235
1563.00	0.14	0.279197
1563.20	0.14	0.279159
1563.40	0.14	0.279121
1563.60	0.14	0.279083
1563.80	0.14	0.279046
1564.00	0.14	0.279008
1564.20	0.14	0.278970
1564.40	0.14	0.278932
1564.60	0.14	0.278895
1564.80	0.14	0.278857
1565.00	0.14	0.278819
1565.20	0.14	0.278781
1565.40	0.14	0.278744
1565.60	0.14	0.278706
1565.80	0.14	0.278668
1566.00	0.14	0.278630
1566.20	0.14	0.278593
1566.40	0.14	0.278555
1566.60	0.14	0.278517
1566.80	0.14	0.278479
1567.00	0.14	0.278441
1567.20	0.14	0.278404
1567.40	0.14	0.278366
1567.60	0.14	0.278328
1567.80	0.14	0.278290
1568.00	0.14	0.278253
1568.20	0.14	0.278215
1568.40	0.14	0.278177
1568.60	0.14	0.278139
1568.80	0.14	0.278102
1569.00	0.14	0.278064
1569.20	0.14	0.278026
1569.40	0.14	0.277988
1569.60	0.14	0.277950
1569.80	0.14	0.277913
1570.00	0.14	0.277875
1570.20	0.14	0.277837
1570.40	0.14	0.277799
1570.60	0.14	0.277762
1570.80	0.14	0.277724

1571.00	0.14	0.277686
1571.20	0.14	0.277648
1571.40	0.14	0.277611
1571.60	0.14	0.277573
1571.80	0.14	0.277535
1572.00	0.14	0.277497
1572.20	0.14	0.277459
1572.40	0.14	0.277422
1572.60	0.14	0.277384
1572.80	0.14	0.277346
1573.00	0.14	0.277308
1573.20	0.14	0.277271
1573.40	0.14	0.277233
1573.60	0.14	0.277195
1573.80	0.14	0.277157
1574.00	0.14	0.277120
1574.20	0.14	0.277082
1574.40	0.14	0.277044
1574.60	0.14	0.277006
1574.80	0.14	0.276968
1575.00	0.14	0.276931
1575.20	0.14	0.276893
1575.40	0.14	0.276855
1575.60	0.14	0.276817
1575.80	0.14	0.276780
1576.00	0.14	0.276742
1576.20	0.14	0.276704
1576.40	0.14	0.276666
1576.60	0.14	0.276629
1576.80	0.14	0.276591
1577.00	0.14	0.276553
1577.20	0.14	0.276515
1577.40	0.14	0.276477
1577.60	0.14	0.276440
1577.80	0.14	0.276402
1578.00	0.14	0.276364
1578.20	0.14	0.276326
1578.40	0.14	0.276289
1578.60	0.14	0.276251
1578.80	0.14	0.276213
1579.00	0.14	0.276175
1579.20	0.14	0.276138
1579.40	0.14	0.276100
1579.60	0.14	0.276062
1579.80	0.14	0.276024
1580.00	0.14	0.275986
1580.20	0.14	0.275949
1580.40	0.14	0.275911
1580.60	0.14	0.275873
1580.80	0.14	0.275835
1581.00	0.14	0.275798
1581.20	0.14	0.275760
1581.40	0.14	0.275722
1581.60	0.14	0.275684
1581.80	0.14	0.275647
1582.00	0.14	0.275609
1582.20	0.14	0.275571

1582.40	0.14	0.275533
1582.60	0.14	0.275495
1582.80	0.14	0.275458
1583.00	0.14	0.275420
1583.20	0.14	0.275382
1583.40	0.14	0.275344
1583.60	0.14	0.275307
1583.80	0.14	0.275269
1584.00	0.14	0.275231
1584.20	0.14	0.275193
1584.40	0.14	0.275156
1584.60	0.14	0.275118
1584.80	0.14	0.275080
1585.00	0.14	0.275042
1585.20	0.14	0.275005
1585.40	0.14	0.274967
1585.60	0.14	0.274929
1585.80	0.14	0.274891
1586.00	0.14	0.274853
1586.20	0.14	0.274816
1586.40	0.14	0.274778
1586.60	0.14	0.274740
1586.80	0.14	0.274702
1587.00	0.14	0.274665
1587.20	0.14	0.274627
1587.40	0.14	0.274589
1587.60	0.14	0.274551
1587.80	0.14	0.274514
1588.00	0.14	0.274476
1588.20	0.14	0.274438
1588.40	0.14	0.274400
1588.60	0.14	0.274362
1588.80	0.14	0.274325
1589.00	0.14	0.274287
1589.20	0.14	0.274249
1589.40	0.14	0.274211
1589.60	0.14	0.274174
1589.80	0.14	0.274136
1590.00	0.14	0.274098
1590.20	0.14	0.274060
1590.40	0.14	0.274023
1590.60	0.14	0.273985
1590.80	0.14	0.273947
1591.00	0.14	0.273909
1591.20	0.14	0.273871
1591.40	0.14	0.273834
1591.60	0.14	0.273796
1591.80	0.14	0.273758
1592.00	0.14	0.273720
1592.20	0.14	0.273683
1592.40	0.14	0.273645
1592.60	0.14	0.273607
1592.80	0.14	0.273569
1593.00	0.14	0.273532
1593.20	0.14	0.273494
1593.40	0.14	0.273456
1593.60	0.14	0.273418

1593.80	0.14	0.273380
1594.00	0.14	0.273343
1594.20	0.14	0.273305
1594.40	0.14	0.273267
1594.60	0.14	0.273229
1594.80	0.14	0.273192
1595.00	0.14	0.273154
1595.20	0.14	0.273116
1595.40	0.14	0.273078
1595.60	0.14	0.273041
1595.80	0.14	0.273003
1596.00	0.14	0.272965
1596.20	0.14	0.272927
1596.40	0.14	0.272889
1596.60	0.14	0.272852
1596.80	0.14	0.272814
1597.00	0.14	0.272776
1597.20	0.14	0.272738
1597.40	0.14	0.272701
1597.60	0.14	0.272663
1597.80	0.14	0.272625
1598.00	0.14	0.272587
1598.20	0.14	0.272550
1598.40	0.14	0.272512
1598.60	0.14	0.272474
1598.80	0.14	0.272436
1599.00	0.14	0.272398
1599.20	0.14	0.272361
1599.40	0.14	0.272323
1599.60	0.14	0.272285
1599.80	0.14	0.272247
1600.00	0.14	0.272210
1600.20	0.14	0.272172
1600.40	0.14	0.272134
1600.60	0.14	0.272096
1600.80	0.14	0.272059
1601.00	0.14	0.272021
1601.20	0.14	0.271983
1601.40	0.14	0.271945
1601.60	0.14	0.271907
1601.80	0.14	0.271870
1602.00	0.14	0.271832
1602.20	0.14	0.271794
1602.40	0.14	0.271756
1602.60	0.14	0.271719
1602.80	0.14	0.271681
1603.00	0.14	0.271643
1603.20	0.14	0.271605
1603.40	0.14	0.271568
1603.60	0.14	0.271530
1603.80	0.14	0.271492
1604.00	0.14	0.271454
1604.20	0.14	0.271417
1604.40	0.14	0.271379
1604.60	0.14	0.271341
1604.80	0.14	0.271303
1605.00	0.14	0.271265

1605.20	0.14	0.271228
1605.40	0.14	0.271190
1605.60	0.14	0.271152
1605.80	0.14	0.271114
1606.00	0.14	0.271077
1606.20	0.14	0.271039
1606.40	0.14	0.271001
1606.60	0.14	0.270963
1606.80	0.14	0.270926
1607.00	0.14	0.270888
1607.20	0.14	0.270850
1607.40	0.14	0.270812
1607.60	0.14	0.270774
1607.80	0.14	0.270737
1608.00	0.14	0.270699
1608.20	0.14	0.270661
1608.40	0.14	0.270623
1608.60	0.14	0.270586
1608.80	0.14	0.270548
1609.00	0.14	0.270510
1609.20	0.14	0.270472
1609.40	0.14	0.270435
1609.60	0.14	0.270397
1609.80	0.14	0.270359
1610.00	0.14	0.270321
1610.20	0.14	0.270283
1610.40	0.14	0.270246
1610.60	0.14	0.270208
1610.80	0.14	0.270170
1611.00	0.14	0.270132
1611.20	0.14	0.270095
1611.40	0.14	0.270057
1611.60	0.14	0.270019
1611.80	0.14	0.269981
1612.00	0.14	0.269944
1612.20	0.14	0.269906
1612.40	0.14	0.269868
1612.60	0.14	0.269830
1612.80	0.14	0.269792
1613.00	0.14	0.269755
1613.20	0.14	0.269717
1613.40	0.14	0.269679
1613.60	0.14	0.269641
1613.80	0.14	0.269604
1614.00	0.14	0.269566
1614.20	0.14	0.269528
1614.40	0.14	0.269490
1614.60	0.14	0.269453
1614.80	0.14	0.269415
1615.00	0.14	0.269377
1615.20	0.14	0.269339
1615.40	0.14	0.269301
1615.60	0.14	0.269264
1615.80	0.14	0.269226
1616.00	0.14	0.269188
1616.20	0.14	0.269150
1616.40	0.14	0.269113

1616.60	0.14	0.269075
1616.80	0.14	0.269037
1617.00	0.14	0.268999
1617.20	0.14	0.268962
1617.40	0.14	0.268924
1617.60	0.14	0.268886
1617.80	0.14	0.268848
1618.00	0.14	0.268810
1618.20	0.14	0.268773
1618.40	0.14	0.268735
1618.60	0.14	0.268697
1618.80	0.14	0.268659
1619.00	0.14	0.268622
1619.20	0.14	0.268584
1619.40	0.14	0.268546
1619.60	0.14	0.268508
1619.80	0.14	0.268471
1620.00	0.14	0.268433
1620.20	0.14	0.268395
1620.40	0.14	0.268357
1620.60	0.14	0.268319
1620.80	0.14	0.268282
1621.00	0.14	0.268244
1621.20	0.14	0.268206
1621.40	0.14	0.268168
1621.60	0.14	0.268131
1621.80	0.14	0.268093
1622.00	0.14	0.268055
1622.20	0.14	0.268017
1622.40	0.14	0.267980
1622.60	0.14	0.267942
1622.80	0.14	0.267904
1623.00	0.14	0.267866
1623.20	0.14	0.267829
1623.40	0.14	0.267791
1623.60	0.14	0.267753
1623.80	0.14	0.267715
1624.00	0.14	0.267677
1624.20	0.14	0.267640
1624.40	0.14	0.267602
1624.60	0.14	0.267564
1624.80	0.14	0.267526
1625.00	0.14	0.267489
1625.20	0.14	0.267451
1625.40	0.14	0.267413
1625.60	0.14	0.267375
1625.80	0.14	0.267338
1626.00	0.14	0.267300
1626.20	0.14	0.267262
1626.40	0.14	0.267224
1626.60	0.14	0.267186
1626.80	0.14	0.267149
1627.00	0.14	0.267111
1627.20	0.14	0.267073
1627.40	0.14	0.267035
1627.60	0.14	0.266998
1627.80	0.14	0.266960

1628.00	0.14	0.266922
1628.20	0.14	0.266884
1628.40	0.14	0.266847
1628.60	0.14	0.266809
1628.80	0.14	0.266771
1629.00	0.14	0.266733
1629.20	0.14	0.266695
1629.40	0.14	0.266658
1629.60	0.14	0.266620
1629.80	0.14	0.266582
1630.00	0.14	0.266544
1630.20	0.14	0.266507
1630.40	0.14	0.266469
1630.60	0.14	0.266431
1630.80	0.14	0.266393
1631.00	0.14	0.266356
1631.20	0.14	0.266318
1631.40	0.14	0.266280
1631.60	0.14	0.266242
1631.80	0.14	0.266204
1632.00	0.14	0.266167
1632.20	0.14	0.266129
1632.40	0.14	0.266091
1632.60	0.14	0.266053
1632.80	0.14	0.266016
1633.00	0.14	0.265978
1633.20	0.14	0.265940
1633.40	0.14	0.265902
1633.60	0.14	0.265865
1633.80	0.14	0.265827
1634.00	0.14	0.265789
1634.20	0.14	0.265751
1634.40	0.14	0.265713
1634.60	0.14	0.265676
1634.80	0.14	0.265638
1635.00	0.14	0.265600
1635.20	0.14	0.265562
1635.40	0.14	0.265525
1635.60	0.14	0.265487
1635.80	0.14	0.265449
1636.00	0.14	0.265411
1636.20	0.14	0.265374
1636.40	0.14	0.265336
1636.60	0.14	0.265298
1636.80	0.14	0.265260
1637.00	0.14	0.265222
1637.20	0.14	0.265185
1637.40	0.14	0.265147
1637.60	0.14	0.265109
1637.80	0.14	0.265071
1638.00	0.14	0.265034
1638.20	0.14	0.264996
1638.40	0.14	0.264958
1638.60	0.14	0.264920
1638.80	0.14	0.264883
1639.00	0.14	0.264845
1639.20	0.14	0.264807

1639.40	0.14	0.264769
1639.60	0.14	0.264731
1639.80	0.14	0.264694
1640.00	0.14	0.264656
1640.20	0.14	0.264618
1640.40	0.14	0.264580
1640.60	0.14	0.264543
1640.80	0.14	0.264505
1641.00	0.14	0.264467
1641.20	0.14	0.264429
1641.40	0.14	0.264392
1641.60	0.14	0.264354
1641.80	0.14	0.264316
1642.00	0.14	0.264278
1642.20	0.14	0.264240
1642.40	0.14	0.264203
1642.60	0.14	0.264165
1642.80	0.14	0.264127
1643.00	0.14	0.264089
1643.20	0.14	0.264052
1643.40	0.14	0.264014
1643.60	0.14	0.263976
1643.80	0.14	0.263938
1644.00	0.14	0.263901
1644.20	0.14	0.263863
1644.40	0.14	0.263825
1644.60	0.14	0.263787
1644.80	0.14	0.263750
1645.00	0.14	0.263712
1645.20	0.14	0.263674
1645.40	0.14	0.263636
1645.60	0.14	0.263598
1645.80	0.14	0.263561
1646.00	0.14	0.263523
1646.20	0.14	0.263485
1646.40	0.14	0.263447
1646.60	0.14	0.263410
1646.80	0.14	0.263372
1647.00	0.14	0.263334
1647.20	0.14	0.263296
1647.40	0.14	0.263259
1647.60	0.14	0.263221
1647.80	0.14	0.263183
1648.00	0.14	0.263145
1648.20	0.14	0.263107
1648.40	0.14	0.263070
1648.60	0.14	0.263032
1648.80	0.14	0.262994
1649.00	0.14	0.262956
1649.20	0.14	0.262919
1649.40	0.14	0.262881
1649.60	0.14	0.262843
1649.80	0.14	0.262805
1650.00	0.14	0.262768
1650.20	0.14	0.262730
1650.40	0.14	0.262692
1650.60	0.14	0.262654

1650.80	0.14	0.262616
1651.00	0.14	0.262579
1651.20	0.14	0.262541
1651.40	0.14	0.262503
1651.60	0.14	0.262465
1651.80	0.14	0.262428
1652.00	0.14	0.262390
1652.20	0.14	0.262352
1652.40	0.14	0.262314
1652.60	0.14	0.262277
1652.80	0.14	0.262239
1653.00	0.14	0.262201
1653.20	0.14	0.262163
1653.40	0.14	0.262125
1653.60	0.14	0.262088
1653.80	0.14	0.262050
1654.00	0.14	0.262012
1654.20	0.14	0.261974
1654.40	0.14	0.261937
1654.60	0.14	0.261899
1654.80	0.14	0.261861
1655.00	0.14	0.261823
1655.20	0.14	0.261786
1655.40	0.14	0.261748
1655.60	0.14	0.261710
1655.80	0.14	0.261672
1656.00	0.14	0.261634
1656.20	0.14	0.261597
1656.40	0.14	0.261559
1656.60	0.14	0.261521
1656.80	0.14	0.261483
1657.00	0.14	0.261446
1657.20	0.14	0.261408
1657.40	0.14	0.261370
1657.60	0.14	0.261332
1657.80	0.14	0.261295
1658.00	0.14	0.261257
1658.20	0.14	0.261219
1658.40	0.14	0.261181
1658.60	0.14	0.261143
1658.80	0.14	0.261106
1659.00	0.14	0.261068
1659.20	0.14	0.261030
1659.40	0.14	0.260992
1659.60	0.14	0.260955
1659.80	0.14	0.260917
1660.00	0.14	0.260879
1660.20	0.14	0.260841
1660.40	0.14	0.260804
1660.60	0.14	0.260766
1660.80	0.14	0.260728
1661.00	0.14	0.260690
1661.20	0.14	0.260652
1661.40	0.14	0.260615
1661.60	0.14	0.260577
1661.80	0.14	0.260539
1662.00	0.14	0.260501

1662.20	0.14	0.260464
1662.40	0.14	0.260426
1662.60	0.14	0.260388
1662.80	0.14	0.260350
1663.00	0.14	0.260313
1663.20	0.14	0.260275
1663.40	0.14	0.260237
1663.60	0.14	0.260199
1663.80	0.14	0.260162
1664.00	0.14	0.260124
1664.20	0.14	0.260086
1664.40	0.14	0.260048
1664.60	0.14	0.260010
1664.80	0.14	0.259973
1665.00	0.14	0.259935
1665.20	0.14	0.259897
1665.40	0.14	0.259859
1665.60	0.14	0.259822
1665.80	0.14	0.259784
1666.00	0.14	0.259746
1666.20	0.14	0.259708
1666.40	0.14	0.259671
1666.60	0.14	0.259633
1666.80	0.14	0.259595
1667.00	0.14	0.259557
1667.20	0.14	0.259519
1667.40	0.14	0.259482
1667.60	0.14	0.259444
1667.80	0.14	0.259406
1668.00	0.14	0.259368
1668.20	0.14	0.259331
1668.40	0.14	0.259293
1668.60	0.14	0.259255
1668.80	0.14	0.259217
1669.00	0.14	0.259180
1669.20	0.14	0.259142
1669.40	0.14	0.259104
1669.60	0.14	0.259066
1669.80	0.14	0.259028
1670.00	0.14	0.258991
1670.20	0.14	0.258953
1670.40	0.14	0.258915
1670.60	0.14	0.258877
1670.80	0.14	0.258840
1671.00	0.14	0.258802
1671.20	0.14	0.258764
1671.40	0.14	0.258726
1671.60	0.14	0.258689
1671.80	0.14	0.258651
1672.00	0.14	0.258613
1672.20	0.14	0.258575
1672.40	0.14	0.258537
1672.60	0.14	0.258500
1672.80	0.14	0.258462
1673.00	0.14	0.258424
1673.20	0.14	0.258386
1673.40	0.14	0.258349

1673.60	0.14	0.258311
1673.80	0.14	0.258273
1674.00	0.14	0.258235
1674.20	0.14	0.258198
1674.40	0.14	0.258160
1674.60	0.14	0.258122
1674.80	0.14	0.258084
1675.00	0.14	0.258046
1675.20	0.14	0.258009
1675.40	0.14	0.257971
1675.60	0.14	0.257933
1675.80	0.14	0.257895
1676.00	0.14	0.257858
1676.20	0.14	0.257820
1676.40	0.14	0.257782
1676.60	0.14	0.257744
1676.80	0.14	0.257707
1677.00	0.14	0.257669
1677.20	0.14	0.257631
1677.40	0.14	0.257593
1677.60	0.14	0.257555
1677.80	0.14	0.257518
1678.00	0.14	0.257480
1678.20	0.14	0.257442
1678.40	0.14	0.257404
1678.60	0.14	0.257367
1678.80	0.14	0.257329
1679.00	0.14	0.257291
1679.20	0.14	0.257253
1679.40	0.14	0.257216
1679.60	0.14	0.257178
1679.80	0.14	0.257140
1680.00	0.14	0.257102
1680.20	0.14	0.257064
1680.40	0.14	0.257027
1680.60	0.14	0.256989
1680.80	0.14	0.256951
1681.00	0.14	0.256913
1681.20	0.14	0.256876
1681.40	0.14	0.256838
1681.60	0.14	0.256800
1681.80	0.14	0.256762
1682.00	0.14	0.256725
1682.20	0.14	0.256687
1682.40	0.14	0.256649
1682.60	0.14	0.256611
1682.80	0.14	0.256574
1683.00	0.14	0.256536
1683.20	0.14	0.256498
1683.40	0.14	0.256460
1683.60	0.14	0.256422
1683.80	0.14	0.256385
1684.00	0.14	0.256347
1684.20	0.14	0.256309
1684.40	0.14	0.256271
1684.60	0.14	0.256234
1684.80	0.14	0.256196

1685.00	0.14	0.256158
1685.20	0.14	0.256120
1685.40	0.14	0.256083
1685.60	0.14	0.256045
1685.80	0.14	0.256007
1686.00	0.14	0.255969
1686.20	0.14	0.255931
1686.40	0.14	0.255894
1686.60	0.14	0.255856
1686.80	0.14	0.255818
1687.00	0.14	0.255780
1687.20	0.14	0.255743
1687.40	0.14	0.255705
1687.60	0.14	0.255667
1687.80	0.14	0.255629
1688.00	0.14	0.255592
1688.20	0.14	0.255554
1688.40	0.14	0.255516
1688.60	0.14	0.255478
1688.80	0.14	0.255440
1689.00	0.14	0.255403
1689.20	0.14	0.255365
1689.40	0.14	0.255327
1689.60	0.14	0.255289
1689.80	0.14	0.255252
1690.00	0.14	0.255214
1690.20	0.14	0.255176
1690.40	0.14	0.255138
1690.60	0.14	0.255101
1690.80	0.14	0.255063
1691.00	0.14	0.255025
1691.20	0.14	0.254987
1691.40	0.14	0.254949
1691.60	0.14	0.254912
1691.80	0.14	0.254874
1692.00	0.14	0.254836
1692.20	0.14	0.254798
1692.40	0.14	0.254761
1692.60	0.14	0.254723
1692.80	0.14	0.254685
1693.00	0.14	0.254647
1693.20	0.14	0.254610
1693.40	0.14	0.254572
1693.60	0.14	0.254534
1693.80	0.14	0.254496
1694.00	0.14	0.254458
1694.20	0.14	0.254421
1694.40	0.14	0.254383
1694.60	0.14	0.254345
1694.80	0.14	0.254307
1695.00	0.14	0.254270
1695.20	0.14	0.254232
1695.40	0.14	0.254194
1695.60	0.14	0.254156
1695.80	0.14	0.254119
1696.00	0.14	0.254081
1696.20	0.14	0.254043

1696.40	0.14	0.254005
1696.60	0.14	0.253967
1696.80	0.14	0.253930
1697.00	0.14	0.253892
1697.20	0.14	0.253854
1697.40	0.14	0.253816
1697.60	0.14	0.253779
1697.80	0.14	0.253741
1698.00	0.14	0.253703
1698.20	0.14	0.253665
1698.40	0.14	0.253628
1698.60	0.14	0.253590
1698.80	0.14	0.253552
1699.00	0.14	0.253514
1699.20	0.14	0.253476
1699.40	0.14	0.253439
1699.60	0.14	0.253401
1699.80	0.14	0.253363
1700.00	0.14	0.253325
1700.20	0.14	0.253288
1700.40	0.14	0.253250
1700.60	0.14	0.253212
1700.80	0.14	0.253174
1701.00	0.14	0.253137
1701.20	0.14	0.253099
1701.40	0.14	0.253061
1701.60	0.14	0.253023
1701.80	0.14	0.252986
1702.00	0.14	0.252948
1702.20	0.14	0.252910
1702.40	0.14	0.252872
1702.60	0.14	0.252834
1702.80	0.14	0.252797
1703.00	0.14	0.252759
1703.20	0.14	0.252721
1703.40	0.14	0.252683
1703.60	0.14	0.252646
1703.80	0.14	0.252608
1704.00	0.14	0.252570
1704.20	0.14	0.252532
1704.40	0.14	0.252495
1704.60	0.14	0.252457
1704.80	0.14	0.252419
1705.00	0.14	0.252381
1705.20	0.14	0.252343
1705.40	0.14	0.252306
1705.60	0.14	0.252268
1705.80	0.14	0.252230
1706.00	0.14	0.252192
1706.20	0.14	0.252155
1706.40	0.14	0.252117
1706.60	0.14	0.252079
1706.80	0.14	0.252041
1707.00	0.14	0.252004
1707.20	0.14	0.251966
1707.40	0.14	0.251928
1707.60	0.14	0.251890

1707.80	0.14	0.251852
1708.00	0.14	0.251815
1708.20	0.14	0.251777
1708.40	0.14	0.251739
1708.60	0.14	0.251701
1708.80	0.14	0.251664
1709.00	0.14	0.251626
1709.20	0.14	0.251588
1709.40	0.14	0.251550
1709.60	0.14	0.251513
1709.80	0.14	0.251475
1710.00	0.14	0.251437
1710.20	0.14	0.251399
1710.40	0.14	0.251361
1710.60	0.14	0.251324
1710.80	0.14	0.251286
1711.00	0.14	0.251248
1711.20	0.14	0.251210
1711.40	0.14	0.251173
1711.60	0.14	0.251135
1711.80	0.14	0.251097
1712.00	0.14	0.251059
1712.20	0.14	0.251022
1712.40	0.14	0.250984
1712.60	0.14	0.250946
1712.80	0.14	0.250908
1713.00	0.14	0.250870
1713.20	0.14	0.250833
1713.40	0.14	0.250795
1713.60	0.14	0.250757
1713.80	0.14	0.250719
1714.00	0.14	0.250682
1714.20	0.14	0.250644
1714.40	0.14	0.250606
1714.60	0.14	0.250568
1714.80	0.14	0.250531
1715.00	0.14	0.250493
1715.20	0.14	0.250455
1715.40	0.14	0.250417
1715.60	0.14	0.250379
1715.80	0.14	0.250342
1716.00	0.14	0.250304
1716.20	0.14	0.250266
1716.40	0.14	0.250228
1716.60	0.14	0.250191
1716.80	0.14	0.250153
1717.00	0.14	0.250115
1717.20	0.14	0.250077
1717.40	0.14	0.250040
1717.60	0.14	0.250002
1717.80	0.14	0.249964
1718.00	0.14	0.249926
1718.20	0.14	0.249888
1718.40	0.14	0.249851
1718.60	0.14	0.249813
1718.80	0.14	0.249775
1719.00	0.14	0.249737

1719.20	0.14	0.249700
1719.40	0.14	0.249662
1719.60	0.14	0.249624
1719.80	0.14	0.249586
1720.00	0.14	0.249549
1720.20	0.14	0.249511
1720.40	0.14	0.249473
1720.60	0.14	0.249435
1720.80	0.14	0.249397
1721.00	0.14	0.249360
1721.20	0.14	0.249322
1721.40	0.14	0.249284
1721.60	0.14	0.249246
1721.80	0.14	0.249209
1722.00	0.14	0.249171
1722.20	0.14	0.249133
1722.40	0.14	0.249095
1722.60	0.14	0.249058
1722.80	0.14	0.249020
1723.00	0.14	0.248982
1723.20	0.14	0.248944
1723.40	0.14	0.248907
1723.60	0.14	0.248869
1723.80	0.14	0.248831
1724.00	0.14	0.248793
1724.20	0.14	0.248755
1724.40	0.14	0.248718
1724.60	0.14	0.248680
1724.80	0.14	0.248642
1725.00	0.14	0.248604
1725.20	0.14	0.248567
1725.40	0.14	0.248529
1725.60	0.14	0.248491
1725.80	0.14	0.248453
1726.00	0.14	0.248416
1726.20	0.14	0.248378
1726.40	0.14	0.248340
1726.60	0.14	0.248302
1726.80	0.14	0.248264
1727.00	0.14	0.248227
1727.20	0.14	0.248189
1727.40	0.14	0.248151
1727.60	0.14	0.248113
1727.80	0.14	0.248076
1728.00	0.14	0.248038
1728.20	0.14	0.248000
1728.40	0.14	0.247962
1728.60	0.14	0.247925
1728.80	0.14	0.247887
1729.00	0.14	0.247849
1729.20	0.14	0.247811
1729.40	0.14	0.247773
1729.60	0.14	0.247736
1729.80	0.14	0.247698
1730.00	0.14	0.247660
1730.20	0.14	0.247622
1730.40	0.14	0.247585

1730.60	0.14	0.247547
1730.80	0.14	0.247509
1731.00	0.14	0.247471
1731.20	0.14	0.247434
1731.40	0.14	0.247396
1731.60	0.14	0.247358
1731.80	0.14	0.247320
1732.00	0.14	0.247282
1732.20	0.14	0.247245
1732.40	0.14	0.247207
1732.60	0.14	0.247169
1732.80	0.14	0.247131
1733.00	0.14	0.247094
1733.20	0.14	0.247056
1733.40	0.14	0.247018
1733.60	0.14	0.246980
1733.80	0.14	0.246943
1734.00	0.14	0.246905
1734.20	0.14	0.246867
1734.40	0.14	0.246829
1734.60	0.14	0.246791
1734.80	0.14	0.246754
1735.00	0.14	0.246716
1735.20	0.14	0.246678
1735.40	0.14	0.246640
1735.60	0.14	0.246603
1735.80	0.14	0.246565
1736.00	0.14	0.246527
1736.20	0.14	0.246489
1736.40	0.14	0.246452
1736.60	0.14	0.246414
1736.80	0.14	0.246376
1737.00	0.14	0.246338
1737.20	0.14	0.246300
1737.40	0.14	0.246263
1737.60	0.14	0.246225
1737.80	0.14	0.246187
1738.00	0.14	0.246149
1738.20	0.14	0.246112
1738.40	0.14	0.246074
1738.60	0.14	0.246036
1738.80	0.14	0.245998
1739.00	0.14	0.245961
1739.20	0.14	0.245923
1739.40	0.14	0.245885
1739.60	0.14	0.245847
1739.80	0.14	0.245809
1740.00	0.14	0.245772
1740.20	0.14	0.245734
1740.40	0.14	0.245696
1740.60	0.14	0.245658
1740.80	0.14	0.245621
1741.00	0.14	0.245583
1741.20	0.14	0.245545
1741.40	0.14	0.245507
1741.60	0.14	0.245470
1741.80	0.14	0.245432

1742.00	0.14	0.245394
1742.20	0.14	0.245356
1742.40	0.14	0.245319
1742.60	0.14	0.245281
1742.80	0.14	0.245243
1743.00	0.14	0.245205
1743.20	0.14	0.245167
1743.40	0.14	0.245130
1743.60	0.14	0.245092
1743.80	0.14	0.245054
1744.00	0.14	0.245016
1744.20	0.14	0.244979
1744.40	0.14	0.244941
1744.60	0.14	0.244903
1744.80	0.14	0.244865
1745.00	0.14	0.244828
1745.20	0.14	0.244790
1745.40	0.14	0.244752
1745.60	0.14	0.244714
1745.80	0.14	0.244676
1746.00	0.14	0.244639
1746.20	0.14	0.244601
1746.40	0.14	0.244563
1746.60	0.14	0.244525
1746.80	0.14	0.244488
1747.00	0.14	0.244450
1747.20	0.14	0.244412
1747.40	0.14	0.244374
1747.60	0.14	0.244337
1747.80	0.14	0.244299
1748.00	0.14	0.244261
1748.20	0.14	0.244223
1748.40	0.14	0.244185
1748.60	0.14	0.244148
1748.80	0.14	0.244110
1749.00	0.14	0.244072
1749.20	0.14	0.244034
1749.40	0.14	0.243997
1749.60	0.14	0.243959
1749.80	0.14	0.243921
1750.00	0.14	0.243883
1750.20	0.14	0.243846
1750.40	0.14	0.243808
1750.60	0.14	0.243770
1750.80	0.14	0.243732
1751.00	0.14	0.243694
1751.20	0.14	0.243657
1751.40	0.14	0.243619
1751.60	0.14	0.243581
1751.80	0.14	0.243543
1752.00	0.14	0.243506
1752.20	0.14	0.243468
1752.40	0.14	0.243430
1752.60	0.14	0.243392
1752.80	0.14	0.243355
1753.00	0.14	0.243317
1753.20	0.14	0.243279

1753.40	0.14	0.243241
1753.60	0.14	0.243203
1753.80	0.14	0.243166
1754.00	0.14	0.243128
1754.20	0.14	0.243090
1754.40	0.14	0.243052
1754.60	0.14	0.243015
1754.80	0.14	0.242977
1755.00	0.14	0.242939
1755.20	0.14	0.242901
1755.40	0.14	0.242864
1755.60	0.14	0.242826
1755.80	0.14	0.242788
1756.00	0.14	0.242750
1756.20	0.14	0.242712
1756.40	0.14	0.242675
1756.60	0.14	0.242637
1756.80	0.14	0.242599
1757.00	0.14	0.242561
1757.20	0.14	0.242524
1757.40	0.14	0.242486
1757.60	0.14	0.242448
1757.80	0.14	0.242410
1758.00	0.14	0.242373
1758.20	0.14	0.242335
1758.40	0.14	0.242297
1758.60	0.14	0.242259
1758.80	0.14	0.242221
1759.00	0.14	0.242184
1759.20	0.14	0.242146
1759.40	0.14	0.242108
1759.60	0.14	0.242070
1759.80	0.14	0.242033
1760.00	0.14	0.241995
1760.20	0.14	0.241957
1760.40	0.14	0.241919
1760.60	0.14	0.241882
1760.80	0.14	0.241844
1761.00	0.14	0.241806
1761.20	0.14	0.241768
1761.40	0.14	0.241731
1761.60	0.14	0.241693
1761.80	0.14	0.241655
1762.00	0.14	0.241617
1762.20	0.14	0.241579
1762.40	0.14	0.241542
1762.60	0.14	0.241504
1762.80	0.14	0.241466
1763.00	0.14	0.241428
1763.20	0.14	0.241391
1763.40	0.14	0.241353
1763.60	0.14	0.241315
1763.80	0.14	0.241277
1764.00	0.14	0.241240
1764.20	0.14	0.241202
1764.40	0.14	0.241164
1764.60	0.14	0.241126

1764.80	0.14	0.241088
1765.00	0.14	0.241051
1765.20	0.14	0.241013
1765.40	0.14	0.240975
1765.60	0.14	0.240937
1765.80	0.14	0.240900
1766.00	0.14	0.240862
1766.20	0.14	0.240824
1766.40	0.14	0.240786
1766.60	0.14	0.240749
1766.80	0.14	0.240711
1767.00	0.14	0.240673
1767.20	0.14	0.240635
1767.40	0.14	0.240597
1767.60	0.14	0.240560
1767.80	0.14	0.240522
1768.00	0.14	0.240484
1768.20	0.14	0.240446
1768.40	0.14	0.240409
1768.60	0.14	0.240371
1768.80	0.14	0.240333
1769.00	0.14	0.240295
1769.20	0.14	0.240258
1769.40	0.14	0.240220
1769.60	0.14	0.240182
1769.80	0.14	0.240144
1770.00	0.14	0.240106
1770.20	0.14	0.240069
1770.40	0.14	0.240031
1770.60	0.14	0.239993
1770.80	0.14	0.239955
1771.00	0.14	0.239918
1771.20	0.14	0.239880
1771.40	0.14	0.239842
1771.60	0.14	0.239804
1771.80	0.14	0.239767
1772.00	0.14	0.239729
1772.20	0.14	0.239691
1772.40	0.14	0.239653
1772.60	0.14	0.239615
1772.80	0.14	0.239578
1773.00	0.14	0.239540
1773.20	0.14	0.239502
1773.40	0.14	0.239464
1773.60	0.14	0.239427
1773.80	0.14	0.239389
1774.00	0.14	0.239351
1774.20	0.14	0.239313
1774.40	0.14	0.239276
1774.60	0.14	0.239238
1774.80	0.14	0.239200
1775.00	0.14	0.239162
1775.20	0.14	0.239124
1775.40	0.14	0.239087
1775.60	0.14	0.239049
1775.80	0.14	0.239011
1776.00	0.14	0.238973

1776.20	0.14	0.238936
1776.40	0.14	0.238898
1776.60	0.14	0.238860
1776.80	0.14	0.238822
1777.00	0.14	0.238785
1777.20	0.14	0.238747
1777.40	0.14	0.238709
1777.60	0.14	0.238671
1777.80	0.14	0.238633
1778.00	0.14	0.238596
1778.20	0.14	0.238558
1778.40	0.14	0.238520
1778.60	0.14	0.238482
1778.80	0.14	0.238445
1779.00	0.14	0.238407
1779.20	0.14	0.238369
1779.40	0.14	0.238331
1779.60	0.14	0.238294
1779.80	0.14	0.238256
1780.00	0.14	0.238218
1780.20	0.14	0.238180
1780.40	0.14	0.238143
1780.60	0.14	0.238105
1780.80	0.14	0.238067
1781.00	0.14	0.238029
1781.20	0.14	0.237991
1781.40	0.14	0.237954
1781.60	0.14	0.237916
1781.80	0.14	0.237878
1782.00	0.14	0.237840
1782.20	0.14	0.237803
1782.40	0.14	0.237765
1782.60	0.14	0.237727
1782.80	0.14	0.237689
1783.00	0.14	0.237652
1783.20	0.14	0.237614
1783.40	0.14	0.237576
1783.60	0.14	0.237538
1783.80	0.14	0.237500
1784.00	0.14	0.237463
1784.20	0.14	0.237425
1784.40	0.14	0.237387
1784.60	0.14	0.237349
1784.80	0.14	0.237312
1785.00	0.14	0.237274
1785.20	0.14	0.237236
1785.40	0.14	0.237198
1785.60	0.14	0.237161
1785.80	0.14	0.237123
1786.00	0.14	0.237085
1786.20	0.14	0.237047
1786.40	0.14	0.237009
1786.60	0.14	0.236972
1786.80	0.14	0.236934
1787.00	0.14	0.236896
1787.20	0.14	0.236858
1787.40	0.14	0.236821

1787.60	0.14	0.236783
1787.80	0.14	0.236745
1788.00	0.14	0.236707
1788.20	0.14	0.236670
1788.40	0.14	0.236632
1788.60	0.14	0.236594
1788.80	0.14	0.236556
1789.00	0.14	0.236518
1789.20	0.14	0.236481
1789.40	0.14	0.236443
1789.60	0.14	0.236405
1789.80	0.14	0.236367
1790.00	0.14	0.236330
1790.20	0.14	0.236292
1790.40	0.14	0.236254
1790.60	0.14	0.236216
1790.80	0.14	0.236179
1791.00	0.14	0.236141
1791.20	0.14	0.236103
1791.40	0.14	0.236065
1791.60	0.14	0.236027
1791.80	0.14	0.235990
1792.00	0.14	0.235952
1792.20	0.14	0.235914
1792.40	0.14	0.235876
1792.60	0.14	0.235839
1792.80	0.14	0.235801
1793.00	0.14	0.235763
1793.20	0.14	0.235725
1793.40	0.14	0.235688
1793.60	0.14	0.235650
1793.80	0.14	0.235612
1794.00	0.14	0.235574
1794.20	0.14	0.235536
1794.40	0.14	0.235499
1794.60	0.14	0.235461
1794.80	0.14	0.235423
1795.00	0.14	0.235385
1795.20	0.14	0.235348
1795.40	0.14	0.235310
1795.60	0.14	0.235272
1795.80	0.14	0.235234
1796.00	0.14	0.235197
1796.20	0.14	0.235159
1796.40	0.14	0.235121
1796.60	0.14	0.235083
1796.80	0.14	0.235045
1797.00	0.14	0.235008
1797.20	0.14	0.234970
1797.40	0.14	0.234932
1797.60	0.14	0.234894
1797.80	0.14	0.234857
1798.00	0.14	0.234819
1798.20	0.14	0.234781
1798.40	0.14	0.234743
1798.60	0.14	0.234706
1798.80	0.14	0.234668

1799.00	0.14	0.234630
1799.20	0.14	0.234592
1799.40	0.14	0.234555
1799.60	0.14	0.234517
1799.80	0.14	0.234479
1800.00	0.14	0.234441
1800.20	0.14	0.234403
1800.40	0.14	0.234366
1800.60	0.14	0.234328
1800.80	0.14	0.234290
1801.00	0.14	0.234252
1801.20	0.14	0.234215
1801.40	0.14	0.234177
1801.60	0.14	0.234139
1801.80	0.14	0.234101
1802.00	0.14	0.234064
1802.20	0.14	0.234026
1802.40	0.14	0.233988
1802.60	0.14	0.233950
1802.80	0.14	0.233912
1803.00	0.14	0.233875
1803.20	0.14	0.233837
1803.40	0.14	0.233799
1803.60	0.14	0.233761
1803.80	0.14	0.233724
1804.00	0.14	0.233686
1804.20	0.14	0.233648
1804.40	0.14	0.233610
1804.60	0.14	0.233573
1804.80	0.14	0.233535
1805.00	0.14	0.233497
1805.20	0.14	0.233459
1805.40	0.14	0.233421
1805.60	0.14	0.233384
1805.80	0.14	0.233346
1806.00	0.14	0.233308
1806.20	0.14	0.233270
1806.40	0.14	0.233233
1806.60	0.14	0.233195
1806.80	0.14	0.233157
1807.00	0.14	0.233119
1807.20	0.14	0.233082
1807.40	0.14	0.233044
1807.60	0.14	0.233006
1807.80	0.14	0.232968
1808.00	0.14	0.232930
1808.20	0.14	0.232893
1808.40	0.14	0.232855
1808.60	0.14	0.232817
1808.80	0.14	0.232779
1809.00	0.14	0.232742
1809.20	0.14	0.232704
1809.40	0.14	0.232666
1809.60	0.14	0.232628
1809.80	0.14	0.232591
1810.00	0.14	0.232553
1810.20	0.14	0.232515

1810.40	0.14	0.232477
1810.60	0.14	0.232439
1810.80	0.14	0.232402
1811.00	0.14	0.232364
1811.20	0.14	0.232326
1811.40	0.14	0.232288
1811.60	0.14	0.232251
1811.80	0.14	0.232213
1812.00	0.14	0.232175
1812.20	0.14	0.232137
1812.40	0.14	0.232100
1812.60	0.14	0.232062
1812.80	0.14	0.232024
1813.00	0.14	0.231986
1813.20	0.14	0.231948
1813.40	0.14	0.231911
1813.60	0.14	0.231873
1813.80	0.14	0.231835
1814.00	0.14	0.231797
1814.20	0.14	0.231760
1814.40	0.14	0.231722
1814.60	0.14	0.231684
1814.80	0.14	0.231646
1815.00	0.14	0.231609
1815.20	0.14	0.231571
1815.40	0.14	0.231533
1815.60	0.14	0.231495
1815.80	0.14	0.231457
1816.00	0.14	0.231420
1816.20	0.14	0.231382
1816.40	0.14	0.231344
1816.60	0.14	0.231306
1816.80	0.14	0.231269
1817.00	0.14	0.231231
1817.20	0.14	0.231193
1817.40	0.14	0.231155
1817.60	0.14	0.231118
1817.80	0.14	0.231080
1818.00	0.14	0.231042
1818.20	0.14	0.231004
1818.40	0.14	0.230966
1818.60	0.14	0.230929
1818.80	0.14	0.230891
1819.00	0.14	0.230853
1819.20	0.14	0.230815
1819.40	0.14	0.230778
1819.60	0.14	0.230740
1819.80	0.14	0.230702
1820.00	0.14	0.230664
1820.20	0.14	0.230627
1820.40	0.14	0.230589
1820.60	0.14	0.230551
1820.80	0.14	0.230513
1821.00	0.14	0.230476
1821.20	0.14	0.230438
1821.40	0.14	0.230400
1821.60	0.14	0.230362

1821.80	0.14	0.230324
1822.00	0.14	0.230287
1822.20	0.14	0.230249
1822.40	0.14	0.230211
1822.60	0.14	0.230173
1822.80	0.14	0.230136
1823.00	0.14	0.230098
1823.20	0.14	0.230060
1823.40	0.14	0.230022
1823.60	0.14	0.229985
1823.80	0.14	0.229947
1824.00	0.14	0.229909
1824.20	0.14	0.229871
1824.40	0.14	0.229833
1824.60	0.14	0.229796
1824.80	0.14	0.229758
1825.00	0.14	0.229720
1825.20	0.14	0.229682
1825.40	0.14	0.229645
1825.60	0.14	0.229607
1825.80	0.14	0.229569
1826.00	0.14	0.229531
1826.20	0.14	0.229494
1826.40	0.14	0.229456
1826.60	0.14	0.229418
1826.80	0.14	0.229380
1827.00	0.14	0.229342
1827.20	0.14	0.229305
1827.40	0.14	0.229267
1827.60	0.14	0.229229
1827.80	0.14	0.229191
1828.00	0.14	0.229154
1828.20	0.14	0.229116
1828.40	0.14	0.229078
1828.60	0.14	0.229040
1828.80	0.14	0.229003
1829.00	0.14	0.228965
1829.20	0.14	0.228927
1829.40	0.14	0.228889
1829.60	0.14	0.228851
1829.80	0.14	0.228814
1830.00	0.14	0.228776
1830.20	0.14	0.228738
1830.40	0.14	0.228700
1830.60	0.14	0.228663
1830.80	0.14	0.228625
1831.00	0.14	0.228587
1831.20	0.14	0.228549
1831.40	0.14	0.228512
1831.60	0.14	0.228474
1831.80	0.14	0.228436
1832.00	0.14	0.228398
1832.20	0.14	0.228360
1832.40	0.14	0.228323
1832.60	0.14	0.228285
1832.80	0.14	0.228247
1833.00	0.14	0.228209

1833.20	0.14	0.228172
1833.40	0.14	0.228134
1833.60	0.14	0.228096
1833.80	0.14	0.228058
1834.00	0.14	0.228021
1834.20	0.14	0.227983
1834.40	0.14	0.227945
1834.60	0.14	0.227907
1834.80	0.14	0.227869
1835.00	0.14	0.227832
1835.20	0.14	0.227794
1835.40	0.14	0.227756
1835.60	0.14	0.227718
1835.80	0.14	0.227681
1836.00	0.14	0.227643
1836.20	0.14	0.227605
1836.40	0.14	0.227567
1836.60	0.14	0.227530
1836.80	0.14	0.227492
1837.00	0.14	0.227454
1837.20	0.14	0.227416
1837.40	0.14	0.227378
1837.60	0.14	0.227341
1837.80	0.14	0.227303
1838.00	0.14	0.227265
1838.20	0.14	0.227227
1838.40	0.14	0.227190
1838.60	0.14	0.227152
1838.80	0.14	0.227114
1839.00	0.14	0.227076
1839.20	0.14	0.227039
1839.40	0.14	0.227001
1839.60	0.14	0.226963
1839.80	0.14	0.226925
1840.00	0.14	0.226888
1840.20	0.14	0.226850
1840.40	0.14	0.226812
1840.60	0.14	0.226774
1840.80	0.14	0.226736
1841.00	0.14	0.226699
1841.20	0.14	0.226661
1841.40	0.14	0.226623
1841.60	0.14	0.226585
1841.80	0.14	0.226548
1842.00	0.14	0.226510
1842.20	0.14	0.226472
1842.40	0.14	0.226434
1842.60	0.14	0.226397
1842.80	0.14	0.226359
1843.00	0.14	0.226321
1843.20	0.14	0.226283
1843.40	0.14	0.226245
1843.60	0.14	0.226208
1843.80	0.14	0.226170
1844.00	0.14	0.226132
1844.20	0.14	0.226094
1844.40	0.14	0.226057

1844.60	0.14	0.226019
1844.80	0.14	0.225981
1845.00	0.14	0.225943
1845.20	0.14	0.225906
1845.40	0.14	0.225868
1845.60	0.14	0.225830
1845.80	0.14	0.225792
1846.00	0.14	0.225754
1846.20	0.14	0.225717
1846.40	0.14	0.225679
1846.60	0.14	0.225641
1846.80	0.14	0.225603
1847.00	0.14	0.225566
1847.20	0.14	0.225528
1847.40	0.14	0.225490
1847.60	0.14	0.225452
1847.80	0.14	0.225415
1848.00	0.14	0.225377
1848.20	0.14	0.225339
1848.40	0.14	0.225301
1848.60	0.14	0.225263
1848.80	0.14	0.225226
1849.00	0.14	0.225188
1849.20	0.14	0.225150
1849.40	0.14	0.225112
1849.60	0.14	0.225075
1849.80	0.14	0.225037
1850.00	0.14	0.224999
1850.20	0.14	0.224961
1850.40	0.14	0.224924
1850.60	0.14	0.224886
1850.80	0.14	0.224848
1851.00	0.14	0.224810
1851.20	0.14	0.224772
1851.40	0.14	0.224735
1851.60	0.14	0.224697
1851.80	0.14	0.224659
1852.00	0.14	0.224621
1852.20	0.14	0.224584
1852.40	0.14	0.224546
1852.60	0.14	0.224508
1852.80	0.14	0.224470
1853.00	0.14	0.224433
1853.20	0.14	0.224395
1853.40	0.14	0.224357
1853.60	0.14	0.224319
1853.80	0.14	0.224281
1854.00	0.14	0.224244
1854.20	0.14	0.224206
1854.40	0.14	0.224168
1854.60	0.14	0.224130
1854.80	0.14	0.224093
1855.00	0.14	0.224055
1855.20	0.14	0.224017
1855.40	0.14	0.223979
1855.60	0.14	0.223942
1855.80	0.14	0.223904

1856.00	0.14	0.223866
1856.20	0.14	0.223828
1856.40	0.14	0.223790
1856.60	0.14	0.223753
1856.80	0.14	0.223715
1857.00	0.14	0.223677
1857.20	0.14	0.223639
1857.40	0.14	0.223602
1857.60	0.14	0.223564
1857.80	0.14	0.223526
1858.00	0.14	0.223488
1858.20	0.14	0.223451
1858.40	0.14	0.223413
1858.60	0.14	0.223375
1858.80	0.14	0.223337
1859.00	0.14	0.223300
1859.20	0.14	0.223262
1859.40	0.14	0.223224
1859.60	0.14	0.223186
1859.80	0.14	0.223148
1860.00	0.14	0.223111
1860.20	0.14	0.223073
1860.40	0.14	0.223035
1860.60	0.14	0.222997
1860.80	0.14	0.222960
1861.00	0.14	0.222922
1861.20	0.14	0.222884
1861.40	0.14	0.222846
1861.60	0.14	0.222809
1861.80	0.14	0.222771
1862.00	0.14	0.222733
1862.20	0.14	0.222695
1862.40	0.14	0.222657
1862.60	0.14	0.222620
1862.80	0.14	0.222582
1863.00	0.14	0.222544
1863.20	0.14	0.222506
1863.40	0.14	0.222469
1863.60	0.14	0.222431
1863.80	0.14	0.222393
1864.00	0.14	0.222355
1864.20	0.14	0.222318
1864.40	0.14	0.222280
1864.60	0.14	0.222242
1864.80	0.14	0.222204
1865.00	0.14	0.222166
1865.20	0.14	0.222129
1865.40	0.14	0.222091
1865.60	0.14	0.222053
1865.80	0.14	0.222015
1866.00	0.14	0.221978
1866.20	0.14	0.221940
1866.40	0.14	0.221902
1866.60	0.14	0.221864
1866.80	0.14	0.221827
1867.00	0.14	0.221789
1867.20	0.14	0.221751

1867.40	0.14	0.221713
1867.60	0.14	0.221675
1867.80	0.14	0.221638
1868.00	0.14	0.221600
1868.20	0.14	0.221562
1868.40	0.14	0.221524
1868.60	0.14	0.221487
1868.80	0.14	0.221449
1869.00	0.14	0.221411
1869.20	0.14	0.221373
1869.40	0.14	0.221336
1869.60	0.14	0.221298
1869.80	0.14	0.221260
1870.00	0.14	0.221222
1870.20	0.14	0.221184
1870.40	0.14	0.221147
1870.60	0.14	0.221109
1870.80	0.14	0.221071
1871.00	0.14	0.221033
1871.20	0.14	0.220996
1871.40	0.14	0.220958
1871.60	0.14	0.220920
1871.80	0.14	0.220882
1872.00	0.14	0.220845
1872.20	0.14	0.220807
1872.40	0.14	0.220769
1872.60	0.14	0.220731
1872.80	0.14	0.220693
1873.00	0.14	0.220656
1873.20	0.14	0.220618
1873.40	0.14	0.220580
1873.60	0.14	0.220542
1873.80	0.14	0.220505
1874.00	0.14	0.220467
1874.20	0.14	0.220429
1874.40	0.14	0.220391
1874.60	0.14	0.220354
1874.80	0.14	0.220316
1875.00	0.14	0.220278
1875.20	0.14	0.220240
1875.40	0.14	0.220202
1875.60	0.14	0.220165
1875.80	0.14	0.220127
1876.00	0.14	0.220089
1876.20	0.14	0.220051
1876.40	0.14	0.220014
1876.60	0.14	0.219976
1876.80	0.14	0.219938
1877.00	0.14	0.219900
1877.20	0.14	0.219863
1877.40	0.14	0.219825
1877.60	0.14	0.219787
1877.80	0.14	0.219749
1878.00	0.14	0.219712
1878.20	0.14	0.219674
1878.40	0.14	0.219636
1878.60	0.14	0.219598

1878.80	0.14	0.219560
1879.00	0.14	0.219523
1879.20	0.14	0.219485
1879.40	0.14	0.219447
1879.60	0.14	0.219409
1879.80	0.14	0.219372
1880.00	0.14	0.219334
1880.20	0.14	0.219296
1880.40	0.14	0.219258
1880.60	0.14	0.219221
1880.80	0.14	0.219183
1881.00	0.14	0.219145
1881.20	0.14	0.219107
1881.40	0.14	0.219069
1881.60	0.14	0.219032
1881.80	0.14	0.218994
1882.00	0.14	0.218956
1882.20	0.14	0.218918
1882.40	0.14	0.218881
1882.60	0.14	0.218843
1882.80	0.14	0.218805
1883.00	0.14	0.218767
1883.20	0.14	0.218730
1883.40	0.14	0.218692
1883.60	0.14	0.218654
1883.80	0.14	0.218616
1884.00	0.14	0.218578
1884.20	0.14	0.218541
1884.40	0.14	0.218503
1884.60	0.14	0.218465
1884.80	0.14	0.218427
1885.00	0.14	0.218390
1885.20	0.14	0.218352
1885.40	0.14	0.218314
1885.60	0.14	0.218276
1885.80	0.14	0.218239
1886.00	0.14	0.218201
1886.20	0.14	0.218163
1886.40	0.14	0.218125
1886.60	0.14	0.218087
1886.80	0.14	0.218050
1887.00	0.14	0.218012
1887.20	0.14	0.217974
1887.40	0.14	0.217936
1887.60	0.14	0.217899
1887.80	0.14	0.217861
1888.00	0.14	0.217823
1888.20	0.14	0.217785
1888.40	0.14	0.217748
1888.60	0.14	0.217710
1888.80	0.14	0.217672
1889.00	0.14	0.217634
1889.20	0.14	0.217596
1889.40	0.14	0.217559
1889.60	0.14	0.217521
1889.80	0.14	0.217483
1890.00	0.14	0.217445

1890.20	0.14	0.217408
1890.40	0.14	0.217370
1890.60	0.14	0.217332
1890.80	0.14	0.217294
1891.00	0.14	0.217257
1891.20	0.14	0.217219
1891.40	0.14	0.217181
1891.60	0.14	0.217143
1891.80	0.14	0.217105
1892.00	0.14	0.217068
1892.20	0.14	0.217030
1892.40	0.14	0.216992
1892.60	0.14	0.216954
1892.80	0.14	0.216917
1893.00	0.14	0.216879
1893.20	0.14	0.216841
1893.40	0.14	0.216803
1893.60	0.14	0.216766
1893.80	0.14	0.216728
1894.00	0.14	0.216690
1894.20	0.14	0.216652
1894.40	0.14	0.216614
1894.60	0.14	0.216577
1894.80	0.14	0.216539
1895.00	0.14	0.216501
1895.20	0.14	0.216463
1895.40	0.14	0.216426
1895.60	0.14	0.216388
1895.80	0.14	0.216350
1896.00	0.14	0.216312
1896.20	0.14	0.216275
1896.40	0.14	0.216237
1896.60	0.14	0.216199
1896.80	0.14	0.216161
1897.00	0.14	0.216124
1897.20	0.14	0.216086
1897.40	0.14	0.216048
1897.60	0.14	0.216010
1897.80	0.14	0.215972
1898.00	0.14	0.215935
1898.20	0.14	0.215897
1898.40	0.14	0.215859
1898.60	0.14	0.215821
1898.80	0.14	0.215784
1899.00	0.14	0.215746
1899.20	0.14	0.215708
1899.40	0.14	0.215670
1899.60	0.14	0.215633
1899.80	0.14	0.215595
1900.00	0.14	0.215557
1900.20	0.14	0.215519
1900.40	0.14	0.215481
1900.60	0.14	0.215444
1900.80	0.14	0.215406
1901.00	0.14	0.215368
1901.20	0.14	0.215330
1901.40	0.14	0.215293

1901.60	0.14	0.215255
1901.80	0.14	0.215217
1902.00	0.14	0.215179
1902.20	0.14	0.215142
1902.40	0.14	0.215104
1902.60	0.14	0.215066
1902.80	0.14	0.215028
1903.00	0.14	0.214990
1903.20	0.14	0.214953
1903.40	0.14	0.214915
1903.60	0.14	0.214877
1903.80	0.14	0.214839
1904.00	0.14	0.214802
1904.20	0.14	0.214764
1904.40	0.14	0.214726
1904.60	0.14	0.214688
1904.80	0.14	0.214651
1905.00	0.14	0.214613
1905.20	0.14	0.214575
1905.40	0.14	0.214537
1905.60	0.14	0.214499
1905.80	0.14	0.214462
1906.00	0.14	0.214424
1906.20	0.14	0.214386
1906.40	0.14	0.214348
1906.60	0.14	0.214311
1906.80	0.14	0.214273
1907.00	0.14	0.214235
1907.20	0.14	0.214197
1907.40	0.14	0.214160
1907.60	0.14	0.214122
1907.80	0.14	0.214084
1908.00	0.14	0.214046
1908.20	0.14	0.214008
1908.40	0.14	0.213971
1908.60	0.14	0.213933
1908.80	0.14	0.213895
1909.00	0.14	0.213857
1909.20	0.14	0.213820
1909.40	0.14	0.213782
1909.60	0.14	0.213744
1909.80	0.14	0.213706
1910.00	0.14	0.213669
1910.20	0.14	0.213631
1910.40	0.14	0.213593
1910.60	0.14	0.213555
1910.80	0.14	0.213517
1911.00	0.14	0.213480
1911.20	0.14	0.213442
1911.40	0.14	0.213404
1911.60	0.14	0.213366
1911.80	0.14	0.213329
1912.00	0.14	0.213291
1912.20	0.14	0.213253
1912.40	0.14	0.213215
1912.60	0.14	0.213178
1912.80	0.14	0.213140

1913.00	0.14	0.213102
1913.20	0.14	0.213064
1913.40	0.14	0.213026
1913.60	0.14	0.212989
1913.80	0.14	0.212951
1914.00	0.14	0.212913
1914.20	0.14	0.212875
1914.40	0.14	0.212838
1914.60	0.14	0.212800
1914.80	0.14	0.212762
1915.00	0.14	0.212724
1915.20	0.14	0.212687
1915.40	0.14	0.212649
1915.60	0.14	0.212611
1915.80	0.14	0.212573
1916.00	0.14	0.212535
1916.20	0.14	0.212498
1916.40	0.14	0.212460
1916.60	0.14	0.212422
1916.80	0.14	0.212384
1917.00	0.14	0.212347
1917.20	0.14	0.212309
1917.40	0.14	0.212271
1917.60	0.14	0.212233
1917.80	0.14	0.212196
1918.00	0.14	0.212158
1918.20	0.14	0.212120
1918.40	0.14	0.212082
1918.60	0.14	0.212045
1918.80	0.14	0.212007
1919.00	0.14	0.211969
1919.20	0.14	0.211931
1919.40	0.14	0.211893
1919.60	0.14	0.211856
1919.80	0.14	0.211818
1920.00	0.14	0.211780
1920.20	0.14	0.211742
1920.40	0.14	0.211705
1920.60	0.14	0.211667
1920.80	0.14	0.211629
1921.00	0.14	0.211591
1921.20	0.14	0.211554
1921.40	0.14	0.211516
1921.60	0.14	0.211478
1921.80	0.14	0.211440
1922.00	0.14	0.211402
1922.20	0.14	0.211365
1922.40	0.14	0.211327
1922.60	0.14	0.211289
1922.80	0.14	0.211251
1923.00	0.14	0.211214
1923.20	0.14	0.211176
1923.40	0.14	0.211138
1923.60	0.14	0.211100
1923.80	0.14	0.211063
1924.00	0.14	0.211025
1924.20	0.14	0.210987

1924.40	0.14	0.210949
1924.60	0.14	0.210911
1924.80	0.14	0.210874
1925.00	0.14	0.210836
1925.20	0.14	0.210798
1925.40	0.14	0.210760
1925.60	0.14	0.210723
1925.80	0.14	0.210685
1926.00	0.14	0.210647
1926.20	0.14	0.210609
1926.40	0.14	0.210572
1926.60	0.14	0.210534
1926.80	0.14	0.210496
1927.00	0.14	0.210458
1927.20	0.14	0.210420
1927.40	0.14	0.210383
1927.60	0.14	0.210345
1927.80	0.14	0.210307
1928.00	0.14	0.210269
1928.20	0.14	0.210232
1928.40	0.14	0.210194
1928.60	0.14	0.210156
1928.80	0.14	0.210118
1929.00	0.14	0.210081
1929.20	0.14	0.210043
1929.40	0.14	0.210005
1929.60	0.14	0.209967
1929.80	0.14	0.209929
1930.00	0.14	0.209892
1930.20	0.14	0.209854
1930.40	0.14	0.209816
1930.60	0.14	0.209778
1930.80	0.14	0.209741
1931.00	0.14	0.209703
1931.20	0.14	0.209665
1931.40	0.14	0.209627
1931.60	0.14	0.209590
1931.80	0.14	0.209552
1932.00	0.14	0.209514
1932.20	0.14	0.209476
1932.40	0.14	0.209438
1932.60	0.14	0.209401
1932.80	0.14	0.209363
1933.00	0.14	0.209325
1933.20	0.14	0.209287
1933.40	0.14	0.209250
1933.60	0.14	0.209212
1933.80	0.14	0.209174
1934.00	0.14	0.209136
1934.20	0.14	0.209099
1934.40	0.14	0.209061
1934.60	0.14	0.209023
1934.80	0.14	0.208985
1935.00	0.14	0.208947
1935.20	0.14	0.208910
1935.40	0.14	0.208872
1935.60	0.14	0.208834

1935.80	0.14	0.208796
1936.00	0.14	0.208759
1936.20	0.14	0.208721
1936.40	0.14	0.208683
1936.60	0.14	0.208645
1936.80	0.14	0.208608
1937.00	0.14	0.208570
1937.20	0.14	0.208532
1937.40	0.14	0.208494
1937.60	0.14	0.208457
1937.80	0.14	0.208419
1938.00	0.14	0.208381
1938.20	0.14	0.208343
1938.40	0.14	0.208305
1938.60	0.14	0.208268
1938.80	0.14	0.208230
1939.00	0.14	0.208192
1939.20	0.14	0.208154
1939.40	0.14	0.208117
1939.60	0.14	0.208079
1939.80	0.14	0.208041
1940.00	0.14	0.208003
1940.20	0.14	0.207966
1940.40	0.14	0.207928
1940.60	0.14	0.207890
1940.80	0.14	0.207852
1941.00	0.14	0.207814
1941.20	0.14	0.207777
1941.40	0.14	0.207739
1941.60	0.14	0.207701
1941.80	0.14	0.207663
1942.00	0.14	0.207626
1942.20	0.14	0.207588
1942.40	0.14	0.207550
1942.60	0.14	0.207512
1942.80	0.14	0.207475
1943.00	0.14	0.207437
1943.20	0.14	0.207399
1943.40	0.14	0.207361
1943.60	0.14	0.207323
1943.80	0.14	0.207286
1944.00	0.14	0.207248
1944.20	0.14	0.207210
1944.40	0.14	0.207172
1944.60	0.14	0.207135
1944.80	0.14	0.207097
1945.00	0.14	0.207059
1945.20	0.14	0.207021
1945.40	0.14	0.206984
1945.60	0.14	0.206946
1945.80	0.14	0.206908
1946.00	0.14	0.206870
1946.20	0.14	0.206832
1946.40	0.14	0.206795
1946.60	0.14	0.206757
1946.80	0.14	0.206719
1947.00	0.14	0.206681

1947.20	0.14	0.206644
1947.40	0.14	0.206606
1947.60	0.14	0.206568
1947.80	0.14	0.206530
1948.00	0.14	0.206493
1948.20	0.14	0.206455
1948.40	0.14	0.206417
1948.60	0.14	0.206379
1948.80	0.14	0.206341
1949.00	0.14	0.206304
1949.20	0.14	0.206266
1949.40	0.14	0.206228
1949.60	0.14	0.206190
1949.80	0.14	0.206153
1950.00	0.14	0.206115
1950.20	0.14	0.206077
1950.40	0.14	0.206039
1950.60	0.14	0.206002
1950.80	0.14	0.205964
1951.00	0.14	0.205926
1951.20	0.14	0.205888
1951.40	0.14	0.205850
1951.60	0.14	0.205813
1951.80	0.14	0.205775
1952.00	0.14	0.205737
1952.20	0.14	0.205699
1952.40	0.14	0.205662
1952.60	0.14	0.205624
1952.80	0.14	0.205586
1953.00	0.14	0.205548
1953.20	0.14	0.205511
1953.40	0.14	0.205473
1953.60	0.14	0.205435
1953.80	0.14	0.205397
1954.00	0.14	0.205359
1954.20	0.14	0.205322
1954.40	0.14	0.205284
1954.60	0.14	0.205246
1954.80	0.14	0.205208
1955.00	0.14	0.205171
1955.20	0.14	0.205133
1955.40	0.14	0.205095
1955.60	0.14	0.205057
1955.80	0.14	0.205020
1956.00	0.14	0.204982
1956.20	0.14	0.204944
1956.40	0.14	0.204906
1956.60	0.14	0.204869
1956.80	0.14	0.204831
1957.00	0.14	0.204793
1957.20	0.14	0.204755
1957.40	0.14	0.204717
1957.60	0.14	0.204680
1957.80	0.14	0.204642
1958.00	0.14	0.204604
1958.20	0.14	0.204566
1958.40	0.14	0.204529

1958.60	0.14	0.204491
1958.80	0.14	0.204453
1959.00	0.14	0.204415
1959.20	0.14	0.204378
1959.40	0.14	0.204340
1959.60	0.14	0.204302
1959.80	0.14	0.204264
1960.00	0.14	0.204226
1960.20	0.14	0.204189
1960.40	0.14	0.204151
1960.60	0.14	0.204113
1960.80	0.14	0.204075
1961.00	0.14	0.204038
1961.20	0.14	0.204000
1961.40	0.14	0.203962
1961.60	0.14	0.203924
1961.80	0.14	0.203887
1962.00	0.14	0.203849
1962.20	0.14	0.203811
1962.40	0.14	0.203773
1962.60	0.14	0.203735
1962.80	0.14	0.203698
1963.00	0.14	0.203660
1963.20	0.14	0.203622
1963.40	0.14	0.203584
1963.60	0.14	0.203547
1963.80	0.14	0.203509
1964.00	0.14	0.203471
1964.20	0.14	0.203433
1964.40	0.14	0.203396
1964.60	0.14	0.203358
1964.80	0.14	0.203320
1965.00	0.14	0.203282
1965.20	0.14	0.203244
1965.40	0.14	0.203207
1965.60	0.14	0.203169
1965.80	0.14	0.203131
1966.00	0.14	0.203093
1966.20	0.14	0.203056
1966.40	0.14	0.203018
1966.60	0.14	0.202980
1966.80	0.14	0.202942
1967.00	0.14	0.202905
1967.20	0.14	0.202867
1967.40	0.14	0.202829
1967.60	0.14	0.202791
1967.80	0.14	0.202753
1968.00	0.14	0.202716
1968.20	0.14	0.202678
1968.40	0.14	0.202640
1968.60	0.14	0.202602
1968.80	0.14	0.202565
1969.00	0.14	0.202527
1969.20	0.14	0.202489
1969.40	0.14	0.202451
1969.60	0.14	0.202414
1969.80	0.14	0.202376

1970.00	0.14	0.202338
1970.20	0.14	0.202300
1970.40	0.14	0.202262
1970.60	0.14	0.202225
1970.80	0.14	0.202187
1971.00	0.14	0.202149
1971.20	0.14	0.202111
1971.40	0.14	0.202074
1971.60	0.14	0.202036
1971.80	0.14	0.201998
1972.00	0.14	0.201960
1972.20	0.14	0.201923
1972.40	0.14	0.201885
1972.60	0.14	0.201847
1972.80	0.14	0.201809
1973.00	0.14	0.201771
1973.20	0.14	0.201734
1973.40	0.14	0.201696
1973.60	0.14	0.201658
1973.80	0.14	0.201620
1974.00	0.14	0.201583
1974.20	0.14	0.201545
1974.40	0.14	0.201507
1974.60	0.14	0.201469
1974.80	0.14	0.201432
1975.00	0.14	0.201394
1975.20	0.14	0.201356
1975.40	0.14	0.201318
1975.60	0.14	0.201281
1975.80	0.14	0.201243
1976.00	0.14	0.201205
1976.20	0.14	0.201167
1976.40	0.14	0.201129
1976.60	0.14	0.201092
1976.80	0.14	0.201054
1977.00	0.14	0.201016
1977.20	0.14	0.200978
1977.40	0.14	0.200941
1977.60	0.14	0.200903
1977.80	0.14	0.200865
1978.00	0.14	0.200827
1978.20	0.14	0.200790
1978.40	0.14	0.200752
1978.60	0.14	0.200714
1978.80	0.14	0.200676
1979.00	0.14	0.200638
1979.20	0.14	0.200601
1979.40	0.14	0.200563
1979.60	0.14	0.200525
1979.80	0.14	0.200487
1980.00	0.14	0.200450
1980.20	0.14	0.200412
1980.40	0.14	0.200374
1980.60	0.14	0.200336
1980.80	0.14	0.200299
1981.00	0.14	0.200261
1981.20	0.14	0.200223

1981.40	0.14	0.200185
1981.60	0.14	0.200147
1981.80	0.14	0.200110
1982.00	0.14	0.200072
1982.20	0.14	0.200034
1982.40	0.14	0.199996
1982.60	0.14	0.199959
1982.80	0.14	0.199921
1983.00	0.14	0.199883
1983.20	0.14	0.199845
1983.40	0.14	0.199808
1983.60	0.14	0.199770
1983.80	0.14	0.199732
1984.00	0.14	0.199694
1984.20	0.14	0.199656
1984.40	0.14	0.199619
1984.60	0.14	0.199581
1984.80	0.14	0.199543
1985.00	0.14	0.199505
1985.20	0.14	0.199468
1985.40	0.14	0.199430
1985.60	0.14	0.199392
1985.80	0.14	0.199354
1986.00	0.14	0.199317
1986.20	0.14	0.199279
1986.40	0.14	0.199241
1986.60	0.14	0.199203
1986.80	0.14	0.199165
1987.00	0.14	0.199128
1987.20	0.14	0.199090
1987.40	0.14	0.199052
1987.60	0.14	0.199014
1987.80	0.14	0.198977
1988.00	0.14	0.198939
1988.20	0.14	0.198901
1988.40	0.14	0.198863
1988.60	0.14	0.198826
1988.80	0.14	0.198788
1989.00	0.14	0.198750
1989.20	0.14	0.198712
1989.40	0.14	0.198674
1989.60	0.14	0.198637
1989.80	0.14	0.198599
1990.00	0.14	0.198561
1990.20	0.14	0.198523
1990.40	0.14	0.198486
1990.60	0.14	0.198448
1990.80	0.14	0.198410
1991.00	0.14	0.198372
1991.20	0.14	0.198335
1991.40	0.14	0.198297
1991.60	0.14	0.198259
1991.80	0.14	0.198221
1992.00	0.14	0.198183
1992.20	0.14	0.198146
1992.40	0.14	0.198108
1992.60	0.14	0.198070

1992.80	0.14	0.198032
1993.00	0.14	0.197995
1993.20	0.14	0.197957
1993.40	0.14	0.197919
1993.60	0.14	0.197881
1993.80	0.14	0.197844
1994.00	0.14	0.197806
1994.20	0.14	0.197768
1994.40	0.14	0.197730
1994.60	0.14	0.197693
1994.80	0.14	0.197655
1995.00	0.14	0.197617
1995.20	0.14	0.197579
1995.40	0.14	0.197541
1995.60	0.14	0.197504
1995.80	0.14	0.197466
1996.00	0.14	0.197428
1996.20	0.14	0.197390
1996.40	0.14	0.197353
1996.60	0.14	0.197315
1996.80	0.14	0.197277
1997.00	0.14	0.197239
1997.20	0.14	0.197202
1997.40	0.14	0.197164
1997.60	0.14	0.197126
1997.80	0.14	0.197088
1998.00	0.14	0.197050
1998.20	0.14	0.197013
1998.40	0.14	0.196975
1998.60	0.14	0.196937
1998.80	0.14	0.196899
1999.00	0.14	0.196862
1999.20	0.14	0.196824
1999.40	0.14	0.196786
1999.60	0.14	0.196748
1999.80	0.14	0.196711
2000.00	0.14	0.196673
2000.20	0.14	0.196635
2000.40	0.14	0.196597
2000.60	0.14	0.196559
2000.80	0.14	0.196522
2001.00	0.14	0.196484
2001.20	0.14	0.196446
2001.40	0.14	0.196408
2001.60	0.14	0.196371
2001.80	0.14	0.196333
2002.00	0.14	0.196295
2002.20	0.14	0.196257
2002.40	0.14	0.196220
2002.60	0.14	0.196182
2002.80	0.14	0.196144
2003.00	0.14	0.196106
2003.20	0.14	0.196068
2003.40	0.14	0.196031
2003.60	0.14	0.195993
2003.80	0.14	0.195955
2004.00	0.14	0.195917

2004.20	0.14	0.195880
2004.40	0.14	0.195842
2004.60	0.14	0.195804
2004.80	0.14	0.195766
2005.00	0.14	0.195729
2005.20	0.14	0.195691
2005.40	0.14	0.195653
2005.60	0.14	0.195615
2005.80	0.14	0.195577
2006.00	0.14	0.195540
2006.20	0.14	0.195502
2006.40	0.14	0.195464
2006.60	0.14	0.195426
2006.80	0.14	0.195389
2007.00	0.14	0.195351
2007.20	0.14	0.195313
2007.40	0.14	0.195275
2007.60	0.14	0.195238
2007.80	0.14	0.195200
2008.00	0.14	0.195162
2008.20	0.14	0.195124
2008.40	0.14	0.195086
2008.60	0.14	0.195049
2008.80	0.14	0.195011
2009.00	0.14	0.194973
2009.20	0.14	0.194935
2009.40	0.14	0.194898
2009.60	0.14	0.194860
2009.80	0.14	0.194822
2010.00	0.14	0.194784
2010.20	0.14	0.194747
2010.40	0.14	0.194709
2010.60	0.14	0.194671
2010.80	0.14	0.194633
2011.00	0.14	0.194595
2011.20	0.14	0.194558
2011.40	0.14	0.194520
2011.60	0.14	0.194482
2011.80	0.14	0.194444
2012.00	0.14	0.194407
2012.20	0.14	0.194369
2012.40	0.14	0.194331
2012.60	0.14	0.194293
2012.80	0.14	0.194256
2013.00	0.14	0.194218
2013.20	0.14	0.194180
2013.40	0.14	0.194142
2013.60	0.14	0.194104
2013.80	0.14	0.194067
2014.00	0.14	0.194029
2014.20	0.14	0.193991
2014.40	0.14	0.193953
2014.60	0.14	0.193916
2014.80	0.14	0.193878
2015.00	0.14	0.193840
2015.20	0.14	0.193802
2015.40	0.14	0.193765

2015.60	0.14	0.193727
2015.80	0.14	0.193689
2016.00	0.14	0.193651
2016.20	0.14	0.193614
2016.40	0.14	0.193576
2016.60	0.14	0.193538
2016.80	0.14	0.193500
2017.00	0.14	0.193462
2017.20	0.14	0.193425
2017.40	0.14	0.193387
2017.60	0.14	0.193349
2017.80	0.14	0.193311
2018.00	0.14	0.193274
2018.20	0.14	0.193236
2018.40	0.14	0.193198
2018.60	0.14	0.193160
2018.80	0.14	0.193123
2019.00	0.14	0.193085
2019.20	0.14	0.193047
2019.40	0.14	0.193009
2019.60	0.14	0.192971
2019.80	0.14	0.192934
2020.00	0.14	0.192896
2020.20	0.14	0.192858
2020.40	0.14	0.192820
2020.60	0.14	0.192783
2020.80	0.14	0.192745
2021.00	0.14	0.192707
2021.20	0.14	0.192669
2021.40	0.14	0.192632
2021.60	0.14	0.192594
2021.80	0.14	0.192556
2022.00	0.14	0.192518
2022.20	0.14	0.192480
2022.40	0.14	0.192443
2022.60	0.14	0.192405
2022.80	0.14	0.192367
2023.00	0.14	0.192329
2023.20	0.14	0.192292
2023.40	0.14	0.192254
2023.60	0.14	0.192216
2023.80	0.14	0.192178
2024.00	0.14	0.192141
2024.20	0.14	0.192103
2024.40	0.14	0.192065
2024.60	0.14	0.192027
2024.80	0.14	0.191989
2025.00	0.14	0.191952
2025.20	0.14	0.191914
2025.40	0.14	0.191876
2025.60	0.14	0.191838
2025.80	0.14	0.191801
2026.00	0.14	0.191763
2026.20	0.14	0.191725
2026.40	0.14	0.191687
2026.60	0.14	0.191650
2026.80	0.14	0.191612

2027.00	0.14	0.191574
2027.20	0.14	0.191536
2027.40	0.14	0.191498
2027.60	0.14	0.191461
2027.80	0.14	0.191423
2028.00	0.14	0.191385
2028.20	0.14	0.191347
2028.40	0.14	0.191310
2028.60	0.14	0.191272
2028.80	0.14	0.191234
2029.00	0.14	0.191196
2029.20	0.14	0.191159
2029.40	0.14	0.191121
2029.60	0.14	0.191083
2029.80	0.14	0.191045
2030.00	0.14	0.191007
2030.20	0.14	0.190970
2030.40	0.14	0.190932
2030.60	0.14	0.190894
2030.80	0.14	0.190856
2031.00	0.14	0.190819
2031.20	0.14	0.190781
2031.40	0.14	0.190743
2031.60	0.14	0.190705
2031.80	0.14	0.190668
2032.00	0.14	0.190630
2032.20	0.14	0.190592
2032.40	0.14	0.190554
2032.60	0.14	0.190516
2032.80	0.14	0.190479
2033.00	0.14	0.190441
2033.20	0.14	0.190403
2033.40	0.14	0.190365
2033.60	0.14	0.190328
2033.80	0.14	0.190290
2034.00	0.14	0.190252
2034.20	0.14	0.190214
2034.40	0.14	0.190177
2034.60	0.14	0.190139
2034.80	0.14	0.190101
2035.00	0.14	0.190063
2035.20	0.14	0.190026
2035.40	0.14	0.189988
2035.60	0.14	0.189950
2035.80	0.14	0.189912
2036.00	0.14	0.189874
2036.20	0.14	0.189837
2036.40	0.14	0.189799
2036.60	0.14	0.189761
2036.80	0.14	0.189723
2037.00	0.14	0.189686
2037.20	0.14	0.189648
2037.40	0.14	0.189610
2037.60	0.14	0.189572
2037.80	0.14	0.189535
2038.00	0.14	0.189497
2038.20	0.14	0.189459

2038.40	0.14	0.189421
2038.60	0.14	0.189383
2038.80	0.14	0.189346
2039.00	0.14	0.189308
2039.20	0.14	0.189270
2039.40	0.14	0.189232
2039.60	0.14	0.189195
2039.80	0.14	0.189157
2040.00	0.14	0.189119
2040.20	0.14	0.189081
2040.40	0.14	0.189044
2040.60	0.14	0.189006
2040.80	0.14	0.188968
2041.00	0.14	0.188930
2041.20	0.14	0.188892
2041.40	0.14	0.188855
2041.60	0.14	0.188817
2041.80	0.14	0.188779
2042.00	0.14	0.188741
2042.20	0.14	0.188704
2042.40	0.14	0.188666
2042.60	0.14	0.188628
2042.80	0.14	0.188590
2043.00	0.14	0.188553
2043.20	0.14	0.188515
2043.40	0.14	0.188477
2043.60	0.14	0.188439
2043.80	0.14	0.188401
2044.00	0.14	0.188364
2044.20	0.14	0.188326
2044.40	0.14	0.188288
2044.60	0.14	0.188250
2044.80	0.14	0.188213
2045.00	0.14	0.188175
2045.20	0.14	0.188137
2045.40	0.14	0.188099
2045.60	0.14	0.188062
2045.80	0.14	0.188024
2046.00	0.14	0.187986
2046.20	0.14	0.187948
2046.40	0.14	0.187910
2046.60	0.14	0.187873
2046.80	0.14	0.187835
2047.00	0.14	0.187797
2047.20	0.14	0.187759
2047.40	0.14	0.187722
2047.60	0.14	0.187684
2047.80	0.14	0.187646
2048.00	0.14	0.187608
2048.20	0.14	0.187571
2048.40	0.14	0.187533
2048.60	0.14	0.187495
2048.80	0.14	0.187457
2049.00	0.14	0.187419
2049.20	0.14	0.187382
2049.40	0.14	0.187344
2049.60	0.14	0.187306

2049.80	0.14	0.187268
2050.00	0.14	0.187231
2050.20	0.14	0.187193
2050.40	0.14	0.187155
2050.60	0.14	0.187117
2050.80	0.14	0.187080
2051.00	0.14	0.187042
2051.20	0.14	0.187004
2051.40	0.14	0.186966
2051.60	0.14	0.186928
2051.80	0.14	0.186891
2052.00	0.14	0.186853
2052.20	0.14	0.186815
2052.40	0.14	0.186777
2052.60	0.14	0.186740
2052.80	0.14	0.186702
2053.00	0.14	0.186664
2053.20	0.14	0.186626
2053.40	0.14	0.186589
2053.60	0.14	0.186551
2053.80	0.14	0.186513
2054.00	0.14	0.186475
2054.20	0.14	0.186438
2054.40	0.14	0.186400
2054.60	0.14	0.186362
2054.80	0.14	0.186324
2055.00	0.14	0.186286
2055.20	0.14	0.186249
2055.40	0.14	0.186211
2055.60	0.14	0.186173
2055.80	0.14	0.186135
2056.00	0.14	0.186098
2056.20	0.14	0.186060
2056.40	0.14	0.186022
2056.60	0.14	0.185984
2056.80	0.14	0.185947
2057.00	0.14	0.185909
2057.20	0.14	0.185871
2057.40	0.14	0.185833
2057.60	0.14	0.185795
2057.80	0.14	0.185758
2058.00	0.14	0.185720
2058.20	0.14	0.185682
2058.40	0.14	0.185644
2058.60	0.14	0.185607
2058.80	0.14	0.185569
2059.00	0.14	0.185531
2059.20	0.14	0.185493
2059.40	0.14	0.185456
2059.60	0.14	0.185418
2059.80	0.14	0.185380
2060.00	0.14	0.185342
2060.20	0.14	0.185304
2060.40	0.14	0.185267
2060.60	0.14	0.185229
2060.80	0.14	0.185191
2061.00	0.14	0.185153

2061.20	0.14	0.185116
2061.40	0.14	0.185078
2061.60	0.14	0.185040
2061.80	0.14	0.185002
2062.00	0.14	0.184965
2062.20	0.14	0.184927
2062.40	0.14	0.184889
2062.60	0.14	0.184851
2062.80	0.14	0.184813
2063.00	0.14	0.184776
2063.20	0.14	0.184738
2063.40	0.14	0.184700
2063.60	0.14	0.184662
2063.80	0.14	0.184625
2064.00	0.14	0.184587
2064.20	0.14	0.184549
2064.40	0.14	0.184511
2064.60	0.14	0.184474
2064.80	0.14	0.184436
2065.00	0.14	0.184398
2065.20	0.14	0.184360
2065.40	0.14	0.184322
2065.60	0.14	0.184285
2065.80	0.14	0.184247
2066.00	0.14	0.184209
2066.20	0.14	0.184171
2066.40	0.14	0.184134
2066.60	0.14	0.184096
2066.80	0.14	0.184058
2067.00	0.14	0.184020
2067.20	0.14	0.183983
2067.40	0.14	0.183945
2067.60	0.14	0.183907
2067.80	0.14	0.183869
2068.00	0.14	0.183831
2068.20	0.14	0.183794
2068.40	0.14	0.183756
2068.60	0.14	0.183718
2068.80	0.14	0.183680
2069.00	0.14	0.183643
2069.20	0.14	0.183605
2069.40	0.14	0.183567
2069.60	0.14	0.183529
2069.80	0.14	0.183492
2070.00	0.14	0.183454
2070.20	0.14	0.183416
2070.40	0.14	0.183378
2070.60	0.14	0.183340
2070.80	0.14	0.183303
2071.00	0.14	0.183265
2071.20	0.14	0.183227
2071.40	0.14	0.183189
2071.60	0.14	0.183152
2071.80	0.14	0.183114
2072.00	0.14	0.183076
2072.20	0.14	0.183038
2072.40	0.14	0.183001

2072.60	0.14	0.182963
2072.80	0.14	0.182925
2073.00	0.14	0.182887
2073.20	0.14	0.182850
2073.40	0.14	0.182812
2073.60	0.14	0.182774
2073.80	0.14	0.182736
2074.00	0.14	0.182698
2074.20	0.14	0.182661
2074.40	0.14	0.182623
2074.60	0.14	0.182585
2074.80	0.14	0.182547
2075.00	0.14	0.182510
2075.20	0.14	0.182472
2075.40	0.14	0.182434
2075.60	0.14	0.182396
2075.80	0.14	0.182359
2076.00	0.14	0.182321
2076.20	0.14	0.182283
2076.40	0.14	0.182245
2076.60	0.14	0.182207
2076.80	0.14	0.182170
2077.00	0.14	0.182132
2077.20	0.14	0.182094
2077.40	0.14	0.182056
2077.60	0.14	0.182019
2077.80	0.14	0.181981
2078.00	0.14	0.181943
2078.20	0.14	0.181905
2078.40	0.14	0.181868
2078.60	0.14	0.181830
2078.80	0.14	0.181792
2079.00	0.14	0.181754
2079.20	0.14	0.181716
2079.40	0.14	0.181679
2079.60	0.14	0.181641
2079.80	0.14	0.181603
2080.00	0.14	0.181565
2080.20	0.14	0.181528
2080.40	0.14	0.181490
2080.60	0.14	0.181452
2080.80	0.14	0.181414
2081.00	0.14	0.181377
2081.20	0.14	0.181339
2081.40	0.14	0.181301
2081.60	0.14	0.181263
2081.80	0.14	0.181225
2082.00	0.14	0.181188
2082.20	0.14	0.181150
2082.40	0.14	0.181112
2082.60	0.14	0.181074
2082.80	0.14	0.181037
2083.00	0.14	0.180999
2083.20	0.14	0.180961
2083.40	0.14	0.180923
2083.60	0.14	0.180886
2083.80	0.14	0.180848

2084.00	0.14	0.180810
2084.20	0.14	0.180772
2084.40	0.14	0.180734
2084.60	0.14	0.180697
2084.80	0.14	0.180659
2085.00	0.14	0.180621
2085.20	0.14	0.180583
2085.40	0.14	0.180546
2085.60	0.14	0.180508
2085.80	0.14	0.180470
2086.00	0.14	0.180432
2086.20	0.14	0.180395
2086.40	0.14	0.180357
2086.60	0.14	0.180319
2086.80	0.14	0.180281
2087.00	0.14	0.180243
2087.20	0.14	0.180206
2087.40	0.14	0.180168
2087.60	0.14	0.180130
2087.80	0.14	0.180092
2088.00	0.14	0.180055
2088.20	0.14	0.180017
2088.40	0.14	0.179979
2088.60	0.14	0.179941
2088.80	0.14	0.179904
2089.00	0.14	0.179866
2089.20	0.14	0.179828
2089.40	0.14	0.179790
2089.60	0.14	0.179752
2089.80	0.14	0.179715
2090.00	0.14	0.179677
2090.20	0.14	0.179639
2090.40	0.14	0.179601
2090.60	0.14	0.179564
2090.80	0.14	0.179526
2091.00	0.14	0.179488
2091.20	0.14	0.179450
2091.40	0.14	0.179413
2091.60	0.14	0.179375
2091.80	0.14	0.179337
2092.00	0.14	0.179299
2092.20	0.14	0.179261
2092.40	0.14	0.179224
2092.60	0.14	0.179186
2092.80	0.14	0.179148
2093.00	0.14	0.179110
2093.20	0.14	0.179073
2093.40	0.14	0.179035
2093.60	0.14	0.178997
2093.80	0.14	0.178959
2094.00	0.14	0.178922
2094.20	0.14	0.178884
2094.40	0.14	0.178846
2094.60	0.14	0.178808
2094.80	0.14	0.178771
2095.00	0.14	0.178733
2095.20	0.14	0.178695

2095.40	0.14	0.178657
2095.60	0.14	0.178619
2095.80	0.14	0.178582
2096.00	0.14	0.178544
2096.20	0.14	0.178506
2096.40	0.14	0.178468
2096.60	0.14	0.178431
2096.80	0.14	0.178393
2097.00	0.14	0.178355
2097.20	0.14	0.178317
2097.40	0.14	0.178280
2097.60	0.14	0.178242
2097.80	0.14	0.178204
2098.00	0.14	0.178166
2098.20	0.14	0.178128
2098.40	0.14	0.178091
2098.60	0.14	0.178053
2098.80	0.14	0.178015
2099.00	0.14	0.177977
2099.20	0.14	0.177940
2099.40	0.14	0.177902
2099.60	0.14	0.177864
2099.80	0.14	0.177826
2100.00	0.14	0.177789
2100.20	0.14	0.177751
2100.40	0.14	0.177713
2100.60	0.14	0.177675
2100.80	0.14	0.177637
2101.00	0.14	0.177600
2101.20	0.14	0.177562
2101.40	0.14	0.177524
2101.60	0.14	0.177486
2101.80	0.14	0.177449
2102.00	0.14	0.177411
2102.20	0.14	0.177373
2102.40	0.14	0.177335
2102.60	0.14	0.177298
2102.80	0.14	0.177260
2103.00	0.14	0.177222
2103.20	0.14	0.177184
2103.40	0.14	0.177146
2103.60	0.14	0.177109
2103.80	0.14	0.177071
2104.00	0.14	0.177033
2104.20	0.14	0.176995
2104.40	0.14	0.176958
2104.60	0.14	0.176920
2104.80	0.14	0.176882
2105.00	0.14	0.176844
2105.20	0.14	0.176807
2105.40	0.14	0.176769
2105.60	0.14	0.176731
2105.80	0.14	0.176693
2106.00	0.14	0.176655
2106.20	0.14	0.176618
2106.40	0.14	0.176580
2106.60	0.14	0.176542

2106.80	0.14	0.176504
2107.00	0.14	0.176467
2107.20	0.14	0.176429
2107.40	0.14	0.176391
2107.60	0.14	0.176353
2107.80	0.14	0.176316
2108.00	0.14	0.176278
2108.20	0.14	0.176240
2108.40	0.14	0.176202
2108.60	0.14	0.176164
2108.80	0.14	0.176127
2109.00	0.14	0.176089
2109.20	0.14	0.176051
2109.40	0.14	0.176013
2109.60	0.14	0.175976
2109.80	0.14	0.175938
2110.00	0.14	0.175900
2110.20	0.14	0.175862
2110.40	0.14	0.175825
2110.60	0.14	0.175787
2110.80	0.14	0.175749
2111.00	0.14	0.175711
2111.20	0.14	0.175673
2111.40	0.14	0.175636
2111.60	0.14	0.175598
2111.80	0.14	0.175560
2112.00	0.14	0.175522
2112.20	0.14	0.175485
2112.40	0.14	0.175447
2112.60	0.14	0.175409
2112.80	0.14	0.175371
2113.00	0.14	0.175334
2113.20	0.14	0.175296
2113.40	0.14	0.175258
2113.60	0.14	0.175220
2113.80	0.14	0.175183
2114.00	0.14	0.175145
2114.20	0.14	0.175107
2114.40	0.14	0.175069
2114.60	0.14	0.175031
2114.80	0.14	0.174994
2115.00	0.14	0.174956
2115.20	0.14	0.174918
2115.40	0.14	0.174880
2115.60	0.14	0.174843
2115.80	0.14	0.174805
2116.00	0.14	0.174767
2116.20	0.14	0.174729
2116.40	0.14	0.174692
2116.60	0.14	0.174654
2116.80	0.14	0.174616
2117.00	0.14	0.174578
2117.20	0.14	0.174540
2117.40	0.14	0.174503
2117.60	0.14	0.174465
2117.80	0.14	0.174427
2118.00	0.14	0.174389

2118.20	0.14	0.174352
2118.40	0.14	0.174314
2118.60	0.14	0.174276
2118.80	0.14	0.174238
2119.00	0.14	0.174201
2119.20	0.14	0.174163
2119.40	0.14	0.174125
2119.60	0.14	0.174087
2119.80	0.14	0.174049
2120.00	0.14	0.174012
2120.20	0.14	0.173974
2120.40	0.14	0.173936
2120.60	0.14	0.173898
2120.80	0.14	0.173861
2121.00	0.14	0.173823
2121.20	0.14	0.173785
2121.40	0.14	0.173747
2121.60	0.14	0.173710
2121.80	0.14	0.173672
2122.00	0.14	0.173634
2122.20	0.14	0.173596
2122.40	0.14	0.173558
2122.60	0.14	0.173521
2122.80	0.14	0.173483
2123.00	0.14	0.173445
2123.20	0.14	0.173407
2123.40	0.14	0.173370
2123.60	0.14	0.173332
2123.80	0.14	0.173294
2124.00	0.14	0.173256
2124.20	0.14	0.173219
2124.40	0.14	0.173181
2124.60	0.14	0.173143
2124.80	0.14	0.173105
2125.00	0.14	0.173067
2125.20	0.14	0.173030
2125.40	0.14	0.172992
2125.60	0.14	0.172954
2125.80	0.14	0.172916
2126.00	0.14	0.172879
2126.20	0.14	0.172841
2126.40	0.14	0.172803
2126.60	0.14	0.172765
2126.80	0.14	0.172728
2127.00	0.14	0.172690
2127.20	0.14	0.172652
2127.40	0.14	0.172614
2127.60	0.14	0.172576
2127.80	0.14	0.172539
2128.00	0.14	0.172501
2128.20	0.14	0.172463
2128.40	0.14	0.172425
2128.60	0.14	0.172388
2128.80	0.14	0.172350
2129.00	0.14	0.172312
2129.20	0.14	0.172274
2129.40	0.14	0.172237

2129.60	0.14	0.172199
2129.80	0.14	0.172161
2130.00	0.14	0.172123
2130.20	0.14	0.172085
2130.40	0.14	0.172048
2130.60	0.14	0.172010
2130.80	0.14	0.171972
2131.00	0.14	0.171934
2131.20	0.14	0.171897
2131.40	0.14	0.171859
2131.60	0.14	0.171821
2131.80	0.14	0.171783
2132.00	0.14	0.171746
2132.20	0.14	0.171708
2132.40	0.14	0.171670
2132.60	0.14	0.171632
2132.80	0.14	0.171595
2133.00	0.14	0.171557
2133.20	0.14	0.171519
2133.40	0.14	0.171481
2133.60	0.14	0.171443
2133.80	0.14	0.171406
2134.00	0.14	0.171368
2134.20	0.14	0.171330
2134.40	0.14	0.171292
2134.60	0.14	0.171255
2134.80	0.14	0.171217
2135.00	0.14	0.171179
2135.20	0.14	0.171141
2135.40	0.14	0.171104
2135.60	0.14	0.171066
2135.80	0.14	0.171028
2136.00	0.14	0.170990
2136.20	0.14	0.170952
2136.40	0.14	0.170915
2136.60	0.14	0.170877
2136.80	0.14	0.170839
2137.00	0.14	0.170801
2137.20	0.14	0.170764
2137.40	0.14	0.170726
2137.60	0.14	0.170688
2137.80	0.14	0.170650
2138.00	0.14	0.170613
2138.20	0.14	0.170575
2138.40	0.14	0.170537
2138.60	0.14	0.170499
2138.80	0.14	0.170461
2139.00	0.14	0.170424
2139.20	0.14	0.170386
2139.40	0.14	0.170348
2139.60	0.14	0.170310
2139.80	0.14	0.170273
2140.00	0.14	0.170235
2140.20	0.14	0.170197
2140.40	0.14	0.170159
2140.60	0.14	0.170122
2140.80	0.14	0.170084

2141.00	0.14	0.170046
2141.20	0.14	0.170008
2141.40	0.14	0.169970
2141.60	0.14	0.169933
2141.80	0.14	0.169895
2142.00	0.14	0.169857
2142.20	0.14	0.169819
2142.40	0.14	0.169782
2142.60	0.14	0.169744
2142.80	0.14	0.169706
2143.00	0.14	0.169668
2143.20	0.14	0.169631
2143.40	0.14	0.169593
2143.60	0.14	0.169555
2143.80	0.14	0.169517
2144.00	0.14	0.169479
2144.20	0.14	0.169442
2144.40	0.14	0.169404
2144.60	0.14	0.169366
2144.80	0.14	0.169328
2145.00	0.14	0.169291
2145.20	0.14	0.169253
2145.40	0.14	0.169215
2145.60	0.14	0.169177
2145.80	0.14	0.169140
2146.00	0.14	0.169102
2146.20	0.14	0.169064
2146.40	0.14	0.169026
2146.60	0.14	0.168988
2146.80	0.14	0.168951
2147.00	0.14	0.168913
2147.20	0.14	0.168875
2147.40	0.14	0.168837
2147.60	0.14	0.168800
2147.80	0.14	0.168762
2148.00	0.14	0.168724
2148.20	0.14	0.168686
2148.40	0.14	0.168649
2148.60	0.14	0.168611
2148.80	0.14	0.168573
2149.00	0.14	0.168535
2149.20	0.14	0.168497
2149.40	0.14	0.168460
2149.60	0.14	0.168422
2149.80	0.14	0.168384
2150.00	0.14	0.168346
2150.20	0.14	0.168309
2150.40	0.14	0.168271
2150.60	0.14	0.168233
2150.80	0.14	0.168195
2151.00	0.14	0.168158
2151.20	0.14	0.168120
2151.40	0.14	0.168082
2151.60	0.14	0.168044
2151.80	0.14	0.168007
2152.00	0.14	0.167969
2152.20	0.14	0.167931

2152.40	0.14	0.167893
2152.60	0.14	0.167855
2152.80	0.14	0.167818
2153.00	0.14	0.167780
2153.20	0.14	0.167742
2153.40	0.14	0.167704
2153.60	0.14	0.167667
2153.80	0.14	0.167629
2154.00	0.14	0.167591
2154.20	0.14	0.167553
2154.40	0.14	0.167516
2154.60	0.14	0.167478
2154.80	0.14	0.167440
2155.00	0.14	0.167402
2155.20	0.14	0.167364
2155.40	0.14	0.167327
2155.60	0.14	0.167289
2155.80	0.14	0.167251
2156.00	0.14	0.167213
2156.20	0.14	0.167176
2156.40	0.14	0.167138
2156.60	0.14	0.167100
2156.80	0.14	0.167062
2157.00	0.14	0.167025
2157.20	0.14	0.166987
2157.40	0.14	0.166949
2157.60	0.14	0.166911
2157.80	0.14	0.166873
2158.00	0.14	0.166836
2158.20	0.14	0.166798
2158.40	0.14	0.166760
2158.60	0.14	0.166722
2158.80	0.14	0.166685
2159.00	0.14	0.166647
2159.20	0.14	0.166609
2159.40	0.14	0.166571
2159.60	0.14	0.166534
2159.80	0.14	0.166496
2160.00	0.14	0.166458
2160.20	0.14	0.166420
2160.40	0.14	0.166382
2160.60	0.14	0.166345
2160.80	0.14	0.166307
2161.00	0.14	0.166269
2161.20	0.14	0.166231
2161.40	0.14	0.166194
2161.60	0.14	0.166156
2161.80	0.14	0.166118
2162.00	0.14	0.166080
2162.20	0.14	0.166043
2162.40	0.14	0.166005
2162.60	0.14	0.165967
2162.80	0.14	0.165929
2163.00	0.14	0.165891
2163.20	0.14	0.165854
2163.40	0.14	0.165816
2163.60	0.14	0.165778

2163.80	0.14	0.165740
2164.00	0.14	0.165703
2164.20	0.14	0.165665
2164.40	0.14	0.165627
2164.60	0.14	0.165589
2164.80	0.14	0.165552
2165.00	0.14	0.165514
2165.20	0.14	0.165476
2165.40	0.14	0.165438
2165.60	0.14	0.165400
2165.80	0.14	0.165363
2166.00	0.14	0.165325
2166.20	0.14	0.165287
2166.40	0.14	0.165249
2166.60	0.14	0.165212
2166.80	0.14	0.165174
2167.00	0.14	0.165136
2167.20	0.14	0.165098
2167.40	0.14	0.165061
2167.60	0.14	0.165023
2167.80	0.14	0.164985
2168.00	0.14	0.164947
2168.20	0.14	0.164909
2168.40	0.14	0.164872
2168.60	0.14	0.164834
2168.80	0.14	0.164796
2169.00	0.14	0.164758
2169.20	0.14	0.164721
2169.40	0.14	0.164683
2169.60	0.14	0.164645
2169.80	0.14	0.164607
2170.00	0.14	0.164570
2170.20	0.14	0.164532
2170.40	0.14	0.164494
2170.60	0.14	0.164456
2170.80	0.14	0.164419
2171.00	0.14	0.164381
2171.20	0.14	0.164343
2171.40	0.14	0.164305
2171.60	0.14	0.164267
2171.80	0.14	0.164230
2172.00	0.14	0.164192
2172.20	0.14	0.164154
2172.40	0.14	0.164116
2172.60	0.14	0.164079
2172.80	0.14	0.164041
2173.00	0.14	0.164003
2173.20	0.14	0.163965
2173.40	0.14	0.163928
2173.60	0.14	0.163890
2173.80	0.14	0.163852
2174.00	0.14	0.163814
2174.20	0.14	0.163776
2174.40	0.14	0.163739
2174.60	0.14	0.163701
2174.80	0.14	0.163663
2175.00	0.14	0.163625

2175.20	0.14	0.163588
2175.40	0.14	0.163550
2175.60	0.14	0.163512
2175.80	0.14	0.163474
2176.00	0.14	0.163437
2176.20	0.14	0.163399
2176.40	0.14	0.163361
2176.60	0.14	0.163323
2176.80	0.14	0.163285
2177.00	0.14	0.163248
2177.20	0.14	0.163210
2177.40	0.14	0.163172
2177.60	0.14	0.163134
2177.80	0.14	0.163097
2178.00	0.14	0.163059
2178.20	0.14	0.163021
2178.40	0.14	0.162983
2178.60	0.14	0.162946
2178.80	0.14	0.162908
2179.00	0.14	0.162870
2179.20	0.14	0.162832
2179.40	0.14	0.162794
2179.60	0.14	0.162757
2179.80	0.14	0.162719
2180.00	0.14	0.162681
2180.20	0.14	0.162643
2180.40	0.14	0.162606
2180.60	0.14	0.162568
2180.80	0.14	0.162530
2181.00	0.14	0.162492
2181.20	0.14	0.162455
2181.40	0.14	0.162417
2181.60	0.14	0.162379
2181.80	0.14	0.162341
2182.00	0.14	0.162303
2182.20	0.14	0.162266
2182.40	0.14	0.162228
2182.60	0.14	0.162190
2182.80	0.14	0.162152
2183.00	0.14	0.162115
2183.20	0.14	0.162077
2183.40	0.14	0.162039
2183.60	0.14	0.162001
2183.80	0.14	0.161964
2184.00	0.14	0.161926
2184.20	0.14	0.161888
2184.40	0.14	0.161850
2184.60	0.14	0.161812
2184.80	0.14	0.161775
2185.00	0.14	0.161737
2185.20	0.14	0.161699
2185.40	0.14	0.161661
2185.60	0.14	0.161624
2185.80	0.14	0.161586
2186.00	0.14	0.161548
2186.20	0.14	0.161510
2186.40	0.14	0.161473

2186.60	0.14	0.161435
2186.80	0.14	0.161397
2187.00	0.14	0.161359
2187.20	0.14	0.161321
2187.40	0.14	0.161284
2187.60	0.14	0.161246
2187.80	0.14	0.161208
2188.00	0.14	0.161170
2188.20	0.14	0.161133
2188.40	0.14	0.161095
2188.60	0.14	0.161057
2188.80	0.14	0.161019
2189.00	0.14	0.160982
2189.20	0.14	0.160944
2189.40	0.14	0.160906
2189.60	0.14	0.160868
2189.80	0.14	0.160830
2190.00	0.14	0.160793
2190.20	0.14	0.160755
2190.40	0.14	0.160717
2190.60	0.14	0.160679
2190.80	0.14	0.160642
2191.00	0.14	0.160604
2191.20	0.14	0.160566
2191.40	0.14	0.160528
2191.60	0.14	0.160491
2191.80	0.14	0.160453
2192.00	0.14	0.160415
2192.20	0.14	0.160377
2192.40	0.14	0.160340
2192.60	0.14	0.160302
2192.80	0.14	0.160264
2193.00	0.14	0.160226
2193.20	0.14	0.160188
2193.40	0.14	0.160151
2193.60	0.14	0.160113
2193.80	0.14	0.160075
2194.00	0.14	0.160037
2194.20	0.14	0.160000
2194.40	0.14	0.159962
2194.60	0.14	0.159924
2194.80	0.14	0.159886
2195.00	0.14	0.159849
2195.20	0.14	0.159811
2195.40	0.14	0.159773
2195.60	0.14	0.159735
2195.80	0.14	0.159697
2196.00	0.14	0.159660
2196.20	0.14	0.159622
2196.40	0.14	0.159584
2196.60	0.14	0.159546
2196.80	0.14	0.159509
2197.00	0.14	0.159471
2197.20	0.14	0.159433
2197.40	0.14	0.159395
2197.60	0.14	0.159358
2197.80	0.14	0.159320

2198.00	0.14	0.159282
2198.20	0.14	0.159244
2198.40	0.14	0.159206
2198.60	0.14	0.159169
2198.80	0.14	0.159131
2199.00	0.14	0.159093
2199.20	0.14	0.159055
2199.40	0.14	0.159018
2199.60	0.14	0.158980
2199.80	0.14	0.158942
2200.00	0.14	0.158904
2200.20	0.14	0.158867
2200.40	0.14	0.158829
2200.60	0.14	0.158791
2200.80	0.14	0.158753
2201.00	0.14	0.158715
2201.20	0.14	0.158678
2201.40	0.14	0.158640
2201.60	0.14	0.158602
2201.80	0.14	0.158564
2202.00	0.14	0.158527
2202.20	0.14	0.158489
2202.40	0.14	0.158451
2202.60	0.14	0.158413
2202.80	0.14	0.158376
2203.00	0.14	0.158338
2203.20	0.14	0.158300
2203.40	0.14	0.158262
2203.60	0.14	0.158224
2203.80	0.14	0.158187
2204.00	0.14	0.158149
2204.20	0.14	0.158111
2204.40	0.14	0.158073
2204.60	0.14	0.158036
2204.80	0.14	0.157998
2205.00	0.14	0.157960
2205.20	0.14	0.157922
2205.40	0.14	0.157885
2205.60	0.14	0.157847
2205.80	0.14	0.157809
2206.00	0.14	0.157771
2206.20	0.14	0.157733
2206.40	0.14	0.157696
2206.60	0.14	0.157658
2206.80	0.14	0.157620
2207.00	0.14	0.157582
2207.20	0.14	0.157545
2207.40	0.14	0.157507
2207.60	0.14	0.157469
2207.80	0.14	0.157431
2208.00	0.14	0.157394
2208.20	0.14	0.157356
2208.40	0.14	0.157318
2208.60	0.14	0.157280
2208.80	0.14	0.157242
2209.00	0.14	0.157205
2209.20	0.14	0.157167

2209.40	0.14	0.157129
2209.60	0.14	0.157091
2209.80	0.14	0.157054
2210.00	0.14	0.157016
2210.20	0.14	0.156978
2210.40	0.14	0.156940
2210.60	0.14	0.156903
2210.80	0.14	0.156865
2211.00	0.14	0.156827
2211.20	0.14	0.156789
2211.40	0.14	0.156752
2211.60	0.14	0.156714
2211.80	0.14	0.156676
2212.00	0.14	0.156638
2212.20	0.14	0.156600
2212.40	0.14	0.156563
2212.60	0.14	0.156525
2212.80	0.14	0.156487
2213.00	0.14	0.156449
2213.20	0.14	0.156412
2213.40	0.14	0.156374
2213.60	0.14	0.156336
2213.80	0.14	0.156298
2214.00	0.14	0.156261
2214.20	0.14	0.156223
2214.40	0.14	0.156185
2214.60	0.14	0.156147
2214.80	0.14	0.156109
2215.00	0.14	0.156072
2215.20	0.14	0.156034
2215.40	0.14	0.155996
2215.60	0.14	0.155958
2215.80	0.14	0.155921
2216.00	0.14	0.155883
2216.20	0.14	0.155845
2216.40	0.14	0.155807
2216.60	0.14	0.155770
2216.80	0.14	0.155732
2217.00	0.14	0.155694
2217.20	0.14	0.155656
2217.40	0.14	0.155618
2217.60	0.14	0.155581
2217.80	0.14	0.155543
2218.00	0.14	0.155505
2218.20	0.14	0.155467
2218.40	0.14	0.155430
2218.60	0.14	0.155392
2218.80	0.14	0.155354
2219.00	0.14	0.155316
2219.20	0.14	0.155279
2219.40	0.14	0.155241
2219.60	0.14	0.155203
2219.80	0.14	0.155165
2220.00	0.14	0.155127
2220.20	0.14	0.155090
2220.40	0.14	0.155052
2220.60	0.14	0.155014

2220.80	0.14	0.154976
2221.00	0.14	0.154939
2221.20	0.14	0.154901
2221.40	0.14	0.154863
2221.60	0.14	0.154825
2221.80	0.14	0.154788
2222.00	0.14	0.154750
2222.20	0.14	0.154712
2222.40	0.14	0.154674
2222.60	0.14	0.154636
2222.80	0.14	0.154599
2223.00	0.14	0.154561
2223.20	0.14	0.154523
2223.40	0.14	0.154485
2223.60	0.14	0.154448
2223.80	0.14	0.154410
2224.00	0.14	0.154372
2224.20	0.14	0.154334
2224.40	0.14	0.154297
2224.60	0.14	0.154259
2224.80	0.14	0.154221
2225.00	0.14	0.154183
2225.20	0.14	0.154145
2225.40	0.14	0.154108
2225.60	0.14	0.154070
2225.80	0.14	0.154032
2226.00	0.14	0.153994
2226.20	0.14	0.153957
2226.40	0.14	0.153919
2226.60	0.14	0.153881
2226.80	0.14	0.153843
2227.00	0.14	0.153806
2227.20	0.14	0.153768
2227.40	0.14	0.153730
2227.60	0.14	0.153692
2227.80	0.14	0.153654
2228.00	0.14	0.153617
2228.20	0.14	0.153579
2228.40	0.14	0.153541
2228.60	0.14	0.153503
2228.80	0.14	0.153466
2229.00	0.14	0.153428
2229.20	0.14	0.153390
2229.40	0.14	0.153352
2229.60	0.14	0.153315
2229.80	0.14	0.153277
2230.00	0.14	0.153239
2230.20	0.14	0.153201
2230.40	0.14	0.153164
2230.60	0.14	0.153126
2230.80	0.14	0.153088
2231.00	0.14	0.153050
2231.20	0.14	0.153012
2231.40	0.14	0.152975
2231.60	0.14	0.152937
2231.80	0.14	0.152899
2232.00	0.14	0.152861

2232.20	0.14	0.152824
2232.40	0.14	0.152786
2232.60	0.14	0.152748
2232.80	0.14	0.152710
2233.00	0.14	0.152673
2233.20	0.14	0.152635
2233.40	0.14	0.152597
2233.60	0.14	0.152559
2233.80	0.14	0.152521
2234.00	0.14	0.152484
2234.20	0.14	0.152446
2234.40	0.14	0.152408
2234.60	0.14	0.152370
2234.80	0.14	0.152333
2235.00	0.14	0.152295
2235.20	0.14	0.152257
2235.40	0.14	0.152219
2235.60	0.14	0.152182
2235.80	0.14	0.152144
2236.00	0.14	0.152106
2236.20	0.14	0.152068
2236.40	0.14	0.152030
2236.60	0.14	0.151993
2236.80	0.14	0.151955
2237.00	0.14	0.151917
2237.20	0.14	0.151879
2237.40	0.14	0.151842
2237.60	0.14	0.151804
2237.80	0.14	0.151766
2238.00	0.14	0.151728
2238.20	0.14	0.151691
2238.40	0.14	0.151653
2238.60	0.14	0.151615
2238.80	0.14	0.151577
2239.00	0.14	0.151539
2239.20	0.14	0.151502
2239.40	0.14	0.151464
2239.60	0.14	0.151426
2239.80	0.14	0.151388
2240.00	0.14	0.151351
2240.20	0.14	0.151313
2240.40	0.14	0.151275
2240.60	0.14	0.151237
2240.80	0.14	0.151200
2241.00	0.14	0.151162
2241.20	0.14	0.151124
2241.40	0.14	0.151086
2241.60	0.14	0.151048
2241.80	0.14	0.151011
2242.00	0.14	0.150973
2242.20	0.14	0.150935
2242.40	0.14	0.150897
2242.60	0.14	0.150860
2242.80	0.14	0.150822
2243.00	0.14	0.150784
2243.20	0.14	0.150746
2243.40	0.14	0.150709

2243.60	0.14	0.150671
2243.80	0.14	0.150633
2244.00	0.14	0.150595
2244.20	0.14	0.150557
2244.40	0.14	0.150520
2244.60	0.14	0.150482
2244.80	0.14	0.150444
2245.00	0.14	0.150406
2245.20	0.14	0.150369
2245.40	0.14	0.150331
2245.60	0.14	0.150293
2245.80	0.14	0.150255
2246.00	0.14	0.150218
2246.20	0.14	0.150180
2246.40	0.14	0.150142
2246.60	0.14	0.150104
2246.80	0.14	0.150066
2247.00	0.14	0.150029
2247.20	0.14	0.149991
2247.40	0.14	0.149953
2247.60	0.14	0.149915
2247.80	0.14	0.149878
2248.00	0.14	0.149840
2248.20	0.14	0.149802
2248.40	0.14	0.149764
2248.60	0.14	0.149727
2248.80	0.14	0.149689
2249.00	0.14	0.149651
2249.20	0.14	0.149613
2249.40	0.14	0.149576
2249.60	0.14	0.149538
2249.80	0.14	0.149500
2250.00	0.14	0.149462
2250.20	0.14	0.149424
2250.40	0.14	0.149387
2250.60	0.14	0.149349
2250.80	0.14	0.149311
2251.00	0.14	0.149273
2251.20	0.14	0.149236
2251.40	0.14	0.149198
2251.60	0.14	0.149160
2251.80	0.14	0.149122
2252.00	0.14	0.149085
2252.20	0.14	0.149047
2252.40	0.14	0.149009
2252.60	0.14	0.148971
2252.80	0.14	0.148933
2253.00	0.14	0.148896
2253.20	0.14	0.148858
2253.40	0.14	0.148820
2253.60	0.14	0.148782
2253.80	0.14	0.148745
2254.00	0.14	0.148707
2254.20	0.14	0.148669
2254.40	0.14	0.148631
2254.60	0.14	0.148594
2254.80	0.14	0.148556

2255.00	0.14	0.148518
2255.20	0.14	0.148480
2255.40	0.14	0.148442
2255.60	0.14	0.148405
2255.80	0.14	0.148367
2256.00	0.14	0.148329
2256.20	0.14	0.148291
2256.40	0.14	0.148254
2256.60	0.14	0.148216
2256.80	0.14	0.148178
2257.00	0.14	0.148140
2257.20	0.14	0.148103
2257.40	0.14	0.148065
2257.60	0.14	0.148027
2257.80	0.14	0.147989
2258.00	0.14	0.147951
2258.20	0.14	0.147914
2258.40	0.14	0.147876
2258.60	0.14	0.147838
2258.80	0.14	0.147800
2259.00	0.14	0.147763
2259.20	0.14	0.147725
2259.40	0.14	0.147687
2259.60	0.14	0.147649
2259.80	0.14	0.147612
2260.00	0.14	0.147574
2260.20	0.14	0.147536
2260.40	0.14	0.147498
2260.60	0.14	0.147460
2260.80	0.14	0.147423
2261.00	0.14	0.147385
2261.20	0.14	0.147347
2261.40	0.14	0.147309
2261.60	0.14	0.147272
2261.80	0.14	0.147234
2262.00	0.14	0.147196
2262.20	0.14	0.147158
2262.40	0.14	0.147121
2262.60	0.14	0.147083
2262.80	0.14	0.147045
2263.00	0.14	0.147007
2263.20	0.14	0.146969
2263.40	0.14	0.146932
2263.60	0.14	0.146894
2263.80	0.14	0.146856
2264.00	0.14	0.146818
2264.20	0.14	0.146781
2264.40	0.14	0.146743
2264.60	0.14	0.146705
2264.80	0.14	0.146667
2265.00	0.14	0.146630
2265.20	0.14	0.146592
2265.40	0.14	0.146554
2265.60	0.14	0.146516
2265.80	0.14	0.146478
2266.00	0.14	0.146441
2266.20	0.14	0.146403

2266.40	0.14	0.146365
2266.60	0.14	0.146327
2266.80	0.14	0.146290
2267.00	0.14	0.146252
2267.20	0.14	0.146214
2267.40	0.14	0.146176
2267.60	0.14	0.146139
2267.80	0.14	0.146101
2268.00	0.14	0.146063
2268.20	0.14	0.146025
2268.40	0.14	0.145988
2268.60	0.14	0.145950
2268.80	0.14	0.145912
2269.00	0.14	0.145874
2269.20	0.14	0.145836
2269.40	0.14	0.145799
2269.60	0.14	0.145761
2269.80	0.14	0.145723
2270.00	0.14	0.145685
2270.20	0.14	0.145648
2270.40	0.14	0.145610
2270.60	0.14	0.145572
2270.80	0.14	0.145534
2271.00	0.14	0.145497
2271.20	0.14	0.145459
2271.40	0.14	0.145421
2271.60	0.14	0.145383
2271.80	0.14	0.145345
2272.00	0.14	0.145308
2272.20	0.14	0.145270
2272.40	0.14	0.145232
2272.60	0.14	0.145194
2272.80	0.14	0.145157
2273.00	0.14	0.145119
2273.20	0.14	0.145081
2273.40	0.14	0.145043
2273.60	0.14	0.145006
2273.80	0.14	0.144968
2274.00	0.14	0.144930
2274.20	0.14	0.144892
2274.40	0.14	0.144854
2274.60	0.14	0.144817
2274.80	0.14	0.144779
2275.00	0.14	0.144741
2275.20	0.14	0.144703
2275.40	0.14	0.144666
2275.60	0.14	0.144628
2275.80	0.14	0.144590
2276.00	0.14	0.144552
2276.20	0.14	0.144515
2276.40	0.14	0.144477
2276.60	0.14	0.144439
2276.80	0.14	0.144401
2277.00	0.14	0.144363
2277.20	0.14	0.144326
2277.40	0.14	0.144288
2277.60	0.14	0.144250

2277.80	0.14	0.144212
2278.00	0.14	0.144175
2278.20	0.14	0.144137
2278.40	0.14	0.144099
2278.60	0.14	0.144061
2278.80	0.14	0.144024
2279.00	0.14	0.143986
2279.20	0.14	0.143948
2279.40	0.14	0.143910
2279.60	0.14	0.143872
2279.80	0.14	0.143835
2280.00	0.14	0.143797
2280.20	0.14	0.143759
2280.40	0.14	0.143721
2280.60	0.14	0.143684
2280.80	0.14	0.143646
2281.00	0.14	0.143608
2281.20	0.14	0.143570
2281.40	0.14	0.143533
2281.60	0.14	0.143495
2281.80	0.14	0.143457
2282.00	0.14	0.143419
2282.20	0.14	0.143381
2282.40	0.14	0.143344
2282.60	0.14	0.143306
2282.80	0.14	0.143268
2283.00	0.14	0.143230
2283.20	0.14	0.143193
2283.40	0.14	0.143155
2283.60	0.14	0.143117
2283.80	0.14	0.143079
2284.00	0.14	0.143042
2284.20	0.14	0.143004
2284.40	0.14	0.142966
2284.60	0.14	0.142928
2284.80	0.14	0.142890
2285.00	0.14	0.142853
2285.20	0.14	0.142815
2285.40	0.14	0.142777
2285.60	0.14	0.142739
2285.80	0.14	0.142702
2286.00	0.14	0.142664
2286.20	0.14	0.142626
2286.40	0.14	0.142588
2286.60	0.14	0.142551
2286.80	0.14	0.142513
2287.00	0.14	0.142475
2287.20	0.14	0.142437
2287.40	0.14	0.142399
2287.60	0.14	0.142362
2287.80	0.14	0.142324
2288.00	0.14	0.142286
2288.20	0.14	0.142248
2288.40	0.14	0.142211
2288.60	0.14	0.142173
2288.80	0.14	0.142135
2289.00	0.14	0.142097

2289.20	0.14	0.142060
2289.40	0.14	0.142022
2289.60	0.14	0.141984
2289.80	0.14	0.141946
2290.00	0.14	0.141909
2290.20	0.14	0.141871
2290.40	0.14	0.141833
2290.60	0.14	0.141795
2290.80	0.14	0.141757
2291.00	0.14	0.141720
2291.20	0.14	0.141682
2291.40	0.14	0.141644
2291.60	0.14	0.141606
2291.80	0.14	0.141569
2292.00	0.14	0.141531
2292.20	0.14	0.141493
2292.40	0.14	0.141455
2292.60	0.14	0.141418
2292.80	0.14	0.141380
2293.00	0.14	0.141342
2293.20	0.14	0.141304
2293.40	0.14	0.141266
2293.60	0.14	0.141229
2293.80	0.14	0.141191
2294.00	0.14	0.141153
2294.20	0.14	0.141115
2294.40	0.14	0.141078
2294.60	0.14	0.141040
2294.80	0.14	0.141002
2295.00	0.14	0.140964
2295.20	0.14	0.140927
2295.40	0.14	0.140889
2295.60	0.14	0.140851
2295.80	0.14	0.140813
2296.00	0.14	0.140775
2296.20	0.14	0.140738
2296.40	0.14	0.140700
2296.60	0.14	0.140662
2296.80	0.14	0.140624
2297.00	0.14	0.140587
2297.20	0.14	0.140549
2297.40	0.14	0.140511
2297.60	0.14	0.140473
2297.80	0.14	0.140436
2298.00	0.14	0.140398
2298.20	0.14	0.140360
2298.40	0.14	0.140322
2298.60	0.14	0.140284
2298.80	0.14	0.140247
2299.00	0.14	0.140209
2299.20	0.14	0.140171
2299.40	0.14	0.140133
2299.60	0.14	0.140096
2299.80	0.14	0.140058
2300.00	0.14	0.140020
2300.20	0.14	0.139982
2300.40	0.14	0.139945

2300.60	0.14	0.139907
2300.80	0.14	0.139869
2301.00	0.14	0.139831
2301.20	0.14	0.139793
2301.40	0.14	0.139756
2301.60	0.14	0.139718
2301.80	0.14	0.139680
2302.00	0.14	0.139642
2302.20	0.14	0.139605
2302.40	0.14	0.139567
2302.60	0.14	0.139529
2302.80	0.14	0.139491
2303.00	0.14	0.139454
2303.20	0.14	0.139416
2303.40	0.14	0.139378
2303.60	0.14	0.139340
2303.80	0.14	0.139302
2304.00	0.14	0.139265
2304.20	0.14	0.139227
2304.40	0.14	0.139189
2304.60	0.14	0.139151
2304.80	0.14	0.139114
2305.00	0.14	0.139076
2305.20	0.14	0.139038
2305.40	0.14	0.139000
2305.60	0.14	0.138963
2305.80	0.14	0.138925
2306.00	0.14	0.138887
2306.20	0.14	0.138849
2306.40	0.14	0.138811
2306.60	0.14	0.138774
2306.80	0.14	0.138736
2307.00	0.14	0.138698
2307.20	0.14	0.138660
2307.40	0.14	0.138623
2307.60	0.14	0.138585
2307.80	0.14	0.138547
2308.00	0.14	0.138509
2308.20	0.14	0.138472
2308.40	0.14	0.138434
2308.60	0.14	0.138396
2308.80	0.14	0.138358
2309.00	0.14	0.138321
2309.20	0.14	0.138283
2309.40	0.14	0.138245
2309.60	0.14	0.138207
2309.80	0.14	0.138169
2310.00	0.14	0.138132
2310.20	0.14	0.138094
2310.40	0.14	0.138056
2310.60	0.14	0.138018
2310.80	0.14	0.137981
2311.00	0.14	0.137943
2311.20	0.14	0.137905
2311.40	0.14	0.137867
2311.60	0.14	0.137830
2311.80	0.14	0.137792

2312.00	0.14	0.137754
2312.20	0.14	0.137716
2312.40	0.14	0.137678
2312.60	0.14	0.137641
2312.80	0.14	0.137603
2313.00	0.14	0.137565
2313.20	0.14	0.137527
2313.40	0.14	0.137490
2313.60	0.14	0.137452
2313.80	0.14	0.137414
2314.00	0.14	0.137376
2314.20	0.14	0.137339
2314.40	0.14	0.137301
2314.60	0.14	0.137263
2314.80	0.14	0.137225
2315.00	0.14	0.137187
2315.20	0.14	0.137150
2315.40	0.14	0.137112
2315.60	0.14	0.137074
2315.80	0.14	0.137036
2316.00	0.14	0.136999
2316.20	0.14	0.136961
2316.40	0.14	0.136923
2316.60	0.14	0.136885
2316.80	0.14	0.136848
2317.00	0.14	0.136810
2317.20	0.14	0.136772
2317.40	0.14	0.136734
2317.60	0.14	0.136696
2317.80	0.14	0.136659
2318.00	0.14	0.136621
2318.20	0.14	0.136583
2318.40	0.14	0.136545
2318.60	0.14	0.136508
2318.80	0.14	0.136470
2319.00	0.14	0.136432
2319.20	0.14	0.136394
2319.40	0.14	0.136357
2319.60	0.14	0.136319
2319.80	0.14	0.136281
2320.00	0.14	0.136243
2320.20	0.14	0.136205
2320.40	0.14	0.136168
2320.60	0.14	0.136130
2320.80	0.14	0.136092
2321.00	0.14	0.136054
2321.20	0.14	0.136017
2321.40	0.14	0.135979
2321.60	0.14	0.135941
2321.80	0.14	0.135903
2322.00	0.14	0.135866
2322.20	0.14	0.135828
2322.40	0.14	0.135790
2322.60	0.14	0.135752
2322.80	0.14	0.135714
2323.00	0.14	0.135677
2323.20	0.14	0.135639

2323.40	0.14	0.135601
2323.60	0.14	0.135563
2323.80	0.14	0.135526
2324.00	0.14	0.135488
2324.20	0.14	0.135450
2324.40	0.14	0.135412
2324.60	0.14	0.135375
2324.80	0.14	0.135337
2325.00	0.14	0.135299
2325.20	0.14	0.135261
2325.40	0.14	0.135223
2325.60	0.14	0.135186
2325.80	0.14	0.135148
2326.00	0.14	0.135110
2326.20	0.14	0.135072
2326.40	0.14	0.135035
2326.60	0.14	0.134997
2326.80	0.14	0.134959
2327.00	0.14	0.134921
2327.20	0.14	0.134884
2327.40	0.14	0.134846
2327.60	0.14	0.134808
2327.80	0.14	0.134770
2328.00	0.14	0.134733
2328.20	0.14	0.134695
2328.40	0.14	0.134657
2328.60	0.14	0.134619
2328.80	0.14	0.134581
2329.00	0.14	0.134544
2329.20	0.14	0.134506
2329.40	0.14	0.134468
2329.60	0.14	0.134430
2329.80	0.14	0.134393
2330.00	0.14	0.134355
2330.20	0.14	0.134317
2330.40	0.14	0.134279
2330.60	0.14	0.134242
2330.80	0.14	0.134204
2331.00	0.14	0.134166
2331.20	0.14	0.134128
2331.40	0.14	0.134090
2331.60	0.14	0.134053
2331.80	0.14	0.134015
2332.00	0.14	0.133977
2332.20	0.14	0.133939
2332.40	0.14	0.133902
2332.60	0.14	0.133864
2332.80	0.14	0.133826
2333.00	0.14	0.133788
2333.20	0.14	0.133751
2333.40	0.14	0.133713
2333.60	0.14	0.133675
2333.80	0.14	0.133637
2334.00	0.14	0.133599
2334.20	0.14	0.133562
2334.40	0.14	0.133524
2334.60	0.14	0.133486

2334.80	0.14	0.133448
2335.00	0.14	0.133411
2335.20	0.14	0.133373
2335.40	0.14	0.133335
2335.60	0.14	0.133297
2335.80	0.14	0.133260
2336.00	0.14	0.133222
2336.20	0.14	0.133184
2336.40	0.14	0.133146
2336.60	0.14	0.133108
2336.80	0.14	0.133071
2337.00	0.14	0.133033
2337.20	0.14	0.132995
2337.40	0.14	0.132957
2337.60	0.14	0.132920
2337.80	0.14	0.132882
2338.00	0.14	0.132844
2338.20	0.14	0.132806
2338.40	0.14	0.132769
2338.60	0.14	0.132731
2338.80	0.14	0.132693
2339.00	0.14	0.132655
2339.20	0.14	0.132617
2339.40	0.14	0.132580
2339.60	0.14	0.132542
2339.80	0.14	0.132504
2340.00	0.14	0.132466
2340.20	0.14	0.132429
2340.40	0.14	0.132391
2340.60	0.14	0.132353
2340.80	0.14	0.132315
2341.00	0.14	0.132278
2341.20	0.14	0.132240
2341.40	0.14	0.132202
2341.60	0.14	0.132164
2341.80	0.14	0.132126
2342.00	0.14	0.132089
2342.20	0.14	0.132051
2342.40	0.14	0.132013
2342.60	0.14	0.131975
2342.80	0.14	0.131938
2343.00	0.14	0.131900
2343.20	0.14	0.131862
2343.40	0.14	0.131824
2343.60	0.14	0.131787
2343.80	0.14	0.131749
2344.00	0.14	0.131711
2344.20	0.14	0.131673
2344.40	0.14	0.131635
2344.60	0.14	0.131598
2344.80	0.14	0.131560
2345.00	0.14	0.131522
2345.20	0.14	0.131484
2345.40	0.14	0.131447
2345.60	0.14	0.131409
2345.80	0.14	0.131371
2346.00	0.14	0.131333

2346.20	0.14	0.131296
2346.40	0.14	0.131258
2346.60	0.14	0.131220
2346.80	0.14	0.131182
2347.00	0.14	0.131145
2347.20	0.14	0.131107
2347.40	0.14	0.131069
2347.60	0.14	0.131031
2347.80	0.14	0.130993
2348.00	0.14	0.130956
2348.20	0.14	0.130918
2348.40	0.14	0.130880
2348.60	0.14	0.130842
2348.80	0.14	0.130805
2349.00	0.14	0.130767
2349.20	0.14	0.130729
2349.40	0.14	0.130691
2349.60	0.14	0.130654
2349.80	0.14	0.130616
2350.00	0.14	0.130578
2350.20	0.14	0.130540
2350.40	0.14	0.130502
2350.60	0.14	0.130465
2350.80	0.14	0.130427
2351.00	0.14	0.130389
2351.20	0.14	0.130351
2351.40	0.14	0.130314
2351.60	0.14	0.130276
2351.80	0.14	0.130238
2352.00	0.14	0.130200
2352.20	0.14	0.130163
2352.40	0.14	0.130125
2352.60	0.14	0.130087
2352.80	0.14	0.130049
2353.00	0.14	0.130011
2353.20	0.14	0.129974
2353.40	0.14	0.129936
2353.60	0.14	0.129898
2353.80	0.14	0.129860
2354.00	0.14	0.129823
2354.20	0.14	0.129785
2354.40	0.14	0.129747
2354.60	0.14	0.129709
2354.80	0.14	0.129672
2355.00	0.14	0.129634
2355.20	0.14	0.129596
2355.40	0.14	0.129558
2355.60	0.14	0.129520
2355.80	0.14	0.129483
2356.00	0.14	0.129445
2356.20	0.14	0.129407
2356.40	0.14	0.129369
2356.60	0.14	0.129332
2356.80	0.14	0.129294
2357.00	0.14	0.129256
2357.20	0.14	0.129218
2357.40	0.14	0.129181

2357.60	0.14	0.129143
2357.80	0.14	0.129105
2358.00	0.14	0.129067
2358.20	0.14	0.129029
2358.40	0.14	0.128992
2358.60	0.14	0.128954
2358.80	0.14	0.128916
2359.00	0.14	0.128878
2359.20	0.14	0.128841
2359.40	0.14	0.128803
2359.60	0.14	0.128765
2359.80	0.14	0.128727
2360.00	0.14	0.128690
2360.20	0.14	0.128652
2360.40	0.14	0.128614
2360.60	0.14	0.128576
2360.80	0.14	0.128538
2361.00	0.14	0.128501
2361.20	0.14	0.128463
2361.40	0.14	0.128425
2361.60	0.14	0.128387
2361.80	0.14	0.128350
2362.00	0.14	0.128312
2362.20	0.14	0.128274
2362.40	0.14	0.128236
2362.60	0.14	0.128199
2362.80	0.14	0.128161
2363.00	0.14	0.128123
2363.20	0.14	0.128085
2363.40	0.14	0.128047
2363.60	0.14	0.128010
2363.80	0.14	0.127972
2364.00	0.14	0.127934
2364.20	0.14	0.127896
2364.40	0.14	0.127859
2364.60	0.14	0.127821
2364.80	0.14	0.127783
2365.00	0.14	0.127745
2365.20	0.14	0.127708
2365.40	0.14	0.127670
2365.60	0.14	0.127632
2365.80	0.14	0.127594
2366.00	0.14	0.127556
2366.20	0.14	0.127519
2366.40	0.14	0.127481
2366.60	0.14	0.127443
2366.80	0.14	0.127405
2367.00	0.14	0.127368
2367.20	0.14	0.127330
2367.40	0.14	0.127292
2367.60	0.14	0.127254
2367.80	0.14	0.127217
2368.00	0.14	0.127179
2368.20	0.14	0.127141
2368.40	0.14	0.127103
2368.60	0.14	0.127066
2368.80	0.14	0.127028

2369.00	0.14	0.126990
2369.20	0.14	0.126952
2369.40	0.14	0.126914
2369.60	0.14	0.126877
2369.80	0.14	0.126839
2370.00	0.14	0.126801
2370.20	0.14	0.126763
2370.40	0.14	0.126726
2370.60	0.14	0.126688
2370.80	0.14	0.126650
2371.00	0.14	0.126612
2371.20	0.14	0.126575
2371.40	0.14	0.126537
2371.60	0.14	0.126499
2371.80	0.14	0.126461
2372.00	0.14	0.126423
2372.20	0.14	0.126386
2372.40	0.14	0.126348
2372.60	0.14	0.126310
2372.80	0.14	0.126272
2373.00	0.14	0.126235
2373.20	0.14	0.126197
2373.40	0.14	0.126159
2373.60	0.14	0.126121
2373.80	0.14	0.126084
2374.00	0.14	0.126046
2374.20	0.14	0.126008
2374.40	0.14	0.125970
2374.60	0.14	0.125932
2374.80	0.14	0.125895
2375.00	0.14	0.125857
2375.20	0.14	0.125819
2375.40	0.14	0.125781
2375.60	0.14	0.125744
2375.80	0.14	0.125706
2376.00	0.14	0.125668
2376.20	0.14	0.125630
2376.40	0.14	0.125593
2376.60	0.14	0.125555
2376.80	0.14	0.125517
2377.00	0.14	0.125479
2377.20	0.14	0.125441
2377.40	0.14	0.125404
2377.60	0.14	0.125366
2377.80	0.14	0.125328
2378.00	0.14	0.125290
2378.20	0.14	0.125253
2378.40	0.14	0.125215
2378.60	0.14	0.125177
2378.80	0.14	0.125139
2379.00	0.14	0.125102
2379.20	0.14	0.125064
2379.40	0.14	0.125026
2379.60	0.14	0.124988
2379.80	0.14	0.124950
2380.00	0.14	0.124913
2380.20	0.14	0.124875

2380.40	0.14	0.124837
2380.60	0.14	0.124799
2380.80	0.14	0.124762
2381.00	0.14	0.124724
2381.20	0.14	0.124686
2381.40	0.14	0.124648
2381.60	0.14	0.124611
2381.80	0.14	0.124573
2382.00	0.14	0.124535
2382.20	0.14	0.124497
2382.40	0.14	0.124459
2382.60	0.14	0.124422
2382.80	0.14	0.124384
2383.00	0.14	0.124346
2383.20	0.14	0.124308
2383.40	0.14	0.124271
2383.60	0.14	0.124233
2383.80	0.14	0.124195
2384.00	0.14	0.124157
2384.20	0.14	0.124120
2384.40	0.14	0.124082
2384.60	0.14	0.124044
2384.80	0.14	0.124006
2385.00	0.14	0.123968
2385.20	0.14	0.123931
2385.40	0.14	0.123893
2385.60	0.14	0.123855
2385.80	0.14	0.123817
2386.00	0.14	0.123780
2386.20	0.14	0.123742
2386.40	0.14	0.123704
2386.60	0.14	0.123666
2386.80	0.14	0.123629
2387.00	0.14	0.123591
2387.20	0.14	0.123553
2387.40	0.14	0.123515
2387.60	0.14	0.123478
2387.80	0.14	0.123440
2388.00	0.14	0.123402
2388.20	0.14	0.123364
2388.40	0.14	0.123326
2388.60	0.14	0.123289
2388.80	0.14	0.123251
2389.00	0.14	0.123213
2389.20	0.14	0.123175
2389.40	0.14	0.123138
2389.60	0.14	0.123100
2389.80	0.14	0.123062
2390.00	0.14	0.123024
2390.20	0.14	0.122987
2390.40	0.14	0.122949
2390.60	0.14	0.122911
2390.80	0.14	0.122873
2391.00	0.14	0.122835
2391.20	0.14	0.122798
2391.40	0.14	0.122760
2391.60	0.14	0.122722

2391.80	0.14	0.122684
2392.00	0.14	0.122647
2392.20	0.14	0.122609
2392.40	0.14	0.122571
2392.60	0.14	0.122533
2392.80	0.14	0.122496
2393.00	0.14	0.122458
2393.20	0.14	0.122420
2393.40	0.14	0.122382
2393.60	0.14	0.122344
2393.80	0.14	0.122307
2394.00	0.14	0.122269
2394.20	0.14	0.122231
2394.40	0.14	0.122193
2394.60	0.14	0.122156
2394.80	0.14	0.122118
2395.00	0.14	0.122080
2395.20	0.14	0.122042
2395.40	0.14	0.122005
2395.60	0.14	0.121967
2395.80	0.14	0.121929
2396.00	0.14	0.121891
2396.20	0.14	0.121853
2396.40	0.14	0.121816
2396.60	0.14	0.121778
2396.80	0.14	0.121740
2397.00	0.14	0.121702
2397.20	0.14	0.121665
2397.40	0.14	0.121627
2397.60	0.14	0.121589
2397.80	0.14	0.121551
2398.00	0.14	0.121514
2398.20	0.14	0.121476
2398.40	0.14	0.121438
2398.60	0.14	0.121400
2398.80	0.14	0.121362
2399.00	0.14	0.121325
2399.20	0.14	0.121287
2399.40	0.14	0.121249
2399.60	0.14	0.121211
2399.80	0.14	0.121174
2400.00	0.14	0.121136
2400.20	0.14	0.121098
2400.40	0.14	0.121060
2400.60	0.14	0.121023
2400.80	0.14	0.120985
2401.00	0.14	0.120947
2401.20	0.14	0.120909
2401.40	0.14	0.120871
2401.60	0.14	0.120834
2401.80	0.14	0.120796
2402.00	0.14	0.120758
2402.20	0.14	0.120720
2402.40	0.14	0.120683
2402.60	0.14	0.120645
2402.80	0.14	0.120607
2403.00	0.14	0.120569

2403.20	0.14	0.120532
2403.40	0.14	0.120494
2403.60	0.14	0.120456
2403.80	0.14	0.120418
2404.00	0.14	0.120380
2404.20	0.14	0.120343
2404.40	0.14	0.120305
2404.60	0.14	0.120267
2404.80	0.14	0.120229
2405.00	0.14	0.120192
2405.20	0.14	0.120154
2405.40	0.14	0.120116
2405.60	0.14	0.120078
2405.80	0.14	0.120041
2406.00	0.14	0.120003
2406.20	0.14	0.119965
2406.40	0.14	0.119927
2406.60	0.14	0.119890
2406.80	0.14	0.119852
2407.00	0.14	0.119814
2407.20	0.14	0.119776
2407.40	0.14	0.119738
2407.60	0.14	0.119701
2407.80	0.14	0.119663
2408.00	0.14	0.119625
2408.20	0.14	0.119587
2408.40	0.14	0.119550
2408.60	0.14	0.119512
2408.80	0.14	0.119474
2409.00	0.14	0.119436
2409.20	0.14	0.119399
2409.40	0.14	0.119361
2409.60	0.14	0.119323
2409.80	0.14	0.119285
2410.00	0.14	0.119247
2410.20	0.14	0.119210
2410.40	0.14	0.119172
2410.60	0.14	0.119134
2410.80	0.14	0.119096
2411.00	0.14	0.119059
2411.20	0.14	0.119021
2411.40	0.14	0.118983
2411.60	0.14	0.118945
2411.80	0.14	0.118908
2412.00	0.14	0.118870
2412.20	0.14	0.118832
2412.40	0.14	0.118794
2412.60	0.14	0.118756
2412.80	0.14	0.118719
2413.00	0.14	0.118681
2413.20	0.14	0.118643
2413.40	0.14	0.118605
2413.60	0.14	0.118568
2413.80	0.14	0.118530
2414.00	0.14	0.118492
2414.20	0.14	0.118454
2414.40	0.14	0.118417

2414.60	0.14	0.118379
2414.80	0.14	0.118341
2415.00	0.14	0.118303
2415.20	0.14	0.118265
2415.40	0.14	0.118228
2415.60	0.14	0.118190
2415.80	0.14	0.118152
2416.00	0.14	0.118114
2416.20	0.14	0.118077
2416.40	0.14	0.118039
2416.60	0.14	0.118001
2416.80	0.14	0.117963
2417.00	0.14	0.117926
2417.20	0.14	0.117888
2417.40	0.14	0.117850
2417.60	0.14	0.117812
2417.80	0.14	0.117774
2418.00	0.14	0.117737
2418.20	0.14	0.117699
2418.40	0.14	0.117661
2418.60	0.14	0.117623
2418.80	0.14	0.117586
2419.00	0.14	0.117548
2419.20	0.14	0.117510
2419.40	0.14	0.117472
2419.60	0.14	0.117435
2419.80	0.14	0.117397
2420.00	0.14	0.117359
2420.20	0.14	0.117321
2420.40	0.14	0.117283
2420.60	0.14	0.117246
2420.80	0.14	0.117208
2421.00	0.14	0.117170
2421.20	0.14	0.117132
2421.40	0.14	0.117095
2421.60	0.14	0.117057
2421.80	0.14	0.117019
2422.00	0.14	0.116981
2422.20	0.14	0.116944
2422.40	0.14	0.116906
2422.60	0.14	0.116868
2422.80	0.14	0.116830
2423.00	0.14	0.116792
2423.20	0.14	0.116755
2423.40	0.14	0.116717
2423.60	0.14	0.116679
2423.80	0.14	0.116641
2424.00	0.14	0.116604
2424.20	0.14	0.116566
2424.40	0.14	0.116528
2424.60	0.14	0.116490
2424.80	0.14	0.116453
2425.00	0.14	0.116415
2425.20	0.14	0.116377
2425.40	0.14	0.116339
2425.60	0.14	0.116302
2425.80	0.14	0.116264

2426.00	0.14	0.116226
2426.20	0.14	0.116188
2426.40	0.14	0.116150
2426.60	0.14	0.116113
2426.80	0.14	0.116075
2427.00	0.14	0.116037
2427.20	0.14	0.115999
2427.40	0.14	0.115962
2427.60	0.14	0.115924
2427.80	0.14	0.115886
2428.00	0.14	0.115848
2428.20	0.14	0.115811
2428.40	0.14	0.115773
2428.60	0.14	0.115735
2428.80	0.14	0.115697
2429.00	0.14	0.115659
2429.20	0.14	0.115622
2429.40	0.14	0.115584
2429.60	0.14	0.115546
2429.80	0.14	0.115508
2430.00	0.14	0.115471
2430.20	0.14	0.115433
2430.40	0.14	0.115395
2430.60	0.14	0.115357
2430.80	0.14	0.115320
2431.00	0.14	0.115282
2431.20	0.14	0.115244
2431.40	0.14	0.115206
2431.60	0.14	0.115168
2431.80	0.14	0.115131
2432.00	0.14	0.115093
2432.20	0.14	0.115055
2432.40	0.14	0.115017
2432.60	0.14	0.114980
2432.80	0.14	0.114942
2433.00	0.14	0.114904
2433.20	0.14	0.114866
2433.40	0.14	0.114829
2433.60	0.14	0.114791
2433.80	0.14	0.114753
2434.00	0.14	0.114715
2434.20	0.14	0.114677
2434.40	0.14	0.114640
2434.60	0.14	0.114602
2434.80	0.14	0.114564
2435.00	0.14	0.114526
2435.20	0.14	0.114489
2435.40	0.14	0.114451
2435.60	0.14	0.114413
2435.80	0.14	0.114375
2436.00	0.14	0.114338
2436.20	0.14	0.114300
2436.40	0.14	0.114262
2436.60	0.14	0.114224
2436.80	0.14	0.114186
2437.00	0.14	0.114149
2437.20	0.14	0.114111

2437.40	0.14	0.114073
2437.60	0.14	0.114035
2437.80	0.14	0.113998
2438.00	0.14	0.113960
2438.20	0.14	0.113922
2438.40	0.14	0.113884
2438.60	0.14	0.113847
2438.80	0.14	0.113809
2439.00	0.14	0.113771
2439.20	0.14	0.113733
2439.40	0.14	0.113695
2439.60	0.14	0.113658
2439.80	0.14	0.113620
2440.00	0.14	0.113582
2440.20	0.14	0.113544
2440.40	0.14	0.113507
2440.60	0.14	0.113469
2440.80	0.14	0.113431
2441.00	0.14	0.113393
2441.20	0.14	0.113356
2441.40	0.14	0.113318
2441.60	0.14	0.113280
2441.80	0.14	0.113242
2442.00	0.14	0.113204
2442.20	0.14	0.113167
2442.40	0.14	0.113129
2442.60	0.14	0.113091
2442.80	0.14	0.113053
2443.00	0.14	0.113016
2443.20	0.14	0.112978
2443.40	0.14	0.112940
2443.60	0.14	0.112902
2443.80	0.14	0.112865
2444.00	0.14	0.112827
2444.20	0.14	0.112789
2444.40	0.14	0.112751
2444.60	0.14	0.112714
2444.80	0.14	0.112676
2445.00	0.14	0.112638
2445.20	0.14	0.112600
2445.40	0.14	0.112562
2445.60	0.14	0.112525
2445.80	0.14	0.112487
2446.00	0.14	0.112449
2446.20	0.14	0.112411
2446.40	0.14	0.112374
2446.60	0.14	0.112336
2446.80	0.14	0.112298
2447.00	0.14	0.112260
2447.20	0.14	0.112223
2447.40	0.14	0.112185
2447.60	0.14	0.112147
2447.80	0.14	0.112109
2448.00	0.14	0.112071
2448.20	0.14	0.112034
2448.40	0.14	0.111996
2448.60	0.14	0.111958

2448.80	0.14	0.111920
2449.00	0.14	0.111883
2449.20	0.14	0.111845
2449.40	0.14	0.111807
2449.60	0.14	0.111769
2449.80	0.14	0.111732
2450.00	0.14	0.111694
2450.20	0.14	0.111656
2450.40	0.14	0.111618
2450.60	0.14	0.111580
2450.80	0.14	0.111543
2451.00	0.14	0.111505
2451.20	0.14	0.111467
2451.40	0.14	0.111429
2451.60	0.14	0.111392
2451.80	0.14	0.111354
2452.00	0.14	0.111316
2452.20	0.14	0.111278
2452.40	0.14	0.111241
2452.60	0.14	0.111203
2452.80	0.14	0.111165
2453.00	0.14	0.111127
2453.20	0.14	0.111089
2453.40	0.14	0.111052
2453.60	0.14	0.111014
2453.80	0.14	0.110976
2454.00	0.14	0.110938
2454.20	0.14	0.110901
2454.40	0.14	0.110863
2454.60	0.14	0.110825
2454.80	0.14	0.110787
2455.00	0.14	0.110750
2455.20	0.14	0.110712
2455.40	0.14	0.110674
2455.60	0.14	0.110636
2455.80	0.14	0.110598
2456.00	0.14	0.110561
2456.20	0.14	0.110523
2456.40	0.14	0.110485
2456.60	0.14	0.110447
2456.80	0.14	0.110410
2457.00	0.14	0.110372
2457.20	0.14	0.110334
2457.40	0.14	0.110296
2457.60	0.14	0.110259
2457.80	0.14	0.110221
2458.00	0.14	0.110183
2458.20	0.14	0.110145
2458.40	0.14	0.110107
2458.60	0.14	0.110070
2458.80	0.14	0.110032
2459.00	0.14	0.109994
2459.20	0.14	0.109956
2459.40	0.14	0.109919
2459.60	0.14	0.109881
2459.80	0.14	0.109843
2460.00	0.14	0.109805

2460.20	0.14	0.109768
2460.40	0.14	0.109730
2460.60	0.14	0.109692
2460.80	0.14	0.109654
2461.00	0.14	0.109616
2461.20	0.14	0.109579
2461.40	0.14	0.109541
2461.60	0.14	0.109503
2461.80	0.14	0.109465
2462.00	0.14	0.109428
2462.20	0.14	0.109390
2462.40	0.14	0.109352
2462.60	0.14	0.109314
2462.80	0.14	0.109277
2463.00	0.14	0.109239
2463.20	0.14	0.109201
2463.40	0.14	0.109163
2463.60	0.14	0.109125
2463.80	0.14	0.109088
2464.00	0.14	0.109050
2464.20	0.14	0.109012
2464.40	0.14	0.108974
2464.60	0.14	0.108937
2464.80	0.14	0.108899
2465.00	0.14	0.108861
2465.20	0.14	0.108823
2465.40	0.14	0.108786
2465.60	0.14	0.108748
2465.80	0.14	0.108710
2466.00	0.14	0.108672
2466.20	0.14	0.108635
2466.40	0.14	0.108597
2466.60	0.14	0.108559
2466.80	0.14	0.108521
2467.00	0.14	0.108483
2467.20	0.14	0.108446
2467.40	0.14	0.108408
2467.60	0.14	0.108370
2467.80	0.14	0.108332
2468.00	0.14	0.108295
2468.20	0.14	0.108257
2468.40	0.14	0.108219
2468.60	0.14	0.108181
2468.80	0.14	0.108144
2469.00	0.14	0.108106
2469.20	0.14	0.108068
2469.40	0.14	0.108030
2469.60	0.14	0.107992
2469.80	0.14	0.107955
2470.00	0.14	0.107917
2470.20	0.14	0.107879
2470.40	0.14	0.107841
2470.60	0.14	0.107804
2470.80	0.14	0.107766
2471.00	0.14	0.107728
2471.20	0.14	0.107690
2471.40	0.14	0.107653

2471.60	0.14	0.107615
2471.80	0.14	0.107577
2472.00	0.14	0.107539
2472.20	0.14	0.107501
2472.40	0.14	0.107464
2472.60	0.14	0.107426
2472.80	0.14	0.107388
2473.00	0.14	0.107350
2473.20	0.14	0.107313
2473.40	0.14	0.107275
2473.60	0.14	0.107237
2473.80	0.14	0.107199
2474.00	0.14	0.107162
2474.20	0.14	0.107124
2474.40	0.14	0.107086
2474.60	0.14	0.107048
2474.80	0.14	0.107010
2475.00	0.14	0.106973
2475.20	0.14	0.106935
2475.40	0.14	0.106897
2475.60	0.14	0.106859
2475.80	0.14	0.106822
2476.00	0.14	0.106784
2476.20	0.14	0.106746
2476.40	0.14	0.106708
2476.60	0.14	0.106671
2476.80	0.14	0.106633
2477.00	0.14	0.106595
2477.20	0.14	0.106557
2477.40	0.14	0.106519
2477.60	0.14	0.106482
2477.80	0.14	0.106444
2478.00	0.14	0.106406
2478.20	0.14	0.106368
2478.40	0.14	0.106331
2478.60	0.14	0.106293
2478.80	0.14	0.106255
2479.00	0.14	0.106217
2479.20	0.14	0.106180
2479.40	0.14	0.106142
2479.60	0.14	0.106104
2479.80	0.14	0.106066
2480.00	0.14	0.106028
2480.20	0.14	0.105991
2480.40	0.14	0.105953
2480.60	0.14	0.105915
2480.80	0.14	0.105877
2481.00	0.14	0.105840
2481.20	0.14	0.105802
2481.40	0.14	0.105764
2481.60	0.14	0.105726
2481.80	0.14	0.105689
2482.00	0.14	0.105651
2482.20	0.14	0.105613
2482.40	0.14	0.105575
2482.60	0.14	0.105537
2482.80	0.14	0.105500

2483.00	0.14	0.105462
2483.20	0.14	0.105424
2483.40	0.14	0.105386
2483.60	0.14	0.105349
2483.80	0.14	0.105311
2484.00	0.14	0.105273
2484.20	0.14	0.105235
2484.40	0.14	0.105198
2484.60	0.14	0.105160
2484.80	0.14	0.105122
2485.00	0.14	0.105084
2485.20	0.14	0.105047
2485.40	0.14	0.105009
2485.60	0.14	0.104971
2485.80	0.14	0.104933
2486.00	0.14	0.104895
2486.20	0.14	0.104858
2486.40	0.14	0.104820
2486.60	0.14	0.104782
2486.80	0.14	0.104744
2487.00	0.14	0.104707
2487.20	0.14	0.104669
2487.40	0.14	0.104631
2487.60	0.14	0.104593
2487.80	0.14	0.104556
2488.00	0.14	0.104518
2488.20	0.14	0.104480
2488.40	0.14	0.104442
2488.60	0.14	0.104404
2488.80	0.14	0.104367
2489.00	0.14	0.104329
2489.20	0.14	0.104291
2489.40	0.14	0.104253
2489.60	0.14	0.104216
2489.80	0.14	0.104178
2490.00	0.14	0.104140
2490.20	0.14	0.104102
2490.40	0.14	0.104065
2490.60	0.14	0.104027
2490.80	0.14	0.103989
2491.00	0.14	0.103951
2491.20	0.14	0.103913
2491.40	0.14	0.103876
2491.60	0.14	0.103838
2491.80	0.14	0.103800
2492.00	0.14	0.103762
2492.20	0.14	0.103725
2492.40	0.14	0.103687
2492.60	0.14	0.103649
2492.80	0.14	0.103611
2493.00	0.14	0.103574
2493.20	0.14	0.103536
2493.40	0.14	0.103498
2493.60	0.14	0.103460
2493.80	0.14	0.103422
2494.00	0.14	0.103385
2494.20	0.14	0.103347

2494.40	0.14	0.103309
2494.60	0.14	0.103271
2494.80	0.14	0.103234
2495.00	0.14	0.103196
2495.20	0.14	0.103158
2495.40	0.14	0.103120
2495.60	0.14	0.103083
2495.80	0.14	0.103045
2496.00	0.14	0.103007
2496.20	0.14	0.102969
2496.40	0.14	0.102931
2496.60	0.14	0.102894
2496.80	0.14	0.102856
2497.00	0.14	0.102818
2497.20	0.14	0.102780
2497.40	0.14	0.102743
2497.60	0.14	0.102705
2497.80	0.14	0.102667
2498.00	0.14	0.102629
2498.20	0.14	0.102592
2498.40	0.14	0.102554
2498.60	0.14	0.102516
2498.80	0.14	0.102478
2499.00	0.14	0.102440
2499.20	0.14	0.102403
2499.40	0.14	0.102365
2499.60	0.14	0.102327
2499.80	0.14	0.102289
2500.00	0.14	0.102252
2500.20	0.14	0.102214
2500.40	0.14	0.102176
2500.60	0.14	0.102138
2500.80	0.14	0.102101
2501.00	0.14	0.102063
2501.20	0.14	0.102025
2501.40	0.14	0.101987
2501.60	0.14	0.101949
2501.80	0.14	0.101912
2502.00	0.14	0.101874
2502.20	0.14	0.101836
2502.40	0.14	0.101798
2502.60	0.14	0.101761
2502.80	0.14	0.101723
2503.00	0.14	0.101685
2503.20	0.14	0.101647
2503.40	0.14	0.101610
2503.60	0.14	0.101572
2503.80	0.14	0.101534
2504.00	0.14	0.101496
2504.20	0.14	0.101459
2504.40	0.14	0.101421
2504.60	0.14	0.101383
2504.80	0.14	0.101345
2505.00	0.14	0.101307
2505.20	0.14	0.101270
2505.40	0.14	0.101232
2505.60	0.14	0.101194

2505.80	0.14	0.101156
2506.00	0.14	0.101119
2506.20	0.14	0.101081
2506.40	0.14	0.101043
2506.60	0.14	0.101005
2506.80	0.14	0.100968
2507.00	0.14	0.100930
2507.20	0.14	0.100892
2507.40	0.14	0.100854
2507.60	0.14	0.100816
2507.80	0.14	0.100779
2508.00	0.14	0.100741
2508.20	0.14	0.100703
2508.40	0.14	0.100665
2508.60	0.14	0.100628
2508.80	0.14	0.100590
2509.00	0.14	0.100552
2509.20	0.14	0.100514
2509.40	0.14	0.100477
2509.60	0.14	0.100439
2509.80	0.14	0.100401
2510.00	0.14	0.100363
2510.20	0.14	0.100325
2510.40	0.14	0.100288
2510.60	0.14	0.100250
2510.80	0.14	0.100212
2511.00	0.14	0.100174
2511.20	0.14	0.100137
2511.40	0.14	0.100099
2511.60	0.14	0.100061
2511.80	0.14	0.100023
2512.00	0.14	0.099986
2512.20	0.14	0.099948
2512.40	0.14	0.099910
2512.60	0.14	0.099872
2512.80	0.14	0.099834
2513.00	0.14	0.099797
2513.20	0.14	0.099759
2513.40	0.14	0.099721
2513.60	0.14	0.099683
2513.80	0.14	0.099646
2514.00	0.14	0.099608
2514.20	0.14	0.099570
2514.40	0.14	0.099532
2514.60	0.14	0.099495
2514.80	0.14	0.099457
2515.00	0.14	0.099419
2515.20	0.14	0.099381
2515.40	0.14	0.099343
2515.60	0.14	0.099306
2515.80	0.14	0.099268
2516.00	0.14	0.099230
2516.20	0.14	0.099192
2516.40	0.14	0.099155
2516.60	0.14	0.099117
2516.80	0.14	0.099079
2517.00	0.14	0.099041

2517.20	0.14	0.099004
2517.40	0.14	0.098966
2517.60	0.14	0.098928
2517.80	0.14	0.098890
2518.00	0.14	0.098852
2518.20	0.14	0.098815
2518.40	0.14	0.098777
2518.60	0.14	0.098739
2518.80	0.14	0.098701
2519.00	0.14	0.098664
2519.20	0.14	0.098626
2519.40	0.14	0.098588
2519.60	0.14	0.098550
2519.80	0.14	0.098513
2520.00	0.14	0.098475
2520.20	0.14	0.098437
2520.40	0.14	0.098399
2520.60	0.14	0.098361
2520.80	0.14	0.098324
2521.00	0.14	0.098286
2521.20	0.14	0.098248
2521.40	0.14	0.098210
2521.60	0.14	0.098173
2521.80	0.14	0.098135
2522.00	0.14	0.098097
2522.20	0.14	0.098059
2522.40	0.14	0.098022
2522.60	0.14	0.097984
2522.80	0.14	0.097946
2523.00	0.14	0.097908
2523.20	0.14	0.097871
2523.40	0.14	0.097833
2523.60	0.14	0.097795
2523.80	0.14	0.097757
2524.00	0.14	0.097719
2524.20	0.14	0.097682
2524.40	0.14	0.097644
2524.60	0.14	0.097606
2524.80	0.14	0.097568
2525.00	0.14	0.097531
2525.20	0.14	0.097493
2525.40	0.14	0.097455
2525.60	0.14	0.097417
2525.80	0.14	0.097380
2526.00	0.14	0.097342
2526.20	0.14	0.097304
2526.40	0.14	0.097266
2526.60	0.14	0.097228
2526.80	0.14	0.097191
2527.00	0.14	0.097153
2527.20	0.14	0.097115
2527.40	0.14	0.097077
2527.60	0.14	0.097040
2527.80	0.14	0.097002
2528.00	0.14	0.096964
2528.20	0.14	0.096926
2528.40	0.14	0.096889

2528.60	0.14	0.096851
2528.80	0.14	0.096813
2529.00	0.14	0.096775
2529.20	0.14	0.096737
2529.40	0.14	0.096700
2529.60	0.14	0.096662
2529.80	0.14	0.096624
2530.00	0.14	0.096586
2530.20	0.14	0.096549
2530.40	0.14	0.096511
2530.60	0.14	0.096473
2530.80	0.14	0.096435
2531.00	0.14	0.096398
2531.20	0.14	0.096360
2531.40	0.14	0.096322
2531.60	0.14	0.096284
2531.80	0.14	0.096246
2532.00	0.14	0.096209
2532.20	0.14	0.096171
2532.40	0.14	0.096133
2532.60	0.14	0.096095
2532.80	0.14	0.096058
2533.00	0.14	0.096020
2533.20	0.14	0.095982
2533.40	0.14	0.095944
2533.60	0.14	0.095907
2533.80	0.14	0.095869
2534.00	0.14	0.095831
2534.20	0.14	0.095793
2534.40	0.14	0.095755
2534.60	0.14	0.095718
2534.80	0.14	0.095680
2535.00	0.14	0.095642
2535.20	0.14	0.095604
2535.40	0.14	0.095567
2535.60	0.14	0.095529
2535.80	0.14	0.095491
2536.00	0.14	0.095453
2536.20	0.14	0.095416
2536.40	0.14	0.095378
2536.60	0.14	0.095340
2536.80	0.14	0.095302
2537.00	0.14	0.095264
2537.20	0.14	0.095227
2537.40	0.14	0.095189
2537.60	0.14	0.095151
2537.80	0.14	0.095113
2538.00	0.14	0.095076
2538.20	0.14	0.095038
2538.40	0.14	0.095000
2538.60	0.14	0.094962
2538.80	0.14	0.094925
2539.00	0.14	0.094887
2539.20	0.14	0.094849
2539.40	0.14	0.094811
2539.60	0.14	0.094773
2539.80	0.14	0.094736

2540.00	0.14	0.094698
2540.20	0.14	0.094660
2540.40	0.14	0.094622
2540.60	0.14	0.094585
2540.80	0.14	0.094547
2541.00	0.14	0.094509
2541.20	0.14	0.094471
2541.40	0.14	0.094434
2541.60	0.14	0.094396
2541.80	0.14	0.094358
2542.00	0.14	0.094320
2542.20	0.14	0.094283
2542.40	0.14	0.094245
2542.60	0.14	0.094207
2542.80	0.14	0.094169
2543.00	0.14	0.094131
2543.20	0.14	0.094094
2543.40	0.14	0.094056
2543.60	0.14	0.094018
2543.80	0.14	0.093980
2544.00	0.14	0.093943
2544.20	0.14	0.093905
2544.40	0.14	0.093867
2544.60	0.14	0.093829
2544.80	0.14	0.093792
2545.00	0.14	0.093754
2545.20	0.14	0.093716
2545.40	0.14	0.093678
2545.60	0.14	0.093640
2545.80	0.14	0.093603
2546.00	0.14	0.093565
2546.20	0.14	0.093527
2546.40	0.14	0.093489
2546.60	0.14	0.093452
2546.80	0.14	0.093414
2547.00	0.14	0.093376
2547.20	0.14	0.093338
2547.40	0.14	0.093301
2547.60	0.14	0.093263
2547.80	0.14	0.093225
2548.00	0.14	0.093187
2548.20	0.14	0.093149
2548.40	0.14	0.093112
2548.60	0.14	0.093074
2548.80	0.14	0.093036
2549.00	0.14	0.092998
2549.20	0.14	0.092961
2549.40	0.14	0.092923
2549.60	0.14	0.092885
2549.80	0.14	0.092847
2550.00	0.14	0.092810
2550.20	0.14	0.092772
2550.40	0.14	0.092734
2550.60	0.14	0.092696
2550.80	0.14	0.092658
2551.00	0.14	0.092621
2551.20	0.14	0.092583

2551.40	0.14	0.092545
2551.60	0.14	0.092507
2551.80	0.14	0.092470
2552.00	0.14	0.092432
2552.20	0.14	0.092394
2552.40	0.14	0.092356
2552.60	0.14	0.092319
2552.80	0.14	0.092281
2553.00	0.14	0.092243
2553.20	0.14	0.092205
2553.40	0.14	0.092167
2553.60	0.14	0.092130
2553.80	0.14	0.092092
2554.00	0.14	0.092054
2554.20	0.14	0.092016
2554.40	0.14	0.091979
2554.60	0.14	0.091941
2554.80	0.14	0.091903
2555.00	0.14	0.091865
2555.20	0.14	0.091828
2555.40	0.14	0.091790
2555.60	0.14	0.091752
2555.80	0.14	0.091714
2556.00	0.14	0.091676
2556.20	0.14	0.091639
2556.40	0.14	0.091601
2556.60	0.14	0.091563
2556.80	0.14	0.091525
2557.00	0.14	0.091488
2557.20	0.14	0.091450
2557.40	0.14	0.091412
2557.60	0.14	0.091374
2557.80	0.14	0.091337
2558.00	0.14	0.091299
2558.20	0.14	0.091261
2558.40	0.14	0.091223
2558.60	0.14	0.091185
2558.80	0.14	0.091148
2559.00	0.14	0.091110
2559.20	0.14	0.091072
2559.40	0.14	0.091034
2559.60	0.14	0.090997
2559.80	0.14	0.090959
2560.00	0.14	0.090921
2560.20	0.14	0.090883
2560.40	0.14	0.090846
2560.60	0.14	0.090808
2560.80	0.14	0.090770
2561.00	0.14	0.090732
2561.20	0.14	0.090694
2561.40	0.14	0.090657
2561.60	0.14	0.090619
2561.80	0.14	0.090581
2562.00	0.14	0.090543
2562.20	0.14	0.090506
2562.40	0.14	0.090468
2562.60	0.14	0.090430

2562.80	0.14	0.090392
2563.00	0.14	0.090355
2563.20	0.14	0.090317
2563.40	0.14	0.090279
2563.60	0.14	0.090241
2563.80	0.14	0.090204
2564.00	0.14	0.090166
2564.20	0.14	0.090128
2564.40	0.14	0.090090
2564.60	0.14	0.090052
2564.80	0.14	0.090015
2565.00	0.14	0.089977
2565.20	0.14	0.089939
2565.40	0.14	0.089901
2565.60	0.14	0.089864
2565.80	0.14	0.089826
2566.00	0.14	0.089788
2566.20	0.14	0.089750
2566.40	0.14	0.089713
2566.60	0.14	0.089675
2566.80	0.14	0.089637
2567.00	0.14	0.089599
2567.20	0.14	0.089561
2567.40	0.14	0.089524
2567.60	0.14	0.089486
2567.80	0.14	0.089448
2568.00	0.14	0.089410
2568.20	0.14	0.089373
2568.40	0.14	0.089335
2568.60	0.14	0.089297
2568.80	0.14	0.089259
2569.00	0.14	0.089222
2569.20	0.14	0.089184
2569.40	0.14	0.089146
2569.60	0.14	0.089108
2569.80	0.14	0.089070
2570.00	0.14	0.089033
2570.20	0.14	0.088995
2570.40	0.14	0.088957
2570.60	0.14	0.088919
2570.80	0.14	0.088882
2571.00	0.14	0.088844
2571.20	0.14	0.088806
2571.40	0.14	0.088768
2571.60	0.14	0.088731
2571.80	0.14	0.088693
2572.00	0.14	0.088655
2572.20	0.14	0.088617
2572.40	0.14	0.088579
2572.60	0.14	0.088542
2572.80	0.14	0.088504
2573.00	0.14	0.088466
2573.20	0.14	0.088428
2573.40	0.14	0.088391
2573.60	0.14	0.088353
2573.80	0.14	0.088315
2574.00	0.14	0.088277

2574.20	0.14	0.088240
2574.40	0.14	0.088202
2574.60	0.14	0.088164
2574.80	0.14	0.088126
2575.00	0.14	0.088088
2575.20	0.14	0.088051
2575.40	0.14	0.088013
2575.60	0.14	0.087975
2575.80	0.14	0.087937
2576.00	0.14	0.087900
2576.20	0.14	0.087862
2576.40	0.14	0.087824
2576.60	0.14	0.087786
2576.80	0.14	0.087749
2577.00	0.14	0.087711
2577.20	0.14	0.087673
2577.40	0.14	0.087635
2577.60	0.14	0.087597
2577.80	0.14	0.087560
2578.00	0.14	0.087522
2578.20	0.14	0.087484
2578.40	0.14	0.087446
2578.60	0.14	0.087409
2578.80	0.14	0.087371
2579.00	0.14	0.087333
2579.20	0.14	0.087295
2579.40	0.14	0.087258
2579.60	0.14	0.087220
2579.80	0.14	0.087182
2580.00	0.14	0.087144
2580.20	0.14	0.087106
2580.40	0.14	0.087069
2580.60	0.14	0.087031
2580.80	0.14	0.086993
2581.00	0.14	0.086955
2581.20	0.14	0.086918
2581.40	0.14	0.086880
2581.60	0.14	0.086842
2581.80	0.14	0.086804
2582.00	0.14	0.086767
2582.20	0.14	0.086729
2582.40	0.14	0.086691
2582.60	0.14	0.086653
2582.80	0.14	0.086616
2583.00	0.14	0.086578
2583.20	0.14	0.086540
2583.40	0.14	0.086502
2583.60	0.14	0.086464
2583.80	0.14	0.086427
2584.00	0.14	0.086389
2584.20	0.14	0.086351
2584.40	0.14	0.086313
2584.60	0.14	0.086276
2584.80	0.14	0.086238
2585.00	0.14	0.086200
2585.20	0.14	0.086162
2585.40	0.14	0.086125

2585.60	0.14	0.086087
2585.80	0.14	0.086049
2586.00	0.14	0.086011
2586.20	0.14	0.085973
2586.40	0.14	0.085936
2586.60	0.14	0.085898
2586.80	0.14	0.085860
2587.00	0.14	0.085822
2587.20	0.14	0.085785
2587.40	0.14	0.085747
2587.60	0.14	0.085709
2587.80	0.14	0.085671
2588.00	0.14	0.085634
2588.20	0.14	0.085596
2588.40	0.14	0.085558
2588.60	0.14	0.085520
2588.80	0.14	0.085482
2589.00	0.14	0.085445
2589.20	0.14	0.085407
2589.40	0.14	0.085369
2589.60	0.14	0.085331
2589.80	0.14	0.085294
2590.00	0.14	0.085256
2590.20	0.14	0.085218
2590.40	0.14	0.085180
2590.60	0.14	0.085143
2590.80	0.14	0.085105
2591.00	0.14	0.085067
2591.20	0.14	0.085029
2591.40	0.14	0.084991
2591.60	0.14	0.084954
2591.80	0.14	0.084916
2592.00	0.14	0.084878
2592.20	0.14	0.084840
2592.40	0.14	0.084803
2592.60	0.14	0.084765
2592.80	0.14	0.084727
2593.00	0.14	0.084689
2593.20	0.14	0.084652
2593.40	0.14	0.084614
2593.60	0.14	0.084576
2593.80	0.14	0.084538
2594.00	0.14	0.084500
2594.20	0.14	0.084463
2594.40	0.14	0.084425
2594.60	0.14	0.084387
2594.80	0.14	0.084349
2595.00	0.14	0.084312
2595.20	0.14	0.084274
2595.40	0.14	0.084236
2595.60	0.14	0.084198
2595.80	0.14	0.084161
2596.00	0.14	0.084123
2596.20	0.14	0.084085
2596.40	0.14	0.084047
2596.60	0.14	0.084009
2596.80	0.14	0.083972

2597.00	0.14	0.083934
2597.20	0.14	0.083896
2597.40	0.14	0.083858
2597.60	0.14	0.083821
2597.80	0.14	0.083783
2598.00	0.14	0.083745
2598.20	0.14	0.083707
2598.40	0.14	0.083670
2598.60	0.14	0.083632
2598.80	0.14	0.083594
2599.00	0.14	0.083556
2599.20	0.14	0.083518
2599.40	0.14	0.083481
2599.60	0.14	0.083443
2599.80	0.14	0.083405
2600.00	0.14	0.083367
2600.20	0.14	0.083330
2600.40	0.14	0.083292
2600.60	0.14	0.083254
2600.80	0.14	0.083216
2601.00	0.14	0.083179
2601.20	0.14	0.083141
2601.40	0.14	0.083103
2601.60	0.14	0.083065
2601.80	0.14	0.083028
2602.00	0.14	0.082990
2602.20	0.14	0.082952
2602.40	0.14	0.082914
2602.60	0.14	0.082876
2602.80	0.14	0.082839
2603.00	0.14	0.082801
2603.20	0.14	0.082763
2603.40	0.14	0.082725
2603.60	0.14	0.082688
2603.80	0.14	0.082650
2604.00	0.14	0.082612
2604.20	0.14	0.082574
2604.40	0.14	0.082537
2604.60	0.14	0.082499
2604.80	0.14	0.082461
2605.00	0.14	0.082423
2605.20	0.14	0.082385
2605.40	0.14	0.082348
2605.60	0.14	0.082310
2605.80	0.14	0.082272
2606.00	0.14	0.082234
2606.20	0.14	0.082197
2606.40	0.14	0.082159
2606.60	0.14	0.082121
2606.80	0.14	0.082083
2607.00	0.14	0.082046
2607.20	0.14	0.082008
2607.40	0.14	0.081970
2607.60	0.14	0.081932
2607.80	0.14	0.081894
2608.00	0.14	0.081857
2608.20	0.14	0.081819

2608.40	0.14	0.081781
2608.60	0.14	0.081743
2608.80	0.14	0.081706
2609.00	0.14	0.081668
2609.20	0.14	0.081630
2609.40	0.14	0.081592
2609.60	0.14	0.081555
2609.80	0.14	0.081517
2610.00	0.14	0.081479
2610.20	0.14	0.081441
2610.40	0.14	0.081403
2610.60	0.14	0.081366
2610.80	0.14	0.081328
2611.00	0.14	0.081290
2611.20	0.14	0.081252
2611.40	0.14	0.081215
2611.60	0.14	0.081177
2611.80	0.14	0.081139
2612.00	0.14	0.081101
2612.20	0.14	0.081064
2612.40	0.14	0.081026
2612.60	0.14	0.080988
2612.80	0.14	0.080950
2613.00	0.14	0.080912
2613.20	0.14	0.080875
2613.40	0.14	0.080837
2613.60	0.14	0.080799
2613.80	0.14	0.080761
2614.00	0.14	0.080724
2614.20	0.14	0.080686
2614.40	0.14	0.080648
2614.60	0.14	0.080610
2614.80	0.14	0.080573
2615.00	0.14	0.080535
2615.20	0.14	0.080497
2615.40	0.14	0.080459
2615.60	0.14	0.080421
2615.80	0.14	0.080384
2616.00	0.14	0.080346
2616.20	0.14	0.080308
2616.40	0.14	0.080270
2616.60	0.14	0.080233
2616.80	0.14	0.080195
2617.00	0.14	0.080157
2617.20	0.14	0.080119
2617.40	0.14	0.080082
2617.60	0.14	0.080044
2617.80	0.14	0.080006
2618.00	0.14	0.079968
2618.20	0.14	0.079930
2618.40	0.14	0.079893
2618.60	0.14	0.079855
2618.80	0.14	0.079817
2619.00	0.14	0.079779
2619.20	0.14	0.079742
2619.40	0.14	0.079704
2619.60	0.14	0.079666

2619.80	0.14	0.079628
2620.00	0.14	0.079591
2620.20	0.14	0.079553
2620.40	0.14	0.079515
2620.60	0.14	0.079477
2620.80	0.14	0.079440
2621.00	0.14	0.079402
2621.20	0.14	0.079364
2621.40	0.14	0.079326
2621.60	0.14	0.079288
2621.80	0.14	0.079251
2622.00	0.14	0.079213
2622.20	0.14	0.079175
2622.40	0.14	0.079137
2622.60	0.14	0.079100
2622.80	0.14	0.079062
2623.00	0.14	0.079024
2623.20	0.14	0.078986
2623.40	0.14	0.078949
2623.60	0.14	0.078911
2623.80	0.14	0.078873
2624.00	0.14	0.078835
2624.20	0.14	0.078797
2624.40	0.14	0.078760
2624.60	0.14	0.078722
2624.80	0.14	0.078684
2625.00	0.14	0.078646
2625.20	0.14	0.078609
2625.40	0.14	0.078571
2625.60	0.14	0.078533
2625.80	0.14	0.078495
2626.00	0.14	0.078458
2626.20	0.14	0.078420
2626.40	0.14	0.078382
2626.60	0.14	0.078344
2626.80	0.14	0.078306
2627.00	0.14	0.078269
2627.20	0.14	0.078231
2627.40	0.14	0.078193
2627.60	0.14	0.078155
2627.80	0.14	0.078118
2628.00	0.14	0.078080
2628.20	0.14	0.078042
2628.40	0.14	0.078004
2628.60	0.14	0.077967
2628.80	0.14	0.077929
2629.00	0.14	0.077891
2629.20	0.14	0.077853
2629.40	0.14	0.077815
2629.60	0.14	0.077778
2629.80	0.14	0.077740
2630.00	0.14	0.077702
2630.20	0.14	0.077664
2630.40	0.14	0.077627
2630.60	0.14	0.077589
2630.80	0.14	0.077551
2631.00	0.14	0.077513

2631.20	0.14	0.077476
2631.40	0.14	0.077438
2631.60	0.14	0.077400
2631.80	0.14	0.077362
2632.00	0.14	0.077324
2632.20	0.14	0.077287
2632.40	0.14	0.077249
2632.60	0.14	0.077211
2632.80	0.14	0.077173
2633.00	0.14	0.077136
2633.20	0.14	0.077098
2633.40	0.14	0.077060
2633.60	0.14	0.077022
2633.80	0.14	0.076985
2634.00	0.14	0.076947
2634.20	0.14	0.076909
2634.40	0.14	0.076871
2634.60	0.14	0.076833
2634.80	0.14	0.076796
2635.00	0.14	0.076758
2635.20	0.14	0.076720
2635.40	0.14	0.076682
2635.60	0.14	0.076645
2635.80	0.14	0.076607
2636.00	0.14	0.076569
2636.20	0.14	0.076531
2636.40	0.14	0.076494
2636.60	0.14	0.076456
2636.80	0.14	0.076418
2637.00	0.14	0.076380
2637.20	0.14	0.076342
2637.40	0.14	0.076305
2637.60	0.14	0.076267
2637.80	0.14	0.076229
2638.00	0.14	0.076191
2638.20	0.14	0.076154
2638.40	0.14	0.076116
2638.60	0.14	0.076078
2638.80	0.14	0.076040
2639.00	0.14	0.076003
2639.20	0.14	0.075965
2639.40	0.14	0.075927
2639.60	0.14	0.075889
2639.80	0.14	0.075851
2640.00	0.14	0.075814
2640.20	0.14	0.075776
2640.40	0.14	0.075738
2640.60	0.14	0.075700
2640.80	0.14	0.075663
2641.00	0.14	0.075625
2641.20	0.14	0.075587
2641.40	0.14	0.075549
2641.60	0.14	0.075512
2641.80	0.14	0.075474
2642.00	0.14	0.075436
2642.20	0.14	0.075398
2642.40	0.14	0.075361

2642.60	0.14	0.075323
2642.80	0.14	0.075285
2643.00	0.14	0.075247
2643.20	0.14	0.075209
2643.40	0.14	0.075172
2643.60	0.14	0.075134
2643.80	0.14	0.075096
2644.00	0.14	0.075058
2644.20	0.14	0.075021
2644.40	0.14	0.074983
2644.60	0.14	0.074945
2644.80	0.14	0.074907
2645.00	0.14	0.074870
2645.20	0.14	0.074832
2645.40	0.14	0.074794
2645.60	0.14	0.074756
2645.80	0.14	0.074718
2646.00	0.14	0.074681
2646.20	0.14	0.074643
2646.40	0.14	0.074605
2646.60	0.14	0.074567
2646.80	0.14	0.074530
2647.00	0.14	0.074492
2647.20	0.14	0.074454
2647.40	0.14	0.074416
2647.60	0.14	0.074379
2647.80	0.14	0.074341
2648.00	0.14	0.074303
2648.20	0.14	0.074265
2648.40	0.14	0.074227
2648.60	0.14	0.074190
2648.80	0.14	0.074152
2649.00	0.14	0.074114
2649.20	0.14	0.074076
2649.40	0.14	0.074039
2649.60	0.14	0.074001
2649.80	0.14	0.073963
2650.00	0.14	0.073925
2650.20	0.14	0.073888
2650.40	0.14	0.073850
2650.60	0.14	0.073812
2650.80	0.14	0.073774
2651.00	0.14	0.073736
2651.20	0.14	0.073699
2651.40	0.14	0.073661
2651.60	0.14	0.073623
2651.80	0.14	0.073585
2652.00	0.14	0.073548
2652.20	0.14	0.073510
2652.40	0.14	0.073472
2652.60	0.14	0.073434
2652.80	0.14	0.073397
2653.00	0.14	0.073359
2653.20	0.14	0.073321
2653.40	0.14	0.073283
2653.60	0.14	0.073245
2653.80	0.14	0.073208

2654.00	0.14	0.073170
2654.20	0.14	0.073132
2654.40	0.14	0.073094
2654.60	0.14	0.073057
2654.80	0.14	0.073019
2655.00	0.14	0.072981
2655.20	0.14	0.072943
2655.40	0.14	0.072906
2655.60	0.14	0.072868
2655.80	0.14	0.072830
2656.00	0.14	0.072792
2656.20	0.14	0.072754
2656.40	0.14	0.072717
2656.60	0.14	0.072679
2656.80	0.14	0.072641
2657.00	0.14	0.072603
2657.20	0.14	0.072566
2657.40	0.14	0.072528
2657.60	0.14	0.072490
2657.80	0.14	0.072452
2658.00	0.14	0.072415
2658.20	0.14	0.072377
2658.40	0.14	0.072339
2658.60	0.14	0.072301
2658.80	0.14	0.072263
2659.00	0.14	0.072226
2659.20	0.14	0.072188
2659.40	0.14	0.072150
2659.60	0.14	0.072112
2659.80	0.14	0.072075
2660.00	0.14	0.072037
2660.20	0.14	0.071999
2660.40	0.14	0.071961
2660.60	0.14	0.071924
2660.80	0.14	0.071886
2661.00	0.14	0.071848
2661.20	0.14	0.071810
2661.40	0.14	0.071773
2661.60	0.14	0.071735
2661.80	0.14	0.071697
2662.00	0.14	0.071659
2662.20	0.14	0.071621
2662.40	0.14	0.071584
2662.60	0.14	0.071546
2662.80	0.14	0.071508
2663.00	0.14	0.071470
2663.20	0.14	0.071433
2663.40	0.14	0.071395
2663.60	0.14	0.071357
2663.80	0.14	0.071319
2664.00	0.14	0.071282
2664.20	0.14	0.071244
2664.40	0.14	0.071206
2664.60	0.14	0.071168
2664.80	0.14	0.071130
2665.00	0.14	0.071093
2665.20	0.14	0.071055

2665.40	0.14	0.071017
2665.60	0.14	0.070979
2665.80	0.14	0.070942
2666.00	0.14	0.070904
2666.20	0.14	0.070866
2666.40	0.14	0.070828
2666.60	0.14	0.070791
2666.80	0.14	0.070753
2667.00	0.14	0.070715
2667.20	0.14	0.070677
2667.40	0.14	0.070639
2667.60	0.14	0.070602
2667.80	0.14	0.070564
2668.00	0.14	0.070526
2668.20	0.14	0.070488
2668.40	0.14	0.070451
2668.60	0.14	0.070413
2668.80	0.14	0.070375
2669.00	0.14	0.070337
2669.20	0.14	0.070300
2669.40	0.14	0.070262
2669.60	0.14	0.070224
2669.80	0.14	0.070186
2670.00	0.14	0.070148
2670.20	0.14	0.070111
2670.40	0.14	0.070073
2670.60	0.14	0.070035
2670.80	0.14	0.069997
2671.00	0.14	0.069960
2671.20	0.14	0.069922
2671.40	0.14	0.069884
2671.60	0.14	0.069846
2671.80	0.14	0.069809
2672.00	0.14	0.069771
2672.20	0.14	0.069733
2672.40	0.14	0.069695
2672.60	0.14	0.069657
2672.80	0.14	0.069620
2673.00	0.14	0.069582
2673.20	0.14	0.069544
2673.40	0.14	0.069506
2673.60	0.14	0.069469
2673.80	0.14	0.069431
2674.00	0.14	0.069393
2674.20	0.14	0.069355
2674.40	0.14	0.069318
2674.60	0.14	0.069280
2674.80	0.14	0.069242
2675.00	0.14	0.069204
2675.20	0.14	0.069166
2675.40	0.14	0.069129
2675.60	0.14	0.069091
2675.80	0.14	0.069053
2676.00	0.14	0.069015
2676.20	0.14	0.068978
2676.40	0.14	0.068940
2676.60	0.14	0.068902

2676.80	0.14	0.068864
2677.00	0.14	0.068827
2677.20	0.14	0.068789
2677.40	0.14	0.068751
2677.60	0.14	0.068713
2677.80	0.14	0.068675
2678.00	0.14	0.068638
2678.20	0.14	0.068600
2678.40	0.14	0.068562
2678.60	0.14	0.068524
2678.80	0.14	0.068487
2679.00	0.14	0.068449
2679.20	0.14	0.068411
2679.40	0.14	0.068373
2679.60	0.14	0.068336
2679.80	0.14	0.068298
2680.00	0.14	0.068260
2680.20	0.14	0.068222
2680.40	0.14	0.068185
2680.60	0.14	0.068147
2680.80	0.14	0.068109
2681.00	0.14	0.068071
2681.20	0.14	0.068033
2681.40	0.14	0.067996
2681.60	0.14	0.067958
2681.80	0.14	0.067920
2682.00	0.14	0.067882
2682.20	0.14	0.067845
2682.40	0.14	0.067807
2682.60	0.14	0.067769
2682.80	0.14	0.067731
2683.00	0.14	0.067694
2683.20	0.14	0.067656
2683.40	0.14	0.067618
2683.60	0.14	0.067580
2683.80	0.14	0.067542
2684.00	0.14	0.067505
2684.20	0.14	0.067467
2684.40	0.14	0.067429
2684.60	0.14	0.067391
2684.80	0.14	0.067354
2685.00	0.14	0.067316
2685.20	0.14	0.067278
2685.40	0.14	0.067240
2685.60	0.14	0.067203
2685.80	0.14	0.067165
2686.00	0.14	0.067127
2686.20	0.14	0.067089
2686.40	0.14	0.067051
2686.60	0.14	0.067014
2686.80	0.14	0.066976
2687.00	0.14	0.066938
2687.20	0.14	0.066900
2687.40	0.14	0.066863
2687.60	0.14	0.066825
2687.80	0.14	0.066787
2688.00	0.14	0.066749

2688.20	0.14	0.066712
2688.40	0.14	0.066674
2688.60	0.14	0.066636
2688.80	0.14	0.066598
2689.00	0.14	0.066560
2689.20	0.14	0.066523
2689.40	0.14	0.066485
2689.60	0.14	0.066447
2689.80	0.14	0.066409
2690.00	0.14	0.066372
2690.20	0.14	0.066334
2690.40	0.14	0.066296
2690.60	0.14	0.066258
2690.80	0.14	0.066221
2691.00	0.14	0.066183
2691.20	0.14	0.066145
2691.40	0.14	0.066107
2691.60	0.14	0.066069
2691.80	0.14	0.066032
2692.00	0.14	0.065994
2692.20	0.14	0.065956
2692.40	0.14	0.065918
2692.60	0.14	0.065881
2692.80	0.14	0.065843
2693.00	0.14	0.065805
2693.20	0.14	0.065767
2693.40	0.14	0.065730
2693.60	0.14	0.065692
2693.80	0.14	0.065654
2694.00	0.14	0.065616
2694.20	0.14	0.065578
2694.40	0.14	0.065541
2694.60	0.14	0.065503
2694.80	0.14	0.065465
2695.00	0.14	0.065427
2695.20	0.14	0.065390
2695.40	0.14	0.065352
2695.60	0.14	0.065314
2695.80	0.14	0.065276
2696.00	0.14	0.065239
2696.20	0.14	0.065201
2696.40	0.14	0.065163
2696.60	0.14	0.065125
2696.80	0.14	0.065087
2697.00	0.14	0.065050
2697.20	0.14	0.065012
2697.40	0.14	0.064974
2697.60	0.14	0.064936
2697.80	0.14	0.064899
2698.00	0.14	0.064861
2698.20	0.14	0.064823
2698.40	0.14	0.064785
2698.60	0.14	0.064748
2698.80	0.14	0.064710
2699.00	0.14	0.064672
2699.20	0.14	0.064634
2699.40	0.14	0.064597

2699.60	0.14	0.064559
2699.80	0.14	0.064521
2700.00	0.14	0.064483
2700.20	0.14	0.064445
2700.40	0.14	0.064408
2700.60	0.14	0.064370
2700.80	0.14	0.064332
2701.00	0.14	0.064294
2701.20	0.14	0.064257
2701.40	0.14	0.064219
2701.60	0.14	0.064181
2701.80	0.14	0.064143
2702.00	0.14	0.064106
2702.20	0.14	0.064068
2702.40	0.14	0.064030
2702.60	0.14	0.063992
2702.80	0.14	0.063954
2703.00	0.14	0.063917
2703.20	0.14	0.063879
2703.40	0.14	0.063841
2703.60	0.14	0.063803
2703.80	0.14	0.063766
2704.00	0.14	0.063728
2704.20	0.14	0.063690
2704.40	0.14	0.063652
2704.60	0.14	0.063615
2704.80	0.14	0.063577
2705.00	0.14	0.063539
2705.20	0.14	0.063501
2705.40	0.14	0.063463
2705.60	0.14	0.063426
2705.80	0.14	0.063388
2706.00	0.14	0.063350
2706.20	0.14	0.063312
2706.40	0.14	0.063275
2706.60	0.14	0.063237
2706.80	0.14	0.063199
2707.00	0.14	0.063161
2707.20	0.14	0.063124
2707.40	0.14	0.063086
2707.60	0.14	0.063048
2707.80	0.14	0.063010
2708.00	0.14	0.062972
2708.20	0.14	0.062935
2708.40	0.14	0.062897
2708.60	0.14	0.062859
2708.80	0.14	0.062821
2709.00	0.14	0.062784
2709.20	0.14	0.062746
2709.40	0.14	0.062708
2709.60	0.14	0.062670
2709.80	0.14	0.062633
2710.00	0.14	0.062595
2710.20	0.14	0.062557
2710.40	0.14	0.062519
2710.60	0.14	0.062481
2710.80	0.14	0.062444

2711.00	0.14	0.062406
2711.20	0.14	0.062368
2711.40	0.14	0.062330
2711.60	0.14	0.062293
2711.80	0.14	0.062255
2712.00	0.14	0.062217
2712.20	0.14	0.062179
2712.40	0.14	0.062142
2712.60	0.14	0.062104
2712.80	0.14	0.062066
2713.00	0.14	0.062028
2713.20	0.14	0.061990
2713.40	0.14	0.061953
2713.60	0.14	0.061915
2713.80	0.14	0.061877
2714.00	0.14	0.061839
2714.20	0.14	0.061802
2714.40	0.14	0.061764
2714.60	0.14	0.061726
2714.80	0.14	0.061688
2715.00	0.14	0.061651
2715.20	0.14	0.061613
2715.40	0.14	0.061575
2715.60	0.14	0.061537
2715.80	0.14	0.061499
2716.00	0.14	0.061462
2716.20	0.14	0.061424
2716.40	0.14	0.061386
2716.60	0.14	0.061348
2716.80	0.14	0.061311
2717.00	0.14	0.061273
2717.20	0.14	0.061235
2717.40	0.14	0.061197
2717.60	0.14	0.061160
2717.80	0.14	0.061122
2718.00	0.14	0.061084
2718.20	0.14	0.061046
2718.40	0.14	0.061009
2718.60	0.14	0.060971
2718.80	0.14	0.060933
2719.00	0.14	0.060895
2719.20	0.14	0.060857
2719.40	0.14	0.060820
2719.60	0.14	0.060782
2719.80	0.14	0.060744
2720.00	0.14	0.060706
2720.20	0.14	0.060669
2720.40	0.14	0.060631
2720.60	0.14	0.060593
2720.80	0.14	0.060555
2721.00	0.14	0.060518
2721.20	0.14	0.060480
2721.40	0.14	0.060442
2721.60	0.14	0.060404
2721.80	0.14	0.060366
2722.00	0.14	0.060329
2722.20	0.14	0.060291

2722.40	0.14	0.060253
2722.60	0.14	0.060215
2722.80	0.14	0.060178
2723.00	0.14	0.060140
2723.20	0.14	0.060102
2723.40	0.14	0.060064
2723.60	0.14	0.060027
2723.80	0.14	0.059989
2724.00	0.14	0.059951
2724.20	0.14	0.059913
2724.40	0.14	0.059875
2724.60	0.14	0.059838
2724.80	0.14	0.059800
2725.00	0.14	0.059762
2725.20	0.14	0.059724
2725.40	0.14	0.059687
2725.60	0.14	0.059649
2725.80	0.14	0.059611
2726.00	0.14	0.059573
2726.20	0.14	0.059536
2726.40	0.14	0.059498
2726.60	0.14	0.059460
2726.80	0.14	0.059422
2727.00	0.14	0.059384
2727.20	0.14	0.059347
2727.40	0.14	0.059309
2727.60	0.14	0.059271
2727.80	0.14	0.059233
2728.00	0.14	0.059196
2728.20	0.14	0.059158
2728.40	0.14	0.059120
2728.60	0.14	0.059082
2728.80	0.14	0.059045
2729.00	0.14	0.059007
2729.20	0.14	0.058969
2729.40	0.14	0.058931
2729.60	0.14	0.058893
2729.80	0.14	0.058856
2730.00	0.14	0.058818
2730.20	0.14	0.058780
2730.40	0.14	0.058742
2730.60	0.14	0.058705
2730.80	0.14	0.058667
2731.00	0.14	0.058629
2731.20	0.14	0.058591
2731.40	0.14	0.058554
2731.60	0.14	0.058516
2731.80	0.14	0.058478
2732.00	0.14	0.058440
2732.20	0.14	0.058402
2732.40	0.14	0.058365
2732.60	0.14	0.058327
2732.80	0.14	0.058289
2733.00	0.14	0.058251
2733.20	0.14	0.058214
2733.40	0.14	0.058176
2733.60	0.14	0.058138

2733.80	0.14	0.058100
2734.00	0.14	0.058063
2734.20	0.14	0.058025
2734.40	0.14	0.057987
2734.60	0.14	0.057949
2734.80	0.14	0.057911
2735.00	0.14	0.057874
2735.20	0.14	0.057836
2735.40	0.14	0.057798
2735.60	0.14	0.057760
2735.80	0.14	0.057723
2736.00	0.14	0.057685
2736.20	0.14	0.057647
2736.40	0.14	0.057609
2736.60	0.14	0.057572
2736.80	0.14	0.057534
2737.00	0.14	0.057496
2737.20	0.14	0.057458
2737.40	0.14	0.057420
2737.60	0.14	0.057383
2737.80	0.14	0.057345
2738.00	0.14	0.057307
2738.20	0.14	0.057269
2738.40	0.14	0.057232
2738.60	0.14	0.057194
2738.80	0.14	0.057156
2739.00	0.14	0.057118
2739.20	0.14	0.057081
2739.40	0.14	0.057043
2739.60	0.14	0.057005
2739.80	0.14	0.056967
2740.00	0.14	0.056930
2740.20	0.14	0.056892
2740.40	0.14	0.056854
2740.60	0.14	0.056816
2740.80	0.14	0.056778
2741.00	0.14	0.056741
2741.20	0.14	0.056703
2741.40	0.14	0.056665
2741.60	0.14	0.056627
2741.80	0.14	0.056590
2742.00	0.14	0.056552
2742.20	0.14	0.056514
2742.40	0.14	0.056476
2742.60	0.14	0.056439
2742.80	0.14	0.056401
2743.00	0.14	0.056363
2743.20	0.14	0.056325
2743.40	0.14	0.056287
2743.60	0.14	0.056250
2743.80	0.14	0.056212
2744.00	0.14	0.056174
2744.20	0.14	0.056136
2744.40	0.14	0.056099
2744.60	0.14	0.056061
2744.80	0.14	0.056023
2745.00	0.14	0.055985

2745.20	0.14	0.055948
2745.40	0.14	0.055910
2745.60	0.14	0.055872
2745.80	0.14	0.055834
2746.00	0.14	0.055796
2746.20	0.14	0.055759
2746.40	0.14	0.055721
2746.60	0.14	0.055683
2746.80	0.14	0.055645
2747.00	0.14	0.055608
2747.20	0.14	0.055570
2747.40	0.14	0.055532
2747.60	0.14	0.055494
2747.80	0.14	0.055457
2748.00	0.14	0.055419
2748.20	0.14	0.055381
2748.40	0.14	0.055343
2748.60	0.14	0.055305
2748.80	0.14	0.055268
2749.00	0.14	0.055230
2749.20	0.14	0.055192
2749.40	0.14	0.055154
2749.60	0.14	0.055117
2749.80	0.14	0.055079
2750.00	0.14	0.055041
2750.20	0.14	0.055003
2750.40	0.14	0.054966
2750.60	0.14	0.054928
2750.80	0.14	0.054890
2751.00	0.14	0.054852
2751.20	0.14	0.054814
2751.40	0.14	0.054777
2751.60	0.14	0.054739
2751.80	0.14	0.054701
2752.00	0.14	0.054663
2752.20	0.14	0.054626
2752.40	0.14	0.054588
2752.60	0.14	0.054550
2752.80	0.14	0.054512
2753.00	0.14	0.054475
2753.20	0.14	0.054437
2753.40	0.14	0.054399
2753.60	0.14	0.054361
2753.80	0.14	0.054323
2754.00	0.14	0.054286
2754.20	0.14	0.054248
2754.40	0.14	0.054210
2754.60	0.14	0.054172
2754.80	0.14	0.054135
2755.00	0.14	0.054097
2755.20	0.14	0.054059
2755.40	0.14	0.054021
2755.60	0.14	0.053984
2755.80	0.14	0.053946
2756.00	0.14	0.053908
2756.20	0.14	0.053870
2756.40	0.14	0.053832

2756.60	0.14	0.053795
2756.80	0.14	0.053757
2757.00	0.14	0.053719
2757.20	0.14	0.053681
2757.40	0.14	0.053644
2757.60	0.14	0.053606
2757.80	0.14	0.053568
2758.00	0.14	0.053530
2758.20	0.14	0.053493
2758.40	0.14	0.053455
2758.60	0.14	0.053417
2758.80	0.14	0.053379
2759.00	0.14	0.053342
2759.20	0.14	0.053304
2759.40	0.14	0.053266
2759.60	0.14	0.053228
2759.80	0.14	0.053190
2760.00	0.14	0.053153
2760.20	0.14	0.053115
2760.40	0.14	0.053077
2760.60	0.14	0.053039
2760.80	0.14	0.053002
2761.00	0.14	0.052964
2761.20	0.14	0.052926
2761.40	0.14	0.052888
2761.60	0.14	0.052851
2761.80	0.14	0.052813
2762.00	0.14	0.052775
2762.20	0.14	0.052737
2762.40	0.14	0.052699
2762.60	0.14	0.052662
2762.80	0.14	0.052624
2763.00	0.14	0.052586
2763.20	0.14	0.052548
2763.40	0.14	0.052511
2763.60	0.14	0.052473
2763.80	0.14	0.052435
2764.00	0.14	0.052397
2764.20	0.14	0.052360
2764.40	0.14	0.052322
2764.60	0.14	0.052284
2764.80	0.14	0.052246
2765.00	0.14	0.052208
2765.20	0.14	0.052171
2765.40	0.14	0.052133
2765.60	0.14	0.052095
2765.80	0.14	0.052057
2766.00	0.14	0.052020
2766.20	0.14	0.051982
2766.40	0.14	0.051944
2766.60	0.14	0.051906
2766.80	0.14	0.051869
2767.00	0.14	0.051831
2767.20	0.14	0.051793
2767.40	0.14	0.051755
2767.60	0.14	0.051717
2767.80	0.14	0.051680

2768.00	0.14	0.051642
2768.20	0.14	0.051604
2768.40	0.14	0.051566
2768.60	0.14	0.051529
2768.80	0.14	0.051491
2769.00	0.14	0.051453
2769.20	0.14	0.051415
2769.40	0.14	0.051378
2769.60	0.14	0.051340
2769.80	0.14	0.051302
2770.00	0.14	0.051264
2770.20	0.14	0.051226
2770.40	0.14	0.051189
2770.60	0.14	0.051151
2770.80	0.14	0.051113
2771.00	0.14	0.051075
2771.20	0.14	0.051038
2771.40	0.14	0.051000
2771.60	0.14	0.050962
2771.80	0.14	0.050924
2772.00	0.14	0.050887
2772.20	0.14	0.050849
2772.40	0.14	0.050811
2772.60	0.14	0.050773
2772.80	0.14	0.050735
2773.00	0.14	0.050698
2773.20	0.14	0.050660
2773.40	0.14	0.050622
2773.60	0.14	0.050584
2773.80	0.14	0.050547
2774.00	0.14	0.050509
2774.20	0.14	0.050471
2774.40	0.14	0.050433
2774.60	0.14	0.050396
2774.80	0.14	0.050358
2775.00	0.14	0.050320
2775.20	0.14	0.050282
2775.40	0.14	0.050244
2775.60	0.14	0.050207
2775.80	0.14	0.050169
2776.00	0.14	0.050131
2776.20	0.14	0.050093
2776.40	0.14	0.050056
2776.60	0.14	0.050018
2776.80	0.14	0.049980
2777.00	0.14	0.049942
2777.20	0.14	0.049905
2777.40	0.14	0.049867
2777.60	0.14	0.049829
2777.80	0.14	0.049791
2778.00	0.14	0.049754
2778.20	0.14	0.049716
2778.40	0.14	0.049678
2778.60	0.14	0.049640
2778.80	0.14	0.049602
2779.00	0.14	0.049565
2779.20	0.14	0.049527

2779.40	0.14	0.049489
2779.60	0.14	0.049451
2779.80	0.14	0.049414
2780.00	0.14	0.049376
2780.20	0.14	0.049338
2780.40	0.14	0.049300
2780.60	0.14	0.049263
2780.80	0.14	0.049225
2781.00	0.14	0.049187
2781.20	0.14	0.049149
2781.40	0.14	0.049111
2781.60	0.14	0.049074
2781.80	0.14	0.049036
2782.00	0.14	0.048998
2782.20	0.14	0.048960
2782.40	0.14	0.048923
2782.60	0.14	0.048885
2782.80	0.14	0.048847
2783.00	0.14	0.048809
2783.20	0.14	0.048772
2783.40	0.14	0.048734
2783.60	0.14	0.048696
2783.80	0.14	0.048658
2784.00	0.14	0.048620
2784.20	0.14	0.048583
2784.40	0.14	0.048545
2784.60	0.14	0.048507
2784.80	0.14	0.048469
2785.00	0.14	0.048432
2785.20	0.14	0.048394
2785.40	0.14	0.048356
2785.60	0.14	0.048318
2785.80	0.14	0.048281
2786.00	0.14	0.048243
2786.20	0.14	0.048205
2786.40	0.14	0.048167
2786.60	0.14	0.048129
2786.80	0.14	0.048092
2787.00	0.14	0.048054
2787.20	0.14	0.048016
2787.40	0.14	0.047978
2787.60	0.14	0.047941
2787.80	0.14	0.047903
2788.00	0.14	0.047865
2788.20	0.14	0.047827
2788.40	0.14	0.047790
2788.60	0.14	0.047752
2788.80	0.14	0.047714
2789.00	0.14	0.047676
2789.20	0.14	0.047638
2789.40	0.14	0.047601
2789.60	0.14	0.047563
2789.80	0.14	0.047525
2790.00	0.14	0.047487
2790.20	0.14	0.047450
2790.40	0.14	0.047412
2790.60	0.14	0.047374

2790.80	0.14	0.047336
2791.00	0.14	0.047299
2791.20	0.14	0.047261
2791.40	0.14	0.047223
2791.60	0.14	0.047185
2791.80	0.14	0.047147
2792.00	0.14	0.047110
2792.20	0.14	0.047072
2792.40	0.14	0.047034
2792.60	0.14	0.046996
2792.80	0.14	0.046959
2793.00	0.14	0.046921
2793.20	0.14	0.046883
2793.40	0.14	0.046845
2793.60	0.14	0.046808
2793.80	0.14	0.046770
2794.00	0.14	0.046732
2794.20	0.14	0.046694
2794.40	0.14	0.046656
2794.60	0.14	0.046619
2794.80	0.14	0.046581
2795.00	0.14	0.046543
2795.20	0.14	0.046505
2795.40	0.14	0.046468
2795.60	0.14	0.046430
2795.80	0.14	0.046392
2796.00	0.14	0.046354
2796.20	0.14	0.046317
2796.40	0.14	0.046279
2796.60	0.14	0.046241
2796.80	0.14	0.046203
2797.00	0.14	0.046166
2797.20	0.14	0.046128
2797.40	0.14	0.046090
2797.60	0.14	0.046052
2797.80	0.14	0.046014
2798.00	0.14	0.045977
2798.20	0.14	0.045939
2798.40	0.14	0.045901
2798.60	0.14	0.045863
2798.80	0.14	0.045826
2799.00	0.14	0.045788
2799.20	0.14	0.045750
2799.40	0.14	0.045712
2799.60	0.14	0.045675
2799.80	0.14	0.045637
2800.00	0.14	0.045599
2800.20	0.14	0.045561
2800.40	0.14	0.045523
2800.60	0.14	0.045486
2800.80	0.14	0.045448
2801.00	0.14	0.045410
2801.20	0.14	0.045372
2801.40	0.14	0.045335
2801.60	0.14	0.045297
2801.80	0.14	0.045259
2802.00	0.14	0.045221

2802.20	0.14	0.045184
2802.40	0.14	0.045146
2802.60	0.14	0.045108
2802.80	0.14	0.045070
2803.00	0.14	0.045032
2803.20	0.14	0.044995
2803.40	0.14	0.044957
2803.60	0.14	0.044919
2803.80	0.14	0.044881
2804.00	0.14	0.044844
2804.20	0.14	0.044806
2804.40	0.14	0.044768
2804.60	0.14	0.044730
2804.80	0.14	0.044693
2805.00	0.14	0.044655
2805.20	0.14	0.044617
2805.40	0.14	0.044579
2805.60	0.14	0.044541
2805.80	0.14	0.044504
2806.00	0.14	0.044466
2806.20	0.14	0.044428
2806.40	0.14	0.044390
2806.60	0.14	0.044353
2806.80	0.14	0.044315
2807.00	0.14	0.044277
2807.20	0.14	0.044239
2807.40	0.14	0.044202
2807.60	0.14	0.044164
2807.80	0.14	0.044126
2808.00	0.14	0.044088
2808.20	0.14	0.044050
2808.40	0.14	0.044013
2808.60	0.14	0.043975
2808.80	0.14	0.043937
2809.00	0.14	0.043899
2809.20	0.14	0.043862
2809.40	0.14	0.043824
2809.60	0.14	0.043786
2809.80	0.14	0.043748
2810.00	0.14	0.043711
2810.20	0.14	0.043673
2810.40	0.14	0.043635
2810.60	0.14	0.043597
2810.80	0.14	0.043559
2811.00	0.14	0.043522
2811.20	0.14	0.043484
2811.40	0.14	0.043446
2811.60	0.14	0.043408
2811.80	0.14	0.043371
2812.00	0.14	0.043333
2812.20	0.14	0.043295
2812.40	0.14	0.043257
2812.60	0.14	0.043220
2812.80	0.14	0.043182
2813.00	0.14	0.043144
2813.20	0.14	0.043106
2813.40	0.14	0.043068

2813.60	0.14	0.043031
2813.80	0.14	0.042993
2814.00	0.14	0.042955
2814.20	0.14	0.042917
2814.40	0.14	0.042880
2814.60	0.14	0.042842
2814.80	0.14	0.042804
2815.00	0.14	0.042766
2815.20	0.14	0.042729
2815.40	0.14	0.042691
2815.60	0.14	0.042653
2815.80	0.14	0.042615
2816.00	0.14	0.042578
2816.20	0.14	0.042540
2816.40	0.14	0.042502
2816.60	0.14	0.042464
2816.80	0.14	0.042426
2817.00	0.14	0.042389
2817.20	0.14	0.042351
2817.40	0.14	0.042313
2817.60	0.14	0.042275
2817.80	0.14	0.042238
2818.00	0.14	0.042200
2818.20	0.14	0.042162
2818.40	0.14	0.042124
2818.60	0.14	0.042087
2818.80	0.14	0.042049
2819.00	0.14	0.042011
2819.20	0.14	0.041973
2819.40	0.14	0.041935
2819.60	0.14	0.041898
2819.80	0.14	0.041860
2820.00	0.14	0.041822
2820.20	0.14	0.041784
2820.40	0.14	0.041747
2820.60	0.14	0.041709
2820.80	0.14	0.041671
2821.00	0.14	0.041633
2821.20	0.14	0.041596
2821.40	0.14	0.041558
2821.60	0.14	0.041520
2821.80	0.14	0.041482
2822.00	0.14	0.041444
2822.20	0.14	0.041407
2822.40	0.14	0.041369
2822.60	0.14	0.041331
2822.80	0.14	0.041293
2823.00	0.14	0.041256
2823.20	0.14	0.041218
2823.40	0.14	0.041180
2823.60	0.14	0.041142
2823.80	0.14	0.041105
2824.00	0.14	0.041067
2824.20	0.14	0.041029
2824.40	0.14	0.040991
2824.60	0.14	0.040953
2824.80	0.14	0.040916

2825.00	0.14	0.040878
2825.20	0.14	0.040840
2825.40	0.14	0.040802
2825.60	0.14	0.040765
2825.80	0.14	0.040727
2826.00	0.14	0.040689
2826.20	0.14	0.040651
2826.40	0.14	0.040614
2826.60	0.14	0.040576
2826.80	0.14	0.040538
2827.00	0.14	0.040500
2827.20	0.14	0.040462
2827.40	0.14	0.040425
2827.60	0.14	0.040387
2827.80	0.14	0.040349
2828.00	0.14	0.040311
2828.20	0.14	0.040274
2828.40	0.14	0.040236
2828.60	0.14	0.040198
2828.80	0.14	0.040160
2829.00	0.14	0.040123
2829.20	0.14	0.040085
2829.40	0.14	0.040047
2829.60	0.14	0.040009
2829.80	0.14	0.039971
2830.00	0.14	0.039934
2830.20	0.14	0.039896
2830.40	0.14	0.039858
2830.60	0.14	0.039820
2830.80	0.14	0.039783
2831.00	0.14	0.039745
2831.20	0.14	0.039707
2831.40	0.14	0.039669
2831.60	0.14	0.039632
2831.80	0.14	0.039594
2832.00	0.14	0.039556
2832.20	0.14	0.039518
2832.40	0.14	0.039480
2832.60	0.14	0.039443
2832.80	0.14	0.039405
2833.00	0.14	0.039367
2833.20	0.14	0.039329
2833.40	0.14	0.039292
2833.60	0.14	0.039254
2833.80	0.14	0.039216
2834.00	0.14	0.039178
2834.20	0.14	0.039141
2834.40	0.14	0.039103
2834.60	0.14	0.039065
2834.80	0.14	0.039027
2835.00	0.14	0.038989
2835.20	0.14	0.038952
2835.40	0.14	0.038914
2835.60	0.14	0.038876
2835.80	0.14	0.038838
2836.00	0.14	0.038801
2836.20	0.14	0.038763

2836.40	0.14	0.038725
2836.60	0.14	0.038687
2836.80	0.14	0.038650
2837.00	0.14	0.038612
2837.20	0.14	0.038574
2837.40	0.14	0.038536
2837.60	0.14	0.038499
2837.80	0.14	0.038461
2838.00	0.14	0.038423
2838.20	0.14	0.038385
2838.40	0.14	0.038347
2838.60	0.14	0.038310
2838.80	0.14	0.038272
2839.00	0.14	0.038234
2839.20	0.14	0.038196
2839.40	0.14	0.038159
2839.60	0.14	0.038121
2839.80	0.14	0.038083
2840.00	0.14	0.038045
2840.20	0.14	0.038008
2840.40	0.14	0.037970
2840.60	0.14	0.037932
2840.80	0.14	0.037894
2841.00	0.14	0.037856
2841.20	0.14	0.037819
2841.40	0.14	0.037781
2841.60	0.14	0.037743
2841.80	0.14	0.037705
2842.00	0.14	0.037668
2842.20	0.14	0.037630
2842.40	0.14	0.037592
2842.60	0.14	0.037554
2842.80	0.14	0.037517
2843.00	0.14	0.037479
2843.20	0.14	0.037441
2843.40	0.14	0.037403
2843.60	0.14	0.037365
2843.80	0.14	0.037328
2844.00	0.14	0.037290
2844.20	0.14	0.037252
2844.40	0.14	0.037214
2844.60	0.14	0.037177
2844.80	0.14	0.037139
2845.00	0.14	0.037101
2845.20	0.14	0.037063
2845.40	0.14	0.037026
2845.60	0.14	0.036988
2845.80	0.14	0.036950
2846.00	0.14	0.036912
2846.20	0.14	0.036874
2846.40	0.14	0.036837
2846.60	0.14	0.036799
2846.80	0.14	0.036761
2847.00	0.14	0.036723
2847.20	0.14	0.036686
2847.40	0.14	0.036648
2847.60	0.14	0.036610

2847.80	0.14	0.036572
2848.00	0.14	0.036535
2848.20	0.14	0.036497
2848.40	0.14	0.036459
2848.60	0.14	0.036421
2848.80	0.14	0.036383
2849.00	0.14	0.036346
2849.20	0.14	0.036308
2849.40	0.14	0.036270
2849.60	0.14	0.036232
2849.80	0.14	0.036195
2850.00	0.14	0.036157
2850.20	0.14	0.036119
2850.40	0.14	0.036081
2850.60	0.14	0.036044
2850.80	0.14	0.036006
2851.00	0.14	0.035968
2851.20	0.14	0.035930
2851.40	0.14	0.035892
2851.60	0.14	0.035855
2851.80	0.14	0.035817
2852.00	0.14	0.035779
2852.20	0.14	0.035741
2852.40	0.14	0.035704
2852.60	0.14	0.035666
2852.80	0.14	0.035628
2853.00	0.14	0.035590
2853.20	0.14	0.035553
2853.40	0.14	0.035515
2853.60	0.14	0.035477
2853.80	0.14	0.035439
2854.00	0.14	0.035401
2854.20	0.14	0.035364
2854.40	0.14	0.035326
2854.60	0.14	0.035288
2854.80	0.14	0.035250
2855.00	0.14	0.035213
2855.20	0.14	0.035175
2855.40	0.14	0.035137
2855.60	0.14	0.035099
2855.80	0.14	0.035062
2856.00	0.14	0.035024
2856.20	0.14	0.034986
2856.40	0.14	0.034948
2856.60	0.14	0.034911
2856.80	0.14	0.034873
2857.00	0.14	0.034835
2857.20	0.14	0.034797
2857.40	0.14	0.034759
2857.60	0.14	0.034722
2857.80	0.14	0.034684
2858.00	0.14	0.034646
2858.20	0.14	0.034608
2858.40	0.14	0.034571
2858.60	0.14	0.034533
2858.80	0.14	0.034495
2859.00	0.14	0.034457

2859.20	0.14	0.034420
2859.40	0.14	0.034382
2859.60	0.14	0.034344
2859.80	0.14	0.034306
2860.00	0.14	0.034268
2860.20	0.14	0.034231
2860.40	0.14	0.034193
2860.60	0.14	0.034155
2860.80	0.14	0.034117
2861.00	0.14	0.034080
2861.20	0.14	0.034042
2861.40	0.14	0.034004
2861.60	0.14	0.033966
2861.80	0.14	0.033929
2862.00	0.14	0.033891
2862.20	0.14	0.033853
2862.40	0.14	0.033815
2862.60	0.14	0.033777
2862.80	0.14	0.033740
2863.00	0.14	0.033702
2863.20	0.14	0.033664
2863.40	0.14	0.033626
2863.60	0.14	0.033589
2863.80	0.14	0.033551
2864.00	0.14	0.033513
2864.20	0.14	0.033475
2864.40	0.14	0.033438
2864.60	0.14	0.033400
2864.80	0.14	0.033362
2865.00	0.14	0.033324
2865.20	0.14	0.033286
2865.40	0.14	0.033249
2865.60	0.14	0.033211
2865.80	0.14	0.033173
2866.00	0.14	0.033135
2866.20	0.14	0.033098
2866.40	0.14	0.033060
2866.60	0.14	0.033022
2866.80	0.14	0.032984
2867.00	0.14	0.032947
2867.20	0.14	0.032909
2867.40	0.14	0.032871
2867.60	0.14	0.032833
2867.80	0.14	0.032795
2868.00	0.14	0.032758
2868.20	0.14	0.032720
2868.40	0.14	0.032682
2868.60	0.14	0.032644
2868.80	0.14	0.032607
2869.00	0.14	0.032569
2869.20	0.14	0.032531
2869.40	0.14	0.032493
2869.60	0.14	0.032456
2869.80	0.14	0.032418
2870.00	0.14	0.032380
2870.20	0.14	0.032342
2870.40	0.14	0.032304

2870.60	0.14	0.032267
2870.80	0.14	0.032229
2871.00	0.14	0.032191
2871.20	0.14	0.032153
2871.40	0.14	0.032116
2871.60	0.14	0.032078
2871.80	0.14	0.032040
2872.00	0.14	0.032002
2872.20	0.14	0.031965
2872.40	0.14	0.031927
2872.60	0.14	0.031889
2872.80	0.14	0.031851
2873.00	0.14	0.031813
2873.20	0.14	0.031776
2873.40	0.14	0.031738
2873.60	0.14	0.031700
2873.80	0.14	0.031662
2874.00	0.14	0.031625
2874.20	0.14	0.031587
2874.40	0.14	0.031549
2874.60	0.14	0.031511
2874.80	0.14	0.031474
2875.00	0.14	0.031436
2875.20	0.14	0.031398
2875.40	0.14	0.031360
2875.60	0.14	0.031323
2875.80	0.14	0.031285
2876.00	0.14	0.031247
2876.20	0.14	0.031209
2876.40	0.14	0.031171
2876.60	0.14	0.031134
2876.80	0.14	0.031096
2877.00	0.14	0.031058
2877.20	0.14	0.031020
2877.40	0.14	0.030983
2877.60	0.14	0.030945
2877.80	0.14	0.030907
2878.00	0.14	0.030869
2878.20	0.14	0.030832
2878.40	0.14	0.030794
2878.60	0.14	0.030756
2878.80	0.14	0.030718
2879.00	0.14	0.030680
2879.20	0.14	0.030643
2879.40	0.14	0.030605
2879.60	0.14	0.030567
2879.80	0.14	0.030529
2880.00	0.14	0.030492
2880.20	0.14	0.030454
2880.40	0.14	0.030416
2880.60	0.14	0.030378
2880.80	0.14	0.030341
2881.00	0.14	0.030303
2881.20	0.14	0.030265
2881.40	0.14	0.030227
2881.60	0.14	0.030189
2881.80	0.14	0.030152

2882.00	0.14	0.030114
2882.20	0.14	0.030076
2882.40	0.14	0.030038
2882.60	0.14	0.030001
2882.80	0.14	0.029963
2883.00	0.14	0.029925
2883.20	0.14	0.029887
2883.40	0.14	0.029850
2883.60	0.14	0.029812
2883.80	0.14	0.029774
2884.00	0.14	0.029736
2884.20	0.14	0.029698
2884.40	0.14	0.029661
2884.60	0.14	0.029623
2884.80	0.14	0.029585
2885.00	0.14	0.029547
2885.20	0.14	0.029510
2885.40	0.14	0.029472
2885.60	0.14	0.029434
2885.80	0.14	0.029396
2886.00	0.14	0.029359
2886.20	0.14	0.029321
2886.40	0.14	0.029283
2886.60	0.14	0.029245
2886.80	0.14	0.029207
2887.00	0.14	0.029170
2887.20	0.14	0.029132
2887.40	0.14	0.029094
2887.60	0.14	0.029056
2887.80	0.14	0.029019
2888.00	0.14	0.028981
2888.20	0.14	0.028943
2888.40	0.14	0.028905
2888.60	0.14	0.028868
2888.80	0.14	0.028830
2889.00	0.14	0.028792
2889.20	0.14	0.028754
2889.40	0.14	0.028716
2889.60	0.14	0.028679
2889.80	0.14	0.028641
2890.00	0.14	0.028603
2890.20	0.14	0.028565
2890.40	0.14	0.028528
2890.60	0.14	0.028490
2890.80	0.14	0.028452
2891.00	0.14	0.028414
2891.20	0.14	0.028377
2891.40	0.14	0.028339
2891.60	0.14	0.028301
2891.80	0.14	0.028263
2892.00	0.14	0.028225
2892.20	0.14	0.028188
2892.40	0.14	0.028150
2892.60	0.14	0.028112
2892.80	0.14	0.028074
2893.00	0.14	0.028037
2893.20	0.14	0.027999

2893.40	0.14	0.027961
2893.60	0.14	0.027923
2893.80	0.14	0.027886
2894.00	0.14	0.027848
2894.20	0.14	0.027810
2894.40	0.14	0.027772
2894.60	0.14	0.027735
2894.80	0.14	0.027697
2895.00	0.14	0.027659
2895.20	0.14	0.027621
2895.40	0.14	0.027583
2895.60	0.14	0.027546
2895.80	0.14	0.027508
2896.00	0.14	0.027470
2896.20	0.14	0.027432
2896.40	0.14	0.027395
2896.60	0.14	0.027357
2896.80	0.14	0.027319
2897.00	0.14	0.027281
2897.20	0.14	0.027244
2897.40	0.14	0.027206
2897.60	0.14	0.027168
2897.80	0.14	0.027130
2898.00	0.14	0.027092
2898.20	0.14	0.027055
2898.40	0.14	0.027017
2898.60	0.14	0.026979
2898.80	0.14	0.026941
2899.00	0.14	0.026904
2899.20	0.14	0.026866
2899.40	0.14	0.026828
2899.60	0.14	0.026790
2899.80	0.14	0.026753
2900.00	0.14	0.026715
2900.20	0.14	0.026677
2900.40	0.14	0.026639
2900.60	0.14	0.026601
2900.80	0.14	0.026564
2901.00	0.14	0.026526
2901.20	0.14	0.026488
2901.40	0.14	0.026450
2901.60	0.14	0.026413
2901.80	0.14	0.026375
2902.00	0.14	0.026337
2902.20	0.14	0.026299
2902.40	0.14	0.026262
2902.60	0.14	0.026224
2902.80	0.14	0.026186
2903.00	0.14	0.026148
2903.20	0.14	0.026110
2903.40	0.14	0.026073
2903.60	0.14	0.026035
2903.80	0.14	0.025997
2904.00	0.14	0.025959
2904.20	0.14	0.025922
2904.40	0.14	0.025884
2904.60	0.14	0.025846

2904.80	0.14	0.025808
2905.00	0.14	0.025771
2905.20	0.14	0.025733
2905.40	0.14	0.025695
2905.60	0.14	0.025657
2905.80	0.14	0.025619
2906.00	0.14	0.025582
2906.20	0.14	0.025544
2906.40	0.14	0.025506
2906.60	0.14	0.025468
2906.80	0.14	0.025431
2907.00	0.14	0.025393
2907.20	0.14	0.025355
2907.40	0.14	0.025317
2907.60	0.14	0.025280
2907.80	0.14	0.025242
2908.00	0.14	0.025204
2908.20	0.14	0.025166
2908.40	0.14	0.025128
2908.60	0.14	0.025091
2908.80	0.14	0.025053
2909.00	0.14	0.025015
2909.20	0.14	0.024977
2909.40	0.14	0.024940
2909.60	0.14	0.024902
2909.80	0.14	0.024864
2910.00	0.14	0.024826
2910.20	0.14	0.024789
2910.40	0.14	0.024751
2910.60	0.14	0.024713
2910.80	0.14	0.024675
2911.00	0.14	0.024637
2911.20	0.14	0.024600
2911.40	0.14	0.024562
2911.60	0.14	0.024524
2911.80	0.14	0.024486
2912.00	0.14	0.024449
2912.20	0.14	0.024411
2912.40	0.14	0.024373
2912.60	0.14	0.024335
2912.80	0.14	0.024298
2913.00	0.14	0.024260
2913.20	0.14	0.024222
2913.40	0.14	0.024184
2913.60	0.14	0.024146
2913.80	0.14	0.024109
2914.00	0.14	0.024071
2914.20	0.14	0.024033
2914.40	0.14	0.023995
2914.60	0.14	0.023958
2914.80	0.14	0.023920
2915.00	0.14	0.023882
2915.20	0.14	0.023844
2915.40	0.14	0.023807
2915.60	0.14	0.023769
2915.80	0.14	0.023731
2916.00	0.14	0.023693

2916.20	0.14	0.023656
2916.40	0.14	0.023618
2916.60	0.14	0.023580
2916.80	0.14	0.023542
2917.00	0.14	0.023504
2917.20	0.14	0.023467
2917.40	0.14	0.023429
2917.60	0.14	0.023391
2917.80	0.14	0.023353
2918.00	0.14	0.023316
2918.20	0.14	0.023278
2918.40	0.14	0.023240
2918.60	0.14	0.023202
2918.80	0.14	0.023165
2919.00	0.14	0.023127
2919.20	0.14	0.023089
2919.40	0.14	0.023051
2919.60	0.14	0.023013
2919.80	0.14	0.022976
2920.00	0.14	0.022938
2920.20	0.14	0.022900
2920.40	0.14	0.022862
2920.60	0.14	0.022825
2920.80	0.14	0.022787
2921.00	0.14	0.022749
2921.20	0.14	0.022711
2921.40	0.14	0.022674
2921.60	0.14	0.022636
2921.80	0.14	0.022598
2922.00	0.14	0.022560
2922.20	0.14	0.022522
2922.40	0.14	0.022485
2922.60	0.14	0.022447
2922.80	0.14	0.022409
2923.00	0.14	0.022371
2923.20	0.14	0.022334
2923.40	0.14	0.022296
2923.60	0.14	0.022258
2923.80	0.14	0.022220
2924.00	0.14	0.022183
2924.20	0.14	0.022145
2924.40	0.14	0.022107
2924.60	0.14	0.022069
2924.80	0.14	0.022031
2925.00	0.14	0.021994
2925.20	0.14	0.021956
2925.40	0.14	0.021918
2925.60	0.14	0.021880
2925.80	0.14	0.021843
2926.00	0.14	0.021805
2926.20	0.14	0.021767
2926.40	0.14	0.021729
2926.60	0.14	0.021692
2926.80	0.14	0.021654
2927.00	0.14	0.021616
2927.20	0.14	0.021578
2927.40	0.14	0.021540

2927.60	0.14	0.021503
2927.80	0.14	0.021465
2928.00	0.14	0.021427
2928.20	0.14	0.021389
2928.40	0.14	0.021352
2928.60	0.14	0.021314
2928.80	0.14	0.021276
2929.00	0.14	0.021238
2929.20	0.14	0.021201
2929.40	0.14	0.021163
2929.60	0.14	0.021125
2929.80	0.14	0.021087
2930.00	0.14	0.021049
2930.20	0.14	0.021012
2930.40	0.14	0.020974
2930.60	0.14	0.020936
2930.80	0.14	0.020898
2931.00	0.14	0.020861
2931.20	0.14	0.020823
2931.40	0.14	0.020785
2931.60	0.14	0.020747
2931.80	0.14	0.020710
2932.00	0.14	0.020672
2932.20	0.14	0.020634
2932.40	0.14	0.020596
2932.60	0.14	0.020558
2932.80	0.14	0.020521
2933.00	0.14	0.020483
2933.20	0.14	0.020445
2933.40	0.14	0.020407
2933.60	0.14	0.020370
2933.80	0.14	0.020332
2934.00	0.14	0.020294
2934.20	0.14	0.020256
2934.40	0.14	0.020219
2934.60	0.14	0.020181
2934.80	0.14	0.020143
2935.00	0.14	0.020105
2935.20	0.14	0.020068
2935.40	0.14	0.020030
2935.60	0.14	0.019992
2935.80	0.14	0.019954
2936.00	0.14	0.019916
2936.20	0.14	0.019879
2936.40	0.14	0.019841
2936.60	0.14	0.019803
2936.80	0.14	0.019765
2937.00	0.14	0.019728
2937.20	0.14	0.019690
2937.40	0.14	0.019652
2937.60	0.14	0.019614
2937.80	0.14	0.019577
2938.00	0.14	0.019539
2938.20	0.14	0.019501
2938.40	0.14	0.019463
2938.60	0.14	0.019425
2938.80	0.14	0.019388

2939.00	0.14	0.019350
2939.20	0.14	0.019312
2939.40	0.14	0.019274
2939.60	0.14	0.019237
2939.80	0.14	0.019199
2940.00	0.14	0.019161
2940.20	0.14	0.019123
2940.40	0.14	0.019086
2940.60	0.14	0.019048
2940.80	0.14	0.019010
2941.00	0.14	0.018972
2941.20	0.14	0.018934
2941.40	0.14	0.018897
2941.60	0.14	0.018859
2941.80	0.14	0.018821
2942.00	0.14	0.018783
2942.20	0.14	0.018746
2942.40	0.14	0.018708
2942.60	0.14	0.018670
2942.80	0.14	0.018632
2943.00	0.14	0.018595
2943.20	0.14	0.018557
2943.40	0.14	0.018519
2943.60	0.14	0.018481
2943.80	0.14	0.018443
2944.00	0.14	0.018406
2944.20	0.14	0.018368
2944.40	0.14	0.018330
2944.60	0.14	0.018292
2944.80	0.14	0.018255
2945.00	0.14	0.018217
2945.20	0.14	0.018179
2945.40	0.14	0.018141
2945.60	0.14	0.018104
2945.80	0.14	0.018066
2946.00	0.14	0.018028
2946.20	0.14	0.017990
2946.40	0.14	0.017952
2946.60	0.14	0.017915
2946.80	0.14	0.017877
2947.00	0.14	0.017839
2947.20	0.14	0.017801
2947.40	0.14	0.017764
2947.60	0.14	0.017726
2947.80	0.14	0.017688
2948.00	0.14	0.017650
2948.20	0.14	0.017613
2948.40	0.14	0.017575
2948.60	0.14	0.017537
2948.80	0.14	0.017499
2949.00	0.14	0.017461
2949.20	0.14	0.017424
2949.40	0.14	0.017386
2949.60	0.14	0.017348
2949.80	0.14	0.017310
2950.00	0.14	0.017273
2950.20	0.14	0.017235

2950.40	0.14	0.017197
2950.60	0.14	0.017159
2950.80	0.14	0.017122
2951.00	0.14	0.017084
2951.20	0.14	0.017046
2951.40	0.14	0.017008
2951.60	0.14	0.016970
2951.80	0.14	0.016933
2952.00	0.14	0.016895
2952.20	0.14	0.016857
2952.40	0.14	0.016819
2952.60	0.14	0.016782
2952.80	0.14	0.016744
2953.00	0.14	0.016706
2953.20	0.14	0.016668
2953.40	0.14	0.016631
2953.60	0.14	0.016593
2953.80	0.14	0.016555
2954.00	0.14	0.016517
2954.20	0.14	0.016480
2954.40	0.14	0.016442
2954.60	0.14	0.016404
2954.80	0.14	0.016366
2955.00	0.14	0.016328
2955.20	0.14	0.016291
2955.40	0.14	0.016253
2955.60	0.14	0.016215
2955.80	0.14	0.016177
2956.00	0.14	0.016140
2956.20	0.14	0.016102
2956.40	0.14	0.016064
2956.60	0.14	0.016026
2956.80	0.14	0.015989
2957.00	0.14	0.015951
2957.20	0.14	0.015913
2957.40	0.14	0.015875
2957.60	0.14	0.015837
2957.80	0.14	0.015800
2958.00	0.14	0.015762
2958.20	0.14	0.015724
2958.40	0.14	0.015686
2958.60	0.14	0.015649
2958.80	0.14	0.015611
2959.00	0.14	0.015573
2959.20	0.14	0.015535
2959.40	0.14	0.015498
2959.60	0.14	0.015460
2959.80	0.14	0.015422
2960.00	0.14	0.015384
2960.20	0.14	0.015346
2960.40	0.14	0.015309
2960.60	0.14	0.015271
2960.80	0.14	0.015233
2961.00	0.14	0.015195
2961.20	0.14	0.015158
2961.40	0.14	0.015120
2961.60	0.14	0.015082

2961.80	0.14	0.015044
2962.00	0.14	0.015007
2962.20	0.14	0.014969
2962.40	0.14	0.014931
2962.60	0.14	0.014893
2962.80	0.14	0.014855
2963.00	0.14	0.014818
2963.20	0.14	0.014780
2963.40	0.14	0.014742
2963.60	0.14	0.014704
2963.80	0.14	0.014667
2964.00	0.14	0.014629
2964.20	0.14	0.014591
2964.40	0.14	0.014553
2964.60	0.14	0.014516
2964.80	0.14	0.014478
2965.00	0.14	0.014440
2965.20	0.14	0.014402
2965.40	0.14	0.014364
2965.60	0.14	0.014327
2965.80	0.14	0.014289
2966.00	0.14	0.014251
2966.20	0.14	0.014213
2966.40	0.14	0.014176
2966.60	0.14	0.014138
2966.80	0.14	0.014100
2967.00	0.14	0.014062
2967.20	0.14	0.014025
2967.40	0.14	0.013987
2967.60	0.14	0.013949
2967.80	0.14	0.013911
2968.00	0.14	0.013873
2968.20	0.14	0.013836
2968.40	0.14	0.013798
2968.60	0.14	0.013760
2968.80	0.14	0.013722
2969.00	0.14	0.013685
2969.20	0.14	0.013647
2969.40	0.14	0.013609
2969.60	0.14	0.013571
2969.80	0.14	0.013534
2970.00	0.14	0.013496
2970.20	0.14	0.013458
2970.40	0.14	0.013420
2970.60	0.14	0.013382
2970.80	0.14	0.013345
2971.00	0.14	0.013307
2971.20	0.14	0.013269
2971.40	0.14	0.013231
2971.60	0.14	0.013194
2971.80	0.14	0.013156
2972.00	0.14	0.013118
2972.20	0.14	0.013080
2972.40	0.14	0.013043
2972.60	0.14	0.013005
2972.80	0.14	0.012967
2973.00	0.14	0.012929

2973.20	0.14	0.012892
2973.40	0.14	0.012854
2973.60	0.14	0.012816
2973.80	0.14	0.012778
2974.00	0.14	0.012740
2974.20	0.14	0.012703
2974.40	0.14	0.012665
2974.60	0.14	0.012627
2974.80	0.14	0.012589
2975.00	0.14	0.012552
2975.20	0.14	0.012514
2975.40	0.14	0.012476
2975.60	0.14	0.012438
2975.80	0.14	0.012401
2976.00	0.14	0.012363
2976.20	0.14	0.012325
2976.40	0.14	0.012287
2976.60	0.14	0.012249
2976.80	0.14	0.012212
2977.00	0.14	0.012174
2977.20	0.14	0.012136
2977.40	0.14	0.012098
2977.60	0.14	0.012061
2977.80	0.14	0.012023
2978.00	0.14	0.011985
2978.20	0.14	0.011947
2978.40	0.14	0.011910
2978.60	0.14	0.011872
2978.80	0.14	0.011834
2979.00	0.14	0.011796
2979.20	0.14	0.011758
2979.40	0.14	0.011721
2979.60	0.14	0.011683
2979.80	0.14	0.011645
2980.00	0.14	0.011607
2980.20	0.14	0.011570
2980.40	0.14	0.011532
2980.60	0.14	0.011494
2980.80	0.14	0.011456
2981.00	0.14	0.011419
2981.20	0.14	0.011381
2981.40	0.14	0.011343
2981.60	0.14	0.011305
2981.80	0.14	0.011267
2982.00	0.14	0.011230
2982.20	0.14	0.011192
2982.40	0.14	0.011154
2982.60	0.14	0.011116
2982.80	0.14	0.011079
2983.00	0.14	0.011041
2983.20	0.14	0.011003
2983.40	0.14	0.010965
2983.60	0.14	0.010928
2983.80	0.14	0.010890
2984.00	0.14	0.010852
2984.20	0.14	0.010814
2984.40	0.14	0.010776

2984.60	0.14	0.010739
2984.80	0.14	0.010701
2985.00	0.14	0.010663
2985.20	0.14	0.010625
2985.40	0.14	0.010588
2985.60	0.14	0.010550
2985.80	0.14	0.010512
2986.00	0.14	0.010474
2986.20	0.14	0.010437
2986.40	0.14	0.010399
2986.60	0.14	0.010361
2986.80	0.14	0.010323
2987.00	0.14	0.010285
2987.20	0.14	0.010248
2987.40	0.14	0.010210
2987.60	0.14	0.010172
2987.80	0.14	0.010134
2988.00	0.14	0.010097
2988.20	0.14	0.010059
2988.40	0.14	0.010021
2988.60	0.14	0.009983
2988.80	0.14	0.009946
2989.00	0.14	0.009908
2989.20	0.14	0.009870
2989.40	0.14	0.009832
2989.60	0.14	0.009794
2989.80	0.14	0.009757
2990.00	0.14	0.009719
2990.20	0.14	0.009681
2990.40	0.14	0.009643
2990.60	0.14	0.009606
2990.80	0.14	0.009568
2991.00	0.14	0.009530
2991.20	0.14	0.009492
2991.40	0.14	0.009455
2991.60	0.14	0.009417
2991.80	0.14	0.009379
2992.00	0.14	0.009341
2992.20	0.14	0.009304
2992.40	0.14	0.009266
2992.60	0.14	0.009228
2992.80	0.14	0.009190
2993.00	0.14	0.009152
2993.20	0.14	0.009115
2993.40	0.14	0.009077
2993.60	0.14	0.009039
2993.80	0.14	0.009001
2994.00	0.14	0.008964
2994.20	0.14	0.008926
2994.40	0.14	0.008888
2994.60	0.14	0.008850
2994.80	0.14	0.008813
2995.00	0.14	0.008775
2995.20	0.14	0.008737
2995.40	0.14	0.008699
2995.60	0.14	0.008661
2995.80	0.14	0.008624

2996.00	0.14	0.008586
2996.20	0.14	0.008548
2996.40	0.14	0.008510
2996.60	0.14	0.008473
2996.80	0.14	0.008435
2997.00	0.14	0.008397
2997.20	0.14	0.008359
2997.40	0.14	0.008322
2997.60	0.14	0.008284
2997.80	0.14	0.008246
2998.00	0.14	0.008208
2998.20	0.14	0.008170
2998.40	0.14	0.008133
2998.60	0.14	0.008095
2998.80	0.14	0.008057
2999.00	0.14	0.008019
2999.20	0.14	0.007982
2999.40	0.14	0.007944
2999.60	0.14	0.007906
2999.80	0.14	0.007868
3000.00	0.14	0.007831
3000.20	0.14	0.007793
3000.40	0.14	0.007755
3000.60	0.14	0.007717
3000.80	0.14	0.007679
3001.00	0.14	0.007642
3001.20	0.14	0.007604
3001.40	0.14	0.007566
3001.60	0.14	0.007528
3001.80	0.14	0.007491
3002.00	0.14	0.007453
3002.20	0.14	0.007415
3002.40	0.14	0.007377
3002.60	0.14	0.007340
3002.80	0.14	0.007302
3003.00	0.14	0.007264
3003.20	0.14	0.007226
3003.40	0.14	0.007188
3003.60	0.14	0.007151
3003.80	0.14	0.007113
3004.00	0.14	0.007075
3004.20	0.14	0.007037
3004.40	0.14	0.007000
3004.60	0.14	0.006962
3004.80	0.14	0.006924
3005.00	0.14	0.006886
3005.20	0.14	0.006849
3005.40	0.14	0.006811
3005.60	0.14	0.006773
3005.80	0.14	0.006735
3006.00	0.14	0.006697
3006.20	0.14	0.006660
3006.40	0.14	0.006622
3006.60	0.14	0.006584
3006.80	0.14	0.006546
3007.00	0.14	0.006509
3007.20	0.14	0.006471

3007.40	0.14	0.006433
3007.60	0.14	0.006395
3007.80	0.14	0.006358
3008.00	0.14	0.006320
3008.20	0.14	0.006282
3008.40	0.14	0.006244
3008.60	0.14	0.006206
3008.80	0.14	0.006169
3009.00	0.14	0.006131
3009.20	0.14	0.006093
3009.40	0.14	0.006055
3009.60	0.14	0.006018
3009.80	0.14	0.005980
3010.00	0.14	0.005942
3010.20	0.14	0.005904
3010.40	0.14	0.005867
3010.60	0.14	0.005829
3010.80	0.14	0.005791
3011.00	0.14	0.005753
3011.20	0.14	0.005715
3011.40	0.14	0.005678
3011.60	0.14	0.005640
3011.80	0.14	0.005602
3012.00	0.14	0.005564
3012.20	0.14	0.005527
3012.40	0.14	0.005489
3012.60	0.14	0.005451
3012.80	0.14	0.005413
3013.00	0.14	0.005376
3013.20	0.14	0.005338
3013.40	0.14	0.005300
3013.60	0.14	0.005262
3013.80	0.14	0.005225
3014.00	0.14	0.005187
3014.20	0.14	0.005149
3014.40	0.14	0.005111
3014.60	0.14	0.005073
3014.80	0.14	0.005036
3015.00	0.14	0.004998
3015.20	0.14	0.004960
3015.40	0.14	0.004922
3015.60	0.14	0.004885
3015.80	0.14	0.004847
3016.00	0.14	0.004809
3016.20	0.14	0.004771
3016.40	0.14	0.004734
3016.60	0.14	0.004696
3016.80	0.14	0.004658
3017.00	0.14	0.004620
3017.20	0.14	0.004582
3017.40	0.14	0.004545
3017.60	0.14	0.004507
3017.80	0.14	0.004469
3018.00	0.14	0.004431
3018.20	0.14	0.004394
3018.40	0.14	0.004356
3018.60	0.14	0.004318

3018.80	0.14	0.004280
3019.00	0.14	0.004243
3019.20	0.14	0.004205
3019.40	0.14	0.004167
3019.60	0.14	0.004129
3019.80	0.14	0.004091
3020.00	0.14	0.004054
3020.20	0.14	0.004016
3020.40	0.14	0.003978
3020.60	0.14	0.003940
3020.80	0.14	0.003903
3021.00	0.14	0.003865
3021.20	0.14	0.003827
3021.40	0.14	0.003789
3021.60	0.14	0.003752
3021.80	0.14	0.003714
3022.00	0.14	0.003676
3022.20	0.14	0.003638
3022.40	0.14	0.003600
3022.60	0.14	0.003563
3022.80	0.14	0.003525
3023.00	0.14	0.003487
3023.20	0.14	0.003449
3023.40	0.14	0.003412
3023.60	0.14	0.003374
3023.80	0.14	0.003336
3024.00	0.14	0.003298
3024.20	0.14	0.003261
3024.40	0.14	0.003223
3024.60	0.14	0.003185
3024.80	0.14	0.003147
3025.00	0.14	0.003109
3025.20	0.14	0.003072
3025.40	0.14	0.003034
3025.60	0.14	0.002996
3025.80	0.14	0.002958
3026.00	0.14	0.002921
3026.20	0.14	0.002883
3026.40	0.14	0.002845
3026.60	0.14	0.002807
3026.80	0.14	0.002770
3027.00	0.14	0.002732
3027.20	0.14	0.002694
3027.40	0.14	0.002656
3027.60	0.14	0.002618
3027.80	0.14	0.002581
3028.00	0.14	0.002543
3028.20	0.14	0.002505
3028.40	0.14	0.002467
3028.60	0.14	0.002430
3028.80	0.14	0.002392
3029.00	0.14	0.002354
3029.20	0.14	0.002316
3029.40	0.14	0.002279
3029.60	0.14	0.002241
3029.80	0.14	0.002203
3030.00	0.14	0.002165

3030.20	0.14	0.002127
3030.40	0.14	0.002090
3030.60	0.14	0.002052
3030.80	0.14	0.002014
3031.00	0.14	0.001976
3031.20	0.14	0.001939
3031.40	0.14	0.001901
3031.60	0.14	0.001863
3031.80	0.14	0.001825
3032.00	0.14	0.001788
3032.20	0.14	0.001750
3032.40	0.14	0.001712
3032.60	0.14	0.001674
3032.80	0.14	0.001637
3033.00	0.14	0.001599
3033.20	0.14	0.001561
3033.40	0.14	0.001523
3033.60	0.14	0.001485
3033.80	0.14	0.001448
3034.00	0.14	0.001410
3034.20	0.14	0.001372
3034.40	0.14	0.001334
3034.60	0.14	0.001297
3034.80	0.14	0.001259
3035.00	0.14	0.001221
3035.20	0.14	0.001183
3035.40	0.14	0.001146
3035.60	0.14	0.001108
3035.80	0.14	0.001070
3036.00	0.14	0.001032
3036.20	0.14	0.000994
3036.40	0.14	0.000957
3036.60	0.14	0.000919
3036.80	0.14	0.000881
3037.00	0.14	0.000843
3037.20	0.14	0.000806
3037.40	0.14	0.000768
3037.60	0.14	0.000730
3037.80	0.14	0.000692
3038.00	0.14	0.000655
3038.20	0.14	0.000617
3038.40	0.14	0.000579
3038.60	0.14	0.000541
3038.80	0.14	0.000503
3039.00	0.14	0.000466
3039.20	0.14	0.000428
3039.40	0.14	0.000390
3039.60	0.14	0.000352
3039.80	0.00	0.000352

APPENDIX D

Preliminary Existing Conditions Hydrology Map

PRELIMINARY PRE-DEVELOPMENT HYDROLOGY MAP





VICINITY MAP

N.T.S.

LEGEND:

- DRAINAGE MANAGEMENT AREA (DMA) BOUNDARY
- SITE BOUNDARY
- EXISTING RIGHT OF WAY
- EXISTING LOT LINE
- EXISTING EASEMENT LINE
- FLOW DIRECTION
- FLOW LINE
- 1 — INITIAL SUBAREA NODE
- 00.00 — SPOT ELEVATION
- Q_{25} =X.XX CFS — PEAK RUNOFF IN CUBIC FEET PER SECOND (CFS)
- Tc=X.X MIN — TIME OF CONCENTRATION IN MINUTES (MIN) PROVIDED FOR 100-YR STORM EVENT

DMA	COLOR	LANDUSE	AREA (SF)	AREA (AC)	IMPERVIOUS %
XA		INDUSTRIAL	143,935	3.30	100%

NOTE: EXISTING DEVELOPMENT IMPERVIOUS COVERS ARE BASED ON GEOSPATIAL IMAGERY AND REFERENCE FROM LOS ANGELES COUNTY HYDROLOGY MANUAL.

SCALE: 1" = 30'

15 30 60

REVISIONS

NO.	DATE	DESCRIPTION	BY

C&V CONSULTING, INC.
CIVIL ENGINEERING
LAND PLANNING & SURVEYING
9830 IRVINE CENTER DRIVE
IRVINE, CALIFORNIA 92618
(949) 916-3800
INFO@CVC-INC.NET
WWW.CVC-INC.NET

VTTM NO. 83834
11709 ARTESIA BOULEVARD
CITY OF ARTESIA
COUNTY OF LOS ANGELES, CALIFORNIA
SHEET 1 OF 1 SHEETS

PROJ: CTHR-006 DWG: P:\CTHR-006\dwg\Sheets\LDP\PP\XA-HYD-PRE.dwg BY: Adam Jun 10, 2022 - 2:52:02pm

APPENDIX E

Preliminary Proposed Conditions Hydrology Map

PRELIMINARY POST-DEVELOPMENT HYDROLOGY MAP





VICINITY MAP
N.T.S.

LEGEND:

- DRAINAGE MANAGEMENT AREA (DMA) BOUNDARY
- SITE BOUNDARY
- EXISTING RIGHT OF WAY
- EXISTING LOT LINE
- EXISTING EASEMENT LINE
- FLOW DIRECTION
- FLOW LINE
- PERVIOUS AREA
- INITIAL SUBAREA NODE
- SPOT ELEVATION
- 00.00 / Q_{25} =X.XX CFS / Tc=X.X MIN — PEAK RUNOFF IN CUBIC FEET PER SECOND (CFS); TIME OF CONCENTRATION IN MINUTES (MIN) PROVIDED FOR 100-YR STORM EVENT

DMA	COLOR	LANDUSE	AREA (SF)	AREA (AC)	IMPERVIOUS %
A-1		RESIDENTIAL	17,948	0.41	83%
A-2		RESIDENTIAL	13,623	0.31	79%
A-3		RESIDENTIAL	16,970	0.39	88%
A-4		RESIDENTIAL	12,693	0.29	87%
A-5		RESIDENTIAL	12,082	0.28	87%
A-6		RESIDENTIAL	15,676	0.36	90%
A-7		RESIDENTIAL	8,959	0.21	95%
A-8		RESIDENTIAL	30,236	0.69	97%
A-9		RESIDENTIAL	15,748	0.36	97%

NOTE: PROPOSED DEVELOPMENT IMPERVIOUS COVERS ARE DELINEATED PER LANDSCAPE PLAN PER THIS EXHIBIT.

SCALE: 1" = 30'
15 30 60

REVISIONS

NO.	DATE	DESCRIPTION	BY

C&V CONSULTING, INC.
CIVIL ENGINEERING
LAND PLANNING & SURVEYING
9830 IRVINE CENTER DRIVE
IRVINE, CALIFORNIA 92618
(949) 916-3800
INFO@CVC-INC.NET
WWW.CVC-INC.NET

VTTM NO. 83834
11709 ARTESIA BOULEVARD
CITY OF ARTESIA
COUNTY OF LOS ANGELES, CALIFORNIA
SHEET 1 OF 1 SHEETS

DWG: P:\JOBS\18-008\dwg\Sheets_EXHIBITS\PP-HYD-PRE.dwg BY: Kevin Jun 10, 2022 - 2:52:51pm
PROJ: 018-008

APPENDIX F

Hydraulic Calculation

(To be Provided in Final Engineering)

APPENDIX G

References

STORM WATER COLLECTION AND TREATMENT SYSTEM

11709 Artesia Boulevard Artesia, CA
12,817 cu ft

SPECIFICATION FOR CISTERN SYSTEM

THIS DOCUMENT WILL GOVERN THE FURNISHING AND INSTALLATION OF ALUMINIZED CORRUGATED METAL PIPE CISTERNS FOR UNDERGROUND WATER STORAGE FOR NOMINAL DIAMETERS 12" (300MM) THROUGH 120" (3000MM).

THE MANUFACTURER OF THE CISTERN SYSTEM SHALL BE ONE THAT HAS REGULARLY BEEN ENGAGED IN THE ENGINEERING DESIGN AND PRODUCTION OF THESE SYSTEMS AND WHICH HAS A HISTORY OF SUCCESSFUL PRODUCTION, ACCEPTABLE TO THE ENGINEER OF RECORD (EOR). IN ACCORDANCE WITH THE DRAWINGS, THE CISTERN SYSTEM SHALL BE SUPPLIED BY: SANTA FE WINWATER COMPANY, 10244 FREEMAN AVE, SANTA FE SPRINGS, CA 90670.
TEL: 1-562-777-9724

SAMPLING, TESTING, AND INSPECTION OF MATERIALS USED FOR MANUFACTURING OF THE CISTERN SYSTEM SHALL BE IN ACCORDANCE WITH APPLICABLE ASTM SPECIFICATIONS. ALL FABRICATION OF THE PRODUCT SHALL OCCUR WITHIN THE UNITED STATES UNLESS OTHERWISE NOTED.

THE CISTERN SHALL BE CAPABLE OF INSTALLATION IN SOIL WITH A pH RANGE OF 5 TO 9. FOR SOIL pH OUTSIDE THE RANGE OF 5 TO 9, CONSULT WITH SPECIFYING ENGINEER PRIOR TO ORDERING TO DETERMINE IF ADDITIONAL CISTERN COATING SYSTEM NEED BE CONSIDERED.

THE HYDRAULIC SYSTEM SHALL BE PRE-ASSEMBLED AND TESTED AT FACTORY PRIOR TO SHIPMENT. INSPECTION AND TESTING PROTOCOLS SHALL BE DECIDED BY THE SPECIFYING ENGINEER ACCORDING TO SYSTEM REQUIREMENTS. A COPY OF THE TEST REPORT MUST BE PROVIDED TO THE ENGINEER OF RECORD IF REQUESTED.

UPON REQUEST, THE CISTERN SYSTEM INLETS SHALL BE EQUIPPED WITH AN INLET CALMING DEVICE TO ALLOW INTRODUCTION OF WATER TO THE TANK WITH LITTLE TO NO TURBULENCE.

THE CISTERN SYSTEM SHALL BE FITTED WITH A MIN. 4" OUTLET OR PERFORATED MANHOLE COVERS FOR VENTING, DEPENDANT UPON SITE CONDITIONS AND DIRECTION BY SPECIFYING ENGINEER. OVERFLOW PIPE SHALL BE PROVIDED UPON REQUEST BY SPECIFYING ENGINEER.

SYSTEM TO MEET AASHTO HS20/HS25 LIVE LOADING, PER AASHTO LRFD SECTION 12.

ACCESS COVERS SHALL BE A MINIMUM OF 24-INCH DIAMETER TO PROVIDE ADEQUATE INSPECTION AND MAINTENANCE WITHOUT RESTRICTIONS AND OBSTRUCTIONS TO ENTRY INTO INTERIOR OF THE CISTERN. COVERS SHALL BE WATERTIGHT, DO NOT SLIDE, ROTATE, OR FLIP OPEN AND ARE CAPABLE OF SUPPORTING DESIGN LOADS.

PRIOR TO SHIPMENT, CISTERN SYSTEM MAY BE INSPECTED AT FACTORY BY OWNER'S AUTHORIZED REPRESENTATIVE UPON REQUEST.

INSTALLATION

THE CONTRACTOR SHALL FOLLOW OCCUPATIONAL SAFETY AND HEALTH ASSOCIATION (OSHA) GUIDELINES FOR SAFE PRACTICES IN EXECUTING THE INSTALLATION PROCESS IN ACCORDANCE WITH THE MANUFACTURER/SUPPLIER INSTALLATION RECOMMENDATIONS.

A NON-WOVEN GEOTEXTILE FILTER FABRIC IS RECOMMENDED TO BE INSTALLED IN EXCAVATION, OR OTHER MEASURES SHOULD BE TAKEN, TO PREVENT NATIVE SOIL FROM MIGRATING INTO THE INITIAL BACKFILL MATERIAL, WHEN REQUIRED BY THE GEOTECHNICAL ENGINEER OR E.O.R.

TRENCH BOTTOM (FOUNDATION) WITH UNSTABLE OR UNYIELDING MATERIAL SHALL BE EXCAVATED TO A DEPTH DIRECTED BY THE ENGINEER AND REPLACED WITH SUITABLE MATERIAL. FOR UNSTABLE MATERIALS, GEOTEXTILE MAY BE USED TO STABILIZE THE TRENCH BOTTOM, IF DIRECTED BY THE ENGINEER.

SUITABLE BEDDING MATERIAL SHALL BE CLASS I OR II, AS SPECIFIED BY ASTM D2321. MINIMUM BEDDING THICKNESS SHALL BE 4" (100 mm) AS MEASURED FROM OUTER PIPE DIAMETER.

INITIAL BACKFILL MATERIAL SHALL BE CLASS I OR II, AS SPECIFIED BY ASTM D2321. COMPACTION AND BACKFILL LIFTS SHALL BE IN ACCORDANCE WITH ASTM D2321. INITIAL BACKFILL SHALL EXTEND TO NOT LESS THAN 6" (150 mm) ABOVE THE TOP OF THE CISTERN.

MINIMUM COVER FOR UP TO H-25 TRAFFIC APPLICATIONS:
- 12" FOR PIPE DIAMETER UP TO 72" DIAMETER
- 18" FOR DIAMETER OVER 72".

MINIMUM COVER SHALL BE MEASURED FROM THE TOP OF THE PIPE TO BOTTOM OF FLEXIBLE PAVEMENT OR TO THE TOP OF RIGID PAVEMENT. ADDITIONAL COVER MAY BE REQUIRED FOR CONSTRUCTION LOADS, FOR VEHICLES OVER 75T (68 metric tons) OR TO PREVENT FLOATATION.

FINAL BACKFILL MATERIAL SHALL BE SUITABLE MATERIALS AS DIRECTED BY THE ENGINEER OR AS INDICATED BY MANUFACTURER. FOR AREAS SUBJECTED TO HEAVY TRAFFIC LOADING, A HIGHER DEGREE OF COMPACTION IS NECESSARY AND A SEPARATION LAYER OF NON-WOVEN GEOTEXTILE MAY BE REQUIRED. COMPACTION LEVELS AND/OR GEOTEXTILE MAY BE SPECIFIED AT THE DISCRETION OF THE DESIGN ENGINEER OR MANUFACTURER'S REPRESENTATIVE.

CONSULT THE INSTALLATION MANUAL FOR ADDITIONAL INFORMATION.

GENERAL NOTES

PRIOR TO COMMENCEMENT OF WORK, CONTRACTOR TO REVIEW MANUFACTURER'S INSTALLATION GUIDE. IT IS THE RESPONSIBILITY OF THE CONTRACTOR AND/OR PROJECT ENGINEER TO ENSURE THAT ALL QUESTIONS ABOUT INSTALLATION ARE ADDRESSED PRIOR TO APPROVAL OF SYSTEM. ALL DETAILS FOR INSTALLATION ARE LOCATED IN THIS DRAWING PACKAGE, OR UPON REQUEST TO PIPING MANUFACTURER. ANY QUESTIONS CONCERNING THESE STANDARD DETAILS CAN BE ADDRESSED BY THE CISTERN MANUFACTURER'S REPRESENTATIVE PRIOR TO APPROVAL.

ALL ELEVATIONS, DIMENSIONS AND LOCATIONS OF RISERS AND INLETS SHALL BE VERIFIED BY THE ENGINEER OF RECORD.

PRIOR TO INSTALLATION OF THE SYSTEM, A PRE-CONSTRUCTION MEETING SHALL BE CONDUCTED. THOSE REQUIRED TO ATTEND ARE THE SUPPLIER OF THE SYSTEM, THE GENERAL CONTRACTOR, SUB-CONTRACTORS AND THE ENGINEER.

CONTRACTOR(S) SHALL FURNISH ALL LABOR, MATERIALS, EQUIPMENT AND INCIDENTALS NECESSARY TO INSTALL THE CISTERN SYSTEM, APPURTENANCES AND INCIDENTALS IN ACCORDANCE WITH THE DRAWINGS AND AS SPECIFIED HEREIN.

A STORM WATER TREATMENT DEVICE UPSTREAM OF THE CISTERN SYSTEM IS RECOMMENDED AS THE APPROPRIATE MEANS OF PRETREATING TO EXTEND THE MAINTENANCE INTERVAL ON THE SYSTEM AND REDUCE LIFE CYCLE COSTS. BOTH ENGINEERED SOLUTIONS SHALL BE PROVIDED BY A SINGLE SUPPLIER/MANUFACTURER.

PRIOR TO SYSTEM START UP, ANY ACCUMULATED WATER AND DEBRIS SHALL BE REMOVED FROM THE CISTERN TANK(S) AND ANY ACCOMPANYING TREATMENT SYSTEMS AND PUMP VAULTS.

BELOW GRADE SYSTEM MARKING TAPE, IF REQUIRED BY LOCAL ORDINANCE, CAN BE SUPPLIED UPON REQUEST. CONTACT SFWW WITH REQUIREMENT DETAILS.

ALL ITEMS SHOWN SHALL BE PROVIDED BY SANTA FE WINWATER AS A COMPLETE STORMWATER MANAGEMENT SYSTEM. ANY SUBSTITUTIONS OR OMISSIONS MAY VOID WARRANTY.

SANTA FE Winwater COMPANY
10244 Freeman Ave, Santa Fe Springs, CA 90670
562-777-9724 / www.santafewinwater.com

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **SANTA FE WINWATER COMPANY**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SANTA FE WINWATER COMPANY IS PROHIBITED.

	NAME	DATE
DRAWN	CKL	6/9/22
CHECKED	MDF	6/9/22
ENG APPR.	CKL	6/9/22
REV		

TITLE:
11709 Artesia Blvd, Artesia, CA
Stormwater Treatment System
12817 cu ft

SIZE **B** | SHEET 1 OF 7

NOTES:

1. ALL ITEMS SHOWN SHALL BE PROVIDED BY SANTA FE WINWATER AS A COMPLETE STORMWATER MANAGEMENT SYSTEM. ANY SUBSTITUTIONS OR OMISSIONS MAY VOID WARRANTY.
2. MODULAR WETLAND TO BE MODEL WMS-6-24-5'-V, MANUFACTURED BY BIOCLEAN ENVIRONMENTAL SERVICES, INC. AND SUPPLIED BY SANTA FE WINWATER COMPANY.
3. STORAGE SYSTEM TO BE 96" ALUMINIZED CMP AS SUPPLIED BY SANTA FE WINWATER COMPANY.
4. SEE CIVIL SHEETS FOR UNIT LOCATIONS.
5. ALL DIMENSIONS AND ELEVATIONS SHOWN ARE NOMINAL DIMENSIONS. IT IS THE RESPONSIBILITY OF THE ON-SITE CONTRACTOR OR CUSTOMER TO VERIFY THE ACCURACY OF ANY CRITICAL DIMENSIONS OR ELEVATIONS PRIOR TO SETTING OR INSTALLING ANY EQUIPMENT.
6. ALL MATERIALS SHALL BE DELIVERED TO THE SITE AFTER EXCAVATIONS HAVE BEEN EXCAVATED AND SHORED. THE CONTRACTOR SHALL SUPPLY A CRANE OF SUFFICIENT SIZE TO LOWER ALL PIECES INTO THE HOLE SAFELY. THE CONTRACTOR SHALL INSTALL ALL ITEMS.
7. UPON ESTABLISHMENT OF PRIOR AGREEMENT, SANTA FE WINWATER COMPANY WILL PROVIDE A REPRESENTATIVE FOR TECHNICAL ASSISTANCE ON THE DAY OF INSTALLATION TO ANSWER ANY QUESTIONS THAT MAY ARISE.
8. THE CONTRACTOR IS RESPONSIBLE FOR ALL REINFORCED CONCRETE PADS AND COLLARS, PLUMBING AND ELECTRICAL CONNECTIONS AND INSTALLATION.
9. ALL COMPONENTS PROVIDED BY SANTA FE WINWATER SHALL BE SUITABLE FOR USE WITH OPERATIONAL AND ENVIRONMENTAL CONDITIONS.
10. PROVIDE MINIMUM 15" COVER FROM TOP OF CISTERNS TO BOTTOM OF ASPHALT CEMENT TO ACHIEVE H-20/H-25 LOADING CAPACITY.
11. SEE DETAIL SHEETS FOR DETAILS OF WETLAND MOD AND PUMP STATIONS.



SANTA FE Winwater COMPANY
10244 Freeman Ave, Santa Fe Springs, CA 90670
562-777-9724 / www.santafewinwater.com

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **SANTA FE WINWATER COMPANY**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SANTA FE WINWATER COMPANY IS PROHIBITED.

	NAME	DATE
DRAWN	CKL	6/9/22
CHECKED	MDF	6/9/22
ENG APPR.	CKL	6/9/22
REV		

TITLE:
11709 Artesia Blvd, Artesia, CA
Stormwater Treatment System
12817 cu ft

SIZE **B** | SHEET 2 OF 7



NOTES:

1. MOUNT PUMP CONTROLLER IN LOCATION SPECIFIED BY OWNER. FOR LOCATIONS GREATER THAN 15 FEET FROM VAULT, CONSULT WITH SFWW TO DETERMINE NEED FOR ADDITIONAL CABLE AND/OR EQUIPMENT.
2. LOCATIONS, ALIGNMENTS AND ELEVATIONS SHOWN SHALL BE CONFIRMED WITH CIVIL DRAWINGS.
3. PROVIDE MINIMUM 15" COVER FROM TOP OF CISTERNS TO FINISH GRADE TO ACHIEVE H-20/H-25 LOADING CAPACITY.
4. SEE DETAIL SHEETS FOR DETAILS OF WETLAND MOD AND PUMP STATION.
5. SEE CIVIL SHEETS FOR PIPE ROUTING.
6. INVERT ELEVATION OF OVERFLOW PIPE SHALL PEAK ABOVE INSIDE TOP OF CISTERN.

SANTA FE Winwater COMPANY
10244 Freeman Ave, Santa Fe Springs, CA 90670
562-777-9724 / www.santafewinwater.com

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **SANTA FE WINWATER COMPANY**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SANTA FE WINWATER COMPANY IS PROHIBITED.

	NAME	DATE
DRAWN	CKL	6/9/22
CHECKED	MDF	6/9/22
ENG APPR.	CKL	6/9/22
REV		

TITLE:
11709 Artesia Blvd, Artesia, CA
Stormwater Treatment System
12817 cu ft

SIZE **B** | SHEET 3 OF 7



NOTES:

1. MOUNT PUMP CONTROLLER IN LOCATION SPECIFIED BY OWNER. FOR LOCATIONS GREATER THAN 15 FEET FROM VAULT, CONSULT WITH SFWW TO DETERMINE NEED FOR ADDITIONAL CABLE AND/OR EQUIPMENT.
2. LOCATIONS, ALIGNMENTS AND ELEVATIONS SHOWN SHALL BE CONFIRMED WITH CIVIL DRAWINGS.
3. PROVIDE MINIMUM 15" COVER FROM TOP OF CISTERNS TO FINISH GRADE TO ACHIEVE H-20/H-25 LOADING CAPACITY.
4. SEE DETAIL SHEETS FOR DETAILS OF WETLAND MOD AND PUMP STATION.
5. SEE CIVIL SHEETS FOR PIPE ROUTING.
6. INVERT ELEVATION OF OVERFLOW PIPE SHALL PEAK ABOVE INSIDE TOP OF CISTERN.
7. FINISH GRADE ELEVATIONS SHOWN ON THIS SHEET ARE GENERIC AND DO NOT MATCH SITE CONDITIONS. THEY ARE USED TO SHOW RELATIVE DEPTH OF THE SYSTEM COMPONENTS.

SANTA FE Winwater COMPANY
10244 Freeman Ave, Santa Fe Springs, CA 90670
562-777-9724 / www.santafewinwater.com

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **SANTA FE WINWATER COMPANY**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SANTA FE WINWATER COMPANY IS PROHIBITED.

	NAME	DATE
DRAWN	CKL	6/9/22
CHECKED	MDF	6/9/22
ENG APPR.	CKL	6/9/22
REV		

TITLE:
11709 Artesia Blvd, Artesia, CA
Stormwater Treatment System
12817 cu ft

SIZE **B** | SHEET 4 OF 7









NOTES:

1. All materials shown on this sheet shall be supplied by Santa Fe WinWater Company, Santa Fe Springs, CA, except where noted. Pumps shall be SFWW SWP-3, 115v, 12A. Substitution of any component may void warranty.
2. Locate Pump Controller as required for site conditions or Owner direction. Route power and signal cable conduit to vault from controller accordingly. Connections shall be provided by Contractor.
3. Route 2" pump system outlet and 12" Overflow pipe as shown on Civil Sheets. 12" Overflow pipe not required for treatment discharge pump systems.
4. Contractor to provide concrete collar around manhole cover suitable for surface loading conditions.
5. Anti-Floatation flange to be provided on pump vault where required for groundwater conditions.
6. Pump performance requirements based on 96 hour drawdown of 12,817 cu ft = 16.5 gpm.

Pump Station Headloss Calculation (Hazen-Williams) (For Complete Calculations, please contact SFWW)	
Pipe length 2" PVC Sch80 = 66'	0.53'
Check Valve (1)	0.12'
90 Degree Bends (2)	0.07'
Tee (Main to branch)	0.09'
Pipe Exit (1)	0.05'
Elevation Head	9.25'
TOTAL DISCHARGE HEAD REQ'D @ 16.5gpm	**10.11'**

SANTA FE Winwater COMPANY
10244 Freeman Ave, Santa Fe Springs, CA 90670
562-777-9724 / www.santafewinwater.com

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **SANTA FE WINWATER COMPANY**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SANTA FE WINWATER COMPANY IS PROHIBITED.

	NAME	DATE
DRAWN	CKL	6/9/22
CHECKED	DB	6/9/22
ENG APPR.	CKL	6/9/22
REV		

TITLE:
11709 Artesia Blvd. Artesia, CA
Stromwater Feed Pump
Station

SIZE **B** | SHEET 5 OF 7









NOTES:

1. All materials shown on this sheet shall be supplied by Santa Fe WinWater Company, Santa Fe Springs, CA, except where noted. Pumps shall be SFWW SWP-4, 115v, 3A. Substitution of any component may void warranty.
2. Locate Pump Controller as required for site conditions or Owner direction. Route power and signal cable conduit to vault from controller accordingly. Connections shall be provided by Contractor.
3. Route 2" pump system outlet and 12" Overflow pipe as shown on Civil Sheets. 12" Overflow pipe not required for treatment discharge pump systems.
4. Contractor to provide concrete collar around manhole cover suitable for surface loading conditions.
5. Anti-Floatation flange to be provided on pump vault where required for groundwater conditions.
6. Pump performance requirements based on 96 hour drawdown of 12,817 cu ft = 16.5 gpm.

Headloss Calculations		
Fitting	Qty / Length	Headloss
Pipe (2")	10.2'	0.08'
Check Valve	1	0.12'
90 Elbow	2	0.07'
Tee	1	0.09'
Exit	1	0.05'
Elevation Head		5.25'
Total Headloss @ 16.5 gpm		5.67'

SANTA FE Winwater COMPANY
10244 Freeman Ave, Santa Fe Springs, CA 90670
562-777-9724 / www.santafewinwater.com

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **SANTA FE WINWATER COMPANY**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SANTA FE WINWATER COMPANY IS PROHIBITED.

	NAME	DATE
DRAWN	CKL	6/9/22
CHECKED	MDF	6/9/22
ENG APPR.	CKL	6/9/22
REV		

TITLE:
11709 Artesia Blvd, Artesia, CA
Stormwater Discharge Pump Station

SIZE **B** | SHEET 6 OF 7

SITE SPECIFIC DATA			
PROJECT ID			
PROJECT NAME		11709 Artesia Blvd	
PROJECT LOCATION		Artesia, CA	
STRUCTURE ID			
TREATMENT REQUIRED			
VOLUME BASED (CF)		FLOW BASED (CFS)	
12,712.80		---	
TREATMENT HGL AVAILABLE (FT)			---
PEAK BYPASS REQUIRED (CFS) – IF APPLICABLE			OFFLINE
PIPE DATA	I.E.	MATERIAL	DIAMETER
INLET PIPE	-1.67	PVC SCH80	2"
RETURN PIPE	-1.38	PVC SDR35	4"
OUTLET PIPE	-5.00	PVC–SDR35	6"
	PRETREATMENT	BIOFILTRATION	N/A
RIM ELEVATION	100.00	100.00	N/A
SURFACE LOAD	PEDESTRIAN	OPEN PLANTER	N/A
FRAME & COVER	36" X 36"	N/A	N/A
LA COUNTY MEDIA MIX VOLUME (CY)			---
GRAVEL LAYER WITHIN MEDIA CHAMBER (CY)			---
ORIFICE DIAMETER (IN)			---
NOTES: PRELIMINARY, NOT FOR CONSTRUCTION.			



PLAN VIEW



INLET VIEW



ELEVATION VIEW



OUTLET VIEW



INTERNAL CAGE DETAILS

REQUIRED HORIZ. MEDIA THICKNESS (INCHES)	24
TREATMENT VOLUME (CF)	12,712.80
TARGETED DRAINDOWN DURATION (HR)	96.0
WETLANDMEDIA INFILTRATION RATE (IN/HR)	12.0
WETLANDMEDIA LOADING RATE (GPM/SF)	0.12
DISCHARGE RATE (CFS)	0.04
REQUIRED TOTAL MEDIA SURFACE AREA (SF)	137.57
PROVIDED TOTAL MEDIA SURFACE AREA (SF)	140.92
NUMBER OF ROW(S)	1

INSTALLATION NOTES

1. CONTRACTOR TO PROVIDE ALL LABOR, EQUIPMENT, MATERIALS AND INCIDENTALS REQUIRED TO OFFLOAD AND INSTALL THE SYSTEM AND APPURTENANCES IN ACCORDANCE WITH THIS DRAWING AND THE MANUFACTURER'S SPECIFICATIONS, UNLESS OTHERWISE STATED IN MANUFACTURER'S CONTRACT.
2. UNIT MUST BE INSTALLED ON LEVEL BASE. MANUFACTURER RECOMMENDS A MINIMUM 6" LEVEL ROCK BASE UNLESS SPECIFIED BY THE PROJECT ENGINEER. CONTRACTOR IS RESPONSIBLE FOR VERIFYING PROJECT ENGINEER'S RECOMMENDED BASE SPECIFICATIONS.
3. ALL PIPES MUST BE FLUSH WITH INSIDE SURFACE OF CONCRETE. (PIPES CANNOT INTRUDE BEYOND FLUSH). INVERT OF OUTFLOW PIPE MUST BE FLUSH WITH DISCHARGE CHAMBER FLOOR. ALL GAPS AROUND PIPES SHALL BE SEALED WATER TIGHT WITH A NON–SHRINK GROUT PER MANUFACTURER'S STANDARD CONNECTION DETAIL AND SHALL MEET OR EXCEED REGIONAL PIPE CONNECTION STANDARDS.
4. CONTRACTOR TO SUPPLY AND INSTALL ALL EXTERNAL CONNECTING PIPES.
5. CONTRACTOR RESPONSIBLE FOR INSTALLATION OF ALL RISERS, MANHOLES, AND HATCHES. CONTRACTOR TO GROUT ALL MANHOLES AND HATCHES TO MATCH FINISHED SURFACE UNLESS SPECIFIED OTHERWISE.
6. DRIP OR SPRAY IRRIGATION REQUIRED ON ALL UNITS WITH VEGETATION.

GENERAL NOTES

1. MANUFACTURER TO PROVIDE ALL MATERIALS UNLESS OTHERWISE NOTED.
2. ALL DIMENSIONS, ELEVATIONS, SPECIFICATIONS AND CAPACITIES ARE SUBJECT TO CHANGE. FOR PROJECT SPECIFIC DRAWINGS DETAILING EXACT DIMENSIONS, WEIGHTS AND ACCESSORIES PLEASE CONTACT MANUFACTURER.

SANTA FE Winwater COMPANY

THE PRODUCT DESCRIBED MAY BE PROTECTED BY ONE OR MORE OF THE FOLLOWING US PATENTS: 7,425,262; 7,470,362; 7,674,378; 8,303,816; RELATED FOREIGN PATENTS OR OTHER PATENTS PENDING

PROPRIETARY AND CONFIDENTIAL:

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MODULAR WETLANDS SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MODULAR WETLANDS SYSTEMS IS PROHIBITED.

Bio Clean
A Forterra Company

WetlandMOD- 6-24.0-5.0 -V
STORMWATER BIOFILTRATION SYSTEM
STANDARD DETAIL

HDNS1227.6

1DWLRQDO)ORRG+D]DUG'DWD)ORRGSODLQ

FEMA

)HHW

%DVHPDS 86 1DWLRQDO 2FHDQLF $WPRVSKHULF $GPLQLVWUDWLRQ 2WKHU

/HJHQG

6)+$ $UHDV RI(1(5)5(6(5

L:LWKRXW %DVH)ORRG(OHYDWLRQ %)(
=RQH$ 9 $
L:LWK%DVH)ORRG (=RQH$ 9$ 9($
5LVNPDWRU\)ORRGZD

$QQXDO &KDQFH)ORRG+D]DUG $UHDV
R DQQXDO FKDQFHIORRGZDWHUV
G+D]DUGHVWKDQRQHIRRW RU ZLWKGUDLQDJH
DUHDVR OHVV WKDQRQHVTXDUHPLOH=RQH;

)WXUH&RQGLWLRQV $QQXDO
&KDQFH)ORRG+D]DUG =RQH;

$UHDZLWK5HGXFHG)ORRG5LVNGXHWR
/HYHH 6HH1RWHV =RQH;

$UHDZLWK)ORRG5LVNGXHWR/HYHH =RQH'

$UHDRI1RWLBO)ORRG+D]DUG =RQH;
(IIHFWLYH%V
$UHDR 8QGHWHUPLQHG)ORRG+D]DUG =RQH'

&KDQQHO &OYHUW RU 6WUXFWXUH
/HYHH'LNH RU)ORRGZDOO

&URVV6HFWLRQVZLWK$QQXDO &KDQFH
DWHU 6XUIDFH(OHYDWLRQ
&RDVWDO 7UDQVHFW
%DVH)ORRG(OHYDWLRQ/LQH %)(
/LPLW R 6WUXFWXUH
-XULVGLFWLRQ%RXQGDU\
&RDVWDO 7UDQVHFW %DVHOLQH
3URFHVV%DVHOLQH
+LJKZDWHU)ODWXUH

L'LWDO DWD$YDLODEOH
R'LWDO DWD$YDLODEOH
8QPDSSHG

7KHSLQGLVSODHGRQWKHSLVDQDSSURSULDWH
SRQW VHOHFWHGEWKHXVHU DQGGRHVQRW UHSUHV
DQDWKRULWDWLYHSURSHUW\ORFDWLRQ

7KLVSFRROLHVZLWK$VVWDQGDUGIRU WKHXHR
GL.LWDO IORRGPS/LI LW LVQRW YRLGV/GHVFULEHGEHORZ
7KHEDVHPDSVKRZQFRROLHVZLWK$VEDVHPDS
DFFXUDWHVDQGGUG/

7KHIORRGKD]DUGLQIRUPDWLQLV GHULYHGLUHFWO\IURPWKH
DWKRULWDWLYH%HEVHUYLFHV SURYLGHGEY$ 7KLVPS
ZVHSRUWHGRQ TDW 30 DQGGRHVQRW
UHOHFW FKDQHV RU DPGPQWV VXEVHXHQW WR WKLVGDWH DQG
WLFI 7KH%DQGHIHFWLYHLQRUPDWLRQPDFKDQHRU
EHFRPVXSUVHGHGEQHZGDWDRYHU WLFI

7KLVPSLDHLV YRLGLI WKHIRQHRU RUHR WKHIOORZLQJPS
HOHPQWV GRQW DSSHDU %DVHPSLDHU\ IORRGRQHOODEHOV
OHHQG VFDOHEDU PSFUHDWLRQGDWH FRRLW\LGHQWLILHUV
)5$DQHO QHEU DQG)5IIHFWLYHGDWH DSLDHV IRU
XQPSSHGDQGXQRGHUQL}HGUHDV FDQQRW EHXVHGIRU
UHJXODWRU\SURSRVH

Appendix E

Preliminary Low Impact Development (LID) Plan

Preliminary Low Impact Development (LID) Plan

Prepared for:
G3 Urban
15235 S. Western Avenue
Gardena, CA 90249
Contact: Mitchell Gardner
(925) 876-9985

Property:
VTTM no. 83834
APN: 7035-016-064
11709 Artesia Boulevard
Artesia, CA 90701

Prepared by:
C&V Consulting, Inc.
9830 Irvine Center Drive
Irvine, CA 92618
(949) 916-3800
Contact: Ryan Bittner, P.E.

June 2022

Receipt of WDID

REPLACE THIS SHEET

To be provided prior to final approval

Notice of Intent

REPLACE THIS SHEET

To be provided prior to final approval

Table of Contents

SECTION PAGE

SECTION 100
COVER I
RECEIPT OF WDID II
NOTICE OF INTENT III
LIST OF FIGURES IV
LIST OF APPENDICES IV
PROJECT OWNER'S CERTIFICATION V
ENGINEER CERTIFICATION VI

SECTION 200 ..... **1**

A.Contact Information/List of Responsible Parties 1

SECTION 300 ..... **2**

A.References 2

SECTION 400 – BODY OF LID **3**

A.Objectives 3
B.Project Background and Description 3
C.Vicinity Map 4
D.Existing Site Drainage Condition 4
E.Proposed Site Drainage Conditions 4
F.LID Project Types, Characteristics, & Activities 5
G.Pollutant Source Identification and BMP Selection 5
H.Source Control BMPs 6
I.Structural BMPs 10
J.BMP Maintenance, Inspection, and Repair 13
K.Inspection, Maintenance, and Responsibility for BMPs 14
L.Operation/Maintenance Funding after Project Completion 17

List of Figures

Figure 1: Project Vicinity Map
Figure 2: BMP Exhibit
Figure 3: Impaired Waters

List of Appendices

Appendix A: Volume and Flowrate Calculations & Hydrologic Report
Appendix B: Site BMPs
Appendix C: WetlandMOD System, Pipe Detention System
Appendix D: "NO DUMPING – DRAINS TO OCEAN" Stencil Examples
Appendix E: Catch Basin Cleaning
Appendix F: General Education Materials
Appendix G: Operation and Maintenance Plan
Appendix H: Geotechnical Investigation

Project Owner's Certification of the Preliminary Low Impact Development (LID) Plan

Project Name: ***11709 Artesia Boulevard, Artesia***

Project Number: **Vesting Tentative Tract Map No. 83834**
APN 7035-016-064

Project Address: **11709 Artesia Boulevard**
Artesia CA 90701

This Preliminary Low Impact Development (LID) Plan for the ***VTTM 83834*** project has been prepared for G3 Urban by C&V Consulting, Inc. It is intended to comply with the requirements of the City of Artesia's Conditions of Approval.

The undersigned is authorized to approve implementation of provisions of this plan as appropriate and will strive to have the plan carried out by successors consistent with the County of Los Angeles LID Manual and the intent of the NPDES storm water requirements.

"I certify under penalty of law that this document and all attachments were prepared under my jurisdiction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathered the information, to the best of my knowledge and belief, the information submitted is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Owner's Name:	Mitchell Gardner		
Owner's Title:	Architect – President of Development		
Company:	G3 Urban		
Address:	15235 S. Western Avenue, Gardena, CA 90249		
Email:			
Telephone No.:	(925) 876-9985		
Signature:		Date:	

Engineer Certification

Engineer's Name:	Ryan Bittner		
Engineer's Title:	CEO		
Company:	C&V Consulting, Inc.		
Address:	9830 Irvine Center Drive, Irvine, CA 92618		
Email:	rbittner@cvc-inc.net		
Telephone No.	(949) 916-3800		
I hereby certify that this Low Impact Development Plan is in compliance with, and meets the requirements set forth in, Order No. R4-2012-0175, of the Los Angeles Regional Water Quality Control Board.			
Engineer's Signature		Date	6/10/2022
Place Stamp Here			

Section 200

A. Contact Information/List of Responsible Parties

The property contact information is:

Mitchell Gardner
G3 Urban
15235 S. Western Avenue
Gardena, CA 90249
(925) 876-9985

The property owner shall have primary responsibility and significant authority for the implementation, maintenance, and inspection of the property BMPs. Duties of the Owner include but are not limited to:

- Implementing all elements of the LID, including but not limited to:
  - Implementation of prompt and effective erosion and sediment control measures
  - Implementing all non-storm water management, and materials and waste management activities, such as: monitoring, discharges, general site clean-up; vehicle and equipment cleaning, spill control; good construction housekeeping to ensure that no materials other than storm water are discharged which may have an adverse effect on receiving waters or storm drain systems, etc.
- Pre-storm inspections
- Storm event inspections
- Post-storm inspections
- Routine inspections as described in the LID
- Ensuring elimination of all unauthorized discharges
- The Owner shall be assigned authority to mobilize crews in order to make immediate repairs to the control measures.
- Coordinate all of the necessary corrections/repairs are made immediately, and that the project complies with the LID at all times.
- Managing and report any Illicit Connections or Illegal Discharges.

Section 300

A. References

The following documents are made a part of this LID by reference:

- Project plans and specifications for the City of Artesia to support the ***VTTM 83834*** project, prepared by C&V Consulting, Inc., 9830 Irvine Center Drive, Irvine, California 92618.

- County of Los Angeles Department of Public Works, Low Impact Development Standards Manual dated February 2014

- State Water Resources Control Board (SWRCB) National Pollutant Discharge Elimination System (NPDES) General Permit for Storm Water Discharges Associated with Construction and Land Disturbance Activities, Order No. 2009-0009-DWQ, NPDES No. CAS000002 dated July 1, 2010

- California Stormwater BMP Handbook – Construction, January 2009.

- California Stormwater BMP Handbook – New Development and Redevelopment, January 2003.

- Los Angeles County Municipal Stormwater/ NPDES Permit Order R4-2012-0175

Section 400 – Body of LID

A. Objectives

This Low Impact Development (LID) Plan has four main objectives:

1) Identify all pollutant sources, including sources of sediment that may affect the quality of storm water discharges associated with daily use / activity (storm water discharges) from the property site.
2) Identify non-storm water discharges.
3) Identify, construct, implement and maintain Best Management Practices (BMPs) to reduce or eliminate pollutants in storm water discharges and authorized non-storm water discharges from the property site.
4) Develop a maintenance schedule for BMPs designed to reduce or eliminate pollutants.

B. Project Background and Description

The proposed project site consists of several existing lots that forms a rectangular shape area with a gross area of 4.99 acre and the proposed improvement of the project comprises of an area of 3.30 acre. It is located at 11709 Artesia Boulevard, in the City of Artesia (APN:7035-016-064). The site is bounded by Flallon Avenue to the west, Alburtis Avenue to the east, Artesia Boulevard to the south, and an industrial building to the north.

The existing conditions of the project site consists of a vacant lot. The entire site is completely paved with no landscaping on site per geospatial images which is assumed to be 100% impervious as the site have a negligible pervious area coverage.

The project proposes the construction of 16 residential buildings with 80 attached condominiums with private garages, private drive aisles, sidewalks, and common landscaped areas. The project site will be accessible with entrances/ exits along Flallon Avenue and Alburtis Avenue. The public streets, which will not be a part of this hydrological analysis are to be remain in-kind to preserve the perviousness of land usage and drainage pattern per existing conditions. Drive aisles and parking areas will be composed of asphalt concrete pavement. Proposed imperviousness is delineated and analyzed per preliminary LID exhibit to be 90% impervious. Actual imperviousness is to be verified with Final Landscape Plan during final engineering.

C. Vicinity Map

The site comprises several existing lots that forms a rectangular shape area and it is located near the northeast corner of Artesia Boulevard and Flallon Avenue, County of Los Angeles (APN: 7035-016-064). There is an existing improvement to remain across the Alburtis Avenue that is not a part of the proposed development area analysis.

Refer to Figure 1 for the Vicinity Map.

D. Existing Site Drainage Condition

The existing site is generally sloped in the southerly direction with elevations ranging between approximately 60.0 and 57.3 feet above mean sea level. Drainage from the existing site is conveyed as sheet flow overland mainly in the westerly direction towards Flallon Avenue and partially in the easterly direction towards Alburtis Avenue. The Overall drainage of the project site generally surface flows southwesterly to confluence with the street flows to the existing catch basins at the public right of way adjacent to site near the corner of Artesia Boulevard and Flallon Avenue. There is an existing drainage inlet near the center of the site that collects a portion of the center of the site. As the portion of the site that collects flow are generally flat and the low point ponds to slope towards the Fallon Avenue, the site is analyzed as a single drainage area that is tributary to the downstream system. All flow ultimately discharges to the San Gabriel River which drains to the Pacific Ocean at San Pedro Bay. Water bodies downstream of the project site are listed on the most current 303(d) list as follows:

- San Gabriel River Rach 1 (Estuary to Firestone)
    - Coliform Bacteria
- San Gabriel River Estuary
    - Copper
    - Dioxin
    - Nickel
    - Oxygen, Dissolved
- San Pedro Bay
    - Chlordane
    - DDT (tissue & sediment)
    - PCBs (Polychlorinated biphenyls)
    - Sediment Toxicity

All facilities downstream of the project site are engineered, therefore the project is exempt from Hydromodification Control requirements.

E. Proposed Site Drainage Conditions

The proposed development site drainage comprises of a single on-site drainage management area for water quality as stormwater are collected with the proposed inlets located at each entrance to the site and routed to a single treatment system prior to be released offsite. The proposed catch basin inlets and grated inlets collect the proposed

site's generated runoff to be routed to an underground detention system that feeds into a bio-filtration system via pump station for water quality treatment. The treated flow will be pumped to a parkway culvert and be routed to the downstream system following existing drainage pattern. When the underground detention is at full capacity, the confluence of the flows will be mitigated to the proposed overflow parkway culvert through the interconnected storm drain system. The public streets, which will not be a part of this hydrological analysis are to be remain in-kind to preserve the historical drainage pattern.

In cases of higher storm event, the site is graded to outlet overflow at the entrances of the site towards Flallon Avenue and Alburtis Avenue after the detention fills up and storm runoff bubbles out from the inlets of the site. The runoff will then continue along the street flow downstream following existing conditions.

Per Geotechnical Investigation, prepared by Albus & Associates, Inc. dated December 7, 2021, based on state-provided information, the historic-high groundwater is approximately 10 feet below the ground surface. From the geotechnical perspective, the findings indicate the site is not feasible for infiltration, therefore, bio-filtration BMPs are considered for the proposed site.

Refer to Figure 2, BMP Exhibit for additional information.

F. LID Project Types, Characteristics, & Activities

Per the Los Angeles Department of Public Works (LACDPW), *Low Impact Development Standards Manual*, dated February 2014, the proposed project is classified as a "Designated Project." A "Designated Project" is defined by the LACDPW as follows:

> "Redevelopment projects, which are developments that result in creation or addition or replacement of either: (1) 5,000 square feet or more of impervious surface on a site that was previously developed as described in the above bullets; or (2) 10,000 square feet or more of impervious surface area on a site that was previous developed as a single family home."

G. Pollutant Source Identification and BMP Selection

The following is a list of materials to be used in the daily construction activities at the project site, which will potentially contribute to pollutants, other than sediment, to storm water runoff. Control Practices for each activity are identified below:

- Vehicle fluids, including oil, grease, petroleum, and coolants from personal vehicles.
- Landscaping materials and wastes (topsoil, plant materials, herbicides, fertilizers, mulch, pesticides)
- General trash debris and litter
- Pet waste (bacteria/ fecal coliforms)

The Best Management Practices (BMPs) that have been selected for implementation on this project are detailed in the following sections.

H. Source Control BMPs

Project proponents shall implement Site Design concepts that achieve each of the following:

- Minimize Urban Runoff
- Minimize Impervious Footprint
- Conserve Natural Areas
- Minimize Directly Connected Impervious Areas (DCIAs)

Table-1 identifies the source control and treatment BMPs and how each is implemented to achieve each Site Design concept. BMP fact sheets are provided by the LACDPW *Low Impact Development Standards Manual* and the California Stormwater Quality Association.

Table-1: Source Control BMPs

BMP	BMP DESCRIPTION	CHECK ONE		IF NOT APPLICABLE, STATE BRIEF REASON
		INCLUDED?	NOT APPLICABLE	
	Non-Structural Source Control BMPs:			
	Education for Leasers', Operators, Occupants, or Employees	X		
	Activity Restrictions (CC&Rs)	X		
SD-12	Landscape Irrigation Practices	X		
SD-32	Common Area Litter Control	X		
SE-7	Street Sweeping Private Streets and Parking Lots	X		
	Drainage Facility Inspection and Maintenance	X		
	Structural Source Control BMPs:			
SD-13	Storm Drain Message and Signage	X		
SD-10	Landscape Irrigation Practices	X		
SD-11	Roof Runoff Controls	X		

BMP	BMP DESCRIPTION	CHECK ONE		IF NOT APPLICABLE, STATE BRIEF REASON
		INCLUDED?	NOT APPLICABLE	
	Protect Slopes and Channels		X	No proposed slopes and channels
SD-30	Outdoor Vehicle/Equipment/ Accessory Washing Area		X	No proposed car wash racks
	Proper Site Design:			
SD-30	Fuel and Maintenance Area		X	No proposed fueling areas
SD-33	Air/Water Supply Area Drainage		X	No proposed air/water supply
SD-32	Outdoor Trash Storage and Waste Handling Area		X	No proposed outdoor trash storage
SD-31	Outdoor Loading/ Unloading Dock Area		X	No proposed loading/unloading dock areas
SD-35	Outdoor Vehicle/Equipment Repair/Maintenance Area		X	No proposed maintenance bays
SD-36	Outdoor Vehicle/Equipment/ Accessory Washing Area		X	No proposed wash areas
S-2	Outdoor Material Storage Area		X	No proposed material storage areas
SD-36	Outdoor Work Areas or Processing Areas		X	No proposed outdoor work areas
	Provide Wash Water Controls for Food Preparation Areas		X	No proposed food preparation areas

Non-Structural Measures

Non-structural BMPs are generally managerial, educational, inspection and/ or maintenance oriented. These items consist of educating employees and occupants, developing and implementing HOA guidelines, implementing BMPs and enforcing Code requirements. Non-structural BMPs used for this project are summarized below:

Education for Employees and Occupants

Practical informational materials will be provided to homeowners, HOA and employees on general good housekeeping practices that contribute to protection of storm water quality. Among other things, these materials will describe the use of chemicals (including household type) that should be limited to the property, with no discharge of specified wastes via hosing or other direct discharge to gutters, catch basins and storm drains. Initially, the Owner will provide these materials. Thereafter, such materials will be available through the HOA education program.

This program must be maintained, enforced, and updated periodically by the HOA. Educational materials including, but not limited to, the materials included in the Appendix F of this plan will be made available to the employees and contractors of the HOA.

Activity Restrictions

Activities on this site will be limited to activities related to residential living. The project's Conditions, Covenants, and Restrictions (CC&Rs) will outline the activities that are restricted on the property. Such activities related to the LID include car washing, car maintenance and disposal of used motor fluids, pet waste cleanup, and trash container areas.

Efficient Landscape System & Landscape Maintenance

Management programs will be designed and established by the HOA, who will maintain the common areas within the project site. These programs will include how to mitigate the potential dangers of fertilizer and pesticide usage (refer to the Maintenance and Frequency Table). Ongoing maintenance will be consistent with the State of California Model- Water Efficient Landscape Ordinance. Fertilizer and pesticide usage shall be consistent with County Management Guidelines for use of Fertilizers and Pesticides.

Street Sweeping in Private Streets and Parking Lots

The HOA shall have all streets and parking lots swept on a weekly basis. This procedure will be intensified around October 15th of each year prior to and throughout rain storm period.

Drainage Facility Inspection & Maintenance

The HOA will be responsible for implementing each of the BMPs detailed in this plan. The HOA will also be responsible for cleaning and maintaining the BMPs on a regular basis. Refer to Appendix G for the Operation and Maintenance Plan. Refer to Appendix C for site specific drainage BMP information.

Storm Drain Stenciling/ Signage
Phrase "No Dumping – Drains to Ocean" or equally effective phrase to be stenciled on catch basins to alert the public to the destination of pollutants discharged into storm water. This stenciling will be inspected and re-stenciled on a periodic basis by the HOA. Refer to Table 4 for maintenance frequency.

Landscape & Irrigation System Design
As part of the design of all common area landscape irrigation shall employ water conservation principals, including, but not limited to, such provisions as water sensors, programmable irrigation times (for short cycles), etc. will be used. Such common areas will be maintained by the HOA.

Common Area Litter Control
The HOA must implement trash management and litter control procedures in common areas aimed at reducing pollution of drainage water. The HOA may contract a landscape maintenance company to provide this service during regularly scheduled maintenance which will consist of litter patrol and noting trash disposal violations and reporting the violations to the HOA for investigation.

Title 22 CC&R Compliance
The HOA will comply with this Regulation as part of the development's CC&Rs. CC&Rs will be prepared as a separate document and reviewed by the City's Attorney.

Uniform Fire Code Implementation
The HOA will comply with this Code as part of the development's CC&Rs. CC&Rs will be prepared as a separate document and reviewed by the City's Attorney.

Employee Training
A training program will be established as it would apply to future employees, contractors, and homeowners of the HOA to inform and train in maintenance activities regarding the impact of dumping oil, paints, solvents, or other potentially harmful chemicals into storm drains; the proper use of fertilizers and pesticides in landscaping maintenance practices; and the impacts of littering and improper water disposal.

The HOA (or a hired firm) will conduct the training program which will include targeted training sessions with specific construction disciplines (landscaping, concrete finishers, painters, etc.). See Appendix F for examples of educational materials that will be provided to the Employees.

The project's CC&Rs will include provisions for future employee training programs conducted on a yearly based prior to the rainy season.

I. Structural BMPs

Structural BMPs shall be installed by the developer, through the construction and development of the project, for instance; landscaping and irrigation systems shall be designed by licensed landscape architects and installed by qualified contractors to specifications and standards of the City of Artesia. The structural BMPs used for this project are summarized below:

Expected pollutants associated with this development include vehicle discharge fluids, landscaping materials and waste, litter, and pet waste. To mitigate these pollutants, the structural best management practices summarized below.

Table-2: Design BMPs

BMP	TECHNIQUE	INCLUDED?		BRIEF DESCRIPTION OF METHOD
		YES	NO	
SD-10	Minimize Impervious Area/Maximize Permeability (C-Factor Reduction)	X		We have incorporated landscape areas wherever possible within the project site. See Appendix B for details.
	Minimize Directly Connected Impervious Areas (DCIAs) (C-Factor Reduction)	X		We minimize DCIAs by limiting sidewalks and parking areas to the minimum necessary for proper use and proposed planter areas where path of walk will not be obstructed.
	Create Reduced or "Zero Discharge" Areas (Runoff Volume Reduction)		X	The site runoff will be bio-filtrated prior to discharge from the site.

Table-3: Treatment BMPs

BMP	NAME	INCLUDED?		IF NOT APPLICABLE, STATE BRIEF REASON
		YES	NO	
VEG-5	Vegetated Filter Strip		X	Alternative BMP selected
VEG-4	Vegetated Swale		X	Space not available for BMP
MP-40	Media Filter		X	Alternative BMP selected
MP-52	Drain Inserts		X	Alternative BMP selected
T-3	Extended Detention Basin		X	Alternative BMP selected
T-4	Wet Pond		X	Alternative BMP selected
T-2	Constructed Wetland		X	Alternative BMP selected
T-1	Sand Filter		X	Alternative BMP selected
RET-5	Permeable Pavement without an Underdrain		X	Alternative BMP selected
RET-2	Infiltration Basin		X	Alternative BMP selected
RET-3	Infiltration Trench		X	Alternative BMP selected
TC-40	Media Filter		X	Alternative BMP selected
BIO-1	Biofiltration	X		Proposed WetlandMOD will be utilized in the proposed development and provide treatment of 1.5 times the SWQDV.

Biofiltration: WetlandMOD Biofiltration Treatment System

The unique treatment capabilities of the 'WetlandMod' System - 'BioClean' System) incorporates capture, screening, hydrodynamic separation, advanced media filtration, biofiltration to reduce and control water volume in a more efficient way compared to traditional downward flow bioretention system.

The 'BioClean' System removes a range of pollutants associated with urban run-off. Suspended Solids, Heavy metals, Pathogens, Phosphorus, oil and grease pollutants are removed from storm water runoff at a high level of efficiency. The public Agency has found that this system is an acceptable solution to biological treatment of first flush storm water during the project Entitlement Phase of the project when infiltration is not an option for a site due to Geotechnical issues with underlying soils. The 'BioClean' System treats runoff by first intercepting flow through a pre-treatment chamber and pipe inlet from the area drain storm drains and storage pipe where it's screened through a filter where trash, litter, gross solids and sediment are captured. The second stage of treatment provides treatment through biofiltration media. The perimeter filter utilizing bio-media provides physical treatment by physically and chemically capturing fine total suspended solids, metals, nutrients, and bacteria. The final stage of treatment provides treatment in the wetland chamber through sub-surface flow by biological remediation through a combination of physical, chemical, and biological processes.

The 'BioClean' System is a horizontal flow-based BMP for this project and is designed based on the Manufacturer's design calculations for the device at the Treatment Design Volume provided in Appendix 'A'. Since the site is not providing infiltration, the design volume is 1.5 times the LID volume. Storage chambers are provided upstream of the biofiltration system to ensure this volume is captured and fed to the biofiltration system. See Appendix 'A' for design treatment volume calculations.

The WetlandMod Detail provided by the Manufacturer within Appendix C verifies that the proposed WetlandMod Biofiltration System will treat the required volume within target drawdown duration of 96 hours. The calculation is copies below for reference:

Drainage Management Area (DMA)	Size (ac)	SWQDV (cf)*	SWQDV x 1.5 (cf)	MWS Model	MWS HGL Height (ft)	Treatment Capacity (cf)
A	3.30	8,475.2	12,712.8	WM-L-6-24-5-V	5	12,712.8

*Los Angeles County Department of Public Works (LACDPW) HydroCalc Software was utilized to calculate stormwater quality design volume (SWQDV). The governing flowrate between the 0.75-inch storm event and the 85th Percentile storm event was utilized for design. Refer to Appendix A for HydroCalc outputs.

The proposed site will generate a runoff volume of approximately 8,475.2 cf for the 85th Percentile storm event. After multiplying this value by a factor of 1.5, the required treatment volume equals 12,712.8 cf. The WetlandMOD Biofiltration Systems provide a total treatment capacity of approximately 12,712.8 cf and therefore provide more than enough treatment for the proposed development. The WetlandMOD systems will address the pollutants of concern associated with the development type. Refer to Appendix C for more information on WetlandMOD Biofiltration System. Treatment

Volumes are to be verified with proposed perviousness per final site plan during Final Engineering.

Pipe Detention Systems
The WetlandMOD Bio-filtration system requires the design volume to be stored upstream to ensure the entire treatment volume is captured and fed to the biofiltration system. Detention and/or Retention Systems shall be installed in accordance with the latest edition of ASTM D2321. Refer to Appendix C for more information on Detention Storage System.

Proposed Condition Drainage Area	Area (ac)	Water Quality Treatment Volume (cu-ft)	Proposed Detention Volume (cu-ft)
DMA-A	3.30	12,712.8	12,817

Catch Basin Inspection
The HOA will maintain the drainage systems, including catch basins and culverts. The HOA is required to have catch basins inspected and, if necessary, cleaned prior to the storm season, no later than October 15th each year or prior to the first 24-hour storm event, whichever occurs first. These duties may be contracted out to the landscape maintenance firm hired by the HOA. Please see Appendix E for maintenance program. Refer to Appendix G for the Operation and Maintenance Plan.

Runoff-Minimizing Landscape Design
As part of the design of all common area landscape areas, similar planting material with similar water requirements will be used in order to reduce excess irrigation runoff and promote surface filtration. Such common areas will be maintained by the HOA.

Community Car Wash Racks
No community car wash rack or area will be provided, therefore, vehicle washing by residents on the property will not be allowed per the CC&Rs.

Self-Contained Washing
Self-contained washing of vehicles by residents or owners on the property will not be allowed per the CC&Rs.

Outdoor Material Storage Areas
Outdoor material storage areas refer to storage areas or storage facilities solely for the storage of materials. Improper storage of materials outdoors may provide an opportunity for toxic compounds, oil and grease, heavy metals, nutrients, suspended solids, and other pollutants to enter the storm water conveyance system. Outdoor Storage by residents or owners on the property will not be allowed per the CC&Rs.

J. BMP Maintenance, Inspection, and Repair

Inspections will be conducted as follows:

- Annually and prior to the start of the rainy season
- Every (1) month during rainy season
- At any other time(s) or intervals of time specified in the contract documents

Repairs and/ or maintenance procedures shall be carried out at the soonest possible time.

K. Inspection, Maintenance, and Responsibility for BMPs

Table-4 and Table-5 show the lists of the post-construction BMPs (routine non-structural and structural), the required ongoing maintenance, the inspection and maintenance frequency, the inspection criteria, and the entity or party responsible for implementation, maintenance, and/or inspection.

Table-4: Non-Structural BMP Maintenance Responsibility/Frequency Matrix

BMP	RESPONSIBILITY	FREQUENCY
Homeowner/ Business owner Education, Activity Restrictions	HOA will provide educational materials. Those materials and responsibilities must be passed onto subsequent property owners.	Continuous. CC&Rs to be provided to homeowners at the time they purchase the property and updates provided by the HOA as they occur.
Common Area Landscape Management	HOA will appoint a landscape maintenance contractor	Monthly during regular maintenance and use with management guidelines for use of fertilizers and pesticides.
Parking Areas and Drive Aisle Management	HOA	The Drives Aisles are to be swept on a routine scheduled basis to facilitate the pickup of trash and debris (plant or otherwise) and to remove excessive oil, grease and build-up. During sweeping, debris is to be removed from the parking areas and drives and then scrubbed and rinsed. This sweeping schedule will be at a minimum occurrence of once a week and as necessary to rid / reduce active pollutants from the pavement areas. This maintenance requirement will be listed in the Convent, Conditions and Restrictions (CC&Rs) of this project. These CC&Rs will be recorded to the property at the County Recorder's Office and be included on the final Title report of these properties.
Litter Control by Sweeping	HOA	Weekly inspection of trash receptacles to ensure that lids are closed and pick up any excess trash on the ground, noting trash disposal violations to the HOA for remediation.
Employee Training	HOA	Monthly for maintenance personnel and employees to include the educational materials contained in the approved LID.

BMP	RESPONSIBILITY	FREQUENCY
Common Area Catch Basin Inspection & Cleaning	HOA will appoint a landscape maintenance contractor for common areas and storm drain facilities.	Inspect basins once a month. Clean debris and silt in bottom of catch basins as needed. Intensified on or about October 15th each year or prior to the first 24-hour storm event, whichever occurs first. Refer to Appendix E.

Table-5: Structural BMP Maintenance Responsibility/ Frequency Matrix

BMP	RESPONSIBILITY	FREQUENCY
Common Area Efficient Irrigation	HOA will appoint a landscape contractor after construction	Once a week, in conjunction with maintenance activities. Verify that runoff minimizing landscape design continues to function by checking that water sensors are functioning properly, that irrigation heads are adjusted properly to eliminate overspray to hardscape areas, and to verify that irrigation timing and cycle lengths are adjusted in accordance with water demands, given time of year, weather and day or night time temperatures.
Common Area Runoff Efficient Landscape Design	HOA will appoint a landscaping contractor	Once a week in conjunction with maintenance activities and prior to finalizing any replanting schemes. Verify that plants continue to be grouped according to similar water requirements in order to reduce excess irrigation runoff.
WetlandMOD Biofiltration Vaults	HOA	WetlandMOD Biofiltration Vaults maintenance will conform to manufacturer's specifications. Please see additional information in Appendix C
Pipe Detention System	HOA	Pipe Detention System maintenance will conform to manufacturer's specifications. Please see additional information in Appendix C

L. Operation/Maintenance Funding after Project Completion

The post-construction BMPs as described above will be funded and maintained by:

Mitchell Gardner
G3 Urban
15235 S. Western Avenue
Gardena, CA 90249
(925) 876-9985

Maintenance and requirements of the maintenance for the properties will be listed in the Convent, Conditions and Restrictions (CC&Rs) of this project and will be the responsibility of the property owner at all times. These CC&Rs will be recorded to the property at the County Recorder's Office and be included on the Title report of these properties.

Figure 1:
Project Vicinity Map



VICINITY MAP
N.T.S.

11709 ARTESIA BOULEVARD

ARTESIA, CALIFORNIA

Figure 2:
BMP Exhibit

PRELIMINARY LID EXHIBIT





VICINITY MAP

N.T.S.

LEGEND:

- DRAINAGE MANAGEMENT AREA (DMA) BOUNDARY
- SITE BOUNDARY
- EXISTING RIGHT OF WAY
- EXISTING LOT LINE
- FLOW DIRECTION
- FLOW LINE
- PERVIOUS AREA

BEST MANAGEMENT PRACTICES:

- SE-7 — PRIVATE STREET SWEEPING
- SD-10 — SITE DESIGN & LANDSCAPE PLANNING
- SD-11 — ROOF RUNOFF CONTROLS
- SD-12 — EFFICIENT IRRIGATION
- SD-13 — STORM DRAIN SIGNAGE
- BIO-1 — MODULAR WETLAND SYSTEM

DMA	COLOR	LANDUSE	AREA (AC)	IMPERVIOUS %	1.5x SWQDV (CF)	TREATMENT CAPACITY
A		RESIDENTIAL	3.30	90%	12,712.8	12,712.8

NOTE: PROPOSED DEVELOPMENT IMPERVIOUS COVERS ARE DELINEATED PER LANDSCAPE PLAN PER THIS EXHIBIT.

SCALE: 1" = 30'

15 30 60

REVISIONS

NO.	DATE	DESCRIPTION	BY

C&V CONSULTING, INC.
CIVIL ENGINEERING
LAND PLANNING & SURVEYING
9830 IRVINE CENTER DRIVE
IRVINE, CALIFORNIA 92618
(949) 916-3800
INFO@CVC-INC.NET
WWW.CVC-INC.NET

VTTM NO. 83834
11709 ARTESIA BOULEVARD
CITY OF ARTESIA
COUNTY OF LOS ANGELES, CALIFORNIA
SHEET 1 OF 1 SHEETS

DWG: P:\JOBS\18-000\dwg\Sheets\LID\18-000-PRE.dwg BY: Adam Jun 10, 2022 - 3:02:23pm
PROJ: 18-000

Figure 3:
Impaired Waters

COUNTY OF LOS ANGELES

SAN GABRIEL RIVER WATERSHED

San Gabriel River Watershed

Proposed Project Site

LEGEND

- SAN GABRIEL RIVER WATERSHED
- UNINCORPORATED AREA
- DAM / LAKE / RESERVOIR
- MAJOR RIVER
- MAJOR CHANNEL

MILES
0 0.875 1.75 3.5

Data contained in this map is produced in whole or part from the Los Angeles County Department of Public Works' digital database.

REF: \\pwgis02\mpmgis\MPMGIS\projects\mpm\gismaps\wk_2627\SanGabrielRiver_wtrshed.mxd DATE: 08/21/07

Mapping & Property Management Division, Mapping & GIS Services Section

Appendix A:
Volume and Flowrate Calculations & Hydrologic Report

The proposed development was analyzed for the 0.75-in storm event and the 85th Percentile storm event using the LACDPW HydroCalc software. The governing stormwater runoff volume between the two storm events was utilized for design. In accordance with the LA County BMP Design Manual, a factor of 1.5 was applied to obtain the design volume. Below is a summary of the HydroCalc outputs:

DMA	85th Percentile Storm ✓		0.75-in Storm		Governing Volume (cfs)	SWQDV x 1.5 (cfs)
	Volume (cf)	Flowrate (cfs)	Volume (cf)	Flowrate (cfs)		
A	8,475.2	0.931	7,306.2	0.743	8,475.2	12,712.8

Refer to LACDPW HydroCalc Output Data within this Appendix for Volume and Flowrate Calculations.

Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/LID/Appendix A - HydroCalc/GTHR-006 - DMA-A_0.75in.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A
Area (ac)	3.3
Flow Path Length (ft)	123.0
Flow Path Slope (vft/hft)	0.0073
0.75-inch Rainfall Depth (in)	0.75
Percent Impervious	0.9
Soil Type	6
Design Storm Frequency	0.75 inch storm
Fire Factor	0
LID	True

Output Results

Modeled (0.75 inch storm) Rainfall Depth (in)	0.75
Peak Intensity (in/hr)	0.2856
Undeveloped Runoff Coefficient (Cu)	0.1
Developed Runoff Coefficient (Cd)	0.82
Time of Concentration (min)	13.0
Clear Peak Flow Rate (cfs)	0.7728
Burned Peak Flow Rate (cfs)	0.7728
24-Hr Clear Runoff Volume (ac-ft)	0.1677
24-Hr Clear Runoff Volume (cu-ft)	7306.2156



Peak Flow Hydrologic Analysis

File location: P:/G/GTHR-006/Admin/Reports/LID/Appendix A - HydroCalc/GTHR-006 - DMA-A_85%.pdf
Version: HydroCalc 1.0.3

Input Parameters

Project Name	GTHR-006
Subarea ID	DMA-A
Area (ac)	3.3
Flow Path Length (ft)	123.0
Flow Path Slope (vft/hft)	0.0073
85th Percentile Rainfall Depth (in)	0.87
Percent Impervious	0.9
Soil Type	6
Design Storm Frequency	85th percentile storm
Fire Factor	0
LID	True

Output Results

Modeled (85th percentile storm) Rainfall Depth (in)	0.87
Peak Intensity (in/hr)	0.344
Undeveloped Runoff Coefficient (Cu)	0.1
Developed Runoff Coefficient (Cd)	0.82
Time of Concentration (min)	12.0
Clear Peak Flow Rate (cfs)	0.9308
Burned Peak Flow Rate (cfs)	0.9308
24-Hr Clear Runoff Volume (ac-ft)	0.1946
24-Hr Clear Runoff Volume (cu-ft)	8475.2074



Appendix B:
Site BMPs

Street Sweeping and Vacuuming SE-7



Categories		
EC	Erosion Control	
SE	Sediment Control	☒
TC	Tracking Control	☑
WE	Wind Erosion Control	
NS	Non-Stormwater Management Control	
WM	Waste Management and Materials Pollution Control	

Legend:
☑ **Primary Objective**
☒ **Secondary Objective**

Targeted Constituents	
Sediment	☑
Nutrients	
Trash	☑
Metals	
Bacteria	
Oil and Grease	☑
Organics	

Potential Alternatives

None

Description and Purpose

Street sweeping and vacuuming includes use of self-propelled and walk-behind equipment to remove sediment from streets and roadways, and to clean paved surfaces in preparation for final paving. Sweeping and vacuuming prevents sediment from the project site from entering storm drains or receiving waters.

Suitable Applications

Sweeping and vacuuming are suitable anywhere sediment is tracked from the project site onto public or private paved streets and roads, typically at points of egress. Sweeping and vacuuming are also applicable during preparation of paved surfaces for final paving.

Limitations

Sweeping and vacuuming may not be effective when sediment is wet or when tracked soil is caked (caked soil may need to be scraped loose).

Implementation

- Controlling the number of points where vehicles can leave the site will allow sweeping and vacuuming efforts to be focused, and perhaps save money.
- Inspect potential sediment tracking locations daily.
- Visible sediment tracking should be swept or vacuumed on a daily basis.
- Do not use kick brooms or sweeper attachments. These tend to spread the dirt rather than remove it.

- If not mixed with debris or trash, consider incorporating the removed sediment back into the project

Costs

Rental rates for self-propelled sweepers vary depending on hopper size and duration of rental. Expect rental rates from $58/hour (3 yd^3 hopper) to $88/hour (9 yd^3 hopper), plus operator costs. Hourly production rates vary with the amount of area to be swept and amount of sediment. Match the hopper size to the area and expect sediment load to minimize time spent dumping.

Inspection and Maintenance

- Inspect BMPs prior to forecast rain, daily during extended rain events, after rain events, weekly during the rainy season, and at two-week intervals during the non-rainy season.
- When actively in use, points of ingress and egress must be inspected daily.
- When tracked or spilled sediment is observed outside the construction limits, it must be removed at least daily. More frequent removal, even continuous removal, may be required in some jurisdictions.
- Be careful not to sweep up any unknown substance or any object that may be potentially hazardous.
- Adjust brooms frequently; maximize efficiency of sweeping operations.
- After sweeping is finished, properly dispose of sweeper wastes at an approved dumpsite.

References

Stormwater Quality Handbooks - Construction Site Best Management Practices (BMPs) Manual, State of California Department of Transportation (Caltrans), November 2000.

Labor Surcharge and Equipment Rental Rates, State of California Department of Transportation (Caltrans), April 1, 2002 – March 31, 2003.

Site Design & Landscape Planning SD-10

Design Objectives

- ☑ Maximize Infiltration
- ☑ Provide Retention
- ☑ Slow Runoff
- ☑ Minimize Impervious Land Coverage
- Prohibit Dumping of Improper Materials
- Contain Pollutants
- Collect and Convey

Description

Each project site possesses unique topographic, hydrologic, and vegetative features, some of which are more suitable for development than others. Integrating and incorporating appropriate landscape planning methodologies into the project design is the most effective action that can be done to minimize surface and groundwater contamination from stormwater.

Approach

Landscape planning should couple consideration of land suitability for urban uses with consideration of community goals and projected growth. Project plan designs should conserve natural areas to the extent possible, maximize natural water storage and infiltration opportunities, and protect slopes and channels.

Suitable Applications

Appropriate applications include residential, commercial and industrial areas planned for development or redevelopment.

Design Considerations

Design requirements for site design and landscapes planning should conform to applicable standards and specifications of agencies with jurisdiction and be consistent with applicable General Plan and Local Area Plan policies.

CASQA
CALIFORNIA STORMWATER QUALITY ASSOCIATION

Designing New Installations

Begin the development of a plan for the landscape unit with attention to the following general principles:

- Formulate the plan on the basis of clearly articulated community goals. Carefully identify conflicts and choices between retaining and protecting desired resources and community growth.
- Map and assess land suitability for urban uses. Include the following landscape features in the assessment: wooded land, open unwooded land, steep slopes, erosion-prone soils, foundation suitability, soil suitability for waste disposal, aquifers, aquifer recharge areas, wetlands, floodplains, surface waters, agricultural lands, and various categories of urban land use. When appropriate, the assessment can highlight outstanding local or regional resources that the community determines should be protected (e.g., a scenic area, recreational area, threatened species habitat, farmland, fish run). Mapping and assessment should recognize not only these resources but also additional areas needed for their sustenance.

Project plan designs should conserve natural areas to the extent possible, maximize natural water storage and infiltration opportunities, and protect slopes and channels.

Conserve Natural Areas during Landscape Planning

If applicable, the following items are required and must be implemented in the site layout during the subdivision design and approval process, consistent with applicable General Plan and Local Area Plan policies:

- Cluster development on least-sensitive portions of a site while leaving the remaining land in a natural undisturbed condition.
- Limit clearing and grading of native vegetation at a site to the minimum amount needed to build lots, allow access, and provide fire protection.
- Maximize trees and other vegetation at each site by planting additional vegetation, clustering tree areas, and promoting the use of native and/or drought tolerant plants.
- Promote natural vegetation by using parking lot islands and other landscaped areas.
- Preserve riparian areas and wetlands.

Maximize Natural Water Storage and Infiltration Opportunities Within the Landscape Unit

- Promote the conservation of forest cover. Building on land that is already deforested affects basin hydrology to a lesser extent than converting forested land. Loss of forest cover reduces interception storage, detention in the organic forest floor layer, and water losses by evapotranspiration, resulting in large peak runoff increases and either their negative effects or the expense of countering them with structural solutions.
- Maintain natural storage reservoirs and drainage corridors, including depressions, areas of permeable soils, swales, and intermittent streams. Develop and implement policies and

regulations to discourage the clearing, filling, and channelization of these features. Utilize them in drainage networks in preference to pipes, culverts, and engineered ditches.

- Evaluating infiltration opportunities by referring to the stormwater management manual for the jurisdiction and pay particular attention to the selection criteria for avoiding groundwater contamination, poor soils, and hydrogeological conditions that cause these facilities to fail. If necessary, locate developments with large amounts of impervious surfaces or a potential to produce relatively contaminated runoff away from groundwater recharge areas.

Protection of Slopes and Channels during Landscape Design

- Convey runoff safely from the tops of slopes.
- Avoid disturbing steep or unstable slopes.
- Avoid disturbing natural channels.
- Stabilize disturbed slopes as quickly as possible.
- Vegetate slopes with native or drought tolerant vegetation.
- Control and treat flows in landscaping and/or other controls prior to reaching existing natural drainage systems.
- Stabilize temporary and permanent channel crossings as quickly as possible, and ensure that increases in run-off velocity and frequency caused by the project do not erode the channel.
- Install energy dissipaters, such as riprap, at the outlets of new storm drains, culverts, conduits, or channels that enter unlined channels in accordance with applicable specifications to minimize erosion. Energy dissipaters shall be installed in such a way as to minimize impacts to receiving waters.
- Line on-site conveyance channels where appropriate, to reduce erosion caused by increased flow velocity due to increases in tributary impervious area. The first choice for linings should be grass or some other vegetative surface, since these materials not only reduce runoff velocities, but also provide water quality benefits from filtration and infiltration. If velocities in the channel are high enough to erode grass or other vegetative linings, riprap, concrete, soil cement, or geo-grid stabilization are other alternatives.
- Consider other design principles that are comparable and equally effective.

Redeveloping Existing Installations

Various jurisdictional stormwater management and mitigation plans (SUSMP, WQMP, etc.) define "redevelopment" in terms of amounts of additional impervious area, increases in gross floor area and/or exterior construction, and land disturbing activities with structural or impervious surfaces. The definition of " redevelopment" must be consulted to determine whether or not the requirements for new development apply to areas intended for redevelopment. If the definition applies, the steps outlined under "designing new installations" above should be followed.

Redevelopment may present significant opportunity to add features which had not previously been implemented. Examples include incorporation of depressions, areas of permeable soils, and swales in newly redeveloped areas. While some site constraints may exist due to the status of already existing infrastructure, opportunities should not be missed to maximize infiltration, slow runoff, reduce impervious areas, disconnect directly connected impervious areas.

Other Resources

A Manual for the Standard Urban Stormwater Mitigation Plan (SUSMP), Los Angeles County Department of Public Works, May 2002.

Stormwater Management Manual for Western Washington, Washington State Department of Ecology, August 2001.

Model Standard Urban Storm Water Mitigation Plan (SUSMP) for San Diego County, Port of San Diego, and Cities in San Diego County, February 14, 2002.

Model Water Quality Management Plan (WQMP) for County of Orange, Orange County Flood Control District, and the Incorporated Cities of Orange County, Draft February 2003.

Ventura Countywide Technical Guidance Manual for Stormwater Quality Control Measures, July 2002.

Roof Runoff Controls SD-11

Rain Garden

Design Objectives

- ☑ Maximize Infiltration
- ☑ Provide Retention
- ☑ Slow Runoff
- Minimize Impervious Land Coverage
- Prohibit Dumping of Improper Materials
- ☑ Contain Pollutants
- Collect and Convey

Description

Various roof runoff controls are available to address stormwater that drains off rooftops. The objective is to reduce the total volume and rate of runoff from individual lots, and retain the pollutants on site that may be picked up from roofing materials and atmospheric deposition. Roof runoff controls consist of directing the roof runoff away from paved areas and mitigating flow to the storm drain system through one of several general approaches: cisterns or rain barrels; dry wells or infiltration trenches; pop-up emitters, and foundation planting. The first three approaches require the roof runoff to be contained in a gutter and downspout system. Foundation planting provides a vegetated strip under the drip line of the roof.

Approach

Design of individual lots for single-family homes as well as lots for higher density residential and commercial structures should consider site design provisions for containing and infiltrating roof runoff or directing roof runoff to vegetative swales or buffer areas. Retained water can be reused for watering gardens, lawns, and trees. Benefits to the environment include reduced demand for potable water used for irrigation, improved stormwater quality, increased groundwater recharge, decreased runoff volume and peak flows, and decreased flooding potential.

Suitable Applications

Appropriate applications include residential, commercial and industrial areas planned for development or redevelopment.

Design Considerations

Designing New Installations

Cisterns or Rain Barrels

One method of addressing roof runoff is to direct roof downspouts to cisterns or rain barrels. A cistern is an above ground storage vessel with either a manually operated valve or a permanently open outlet. Roof runoff is temporarily stored and then released for irrigation or infiltration between storms. The number of rain

CASQA
CALIFORNIA STORMWATER QUALITY ASSOCIATION

barrels needed is a function of the rooftop area. Some low impact developers recommend that every house have at least 2 rain barrels, with a minimum storage capacity of 1000 liters. Roof barrels serve several purposes including mitigating the first flush from the roof which has a high volume, amount of contaminants, and thermal load. Several types of rain barrels are commercially available. Consideration must be given to selecting rain barrels that are vector proof and childproof. In addition, some barrels are designed with a bypass valve that filters out grit and other contaminants and routes overflow to a soak-away pit or rain garden.

If the cistern has an operable valve, the valve can be closed to store stormwater for irrigation or infiltration between storms. This system requires continual monitoring by the resident or grounds crews, but provides greater flexibility in water storage and metering. If a cistern is provided with an operable valve and water is stored inside for long periods, the cistern must be covered to prevent mosquitoes from breeding.

A cistern system with a permanently open outlet can also provide for metering stormwater runoff. If the cistern outlet is significantly smaller than the size of the downspout inlet (say ¼ to ½ inch diameter), runoff will build up inside the cistern during storms, and will empty out slowly after peak intensities subside. This is a feasible way to mitigate the peak flow increases caused by rooftop impervious land coverage, especially for the frequent, small storms.

Dry wells and Infiltration Trenches

Roof downspouts can be directed to dry wells or infiltration trenches. A dry well is constructed by excavating a hole in the ground and filling it with an open graded aggregate, and allowing the water to fill the dry well and infiltrate after the storm event. An underground connection from the downspout conveys water into the dry well, allowing it to be stored in the voids. To minimize sedimentation from lateral soil movement, the sides and top of the stone storage matrix can be wrapped in a permeable filter fabric, though the bottom may remain open. A perforated observation pipe can be inserted vertically into the dry well to allow for inspection and maintenance.

In practice, dry wells receiving runoff from single roof downspouts have been successful over long periods because they contain very little sediment. They must be sized according to the amount of rooftop runoff received, but are typically 4 to 5 feet square, and 2 to 3 feet deep, with a minimum of 1-foot soil cover over the top (maximum depth of 10 feet).

To protect the foundation, dry wells must be set away from the building at least 10 feet. They must be installed in solids that accommodate infiltration. In poorly drained soils, dry wells have very limited feasibility.

Infiltration trenches function in a similar manner and would be particularly effective for larger roof areas. An infiltration trench is a long, narrow, rock-filled trench with no outlet that receives stormwater runoff. These are described under Treatment Controls.

Pop-up Drainage Emitter

Roof downspouts can be directed to an underground pipe that daylights some distance from the building foundation, releasing the roof runoff through a pop-up emitter. Similar to a pop-up irrigation head, the emitter only opens when there is flow from the roof. The emitter remains flush to the ground during dry periods, for ease of lawn or landscape maintenance.

Foundation Planting

Landscape planting can be provided around the base to allow increased opportunities for stormwater infiltration and protect the soil from erosion caused by concentrated sheet flow coming off the roof. Foundation plantings can reduce the physical impact of water on the soil and provide a subsurface matrix of roots that encourage infiltration. These plantings must be sturdy enough to tolerate the heavy runoff sheet flows, and periodic soil saturation.

Redeveloping Existing Installations

Various jurisdictional stormwater management and mitigation plans (SUSMP, WQMP, etc.) define "redevelopment" in terms of amounts of additional impervious area, increases in gross floor area and/or exterior construction, and land disturbing activities with structural or impervious surfaces. The definition of " redevelopment" must be consulted to determine whether or not the requirements for new development apply to areas intended for redevelopment. If the definition applies, the steps outlined under "designing new installations" above should be followed.

Supplemental Information

Examples

- City of Ottawa's Water Links Surface –Water Quality Protection Program
- City of Toronto Downspout Disconnection Program
- City of Boston, MA, Rain Barrel Demonstration Program

Other Resources

Hager, Marty Catherine, Stormwater, "Low-Impact Development", January/February 2003. www.stormh2o.com

Low Impact Urban Design Tools, Low Impact Development Design Center, Beltsville, MD. www.lid-stormwater.net

Start at the Source, Bay Area Stormwater Management Agencies Association, 1999 Edition

Efficient Irrigation SD-12

Design Objectives

- ☑ Maximize Infiltration
- ☑ Provide Retention
- ☑ Slow Runoff
- Minimize Impervious Land Coverage
- Prohibit Dumping of Improper Materials
- Contain Pollutants
- Collect and Convey

Description

Irrigation water provided to landscaped areas may result in excess irrigation water being conveyed into stormwater drainage systems.

Approach

Project plan designs for development and redevelopment should include application methods of irrigation water that minimize runoff of excess irrigation water into the stormwater conveyance system.

Suitable Applications

Appropriate applications include residential, commercial and industrial areas planned for development or redevelopment. (Detached residential single-family homes are typically excluded from this requirement.)

Design Considerations

Designing New Installations

The following methods to reduce excessive irrigation runoff should be considered, and incorporated and implemented where determined applicable and feasible by the Permittee:

- Employ rain-triggered shutoff devices to prevent irrigation after precipitation.
- Design irrigation systems to each landscape area's specific water requirements.
- Include design featuring flow reducers or shutoff valves triggered by a pressure drop to control water loss in the event of broken sprinkler heads or lines.
- Implement landscape plans consistent with County or City water conservation resolutions, which may include provision of water sensors, programmable irrigation times (for short cycles), etc.

CASQA
CALIFORNIA STORMWATER QUALITY ASSOCIATION

- Design timing and application methods of irrigation water to minimize the runoff of excess irrigation water into the storm water drainage system.
- Group plants with similar water requirements in order to reduce excess irrigation runoff and promote surface filtration. Choose plants with low irrigation requirements (for example, native or drought tolerant species). Consider design features such as:
  - Using mulches (such as wood chips or bar) in planter areas without ground cover to minimize sediment in runoff
  - Installing appropriate plant materials for the location, in accordance with amount of sunlight and climate, and use native plant materials where possible and/or as recommended by the landscape architect
  - Leaving a vegetative barrier along the property boundary and interior watercourses, to act as a pollutant filter, where appropriate and feasible
  - Choosing plants that minimize or eliminate the use of fertilizer or pesticides to sustain growth
- Employ other comparable, equally effective methods to reduce irrigation water runoff.

Redeveloping Existing Installations

Various jurisdictional stormwater management and mitigation plans (SUSMP, WQMP, etc.) define "redevelopment" in terms of amounts of additional impervious area, increases in gross floor area and/or exterior construction, and land disturbing activities with structural or impervious surfaces. The definition of " redevelopment" must be consulted to determine whether or not the requirements for new development apply to areas intended for redevelopment. If the definition applies, the steps outlined under "designing new installations" above should be followed.

Other Resources

A Manual for the Standard Urban Stormwater Mitigation Plan (SUSMP), Los Angeles County Department of Public Works, May 2002.

Model Standard Urban Storm Water Mitigation Plan (SUSMP) for San Diego County, Port of San Diego, and Cities in San Diego County, February 14, 2002.

Model Water Quality Management Plan (WQMP) for County of Orange, Orange County Flood Control District, and the Incorporated Cities of Orange County, Draft February 2003.

Ventura Countywide Technical Guidance Manual for Stormwater Quality Control Measures, July 2002.

Storm Drain Signage SD-13

Design Objectives

- Maximize Infiltration
- Provide Retention
- Slow Runoff
- Minimize Impervious Land Coverage
- ☑ Prohibit Dumping of Improper Materials
- Contain Pollutants
- Collect and Convey

Description

Waste materials dumped into storm drain inlets can have severe impacts on receiving and ground waters. Posting notices regarding discharge prohibitions at storm drain inlets can prevent waste dumping. Storm drain signs and stencils are highly visible source controls that are typically placed directly adjacent to storm drain inlets.

Approach

The stencil or affixed sign contains a brief statement that prohibits dumping of improper materials into the urban runoff conveyance system. Storm drain messages have become a popular method of alerting the public about the effects of and the prohibitions against waste disposal.

Suitable Applications

Stencils and signs alert the public to the destination of pollutants discharged to the storm drain. Signs are appropriate in residential, commercial, and industrial areas, as well as any other area where contributions or dumping to storm drains is likely.

Design Considerations

Storm drain message markers or placards are recommended at all storm drain inlets within the boundary of a development project. The marker should be placed in clear sight facing toward anyone approaching the inlet from either side. All storm drain inlet locations should be identified on the development site map.

Designing New Installations

The following methods should be considered for inclusion in the project design and show on project plans:

- Provide stenciling or labeling of all storm drain inlets and catch basins, constructed or modified, within the project area with prohibitive language. Examples include "NO DUMPING

CASQA
CALIFORNIA STORMWATER QUALITY ASSOCIATION

– DRAINS TO OCEAN" and/or other graphical icons to discourage illegal dumping.

- Post signs with prohibitive language and/or graphical icons, which prohibit illegal dumping at public access points along channels and creeks within the project area.

Note - Some local agencies have approved specific signage and/or storm drain message placards for use. Consult local agency stormwater staff to determine specific requirements for placard types and methods of application.

Redeveloping Existing Installations

Various jurisdictional stormwater management and mitigation plans (SUSMP, WQMP, etc.) define "redevelopment" in terms of amounts of additional impervious area, increases in gross floor area and/or exterior construction, and land disturbing activities with structural or impervious surfaces. If the project meets the definition of "redevelopment", then the requirements stated under " designing new installations" above should be included in all project design plans.

Additional Information

Maintenance Considerations

- Legibility of markers and signs should be maintained. If required by the agency with jurisdiction over the project, the owner/operator or homeowner's association should enter into a maintenance agreement with the agency or record a deed restriction upon the property title to maintain the legibility of placards or signs.

Placement

- Signage on top of curbs tends to weather and fade.

- Signage on face of curbs tends to be worn by contact with vehicle tires and sweeper brooms.

Supplemental Information

Examples

- Most MS4 programs have storm drain signage programs. Some MS4 programs will provide stencils, or arrange for volunteers to stencil storm drains as part of their outreach program.

Other Resources

A Manual for the Standard Urban Stormwater Mitigation Plan (SUSMP), Los Angeles County Department of Public Works, May 2002.

Model Standard Urban Storm Water Mitigation Plan (SUSMP) for San Diego County, Port of San Diego, and Cities in San Diego County, February 14, 2002.

Model Water Quality Management Plan (WQMP) for County of Orange, Orange County Flood Control District, and the Incorporated Cities of Orange County, Draft February 2003.

Ventura Countywide Technical Guidance Manual for Stormwater Quality Control Measures, July 2002.

Trash Storage Areas SD-32

Description

Trash storage areas are areas where a trash receptacle (s) are located for use as a repository for solid wastes. Stormwater runoff from areas where trash is stored or disposed of can be polluted. In addition, loose trash and debris can be easily transported by water or wind into nearby storm drain inlets, channels, and/or creeks. Waste handling operations that may be sources of stormwater pollution include dumpsters, litter control, and waste piles.

Approach

This fact sheet contains details on the specific measures required to prevent or reduce pollutants in stormwater runoff associated with trash storage and handling. Preventative measures including enclosures, containment structures, and impervious pavements to mitigate spills, should be used to reduce the likelihood of contamination.

Design Objectives

- Maximize Infiltration
- Provide Retention
- Slow Runoff
- Minimize Impervious Land Coverage
- Prohibit Dumping of Improper Materials
- ☑ Contain Pollutants
- Collect and Convey

Suitable Applications

Appropriate applications include residential, commercial and industrial areas planned for development or redevelopment. (Detached residential single-family homes are typically excluded from this requirement.)

Design Considerations

Design requirements for waste handling areas are governed by Building and Fire Codes, and by current local agency ordinances and zoning requirements. The design criteria described in this fact sheet are meant to enhance and be consistent with these code and ordinance requirements. Hazardous waste should be handled in accordance with legal requirements established in Title 22, California Code of Regulation.

Wastes from commercial and industrial sites are typically hauled by either public or commercial carriers that may have design or access requirements for waste storage areas. The design criteria in this fact sheet are recommendations and are not intended to be in conflict with requirements established by the waste hauler. The waste hauler should be contacted prior to the design of your site trash collection areas. Conflicts or issues should be discussed with the local agency.

Designing New Installations

Trash storage areas should be designed to consider the following structural or treatment control BMPs:

- Design trash container areas so that drainage from adjoining roofs and pavement is diverted around the area(s) to avoid run-on. This might include berming or grading the waste handling area to prevent run-on of stormwater.
- Make sure trash container areas are screened or walled to prevent off-site transport of trash.

CASQA
CALIFORNIA STORMWATER QUALITY ASSOCIATION

- Use lined bins or dumpsters to reduce leaking of liquid waste.
- Provide roofs, awnings, or attached lids on all trash containers to minimize direct precipitation and prevent rainfall from entering containers.
- Pave trash storage areas with an impervious surface to mitigate spills.
- Do not locate storm drains in immediate vicinity of the trash storage area.
- Post signs on all dumpsters informing users that hazardous materials are not to be disposed of therein.

Redeveloping Existing Installations

Various jurisdictional stormwater management and mitigation plans (SUSMP, WQMP, etc.) define "redevelopment" in terms of amounts of additional impervious area, increases in gross floor area and/or exterior construction, and land disturbing activities with structural or impervious surfaces. The definition of " redevelopment" must be consulted to determine whether or not the requirements for new development apply to areas intended for redevelopment. If the definition applies, the steps outlined under "designing new installations" above should be followed.

Additional Information

Maintenance Considerations

The integrity of structural elements that are subject to damage (i.e., screens, covers, and signs) must be maintained by the owner/operator. Maintenance agreements between the local agency and the owner/operator may be required. Some agencies will require maintenance deed restrictions to be recorded of the property title. If required by the local agency, maintenance agreements or deed restrictions must be executed by the owner/operator before improvement plans are approved.

Other Resources

A Manual for the Standard Urban Stormwater Mitigation Plan (SUSMP), Los Angeles County Department of Public Works, May 2002.

Model Standard Urban Storm Water Mitigation Plan (SUSMP) for San Diego County, Port of San Diego, and Cities in San Diego County, February 14, 2002.

Model Water Quality Management Plan (WQMP) for County of Orange, Orange County Flood Control District, and the Incorporated Cities of Orange County, Draft February 2003.

Ventura Countywide Technical Guidance Manual for Stormwater Quality Control Measures, July 2002.

BIO-1: Biofiltration

Definition

A biofiltration area is a vegetated shallow depression that is designed to receive and treat stormwater runoff from downspouts, piped inlets, or sheet flow from adjoining paved areas. A shallow ponding zone is provided above the vegetated surface for temporary storage of stormwater runoff. During storm events, stormwater runoff accumulates in the ponding zone and gradually infiltrates the surface and filters through the biofiltration soil media before being collected by an underdrain system.

Stormwater runoff treatment occurs through a variety of natural mechanisms as stormwater runoff filters through the vegetation root zone. In biofiltration areas, microbes and organic material in the biofiltration soil media help promote the adsorption of pollutants (e.g., dissolved metals and petroleum hydrocarbons) into the soil matrix. Plants utilize soil moisture and promote the drying of the soil through transpiration. Biofiltration areas are typically planted with native, drought-tolerant plant species that do not require fertilization and can withstand wet soils for at least 96 hours.

A schematic of a typical biofiltration area is presented in Figure E-7.

LID Ordinance Requirements

Biofiltration can be used as an alternative compliance measure.

Pollutant of Concern	Treated by Biofiltration?
Suspended solids	No
Total phosphorus	No
Total nitrogen	Yes
Total Kjeldahl nitrogen	Yes
Cadmium, total	No
Chromium, total	Yes
Copper, total	No
Lead, total	Yes
Zinc, total	No

Source: Treatment Best Management Practices Performance, Los Angeles Regional Water Quality Control Board, December 9, 2013.

Advantages

- Has a low cost for installation
- Enhances site aesthetics
- Requires little maintenance

Disadvantages

- May require individual owner/tenants to perform maintenance



Figure E-7. Biofiltration Area Schematic

General Constraints and Implementation Considerations

- Biofiltration areas can be applied in various settings including, but not limited to:
  - Individual lots for rooftop, driveway, and other on-site impervious surface
  - Shared facilities located in common areas for individual lots
  - Areas within loop roads or cul-de-sacs
  - Landscaped parking lot islands
  - Within right-of-ways along roads
  - Common landscaped areas in apartment complexes or other multi-family housing designs
  - Parks and along open space perimeter
- If tire curbs are provided and parking stalls are shortened, cars are allowed to overhang the biofiltration area.
- Biofiltration areas must be located sufficiently far from structure foundations to avoid damage to structures (as determined by a certified structural or geotechnical engineer).
- Any parking areas bordering the biofiltration area must be monolithically poured concrete or deepended curb concrete to provide structural stability to the adjacent parking section.
- Geomembrane liners must be used in areas subject to spills or pollutant hot spots.
- During construction activities should avoid compaction of native soils below planting media layer or gravel zone.
- Stormwater runoff must be diverted around the biofiltration area during the period of vegetation establishment. If diversion is not feasible, the graded and seeded areas must be protected with suitable sediment controls (i.e., silt fences).All damaged areas should be repaired, seeded, or re-planted immediately.
- The general landscape irrigation system should incorporate the biofiltration area, as applicable.

Design Specifications

The following sections describe the design specifications for biofiltration areas.

Geotechnical

Due to the potential to contaminate groundwater, cause slope instability, impact surrounding structures, and potential for insufficient infiltration capacity, an extensive geotechnical site investigation must be conducted during the site planning process to verify site suitability for biofiltration. All geotechnical investigations must be performed according to the most recent GMED Policy GS 200.1. Soil infiltration rates and the

groundwater table depth must be evaluated to ensure that conditions are satisfactory for proper operation of a biofiltration area. The project applicant must demonstrate through infiltration testing, soil logs, and the written opinion of a licensed civil engineer that sufficiently permeable soils exist on-site to allow the construction of a properly functioning biofiltration system.

Biofiltration areas are appropriate for soils with a minimum corrected in-situ infiltration rate of 0.3 in/hr. The geotechnical report must determine if the proposed project site is suitable for a biofiltration area and must recommend a design infiltration rate (see "Design Infiltration Rate" under the "Sizing" section). The geotechnical investigation should be such that a good understanding is gained as to how the stormwater runoff will move through the soil (horizontally or vertically) and if there are any geological conditions that could inhibit the movement of water.

Pretreatment

Pretreatment refers to design features that provide settling of large particles before stormwater runoff enters a stormwater quality control measure in order to reduce the long-term maintenance burden. Pretreatment should be provided to reduce the sediment load entering a biofiltration area in order to maintain the infiltration rate of the biofiltration area. To ensure that biofiltration areas are effective, the project applicant must incorporate pretreatment devices that provide sediment removal (e.g., vegetated swales, vegetated filter strips, sedimentation manholes, and proprietary devices). The use of at least two pretreatment devices is highly recommended for biofiltration areas.

Geometry

- Biofiltration areas must be sized to capture and treat 1.5 times the SWQDv that is not reliably retained on the project site with an 18-inch maximum ponding depth.
- The planting soil depth must be a minimum of two feet, although three feet is preferred. The planting soil depth should provide a beneficial root zone for the chosen vegetation and adequate water storage for the stormwater runoff. A deeper planting soil depth will also provide a smaller surface area footprint.
- A gravel storage layer below the biofiltration area soil media is required to provide adequate temporary storage to retain 1.5 times the SWQDv that is not reliably retained on the project site and to promote infiltration.

Sizing

Biofiltration areas are sized using a simple sizing method where 1.5 times the SWQDv that is not reliably retained on the project site must be completely filtered within 96 hours. If the incoming stormwater runoff flow rate is lower than the long term filtration rate, above ground storage does not need to be provided. If the incoming stormwater runoff flow rate is higher than the long term filtration rate, above ground storage shall be provided (see steps below).

Step 1: Calculate the design volume

Biofiltration areas should be sized to capture and treat 1.5 times the portion of the SWQDv (see Section 6 for SWQDv calculation procedures) that is not reliability retained on the project site, as calculated by the equation below:

$$V_B = 1.5 \times (SWQDv - V_R)$$

Where:

V_B = Biofiltration volume [ft^3];
SWQDv = Stormwater quality design volume [ft^3]; and
V_R = Volume of stormwater runoff reliably retained on-site [ft^3].

Step 2: Calculate the design infiltration rate

Determine the corrected in-situ infiltration rate (f_{design}) of the native soil using the procedures described in the most recent GMED Policy GS 200.1.

Step 3: Calculate the surface area

Select a surface ponding depth (d) that satisfies the geometric criteria and meets the site constraints. Selecting a deeper ponding depth (up to 1.5 ft) generally yields a smaller footprint, however, it will require greater consideration for public safety, energy dissipation, and plant selection.

Calculate the time for the selected ponding depth to filter through the planting media using the following equation:

$$\mathrm{d} = t_p \times \frac{\mathrm{f_{design}}}{12}$$

Where:

d = Ponding depth (max 1.5 ft) [ft];
t_p = Required detention time for surface ponding (max 96 hr) [hr]; and
f_{design} = Design infiltration rate [in/hr].

If t_p exceeds 96 hours, reduce surface ponding depth (d). In nearly all cases, t_p should not approach 96 hours unless f_{design} is low.

Calculate the required infiltrating surface (filter bottom area) using the following equation:

$$A = \frac{V_B}{d}$$

Where:

A = Bottom surface area of biofiltration area [ft^2];
V_B = Biofiltration design volume [ft^3]; and
d = Ponding depth (max 1.5 ft) [ft].

Flow Entrance and Energy Dissipation

Maintain a minimum slope of 1 percent for pervious surfaces and 0.5 percent for impervious surfaces to the biofiltration area inlet. The following types of flow entrance can be used for biofiltration cells:

- Level spreaders (i.e., slotted curbs) can be used to facilitate sheet flow.
- Dispersed, low velocity flow across a landscape area. Dispersed flow may not be possible given space limitations or if the biofiltration area is controlling roadway or parking lot flows where curbs are mandatory.
- Dispersed flow across pavement or gravel and past wheel stops for parking areas.
- Flow spreading trench around perimeter of biofiltration area. May be filled with pea gravel or vegetated with 3:1 side slopes similar to a swale. A vertical-walled open trench may also be used at the discretion of LACDPW.
- Curb cuts for roadside or parking lot areas, if approved by LACDPW: curb cuts should include rock or other erosion controls in the channel entrance to dissipate energy. Flow entrance should drop two to three inches from curb line and provide an area for settling and periodic removal of sediment and coarse material before flow dissipates to the remainder of the biofiltration area.
- Piped entrances, such as roof downspouts, should include rock, splash blocks, or other erosion controls at the entrance to dissipate energy and disperse flows.
- Woody plants (trees, shrubs, etc.) can restrict or concentrate flows and can be damaged by erosion around the root ball and must not be placed directly in the entrance flow path.

Drainage

Biofiltration areas must be designed to drain below the planting soil in less than 96 hours. Soils must be allowed to dry out periodically in order to restore hydraulic capacity to receive stormwater runoff from subsequent storm events, maintain infiltration rates, maintain adequate soil oxygen levels for healthy soil biota and vegetation, and provide proper soil conditions for biodegradation and retention of pollutants.

Underdrain

Biofiltration areas require an underdrain to collect and discharge stormwater runoff that has been filtered through the soil media, but not infiltrated, to another stormwater quality control measure, storm drain system, or receiving water. The underdrain must have a mainline diameter of eight inches using slotted PVC SDR 26 or PVC C9000. Slotted PVC allows for pressure water cleaning and root cutting, if necessary. The slotted pipe

should have two to four rows of slots cut perpendicular to the axis of the pipe or at right angles to the pitch of corrugations. Slots should be 0.04 to 0.1 inches wide with a length of 1 to 1.25 inches. Slots should be longitudinally-spaced such that the pipe has a minimum of one square inch opening per lineal foot and should face down.

The underdrain should be placed in a gravel envelope (Class 2 Permeable Material per Caltrans Spec. 68-1.025) that measures three feet wide and six inches deep. The underdrain is elevated from the bottom of the biofiltration area by six inches within the gravel envelope to create a fluctuating anaerobic/aerobic zone below the underdrain to facilitate denitrification within the anaerobic/anoxic zone and reduce nutrient concentrations. The top and sides of the underdrain pipe should be covered with gravel to a minimum depth of 12 inches. The underdrain and gravel envelope should be covered with a geomembrane liner to prevent clogging. The following aggregate should be used for the gravel envelope:

Particle Size (ASTM D422)	% Passing by Weight
¾ inch	100%
¼ inch	30-60%
#8	20-50%
#50	3-12%
#200	0-1%

Underdrains should be sloped at a minimum of 0.5 percent and must drain freely to an approved discharge point.

Rigid non-perforated observation pipes with a diameter equal to the underdrain diameter should be connected to the underdrain to provide a clean-out port as well as an observation well to monitor drainage rates. The wells/clean-outs should be connected to the perforated underdrain with the appropriate manufactured connections. The wells/clean-outs should extend six inches above the top elevation of the biofiltration area mulch, and should be capped with a lockable screw cap. The ends of underdrain pipes not terminating in an observation well/clean-out should also be capped.

Hydraulic Restriction Layer

Lateral infiltration pathways may need to be restricted due to the close proximity of roads, foundations, or other infrastructure. A geomembrane liner, or other equivalent waterproofing, may be placed along the vertical walls to reduce lateral flows. This geomembrane liner must have a minimum thickness of 30 mils and meet the requirements of Table E-12. Generally, waterproof barriers should not be placed on the bottom of the biofiltration unit, as this would prevent incidental infiltration which is important to meeting the required pollutant load reduction.

Table E-12. Geomembrane Liner Specifications for Biofiltration Areas

Parameter	Test Method	Specifications
Material		Nonwoven geomembrane liner
Unit weight		8 oz/yd^3 (minimum)
Filtration rate		0.08 in/sec (minimum)
Puncture strength	ASTM D-751 (Modified)	125 lbs (minimum)
Mullen burst strength	ASTM D-751	400 lb/in^2 (minimum)
Tensile strength	AST D-1682	300 lbs (minimum)
Equiv. opening size	US Standard Sieve	No. 80 (minimum)

Planting/Storage Media

- The planting media placed in the biofiltration area should achieve a long-term, in-place infiltration rate of at least 5 in/hr. Higher infiltration rates of up to 12 in/hr are permissible. The biofiltration soil media must retain sufficient moisture to support vigorous plant growth.
- The planting media mix must consist of 60 to 80 percent sand and 20 to 40 percent compost.
- Sand should be free of wood, waste, coatings such as clay, stone dust, carbonate, or any other deleterious material. All aggregate passing the No. 200 sieve size should be non-plastic. Sand for biofiltration should be analyzed by an accredited laboratory using #200, #100, #40, #30, #16, #8, #4, and 3/8 sieves (ASTM D422 or as approved by the local permitting authority) and meet the following gradations (Note: all sand complying with ASTM C33 for fine aggregate comply with the gradation requirements listed below):

Particle Size (ASTM D422)	% Passing by Weight
3/8 inch	100%
#4	90-100%
#8	70-100%
#16	40-95%
#30	15-70%
#40	5-55%
#110	0-15%
#200	0-5%

Note: The gradation of the sand component of the biofiltration soil media is believed to be a major factor in the infiltration rate of the media mix. If the desired hydraulic conductivity of the biofiltration soil media cannot be achieved within the specified proportions of sand and compost (#2), then it may be necessary to utilize sand at the coarser end of the range specified minimum percent passing.

- Compost should be a well-decomposed, stable, weed-free organic matter source derived from waste materials including yard debris, wood wastes, or other organic material not including manure or biosolids meeting standards developed by the USCC. The product shall be certified through the USCC STA Program (a compost testing and information disclosure program). Compost quality shall be verified via a laboratory analysis to be:
    - Feedstock materials must be specified and include one or more of the following: landscape/yard trimmings, grass clippings, food scraps, and agricultural crop residues.
    - pH between 6.5 and 8.0 (may vary with plant palette)
    - Organic Matter: 35 to 75 percent dry weight basis
    - Carbon and Nitrogen Ratio: 15:1 < C:N < 25:1
    - Maturity/Stability: Compost must have a dark brown color and a soil-like odor. Compost exhibiting a sour or putrid smell, containing recognizable grass or leaves, or is hot (120°F) upon delivery or rewetting is not acceptable.
    - Toxicity: any one of the following measures is sufficient to indicate non-toxicity:
        - NH_4:NH_3 < 3
        - Ammonium < 500 ppm, dry weight basis
        - Seed germination > 80 percent of control
        - Plant trials > 80 percent of control
        - Solvita® > 5 index value
    - Nutrient content:
        - Total Nitrogen content ≥ 0.9 percent preferred
        - Total Boron should be < 80 ppm; soluble boron < 2.5 ppm
    - Salinity: < 6.0 mmhos/cm
    - Compost for biofiltration area should be analyzed by an accredited laboratory using #200, ¼-inch, ½-inch, and 1-inch sieves (ASTM D422) and meet the gradation requirements in the table below:

Particle Size (ASTM D422)	% Passing by Weight
1 inch	99-100
½ inch	90-100
¼ inch	40-90
#200	2-10

Tests should be sufficiently recent to represent the actual material that is anticipated to be delivered to the site. If processes or sources used by the supplier have changed significantly since the most recent testing, new tests should be requested.

The gradation of compost used in biofiltration soil media is believed to play an important role in the saturated infiltration rate of the media. To achieve a higher saturated infiltration rate, it may be necessary to utilize compost at the coarser end of the range (minimum percent passing). The percent passing the #200 sieve (fines) is believed to be the most important factor in hydraulic conductivity.

In addition, coarser compost mix provides more heterogeneity of the biofiltration soil media, which is believed to be advantageous for more rapid development of soil structure needed to support healthy biological processes. This may be an advantage for plant establishment with lower nutrient and water input.

- Biofiltration soil media not meeting the above criteria should be evaluated on a case-by-case basis. Alternative biofiltration soil media must meet the following specifications:

  "Soils for biofiltration facilities must be sufficiently permeable to infiltrate stormwater runoff at a minimum of rate of 5 in/hr during the life of the facility, and provide sufficient retention of moisture and nutrients to support healthy vegetation." The following steps shall be followed by LACDPW to verify that alternative biofiltration soil media mixes meet the specification:

  - Submittals – The applicant must submit to LACDPW for approval:
    - A sample of mixed biofiltration soil media.
    - Certification from the soil supplier or an accredited laboratory that the biofiltration soil media meets the requirements of this specification.
    - Certification from an accredited geotechnical testing laboratory that the biofiltration soil media has an infiltration rate between 5 and 12 in/hr.
    - Organic content test results of the biofiltration soil media. Organic content test shall be performed in accordance with the Testing Methods for the Examination of Compost and Composting (TMECC) 05.07A, "Loss-On-Ignition Organic Matter Method".
    - Organic grain size analysis results of mixed biofiltration soil media performed in accordance with ASTM D422, Standard Test Method for Particle Size Analysis of Soils.
    - A description of the equipment and methods used to mix the sand and compost to produce the biofiltration soil media.
  - The name of the testing laboratory(ies) and the following information:

- Contact person(s)
- Address(es)
- Phone contact(s)
- E-mail address(es)
- Qualifications of laboratory(ies) and personnel including date of current certification by STA, ASTM, or approved equal.

o Biofiltration soils shall be analyzed by an accredited laboratory using #200 and ½-inch sieves (ASTM D422 or as approved by LACDPW), and meet the gradation described in the table below:

Particle Size (ASTM D422)	% Passing by Weight
½ inch	97-100
#200	2-5

- Biofiltration soil media shall be analyzed by an accredited geotechnical laboratory for the following tests:
  - o Moisture – density relationships (compaction tests) must be conducted on biofiltration soil media. Biofiltration soil media for the permeability test shall be compacted to 85 to 90 percent of the maximum dry density (ASTM D1557).
  - o Constant head permeability testing in accordance with ASTM D2434 shall be conducted on a minimum of two samples with a 6-inch mold and vacuum saturation.
- Mulch is recommended for the purpose of retaining moisture, preventing erosion, and minimizing weed growth. Projects subject to the California Model Water Efficiency Landscaping Ordinance (or comparable local ordinance) will be required to provide at least 2 inches of mulch. Aged mulch, also called compost mulch, reduces the ability of weeds to establish, keeps soil moist, and replenishes soil nutrients. Biofiltration areas must be covered with two to four inches (average three inches) of mulch at the start and an annual placement (preferably in June after weeding) of one to two inches of mulch beneath plants.
- The planting media design height must be marked appropriately, such as a collar on the overflow device or with a stake inserted two feet into the planting media and notched, to show biofiltration surface level and ponding level.

Vegetation

Prior to installation, a licensed landscape architect must certify that all plants, unless otherwise specifically permitted, conform to the standards of the current edition of American Standard for Nursery Stock as approved by the American Standards Institute, Inc. All plant grades shall be those established in the current edition of American Standards for Nursery Stock.

- Shade trees must have a single main trunk. Trunks must be free of branches below the following heights:

CALIPER (in)	Height (ft)
1½-2½	5
3	6

- Plants must be tolerant of summer drought, ponding fluctuations, and saturated soil conditions for 96 hours.
- It is recommended that a minimum of three types of tree, shrubs, and/or herbaceous groundcover species be incorporated to protect against facility failure due to disease and insect infestations of a single species.
- Native plant species and/or hardy cultivars that are not invasive and do not require chemical inputs must be used to the maximum extent practicable.

The biofiltration area should be vegetated to resemble a terrestrial forest community ecosystem, which is dominated by understory trees, a shrub layer, and herbaceous ground cover. Select vegetation that:

- Is suited to well-drained soil;
- Will be dense and strong enough to stay upright, even in flowing water;
- Has minimum need for fertilizers;
- Is not prone to pests and is consistent with Integrated Pest Management practices; and
- Is consistent with local water conservation ordinance requirements.

Irrigation System

Provide an irrigation system to maintain viability of vegetation, if applicable. The irrigation system must be designed to local code or ordinance specifications.

Restricted Construction Materials

The use of pressure-treated wood or galvanized metal at or around a biofiltration area is prohibited.

Overflow Device

An overflow device is required at the 18-inch ponding depth. The following, or equivalent, should be provided:

- A vertical PVC pipe (SDR 26) to act as an overflow riser.
- The overflow riser(s) should be eight inches or greater in diameter, so it can be cleaned without damage to the pipe.

- The inlet to the riser should be at the ponding depth (18 inches for fenced biofiltration areas and 6 inches for areas that are not fenced), and be capped with a spider cap to exclude floating mulch and debris. Spider caps should be screwed in or glued (e.g., not removable). The overflow device should convey stormwater runoff in excess of 1.5 times the SWQDv that is not reliably retained on the project site to an approved discharge location (another stormwater quality control measure, storm drain system, or receiving water).

Maintenance Requirements

Maintenance and regular inspections are important for proper function of biofiltration areas. Biofiltration areas require annual plant, soil, and mulch layer maintenance to ensure optimal infiltration, storage, and pollutant removal capabilities. In general, biofiltration maintenance requirements are typical landscape care procedures and include:

- Irrigate plants as needed during prolonged dry periods. In general, plants should be selected to be drought-tolerant and not require irrigation after establishment (two to three years).
- Inspect flow entrances, ponding area, and surface overflow areas periodically, and replace soil, plant material, and/or mulch layer in areas if erosion has occurred. Properly-designed facilities with appropriate flow velocities should not cause erosion except potentially during in extreme events. If erosion occurs, the flow velocities and gradients within the biofiltration area and flow dissipation and erosion protection strategies in the pretreatment area and flow entrance should be reassessed. If sediment is deposited in the biofiltration area, identify the source of the sediment within the tributary area, stabilize the source, and remove excess surface deposits.
- Prune and remove dead plant material as needed. Replace all dead plants, and if specific plants have a high mortality rate, assess the cause and, if necessary, replace with more appropriate species.
- Remove weeds as needed until plants are established. Weed removal should become less frequent if the appropriate plant species are used and planting density is attained.
- Select the proper soil mix and plants for optimal fertility, plant establishment, and growth to preclude the use of nutrient and pesticide supplements. By design, biofiltration facilities are located in areas where phosphorous and nitrogen levels are often elevated such that these should not be limiting nutrients. Addition of nutrients and pesticides may contribute pollutant loads to receiving waters.
- In areas where heavy metals deposition is likely (i.e., tributary areas to industrial, vehicle dealerships/repair, parking lots, roads), replace mulch annually. In areas where metals deposition is less likely (i.e., residential lots), replace or add mulch as needed to maintain a two to three inch depth at least once every two years.

- Analyze soil for fertility and pollutant levels if necessary. Biofiltration soil media are designed to maintain long-term fertility and pollutant processing capability.
- Eliminate standing water to prevent vector breeding.
- Inspect overflow devices for obstructions or debris, which should be removed immediately. Repair or replace damaged pipes upon discovery.
- Inspect, and clean if necessary, the underdrain.

A summary of potential problems that need to be addressed by maintenance activities is presented in Table E-13.

The County requires execution of a maintenance agreement to be recorded by the property owner for the on-going maintenance of any privately-maintained stormwater quality control measures. The property owner is responsible for compliance with the maintenance agreement. A sample maintenance agreement is presented in Appendix H.

Table E-13. Biofiltration Troubleshooting Summary

Problem	Conditions When Maintenance Is Needed	Maintenance Required
Vegetation	Overgrown vegetation	Mow and prune vegetation as appropriate.
	Presence of invasive, poisonous, nuisance, or noxious vegetation or weeds	Remove this vegetation and plant native species as needed.
Trash and Debris	Trash, plant litter, and dead leaves present	Remove and properly dispose of trash and debris.
Irrigation (if applicable)	Not functioning correctly	Check irrigation system for clogs or broken lines and repair as needed.
Inlet/Overflow	Inlet/overflow areas clogged with sediment and/or debris	Remove material.
	Overflow pipe blocked or broken	Repair as needed.
Erosion/Sediment Accumulation	Splash pads or spreader incorrectly placed Presence of erosion or sediment accumulation	Check inlet structure to ensure proper function. Repair, or replace if necessary, the inlet device. Repair eroded areas with gravel as needed. Re-grade the biofiltration area as needed.
Contaminants and Pollution	Any evidence of oil, gasoline, contaminants, or other pollutants	Remove any evidence of visual contamination from floatables such as oil and grease.
Standing water	Standing water observed more than 96 hours after storm event	Inspect, and clean as needed, the underdrain to ensure proper function. Clear clogs as needed. Remove and replace planter media (sand, gravel, topsoil, mulch) and vegetation.

Appendix C:
WetlandMOD System, Pipe Detention System

Preliminary details have been provided for this Preliminary LID. Project specific details and pre-treatment system detail will be provided during final engineering.

STORM WATER COLLECTION AND TREATMENT SYSTEM

11709 Artesia Boulevard Artesia, CA
12,817 cu ft

SPECIFICATION FOR CISTERN SYSTEM

THIS DOCUMENT WILL GOVERN THE FURNISHING AND INSTALLATION OF ALUMINIZED CORRUGATED METAL PIPE CISTERNS FOR UNDERGROUND WATER STORAGE FOR NOMINAL DIAMETERS 12" (300MM) THROUGH 120" (3000MM).

THE MANUFACTURER OF THE CISTERN SYSTEM SHALL BE ONE THAT HAS REGULARLY BEEN ENGAGED IN THE ENGINEERING DESIGN AND PRODUCTION OF THESE SYSTEMS AND WHICH HAS A HISTORY OF SUCCESSFUL PRODUCTION, ACCEPTABLE TO THE ENGINEER OF RECORD (EOR). IN ACCORDANCE WITH THE DRAWINGS, THE CISTERN SYSTEM SHALL BE SUPPLIED BY: SANTA FE WINWATER COMPANY, 10244 FREEMAN AVE, SANTA FE SPRINGS, CA 90670.
TEL: 1-562-777-9724

SAMPLING, TESTING, AND INSPECTION OF MATERIALS USED FOR MANUFACTURING OF THE CISTERN SYSTEM SHALL BE IN ACCORDANCE WITH APPLICABLE ASTM SPECIFICATIONS. ALL FABRICATION OF THE PRODUCT SHALL OCCUR WITHIN THE UNITED STATES UNLESS OTHERWISE NOTED.

THE CISTERN SHALL BE CAPABLE OF INSTALLATION IN SOIL WITH A pH RANGE OF 5 TO 9. FOR SOIL pH OUTSIDE THE RANGE OF 5 TO 9, CONSULT WITH SPECIFYING ENGINEER PRIOR TO ORDERING TO DETERMINE IF ADDITIONAL CISTERN COATING SYSTEM NEED BE CONSIDERED.

THE HYDRAULIC SYSTEM SHALL BE PRE-ASSEMBLED AND TESTED AT FACTORY PRIOR TO SHIPMENT. INSPECTION AND TESTING PROTOCOLS SHALL BE DECIDED BY THE SPECIFYING ENGINEER ACCORDING TO SYSTEM REQUIREMENTS. A COPY OF THE TEST REPORT MUST BE PROVIDED TO THE ENGINEER OF RECORD IF REQUESTED.

UPON REQUEST, THE CISTERN SYSTEM INLETS SHALL BE EQUIPPED WITH AN INLET CALMING DEVICE TO ALLOW INTRODUCTION OF WATER TO THE TANK WITH LITTLE TO NO TURBULENCE.

THE CISTERN SYSTEM SHALL BE FITTED WITH A MIN. 4" OUTLET OR PERFORATED MANHOLE COVERS FOR VENTING, DEPENDANT UPON SITE CONDITIONS AND DIRECTION BY SPECIFYING ENGINEER. OVERFLOW PIPE SHALL BE PROVIDED UPON REQUEST BY SPECIFYING ENGINEER.

SYSTEM TO MEET AASHTO HS20/HS25 LIVE LOADING, PER AASHTO LRFD SECTION 12.

ACCESS COVERS SHALL BE A MINIMUM OF 24-INCH DIAMETER TO PROVIDE ADEQUATE INSPECTION AND MAINTENANCE WITHOUT RESTRICTIONS AND OBSTRUCTIONS TO ENTRY INTO INTERIOR OF THE CISTERN. COVERS SHALL BE WATERTIGHT, DO NOT SLIDE, ROTATE, OR FLIP OPEN AND ARE CAPABLE OF SUPPORTING DESIGN LOADS.

PRIOR TO SHIPMENT, CISTERN SYSTEM MAY BE INSPECTED AT FACTORY BY OWNER'S AUTHORIZED REPRESENTATIVE UPON REQUEST.

INSTALLATION

THE CONTRACTOR SHALL FOLLOW OCCUPATIONAL SAFETY AND HEALTH ASSOCIATION (OSHA) GUIDELINES FOR SAFE PRACTICES IN EXECUTING THE INSTALLATION PROCESS IN ACCORDANCE WITH THE MANUFACTURER/SUPPLIER INSTALLATION RECOMMENDATIONS.

A NON-WOVEN GEOTEXTILE FILTER FABRIC IS RECOMMENDED TO BE INSTALLED IN EXCAVATION, OR OTHER MEASURES SHOULD BE TAKEN, TO PREVENT NATIVE SOIL FROM MIGRATING INTO THE INITIAL BACKFILL MATERIAL, WHEN REQUIRED BY THE GEOTECHNICAL ENGINEER OR E.O.R.

TRENCH BOTTOM (FOUNDATION) WITH UNSTABLE OR UNYIELDING MATERIAL SHALL BE EXCAVATED TO A DEPTH DIRECTED BY THE ENGINEER AND REPLACED WITH SUITABLE MATERIAL. FOR UNSTABLE MATERIALS, GEOTEXTILE MAY BE USED TO STABILIZE THE TRENCH BOTTOM, IF DIRECTED BY THE ENGINEER.

SUITABLE BEDDING MATERIAL SHALL BE CLASS I OR II, AS SPECIFIED BY ASTM D2321. MINIMUM BEDDING THICKNESS SHALL BE 4" (100 mm) AS MEASURED FROM OUTER PIPE DIAMETER.

INITIAL BACKFILL MATERIAL SHALL BE CLASS I OR II, AS SPECIFIED BY ASTM D2321. COMPACTION AND BACKFILL LIFTS SHALL BE IN ACCORDANCE WITH ASTM D2321. INITIAL BACKFILL SHALL EXTEND TO NOT LESS THAN 6" (150 mm) ABOVE THE TOP OF THE CISTERN.

MINIMUM COVER FOR UP TO H-25 TRAFFIC APPLICATIONS:
- 12" FOR PIPE DIAMETER UP TO 72" DIAMETER
- 18" FOR DIAMETER OVER 72".

MINIMUM COVER SHALL BE MEASURED FROM THE TOP OF THE PIPE TO BOTTOM OF FLEXIBLE PAVEMENT OR TO THE TOP OF RIGID PAVEMENT. ADDITIONAL COVER MAY BE REQUIRED FOR CONSTRUCTION LOADS, FOR VEHICLES OVER 75T (68 metric tons) OR TO PREVENT FLOATATION.

FINAL BACKFILL MATERIAL SHALL BE SUITABLE MATERIALS AS DIRECTED BY THE ENGINEER OR AS INDICATED BY MANUFACTURER. FOR AREAS SUBJECTED TO HEAVY TRAFFIC LOADING, A HIGHER DEGREE OF COMPACTION IS NECESSARY AND A SEPARATION LAYER OF NON-WOVEN GEOTEXTILE MAY BE REQUIRED. COMPACTION LEVELS AND/OR GEOTEXTILE MAY BE SPECIFIED AT THE DISCRETION OF THE DESIGN ENGINEER OR MANUFACTURER'S REPRESENTATIVE.

CONSULT THE INSTALLATION MANUAL FOR ADDITIONAL INFORMATION.

GENERAL NOTES

PRIOR TO COMMENCEMENT OF WORK, CONTRACTOR TO REVIEW MANUFACTURER'S INSTALLATION GUIDE. IT IS THE RESPONSIBILITY OF THE CONTRACTOR AND/OR PROJECT ENGINEER TO ENSURE THAT ALL QUESTIONS ABOUT INSTALLATION ARE ADDRESSED PRIOR TO APPROVAL OF SYSTEM. ALL DETAILS FOR INSTALLATION ARE LOCATED IN THIS DRAWING PACKAGE, OR UPON REQUEST TO PIPING MANUFACTURER. ANY QUESTIONS CONCERNING THESE STANDARD DETAILS CAN BE ADDRESSED BY THE CISTERN MANUFACTURER'S REPRESENTATIVE PRIOR TO APPROVAL.

ALL ELEVATIONS, DIMENSIONS AND LOCATIONS OF RISERS AND INLETS SHALL BE VERIFIED BY THE ENGINEER OF RECORD.

PRIOR TO INSTALLATION OF THE SYSTEM, A PRE-CONSTRUCTION MEETING SHALL BE CONDUCTED. THOSE REQUIRED TO ATTEND ARE THE SUPPLIER OF THE SYSTEM, THE GENERAL CONTRACTOR, SUB-CONTRACTORS AND THE ENGINEER.

CONTRACTOR(S) SHALL FURNISH ALL LABOR, MATERIALS, EQUIPMENT AND INCIDENTALS NECESSARY TO INSTALL THE CISTERN SYSTEM, APPURTENANCES AND INCIDENTALS IN ACCORDANCE WITH THE DRAWINGS AND AS SPECIFIED HEREIN.

A STORM WATER TREATMENT DEVICE UPSTREAM OF THE CISTERN SYSTEM IS RECOMMENDED AS THE APPROPRIATE MEANS OF PRETREATING TO EXTEND THE MAINTENANCE INTERVAL ON THE SYSTEM AND REDUCE LIFE CYCLE COSTS. BOTH ENGINEERED SOLUTIONS SHALL BE PROVIDED BY A SINGLE SUPPLIER/MANUFACTURER.

PRIOR TO SYSTEM START UP, ANY ACCUMULATED WATER AND DEBRIS SHALL BE REMOVED FROM THE CISTERN TANK(S) AND ANY ACCOMPANYING TREATMENT SYSTEMS AND PUMP VAULTS.

BELOW GRADE SYSTEM MARKING TAPE, IF REQUIRED BY LOCAL ORDINANCE, CAN BE SUPPLIED UPON REQUEST. CONTACT SFWW WITH REQUIREMENT DETAILS.

ALL ITEMS SHOWN SHALL BE PROVIDED BY SANTA FE WINWATER AS A COMPLETE STORMWATER MANAGEMENT SYSTEM. ANY SUBSTITUTIONS OR OMISSIONS MAY VOID WARRANTY.

SANTA FE Winwater COMPANY
10244 Freeman Ave, Santa Fe Springs, CA 90670
562-777-9724 / www.santafewinwater.com

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **SANTA FE WINWATER COMPANY**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SANTA FE WINWATER COMPANY IS PROHIBITED.

	NAME	DATE
DRAWN	CKL	6/9/22
CHECKED	MDF	6/9/22
ENG APPR.	CKL	6/9/22
REV		

TITLE:
11709 Artesia Blvd, Artesia, CA
Stormwater Treatment System
12817 cu ft

SIZE **B** | SHEET 1 OF 7

NOTES:

1. ALL ITEMS SHOWN SHALL BE PROVIDED BY SANTA FE WINWATER AS A COMPLETE STORMWATER MANAGEMENT SYSTEM. ANY SUBSTITUTIONS OR OMISSIONS MAY VOID WARRANTY.
2. MODULAR WETLAND TO BE MODEL WMS-6-24-5'-V, MANUFACTURED BY BIOCLEAN ENVIRONMENTAL SERVICES, INC. AND SUPPLIED BY SANTA FE WINWATER COMPANY.
3. STORAGE SYSTEM TO BE 96" ALUMINIZED CMP AS SUPPLIED BY SANTA FE WINWATER COMPANY.
4. SEE CIVIL SHEETS FOR UNIT LOCATIONS.
5. ALL DIMENSIONS AND ELEVATIONS SHOWN ARE NOMINAL DIMENSIONS. IT IS THE RESPONSIBILITY OF THE ON-SITE CONTRACTOR OR CUSTOMER TO VERIFY THE ACCURACY OF ANY CRITICAL DIMENSIONS OR ELEVATIONS PRIOR TO SETTING OR INSTALLING ANY EQUIPMENT.
6. ALL MATERIALS SHALL BE DELIVERED TO THE SITE AFTER EXCAVATIONS HAVE BEEN EXCAVATED AND SHORED. THE CONTRACTOR SHALL SUPPLY A CRANE OF SUFFICIENT SIZE TO LOWER ALL PIECES INTO THE HOLE SAFELY. THE CONTRACTOR SHALL INSTALL ALL ITEMS.
7. UPON ESTABLISHMENT OF PRIOR AGREEMENT, SANTA FE WINWATER COMPANY WILL PROVIDE A REPRESENTATIVE FOR TECHNICAL ASSISTANCE ON THE DAY OF INSTALLATION TO ANSWER ANY QUESTIONS THAT MAY ARISE.
8. THE CONTRACTOR IS RESPONSIBLE FOR ALL REINFORCED CONCRETE PADS AND COLLARS, PLUMBING AND ELECTRICAL CONNECTIONS AND INSTALLATION.
9. ALL COMPONENTS PROVIDED BY SANTA FE WINWATER SHALL BE SUITABLE FOR USE WITH OPERATIONAL AND ENVIRONMENTAL CONDITIONS.
10. PROVIDE MINIMUM 15" COVER FROM TOP OF CISTERNS TO BOTTOM OF ASPHALT CEMENT TO ACHIEVE H-20/H-25 LOADING CAPACITY.
11. SEE DETAIL SHEETS FOR DETAILS OF WETLAND MOD AND PUMP STATIONS.



SANTA FE Winwater COMPANY
10244 Freeman Ave, Santa Fe Springs, CA 90670
562-777-9724 / www.santafewinwater.com

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **SANTA FE WINWATER COMPANY**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SANTA FE WINWATER COMPANY IS PROHIBITED.

	NAME	DATE
DRAWN	CKL	6/9/22
CHECKED	MDF	6/9/22
ENG APPR.	CKL	6/9/22
REV		

TITLE:
11709 Artesia Blvd, Artesia, CA
Stormwater Treatment System
12817 cu ft

SIZE **B** | SHEET 2 OF 7



NOTES:

1. MOUNT PUMP CONTROLLER IN LOCATION SPECIFIED BY OWNER. FOR LOCATIONS GREATER THAN 15 FEET FROM VAULT, CONSULT WITH SFWW TO DETERMINE NEED FOR ADDITIONAL CABLE AND/OR EQUIPMENT.
2. LOCATIONS, ALIGNMENTS AND ELEVATIONS SHOWN SHALL BE CONFIRMED WITH CIVIL DRAWINGS.
3. PROVIDE MINIMUM 15" COVER FROM TOP OF CISTERNS TO FINISH GRADE TO ACHIEVE H-20/H-25 LOADING CAPACITY.
4. SEE DETAIL SHEETS FOR DETAILS OF WETLAND MOD AND PUMP STATION.
5. SEE CIVIL SHEETS FOR PIPE ROUTING.
6. INVERT ELEVATION OF OVERFLOW PIPE SHALL PEAK ABOVE INSIDE TOP OF CISTERN.

SANTA FE Winwater COMPANY
10244 Freeman Ave, Santa Fe Springs, CA 90670
562-777-9724 / www.santafewinwater.com

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **SANTA FE WINWATER COMPANY**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SANTA FE WINWATER COMPANY IS PROHIBITED.

	NAME	DATE
DRAWN	CKL	6/9/22
CHECKED	MDF	6/9/22
ENG APPR.	CKL	6/9/22
REV		

TITLE:
11709 Artesia Blvd, Artesia, CA
Stormwater Treatment System
12817 cu ft

SIZE **B** | SHEET 3 OF 7



NOTES:

1. MOUNT PUMP CONTROLLER IN LOCATION SPECIFIED BY OWNER. FOR LOCATIONS GREATER THAN 15 FEET FROM VAULT, CONSULT WITH SFWW TO DETERMINE NEED FOR ADDITIONAL CABLE AND/OR EQUIPMENT.
2. LOCATIONS, ALIGNMENTS AND ELEVATIONS SHOWN SHALL BE CONFIRMED WITH CIVIL DRAWINGS.
3. PROVIDE MINIMUM 15" COVER FROM TOP OF CISTERNS TO FINISH GRADE TO ACHIEVE H-20/H-25 LOADING CAPACITY.
4. SEE DETAIL SHEETS FOR DETAILS OF WETLAND MOD AND PUMP STATION.
5. SEE CIVIL SHEETS FOR PIPE ROUTING.
6. INVERT ELEVATION OF OVERFLOW PIPE SHALL PEAK ABOVE INSIDE TOP OF CISTERN.
7. FINISH GRADE ELEVATIONS SHOWN ON THIS SHEET ARE GENERIC AND DO NOT MATCH SITE CONDITIONS. THEY ARE USED TO SHOW RELATIVE DEPTH OF THE SYSTEM COMPONENTS.

SANTA FE Winwater COMPANY
10244 Freeman Ave, Santa Fe Springs, CA 90670
562-777-9724 / www.santafewinwater.com

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **SANTA FE WINWATER COMPANY**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SANTA FE WINWATER COMPANY IS PROHIBITED.

	NAME	DATE
DRAWN	CKL	6/9/22
CHECKED	MDF	6/9/22
ENG APPR.	CKL	6/9/22
REV		

TITLE:
11709 Artesia Blvd, Artesia, CA
Stormwater Treatment System
12817 cu ft

SIZE **B** | SHEET 4 OF 7









NOTES:

1. All materials shown on this sheet shall be supplied by Santa Fe WinWater Company, Santa Fe Springs, CA, except where noted. Pumps shall be SFWW SWP-3, 115v, 12A. Substitution of any component may void warranty.
2. Locate Pump Controller as required for site conditions or Owner direction. Route power and signal cable conduit to vault from controller accordingly. Connections shall be provided by Contractor.
3. Route 2" pump system outlet and 12" Overflow pipe as shown on Civil Sheets. 12" Overflow pipe not required for treatment discharge pump systems.
4. Contractor to provide concrete collar around manhole cover suitable for surface loading conditions.
5. Anti-Floatation flange to be provided on pump vault where required for groundwater conditions.
6. Pump performance requirements based on 96 hour drawdown of 12,817 cu ft = 16.5 gpm.

Pump Station Headloss Calculation (Hazen-Williams) (For Complete Calculations, please contact SFWW)	
Pipe length 2" PVC Sch80 = 66'	0.53'
Check Valve (1)	0.12'
90 Degree Bends (2)	0.07'
Tee (Main to branch)	0.09'
Pipe Exit (1)	0.05'
Elevation Head	9.25'
TOTAL DISCHARGE HEAD REQ'D @ 16.5gpm	**10.11'**

SANTA FE Winwater COMPANY
10244 Freeman Ave, Santa Fe Springs, CA 90670
562-777-9724 / www.santafewinwater.com

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **SANTA FE WINWATER COMPANY**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SANTA FE WINWATER COMPANY IS PROHIBITED.

	NAME	DATE
DRAWN	CKL	6/9/22
CHECKED	DB	6/9/22
ENG APPR.	CKL	6/9/22
REV		

TITLE:
11709 Artesia Blvd. Artesia, CA
Stromwater Feed Pump
Station

SIZE **B** | SHEET 5 OF 7









NOTES:

1. All materials shown on this sheet shall be supplied by Santa Fe WinWater Company, Santa Fe Springs, CA, except where noted. Pumps shall be SFWW SWP-4, 115v, 3A. Substitution of any component may void warranty.
2. Locate Pump Controller as required for site conditions or Owner direction. Route power and signal cable conduit to vault from controller accordingly. Connections shall be provided by Contractor.
3. Route 2" pump system outlet and 12" Overflow pipe as shown on Civil Sheets. 12" Overflow pipe not required for treatment discharge pump systems.
4. Contractor to provide concrete collar around manhole cover suitable for surface loading conditions.
5. Anti-Floatation flange to be provided on pump vault where required for groundwater conditions.
6. Pump performance requirements based on 96 hour drawdown of 12,817 cu ft = 16.5 gpm.

Headloss Calculations		
Fitting	Qty / Length	Headloss
Pipe (2")	10.2'	0.08'
Check Valve	1	0.12'
90 Elbow	2	0.07'
Tee	1	0.09'
Exit	1	0.05'
Elevation Head		5.25'
Total Headloss @ 16.5 gpm		5.67'

SANTA FE Winwater COMPANY
10244 Freeman Ave, Santa Fe Springs, CA 90670
562-777-9724 / www.santafewinwater.com

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **SANTA FE WINWATER COMPANY**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SANTA FE WINWATER COMPANY IS PROHIBITED.

	NAME	DATE
DRAWN	CKL	6/9/22
CHECKED	MDF	6/9/22
ENG APPR.	CKL	6/9/22
REV		

TITLE:
11709 Artesia Blvd, Artesia, CA
Stormwater Discharge Pump Station

SIZE **B** | SHEET 6 OF 7

SITE SPECIFIC DATA			
PROJECT ID			
PROJECT NAME		11709 Artesia Blvd	
PROJECT LOCATION		Artesia, CA	
STRUCTURE ID			
TREATMENT REQUIRED			
VOLUME BASED (CF)		FLOW BASED (CFS)	
12,712.80		---	
TREATMENT HGL AVAILABLE (FT)			---
PEAK BYPASS REQUIRED (CFS) – IF APPLICABLE			OFFLINE
PIPE DATA	I.E.	MATERIAL	DIAMETER
INLET PIPE	-1.67	PVC SCH80	2"
RETURN PIPE	-1.38	PVC SDR35	4"
OUTLET PIPE	-5.00	PVC–SDR35	6"
	PRETREATMENT	BIOFILTRATION	N/A
RIM ELEVATION	100.00	100.00	N/A
SURFACE LOAD	PEDESTRIAN	OPEN PLANTER	N/A
FRAME & COVER	36" X 36"	N/A	N/A
LA COUNTY MEDIA MIX VOLUME (CY)			---
GRAVEL LAYER WITHIN MEDIA CHAMBER (CY)			---
ORIFICE DIAMETER (IN)			---
NOTES: PRELIMINARY, NOT FOR CONSTRUCTION.			



PLAN VIEW



INLET VIEW



ELEVATION VIEW



OUTLET VIEW



INTERNAL CAGE DETAILS

REQUIRED HORIZ. MEDIA THICKNESS (INCHES)	24
TREATMENT VOLUME (CF)	12,712.80
TARGETED DRAINDOWN DURATION (HR)	96.0
WETLANDMEDIA INFILTRATION RATE (IN/HR)	12.0
WETLANDMEDIA LOADING RATE (GPM/SF)	0.12
DISCHARGE RATE (CFS)	0.04
REQUIRED TOTAL MEDIA SURFACE AREA (SF)	137.57
PROVIDED TOTAL MEDIA SURFACE AREA (SF)	140.92
NUMBER OF ROW(S)	1

INSTALLATION NOTES

1. CONTRACTOR TO PROVIDE ALL LABOR, EQUIPMENT, MATERIALS AND INCIDENTALS REQUIRED TO OFFLOAD AND INSTALL THE SYSTEM AND APPURTENANCES IN ACCORDANCE WITH THIS DRAWING AND THE MANUFACTURER'S SPECIFICATIONS, UNLESS OTHERWISE STATED IN MANUFACTURER'S CONTRACT.
2. UNIT MUST BE INSTALLED ON LEVEL BASE. MANUFACTURER RECOMMENDS A MINIMUM 6" LEVEL ROCK BASE UNLESS SPECIFIED BY THE PROJECT ENGINEER. CONTRACTOR IS RESPONSIBLE FOR VERIFYING PROJECT ENGINEER'S RECOMMENDED BASE SPECIFICATIONS.
3. ALL PIPES MUST BE FLUSH WITH INSIDE SURFACE OF CONCRETE. (PIPES CANNOT INTRUDE BEYOND FLUSH). INVERT OF OUTFLOW PIPE MUST BE FLUSH WITH DISCHARGE CHAMBER FLOOR. ALL GAPS AROUND PIPES SHALL BE SEALED WATER TIGHT WITH A NON–SHRINK GROUT PER MANUFACTURER'S STANDARD CONNECTION DETAIL AND SHALL MEET OR EXCEED REGIONAL PIPE CONNECTION STANDARDS.
4. CONTRACTOR TO SUPPLY AND INSTALL ALL EXTERNAL CONNECTING PIPES.
5. CONTRACTOR RESPONSIBLE FOR INSTALLATION OF ALL RISERS, MANHOLES, AND HATCHES. CONTRACTOR TO GROUT ALL MANHOLES AND HATCHES TO MATCH FINISHED SURFACE UNLESS SPECIFIED OTHERWISE.
6. DRIP OR SPRAY IRRIGATION REQUIRED ON ALL UNITS WITH VEGETATION.

GENERAL NOTES

1. MANUFACTURER TO PROVIDE ALL MATERIALS UNLESS OTHERWISE NOTED.
2. ALL DIMENSIONS, ELEVATIONS, SPECIFICATIONS AND CAPACITIES ARE SUBJECT TO CHANGE. FOR PROJECT SPECIFIC DRAWINGS DETAILING EXACT DIMENSIONS, WEIGHTS AND ACCESSORIES PLEASE CONTACT MANUFACTURER.

SANTA FE Winwater COMPANY

THE PRODUCT DESCRIBED MAY BE PROTECTED BY ONE OR MORE OF THE FOLLOWING US PATENTS: 7,425,262; 7,470,362; 7,674,378; 8,303,816; RELATED FOREIGN PATENTS OR OTHER PATENTS PENDING

PROPRIETARY AND CONFIDENTIAL:

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MODULAR WETLANDS SYSTEMS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MODULAR WETLANDS SYSTEMS IS PROHIBITED.

Bio Clean
A Forterra Company

WetlandMOD- 6-24.0-5.0 -V
STORMWATER BIOFILTRATION SYSTEM
STANDARD DETAIL

HDNS1227.6

MODULAR WETLANDS™

*Advanced **Stormwater** Biofiltration*



WetlandMod™

MODULAR WETLAND TREATMENT, VOLUME REDUCTION, REUSE & STORAGE SYSTEM

A NEW DIRECTION IN TRADITIONAL BIORETENTION / BIOFILTRATION SYSTEMS

Overview

Modular Wetland Systems, Inc. continues to provide groundbreaking stormwater treatment and volume reduction/control technology with the **WetlandMod™**. This modular system provides the same treatment train concept as the industry leading MWS Linear (Modular Wetland System Linear™) - screening, separation, & biofiltration - combined with the capacity to reduce and control water volume in a more efficient way when compared to traditional downward flow bioretention systems.



The system is built upon the concept of horizontal flow biofiltration, which was first introduced by the MWS Linear in 2007. Horizontal flow works with gravity, not against it, to prevent clogging, standing water and other problems associated with traditional downward flow bioretention systems. Bioretention systems have an inherent flaw, the force of gravity. As stormwater runoff carries pollutants into the system, including sediments and hydrocarbons, they are deposited on top of the bioretention media where it accumulates and quickly clogs the filter media.

It has been documented that sediment accumulation from just a few storm events can completely clog a bioretention system. This leads to drastically reduced infiltration rates, expensive maintenance burdens, and safety issues associated with standing water, depressed landscaping and vector control.

Downward Flow



Sediments Accumulate on Top of the Media Leading to Clogging

The **WetlandMod™** overcomes these challenges by utilizing pre-treatment, a horizontal flow biofiltration bed, and orifice flow control. The initial surface of the media bed in the **WetlandMod™** is oriented on a vertical plane, as opposed to horizontally, therefore running parallel with the force of gravity as opposed to perpendicular. This simple concept, increases surface area, reduces BMP footprint, prevents clogging and leads to an enhanced overall system with lower maintenance costs. The **WetlandMod™** can utilize various blends to meet local stormwater bioretention media specifications. The system is also available with an organic-free WetlandMEDIA to prevent nutrient leaching and maximize pollutant removal.





Biofiltration Chamber

Patented perimeter void area maximizes surface area and minimizes footprint, saving space and money. The perimeter void area allows water to penetrate the media bed, not only from the top, but from all four sides.

Pre-Treatment & Discharge Chamber

Configuration

One of the biggest challenges of the implementation of LID and bioretention/biofiltration systems is the associated space requirements. The large space requirements of traditional bioretention systems can cause design and feasibility issues, increasing the overall cost to comply with local and state stormwater regulations.

The **WetlandMod™** marks the first technological breakthrough to address how we comply with these regulations. The goal of the system is to minimize footprint and land costs associated with traditional bioretention/ biofiltration systems. This is acheived by utilizing horizontal flow technology and combining it with traditional downward flow, therefore maximizing the surface area for a given footprint.

Designed To Minimize Required BMP Footprint and Maximize Buildable Space

This system is constructed from modular precast concrete structures. The system comes standard with a curb-type pre-treatment structure, including internal bypass. The biofiltration chambers can be made in any length and shape (shown below) to allow for easy integration with parking lot island designs. The system comes in two standard widths, 4 feet (18" minimum media requirement - San Diego County) and 5 feet (24" minimum media requirement - Los Angeles County).

Footprint Reduction Up To 61% Over Traditional Bioretention Systems

(Example: Planter Boxes, Rain Gardens, Biofiltration)

Wetland Chamber Module



The *Wetland Chamber Module* is constructed of precast concrete and available in various lengths and heights. The chamber also includes rebar dowels to attach structure to curb and gutter. Units can be connected mechanically end-to-end for longer modules.

Pre-Treatment Chamber Module

Pre-treatment Chambers come standard with built-in curb inlets to intercept sheet flows from surrounding areas. The pre-treatment chamber is available with an optional internal bypass for high flows and it is easily accessible for quick maintenance. Trash, debris and sediments are isolated in a central location, minimizing maintenance requirements on the biofiltration chamber.



Curb Inlet

Configurations

Open Bottom - Infiltration

This configuration is available with an open basin to maximize infiltration and meet "partial infiltration" requirements in many jurisdictions. A 12" rock base is recommended under the structure to maximize storage and infiltration capacity.



Cistern - Storage For Reuse

An optional storage vessel under the biofiltration chamber stores water for reuse, including irrigation and grey water. The *Cistern* configuration allows for treated runoff to be stored for later use and a removable sump pump is available.



WetlandMEDIA

WetlandMEDIA is an organic free alternative to traditional bioretention media. It offers higher infiltration rates and a sorptive media mix with high ion exchange capacity. This makes it ideal for nutrient removal. WetlandMEDIA also supports robust vegetation and prevents standing water.

Bioretention Mix

The **WetlandMod™** is designed to utilize any type of bioretention mix required to meet local requirements and specifications, including a *5-Inch Per Hour* sand compost mix found in most LID manuals.

Sizing

The combination of horizontal flow and downward flow maximizes surface area and minimizes footprint. The **WetlandMod™** is taking bioretention/biofiltration to a new level.



18" Media - San Diego County Minimum Requirement

18" Media Thickness	WetlandMod	Traditional Bioretention
Chamber Width I.D. (ft.)	4.00	4.00
Cage Width (ft.)	3.34	n/a
Void Width (ft.)	0.33	n/a
Chamber Height Max (TC) (ft.)	4.40	n/a
Assoc. Cage Height Max (ft.)	3.52	n/a
TC to Top of Cage Distance (ft.)	0.88	n/a
Ponding Over Media (ft.)	0.33	Variable
Chamber Height Min (ft.)	1.61	Variable
Assoc. Cage Height Min (ft.)	1.83	Variable
TC to Top of Cage Distance (ft.)	0.88	Variable
MAX Surface Area Per Linear Foot (sq. ft.)	**10.38**	**4**
Footprint Reduction Provided	**61%**	
MIN Surface Area Per Linear Foot (sq. ft.)	**7**	**4**
Footprint Reduction Provided	**43%**	

24" Media - Los Angeles County Minimum Requirement

24" Media Thickness	WetlandMod	Traditional Bioretention
Chamber Width I.D. (ft.)	5.00	5.00
Cage Width (ft.)	4.34	n/a
Void Width (ft.)	0.33	n/a
Chamber Height Max (TC) (ft.)	4.40	n/a
Assoc. Cage Height Max (ft.)	3.52	n/a
TC to Top of Cage Distance (ft.)	0.88	n/a
Ponding Over Media (ft.)	0.33	Variable
Chamber Height Min (ft.)	2.05	Variable
Assoc. Cage Height Min (ft.)	2.33	Variable
TC to Top of Cage Distance (ft.)	0.88	Variable
MAX Surface Area Per Linear Foot (sq. ft.)	**11.38**	**5**
Footprint Reduction Provided	**56%**	
MIN Surface Area Per Linear Foot (sq. ft.)	**9**	**5**
Footprint Reduction Provided	**44%**	

Advantages of WetlandMod™ Over Traditional Downward Flow Bioretention/Biofiltration Systems

- Minimizes Clogging
- Advanced Pre-Treatment
- Maximized Surface Area
- Minimal Footprint
- High Nutrient Removal
- Easy Maintenance
- No Standing Water Concerns
- Greater Volume Reduction, Moisture Retention and Evapotranspiration
- Orifice Controlled Discharge

Appendix D:
"NO DUMPING – DRAINS TO OCEAN" Stencil Examples

Sample Stencil 1

NO DUMPING



DRAINS TO OCEAN

Sample Stencil 2

Appendix E:
Catch Basin Cleaning

United States Environmental Protection Agency | Office of Water Washington, D.C. | EPA 832-F-99-011 September 1999

EPA

Storm Water O&M Fact Sheet Catch Basin Cleaning

DESCRIPTION

Catch basins are chambers or sumps, usually built at the curb line, which allow surface water runoff to enter the storm water conveyance system. Many catch basins have a low area below the invert of the outlet pipe intended to retain coarse sediment. By trapping sediment, the catch basin prevents solids from clogging the storm sewer and being washed into receiving waters. Catch basins must be cleaned periodically to maintain their ability to trap sediment, and consequently their ability to prevent flooding. The removal of sediment, decaying debris, and highly polluted water from catch basins has aesthetic and water quality benefits, including reducing foul odors, reducing suspended solids, and reducing the load of oxygen-demanding substances that reach receiving waters.

APPLICABILITY

Catch basin cleaning should be performed at any facility that has an on-site storm sewer system that includes catch basins and manholes.

Although catch basin cleaning is easily implemented, it is often overlooked in an overall storm water management plan. In addition, many of the catch basin cleaning programs that have been implemented focus only on removal of debris from grate openings; full implementation of the catch basin cleaning BMP should also include removal of debris from the catch basin itself.

ADVANTAGES AND DISADVANTAGES

Catch basin cleaning is an efficient and cost-effective method for preventing the transport of sediment and pollutants to receiving water bodies. This improves both the aesthetics and the quality of the receiving water body.

Limitations associated with cleaning catch basins include:

- Catch basin debris usually contains appreciable amounts of water and offensive organic material which must be properly disposed.
- Catch basins may be difficult to clean in areas with poor accessibility and in areas with traffic congestion and parking problems.
- Cleaning is difficult during the winter when snow and ice are present.

Sediment and debris removed from catch basins can potentially be classified as hazardous waste. As a result, the materials must be disposed in a proper manner to avoid negative environmental impacts.

PERFORMANCE

Based on current data, it is not possible to quantify the water quality benefits to receiving waters resulting from catch basin cleaning. The rate at which catch basins fill with debris, as well as the total amount of material which can be removed by different frequencies of cleaning, are highly variable and cannot be readily predicted. Past studies have estimated that typical catch basins retain up to 57 percent of coarse solids and 17 percent of equivalent biological oxygen demand (BOD).

In addition, data collected as part of a Nationwide Urban Runoff Program (NURP) project in Castro Valley Creek, California, indicated that catch basins, cleaned on an average of once every year and a half, contained approximately 60 pounds of material each at the time of the cleaning.

OPERATION AND MAINTENANCE

Catch basins should be inspected at least annually to determine if they need to be cleaned. Typically, a catch basin should be cleaned if the depth of deposits is greater than or equal to one-third the depth from the basin to the invert of the lowest pipe or opening into or out of the basin. If a catch basin significantly exceeds the one-third depth standard during the annual inspection, then it should be cleaned more frequently. If woody debris or trash accumulates in a catch basin, then it should be cleaned on at least a weekly basis.

Catch basins can be cleaned either manually or by specially designed equipment. This equipment may include bucket loaders and vacuum pumps. Material removed from catch basins is usually disposed in conventional landfills. Before any materials can be disposed, it is necessary to perform a detailed chemical analysis to determine if the materials meet the EPA criteria for hazardous waste. This will help determine how the materials should be stored, treated, and disposed.

COSTS

Catch basin cleaning costs will vary depending upon the method used, the required cleaning frequency, the amount of debris removed, and debris disposal costs.

Cleaning costs for catch basins were estimated in three NURP program studies (Midwest Research Institute, 1982). These estimates are summarized in Table 1.

In communities equipped with vacuum street sweepers, a cleaning cost of $8 per basin cleaned is recommended for budgetary purposes (Southeastern Wisconsin Regional Planning Commission, 1991.) Cleaning catch basins manually costs approximately twice as much as cleaning the basins with a vacuum attached to a sweeper. Therefore, a cost estimate of $16 per catch basin cleaned may be used for manual cleaning. It should be noted that costs vary depending on local market conditions.

TABLE 1 CLEANING COST PER CATCH BASIN

Location	Method	Cost
Castro Valley, CA	Vacuum attached to street sweeper	$7.70
Salt Lake County, UT	Vacuum attached to street sweeper	$10.30
Winston-Salem, NC	Vacuum attached to street sweeper	$6.30

Source: MRI, 1982.

REFERENCES

1. Midwest Research Institute, 1982. *Collection of Economic Data from Nationwide Urban Runoff Program Projects-Final Report.* Report to U.S. Environmental Protection Agency.

2. Minnesota Pollution Control Agency, 1989. *Protecting Water Quality in Urban Areas.*

3. Southeastern Wisconsin Regional Planning Commission, 1991. *Cost of Urban Nonpoint Source Water Pollution Control Measures,* Technical Report No. 31.

4. U.S. EPA, 1983. *Final Report of the Nationwide Urban Runoff Program.* EPA 841/583109.

5. U.S. EPA, 1977. *Catch Basin Technology Overview and Assessment.* EPA-600/2-77-051.

6. Washington State Department of Ecology, 1992. *Storm Water Management Manual for Puget Sound.*

ADDITIONAL INFORMATION

Alameda County, California
Jim Scanlin
Alameda Countywide Clean Water Program
951 Turner Court, Room 300
Hayward, CA 94545

King County, Washington
Dave Hancock
Department of Natural Resources, Water and Land Resources Division, Drainage Services Section
700 5th Avenue, Suite 2200
Seattle, WA 98104

Salt Lake County, Utah
Terry Way
Salt Lake County Engineering Division
2001 South State Street, Suite N3300
Salt Lake City, UT 84190

Southeastern Wisconsin Regional Planning Commission
Bob Biebel
916 N. East Avenue, P.O. Box 1607
Waukesha, WI 53187

City of Winston Salem, North Carolina
Terry Cornett
Department of Public Works, Streets Division
P.O. Box 2511
Winston Salem, NC 27106

The mention of trade names or commercial products does not constitute endorsement or recommendation for the use by the U.S. Environmental Protection Agency.

For more information contact:

Municipal Technology Branch
U.S. EPA
Mail Code 4204
401 M St., S.W.
Washington, D.C., 20460

OWM MTB
Excellence in compliance through optimal technical solutions
MUNICIPAL TECHNOLOGY BRANCH

Appendix F:
General Education Materials

Storm Drains are for Rain...

More than 200,000 times each month, lawns and gardens throughout LA County are sprayed with pesticides. Overwatering or rain causes pesticides on leaves and grass to flow into the storm drain and to the ocean — untreated.

Please use pesticides wisely, not before a rain, and water carefully.

...not pesticides.

1(888)CLEAN LA
www.888CleanLA.com

Pesticide Tips:

You can keep your lawn and garden green and at the same time solve the pollution problem by taking these easy steps...

- Never dispose of lawn or garden chemicals in storm drains. This is called illegal dumping. Take them to a household hazardous waste roundup. Call 1(888)CLEAN LA or visit www.888CleanLA.com to locate a roundup or collection facility near you.
- More is not better. Use pesticides sparingly. "Spot" apply, rather than "blanket" apply.
- Read labels! Use only as directed.
- Use non-toxic products for your garden and lawn whenever possible.
- If you must store pesticides, make sure they are in a sealed, water-proof container that cannot leak.
- When watering your lawn, use the least amount of water possible so it doesn't run into the street and carry pesticide chemicals with it. Don't use pesticides before a rain storm. You will not only lose the pesticide, but also will be harming the environment.

PROJECT Pollution PREVENTION

Printed on recycled paper

Storm Drains are for Rain...

More than 200,000 times each month, lawns and gardens throughout LA County are sprayed with pesticides. Overwatering or rain causes pesticides on leaves and grass to flow into the storm drain and to the ocean — untreated.

Please use pesticides wisely, not before a rain, and water carefully.

...not pesticides.

1(888)CLEAN LA
www.888CleanLA.com

Pesticide Tips:

You can keep your lawn and garden green and at the same time solve the pollution problem by taking these easy steps...

- Never dispose of lawn or garden chemicals in storm drains. This is called illegal dumping. Take them to a household hazardous waste roundup. Call 1(888)CLEAN LA or visit www.888CleanLA.com to locate a roundup or collection facility near you.
- More is not better. Use pesticides sparingly. "Spot" apply, rather than "blanket" apply.
- Read labels! Use only as directed.
- Use non-toxic products for your garden and lawn whenever possible.
- If you must store pesticides, make sure they are in a sealed, water-proof container that cannot leak.
- When watering your lawn, use the least amount of water possible so it doesn't run into the street and carry pesticide chemicals with it. Don't use pesticides before a rain storm. You will not only lose the pesticide, but also will be harming the environment.

PROJECT Pollution PREVENTION

Printed on recycled paper

Pick Up After Your Pooch!



Storm drains are for rain…
they're not pooper scoopers.

L.A. County residents walk a dog without picking up the droppings more than **62,000** times per month.

Disease-causing dog waste washes from the ground and streets into storm drains and flows straight to the ocean — untreated.

Remember to bring a bag and clean up after your dog.

1 (888) CLEAN LA
www.888CleanLA.com

Tips for Dog Owners:

Dog owners can help solve the stormwater pollution problem by taking these easy steps…

- Clean up after your dog every single time.
- Take advantage of the complimentary waste bags offered in dispensers at local parks.
- Ensure you always have extra bags in your car so you are prepared when you travel with your dog.
- Carry extra bags when walking your dog and make them available to other pet owners who are without.
- Teach children how to properly clean up after a pet. Encourage them to throw the used bags in the nearest trash receptacle if they are away from home.
- Put a friendly message on the bulletin board at the local dog park to remind pet owners to clean up after their dogs.
- Tell friends and neighbors about the ill effects of animal waste on the environment. Encourage them to clean up after their pets as well.

PROJECT Pollution PREVENTION

Are You a Litter Bug and Don't Know It?

Take our quiz!

Have you ever...

- Dropped a cigarette butt or trash on the ground?
- Failed to pick up after your dog while out on a walk?
- Overwatered your lawn after applying fertilizers/pesticides?
- Disposed of used motor oil in the street, gutter or garbage?

If you answered **yes** to any of these actions, then **YOU ARE A LITTER BUG**!

Each of these behaviors contribute to stormwater pollution, which contaminates our ocean and waterways, kills marine life and causes beach closures.

You can become part of the solution!
To find out how, flip this card over.

For more information, call or visit:

1 (888) CLEAN LA
www.888CleanLA.com

PROJECT Pollution PREVENTION

Follow these simple steps to prevent stormwater pollution:

- Put your garbage where it belongs — in the trash can.
- Pick up after your dog when out on a walk.
- Reduce pesticide and fertilizer use; don't overwater after application or apply if rain is forecast.
- Dispose of used motor oil at an oil recycling center or at a free Household Hazardous Waste/E-Waste collection event.



A message from the County of Los Angeles Department of Public Works.
Printed on recycled paper.

Storm Drains are for Rain...

Stormdrains take runoff directly to creeks and the ocean without treatment. Pool chemicals can harm our natural creeks and waterways. Anything going into our stormdrains that isn't rainwater contributes to stormwater pollution, which contaminates our creeks and ocean, kills marine life and causes beach closures.

...not pool chemicals

LOS ANGELES COUNTY PUBLIC WORKS Public Service That Works

Swimming Pool Tips

Follow these simple steps to prevent stormwater pollution...

- Make sure all chemicals are dissipated before draining a pool or spa
- Do not drain pools within 5 days of adding chemicals
- Never backwash a filter into the street or stormdrain
- Cleanup chemical spills with absorbent, don't wash it down the drain
- Dispose of leftover chemicals and paints through a licensed hazardous waste disposal provider

PROJECT Pollution PREVENTION

Storm Drains are for Rain...

More than 50% of the automotive oil sold to do-it-yourself oil changers is not recycled. There are more than 600 State-certified used oil collection centers within Los Angeles County.

Never dispose of automotive fluids, recyclable products, or household hazardous wastes into the street or gutter. Take them to your local auto repair station, recycling center or a household hazardous waste roundup.

...they're not recycling centers.

1(888)CLEAN LA
www.888CleanLA.com

Recycling Tips:

You can help keep your community clean, protect our area waterways and make the beaches safe for ocean swimmers by putting recyclable materials where they belong — at a recycling center or household hazardous waste roundup. Never throw or pour anything into the streets or gutters...

- When changing vehicle fluids – transmission, hydraulic and motor oil, brake and radiator fluid – drain them into a drip pan to avoid spills. Do not combine these fluids. Do not dispose of them in the street, gutter or in the garbage. It is illegal.
- Recycle all used vehicle fluids. Call 1(888)CLEAN LA or visit www.888CleanLA.com for the location of a center that recycles these fluids, or for the location of a local household hazardous waste Roundup.
- Other materials that should be taken to a household hazardous waste Roundup are: paint and paint-related materials, household cleaners, batteries, pesticides and fertilizers, pool chemicals, and aerosol products.
- Aluminum, glass, plastic and newspapers should be placed in your curbside recycling bin or taken to a local recycling center.

Printed on recycled paper

PROJECT Pollution PREVENTION

Storm Drains are for Rain...

More than 50% of the automotive oil sold to do-it-yourself oil changers is not recycled. There are more than 600 State-certified used oil collection centers within Los Angeles County.

Never dispose of automotive fluids, recyclable products, or household hazardous wastes into the street or gutter. Take them to your local auto repair station, recycling center or a household hazardous waste roundup.

...they're not recycling centers.

1(888)CLEAN LA
www.888CleanLA.com

Recycling Tips:

You can help keep your community clean, protect our area waterways and make the beaches safe for ocean swimmers by putting recyclable materials where they belong — at a recycling center or household hazardous waste roundup. Never throw or pour anything into the streets or gutters...

- When changing vehicle fluids – transmission, hydraulic and motor oil, brake and radiator fluid – drain them into a drip pan to avoid spills. Do not combine these fluids. Do not dispose of them in the street, gutter or in the garbage. It is illegal.
- Recycle all used vehicle fluids. Call 1(888)CLEAN LA or visit www.888CleanLA.com for the location of a center that recycles these fluids, or for the location of a local household hazardous waste Roundup.
- Other materials that should be taken to a household hazardous waste Roundup are: paint and paint-related materials, household cleaners, batteries, pesticides and fertilizers, pool chemicals, and aerosol products.
- Aluminum, glass, plastic and newspapers should be placed in your curbside recycling bin or taken to a local recycling center.

Printed on recycled paper

PROJECT Pollution PREVENTION

A Yard is a Terrible Thing to Waste!

Storm drains are for rain…**not yard waste.**

Residential yard waste represents about **13 percent** of the total waste generated in L.A. County.

Pesticides, fertilizer and yard waste such as leaves and mowed grass wash from the ground and streets into storm drains and flow straight to the ocean — **untreated**.

Remember to use pesticides and fertilizer wisely and pick-up yard waste.



Tips For Yard Care:

L.A. County residents can help solve the stormwater pollution problem by taking these easy steps…

- Do not over-fertilize and do not use fertilizer or pesticides near ditches, gutters or storm drains.
- Do not use fertilizer or pesticides before a rain.
- Follow the directions on the label carefully.
- Use pesticides sparingly — more is not better. "Spot" apply, rather than "blanket" apply.
- When watering your lawn, use the least amount of water possible so it doesn't run into the street carrying pesticides and other chemicals with it.
- Use non-toxic products for your garden and lawn whenever possible.
- If you must store pesticides or fertilizer, make sure they are in a sealed, water-proof container in a covered area to prevent runoff.
- Do not blow, sweep, hose or rake leaves or other yard trimmings into the street, gutter or storm drain.

PROJECT Pollution PREVENTION

A message from the County of Los Angeles Department of Public Works.
Printed on recycled paper.

Storm Drains are for Rain...

More than 50% of the automotive oil sold to do-it-yourself oil changers is not recycled. There are more than 600 State-certified used oil collection centers within Los Angeles County.

Never dispose of automotive fluids in the street or gutter. Take them to your local auto parts store, gas station or repair shop, or a household hazardous waste Roundup for recycling.

1(888)CLEAN LA
www.888CleanLA.com

...not automotive fluids.

Car Care Tips:

You can keep your car running smoothly and efficiently, and at the same time help prevent stormwater pollution by taking these easy steps...

- When changing vehicle fluids — motor oil, transmission, brake and radiator fluids — drain them into separate drip pans to avoid spills. Do not combine these fluids. Do not dispose of these fluids in the street, gutter or garbage. It is illegal.
- If a spill occurs, use kitty litter, sawdust or cornmeal for cleanup. Do not hose or rinse with water.
- Recycle all used vehicle fluids. Call 1(888)CLEAN LA or visitwww.888CleanLA.com for the location of an auto parts store or gas station that recycles these fluids, or for the location of a local household hazardous waste Roundup.
- Regularly check and maintain your car to keep it running safely and efficiently. Water runoff from streets, parking lots and driveways picks up oil and grease drippings, asbestos from brake linings, zinc from tires and organic compounds and metals from spilled fuels and carries them to the ocean.

PROJECT Pollution PREVENTION

Printed on recycled paper

Storm Drains are for Rain...

More than 50% of the automotive oil sold to do-it-yourself oil changers is not recycled. There are more than 600 State-certified used oil collection centers within Los Angeles County.

Never dispose of automotive fluids in the street or gutter. Take them to your local auto parts store, gas station or repair shop, or a household hazardous waste Roundup for recycling.

1(888)CLEAN LA
www.888CleanLA.com

...not automotive fluids.

Car Care Tips:

You can keep your car running smoothly and efficiently, and at the same time help prevent stormwater pollution by taking these easy steps...

- When changing vehicle fluids — motor oil, transmission, brake and radiator fluids — drain them into separate drip pans to avoid spills. Do not combine these fluids. Do not dispose of these fluids in the street, gutter or garbage. It is illegal.
- If a spill occurs, use kitty litter, sawdust or cornmeal for cleanup. Do not hose or rinse with water.
- Recycle all used vehicle fluids. Call 1(888)CLEAN LA or visit www.888CleanLA.com for the location of an auto parts store or gas station that recycles these fluids, or for the location of a local household hazardous waste Roundup.
- Regularly check and maintain your car to keep it running safely and efficiently. Water runoff from streets, parking lots and driveways picks up oil and grease drippings, asbestos from brake linings, zinc from tires and organic compounds and metals from spilled fuels and carries them to the ocean.

PROJECT Pollution PREVENTION

Printed on recycled paper

Don't Paint the Town Red!

Storm drains are for rain…
they're not for paint disposal.

More than **197,000** times each month, L.A. County residents wash their dirty paint brushes under an outdoor faucet.

This dirty rinse water flows into the street, down the storm drain and straight to the ocean — **untreated**.

Remember to clean water-based paint brushes in the sink, rinse oil-based paint brushes with paint thinner, and take old paint and paint-related products to a Household Hazardous Waste/E-Waste collection event.

1 (888) CLEAN LA
www.888CleanLA.com



Tips for Paint Clean-Up:

L.A. County residents can help solve the stormwater pollution problem by taking these easy steps when working with paint and paint-related products…

- Never dispose of paint or paint-related products in the gutters or storm drains. This is called illegal dumping. Take them to a Household Hazardous Waste/E-Waste collection event. Call 1 (888) CLEAN LA or visit www.888CleanLA.com to locate an event near you.
- Buy only what you need. Reuse leftover paint for touch-ups or donate it to a local graffiti abatement program. Recycle or use excess paint.
- Clean water-based paint brushes in the sink.
- Oil-based paints should be cleaned with paint thinner. Filter and reuse paint thinner. Set the used thinner aside in a closed jar to settle-out paint particles.
- Store paints and paint-related products in rigid, durable and watertight containers with tight-fitting covers.

PROJECT Pollution PREVENTION

A message from the County of Los Angeles Department of Public Works.
Printed on recycled paper.

Appendix G:
Operation and Maintenance Plan

To be provided during final engineering

Appendix H:
Geotechnical Investigation

December 7, 2021
J.N.: 3027.00

Mr. Mitchell Gardner
G3 Urban
15235 S. Western Avenue
Gardena, California 90249

Subject: **Preliminary Geotechnical Investigation, Proposed Industrial Development, 11709 Artesia Blvd., Artesia, California**

Dear Mr. Gardner,

Pursuant to your request, ***Albus & Associates, Inc***. is pleased to present to you our preliminary geotechnical investigation report for the proposed development at the subject site. This report presents the results of our aerial photo and literature review, subsurface exploration, laboratory testing, and engineering analyses. Conclusions relevant to the feasibility of the proposed site development and recommendations for site development are also presented herein based on the findings of our work.

We appreciate this opportunity to be of service to you. If you should have any questions regarding the contents of this report, please do not hesitate to call.

Sincerely,

ALBUS & ASSOCIATES, INC.

David E. Albus
Principal Engineer

TABLE OF CONTENTS

1.0 INTRODUCTION 1
1.1 PURPOSE AND SCOPE 1
1.2 SITE LOCATION AND DESCRIPTION 1
1.3 PROPOSED DEVELOPMENT 1
2.0 INVESTIGATION 2
2.1 RESEARCH 2
2.2 SUBSURFACE EXPLORATION 3
2.3 LABORATORY TESTING 3
3.0 SUBSURFACE CONDITIONS 3
3.1 SOIL CONDITIONS 3
3.2 GROUNDWATER 4
3.3 FAULTING 4
4.0 ANALYSES 5
4.1 SEISMICITY 5
4.2 STATIC SETTLEMENT 6
4.3 LIQUEFACTION 6
4.4 SEISMIC-INDUCED SETTLEMENT 7
5.0 CONCLUSIONS 7
5.1 FEASIBILITY OF PROPOSED DEVELOPMENT 7
5.2 GEOLOGIC HAZARDS 7
5.2.1 Ground Rupture 7
5.2.2 Ground Shaking 7
5.2.3 Landsliding 8
5.2.4 Liquefaction 8
5.3 STATIC SETTLEMENT 8
5.4 EXCAVATION AND MATERIAL CHARACTERISTICS 9
5.5 SHRINKAGE AND SUBSIDENCE 9
5.6 SOIL EXPANSION 9
6.0 RECOMMENDATIONS 9
6.1 EARTHWORK 9
6.1.1 General Earthwork and Grading Specifications 9
6.1.2 Pre-Grade Meeting and Geotechnical Observation 10
6.1.3 Site Clearing 10
6.1.4 Ground Preparation 10
6.1.5 Scarification 11
6.1.6 Fill Placement 11
6.1.7 Import Materials 11
6.1.8 Temporary Excavations 11
6.2 SEISMIC DESIGN PARAMETERS 12
6.2.1 Mapped Seismic Design Parameters 12
6.2.2 Site-Specific Seismic Design Parameters 12
6.3 CONVENTIONAL FOUNDATION DESIGN 13
6.3.1 General 13
6.3.2 Soil Expansion 13
6.3.3 Static and Seismic Settlement 13

6.3.4 Allowable Bearing Value 14
6.3.5 Lateral Resistance 14
6.3.6 Footing Dimensions and Reinforcement 14
6.3.7 Slabs on Grade 14
6.3.8 Foundation Observations 15
6.4 RETAINING AND SCREENING WALLS 15
6.4.1 General 15
6.4.2 Allowable Bearing Value and Lateral Resistance 15
6.4.3 Active Earth Pressures 15
6.4.4 Drainage and Moisture-Proofing 16
6.4.5 Footing Reinforcement and Wall Jointing 17
6.4.6 Foundation Observations 17
6.5 EXTERIOR FLATWORK 17
6.6 CONCRETE MIX DESIGN 18
6.7 CORROSION 18
6.8 PRELIMINARY PAVEMENT DESIGN 18
6.8.1 Preliminary Pavement Structural Sections 18
6.8.2 Subgrade Preparation 18
6.8.3 Aggregate Base 18
6.8.4 Asphaltic Concrete 19
6.8.5 Portland Cement Concrete 19
6.9 POST GRADING CONSIDERATIONS 19
6.9.1 Site Drainage and Irrigation 19
6.9.2 Utility Trenches 20
6.10 PLAN REVIEW AND CONSTRUCTION SERVICES 20
7.0 LIMITATIONS 21
8.0 REFERENCES 22

FIGURES AND PLATES

Figure 1 - Site Location Map
Plate 1 - Geotechnical Map

APPENDICES

APPENDIX A - EXPLORATION LOGS
Plates A-1 through A-5

APPENDIX B - LABORATORY TESTS RESULTS
Table B-1 – Summary of Laboratory Test Results
Plates B-1 through B-4 – Consolidation Plots
Plates B-5 – Direct Shear Plot
Plates B-6 – R-value Test Results

APPENDIX C – LIQUEFACTION ANALYSIS

1.0 INTRODUCTION

1.1 PURPOSE AND SCOPE

The purposes of our preliminary geotechnical investigation were to evaluate geotechnical conditions within the project area and to provide conclusions and recommendations relevant to the design and construction of the proposed improvements at the subject site. The scope of this investigation included the following:

- Review of the historical aerial photographs;
- Review of published geologic and seismic data for the site and surrounding area;
- Exploratory drilling and soil sampling;
- Laboratory testing of selected soil samples;
- Engineering analyses of data obtained from our review, exploration, and laboratory testing;
- Evaluation of site seismicity, liquefaction potential, and settlement potential; and,
- Preparation of this report

1.2 SITE LOCATION AND DESCRIPTION

The site is located at the address of 11709 Artesia Boulevard within the city of Artesia, California. The site is bordered by Artesia Boulevard to the south, Fallon Avenue to the west, Alburtis Avenue to the east, and a commercial building and surface parking lots to the north. The location of the site and its relationship to the surrounding areas are shown in Figure 1, Site Location Map.

The site consists of approximately 3.33 acres of land with several industrial buildings, above-ground tanks, processing equipment, and above-ground piping. The remainder of the site consists of asphalt- and concrete-covered paving.

1.3 PROPOSED DEVELOPMENT

Based on the project brochure prepared by Colliers, we understand that the proposed development will likely consist of one or two new industrial buildings at-grade parking as well as associated interior driveways, parking, underground utilities, and decorative hardscape and landscape areas.

No grading or structural plans were available in preparing this report. However, we anticipate that minor rough grading of the site will be required to achieve future surface configuration. Structural loads are anticipated to typically consist of 250 kips for columns and 6 kips/ft for walls.



N

SITE LOCATION MAP

G3 Urban
11709 Artesia Boulevard,
Artesia, California

NOT TO SCALE

FIGURE 1

2.0 INVESTIGATION

2.1 RESEARCH

We have reviewed the referenced geologic publications and maps (see references). Data from these sources were utilized to develop some of the findings and conclusions presented herein.

We have also reviewed available historical aerial photographs. The aerial photos indicate that as early as 1967, the subject site was developed with industrial facilities. The site has remained relatively unchanged since 1967.

2.2 SUBSURFACE EXPLORATION

Subsurface exploration for this investigation was conducted on November 2, 2021 and consisted of drilling three (3) soil borings to depths ranging from approximately 11.5 to 51.5 feet below the existing ground surface (bgs) and advancing four (4) Cone Penetration Tests (CPTs) to a depth of 50 feet bgs. The borings were drilled using a truck-mounted, continuous flight, hollow-stem-auger drill rig. A representative of Albus & Associates, Inc. logged the exploratory borings. Visual and tactile identifications were made of the materials encountered, and their descriptions are presented in the Exploration Logs in Appendix A. The approximate locations of the exploratory excavations and CPT soundings completed by this firm are shown on the enclosed Geotechnical Map, Plate 1.

Bulk, relatively undisturbed, and Standard Penetration Test (SPT) samples were obtained at selected depths within the exploratory borings for subsequent laboratory testing. Relatively undisturbed samples were obtained using a 3-inch O.D., 2.5-inch I.D., California split-spoon soil sampler lined with brass rings. SPT samples were obtained from the boring using a standard, unlined SPT soil sampler. During each sampling interval, the sampler was driven 18 inches with successive drops of a 140-pound automatic hammer falling 30 inches. The number of blows required to advance the sampler was recorded for each six inches of advancement. The total blow count for the lower 12 inches of advancement per soil sample is recorded on the exploration log. Samples were placed in sealed containers or plastic bags and transported to our laboratory for analyses. The borings were backfilled with auger cuttings upon completion of sampling.

2.3 LABORATORY TESTING

Selected samples obtained from our subsurface exploration were tested in our soil laboratory. Tests consisted of maximum dry density and optimum moisture content, in-situ moisture content and dry density, expansion index, soluble sulfate content, direct shear, consolidation/collapse potential, grain-size distribution analysis, percent passing No. 200 sieve, direct shear strength, corrosivity testing (pH, chloride, and resistivity), and Atterberg limits. A description of laboratory test criteria and test results are presented in Appendix B.

3.0 SUBSURFACE CONDITIONS

3.1 SOIL CONDITIONS

Descriptions of the earth materials encountered during our investigation are summarized below and are presented in detail on the Exploration Logs presented in Appendix A.

Soil materials encountered at the subject site consisted of approximately 2 feet of artificial fill over alluvial soils. The artificial fill is predominately comprised of grayish brown sandy silt and silty sand. These fill materials typically were observed to be damp to moist and medium dense.

Underlying the artificial fills are native soils consisting of young alluvial fan deposits (Qyf_a). The alluvial fan deposit materials were encountered to the maximum depth explored of 51.5 feet and are comprised of grayish brown to light gray, interlayered silty sand and sand that are damp to wet and loose to very dense. Occasional lenses and layers of sandy silt are also present that are generally very moist to wet and firm to very stiff.

3.2 GROUNDWATER

Groundwater was encountered during this firm's subsurface exploration at a depth of 14 feet. The CDMG Special Report 019 suggests that historic high groundwater for the subject site is below 10 feet.

3.3 FAULTING

Based on our review of the referenced publications and seismic data, no active faults are known to project through or immediately adjacent to the subject sites and the site does not lie within an "Earthquake Fault Zone" as defined by the State of California in Earthquake Fault Zoning Act. Table 3.1 summarizes the known seismically active faults within 10 miles of the sites based on the 2008 USGS National Seismic Hazard Maps.

TABLE 3.1
Summary of Faults

Name	Dist. (miles)	Slip Rate (mm/yr.)	Preferred Dip (degrees)	Slip Sense	Rupture Top (km)	Fault Length (km)
Puente Hills (Coyote Hills)	2.67	0.7	26	thrust	2.8	17
Puente Hills (Santa Fe Springs)	2.82	0.7	29	thrust	2.8	11
Newport Inglewood Connected alt 2	6.87	1.3	90	strike slip	0	208
Newport-Inglewood, alt 1	6.95	1	88	strike slip	0	65
Newport Inglewood Connected alt 1	6.95	1.3	89	strike slip	0	208
Puente Hills (LA)	7.01	0.7	27	thrust	2.1	22
Elsinore;W+GI+T+J+CM	8.40	n/a	84	strike slip	0	241
Elsinore;W+GI	8.40	n/a	81	strike slip	0	83
Elsinore;W+GI+T	8.40	n/a	84	strike slip	0	124
Elsinore;W+GI+T+J	8.40	n/a	84	strike slip	0	199
Elsinore;W	8.40	2.5	75	strike slip	0	46

4.0 ANALYSES

4.1 SEISMICITY

2019 CBC requires seismic parameters in accordance with ASCE 7-16. Unless noted otherwise, all section numbers cited in the following refer to the sections in ASCE 7-16.

Per Section 20.3 the project site was designated as Site Class D. We used the OSHPD seismic hazard tool to obtain the basic mapped acceleration parameters, including short periods (S_S) and 1-second period (S_1) MCE_R Spectral Response Accelerations. Section 11.4.8 requires site-specific ground hazard analysis for structures on Site Class E with S_S greater than or equal to 1.0 or Site Class D or E with S_1 greater than or equal to 0.2. Based on the mapped values of S_S and S_1 the project site falls within this category, requiring site-specific hazard analysis in accordance with Section 21.2.

However, "A ground motion hazard analysis is not required for structures where: Structures on Site Class D sites with S_1 greater than or equal to 0.2, provided the value of the seismic response coefficient Cs is determined by Eq. (12.8-2) for values of $T \leq 1.5T_s$ and taken as equal to 1.5 times the value computed in accordance with either Eq. (12.8-3) for $T_L \geq T > 1.5T_s$ or Eq. (12.8-4) for $T > T_L$." Assuming this exception is met for this project, a ground motion hazard analysis is not required and mapped seismic values can be used. Should this exception not be met, a ground motion hazard analysis is required to determine the Design response spectra for the proposed structures at this site. Both mapped and site-specific seismic design parameters are provided in this report, as presented in Section 6.2. Details of a ground motion hazard analysis are explained below.

According to Section 21.2.3 (Supplement 1), the site-specific Risk Targeted Maximum Considered Earthquake (MCER) spectral response acceleration at any period is the lesser of the probabilistic and the deterministic response accelerations, subject to the exception specified in the same section. The probabilistic response spectrum was developed using the computer program OpenSHA (Field et al., 2013), which implements Method 1 as described in Section 21.2.1.1. Fault Models 3.1 and 3.2 from the Third Uniform California Earthquake Rupture Forecast (UCERF3) were used as the earthquake rupture forecast models for the PSHA. In addition to known fault sources, background seismicity was also included in the PSHA. The ground motion Prediction Equations (GMPEs) selected for use in this analysis are those developed for the Pacific Earthquake Engineering Research Center (PEER) Next Generation Attenuation (NGA) West 2 project. Four GMPEs - Abrahamson et al. (2014), Boore et al. (2014), Campbell and Bozorgnia (2014), and Chiou and Youngs (2014) were used to perform the analysis.

In accordance with Section 21.2.2 (Supplement 1), the deterministic spectral response acceleration at each period was calculated as the 84th percentile, 5% damped response acceleration, using NGA-West2 GMPE Worksheet. For this, the information from at least three causative faults with the greatest contribution per deaggregation analysis were used and the larger acceleration spectrum among these was selected as the deterministic response spectrum. The deterministic spectrum was adjusted per requirements in Section 21.2.2 (Supplement 1) where applicable. Both probabilistic and deterministic spectra were subjected to the maximum direction scale factors specified in Section 21.2 to produce the maximum acceleration spectra.

Design response spectrum was developed by subjecting the site-specific MCE_R response spectrum to the provisions outlined in Section 21.3. This process included comparison with 80% code-based

design spectrum determined in accordance with Section 11.4.6. The short period and long period site coefficients (Fa and Fv, respectively) were determined per Section 21.3 in conjunction with Table 11.4-1. Site-specific design acceleration parameters (S_{MS}, S_{M1}, S_{DS}, and S_{D1}) were calculated according to Section 21.4.

Per Section 11.2 (definitions on Page 79 of ASCE7-16) for evaluation of liquefaction, lateral spreading, seismic settlements, and other soil-related issues, Maximum Considered Earthquake Geometric Mean (MCE_G) peak ground acceleration PGA_M shall be used. The site-specific PGA_M is calculated per Section 21.5.3, as the lesser of the probabilistic PGA_M (Section 21.5.1) and deterministic PGA_M (Section 21.5.2), but no less than 80% site modified peak ground acceleration, PGA_M, obtained from OSHPD seismic hazard tool. From our analyses, we obtain a PGA_M of 0.662g.

4.2 STATIC SETTLEMENT

Analyses were performed to estimate the maximum static settlement due to the anticipated maximum foundation loads. The analyses were based on the results of subsurface exploration and laboratory testing conducted at the site. Settlements were calculated based on the elastic method using the sampler blow counts to estimate the elastic property of the soils. Stresses induced by the footings were based on a Boussinesq distribution.

Settlement of the proposed buildings will depend on the magnitude of the structural loads. Assuming a column load of 250 kips, bearing pressure of 4,000 psf, and footing depth of 2 foot, total static settlement of a column footing is estimated to be 0.9 inches. A continuous footing that supports a load of 6 kips/ft, bearing pressure of 3,000 psf, 2 feet wide, and 2 feet deep is estimated to have a total static settlement of 0.5 inches.

4.3 LIQUEFACTION

Engineering research of soil liquefaction potential (Youd et al., 2001) indicates that generally three basic factors must exist concurrently in order for liquefaction to occur. These factors include:

- A source of ground shaking, such as an earthquake, capable of generating soil mass distortions.
- A relatively loose silty and/or sandy soil.
- A relative shallow groundwater table (within approximately 50 feet below ground surface) or completely saturated soil conditions that will allow positive pore pressure generation.

The site is located within a State-designated zone of potentially liquefiable soils. As a result, we conservatively have evaluated the potential for liquefaction.

The liquefaction susceptibility of the onsite soils was evaluated by analyzing the potential concurrent occurrence of the above-mentioned three basic factors. The liquefaction evaluation for the site was completed under the guidance of Special Publication 117A: Guidelines for Evaluating and Mitigating Seismic Hazards in California (CDMG, 2008).

Our liquefaction analyses were based on the field test data results from our CPT data. The liquefaction analyses were performed utilizing the CLiq software by GeoLogismiki. Among the methods available in this program for analysis of liquefaction potential, Robertson (NCEER 2001, 2009) was used for

the current project. The seismic event was defined by peak ground acceleration PGA of 0.73 and mean moment magnitude of 6.83. The historic-high groundwater level, which is used as the design level for evaluation of liquefaction potential, is taken at a depth of 10 feet below ground surface, as discussed in Section 3.2.

Based on our analyses, several sublayers below the assumed shallowest groundwater level of 10 feet have a factor of safety less than 1.3 and are therefore considered prone to liquefaction during the design earthquake event. Liquefaction analyses are provided in Appendix C.

4.4 SEISMIC-INDUCED SETTLEMENT

To quantify the consequences of liquefaction at the site, seismic-induced settlement has been evaluated using the four CPT soundings. Robertson (NCEER 2001 and 2009) method was used for this evaluation.

Analyses were performed to evaluate the potential for seismic settlement from saturated liquefied and unsaturated dry soils. The calculated seismic-induced settlements of saturated soil using various methods for CPT analysis are ranging from 3.7 to 5.3 inches. Liquefaction induced-settlement analyses are provided in Appendix C.

Seismic-induced settlement can occur both above and below the groundwater table during a strong seismic event. We have estimated the dry seismic settlement using the Robertson and Shao (2010) Method. The total seismic dry settlement we calculated ranges from 0 to 0.2 inches.

5.0 CONCLUSIONS

5.1 FEASIBILITY OF PROPOSED DEVELOPMENT

From a geotechnical point of view, the proposed site development is considered feasible provided the recommendations presented in this report are incorporated into the design and construction of the project. Furthermore, it is also our opinion that the proposed development will not adversely impact the stability of adjoining properties.

5.2 GEOLOGIC HAZARDS

5.2.1 Ground Rupture

No known active faults are known to project through the subject sites nor do the sites lie within the boundaries of an “Earthquake Fault Zone” as defined by the State of California in the Alquist-Priolo Earthquake Fault Zoning Act. The closest known active fault is the Puente Hills (Coyote Hills) fault located approximately 2.7 miles to the northeast. Therefore, potential for ground rupture due to an earthquake beneath the sites is considered low.

5.2.2 Ground Shaking

The site is situated in a seismically active area that has historically been affected by generally moderate to occasionally high levels of ground motion. The site lies in relatively close proximity to several seismically active faults; therefore, during the life of the proposed improvements, the property will

probably experience similar moderate to occasionally high ground shaking from these fault zones, as well as some background shaking from other seismically active areas of the Southern California region. Design and construction in accordance with the current California Building Code (CBC) requirements are anticipated to address the issues related to potential ground shaking.

5.2.3 Landsliding

Geologic hazards associated with landsliding are not anticipated at the site since the site is relatively level.

5.2.4 Liquefaction

Our analyses indicate liquefaction could in soils located below a depth of 10 feet if groundwater were to rise to shallowest historic levels concurrent with a strong ground motion. Liquefaction could lead to a total seismic settlement (saturated and dry) of the ground surface of up to 5.3 inches due to seismic consolidation during liquefaction. The differential settlement due to seismic settlement would likely be on the order of ½ of the total seismic settlement or approximately 2.7 inches over 30 feet. Lateral spreading is not a significant risk at the site in consideration of the relatively flat site topography and lack of an nearby channel face or slope.

Based on the State of California Special Publication (SP) 117A, the seismic-induced settlement at the site does not fall within the Level of Liquefaction Hazard of "Large-scale Displacements." "Large scale Displacements" are defined as those that ***exceed*** 1-3 feet horizontally and 4-6 inches vertically. Therefore, the Level of Liquefaction Hazard is classified as a "Localized Failure." One of the suitable mitigation alternatives presented in the SP 117A for Localized Failures is the use of reinforced shallow foundations and improved structural design to withstand predicted vertical and lateral ground displacements.

The SP 117A also stated that hazards from liquefaction should be mitigated to the extent required to reduce seismic risk to "acceptable levels." The acceptable level of risk means, "that level that provides reasonable protection of the public safety" [California Code of Regulations Title 14, Section 3721 (a)]. The use of well-reinforced foundations, such as post-tensioned slabs, grade beams with structural slabs, or mat foundations have been proven to adequately provide basal support for similar structures during comparable liquefaction events. Specific recommendations to mitigate risks associated with liquefaction are provided in Section 6.3.

5.3 STATIC SETTLEMENT

As discussed in Section 4.2, analyses were performed to evaluate potential for static settlement of the underlying alluvium. Provided site grading is performed in accordance with the recommendations provided herein and based on the anticipated foundation loads, total and differential static settlement is not anticipated to exceed 1 inch and ½-inch over 30 feet, respectively, for the proposed commercial buildings. The estimated magnitudes of static settlements are considered within tolerable limits for the proposed structure.

5.4 EXCAVATION AND MATERIAL CHARACTERISTICS

Onsite earth materials are anticipated to be relatively easy to excavate with conventional heavy earthmoving equipment. The site earth materials are generally considered suitable for reuse as fill provided, they are cleared on deleterious debris and oversized rocks (greater than 4 inches in greatest dimension). Site materials are generally near the optimum moisture content. As such, fill soils derived from onsite soils will likely require the addition of nominal amounts of water and mixing in preparation for reuse as compacted fill.

Temporary construction slopes will be required to complete removal of unsuitable soils and for construction of underground utilities. Such excavations will require laybacks where they are surcharged or where they exceed 4 feet in height. Specific recommendations are provided in Section 6.1.8.

If encountered, portions of concrete debris and asphalt can likely be reduced in size (4 inches minus) and incorporated within fill soils during earthwork operations.

If onsite disposal systems, clarifiers, and other underground improvements are present beneath the site, these improvements will require proper abandonment or removal per the City guidelines.

5.5 SHRINKAGE AND SUBSIDENCE

Volumetric changes in earth quantities will occur when excavated onsite soil materials are replaced as properly compacted fill. We estimate that the near surface soils will shrink about 5 to 10 percent when removed and replaced as compacted fill. Subsidence due to reprocessing of removal bottoms is anticipated to be about 0.05 feet. The estimates of shrinkage and subsidence are intended as an aid for project engineers in determining earthwork quantities. However, these estimates should be used with some caution since they are not absolute values. Contingencies should be made for balancing earthwork quantities based on actual shrinkage and subsidence that occurs during the grading process.

5.6 SOIL EXPANSION

Based on our laboratory test results and the USCS visual manual classification, the near-surface soils are generally anticipated to possess a **Low** expansion potential. Additional testing for soil expansion will be required prior to construction of foundations and other concrete work to confirm these conditions.

6.0 RECOMMENDATIONS

6.1 EARTHWORK

6.1.1 General Earthwork and Grading Specifications

All earthwork and grading should be performed in accordance with applicable requirements of Cal/OSHA, applicable specifications of the Grading Codes of the City of Artesia, California in addition to the recommendations presented herein.

6.1.2 Pre-Grade Meeting and Geotechnical Observation

Prior to commencement of grading, we recommend a meeting be held between the developer, City Inspector, grading contractor, civil engineer, and geotechnical consultant to discuss the proposed grading and construction logistics. We also recommend a geotechnical consultant be retained to provide soil engineering and engineering geologic services during site grading and foundation construction. This is to observe compliance with the design specifications and recommendations and to allow for design changes in the event that subsurface conditions differ from those anticipated. If conditions are encountered that appear to be different than those indicated in this report, the project geotechnical consultant should be notified immediately. Design and construction revisions may be required.

6.1.3 Site Clearing

Areas to be graded should be cleared of vegetation, existing asphalt and concrete, underground improvements to be abandoned and deleterious materials. Existing underground utility lines within the project area that will be protected in place and that fall within a 1 to 1 (H:V) plane projected down from the edges of footings may be subject to surcharge loads. Under such conditions, this office should be made aware of these conditions for evaluation of potential surcharging. Supplemental recommendations may be required to protect such improvements in place.

The project geotechnical consultant should be notified at the appropriate times to provide observation services during clearing operations to verify compliance with the above recommendations. Voids created by clearing and excavation should be left open for observation by the geotechnical consultant. Should any unusual soil conditions or subsurface structures be encountered during site clearing or grading that are not described or anticipated herein, these conditions should be brought to the immediate attention of the project geotechnical consultant for corrective recommendations as needed.

Temporary construction equipment (office trailers, power poles, etc.) should be positioned to allow adequate room for clearing and recommended ground preparation to be performed for proposed structures, pavements, and hardscapes.

6.1.4 Ground Preparation

In general, the artificial fill is considered unsuitable for support of the proposed development. Based on our exploratory borings, the depth of the artificial fill material is anticipated to be about 2 feet in depth. However, deeper fills are expected in the areas of the previous site improvements (i.e. utility lines) and where the current buildings and structures are located. All artificial fill soils should be removed to expose the underlying alluvial soils within the limits of the structures (buildings and site walls) and paving.

Removal of unsuitable materials should extend laterally beyond the limits of the proposed buildings a distance equal to the depth of removal (i.e. 1:1 projection) but not less than 5 feet. Removals within pavements and footings for site walls may be limited to the edge of foundations or pavement where lateral restrictions to removals are present such as property lines.

All removal and overexcavations should be evaluated by the geotechnical consultant during grading to confirm the exposed conditions are as anticipated and to provide supplemental recommendations if required.

6.1.5 Scarification

Prior to placement of compacted fill, the exposed ground should be scarified to a depth of 6 to 8 inches, moisture conditioned to at least 110 percent of the optimum moisture content, then compacted to at least 90 percent of the laboratory standard. The laboratory standard for maximum dry density and optimum moisture content for each soil type should be determined in accordance with ASTM D 1557.

6.1.6 Fill Placement

Materials excavated from the site may be reused as fill provided, they are free of deleterious materials and particles greater than 4 inches in maximum dimension (oversized materials). Asphaltic and concrete debris generated during site demolition or encountered within the existing fill can be incorporated within new fill soils during earthwork operations provided they are reduced to no more than 4 inches in maximum dimension. Such materials should be mixed thoroughly with fill soils to prevent nesting. All fill should be placed in lifts no greater than 8 inches in loose thickness, moisture conditioned to at least 110% of optimum moisture content, then compacted in place to at least 90 percent of the laboratory standard. Each lift should be treated in a similar manner. Subsequent lifts should not be placed until the project geotechnical consultant has approved the preceding lift.

6.1.7 Import Materials

If import materials are required to achieve the proposed finish grades, the proposed import soils should have an Expansion Index (EI, ASTM D 4829) less than 20 and possess negligible soluble sulfate concentrations. Import sources should be indicated to the geotechnical consultant prior to hauling the materials to the site so that appropriate testing and evaluation of the fill materials can be performed in advance.

6.1.8 Temporary Excavations

Temporary construction slopes in site materials that are not surcharged may be cut vertically up to a height of 4 feet. Temporary excavations greater than 4 feet but no greater than 10 feet in height that are not surcharged should be laid back at a maximum gradient of 1:1 (H:V) or properly shored.

Excavations should not be left open for prolonged periods of time. The project geotechnical consultant should observe all temporary cuts to confirm anticipated conditions and to provide alternate recommendations if conditions dictate. All excavations should conform to the requirements of Cal/OSHA. The current removal requirement is 12 inches below existing grade and not expected to undermine the existing foundations. However, if deeper removals are required during grading and where insufficient room exists for recommended lay back cuts, shoring or slot cutting methods may be required. Additional recommendations for such conditions can be provided at that time based on the observed materials and subsequent lab testing.

6.2 SEISMIC DESIGN PARAMETERS

6.2.1 Mapped Seismic Design Parameters

For design of the project in accordance with Chapter 16 of the 2019 CBC, the mapped seismic parameters may be taken as presented in the tables below.

TABLE 6.1
2019 CBC Mapped Seismic Design Parameters

Parameter	Value
Site Class	D
Mapped MCE_R Spectral Response Acceleration, short periods, S_S	1.552
Mapped MCE_R Spectral Response Acceleration, at 1-sec. period, S_1	0.552
Site Coefficient, F_a	1.0
Site Coefficient, F_v	1.7445*
Adjusted MCE_R Spectral Response Acceleration, short periods, S_{MS}	1.552
Adjusted MCE_R Spectral Response Acceleration, at 1-sec. period, S_{M1}	0.968
Design Spectral Response Acceleration, short periods, S_{DS}	1.034
Design Spectral Response Acceleration, at 1-sec. period, S_{D1}	0.645
Long-Period Transition Period, T_L (sec.)	8
Seismic Design Category for Risk Categories I-IV	II

MCE_R = Risk-Targeted Maximum Considered Earthquake

*According to Section 11.4.8 in ASCE 7-16, "a ground motion hazard analysis shall be performed in accordance with Section 21.2 for the following structures on Site Class D and E sites with S_1 greater than or equal to 0.2." However, "A ground motion hazard analysis is not required for structures where: Structures on Site Class D sites with S_1 greater than or equal to 0.2, provided the value of the seismic response coefficient C_s is determined by Eq. (12.8-2) for values of $T \leq 1.5T_s$ and taken as equal to 1.5 times the value computed in accordance with either Eq. (12.8-3) for $T_L \geq T > 1.5T_s$ or Eq. (12.8-4) for $T > T_L$." The F_v value of 1.7 above from Table 11.4-2 assumes that this exception is met and that a ground motion hazard analysis is not required. Should this exception not be met, the site-specific seismic design parameters provided in the next section should be used.

6.2.2 Site-Specific Seismic Design Parameters

In addition to the Code Spectra parameters presented in Table 6.1, we have performed a site-specific ground motion hazard analysis in accordance with Chapter 21 of ASCE 7-16 to obtain site-specific seismic design acceleration parameters, the risk-targeted maximum considered earthquake response spectrum, and the design earthquake response spectrum. The site-specific seismic design parameters are presented below.

TABLE 6.2
2019 CBC Site Specific Seismic Design Parameters

Parameter	Value
Site Class	D
Site Coefficient, F_a	1.0
Site Coefficient, F_v	2.5
Adjusted MCE Spectral Response Acceleration, short periods, S_{MS}	1.833
Adjusted MCE Spectral Response Acceleration, at 1-sec. period, S_{M1}	1.822
Design Spectral Response Acceleration, short periods, S_{DS}	1.222
Design Spectral Response Acceleration, at 1-sec. period, S_{D1}	1.214

MCE = Maximum Considered Earthquake

6.3 CONVENTIONAL FOUNDATION DESIGN

6.3.1 General

As discussed in Section 5.2.4, the site is prone to liquefaction. To mitigate this condition, we recommend structures be supported by a foundation system consisting of a mat, post-tensioned slab, or spread footings tied together with a structural slab with grade beams. For this project, we have assumed the foundation system will utilize spread footings tied together with a structural slab with grade beams. Specific recommendations for this system is provided in the following sections. Recommendations for other systems can be provided upon request.

The following design parameters are provided to assist the project structural engineer to design foundations for structures at the site. These design parameters are based on typical site materials encountered during subsurface exploration and are provided for preliminary design and estimating purposes. The project geotechnical consultant should provide final design parameters following observation and testing of site materials during grading. Depending on actual materials encountered during site grading, the design parameters presented herein may require modification.

6.3.2 Soil Expansion

The recommendations presented herein are based on soils with a **Low** expansion potential. Following site grading, additional testing of site soils should be performed by the project geotechnical consultant to confirm the basis of these recommendations. If site soils with higher expansion potentials are encountered or imported to the site, the recommendations contained herein may require modification.

6.3.3 Static and Seismic Settlement

Based on anticipated foundation loads and provided that the recommendations for ground preparation in this report are followed, total and differential static settlement are anticipated to be less than 1 inch and ½ inch over 30 feet, respectively. These values are considered within tolerable limits of proposed structures and site improvements. Design of the structures should consider these maximum anticipated settlements.

6.3.4 Allowable Bearing Value

Foundations may utilize a bearing value of 2,000 pounds per square foot (psf) for continuous and pad footings a minimum width of 12 inches and founded at a minimum depth of 12 inches below the lowest adjacent grade. This value may be increased by 260 psf and 700 psf for each additional foot in width and depth, respectively, up to a maximum value of 4,000 psf. Recommended allowable bearing values include both dead and live loads may be increased by one-third for wind and seismic forces.

6.3.5 Lateral Resistance

For foundations that are founded in the native alluvial soils or compacted fill, a passive earth pressure of 300 pounds per square foot per foot of depth (psf/ft) up to a maximum value of 1,500 pounds per square foot (psf) may be used to determine lateral bearing for footings. This value may be increased by one-third when designing for wind and seismic forces. A coefficient of friction of 0.33 times the dead load forces may also be used between concrete and the supporting soils to determine lateral sliding resistance. No increase in the coefficient of friction should be used when designing for wind and seismic forces.

The above values are based on footings placed directly against compacted fill or competent native soils. In the case where footing sides are formed, all backfill against the footings should be compacted to at least 90 percent of the laboratory standard.

6.3.6 Footing Dimensions and Reinforcement

Exterior and interior pad footings should be founded at a minimum depth of 12 inches below the lowest adjacent grade and have a minimum width of 12 inches. All continuous footings should have a minimum depth of 12 inches below lowest adjacent grade and a minimum width of 12 inches.

All continuous footings should be reinforced with a minimum of four No. 5 bars, two top and two bottom. The structural engineer may require different reinforcement and should dictate if greater than the recommendations provided herein.

All isolated pad footings should be tied in both directions with a concrete grade beam to the nearest foundation. Grade beams should be at least 12 inches wide by 12 inches deep and be reinforced with four No. 5 bars, two top and two bottom. Reinforcing for the grade beams should tie into the adjacent footings.

6.3.7 Slabs on Grade

Interior concrete slabs constructed on grade should be a minimum 6 inches thick and should be reinforced with No. 3 bars spaced 18 inches each way. Care should be taken to ensure the placement of reinforcement at mid-slab height. The structural engineer may recommend a greater slab thickness and reinforcement based on proposed use and loading conditions and such recommendations should govern if greater than the recommendations presented herein. No. 4 tie bars should be provided between the slab and connecting grade beams at a spacing of 18 inches.

For consideration of point loading that may occur on the slab, a subgrade of modulus, K_{V1}, of 100 pci may be used.

Concrete floor slabs in areas to receive carpet, tile, or other moisture sensitive coverings should be underlain with a moisture vapor barrier 10-mil Visqueen, or equal. The membrane should be properly lapped, sealed, and protected with at least 2 inches of sand having an SE of 30 or more. This vapor barrier system is anticipated to be suitable for most flooring finishes that can accommodate some vapor emissions. However, this system may emit more than 4 pounds of water per 1000 sq. ft. and therefore, may not be suitable for all flooring finishes. Additional steps should be taken if such vapor emission levels are too high for anticipated flooring finishes.

Special consideration should be given to slabs in areas to receive ceramic tile or other rigid, crack-sensitive floor coverings. Design and construction of such areas should mitigate hairline cracking as recommended by the structural engineer.

Block-outs should be provided around interior columns to permit relative movement and mitigate distress to the floor slabs due to differential settlement that will occur between column footings and adjacent floor subgrade soils as loads are applied.

Prior to placing concrete, subgrade soils below slab-on-grade areas should be thoroughly moistened to provide a moisture content that is equal to or greater than 110% of the optimum moisture content to a depth of 12 inches.

6.3.8 Foundation Observations

Foundation excavation should be observed by the project geotechnical consultant to verify that they have been excavated into competent bearing soils and to the minimum embedment recommended above. These observations should be performed prior to placement of forms or reinforcement. The excavations should be trimmed neat, level and square. Loose, sloughed or moisture-softened materials and debris should be removed prior to placing concrete.

6.4 RETAINING AND SCREENING WALLS

6.4.1 General

The following preliminary design and construction recommendations are provided for general retaining and screen walls supported by engineered compacted fill or competent native soils. Final wall designs specific to the site development should be provided for review once completed. The structural engineer and architect should provide appropriate recommendations for sealing at all joints and applying moisture-proofing material on the back of the walls.

6.4.2 Allowable Bearing Value and Lateral Resistance

Design of retaining and screen walls may utilize the bearing and lateral resistance values provided in Sections 6.3.4 and **Error! Reference source not found.**.

6.4.3 Active Earth Pressures

Static and seismic earth pressures for level and 2:1 (H:V) backfill conditions are provided in Table 6.3. Seismic earth pressures provided herein are based on the method provided by Seed & Whitman (1970) using a peak ground acceleration (PGA) of 0.42 g for 10% probability of exceedance in 50 years. As indicated in Section 1803.5.12 of the 2019 CBC, retaining walls supporting 10 feet of

backfill or less are not required to be designed for seismic earth pressures. The values provided in the following table do not consider hydrostatic pressure. Retaining walls should also be designed to support adjacent surcharge loads imposed by other nearby footings or traffic loads in addition to the earth pressure.

TABLE 6.3

SEISMIC EARTH PRESSURES
Pressure Diagram



Pressure Values
Walls Up To 10 Feet High

Value	Backfill Condition	
	Level	2H:1V Slope
A	33H	54H
B	12.5H	12.5H
C	23H	33.5H

Note:
H is in feet and resulting pressure is in psf. Design may utilize either the sum of the static component and the seismic component force diagrams or the total force diagram above. SEAOSC has suggested using a load factor of 1.7 for the static component and 1.0 for the seismic component. The actual load factors should be determined by the structural engineer.

6.4.4 Drainage and Moisture-Proofing

Retaining walls should be constructed with a perforated pipe and gravel subdrain to prevent entrapment of water in the backfill. The perforated pipe should consist of 4-inch-diameter, ABS SDR-

35 or PVC Schedule 40 with the perforations laid down. The pipe should be embedded in ¾- to 1½-inch open-graded gravel wrapped in filter fabric. The gravel should be at least one foot wide and extend at least one foot up the wall above the footing and drainage outlet. Drainage gravel and piping should not be placed below outlets and weepholes. Filter fabric should consist of Mirafi 140N, or equal. Outlet pipes should be directed to positive drainage devices.

The use of weepholes may be considered in locations where aesthetic issues from potential nuisance water are not a concern. Weepholes should be 2 inches in diameter and provided at least every 6 feet on center. Where weepholes are used, perforated pipe may be omitted from the gravel subdrain.

Retaining walls supporting backfill should also be coated with a moisture-proofing compound or covered with such material to inhibit infiltration of moisture through the walls. Moisture-proofing material should cover any portion of the back of wall that will be in contact with soil and should lap over and onto the top of footing. A drainage panel should be provided between the soil backfill and water proofing. The panel should extend from the top of the backdrain gravel up to within 12 inches of finish grade. The top of footing should be finished smooth with a trowel where moisture proofing-materials are applied to inhibit the infiltration of water through the wall. The project structural engineer should provide specific recommendations for moisture-proofing, water stops, and joint details.

6.4.5 Footing Reinforcement and Wall Jointing

All continuous footings should be reinforced with a minimum of two No. 4 bars, one top and one bottom. Walls should be provided with cold joints spaced no more than 20 feet apart. Wall finishes and capping materials should not extend across the cold joint. The structural engineer may require different reinforcement or jointing and should dictate if greater than the recommendations provided herein. Where recommended removals are limited due to space restrictions, greater reinforcement and closer jointing may be recommended. Specific recommendations should be provided by the geotechnical consultant during grading based on as-built conditions exposed in the field.

6.4.6 Foundation Observations

Footing excavations should be observed by the project geotechnical consultant to verify that they have been excavated into competent bearing soils and to the minimum embedment recommended herein. These observations should be performed prior to placement of forms or reinforcement. The excavations should be trimmed neat, level and square. Loose, sloughed or moisture-softened materials and debris should be removed prior to placing concrete.

6.5 EXTERIOR FLATWORK

Exterior flatwork should be a minimum 4 inches thick. Cold joints or saw cuts should be provided at least every 7 feet in each direction. Flatwork having a minimum dimension more than 7 feet should be reinforced with No. 3 bars spaced 18 inches center to center each way or 6-inch by 6-inch, W4 by W4 welded wire mesh. Special jointing detail should be provided in areas of block-outs, notches, or other irregularities to avoid cracking at points of high stress. Subgrade soils below flatwork should be thoroughly moistened to at least 110 percent of the optimum moisture content to a depth of 12 inches. Moistening should be accomplished by lightly spraying the area over a period of a few days just prior to pouring concrete. The geotechnical consultant should observe and verify the density and moisture

content of subgrade soils prior to pouring concrete to ensure that the required compaction and pre-moistening recommendations have been met.

Drainage from flatwork areas should be directed to local area drains and/or other appropriate collection devices designed to carry runoff water to the street or other approved drainage structures. The concrete flatwork should also be sloped at a minimum gradient of 0.5 percent away from building foundations and retaining walls.

6.6 CONCRETE MIX DESIGN

Laboratory testing of near-surface soils for soluble sulfate content indicates soluble sulfate concentration of 0.002%. We recommend following the procedures provided in ACI 318, Section 19.3.1, Table 19.3.1.1 for **S0** sulfate exposure. Upon completion of rough grading, an evaluation of as-graded conditions and further laboratory testing should be completed for the site to confirm or modify the recommendations provided in this section.

6.7 CORROSION

Results of preliminary testing of soils for pH, chloride, and minimum resistivity indicate the site is potentially **Highly Corrosive** to metals that are in contact or close proximity to onsite soils. As such, specific recommendations should be obtained from a corrosion specialist if construction will include metals that will be near or in direct contact with site soils.

6.8 PRELIMINARY PAVEMENT DESIGN

6.8.1 Preliminary Pavement Structural Sections

Based on the soil conditions present at the site and an estimated traffic index, preliminary pavement sections are provided in the table below. A laboratory tested "R-value" of 33 was used for the near-surface soil in this preliminary pavement design. The sections provided below are for planning purposes only and should be re-evaluated subsequent to site grading. Final pavement sections should be based on actual R-value testing of in-place soils and analysis of anticipated traffic.

6.8.2 Subgrade Preparation

Prior to placement of paving elements, subgrade soils should be scarified 6 inches, moisture-conditioned to above the optimum moisture content then compacted to at least 90 percent of the maximum dry density determined in accordance with ASTM D1557. Areas observed to pump or yield under vehicle traffic should be removed and replaced with firm and unyielding engineered compacted soil or aggregate base materials.

6.8.3 Aggregate Base

Aggregate base materials should be Crushed Aggregate Base or Crushed Miscellaneous Base conforming to Section 200-2 of the Standard Specification for Public Works Construction (Greenbook) or Class 2 Aggregate Base conforming to the Caltrans' Standard Specifications. The materials should be moisture conditioned to slightly over the optimum moisture content then compacted to at least 95 percent of ASTM D 1557.

TABLE 6.4
PRELIMINARY PAVEMENT STRUCTURAL SECTIONS

Location	Traffic Index	AC (inches)	PCC (inches)	AB (inches)
Truck Drive Areas	7.5	4.0	--	11.0
		--	8.0	--
Parking Drives	5.0	3.0	--	5.0
		--	5.0	--
Parking Stalls	--	3.0	--	5.0

6.8.4 Asphaltic Concrete

Paving asphalt should be PG 64-10 conforming to the requirements of Section 203-1 of the Greenbook. Asphalt concrete materials should conform to Section 203-6 and construction should conform to Section 302 of the Greenbook.

6.8.5 Portland Cement Concrete

Portland cement concrete used to construct concrete paving should conform to Section 201 of the Greenbook and should have a minimum compressive strength of 3,250 pounds per square inch (psi) at 28 days. Reinforcement and jointing of concrete pavement sections should be designed according to the minimum recommendations provided by the Portland Cement Association (PCA). For rigid pavement, transverse and longitudinal contraction joints should be provided at spacing no greater than 15 feet. Score joints may be constructed by saw cutting to a depth of ¼ of the slab thickness. Expansion/cold joints may be used in lieu of score joints. Such joints should be properly sealed. Where traffic will traverse over cold joints without keyways or dowels or edges of concrete paving, the edges should be thickened by 20% of the design thickness toward the edge over a horizontal distance of 5 feet.

6.9 POST GRADING CONSIDERATIONS

6.9.1 Site Drainage and Irrigation

The ground immediately adjacent to foundations should be provided with positive drainage away from the structures in accordance with 2019 CBC, Section 1804.4. Based on soil and climatic conditions, the ground slope within 10 feet of the buildings may be reduced to 2%. No rain or excess water should be allowed to pond against structures such as walls, foundations, flatwork, etc.

Excessive irrigation water can be detrimental to the performance of the proposed site development. Water applied in excess of the needs of vegetation will tend to percolate into the ground. Such percolation can lead to nuisance seepage and shallow perched groundwater. Seepage can form on slope faces, on the faces of retaining walls, in streets, or other low-lying areas. These conditions could lead to adverse effects such as the formation of stagnant water that breeds insects, distress or damage of trees, surface erosion, slope instability, discoloration and salt buildup on wall faces, and premature

failure of pavement. Excessive watering can also lead to elevated vapor emissions within buildings that can damage flooring finishes or lead to mold growth inside the home.

Key factors that can help mitigate the potential for adverse effects of overwatering include the judicious use of water for irrigation, use of irrigation systems that are appropriate for the type of vegetation and geometric configuration of the planted area, the use of soil amendments to enhance moisture retention, use of low-water demand vegetation, regular use of appropriate fertilizers, and seasonal adjustments of irrigation systems to match the water requirements of vegetation. Specific recommendations should be provided by a landscape architect or other knowledgeable professional.

6.9.2 Utility Trenches

Trench excavations should be constructed in accordance with the recommendations contained in Section 6.1.8 of this report. Trench excavations must also conform to the requirements of Cal/OSHA.

Trench backfill materials and compaction criteria should conform to the requirements of the local municipalities. As a minimum, utility trench backfill should be compacted to at least 90 percent of the laboratory standard. Materials placed within the pipe zone (6 inches below and 12 inches above the pipe) should consist of particles no greater than ¾ inches and have a SE of at least 30. The materials within the pipe zone should be moisture-conditioned and compacted by hand-operated compaction equipment. Above the pipe zone (>1 foot above pipe), the backfill may consist of general fill materials. Trench backfill should be moisture-conditioned to slightly over the optimum moisture content, placed in lifts no greater than 12 inches in thickness, and then mechanically compacted with appropriate equipment to at least 90 percent of the laboratory standard. For trenches with sloped walls, backfill material should be placed in lifts no greater than 8 inches in loose thickness, and then compacted by rolling with a sheepsfoot roller or similar equipment. The project geotechnical consultant should perform density testing along with probing to verify that adequate compaction has been achieved.

Within shallow trenches (less than 18 inches deep) where pipes may be damaged by heavy compaction equipment, imported clean sand having a SE of 30 or greater may be utilized. The sand should be placed in the trench, thoroughly watered, and then compacted with a vibratory compactor. For utility trenches located below a 1:1 (H:V) plane projecting downward from the outside edge of the adjacent footing base or crossing footing trenches, concrete or slurry should be used as trench backfill.

6.10 PLAN REVIEW AND CONSTRUCTION SERVICES

We recommend ***Albus & Associates, Inc.*** be engaged to review any future development plans, including civil plans (grading plans), foundation plans, and proposed structural loads, prior to construction. This is to verify that the assumptions of this report are valid and that the preliminary conclusions and recommendations contained in this report have been properly interpreted and are incorporated into the project plans and specifications. If we are not provided the opportunity to review these documents, we take no responsibility for misinterpretation of our preliminary conclusions and recommendations.

We recommend that a geotechnical consultant be retained to provide soil engineering services during construction of the project. These services are to observe compliance with the design, specifications

or recommendations, and to allow design changes in the event that subsurface conditions differ from those anticipated prior to the start of construction.

If the project plans change significantly from the assumed development described herein, the project geotechnical consultant should review our preliminary design recommendations and their applicability to the revised construction. If conditions are encountered during construction that appear to be different than those indicated in this report or subsequent design reports, the project geotechnical consultant should be notified immediately. Design and construction revisions may be required.

7.0 LIMITATIONS

This report is based on the proposed development and geotechnical data as described herein. The materials encountered on the project site and utilized in our laboratory testing for this investigation are believed representative of the total project area, and the conclusions and recommendations contained in this report are presented on that basis. However, soil and bedrock materials can vary in characteristics between points of exploration, both laterally and vertically, and those variations could affect the conclusions and recommendations contained herein. As such, observation and testing by a geotechnical consultant during the grading and construction phases of the project are essential to confirming the basis of this report.

This report has been prepared consistent with that level of care being provided by other professionals providing similar services at the same locale and time period. The contents of this report are professional opinions and as such, are not to be considered a guaranty or warranty.

This report should be reviewed and updated after a period of one year or if the site ownership or project concept changes from that described herein.

This report has been prepared for the exclusive use of **G3 Urban Company** and their project consultants in the planning and design of the proposed development. This report has not been prepared for use by parties or projects other than those named or described herein. This report may not contain sufficient information for other parties or other purposes.

This report is subject to review by the controlling governmental agency.

Respectfully submitted,

ALBUS & ASSOCIATES, INC.



Eung Jin Jeon, Ph.D.
Associate Engineer
G.E. 3096

Reviewed by:

David E. Albus
Principal Engineer
G.E. 2445

8.0 REFERENCES

Publications

Abrahamson, N.A., Silva, W.J., and Kamai, R. 2014, "Update of the AS08 Ground-Motion Prediction Equations Based on the NGA-West2 Data Set." Earthquake Spectra 30 (3): 1179-1197.

American Society of Civil Engineers, 2017, Minimum Design Loads and Associated Criteria for Buildings and Other Structures, ASCE 7-16.

Boore, D.M., Stewart, J.P., Seyhan, E., and Atkinson, G.M., 2014, "NGA-West2 Equations for Predicting PGA, PGV, and 5% damped PSA for Shallow Crustal Earthquakes." Earthquake Spectra 30 (3): 1057-1085.

California Department of Conservation Division of Mines and Geology (CDMG), 1998, "Seismic Hazard Zone Report for the Los Alamitos 7.5-Minute Quadrangles, Los Angeles and Orange Counties, California," Seismic Hazard Zone Report 019.

California Geologic Survey, 2008, Guidelines for Evaluating and Mitigating Seismic Hazards in California, Special Publication 117A.

Campbell, K.W., and Bozorgnia, Y., 2014, "NGA-West2 Ground Motion Model for the Average Horizontal Components of PGA, PGV, and 5%-damped Linear Acceleration Response Spectra." Earthquake Spectra 30 (3): 1087-1115.

Chiou, B.S.-J., and Youngs, R.R., 2014, "Update of the Chiou and Youngs NGA Model for the Average Horizontal Component of Peak Ground Motion and Response Spectra, Earthquake Spectra, 30 (3): 1117-1153.

Field, E.H., Biasi, G.P., Bird, P., Dawson, T.E., Felzer, K.R., Jackson, D.D., Johnson, K.M., Jordan, T.H., Madden, C., Michael, A.J., Milner, K.R., Page, M.T., Parsons, T., Powers, P.M., Shaw, B.E., Thatcher, W.R., Weldon, R.J., II, and Zeng, Y., 2013, Uniform California earthquake rupture forecast, version 3 (UCERF3)—The time-independent model: U.S. Geological Survey Open-File Report 2013–1165, 97 p., California Geological Survey Special Report 228, and Southern California Earthquake Center Publication 1792, http://pubs.usgs.gov/of/2013/1165/.

NCEER, 1997, "Proceedings of the NCEER Workshop on Evaluation of Liquefaction Resistance of Soils," Technical Report NCEER-97-0022.

Post-Tensioning Institute, 2004, Post-Tensioned Slabs-on-Ground 3rd Edition.

Robertson, P.K., 2009, "Performance based earthquake design using the CPT", Proceedings of International Conference of Performance-Based Design in Earthquake.

Robertson, P.K. and Shao, L., 2010, "Estimation of seismic compression in dry soils using the CPT," Fifth International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics.

REFERENCES (cont.)

Seed, H.B., and Whitman, R.V., 1970, "Design of Earth Retaining Structures for Dynamic Loads," ASCE Specialty Conference, Lateral Stresses in the Ground and Design of Earth Retaining Structures, Cornell Univ., Ithaca, New York, 103-147.

Terzaghi, K., Peck, R.B., and Mesri, G, 1996, "Soil Mechanics in Engineering Practice", 3rd Edition, John Wiley and Sons, pp 549.

Youd, T.L., Idriss, I.M., Andrus, R.D., Arango, I., Castro, G., Christian, J., Dobry, R., Finn, W.D.L., Harder, L.F., Hynes, M.E., Ishihara, K., Koester, J.P., Liao, S.S.C., Marcuson, W.F., Martin, G.R., Mitchell, J.K., Moriwaki, Y., Power, M.S., Robertson, P.K., Seed, R.B., and Stokoe, K.H., 2001, "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils", Journal of Geotechnical and Geoenvironmental Engineering, October, 2001.



0 30 60 120

APPROX SCALE : 1" = 60'

EXPLANATION

(Locations Approximate)

- Exploratory Boring
- CPT

© Google 2021

ALBUS ASSOCIATES

GEOTECHNICAL MAP

Job No.: 3027.00	Date: 12/07/2021	Plate: 1

APPENDIX A

EXPLORATION LOGS AND CONE PENETRATION TEST RESULTS

Field Identification Sheet

Light gray

Gray

Dark gray

Gray Brown

Light brown

Brown

Dark Brown

Olive brown

Olive

Yellow

Yellowish brown

Yellowish red

Red

Reddish Brown

Tan

Description Order:

Description, Color, Moisture, Density, Grain Size, Additional Description

Description	%	Example
	0-5	Sand
trace	5-15	Sand trace Silt
with	15-30	Sand with Silt
	30+	Silty Sand

More Examples

Sand with Silt trace Clay

Sand trace Silt and Clay

Sand with Silt and Clay

Gravelly Sand with Silt trace Clay

Silty Clay with Sand trace Gravel

Moisture

Dry	absence of water
Damp	below optimum
Moist	near optimum
Very Moist	above optimum
Wet	free water visible

Density (Navfac)

Coarse grained soils	SPT	CA
Very Loose	0-3	0-5
Loose	3-8	5-13
Medium Dense	8-14	13-22
Dense	14-25	22-40
Very Dense	25>	40>
Fine grained soils		
Very Soft	2<	0-3
Soft	2-4	3-6
Medium Stiff	4-8	6-13
Stiff	8-15	13-24
Very Stiff	15-30	24-48
Hard	30>	48>

Grain Size

Description		Sieve Size	Approx. Size
Boulders		>12"	Larger than basketball
Cobbles		3-12"	Fist to basketball
Gravel	coarse	3/4-3"	Thumb to Fist
	fine	#4-3/4"	Pea to Thumb
Sand	coarse	#10-4	Rock Salt to Pea
	medium	#40-10	Sugar to Rock Salt
	fine	#200-40	Flour to Sugar
Fines		Pass #200	Smaller than Flour

Additional Description (ie. roots, pinhole pores, debris, etc.)

Trace 5% Moderate 15% Abundant 30%



EXPLORATION LOG

Project:		Location:
Address:		Elevation:
Job Number:	Client:	Date:
Drill Method:	Driving Weight:	Logged By:

Depth (feet)	Lith-ology	Material Description	Water	Samples: Blows Per Foot	Samples: Core	Samples: Bulk	Laboratory Tests: Moisture Content (%)	Laboratory Tests: Dry Density (pcf)	Laboratory Tests: Other Lab Tests
		EXPLANATION							
		Solid lines separate geologic units and/or material types.							
		Dashed lines indicate unknown depth of geologic unit change or material type change.							
5		**Solid black rectangle** in Core column represents California Split Spoon sampler (2.5in ID, 3in OD).							
		Double triangle in core column represents SPT sampler.							
10		**Vertical Lines** in core column represents Shelby sampler.							
		Solid black rectangle in Bulk column respresents large bag sample.							
		Other Laboratory Tests:							
15		Max = Maximum Dry Density/Optimum Moisture Content							
		EI = Expansion Index							
		SO4 = Soluble Sulfate Content							
		DSR = Direct Shear, Remolded							
		DS = Direct Shear, Undisturbed							
		SA = Sieve Analysis (1" through #200 sieve)							
		Hydro = Particle Size Analysis (SA with Hydrometer)							
20		200 = Percent Passing #200 Sieve							
		Consol = Consolidation							
		SE = Sand Equivalent							
		Rval = R-Value							
		ATT = Atterberg Limits							

EXPLORATION LOG

Project:		Location: B-1
Address: 180 Flallon Avenue, Artesia, CA 90701		Elevation: 54.4
Job Number: 3027.00	Client: G3 Urban	Date: 11/2/2021
Drill Method: Hollow-Stem Auger	Driving Weight: 140 lbs / 30 in	Logged By: ddalbus

Depth (feet)	Lith-ology	Material Description	Water	Samples: Blows Per Foot	Samples: Core	Samples: Bulk	Laboratory Tests: Moisture Content (%)	Laboratory Tests: Dry Density (pcf)	Laboratory Tests: Other Lab Tests
		Concrete							Max EI SO4 DS RVal pH Resist Ch Consol ATT
		ARTIFICIAL FILL (Af) Sandy Silt (ML): Grayish brown, moist, fine grained sand		14	■	■	22.4	100.7	
		ALLUVIUM (Qal) Sandy Silt (ML): Grayish brown, moist, stiff, fine grained sand, moderate pinhole pores		15	■	■	19.1	104.5	
5		@ 4 ft, more fine grained sand present Sand trace Silt (SP): Light gray, moist, loose, fine to medium grained sand		9	■		11.9	100.5	
10		Sandy Silt / Silty Sand (ML/SM): Grayish brown, very moist, stiff / medium dense, fine grained sand	▽	17	■		20.1	99.8	
15		Sand trace Silt (SP): Grayish brown, wet, medium dense, fine to medium grained sand		14	⧗				
20		Sandy Silt (SM): Grayish brown, wet, medium stiff, fine grained sand		4	⧗				200
25		Sand trace Silt (SP): Light gray, wet, medium dense, fine to medium grained sand		16	⧗				
		Total Depth 26.5 feet Groundwater 14 feet Boring backfilled with bentonite and capped with concrete							

EXPLORATION LOG

Project:		Location: B-2
Address: 180 Flallon Avenue, Artesia, CA 90701		Elevation: 53.4
Job Number: 3027.00	Client: G3 Urban	Date: 11/2/2021
Drill Method: Hollow-Stem Auger	Driving Weight: 140 lbs / 30 in	Logged By: ddalbus

Depth (feet)	Lith-ology	Material Description	Water	Samples: Blows Per Foot	Samples: Core	Samples: Bulk	Laboratory Tests: Moisture Content (%)	Laboratory Tests: Dry Density (pcf)	Laboratory Tests: Other Lab Tests
		Concrete							
		ARTIFICIAL FILL (Af)							
		Sandy Silt trace Clay (ML): Grayish brown, damp to moist, fine grained sand		17	■		24.2	97.9	Consol
		ALLUVIUM (Qal)							
		Sandy Silt trace Clay (ML): Grayish brown, damp to moist, medium dense, fine grained sand, trace pinhole pores, decayed rootlets		15	■		19.4	100.5	
5		Silty Sand / Sandy Silt (SM/ML): Grayish brown, moist, medium dense / stiff, fine grained sand		12	■		15.7	90.7	
		Silty Sand (SM): Light grayish brown, very moist, loose, fine grained sand							
10		Sandy Silt trace Clay (ML): Grayish brown, very moist, stiff, fine grained sand		18	■		12.6	98.8	Consol
		Silty Sand (SM): Grayish brown, very moist, medium dense, fine grained sand							
		Sand trace Silt (SP): Grayish brown, very moist, medium dense, fine to medium grained sand	▽						
15		Silty Sand (SM): Grayish brown, wet, medium dense, fine grained sand, significant fines		12	▼				
		@ 16.3 ft, Gray							
20		Silty Sand (SM): Grayish brown, wet, loose, fine grained sand		6	▼				200
25		Sand trace Silt (SP): Light grayish brown, wet, dense, fine to medium grained sand		19	▼				

EXPLORATION LOG

Project:		Location: B-2
Address: 180 Flallon Avenue, Artesia, CA 90701		Elevation: 53.4
Job Number: 3027.00	Client: G3 Urban	Date: 11/2/2021
Drill Method: Hollow-Stem Auger	Driving Weight: 140 lbs / 30 in	Logged By: ddalbus

Depth (feet)	Lith-ology	Material Description	Water	Samples: Blows Per Foot	Samples: Core	Samples: Bulk	Laboratory Tests: Moisture Content (%)	Laboratory Tests: Dry Density (pcf)	Laboratory Tests: Other Lab Tests
		Silty Sand trace Clay (SM): Grayish brown, wet, medium dense, fine grained sand		8					200
35		Sand trace Silt (SP): Grayish brown, wet, dense, fine to medium grained sand		25					
40		Sandy Silt (ML): Gray, wet, very stiff, fine grained sand		13					200
45		Sand (SP): Grayish brown, wet, very dense, fine to medium grained sand		35					
50		Sandy Silt (ML): Grayish brown, wet, very stiff, fine grained sand		11					
		Total Depth 51.5 feet Groundwater 14 feet Boring backfilled with bentonite and capped with concrete							

EXPLORATION LOG

Project:		Location: B-3
Address: 180 Flallon Avenue, Artesia, CA 90701		Elevation: 57
Job Number: 3027.00	Client: G3 Urban	Date: 11/2/2021
Drill Method: Hollow-Stem Auger	Driving Weight: 140 lbs / 30 in	Logged By: ddalbus

Depth (feet)	Lith-ology	Material Description	Water	Samples: Blows Per Foot	Samples: Core	Samples: Bulk	Laboratory Tests: Moisture Content (%)	Laboratory Tests: Dry Density (pcf)	Laboratory Tests: Other Lab Tests
		concrete with rebar							
		ARTIFICIAL FILL (Af) Silty Sand / Sandy Silt (SM/ML): Grayish brown, moist, fine grained sand		15	■		20.9	102.9	
		ALLUVIUM (Qal) Silty Sand / Sandy Silt (SM/ML): Grayish brown, moist, medium dense / stiff, fine grained sand, trace pinhole pores		13	■		19.2	101.8	
5		@ 4 ft, loose / stiff Silty Sand (SM): Grayish brown, moist, loose, fine grained sand		11	■		15.3	97	Consol
10		@ 10 ft, very moist, medium dense	▽	17	■		15.4	93.2	
15		Sand trace Silt and Clay (SP): Grayish brown, wet, loose, fine grained sand		4	⧗				
		Silty Sand (SM): Gray, wet, loose, fine to medium grained sand							
20		Silty Sand with Clay (SM): Grayish brown, wet, loose, fine grained sand		4	⧗				200
25		Sand (SP): Grayish brown, wet, medium dense, fine to medium grained sand		11	⧗				
		Total Depth 26.5 feet Groundwater 14 feet Boring backfilled with bentonite and capped with concrete							

SUMMARY

OF

CONE PENETRATION TEST DATA

Project:

180 Flallon Avenue
Artesia, CA
November 2, 2021

Prepared for:

Mr. Danny Albus
Albus & Associates
1011 N. Armando Street
Anaheim, CA 92806-2606
Office (714) 630-1626 / Fax (714) 630-1916

Prepared by:

KEHOE TESTING & ENGINEERING
5415 Industrial Drive
Huntington Beach, CA 92649-1518
Office (714) 901-7270 / Fax (714) 901-7289
www.kehoetesting.com

TABLE OF CONTENTS

1. **INTRODUCTION**
2. **SUMMARY OF FIELD WORK**
3. **FIELD EQUIPMENT & PROCEDURES**
4. **CONE PENETRATION TEST DATA & INTERPRETATION**

APPENDIX

- CPT Plots
- CPT Classification/Soil Behavior Chart
- CPT Data Files (sent via email)

SUMMARY

OF

CONE PENETRATION TEST DATA

1. INTRODUCTION

This report presents the results of a Cone Penetration Test (CPT) program carried out for the project located at 180 Flallon Avenue in Artesia, California. The work was performed by Kehoe Testing & Engineering (KTE) on November 2, 2021. The scope of work was performed as directed by Albus & Associates personnel.

2. SUMMARY OF FIELD WORK

The fieldwork consisted of performing CPT soundings at four locations to determine the soil lithology. A summary is provided in **TABLE 2.1**.

LOCATION	DEPTH OF CPT (ft)	COMMENTS/NOTES:
CPT-1	50	
CPT-2	50	
CPT-3	50	
CPT-4	50	

TABLE 2.1 - Summary of CPT Soundings

3. FIELD EQUIPMENT & PROCEDURES

The CPT soundings were carried out by **KTE** using an integrated electronic cone system manufactured by Vertek. The CPT soundings were performed in accordance with ASTM standards (D5778). The cone penetrometers were pushed using a 30-ton CPT rig. The cone used during the program was a 15 cm^2 cone with a cone net area ratio of 0.83. The following parameters were recorded at approximately 2.5 cm depth intervals:

- Cone Resistance (qc)
- Sleeve Friction (fs)
- Dynamic Pore Pressure (u)
- Inclination
- Penetration Speed

The above parameters were recorded and viewed in real time using a laptop computer. Data is stored at the KTE office for up to 2 years for future analysis and reference. A complete set of baseline readings was taken prior to each sounding to determine temperature shifts and any zero load offsets. Monitoring base line readings ensures that the cone electronics are operating properly.

4. CONE PENETRATION TEST DATA & INTERPRETATION

The Cone Penetration Test data is presented in graphical form in the attached Appendix. These plots were generated using the CPeT-IT program. Penetration depths are referenced to ground surface. The soil behavior type on the CPT plots is derived from the attached CPT SBT plot (Robertson, "Interpretation of Cone Penetration Test…", 2009) and presents major soil lithologic changes. The stratigraphic interpretation is based on relationships between cone resistance (qc), sleeve friction (fs), and penetration pore pressure (u). The friction ratio (Rf), which is sleeve friction divided by cone resistance, is a calculated parameter that is used along with cone resistance to infer soil behavior type. Generally, cohesive soils (clays) have high friction ratios, low cone resistance and generate excess pore water pressures. Cohesionless soils (sands) have lower friction ratios, high cone bearing and generate little (or negative) excess pore water pressures.

The CPT data files have also been provided. These files can be imported in CPeT-IT (software by GeoLogismiki) and other programs to calculate various geotechnical parameters.

It should be noted that it is not always possible to clearly identify a soil type based on qc, fs and u. In these situations, experience, judgement and an assessment of the pore pressure data should be used to infer the soil behavior type.

If you have any questions regarding this information, please do not hesitate to call our office at (714) 901-7270.

Sincerely,

KEHOE TESTING & ENGINEERING

Steven P. Kehoe
President

11/04/21-hh-3536

APPENDIX

Kehoe Testing and Engineering
714-901-7270
steve@kehoetesting.com
www.kehoetesting.com

Project: **Albus & Associates**
Location: **180 Flallon Ave, Artesia, CA**

CPT-1
Total depth: 50.20 ft, Date: 11/2/2021



Kehoe Testing and Engineering
714-901-7270
steve@kehoetesting.com
www.kehoetesting.com

Project: **Albus & Associates**
Location: **180 Flallon Ave, Artesia, CA**

CPT-2
Total depth: 50.22 ft, Date: 11/2/2021



Kehoe Testing and Engineering
714-901-7270
steve@kehoetesting.com
www.kehoetesting.com

Project: **Albus & Associates**
Location: **180 Flallon Ave, Artesia, CA**

CPT-3
Total depth: 50.24 ft, Date: 11/2/2021



Kehoe Testing and Engineering
714-901-7270
steve@kehoetesting.com
www.kehoetesting.com

Project: **Albus & Associates**
Location: **180 Flallon Ave, Artesia, CA**

CPT-4
Total depth: 50.22 ft, Date: 11/2/2021



Kehoe Testing & Engineering
714-901-7270
steve@kehoetesting.com
www.kehoetesting.com



APPENDIX B

LABORATORY TEST RESULTS

LABORATORY TESTING PROGRAM

Soil Classification

Soils encountered within the exploratory borings were initially classified in the field in general accordance with the visual-manual procedures of the Unified Soil Classification System (ASTM D 2488). The samples were re-examined in the laboratory and classifications reviewed and then revised where appropriate. The assigned group symbols are presented on the Exploration Logs provided in Appendix A.

In-Situ Moisture Content and Dry Density

Moisture content and dry density of in-place soil materials were determined in representative strata. Test data are summarized on the Exploration Logs, Appendix A.

Atterberg Limits

Atterberg Limits (Liquid Limit, Plastic Limit, and Plasticity Index) were performed in accordance with Test Method ASTM D 4318. Pertinent test values are presented within Table B-1.

Maximum Dry Density and Optimum Moisture Content

Maximum dry density and optimum moisture content were performed on a representative sample of the site materials obtained from our field explorations. The test was performed in accordance with ASTM D 1557. Pertinent test values are given in Table B-1.

Expansion Potential

Expansion index testing was performed on a selected sample. The test was performed in accordance with ASTM D4829. The test result and expansion potential are presented in Table B-1.

Direct Shear

The Coulomb shear strength parameters, angle of internal friction and cohesion, were determined for a bulk sample and intact samples obtained from one our borings. The tests were performed in general conformance with Test Method ASTM D 3080. The bulk sample was remolded to 90 percent of maximum dry density and at the optimum moisture content. Three specimens were prepared for each test, artificially saturated, and then sheared under varied loads at an appropriate constant rate of strain. Results are graphically presented on Plate B-5.

Consolidation

Consolidation tests were performed for selected soil samples in general conformance with ASTM D 2435. Axial loads were applied in several increments to a laterally restrained 1-inch-high sample. Loads were applied in geometric progression by doubling the previous load, and the resulting deformations were recorded at selected time intervals. The specific test samples were inundated at selected loads to evaluate the effects of a sudden increase in moisture content (hydro-consolidation potential). Results of the tests are graphically presented on Plates B-1 to B-4.

Soluble Sulfate Content

A chemical analysis was performed on a selected sample to determine soluble sulfate content. This test was performed in our soil laboratory in accordance with California Test Method No 417. The test result is included on Table B-1.

Corrosion

Select samples were tested for minimum resistivity, chloride, pH in accordance with California Test Method 643. Results of these tests are provided in Table B-1.

R-Value

A sample of soil was tested for R-value in accordance with California Test Method (CTM) 301. The results are summarized in Plate B-6.

TABLE B-1
SUMMARY OF LABORATORY TEST RESULTS

Boring No.	Sample Depth (ft.)	Soil Description	Test Results	
B-1	0-5	Sandy Silt trace Clay	Maximum Dry Density (pcf): Optimum Moisture (%): Expansion Index: Expansion Potential: Soluble Sulfate Content (%): Sulfate Exposure: R-Value (By Exudation): Resistivity (ohm-cm): Chloride (ppm): pH:	113.5 15.5 23 Low 0.002 Negligible 43 2500 160 9.45
B-1	2	Sandy Silt	Liquid Limit (%): Plasticity Index (%):	32.7 9
B-1	20	Sandy Silt	Passing No. 200 Sieve (%):	53.4
B-2	20	Silty Sand	Passing No. 200 Sieve (%):	46.6
B-2	30	Silty Sand	Passing No. 200 Sieve (%):	38.5
B-2	40	Sand trace Silt	Passing No. 200 Sieve (%):	7.2
B-3	20	Silty Sand with Clay	Passing No. 200 Sieve (%):	53.2

Note: Additional laboratory test results are provided on the boring logs provided in Appendix A.

CONSOLIDATION



Job Number	Location	Depth	Description
3027.00	B-1	2	Sandy Silt (ML)

Initial Dry Density (pcf)	Initial Moisture Content (%)	Final Moisture Concent (%)
99	23.4	24.8

CONSOLIDATION



Job Number	Location	Depth	Description
3027.00	B-2	2	Sandy Silt (ML)

Initial Dry Density (pcf)	Initial Moisture Content (%)	Final Moisture Concent (%)
100.1	22.3	25.5

CONSOLIDATION



Job Number	Location	Depth	Description
3027.00	B-2	10	Sandy Silt (ML)

Initial Dry Density (pcf)	Initial Moisture Content (%)	Final Moisture Concent (%)
94.7	17.1	28.3

CONSOLIDATION



Job Number	Location	Depth	Description
3027.00	B-3	6	Silty Sand (SM)

Initial Dry Density (pcf)	Initial Moisture Content (%)	Final Moisture Concent (%)
98.9	9	18.3

DIRECT SHEAR







Sample Type:	Remolded, Saturated		
Normal Stress (ksf)	1	2	4
Peak Shear Stress (ksf)	0.9	1.296	2.28
Peak Displacement (in)	0.007	0.003	0.004
Ultimate Shear Stress (ksf)	0.744	1.248	2.28
Ultimate Displacement (in)	0.25	0.25	0.25
Initial Dry Density (pcf)	95.9	95.5	95.5
Initial Moisture Content (%)	23.2	23.2	23.2
Final Moisture Content (%)	32	32	32.7
Strain Rate (in/min)	0.05		

Job Number	Location	Depth	Description
3027.00	B-1	0-5	Sandy Silt

'R' VALUE CA 301

Client: Albus Date: 11/9/21 By: LD

Client's Job No.: 3027.00 Sample : B-1 @ 0 - 5'

GLA Reference: 2005-011 Soil Type: Brown, Sandy Clay

TEST SPECIMEN		A	B	C	D
Compactor Air Pressure	psi	**200**	**300**	**250**	
Initial Moisture Content	%	**17.3**	**17.3**	**17.3**	
Water Added	ml	**0**	**-15**	**-8**	
Moisture at Compaction	%	17.3	15.9	16.5	
Sample & Mold Weight	gms	**3174**	**3192**	**3163**	
Mold Weight	gms	**2103**	**2098**	**2099**	
Net Sample Weight	gms	1071	1094	1064	
Sample Height	in.	**2.5**	**2.511**	**2.466**	
Dry Density	pcf	110.6	113.9	112.2	
Pressure	lbs	**2835**	**7550**	**4620**	
Exudation Pressure	psi	226	601	368	
Expansion Dial	x 0.0001	**27**	**115**	**70**	
Expansion Pressure	psf	117	498	303	
Ph at 1000lbs	psi	**38**	**22**	**30**	
Ph at 2000lbs	psi	**82**	**48**	**60**	
Displacement	turns	**4.69**	**4.05**	**4.29**	
R' Value		34	59	49	
Corrected 'R' Value		**34**	**59**	**49**	

FINAL 'R' VALUE	
By Exudation Pressure (@ 300 psi):	**43**
By Epansion Pressure :	**33**
TI = 5	

Geo-Logic ASSOCIATES

APPENDIX C

LIQUEFACTION ANALYSIS

Albus & Associates, Inc.
Geotechnical Consultants
1011 N. Armando Street, Anaheim, CA
albus-keefe.net

LIQUEFACTION ANALYSIS REPORT

Project title : 3027.00 **Location : Artesia, CA**

CPT file : CPT-1

Input parameters and analysis data

Analysis method:	NCEER (1998)	G.W.T. (in-situ):	14.00 ft	Use fill:	No	Clay like behavior applied:	Sands only
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	10.00 ft	Fill height:	N/A	Limit depth applied:	No
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth:	N/A
Earthquake magnitude M_w:	6.83	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	MSF method:	Method based
Peak ground acceleration:	0.73	Unit weight calculation:	Based on SBT	K_σ applied:	Yes		







Zone A_1: Cyclic liquefaction likely depending on size and duration of cyclic loading
Zone A_2: Cyclic liquefaction and strength loss likely depending on loading and ground geometry
Zone B: Liquefaction and post-earthquake strength loss unlikely, check cyclic softening
Zone C: Cyclic liquefaction and strength loss possible depending on soil plasticity, brittleness/sensitivity, strain to peak undrained strength and ground geometry

Liquefaction analysis summary plots







Input parameters and analysis data

Analysis method:	NCEER (1998)	Depth to water table (erthq.):	10.00 ft	Fill weight:	N/A
Fines correction method:	NCEER (1998)	Average results interval:	3	Transition detect. applied:	Yes
Points to test:	Based on Ic value	Ic cut-off value:	2.60	K_σ applied:	Yes
Earthquake magnitude M_w:	6.83	Unit weight calculation:	Based on SBT	Clay like behavior applied:	Sands only
Peak ground acceleration:	0.73	Use fill:	No	Limit depth applied:	No
Depth to water table (insitu):	14.00 ft	Fill height:	N/A	Limit depth:	N/A

Estimation of post-earthquake settlements



Abbreviations

q_t:	Total cone resistance (cone resistance q_c corrected for pore water effects)
I_c:	Soil Behaviour Type Index
FS:	Calculated Factor of Safety against liquefaction
Volumentric strain:	Post-liquefaction volumentric strain

Albus & Associates, Inc.
Geotechnical Consultants
1011 N. Armando Street, Anaheim, CA
albus-keefe.net

LIQUEFACTION ANALYSIS REPORT

Project title : 3027.00 **Location : Artesia, CA**

CPT file : CPT-2

Input parameters and analysis data

Analysis method:	NCEER (1998)	G.W.T. (in-situ):	14.00 ft	Use fill:	No	Clay like behavior applied:	Sands only
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	10.00 ft	Fill height:	N/A	Limit depth applied:	No
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth:	N/A
Earthquake magnitude M_w:	6.83	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	MSF method:	Method based
Peak ground acceleration:	0.73	Unit weight calculation:	Based on SBT	K_σ applied:	Yes		







Zone A_1: Cyclic liquefaction likely depending on size and duration of cyclic loading
Zone A_2: Cyclic liquefaction and strength loss likely depending on loading and ground geometry
Zone B: Liquefaction and post-earthquake strength loss unlikely, check cyclic softening
Zone C: Cyclic liquefaction and strength loss possible depending on soil plasticity, brittleness/sensitivity, strain to peak undrained strength and ground geometry

Liquefaction analysis summary plots







Input parameters and analysis data

Analysis method:	NCEER (1998)	Depth to water table (erthq.):	10.00 ft	Fill weight:	N/A
Fines correction method:	NCEER (1998)	Average results interval:	3	Transition detect. applied:	Yes
Points to test:	Based on Ic value	Ic cut-off value:	2.60	K_σ applied:	Yes
Earthquake magnitude M_w:	6.83	Unit weight calculation:	Based on SBT	Clay like behavior applied:	Sands only
Peak ground acceleration:	0.73	Use fill:	No	Limit depth applied:	No
Depth to water table (insitu):	14.00 ft	Fill height:	N/A	Limit depth:	N/A

Estimation of post-earthquake settlements



Abbreviations

q_t:	Total cone resistance (cone resistance q_c corrected for pore water effects)
I_c:	Soil Behaviour Type Index
FS:	Calculated Factor of Safety against liquefaction
Volumentric strain:	Post-liquefaction volumentric strain

Albus & Associates, Inc.
Geotechnical Consultants
1011 N. Armando Street, Anaheim, CA
albus-keefe.net

LIQUEFACTION ANALYSIS REPORT

Project title : 3027.00 **Location : Artesia, CA**

CPT file : CPT-3

Input parameters and analysis data

Analysis method:	NCEER (1998)	G.W.T. (in-situ):	14.00 ft	Use fill:	No	Clay like behavior applied:	Sands only
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	10.00 ft	Fill height:	N/A	Limit depth applied:	No
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth:	N/A
Earthquake magnitude M_w:	6.83	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	MSF method:	Method based
Peak ground acceleration:	0.73	Unit weight calculation:	Based on SBT	K_σ applied:	Yes		







Zone A_1: Cyclic liquefaction likely depending on size and duration of cyclic loading
Zone A_2: Cyclic liquefaction and strength loss likely depending on loading and ground geometry
Zone B: Liquefaction and post-earthquake strength loss unlikely, check cyclic softening
Zone C: Cyclic liquefaction and strength loss possible depending on soil plasticity, brittleness/sensitivity, strain to peak undrained strength and ground geometry

Liquefaction analysis summary plots







Input parameters and analysis data

Analysis method:	NCEER (1998)	Depth to water table (erthq.):	10.00 ft	Fill weight:	N/A
Fines correction method:	NCEER (1998)	Average results interval:	3	Transition detect. applied:	Yes
Points to test:	Based on Ic value	Ic cut-off value:	2.60	K_σ applied:	Yes
Earthquake magnitude M_w:	6.83	Unit weight calculation:	Based on SBT	Clay like behavior applied:	Sands only
Peak ground acceleration:	0.73	Use fill:	No	Limit depth applied:	No
Depth to water table (insitu):	14.00 ft	Fill height:	N/A	Limit depth:	N/A

Estimation of post-earthquake settlements



Abbreviations

q_t:	Total cone resistance (cone resistance q_c corrected for pore water effects)
I_c:	Soil Behaviour Type Index
FS:	Calculated Factor of Safety against liquefaction
Volumentric strain:	Post-liquefaction volumentric strain

Albus & Associates, Inc.
Geotechnical Consultants
1011 N. Armando Street, Anaheim, CA
albus-keefe.net

LIQUEFACTION ANALYSIS REPORT

Project title : 3027.00 **Location : Artesia, CA**

CPT file : CPT-4

Input parameters and analysis data

Analysis method:	NCEER (1998)	G.W.T. (in-situ):	14.00 ft	Use fill:	No	Clay like behavior applied:	Sands only
Fines correction method:	NCEER (1998)	G.W.T. (earthq.):	10.00 ft	Fill height:	N/A	Limit depth applied:	No
Points to test:	Based on Ic value	Average results interval:	3	Fill weight:	N/A	Limit depth:	N/A
Earthquake magnitude M_w:	6.83	Ic cut-off value:	2.60	Trans. detect. applied:	Yes	MSF method:	Method based
Peak ground acceleration:	0.73	Unit weight calculation:	Based on SBT	K_σ applied:	Yes		







Zone A_1: Cyclic liquefaction likely depending on size and duration of cyclic loading
Zone A_2: Cyclic liquefaction and strength loss likely depending on loading and ground geometry
Zone B: Liquefaction and post-earthquake strength loss unlikely, check cyclic softening
Zone C: Cyclic liquefaction and strength loss possible depending on soil plasticity, brittleness/sensitivity, strain to peak undrained strength and ground geometry

Liquefaction analysis summary plots







Input parameters and analysis data

Analysis method:	NCEER (1998)	Depth to water table (erthq.):	10.00 ft	Fill weight:	N/A
Fines correction method:	NCEER (1998)	Average results interval:	3	Transition detect. applied:	Yes
Points to test:	Based on Ic value	Ic cut-off value:	2.60	K_σ applied:	Yes
Earthquake magnitude M_w:	6.83	Unit weight calculation:	Based on SBT	Clay like behavior applied:	Sands only
Peak ground acceleration:	0.73	Use fill:	No	Limit depth applied:	No
Depth to water table (insitu):	14.00 ft	Fill height:	N/A	Limit depth:	N/A

Estimation of post-earthquake settlements



Abbreviations

q_t:	Total cone resistance (cone resistance q_c corrected for pore water effects)
I_c:	Soil Behaviour Type Index
FS:	Calculated Factor of Safety against liquefaction
Volumentric strain:	Post-liquefaction volumentric strain

formerly Albus-Keefe & Associates, Inc.

May 5, 2022
J.N.: 3027.00

Mr. Mitchell Gardner
G3 Urban
15235 S. Western Avenue
Gardena, California 90249

Subject: **Preliminary Geotechnical Investigation for Proposed Water Quality Improvements, Proposed Industrial Development, 11709 Artesia Blvd., Artesia, California**

Dear Mr. Gardner,

Albus & Associates, Inc. has completed a preliminary geotechnical investigation of the site for evaluation of the percolation characteristics of the site soils. The scope of this investigation consisted of the following:

- Exploratory drilling and soil sampling
- Laboratory testing of selected soil samples
- Engineering analysis of the data
- Preparation of this report

SITE DESCRIPTION AND PROPOSED DEVELOPMENT

Site Location and Description

The site is located at the address of 11709 Artesia Boulevard within the city of Artesia, California. The site is bordered by Artesia Boulevard to the south, Fallon Avenue to the west, Alburtis Avenue to the east, and a commercial building and surface parking lots to the north. The location of the site and its relationship to the surrounding areas are shown in Figure 1, Site Location Map.

The site consists of approximately 3.33 acres of land with several industrial buildings, above-ground tanks, processing equipment, and above-ground piping. The remainder of the site consists of asphalt- and concrete-covered paving.

N

FIGURE 1-SITE LOCATION MAP

Proposed Industrial Development
11709 Artesia Boulevard,
Artesia, California

NOT TO SCALE

Proposed Development

Based on the project brochure prepared by Colliers, we understand that the proposed development will likely consist of one or two new industrial buildings at-grade parking as well as associated interior driveways, parking, underground utilities, and decorative hardscape and landscape areas.

No grading or structural plans were available in preparing this report. However, we anticipate that minor rough grading of the site will be required to achieve future surface configuration. Structural loads are anticipated to typically consist of 250 kips for columns and 6 kips/ft for walls.

SUMMARY OF FIELD AND LABORATORY WORK

Subsurface Investigation

Subsurface exploration for this investigation was conducted on November 2, 2021 and consisted of drilling three (3) soil borings to depths ranging from approximately 11.5 to 51.5 feet below the existing ground surface (bgs) and advancing four (4) Cone Penetration Test (CPT) soundings to a depth of 50 feet bgs. The borings were drilled using a truck-mounted, continuous flight, hollow-stem-auger drill rig. A representative of Albus & Associates, Inc. logged the exploratory borings. Visual and tactile identifications were made of the materials encountered, and their descriptions are presented in the Exploration Logs in Appendix A. The CPT soundings were advanced using a 30-ton CPT truck. As the cone is advanced through the soil, direct measurements are obtained and recorded for tip resistance, side resistance and porewater measurements. The relationship between the tip resistance and the side resistance allows a determination of the general soil type. Following completion of the CPT soundings, a log is generated that provides a continuous profile of the tip resistance, side resistance and porewater measurements. The approximate locations of the exploratory excavations and CPT soundings completed by this firm are shown on the enclosed Geotechnical Map, Plate 1.

Bulk, relatively undisturbed, and Standard Penetration Test (SPT) samples were obtained at selected depths within the exploratory borings for subsequent laboratory testing. Relatively undisturbed samples were obtained using a 3-inch O.D., 2.5-inch I.D., California split-spoon soil sampler lined with brass rings. SPT samples were obtained from the boring using a standard, unlined SPT soil sampler. During each sampling interval, the sampler was driven 18 inches with successive drops of a 140-pound automatic hammer falling 30 inches. The number of blows required to advance the sampler was recorded for each six inches of advancement. The total blow count for the lower 12 inches of advancement per soil sample is recorded on the exploration log. Samples were placed in sealed containers or plastic bags and transported to our laboratory for analyses. The borings were backfilled with bentonite and capped with concrete.

Laboratory Testing

Selected soil samples of representative earth materials were tested to assist in the formulation of conclusions presented in this report. Tests consisted of in-situ moisture contents and dry densities. Results of laboratory testing relevant to percolation characteristics are presented on the Exploration Logs in Appendix A.

ANALYSIS OF DATA

Subsurface Conditions

Descriptions of the earth materials encountered during our investigation are summarized below and are presented in detail on the Exploration Logs presented in Appendix A.

Soil materials encountered at the subject site consisted of approximately 2 feet of artificial fill over alluvial soils. The artificial fill is predominately comprised of interlayered grayish brown sandy silt and silty sand. These fill materials typically were observed to be damp to moist and medium dense.

Underlying the artificial fills are native soils consisting of young alluvial fan deposits (Qyf_a). The alluvial fan deposit materials were encountered to the maximum depth explored of 51.5 feet and are comprised of grayish brown to light gray, interlayered silty sand and sand that are damp to wet and loose to very dense. Occasional lenses and layers of sandy silt are also present that are generally very moist to wet and firm to very stiff.

Groundwater

Groundwater was encountered during this firm's subsurface exploration at a depth of 14 feet. The CDMG Special Report 019 suggests that historic high groundwater for the subject site is less than 10 feet below the ground surface.

CONCLUSIONS

Results of our work indicate a storm water disposal system is **not** feasible at the site. As discussed above, the historic groundwater level in this area is approximately 10 feet. Additionally, during our site investigation, groundwater was encountered at a depth of 14 feet below ground surface. In accordance with the County of Los Angeles GS200.1 guidelines, the invert of the stormwater infiltration shall be at least 10 feet above the design groundwater elevation. Additionally, the upper 6 feet of materials encountered at the site included artificial fills and inter-layers of fine-grained alluvium. Such materials would create geotechnical hazards such as ponding under foundations. It would also introduce water to subsurface soils that are potentially susceptible to liquefaction. As such, the site is **not** feasible for infiltration.

LIMITATIONS

This report is based on the geotechnical data as described herein. The materials encountered in our boring excavations and utilized in our laboratory testing for this investigation are believed representative of the project area, and the conclusions and recommendations contained in this report are presented on that basis. However, soil and bedrock materials can vary in characteristics between points of exploration, both laterally and vertically, and those variations could affect the conclusions and recommendations contained herein. As such, observations by a geotechnical consultant during the construction phase of the storm water infiltration systems are essential to confirming the basis of this report.

This report has been prepared consistent with that level of care being provided by other professionals providing similar services at the same locale and time period. The contents of this report are professional opinions and as such, are not to be considered a guaranty or warranty.

This report should be reviewed and updated after a period of one year or if the site ownership or project concept changes from that described herein.

This report has been prepared for the exclusive use of **G3 Urban** to assist the project consultants in the design of the proposed development. This report has not been prepared for use by parties or projects other than those named or described herein. This report may not contain sufficient information for other parties or other purposes.

This report is subject to review by the controlling governmental agency.

We appreciate this opportunity to be of service to you. If you should have any questions regarding the contents of this report, please do not hesitate to call.

Sincerely,

ALBUS & ASSOCIATES, INC



Paul Hyun Jin Kim
Associate Engineer
GE 3106

Enclosures: Plate 1- Geotechnical Map
Appendix A - Exploratory Logs

REFERENCES

Publications and Reports

California Department of Conservation, Division of Mines and Geology, Seismic Hazard Report 029, "Seismic Hazard Zone Report for the Los Angeles 7.5-Minute Quadrangle, Los Angeles County, California", 1998.

Guidelines for Geotechnical Investigation and Reporting Low Impact Development Stormwater Infiltration, by County of Los Angeles, Department of Public Works, Geotechnical and Materials Engineering Division (GS200.1), dated 6/30/2021.



0 30 60 120

APPROX SCALE : 1" = 60'

EXPLANATION

(Locations Approximate)

- Exploratory Boring
- CPT

Google 2021

ALBUS ASSOCIATES

GEOTECHNICAL MAP

Job No.: 3027.00	Date: XX/XX/2021	Plate: 1

APPENDIX A

EXPLORATORY LOGS

Field Identification Sheet

Light gray

Gray

Dark gray

Gray Brown

Light brown

Brown

Dark Brown

Olive brown

Olive

Yellow

Yellowish brown

Yellowish red

Red

Reddish Brown

Tan

Description Order:

Description, Color, Moisture, Density, Grain Size, Additional Description

Description	%	Example
	0-5	Sand
trace	5-15	Sand trace Silt
with	15-30	Sand with Silt
	30+	Silty Sand

More Examples

Sand with Silt trace Clay

Sand trace Silt and Clay

Sand with Silt and Clay

Gravelly Sand with Silt trace Clay

Silty Clay with Sand trace Gravel

Moisture

Dry	absence of water
Damp	below optimum
Moist	near optimum
Very Moist	above optimum
Wet	free water visible

Density (Navfac)

Coarse grained soils	SPT	CA
Very Loose	0-3	0-5
Loose	3-8	5-13
Medium Dense	8-14	13-22
Dense	14-25	22-40
Very Dense	25>	40>
Fine grained soils		
Very Soft	2<	0-3
Soft	2-4	3-6
Medium Stiff	4-8	6-13
Stiff	8-15	13-24
Very Stiff	15-30	24-48
Hard	30>	48>

Grain Size

Description		Sieve Size	Approx. Size
Boulders		>12"	Larger than basketball
Cobbles		3-12"	Fist to basketball
Gravel	coarse	3/4-3"	Thumb to Fist
	fine	#4-3/4"	Pea to Thumb
Sand	coarse	#10-4	Rock Salt to Pea
	medium	#40-10	Sugar to Rock Salt
	fine	#200-40	Flour to Sugar
Fines		Pass #200	Smaller than Flour

Additional Description (ie. roots, pinhole pores, debris, etc.)

Trace 5% Moderate 15% Abundant 30%



EXPLORATION LOG

Project:		Location:
Address:		Elevation:
Job Number:	Client:	Date:
Drill Method:	Driving Weight:	Logged By:

Depth (feet)	Lith-ology	Material Description	Water	Samples: Blows Per Foot	Samples: Core	Samples: Bulk	Laboratory Tests: Moisture Content (%)	Laboratory Tests: Dry Density (pcf)	Laboratory Tests: Other Lab Tests
		EXPLANATION							
		Solid lines separate geologic units and/or material types.							
		Dashed lines indicate unknown depth of geologic unit change or material type change.							
5		**Solid black rectangle** in Core column represents California Split Spoon sampler (2.5in ID, 3in OD).							
		Double triangle in core column represents SPT sampler.							
10		**Vertical Lines** in core column represents Shelby sampler.							
		Solid black rectangle in Bulk column respresents large bag sample.							
		Other Laboratory Tests:							
15		Max = Maximum Dry Density/Optimum Moisture Content							
		EI = Expansion Index							
		SO4 = Soluble Sulfate Content							
		DSR = Direct Shear, Remolded							
		DS = Direct Shear, Undisturbed							
		SA = Sieve Analysis (1" through #200 sieve)							
		Hydro = Particle Size Analysis (SA with Hydrometer)							
20		200 = Percent Passing #200 Sieve							
		Consol = Consolidation							
		SE = Sand Equivalent							
		Rval = R-Value							
		ATT = Atterberg Limits							

EXPLORATION LOG

Project:		Location: B-1
Address: 180 Flallon Avenue, Artesia, CA 90701		Elevation: 54.4
Job Number: 3027.00	Client: G3 Urban	Date: 11/2/2021
Drill Method: Hollow-Stem Auger	Driving Weight: 140 lbs / 30 in	Logged By: ddalbus

Depth (feet)	Lith-ology	Material Description	Water	Samples: Blows Per Foot	Samples: Core	Samples: Bulk	Laboratory Tests: Moisture Content (%)	Laboratory Tests: Dry Density (pcf)	Laboratory Tests: Other Lab Tests
		Concrete							Max EI SO4 DS RVal pH Resist Ch Consol ATT
		ARTIFICIAL FILL (Af) Sandy Silt (ML): Grayish brown, moist, fine grained sand		14	■	■	22.4	100.7	
		ALLUVIUM (Qal) Sandy Silt (ML): Grayish brown, moist, stiff, fine grained sand, moderate pinhole pores		15	■	■	19.1	104.5	
5		@ 4 ft, more fine grained sand present Sand trace Silt (SP): Light gray, moist, loose, fine to medium grained sand		9	■		11.9	100.5	
10		Sandy Silt / Silty Sand (ML/SM): Grayish brown, very moist, stiff / medium dense, fine grained sand	▽	17	■		20.1	99.8	
15		Sand trace Silt (SP): Grayish brown, wet, medium dense, fine to medium grained sand		14	⧗				
20		Sandy Silt (SM): Grayish brown, wet, medium stiff, fine grained sand		4	⧗				200
25		Sand trace Silt (SP): Light gray, wet, medium dense, fine to medium grained sand		16	⧗				
		Total Depth 26.5 feet Groundwater 14 feet Boring backfilled with bentonite and capped with concrete							

EXPLORATION LOG

Project:		Location: B-2
Address: 180 Flallon Avenue, Artesia, CA 90701		Elevation: 53.4
Job Number: 3027.00	Client: G3 Urban	Date: 11/2/2021
Drill Method: Hollow-Stem Auger	Driving Weight: 140 lbs / 30 in	Logged By: ddalbus

Depth (feet)	Lith-ology	Material Description	Water	Samples: Blows Per Foot	Samples: Core	Samples: Bulk	Laboratory Tests: Moisture Content (%)	Laboratory Tests: Dry Density (pcf)	Laboratory Tests: Other Lab Tests
		Concrete							
		ARTIFICIAL FILL (Af)							
		Sandy Silt trace Clay (ML): Grayish brown, damp to moist, fine grained sand		17	■		24.2	97.9	Consol
		ALLUVIUM (Qal)							
		Sandy Silt trace Clay (ML): Grayish brown, damp to moist, medium dense, fine grained sand, trace pinhole pores, decayed rootlets		15	■		19.4	100.5	
5		Silty Sand / Sandy Silt (SM/ML): Grayish brown, moist, medium dense / stiff, fine grained sand		12	■		15.7	90.7	
		Silty Sand (SM): Light grayish brown, very moist, loose, fine grained sand							
10		Sandy Silt trace Clay (ML): Grayish brown, very moist, stiff, fine grained sand		18	■		12.6	98.8	Consol
		Silty Sand (SM): Grayish brown, very moist, medium dense, fine grained sand							
		Sand trace Silt (SP): Grayish brown, very moist, medium dense, fine to medium grained sand	▽						
15		Silty Sand (SM): Grayish brown, wet, medium dense, fine grained sand, significant fines		12	▼				
		@ 16.3 ft, Gray							
20		Silty Sand (SM): Grayish brown, wet, loose, fine grained sand		6	▼				200
25		Sand trace Silt (SP): Light grayish brown, wet, dense, fine to medium grained sand		19	▼				

EXPLORATION LOG

Project:		Location: B-2
Address: 180 Flallon Avenue, Artesia, CA 90701		Elevation: 53.4
Job Number: 3027.00	Client: G3 Urban	Date: 11/2/2021
Drill Method: Hollow-Stem Auger	Driving Weight: 140 lbs / 30 in	Logged By: ddalbus

Depth (feet)	Lith-ology	Material Description	Water	Samples: Blows Per Foot	Samples: Core	Samples: Bulk	Laboratory Tests: Moisture Content (%)	Laboratory Tests: Dry Density (pcf)	Laboratory Tests: Other Lab Tests
		Silty Sand trace Clay (SM): Grayish brown, wet, medium dense, fine grained sand		8					200
35		Sand trace Silt (SP): Grayish brown, wet, dense, fine to medium grained sand		25					
40		Sandy Silt (ML): Gray, wet, very stiff, fine grained sand		13					200
45		Sand (SP): Grayish brown, wet, very dense, fine to medium grained sand		35					
50		Sandy Silt (ML): Grayish brown, wet, very stiff, fine grained sand		11					
		Total Depth 51.5 feet Groundwater 14 feet Boring backfilled with bentonite and capped with concrete							

EXPLORATION LOG

Project:		Location: B-3
Address: 180 Flallon Avenue, Artesia, CA 90701		Elevation: 57
Job Number: 3027.00	Client: G3 Urban	Date: 11/2/2021
Drill Method: Hollow-Stem Auger	Driving Weight: 140 lbs / 30 in	Logged By: ddalbus

Depth (feet)	Lith-ology	Material Description	Water	Samples: Blows Per Foot	Samples: Core	Samples: Bulk	Laboratory Tests: Moisture Content (%)	Laboratory Tests: Dry Density (pcf)	Laboratory Tests: Other Lab Tests
		concrete with rebar							
		ARTIFICIAL FILL (Af) Silty Sand / Sandy Silt (SM/ML): Grayish brown, moist, fine grained sand		15	■		20.9	102.9	
		ALLUVIUM (Qal) Silty Sand / Sandy Silt (SM/ML): Grayish brown, moist, medium dense / stiff, fine grained sand, trace pinhole pores		13	■		19.2	101.8	
5		@ 4 ft, loose / stiff Silty Sand (SM): Grayish brown, moist, loose, fine grained sand		11	■		15.3	97	Consol
10		@ 10 ft, very moist, medium dense	▽	17	■		15.4	93.2	
15		Sand trace Silt and Clay (SP): Grayish brown, wet, loose, fine grained sand		4	⧗				
		Silty Sand (SM): Gray, wet, loose, fine to medium grained sand							
20		Silty Sand with Clay (SM): Grayish brown, wet, loose, fine grained sand		4	⧗				200
25		Sand (SP): Grayish brown, wet, medium dense, fine to medium grained sand		11	⧗				
		Total Depth 26.5 feet Groundwater 14 feet Boring backfilled with bentonite and capped with concrete							

SUMMARY

OF

CONE PENETRATION TEST DATA

Project:

180 Flallon Avenue
Artesia, CA
November 2, 2021

Prepared for:

Mr. Danny Albus
Albus & Associates
1011 N. Armando Street
Anaheim, CA 92806-2606
Office (714) 630-1626 / Fax (714) 630-1916

Prepared by:

KEHOE TESTING & ENGINEERING
5415 Industrial Drive
Huntington Beach, CA 92649-1518
Office (714) 901-7270 / Fax (714) 901-7289
www.kehoetesting.com

TABLE OF CONTENTS

1. **INTRODUCTION**
2. **SUMMARY OF FIELD WORK**
3. **FIELD EQUIPMENT & PROCEDURES**
4. **CONE PENETRATION TEST DATA & INTERPRETATION**

APPENDIX

- CPT Plots
- CPT Classification/Soil Behavior Chart
- CPT Data Files (sent via email)

SUMMARY

OF

CONE PENETRATION TEST DATA

1. INTRODUCTION

This report presents the results of a Cone Penetration Test (CPT) program carried out for the project located at 180 Flallon Avenue in Artesia, California. The work was performed by Kehoe Testing & Engineering (KTE) on November 2, 2021. The scope of work was performed as directed by Albus & Associates personnel.

2. SUMMARY OF FIELD WORK

The fieldwork consisted of performing CPT soundings at four locations to determine the soil lithology. A summary is provided in **TABLE 2.1**.

LOCATION	DEPTH OF CPT (ft)	COMMENTS/NOTES:
CPT-1	50	
CPT-2	50	
CPT-3	50	
CPT-4	50	

TABLE 2.1 - Summary of CPT Soundings

3. FIELD EQUIPMENT & PROCEDURES

The CPT soundings were carried out by **KTE** using an integrated electronic cone system manufactured by Vertek. The CPT soundings were performed in accordance with ASTM standards (D5778). The cone penetrometers were pushed using a 30-ton CPT rig. The cone used during the program was a 15 cm^2 cone with a cone net area ratio of 0.83. The following parameters were recorded at approximately 2.5 cm depth intervals:

- Cone Resistance (qc)
- Sleeve Friction (fs)
- Dynamic Pore Pressure (u)
- Inclination
- Penetration Speed

The above parameters were recorded and viewed in real time using a laptop computer. Data is stored at the KTE office for up to 2 years for future analysis and reference. A complete set of baseline readings was taken prior to each sounding to determine temperature shifts and any zero load offsets. Monitoring base line readings ensures that the cone electronics are operating properly.

4. CONE PENETRATION TEST DATA & INTERPRETATION

The Cone Penetration Test data is presented in graphical form in the attached Appendix. These plots were generated using the CPeT-IT program. Penetration depths are referenced to ground surface. The soil behavior type on the CPT plots is derived from the attached CPT SBT plot (Robertson, "Interpretation of Cone Penetration Test…", 2009) and presents major soil lithologic changes. The stratigraphic interpretation is based on relationships between cone resistance (qc), sleeve friction (fs), and penetration pore pressure (u). The friction ratio (Rf), which is sleeve friction divided by cone resistance, is a calculated parameter that is used along with cone resistance to infer soil behavior type. Generally, cohesive soils (clays) have high friction ratios, low cone resistance and generate excess pore water pressures. Cohesionless soils (sands) have lower friction ratios, high cone bearing and generate little (or negative) excess pore water pressures.

The CPT data files have also been provided. These files can be imported in CPeT-IT (software by GeoLogismiki) and other programs to calculate various geotechnical parameters.

It should be noted that it is not always possible to clearly identify a soil type based on qc, fs and u. In these situations, experience, judgement and an assessment of the pore pressure data should be used to infer the soil behavior type.

If you have any questions regarding this information, please do not hesitate to call our office at (714) 901-7270.

Sincerely,

KEHOE TESTING & ENGINEERING

Steven P. Kehoe
President

11/04/21-hh-3536

APPENDIX

Kehoe Testing and Engineering
714-901-7270
steve@kehoetesting.com
www.kehoetesting.com

Project: **Albus & Associates**
Location: **180 Flallon Ave, Artesia, CA**

CPT-1
Total depth: 50.20 ft, Date: 11/2/2021



Kehoe Testing and Engineering
714-901-7270
steve@kehoetesting.com
www.kehoetesting.com

Project: **Albus & Associates**
Location: **180 Flallon Ave, Artesia, CA**

CPT-2
Total depth: 50.22 ft, Date: 11/2/2021



Kehoe Testing and Engineering
714-901-7270
steve@kehoetesting.com
www.kehoetesting.com

Project: **Albus & Associates**
Location: **180 Flallon Ave, Artesia, CA**

CPT-3
Total depth: 50.24 ft, Date: 11/2/2021



Kehoe Testing and Engineering
714-901-7270
steve@kehoetesting.com
www.kehoetesting.com

Project: **Albus & Associates**
Location: **180 Flallon Ave, Artesia, CA**

CPT-4
Total depth: 50.22 ft, Date: 11/2/2021



Kehoe Testing & Engineering
714-901-7270
steve@kehoetesting.com
www.kehoetesting.com



THE CITY OF ARTESIA, CALIFORNIA

18747 CLARKDALE AVENUE, ARTESIA, CALIFORNIA 90701
Telephone 562 / 865-6262
FAX 562 / 865-6240

"Service Builds Tomorrow's Progress"

NOTICE OF PREPARATION OF A DRAFT ENVIRONMENTAL IMPACT REPORT AND NOTICE OF SCOPING MEETING FOR THE ARTESIA PLACE PROJECT (ARTESIA BOULEVARD CORRIDOR SPECIFIC PLAN AMENDMENT)

ATTENTION:	Agencies, Organizations, and Interested Parties
DATE:	August 10, 2022
CASE NO:	2022-13
PROJECT NAME:	Artesia Place Project (Artesia Boulevard Corridor Specific Plan Amendment)
CEQA LEAD AGENCY:	City of Artesia
NOTICE OF SCOPING MEETING LOCATION:	August 16, 2022 at 5:30 P.M. to 6:30 P.M. Council Chambers of Artesia City Hall 18747 Clarkdale Avenue Artesia, CA 90701
COMMENT PERIOD:	August 10, 2022 to September 9, 2022 5:00 P.M.
DOCUMENT AVAILABILITY:	The Artesia Place Project Initial Study can be viewed here: https://www.cityofartesia.us/336/Community-Development

The City of Artesia (City) intends to prepare a Draft Environmental Impact Report (EIR) for the proposed Artesia Place Project (Artesia Boulevard Corridor Specific Plan Amendment) (Project). In accordance with State California Environmental Quality Act (CEQA) Guidelines Section 15082, the City has prepared this Notice of Preparation to provide the public, nearby residents and property owners, responsible and trusty agencies, and other interested parties with information describing the Project and its potential environmental effects.

The Draft EIR will be prepared by outside consultants under the supervision of the City of Artesia Planning Department. The City requests your written comments as to the Draft EIR's scope and content, including mitigation measures to avoid/reduce the Project's potential environmental impacts. Comments must be submitted in writing according to directions below. If you represent a public agency, the City seeks written comments as to the scope and content of the environmental information in the Draft EIR.

A Public Scoping Meeting will be held to receive input as to what environmental topics the Draft EIR should study. No decisions about the Project are made at the Public Scoping Meeting. Additional Project details, meeting information, and instructions for public comment submittal are provided below.

PROJECT LOCATION:
The Project site consists of two parcels: Assessor Parcel Number 7035-016-064 is approximately 3.3-acres in size and located at 11709 Artesia Boulevard; Assessor Parcel Number 7035-020-056 is 0.23 acre in size and located at 17212 Alburtis Avenue. The Project site is generally bound by industrial uses on the north, Artesia Boulevard on the south, Alburtis Avenue on the east, and Flallon Avenue on the west. The Project site is located in Quadrant 2 of the Artesia Boulevard

Corridor Specific Plan (ABCSP) Area. The Project site boundaries are shown in **Figure 1: Project Site Boundary Within ABCSP**.

PROJECT DESCRIPTION:
The Project proposes construction and operation of a mixed-use development comprised of 80 dwelling units (DU) and approximately 8,650 square feet (SF) of commercial uses. Specifically, the Project proposes to develop: one building with approximately 2,700 SF of commercial uses; one mixed-use building with approximately 3,450 SF of commercial uses on the ground level with 4 carriage-type townhome units above; 8 shopkeeper units – commerical condominiums totaling 2,500 SF on the ground level with townhomes above; 9 live/work townhome units; and 59 three-story townhome units. The Project also proposes approximately 40,265 SF of open space, a 462-SF pool building, 216 vehicle parking spaces, and 40 bicycle parking spaces. Project construction is anticipated to occur over approximately 24 months, beginning September 2023 and ending August 2025. The requested approvals include: a General Plan Amendment; a Zoning Code Text Amendment to amend the ABCSP to permit residential uses, establish a maximum allowable development within the Project site, and amend the ABCSP's Design Standards and Guidelines (among other chapters); Design Review; Vesting Tentative Tract Map, and a Development Agreement.

ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED:
The environmental factors checked below would be potentially affected by this Project, involving at least one impact that is a "Potentially Significant Impact" as shown on the checklist, below.

☐ Aesthetics	☐ Agriculture / Forestry Resources	☒ Air Quality
☐ Biological Resources	☒ Cultural Resources	☒ Energy
☒ Geology/Soils	☒ Greenhouse Gas Emissions	☐ Hazards & Hazardous Materials
☐ Hydrology / Water Quality	☒ Land Use / Planning	☐ Mineral Resources
☒ Noise	☒ Population / Housing	☒ Public Services
☒ Recreation	☒ Transportation	☒ Tribal Cultural Resources
☒ Utilities / Service Systems	☐ Wildfire	☒ Mandatory Findings of Significance

PUBLIC SCOPING MEETING:
A Public Scoping Meeting will be held to share Project information, explain the environmental review process, and receive written public comments regarding the scope and content of the environmental analysis to be addressed in the Draft EIR. City staff, environmental consultants, and Project representatives will be available. You may stop by at any time between 5:30 P.M. and 6:30 P.M. at the location specified below to view materials, ask questions, and provide written comments. The City encourages all interested individuals and organizations to attend this Public Scoping Meeting.

Written comments may be submitted, but there will be no verbal comments or public testimony taken at the Public Scoping Meeting. Furthermore, no decisions about the Project will be made at the Public Scoping Meeting. The date, time, and location of the Public Scoping Meeting are as follows:

Date: August 16, 2022
Time: 5:30 P.M. – 6:30 P.M.
Location: Council Chambers of Artesia City Hall
18747 Clarkdale Avenue, Artesia, CA 90701

FILE REVIEW AND COMMENTS:
The Initial Study is available for public review and download at: https://www.cityofartesia.us/336/Community-Development

Copies of the Initial Study are also available for public review at the following locations:

- Artesia City Hall, Planning Department, 18747 Clarkdale Avenue, Artesia, CA 90701
- Artesia Public Library, 18801 Elaine Avenue, CA 90701
- Artesia Public Park, 18750 Clarkdale Avenue, Artesia, CA 90701

Please contact the City of Artesia Staff Planner, listed below, if you are having issues accessing the Initial Study document.

SUBMITTAL OF WRITTEN COMMENTS:
The City solicits comments regarding the scope, content and specificity of the Draft EIR from all interested parties, responsible agencies, agencies with jurisdiction by law, trustee agencies, and involved agencies. The City will consider all written comments regarding the Project's potential environmental impacts and issues to be addressed in the Draft EIR.

Please submit all comments in writing so they are received no later than September 9, 2022, 5:00 P.M.

Please direct your comments to:

E-mail: Planning@cityofartesia.us

Mail: City of Artesia
Planning Department
ATTN: Okina Dor, Community Development Director
18747 Clarkdale Avenue
Artesia, CA 90701

Fax: (562) 865-6240

THE CITY REQUESTS THAT ALL WRITTEN COMMENTS BE SUBMITTED ELECTRONICALLY VIA EMAIL. WRITTEN COMMENTS WILL ALSO BE ACCEPTED VIA MAIL AND FACSIMILIE, AND AT THE PUBLIC SCOPING MEETING.

In accordance with State CEQA Guidelines Section 15082, this Notice of Preparation is being circulated for a 30-day comment period. The City of Artesia requests that written comments be provided at the earliest possible date, but no later than 5:00 P.M. on September 9, 2022.

Okina Dor
Community Development Director
City of Artesia
(562) 865-6262 x227

Attachments:
Figure 1: Project Site Boundary Within ABCSP



FIGURE 1: PROJECT SITE BOUNDARY WITHIN ABCSP

Artesia Place Project (Artesia Boulevard Corridor Specific Plan Amendment)

NOT TO SCALE

Kimley»Horn

Robert C Verhoeven
17633 Barber Avenue
Artesia CA 90701-3832

RCV

August 12, 2022

ATTN: Okina Dor, Community Development Director
City of Artesia
18747 Clarkdale Ave
Artesia, CA 90701

RECEIVED
AUG 12 REC'D
PLANNING DEPARTMENT

RE: Artesia Place Project(Case#2022-13)

I have been a business owner and citizen of Artesia for over 50 years.

While I realize the project in question is being driven by RHNA provisions, I personally have no issue with the city's desire to add housing. I do however, have a problem with the specifics of this project, namely, constructing it next to National Ready Mixed Concrete. Traffic patterns in this immediate area would become very problematic with 80 dwelling units, retail space, and 216 parking spaces.

I can foresee future residents complaining to the city about living next to a thriving concrete facility even though this business has been extremely productive for Artesia for longer than Artesia has existed. They are most likely the top sales tax producer for this city and we can ill afford to damage this long-time relationship with National Ready Mix.

Having stated this, the Southwest corner of Artesia Blvd and Roseton Ave seems to be the perfect site for this project. It has been an eyesore since Armstrong Nursery left town. I believe it provides very similar square footage.

I will attend the August 16 meeting and look forward to hearing information.

Sincerely,

Robert Verhoeven

Phone: (562)924-5419 trojanrobt@aol.com

P: (626) 381-9248
F: (626) 389-5414
E: info@mitchtsailaw.com

Mitchell M. Tsai
Attorney At Law

139 South Hudson Avenue
Suite 200
Pasadena, California 91101

VIA E-MAIL

August 16, 2022

City of Artesia
Planning Department
18747 Clarkdale Ave.
Artesia, CA 90701
Em: planning@cityofartesia.us

RECEIVED
AUG 16 REC'D
PLANNING DEPARTMENT

RE: Artesia Place Project [SCH No. 20220802]

Dear City of Artesia,

On behalf of the Southwest Regional Council of Carpenters ("**Southwest Carpenter**" or "**SWRCC**"), my Office is submitting these comments regarding the City of Artesia's ("**City**") Artesia Place Project ("**Project**").

The Southwest Carpenters is a labor union representing 50,000 union carpenters in six states, including California, and has a strong interest in well-ordered land use planning and addressing the environmental impacts of development projects. Individual members of the Southwest Carpenters live, work and recreate in the City and surrounding communities and would be directly affected by the Project's environmental impacts.

SWRCC expressly reserves the right to supplement these comments at or prior to hearings on the Project, and at any later hearings and proceedings related to this Project. Cal. Gov. Code § 65009(b); Cal. Pub. Res. Code § 21177(a); *Bakersfield Citizens for Local Control v. Bakersfield* (2004) 124 Cal. App. 4th 1184, 1199-1203; see *Galante Vineyards v. Monterey Water Dist.* (1997) 60 Cal. App. 4th 1109, 1121.

I. THE CITY SHOULD REQUIRE THE USE OF A LOCAL SKILLED AND TRAINED WORKFORCE TO BENEFIT THE COMMUNITY'S ECONOMIC DEVELOPMENT AND ENVIRONMENT

The City should require the use of workers who have graduated from a Joint Labor Management apprenticeship training program approved by the State of California, or have at least as many hours of on-the-job experience in the applicable craft which

would be required to graduate from such a state approved apprenticeship training program or who are registered apprentices in an apprenticeship training program approved by the State of California.

Community benefits such as local hire and skilled and trained workforce requirements can be helpful to reduce environmental impacts and improve the positive economic impact of the Project. Local hire provisions requiring that a certain percentage of workers reside within 10 miles or less of the Project Site can reduce the length of vendor trips, reduce greenhouse gas emissions and providing localized economic benefits. As environmental consultants Matt Hagemann and Paul E. Rosenfeld note:

> [A]ny local hire requirement that results in a decreased worker trip length from the default value has the potential to result in a reduction of construction-related GHG emissions, though the significance of the reduction would vary based on the location and urbanization level of the project site.

March 8, 2021 SWAPE Letter to Mitchell M. Tsai re Local Hire Requirements and Considerations for Greenhouse Gas Modeling.

Skilled and trained workforce requirements promote the development of skilled trades that yield sustainable economic development. As the California Workforce Development Board and the UC Berkeley Center for Labor Research and Education concluded:

> . . . labor should be considered an investment rather than a cost – and investments in growing, diversifying, and upskilling California's workforce can positively affect returns on climate mitigation efforts. In other words, well trained workers are key to delivering emissions reductions and moving California closer to its climate targets.[1]

Local skilled and trained workforce requirements and policies have significant environmental benefits since they improve an area's jobs-housing balance, decreasing the amount of and length of job commutes and their associated greenhouse gas emissions. Recently, on May 7, 2021, the South Coast Air Quality Management District found that that the "[u]se of a local state-certified

---

[1] California Workforce Development Board (2020) Putting California on the High Road: A Jobs and Climate Action Plan for 2030 at p. ii, *available at* https://laborcenter.berkeley.edu/wp-content/uploads/2020/09/Putting-California-on-the-High-Road.pdf.

apprenticeship program or a skilled and trained workforce with a local hire component" can result in air pollutant reductions.[2]

Cities are increasingly adopting local skilled and trained workforce policies and requirements into general plans and municipal codes. For example, the City of Hayward 2040 General Plan requires the City to "promote local hiring . . . to help achieve a more positive jobs-housing balance, and reduce regional commuting, gas consumption, and greenhouse gas emissions."[3]

In fact, the City of Hayward has gone as far as to adopt a Skilled Labor Force policy into its Downtown Specific Plan and municipal code, requiring developments in its Downtown area to require that the City "[c]ontribute to the stabilization of regional construction markets by spurring applicants of housing and nonresidential developments to require contractors to utilize apprentices from state-approved, joint labor-management training programs, . . ."[4] In addition, the City of Hayward requires all projects 30,000 square feet or larger to "utilize apprentices from state-approved, joint labor-management training programs."[5]

Locating jobs closer to residential areas can have significant environmental benefits. . As the California Planning Roundtable noted in 2008:

> People who live and work in the same jurisdiction would be more likely to take transit, walk, or bicycle to work than residents of less balanced communities and their vehicle trips would be shorter. Benefits would

---

[2] South Coast Air Quality Management District (May 7, 2021) Certify Final Environmental Assessment and Adopt Proposed Rule 2305 – Warehouse Indirect Source Rule – Warehouse Actions and Investments to Reduce Emissions Program, and Proposed Rule 316 – Fees for Rule 2305, Submit Rule 2305 for Inclusion Into the SIP, and Approve Supporting Budget Actions, *available at* http://www.aqmd.gov/docs/default-source/Agendas/Governing-Board/2021/2021-May7-027.pdf?sfvrsn=10

[3] City of Hayward (2014) Hayward 2040 General Plan Policy Document at p. 3-99, *available at* https://www.hayward-ca.gov/sites/default/files/documents/General_Plan_FINAL.pdf.

[4] City of Hayward (2019) Hayward Downtown Specific Plan at p. 5-24, *available at* https://www.hayward-ca.gov/sites/default/files/Hayward%20Downtown%20Specific%20Plan.pdf.

[5] City of Hayward Municipal Code, Chapter 10, § 28.5.3.020(C).

> include potential reductions in both vehicle miles traveled and vehicle hours traveled.[6]

In addition, local hire mandates as well as skill training are critical facets of a strategy to reduce vehicle miles traveled. As planning experts Robert Cervero and Michael Duncan noted, simply placing jobs near housing stock is insufficient to achieve VMT reductions since the skill requirements of available local jobs must be matched to those held by local residents.[7] Some municipalities have tied local hire and skilled and trained workforce policies to local development permits to address transportation issues. As Cervero and Duncan note:

> In nearly built-out Berkeley, CA, the approach to balancing jobs and housing is to create local jobs rather than to develop new housing." The city's First Source program encourages businesses to hire local residents, especially for entry- and intermediate-level jobs, and sponsors vocational training to ensure residents are employment-ready. While the program is voluntary, some 300 businesses have used it to date, placing more than 3,000 city residents in local jobs since it was launched in 1986. When needed, these carrots are matched by sticks, since the city is not shy about negotiating corporate participation in First Source as a condition of approval for development permits.

The City should consider utilizing skilled and trained workforce policies and requirements to benefit the local area economically and mitigate greenhouse gas, air quality and transportation impacts.

---

[6] California Planning Roundtable (2008) Deconstructing Jobs-Housing Balance at p. 6, *available at* https://cproundtable.org/static/media/uploads/publications/cpr-jobs-housing.pdf

[7] Cervero, Robert and Duncan, Michael (2006) Which Reduces Vehicle Travel More: Jobs-Housing Balance or Retail-Housing Mixing? Journal of the American Planning Association 72 (4), 475-490, 482, *available at* http://reconnectingamerica.org/assets/Uploads/UTCT-825.pdf.

II. DUE TO THE COVID-19 CRISIS, THE CITY SHOULD CONSIDER AND MITIGATE SUBSTANTIAL ADVERSE EFFECT ON HUMAN BEINGS

CEQA requires that an agency consider adverse effects on human beings. PRC § 21083(b)(3); CEQA Guidelines § 15065(a)(4). Public health risks related to construction work has been defined as a Lower to High-risk activity for COVID-19 spread by the Occupations Safety and Health Administration and several construction sites have been identified as sources of community spread of COVID-19.[8]

Accordingly, the City should adopt CEQA mitigation measures to mitigate public health risks from the Project's construction activities. SWRCC requests that the City require safe on-site construction work practices as well as training and certification for any construction workers on the Project Site.

In particular, based upon SWRCC's experience with safe construction site work practices, SWRCC recommends that the City require that while construction activities are being conducted at the Project Site:

Construction Site Design:

- The Project Site will be limited to two controlled entry points.
- Entry points will have temperature screening technicians taking temperature readings when the entry point is open.
- The Temperature Screening Site Plan shows details regarding access to the Project Site and Project Site logistics for conducting temperature screening.
- A 48-hour advance notice will be provided to all trades prior to the first day of temperature screening.
- A perimeter fence directly adjacent to the entry points will be clearly marked indicating the appropriate 6-foot social distancing position for when you approach the screening area.

---

[8] Santa Clara County Public Health (June 12, 2020) COVID-19 CASES AT CONSTRUCTION SITES HIGHLIGHT NEED FOR CONTINUED VIGILANCE IN SECTORS THAT HAVE REOPENED, *available at* https://www.sccgov.org/sites/covid19/Pages/press-release-06-12-2020-cases-at-construction-sites.aspx.

- There will be clear signage posted at the Project site directing you through temperature screening.
- Provide hand washing stations throughout the construction site.

Testing Procedures:

- The temperature screening being used are non-contact devices.
- Temperature readings will not be recorded.
- Personnel will be screened upon entering the testing center and should only take 1-2 seconds per individual.
- Hard hats, head coverings, sweat, dirt, sunscreen or any other cosmetics must be removed on the forehead before temperature screening.
- Anyone who refuses to submit to a temperature screening or does not answer the health screening questions will be refused access to the Project Site.
- Screening will be performed at entrances from 5:30 am to 7:30 am.
- After 7:30 a.m., only the main gate entrance [ZONE 1] will continue to be used for temperature testing for anybody gaining entry to the project site such as returning personnel, deliveries, and visitors.
- If the digital thermometer displays a temperature reading above 100.0 degrees Fahrenheit, a second reading will be taken to verify an accurate reading.
- If the second reading confirms an elevated temperature, the individual will be instructed that he/she will not be allowed to enter the Project Site. The individual will also be instructed to promptly notify his/her supervisor and his/her human resources (HR) representative.

Planning

- Require the development of an Infectious Disease Preparedness and Response Plan that will include basic infection prevention

measures (requiring the use of personal protection equipment), policies and procedures for prompt identification and isolation of sick individuals, social distancing (prohibiting gatherings of no more than 10 people including all-hands meetings and all-hands lunches), and training and workplace controls that meet standards that may be promulgated by the Center for Disease Control, Occupational Safety and Health Administration, Cal/OSHA, California Department of Public Health, or applicable local public health agencies.[9]

The United Brotherhood of Carpenters and Carpenters International Training Fund has developed COVID-19 Training and Certification to ensure that Carpenter union members and apprentices conduct safe work practices. Likewise, the City should require that all construction workers undergo COVID-19 Training and Certification before being allowed to conduct construction activities at the Project Site.

III. CONCLUSION

In accordance with the above, SWRCC requests that the City require a local and trained workforce as well as safe on-site construction work practices and COVID-19 training for the Project. Should the City have any questions, please feel free to reach out to our office.

Sincerely,

Talia Nimmer
Attorneys for Southwest Regional
Council of Carpenters

[9] *See also* The Center for Construction Research and Training, North America's Building Trades Unions (April 27 2020) NABTU and CPWR COVIC-19 Standards for U.S Constructions Sites, *available at* https://www.cpwr.com/wp-content/uploads/publications/NABTU_CPWR_Standards_COVID-19.pdf; Los Angeles County Department of Public Works (2020) Guidelines for Construction Sites During COVID-19 Pandemic, *available at* https://dpw.lacounty.gov/building-and-safety/docs/pw_guidelines-construction-sites.pdf.

Attached:

March 8, 2021 SWAPE Letter to Mitchell M. Tsai re Local Hire Requirements and Considerations for Greenhouse Gas Modeling (Exhibit A);

Air Quality and GHG Expert Paul Rosenfeld CV (Exhibit B); and

Air Quality and GHG Expert Matt Hagemann CV (Exhibit C).

EXHIBIT A

SWAPE Technical Consultation, Data Analysis and Litigation Support for the Environment

2656 29th Street, Suite 201
Santa Monica, CA 90405

Matt Hagemann, P.G, C.Hg.
(949) 887-9013
mhagemann@swape.com

Paul E. Rosenfeld, PhD
(310) 795-2335
prosenfeld@swape.com

March 8, 2021

Mitchell M. Tsai
155 South El Molino, Suite 104
Pasadena, CA 91101

Subject: Local Hire Requirements and Considerations for Greenhouse Gas Modeling

Dear Mr. Tsai,

Soil Water Air Protection Enterprise ("SWAPE") is pleased to provide the following draft technical report explaining the significance of worker trips required for construction of land use development projects with respect to the estimation of greenhouse gas ("GHG") emissions. The report will also discuss the potential for local hire requirements to reduce the length of worker trips, and consequently, reduced or mitigate the potential GHG impacts.

Worker Trips and Greenhouse Gas Calculations

The California Emissions Estimator Model ("CalEEMod") is a "statewide land use emissions computer model designed to provide a uniform platform for government agencies, land use planners, and environmental professionals to quantify potential criteria pollutant and greenhouse gas (GHG) emissions associated with both construction and operations from a variety of land use projects."[1] CalEEMod quantifies construction-related emissions associated with land use projects resulting from off-road construction equipment; on-road mobile equipment associated with workers, vendors, and hauling; fugitive dust associated with grading, demolition, truck loading, and on-road vehicles traveling along paved and unpaved roads; and architectural coating activities; and paving.[2]

The number, length, and vehicle class of worker trips are utilized by CalEEMod to calculate emissions associated with the on-road vehicle trips required to transport workers to and from the Project site during construction.[3]

[1] "California Emissions Estimator Model." CAPCOA, 2017, *available at:* http://www.aqmd.gov/caleemod/home.
[2] "California Emissions Estimator Model." CAPCOA, 2017, *available at:* http://www.aqmd.gov/caleemod/home.
[3] "CalEEMod User's Guide." CAPCOA, November 2017, *available at:* http://www.aqmd.gov/docs/default-source/caleemod/01_user-39-s-guide2016-3-2_15november2017.pdf?sfvrsn=4, p. 34.

Specifically, the number and length of vehicle trips is utilized to estimate the vehicle miles travelled ("VMT") associated with construction. Then, utilizing vehicle-class specific EMFAC 2014 emission factors, CalEEMod calculates the vehicle exhaust, evaporative, and dust emissions resulting from construction-related VMT, including personal vehicles for worker commuting.[4]

Specifically, in order to calculate VMT, CalEEMod multiplies the average daily trip rate by the average overall trip length (see excerpt below):

> "$VMT_d = \Sigma(\text{Average Daily Trip Rate}_i * \text{Average Overall Trip Length}_i)_n$
>
> Where:
>
> n = Number of land uses being modeled."[5]

Furthermore, to calculate the on-road emissions associated with worker trips, CalEEMod utilizes the following equation (see excerpt below):

> "$\text{Emissions}_{pollutant} = VMT * EF_{running,pollutant}$
>
> Where:
>
> $\text{Emissions}_{pollutant}$ = emissions from vehicle running for each pollutant
>
> VMT = vehicle miles traveled
>
> $EF_{running,pollutant}$ = emission factor for running emissions."[6]

Thus, there is a direct relationship between trip length and VMT, as well as a direct relationship between VMT and vehicle running emissions. In other words, when the trip length is increased, the VMT and vehicle running emissions increase as a result. Thus, vehicle running emissions can be reduced by decreasing the average overall trip length, by way of a local hire requirement or otherwise.

Default Worker Trip Parameters and Potential Local Hire Requirements

As previously discussed, the number, length, and vehicle class of worker trips are utilized by CalEEMod to calculate emissions associated with the on-road vehicle trips required to transport workers to and from the Project site during construction.[7] In order to understand how local hire requirements and associated worker trip length reductions impact GHG emissions calculations, it is important to consider the CalEEMod default worker trip parameters. CalEEMod provides recommended default values based on site-specific information, such as land use type, meteorological data, total lot acreage, project type and typical equipment associated with project type. If more specific project information is known, the user can change the default values and input project-specific values, but the California Environmental Quality Act ("CEQA") requires that such changes be justified by substantial evidence.[8] The default number of construction-related worker trips is calculated by multiplying the

---

[4] "Appendix A Calculation Details for CalEEMod." CAPCOA, October 2017, *available at:* http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 14-15.

[5] "Appendix A Calculation Details for CalEEMod." CAPCOA, October 2017, *available at:* http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 23.

[6] "Appendix A Calculation Details for CalEEMod." CAPCOA, October 2017, *available at:* http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 15.

[7] "CalEEMod User's Guide." CAPCOA, November 2017, *available at:* http://www.aqmd.gov/docs/default-source/caleemod/01_user-39-s-guide2016-3-2_15november2017.pdf?sfvrsn=4, p. 34.

[8] CalEEMod User Guide, *available at:* http://www.caleemod.com/, p. 1, 9.

number of pieces of equipment for all phases by 1.25, with the exception of worker trips required for the building construction and architectural coating phases.[9] Furthermore, the worker trip vehicle class is a 50/25/25 percent mix of light duty autos, light duty truck class 1 and light duty truck class 2, respectively."[10] Finally, the default worker trip length is consistent with the length of the operational home-to-work vehicle trips.[11] The operational home-to-work vehicle trip lengths are:

> "[B]ased on the *location* and *urbanization* selected on the project characteristic screen. These values were *supplied by the air districts or use a default average for the state*. Each district (or county) also assigns trip lengths for urban and rural settings" (emphasis added). [12]

Thus, the default worker trip length is based on the location and urbanization level selected by the User when modeling emissions. The below table shows the CalEEMod default rural and urban worker trip lengths by air basin (see excerpt below and Attachment A).[13]

Worker Trip Length by Air Basin		
Air Basin	**Rural (miles)**	**Urban (miles)**
Great Basin Valleys	16.8	10.8
Lake County	16.8	10.8
Lake Tahoe	16.8	10.8
Mojave Desert	16.8	10.8
Mountain Counties	16.8	10.8
North Central Coast	17.1	12.3
North Coast	16.8	10.8
Northeast Plateau	16.8	10.8
Sacramento Valley	16.8	10.8
Salton Sea	14.6	11
San Diego	16.8	10.8
San Francisco Bay Area	10.8	10.8
San Joaquin Valley	16.8	10.8
South Central Coast	16.8	10.8
South Coast	19.8	14.7
Average	**16.47**	**11.17**
Minimum	**10.80**	**10.80**
Maximum	**19.80**	**14.70**
Range	**9.00**	**3.90**

[9] "CalEEMod User's Guide." CAPCOA, November 2017, *available at:* http://www.aqmd.gov/docs/default-source/caleemod/01_user-39-s-guide2016-3-2_15november2017.pdf?sfvrsn=4, p. 34.
[10] "Appendix A Calculation Details for CalEEMod." CAPCOA, October 2017, *available at:* http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 15.
[11] "Appendix A Calculation Details for CalEEMod." CAPCOA, October 2017, *available at:* http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 14.
[12] "Appendix A Calculation Details for CalEEMod." CAPCOA, October 2017, *available at:* http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 21.
[13] "Appendix D Default Data Tables." CAPCOA, October 2017, *available at:* http://www.aqmd.gov/docs/default-source/caleemod/05_appendix-d2016-3-2.pdf?sfvrsn=4, p. D-84 – D-86.

As demonstrated above, default rural worker trip lengths for air basins in California vary from 10.8- to 19.8-miles, with an average of 16.47 miles. Furthermore, default urban worker trip lengths vary from 10.8- to 14.7-miles, with an average of 11.17 miles. Thus, while default worker trip lengths vary by location, default urban worker trip lengths tend to be shorter in length. Based on these trends evident in the CalEEMod default worker trip lengths, we can reasonably assume that the efficacy of a local hire requirement is especially dependent upon the urbanization of the project site, as well as the project location.

Practical Application of a Local Hire Requirement and Associated Impact

To provide an example of the potential impact of a local hire provision on construction-related GHG emissions, we estimated the significance of a local hire provision for the Village South Specific Plan ("Project") located in the City of Claremont ("City"). The Project proposed to construct 1,000 residential units, 100,000-SF of retail space, 45,000-SF of office space, as well as a 50-room hotel, on the 24-acre site. The Project location is classified as Urban and lies within the Los Angeles-South Coast County. As a result, the Project has a default worker trip length of 14.7 miles.[14] In an effort to evaluate the potential for a local hire provision to reduce the Project's construction-related GHG emissions, we prepared an updated model, reducing all worker trip lengths to 10 miles (see Attachment B). Our analysis estimates that if a local hire provision with a 10-mile radius were to be implemented, the GHG emissions associated with Project construction would decrease by approximately 17% (see table below and Attachment C).

Local Hire Provision Net Change	
Without Local Hire Provision	
Total Construction GHG Emissions (MT CO_2e)	3,623
Amortized Construction GHG Emissions (MT CO_2e/year)	120.77
With Local Hire Provision	
Total Construction GHG Emissions (MT CO2e)	3,024
Amortized Construction GHG Emissions (MT CO_2e/year)	100.80
% Decrease in Construction-related GHG Emissions	***17%***

As demonstrated above, by implementing a local hire provision requiring 10 mile worker trip lengths, the Project could reduce potential GHG emissions associated with construction worker trips. More broadly, any local hire requirement that results in a decreased worker trip length from the default value has the potential to result in a reduction of construction-related GHG emissions, though the significance of the reduction would vary based on the location and urbanization level of the project site.

This serves as an example of the potential impacts of local hire requirements on estimated project-level GHG emissions, though it does not indicate that local hire requirements would result in reduced construction-related GHG emission for all projects. As previously described, the significance of a local hire requirement depends on the worker trip length enforced and the default worker trip length for the project's urbanization level and location.

[14] "Appendix D Default Data Tables." CAPCOA, October 2017, *available at:* http://www.aqmd.gov/docs/default-source/caleemod/05_appendix-d2016-3-2.pdf?sfvrsn=4, p. D-85.

Disclaimer

SWAPE has received limited discovery. Additional information may become available in the future; thus, we retain the right to revise or amend this report when additional information becomes available. Our professional services have been performed using that degree of care and skill ordinarily exercised, under similar circumstances, by reputable environmental consultants practicing in this or similar localities at the time of service. No other warranty, expressed or implied, is made as to the scope of work, work methodologies and protocols, site conditions, analytical testing results, and findings presented. This report reflects efforts which were limited to information that was reasonably accessible at the time of the work, and may contain informational gaps, inconsistencies, or otherwise be incomplete due to the unavailability or uncertainty of information obtained or provided by third parties.

Sincerely,

Matt Hagemann, P.G., C.Hg.

Paul E. Rosenfeld, Ph.D.

Attachment A

Location Type	Location Name	Rural H-W (miles)	Urban H-W (miles)
Air Basin	Great Basin	16.8	10.8
Air Basin	Lake County	16.8	10.8
Air Basin	Lake Tahoe	16.8	10.8
Air Basin	Mojave Desert	16.8	10.8
Air Basin	Mountain	16.8	10.8
Air Basin	North Central	17.1	12.3
Air Basin	North Coast	16.8	10.8
Air Basin	Northeast	16.8	10.8
Air Basin	Sacramento	16.8	10.8
Air Basin	Salton Sea	14.6	11
Air Basin	San Diego	16.8	10.8
Air Basin	San Francisco	10.8	10.8
Air Basin	San Joaquin	16.8	10.8
Air Basin	South Central	16.8	10.8
Air Basin	South Coast	19.8	14.7
Air District	Amador County	16.8	10.8
Air District	Antelope Valley	16.8	10.8
Air District	Bay Area AQMD	10.8	10.8
Air District	Butte County	12.54	12.54
Air District	Calaveras	16.8	10.8
Air District	Colusa County	16.8	10.8
Air District	El Dorado	16.8	10.8
Air District	Feather River	16.8	10.8
Air District	Glenn County	16.8	10.8
Air District	Great Basin	16.8	10.8
Air District	Imperial County	10.2	7.3
Air District	Kern County	16.8	10.8
Air District	Lake County	16.8	10.8
Air District	Lassen County	16.8	10.8
Air District	Mariposa	16.8	10.8
Air District	Mendocino	16.8	10.8
Air District	Modoc County	16.8	10.8
Air District	Mojave Desert	16.8	10.8
Air District	Monterey Bay	16.8	10.8
Air District	North Coast	16.8	10.8
Air District	Northern Sierra	16.8	10.8
Air District	Northern	16.8	10.8
Air District	Placer County	16.8	10.8
Air District	Sacramento	15	10

Air District	San Diego	16.8	10.8
Air District	San Joaquin	16.8	10.8
Air District	San Luis Obispo	13	13
Air District	Santa Barbara	8.3	8.3
Air District	Shasta County	16.8	10.8
Air District	Siskiyou County	16.8	10.8
Air District	South Coast	19.8	14.7
Air District	Tehama County	16.8	10.8
Air District	Tuolumne	16.8	10.8
Air District	Ventura County	16.8	10.8
Air District	Yolo/Solano	15	10
County	Alameda	10.8	10.8
County	Alpine	16.8	10.8
County	Amador	16.8	10.8
County	Butte	12.54	12.54
County	Calaveras	16.8	10.8
County	Colusa	16.8	10.8
County	Contra Costa	10.8	10.8
County	Del Norte	16.8	10.8
County	El Dorado-Lake	16.8	10.8
County	El Dorado-	16.8	10.8
County	Fresno	16.8	10.8
County	Glenn	16.8	10.8
County	Humboldt	16.8	10.8
County	Imperial	10.2	7.3
County	Inyo	16.8	10.8
County	Kern-Mojave	16.8	10.8
County	Kern-San	16.8	10.8
County	Kings	16.8	10.8
County	Lake	16.8	10.8
County	Lassen	16.8	10.8
County	Los Angeles-	16.8	10.8
County	Los Angeles-	19.8	14.7
County	Madera	16.8	10.8
County	Marin	10.8	10.8
County	Mariposa	16.8	10.8
County	Mendocino-	16.8	10.8
County	Mendocino-	16.8	10.8
County	Mendocino-	16.8	10.8
County	Mendocino-	16.8	10.8
County	Merced	16.8	10.8
County	Modoc	16.8	10.8
County	Mono	16.8	10.8
County	Monterey	16.8	10.8
County	Napa	10.8	10.8

County	Nevada	16.8	10.8
County	Orange	19.8	14.7
County	Placer-Lake	16.8	10.8
County	Placer-Mountain	16.8	10.8
County	Placer-	16.8	10.8
County	Plumas	16.8	10.8
County	Riverside-	16.8	10.8
County	Riverside-	19.8	14.7
County	Riverside-Salton	14.6	11
County	Riverside-South	19.8	14.7
County	Sacramento	15	10
County	San Benito	16.8	10.8
County	San Bernardino-	16.8	10.8
County	San Bernardino-	19.8	14.7
County	San Diego	16.8	10.8
County	San Francisco	10.8	10.8
County	San Joaquin	16.8	10.8
County	San Luis Obispo	13	13
County	San Mateo	10.8	10.8
County	Santa Barbara-	8.3	8.3
County	Santa Barbara-	8.3	8.3
County	Santa Clara	10.8	10.8
County	Santa Cruz	16.8	10.8
County	Shasta	16.8	10.8
County	Sierra	16.8	10.8
County	Siskiyou	16.8	10.8
County	Solano-	15	10
County	Solano-San	16.8	10.8
County	Sonoma-North	16.8	10.8
County	Sonoma-San	10.8	10.8
County	Stanislaus	16.8	10.8
County	Sutter	16.8	10.8
County	Tehama	16.8	10.8
County	Trinity	16.8	10.8
County	Tulare	16.8	10.8
County	Tuolumne	16.8	10.8
County	Ventura	16.8	10.8
County	Yolo	15	10
County	Yuba	16.8	10.8
Statewide	Statewide	16.8	10.8

Worker Trip Length by Air Basin		
Air Basin	**Rural (miles)**	**Urban (miles)**
Great Basin Valleys	16.8	10.8
Lake County	16.8	10.8
Lake Tahoe	16.8	10.8
Mojave Desert	16.8	10.8
Mountain Counties	16.8	10.8
North Central Coast	17.1	12.3
North Coast	16.8	10.8
Northeast Plateau	16.8	10.8
Sacramento Valley	16.8	10.8
Salton Sea	14.6	11
San Diego	16.8	10.8
San Francisco Bay Area	10.8	10.8
San Joaquin Valley	16.8	10.8
South Central Coast	16.8	10.8
South Coast	19.8	14.7
Average	**16.47**	**11.17**
Mininum	**10.80**	**10.80**
Maximum	**19.80**	**14.70**
Range	**9.00**	**3.90**

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	**Wind Speed (m/s)**	2.2	**Precipitation Freq (Days)**	33
Climate Zone	9			**Operational Year**	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	702.44	**CH4 Intensity (lb/MWhr)**	0.029	**N2O Intensity (lb/MWhr)**	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82
tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27

tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2021	0.1713	1.8242	1.1662	2.4000e-003	0.4169	0.0817	0.4986	0.1795	0.0754	0.2549	0.0000	213.1969	213.1969	0.0601	0.0000	214.6993
2022	0.6904	4.1142	6.1625	0.0189	1.3058	0.1201	1.4259	0.3460	0.1128	0.4588	0.0000	1,721.6826	1,721.6826	0.1294	0.0000	1,724.9187
2023	0.6148	3.3649	5.6747	0.0178	1.1963	0.0996	1.2959	0.3203	0.0935	0.4138	0.0000	1,627.5295	1,627.5295	0.1185	0.0000	1,630.4925
2024	4.1619	0.1335	0.2810	5.9000e-004	0.0325	6.4700e-003	0.0390	8.6300e-003	6.0400e-003	0.0147	0.0000	52.9078	52.9078	8.0200e-003	0.0000	53.1082
Maximum	**4.1619**	**4.1142**	**6.1625**	**0.0189**	**1.3058**	**0.1201**	**1.4259**	**0.3460**	**0.1128**	**0.4588**	**0.0000**	**1,721.6826**	**1,721.6826**	**0.1294**	**0.0000**	**1,724.9187**

2.1 Overall Construction

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2021	0.1713	1.8242	1.1662	2.4000e-003	0.4169	0.0817	0.4986	0.1795	0.0754	0.2549	0.0000	213.1967	213.1967	0.0601	0.0000	214.6991
2022	0.6904	4.1142	6.1625	0.0189	1.3058	0.1201	1.4259	0.3460	0.1128	0.4588	0.0000	1,721.6823	1,721.6823	0.1294	0.0000	1,724.9183
2023	0.6148	3.3648	5.6747	0.0178	1.1963	0.0996	1.2959	0.3203	0.0935	0.4138	0.0000	1,627.5291	1,627.5291	0.1185	0.0000	1,630.4921
2024	4.1619	0.1335	0.2810	5.9000e-004	0.0325	6.4700e-003	0.0390	8.6300e-003	6.0400e-003	0.0147	0.0000	52.9077	52.9077	8.0200e-003	0.0000	53.1082
Maximum	**4.1619**	**4.1142**	**6.1625**	**0.0189**	**1.3058**	**0.1201**	**1.4259**	**0.3460**	**0.1128**	**0.4588**	**0.0000**	**1,721.6823**	**1,721.6823**	**0.1294**	**0.0000**	**1,724.9183**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	9-1-2021	11-30-2021	1.4103	1.4103
2	12-1-2021	2-28-2022	1.3613	1.3613
3	3-1-2022	5-31-2022	1.1985	1.1985
4	6-1-2022	8-31-2022	1.1921	1.1921
5	9-1-2022	11-30-2022	1.1918	1.1918
6	12-1-2022	2-28-2023	1.0774	1.0774
7	3-1-2023	5-31-2023	1.0320	1.0320
8	6-1-2023	8-31-2023	1.0260	1.0260

9	9-1-2023	11-30-2023	1.0265	1.0265
10	12-1-2023	2-29-2024	2.8857	2.8857
11	3-1-2024	5-31-2024	1.6207	1.6207
		Highest	2.8857	2.8857

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Energy	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	3,896.0732	3,896.0732	0.1303	0.0468	3,913.2833
Mobile	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Waste						0.0000	0.0000		0.0000	0.0000	207.8079	0.0000	207.8079	12.2811	0.0000	514.8354
Water						0.0000	0.0000		0.0000	0.0000	29.1632	556.6420	585.8052	3.0183	0.0755	683.7567
Total	**6.8692**	**9.5223**	**30.3407**	**0.0914**	**7.7979**	**0.2260**	**8.0240**	**2.0895**	**0.2219**	**2.3114**	**236.9712**	**12,294.1807**	**12,531.1519**	**15.7904**	**0.1260**	**12,963.4751**

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Energy	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	3,896.0732	3,896.0732	0.1303	0.0468	3,913.2833
Mobile	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Waste						0.0000	0.0000		0.0000	0.0000	207.8079	0.0000	207.8079	12.2811	0.0000	514.8354
Water						0.0000	0.0000		0.0000	0.0000	29.1632	556.6420	585.8052	3.0183	0.0755	683.7567
Total	**6.8692**	**9.5223**	**30.3407**	**0.0914**	**7.7979**	**0.2260**	**8.0240**	**2.0895**	**0.2219**	**2.3114**	**236.9712**	**12,294.1807**	**12,531.1519**	**15.7904**	**0.1260**	**12,963.4751**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0496	0.0000	0.0496	7.5100e-003	0.0000	7.5100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0475	0.4716	0.3235	5.8000e-004		0.0233	0.0233		0.0216	0.0216	0.0000	51.0012	51.0012	0.0144	0.0000	51.3601
Total	**0.0475**	**0.4716**	**0.3235**	**5.8000e-004**	**0.0496**	**0.0233**	**0.0729**	**7.5100e-003**	**0.0216**	**0.0291**	**0.0000**	**51.0012**	**51.0012**	**0.0144**	**0.0000**	**51.3601**

3.2 Demolition - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.9300e-003	0.0634	0.0148	1.8000e-004	3.9400e-003	1.9000e-004	4.1300e-003	1.0800e-003	1.8000e-004	1.2600e-003	0.0000	17.4566	17.4566	1.2100e-003	0.0000	17.4869
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.7000e-004	7.5000e-004	8.5100e-003	2.0000e-005	2.4700e-003	2.0000e-005	2.4900e-003	6.5000e-004	2.0000e-005	6.7000e-004	0.0000	2.2251	2.2251	7.0000e-005	0.0000	2.2267
Total	**2.9000e-003**	**0.0641**	**0.0233**	**2.0000e-004**	**6.4100e-003**	**2.1000e-004**	**6.6200e-003**	**1.7300e-003**	**2.0000e-004**	**1.9300e-003**	**0.0000**	**19.6816**	**19.6816**	**1.2800e-003**	**0.0000**	**19.7136**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0496	0.0000	0.0496	7.5100e-003	0.0000	7.5100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0475	0.4716	0.3235	5.8000e-004		0.0233	0.0233		0.0216	0.0216	0.0000	51.0011	51.0011	0.0144	0.0000	51.3600
Total	**0.0475**	**0.4716**	**0.3235**	**5.8000e-004**	**0.0496**	**0.0233**	**0.0729**	**7.5100e-003**	**0.0216**	**0.0291**	**0.0000**	**51.0011**	**51.0011**	**0.0144**	**0.0000**	**51.3600**

3.2 Demolition - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.9300e-003	0.0634	0.0148	1.8000e-004	3.9400e-003	1.9000e-004	4.1300e-003	1.0800e-003	1.8000e-004	1.2600e-003	0.0000	17.4566	17.4566	1.2100e-003	0.0000	17.4869
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.7000e-004	7.5000e-004	8.5100e-003	2.0000e-005	2.4700e-003	2.0000e-005	2.4900e-003	6.5000e-004	2.0000e-005	6.7000e-004	0.0000	2.2251	2.2251	7.0000e-005	0.0000	2.2267
Total	**2.9000e-003**	**0.0641**	**0.0233**	**2.0000e-004**	**6.4100e-003**	**2.1000e-004**	**6.6200e-003**	**1.7300e-003**	**2.0000e-004**	**1.9300e-003**	**0.0000**	**19.6816**	**19.6816**	**1.2800e-003**	**0.0000**	**19.7136**

3.3 Site Preparation - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1807	0.0000	0.1807	0.0993	0.0000	0.0993	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.4050	0.2115	3.8000e-004		0.0204	0.0204		0.0188	0.0188	0.0000	33.4357	33.4357	0.0108	0.0000	33.7061
Total	**0.0389**	**0.4050**	**0.2115**	**3.8000e-004**	**0.1807**	**0.0204**	**0.2011**	**0.0993**	**0.0188**	**0.1181**	**0.0000**	**33.4357**	**33.4357**	**0.0108**	**0.0000**	**33.7061**

3.3 Site Preparation - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.7000e-004	6.0000e-004	6.8100e-003	2.0000e-005	1.9700e-003	2.0000e-005	1.9900e-003	5.2000e-004	1.0000e-005	5.4000e-004	0.0000	1.7801	1.7801	5.0000e-005	0.0000	1.7814
Total	**7.7000e-004**	**6.0000e-004**	**6.8100e-003**	**2.0000e-005**	**1.9700e-003**	**2.0000e-005**	**1.9900e-003**	**5.2000e-004**	**1.0000e-005**	**5.4000e-004**	**0.0000**	**1.7801**	**1.7801**	**5.0000e-005**	**0.0000**	**1.7814**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1807	0.0000	0.1807	0.0993	0.0000	0.0993	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.4050	0.2115	3.8000e-004		0.0204	0.0204		0.0188	0.0188	0.0000	33.4357	33.4357	0.0108	0.0000	33.7060
Total	**0.0389**	**0.4050**	**0.2115**	**3.8000e-004**	**0.1807**	**0.0204**	**0.2011**	**0.0993**	**0.0188**	**0.1181**	**0.0000**	**33.4357**	**33.4357**	**0.0108**	**0.0000**	**33.7060**

3.3 Site Preparation - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.7000e-004	6.0000e-004	6.8100e-003	2.0000e-005	1.9700e-003	2.0000e-005	1.9900e-003	5.2000e-004	1.0000e-005	5.4000e-004	0.0000	1.7801	1.7801	5.0000e-005	0.0000	1.7814
Total	**7.7000e-004**	**6.0000e-004**	**6.8100e-003**	**2.0000e-005**	**1.9700e-003**	**2.0000e-005**	**1.9900e-003**	**5.2000e-004**	**1.0000e-005**	**5.4000e-004**	**0.0000**	**1.7801**	**1.7801**	**5.0000e-005**	**0.0000**	**1.7814**

3.4 Grading - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1741	0.0000	0.1741	0.0693	0.0000	0.0693	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0796	0.8816	0.5867	1.1800e-003		0.0377	0.0377		0.0347	0.0347	0.0000	103.5405	103.5405	0.0335	0.0000	104.3776
Total	**0.0796**	**0.8816**	**0.5867**	**1.1800e-003**	**0.1741**	**0.0377**	**0.2118**	**0.0693**	**0.0347**	**0.1040**	**0.0000**	**103.5405**	**103.5405**	**0.0335**	**0.0000**	**104.3776**

3.4 Grading - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.6400e-003	1.2700e-003	0.0144	4.0000e-005	4.1600e-003	3.0000e-005	4.2000e-003	1.1100e-003	3.0000e-005	1.1400e-003	0.0000	3.7579	3.7579	1.1000e-004	0.0000	3.7607
Total	**1.6400e-003**	**1.2700e-003**	**0.0144**	**4.0000e-005**	**4.1600e-003**	**3.0000e-005**	**4.2000e-003**	**1.1100e-003**	**3.0000e-005**	**1.1400e-003**	**0.0000**	**3.7579**	**3.7579**	**1.1000e-004**	**0.0000**	**3.7607**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1741	0.0000	0.1741	0.0693	0.0000	0.0693	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0796	0.8816	0.5867	1.1800e-003		0.0377	0.0377		0.0347	0.0347	0.0000	103.5403	103.5403	0.0335	0.0000	104.3775
Total	**0.0796**	**0.8816**	**0.5867**	**1.1800e-003**	**0.1741**	**0.0377**	**0.2118**	**0.0693**	**0.0347**	**0.1040**	**0.0000**	**103.5403**	**103.5403**	**0.0335**	**0.0000**	**104.3775**

3.4 Grading - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.6400e-003	1.2700e-003	0.0144	4.0000e-005	4.1600e-003	3.0000e-005	4.2000e-003	1.1100e-003	3.0000e-005	1.1400e-003	0.0000	3.7579	3.7579	1.1000e-004	0.0000	3.7607
Total	**1.6400e-003**	**1.2700e-003**	**0.0144**	**4.0000e-005**	**4.1600e-003**	**3.0000e-005**	**4.2000e-003**	**1.1100e-003**	**3.0000e-005**	**1.1400e-003**	**0.0000**	**3.7579**	**3.7579**	**1.1000e-004**	**0.0000**	**3.7607**

3.4 Grading - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0807	0.0000	0.0807	0.0180	0.0000	0.0180	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0127	0.1360	0.1017	2.2000e-004		5.7200e-003	5.7200e-003		5.2600e-003	5.2600e-003	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414
Total	**0.0127**	**0.1360**	**0.1017**	**2.2000e-004**	**0.0807**	**5.7200e-003**	**0.0865**	**0.0180**	**5.2600e-003**	**0.0233**	**0.0000**	**19.0871**	**19.0871**	**6.1700e-003**	**0.0000**	**19.2414**

3.4 Grading - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.8000e-004	2.1000e-004	2.4400e-003	1.0000e-005	7.7000e-004	1.0000e-005	7.7000e-004	2.0000e-004	1.0000e-005	2.1000e-004	0.0000	0.6679	0.6679	2.0000e-005	0.0000	0.6684
Total	**2.8000e-004**	**2.1000e-004**	**2.4400e-003**	**1.0000e-005**	**7.7000e-004**	**1.0000e-005**	**7.7000e-004**	**2.0000e-004**	**1.0000e-005**	**2.1000e-004**	**0.0000**	**0.6679**	**0.6679**	**2.0000e-005**	**0.0000**	**0.6684**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0807	0.0000	0.0807	0.0180	0.0000	0.0180	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0127	0.1360	0.1017	2.2000e-004		5.7200e-003	5.7200e-003		5.2600e-003	5.2600e-003	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414
Total	**0.0127**	**0.1360**	**0.1017**	**2.2000e-004**	**0.0807**	**5.7200e-003**	**0.0865**	**0.0180**	**5.2600e-003**	**0.0233**	**0.0000**	**19.0871**	**19.0871**	**6.1700e-003**	**0.0000**	**19.2414**

3.4 Grading - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.8000e-004	2.1000e-004	2.4400e-003	1.0000e-005	7.7000e-004	1.0000e-005	7.7000e-004	2.0000e-004	1.0000e-005	2.1000e-004	0.0000	0.6679	0.6679	2.0000e-005	0.0000	0.6684
Total	**2.8000e-004**	**2.1000e-004**	**2.4400e-003**	**1.0000e-005**	**7.7000e-004**	**1.0000e-005**	**7.7000e-004**	**2.0000e-004**	**1.0000e-005**	**2.1000e-004**	**0.0000**	**0.6679**	**0.6679**	**2.0000e-005**	**0.0000**	**0.6684**

3.5 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1324	293.1324	0.0702	0.0000	294.8881
Total	**0.2158**	**1.9754**	**2.0700**	**3.4100e-003**		**0.1023**	**0.1023**		**0.0963**	**0.0963**	**0.0000**	**293.1324**	**293.1324**	**0.0702**	**0.0000**	**294.8881**

3.5 Building Construction - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0527	1.6961	0.4580	4.5500e-003	0.1140	3.1800e-003	0.1171	0.0329	3.0400e-003	0.0359	0.0000	441.9835	441.9835	0.0264	0.0000	442.6435
Worker	0.4088	0.3066	3.5305	0.0107	1.1103	8.8700e-003	1.1192	0.2949	8.1700e-003	0.3031	0.0000	966.8117	966.8117	0.0266	0.0000	967.4773
Total	**0.4616**	**2.0027**	**3.9885**	**0.0152**	**1.2243**	**0.0121**	**1.2363**	**0.3278**	**0.0112**	**0.3390**	**0.0000**	**1,408.7952**	**1,408.7952**	**0.0530**	**0.0000**	**1,410.1208**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1321	293.1321	0.0702	0.0000	294.8877
Total	**0.2158**	**1.9754**	**2.0700**	**3.4100e-003**		**0.1023**	**0.1023**		**0.0963**	**0.0963**	**0.0000**	**293.1321**	**293.1321**	**0.0702**	**0.0000**	**294.8877**

3.5 Building Construction - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0527	1.6961	0.4580	4.5500e-003	0.1140	3.1800e-003	0.1171	0.0329	3.0400e-003	0.0359	0.0000	441.9835	441.9835	0.0264	0.0000	442.6435
Worker	0.4088	0.3066	3.5305	0.0107	1.1103	8.8700e-003	1.1192	0.2949	8.1700e-003	0.3031	0.0000	966.8117	966.8117	0.0266	0.0000	967.4773
Total	**0.4616**	**2.0027**	**3.9885**	**0.0152**	**1.2243**	**0.0121**	**1.2363**	**0.3278**	**0.0112**	**0.3390**	**0.0000**	**1,408.7952**	**1,408.7952**	**0.0530**	**0.0000**	**1,410.1208**

3.5 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2789	286.2789	0.0681	0.0000	287.9814
Total	**0.1942**	**1.7765**	**2.0061**	**3.3300e-003**		**0.0864**	**0.0864**		**0.0813**	**0.0813**	**0.0000**	**286.2789**	**286.2789**	**0.0681**	**0.0000**	**287.9814**

3.5 Building Construction - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0382	1.2511	0.4011	4.3000e-003	0.1113	1.4600e-003	0.1127	0.0321	1.4000e-003	0.0335	0.0000	417.9930	417.9930	0.0228	0.0000	418.5624
Worker	0.3753	0.2708	3.1696	0.0101	1.0840	8.4100e-003	1.0924	0.2879	7.7400e-003	0.2957	0.0000	909.3439	909.3439	0.0234	0.0000	909.9291
Total	**0.4135**	**1.5218**	**3.5707**	**0.0144**	**1.1953**	**9.8700e-003**	**1.2051**	**0.3200**	**9.1400e-003**	**0.3292**	**0.0000**	**1,327.3369**	**1,327.3369**	**0.0462**	**0.0000**	**1,328.4916**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2785	286.2785	0.0681	0.0000	287.9811
Total	**0.1942**	**1.7765**	**2.0061**	**3.3300e-003**		**0.0864**	**0.0864**		**0.0813**	**0.0813**	**0.0000**	**286.2785**	**286.2785**	**0.0681**	**0.0000**	**287.9811**

3.5 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0382	1.2511	0.4011	4.3000e-003	0.1113	1.4600e-003	0.1127	0.0321	1.4000e-003	0.0335	0.0000	417.9930	417.9930	0.0228	0.0000	418.5624
Worker	0.3753	0.2708	3.1696	0.0101	1.0840	8.4100e-003	1.0924	0.2879	7.7400e-003	0.2957	0.0000	909.3439	909.3439	0.0234	0.0000	909.9291
Total	**0.4135**	**1.5218**	**3.5707**	**0.0144**	**1.1953**	**9.8700e-003**	**1.2051**	**0.3200**	**9.1400e-003**	**0.3292**	**0.0000**	**1,327.3369**	**1,327.3369**	**0.0462**	**0.0000**	**1,328.4916**

3.6 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**6.7100e-003**	**0.0663**	**0.0948**	**1.5000e-004**		**3.3200e-003**	**3.3200e-003**		**3.0500e-003**	**3.0500e-003**	**0.0000**	**13.0175**	**13.0175**	**4.2100e-003**	**0.0000**	**13.1227**

3.6 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.7000e-004	2.7000e-004	3.1200e-003	1.0000e-005	1.0700e-003	1.0000e-005	1.0800e-003	2.8000e-004	1.0000e-005	2.9000e-004	0.0000	0.8963	0.8963	2.0000e-005	0.0000	0.8968
Total	**3.7000e-004**	**2.7000e-004**	**3.1200e-003**	**1.0000e-005**	**1.0700e-003**	**1.0000e-005**	**1.0800e-003**	**2.8000e-004**	**1.0000e-005**	**2.9000e-004**	**0.0000**	**0.8963**	**0.8963**	**2.0000e-005**	**0.0000**	**0.8968**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**6.7100e-003**	**0.0663**	**0.0948**	**1.5000e-004**		**3.3200e-003**	**3.3200e-003**		**3.0500e-003**	**3.0500e-003**	**0.0000**	**13.0175**	**13.0175**	**4.2100e-003**	**0.0000**	**13.1227**

3.6 Paving - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.7000e-004	2.7000e-004	3.1200e-003	1.0000e-005	1.0700e-003	1.0000e-005	1.0800e-003	2.8000e-004	1.0000e-005	2.9000e-004	0.0000	0.8963	0.8963	2.0000e-005	0.0000	0.8968
Total	**3.7000e-004**	**2.7000e-004**	**3.1200e-003**	**1.0000e-005**	**1.0700e-003**	**1.0000e-005**	**1.0800e-003**	**2.8000e-004**	**1.0000e-005**	**2.9000e-004**	**0.0000**	**0.8963**	**0.8963**	**2.0000e-005**	**0.0000**	**0.8968**

3.6 Paving - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**0.0109**	**0.1048**	**0.1609**	**2.5000e-004**		**5.1500e-003**	**5.1500e-003**		**4.7400e-003**	**4.7400e-003**	**0.0000**	**22.0292**	**22.0292**	**7.1200e-003**	**0.0000**	**22.2073**

3.6 Paving - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.9000e-004	4.1000e-004	4.9200e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.4697	1.4697	4.0000e-005	0.0000	1.4706
Total	**5.9000e-004**	**4.1000e-004**	**4.9200e-003**	**2.0000e-005**	**1.8100e-003**	**1.0000e-005**	**1.8200e-003**	**4.8000e-004**	**1.0000e-005**	**4.9000e-004**	**0.0000**	**1.4697**	**1.4697**	**4.0000e-005**	**0.0000**	**1.4706**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**0.0109**	**0.1048**	**0.1609**	**2.5000e-004**		**5.1500e-003**	**5.1500e-003**		**4.7400e-003**	**4.7400e-003**	**0.0000**	**22.0292**	**22.0292**	**7.1200e-003**	**0.0000**	**22.2073**

3.6 Paving - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.9000e-004	4.1000e-004	4.9200e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.4697	1.4697	4.0000e-005	0.0000	1.4706
Total	**5.9000e-004**	**4.1000e-004**	**4.9200e-003**	**2.0000e-005**	**1.8100e-003**	**1.0000e-005**	**1.8200e-003**	**4.8000e-004**	**1.0000e-005**	**4.9000e-004**	**0.0000**	**1.4697**	**1.4697**	**4.0000e-005**	**0.0000**	**1.4706**

3.7 Architectural Coating - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	4.1372					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.1600e-003	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745
Total	**4.1404**	**0.0213**	**0.0317**	**5.0000e-005**		**1.0700e-003**	**1.0700e-003**		**1.0700e-003**	**1.0700e-003**	**0.0000**	**4.4682**	**4.4682**	**2.5000e-004**	**0.0000**	**4.4745**

3.7 Architectural Coating - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0101	6.9900e-003	0.0835	2.8000e-004	0.0307	2.3000e-004	0.0309	8.1500e-003	2.2000e-004	8.3700e-003	0.0000	24.9407	24.9407	6.1000e-004	0.0000	24.9558
Total	**0.0101**	**6.9900e-003**	**0.0835**	**2.8000e-004**	**0.0307**	**2.3000e-004**	**0.0309**	**8.1500e-003**	**2.2000e-004**	**8.3700e-003**	**0.0000**	**24.9407**	**24.9407**	**6.1000e-004**	**0.0000**	**24.9558**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	4.1372					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.1600e-003	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745
Total	**4.1404**	**0.0213**	**0.0317**	**5.0000e-005**		**1.0700e-003**	**1.0700e-003**		**1.0700e-003**	**1.0700e-003**	**0.0000**	**4.4682**	**4.4682**	**2.5000e-004**	**0.0000**	**4.4745**

3.7 Architectural Coating - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0101	6.9900e-003	0.0835	2.8000e-004	0.0307	2.3000e-004	0.0309	8.1500e-003	2.2000e-004	8.3700e-003	0.0000	24.9407	24.9407	6.1000e-004	0.0000	24.9558
Total	**0.0101**	**6.9900e-003**	**0.0835**	**2.8000e-004**	**0.0307**	**2.3000e-004**	**0.0309**	**8.1500e-003**	**2.2000e-004**	**8.3700e-003**	**0.0000**	**24.9407**	**24.9407**	**6.1000e-004**	**0.0000**	**24.9558**

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Unmitigated	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162

4.2 Trip Summary Information

	Average Daily Trip Rate			Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	2,512.6465	2,512.6465	0.1037	0.0215	2,521.6356
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	2,512.6465	2,512.6465	0.1037	0.0215	2,521.6356
NaturalGas Mitigated	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4267	1,383.4267	0.0265	0.0254	1,391.6478
NaturalGas Unmitigated	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4267	1,383.4267	0.0265	0.0254	1,391.6478

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Low Rise	408494	2.2000e-003	0.0188	8.0100e-003	1.2000e-004		1.5200e-003	1.5200e-003		1.5200e-003	1.5200e-003	0.0000	21.7988	21.7988	4.2000e-004	4.0000e-004	21.9284
Apartments Mid Rise	1.30613e+007	0.0704	0.6018	0.2561	3.8400e-003		0.0487	0.0487		0.0487	0.0487	0.0000	696.9989	696.9989	0.0134	0.0128	701.1408
General Office Building	468450	2.5300e-003	0.0230	0.0193	1.4000e-004		1.7500e-003	1.7500e-003		1.7500e-003	1.7500e-003	0.0000	24.9983	24.9983	4.8000e-004	4.6000e-004	25.1468
High Turnover (Sit Down Restaurant)	8.30736e+006	0.0448	0.4072	0.3421	2.4400e-003		0.0310	0.0310		0.0310	0.0310	0.0000	443.3124	443.3124	8.5000e-003	8.1300e-003	445.9468
Hotel	1.74095e+006	9.3900e-003	0.0853	0.0717	5.1000e-004		6.4900e-003	6.4900e-003		6.4900e-003	6.4900e-003	0.0000	92.9036	92.9036	1.7800e-003	1.7000e-003	93.4557
Quality Restaurant	1.84608e+006	9.9500e-003	0.0905	0.0760	5.4000e-004		6.8800e-003	6.8800e-003		6.8800e-003	6.8800e-003	0.0000	98.5139	98.5139	1.8900e-003	1.8100e-003	99.0993
Regional Shopping Center	91840	5.0000e-004	4.5000e-003	3.7800e-003	3.0000e-005		3.4000e-004	3.4000e-004		3.4000e-004	3.4000e-004	0.0000	4.9009	4.9009	9.0000e-005	9.0000e-005	4.9301
Total		**0.1398**	**1.2312**	**0.7770**	**7.6200e-003**		**0.0966**	**0.0966**		**0.0966**	**0.0966**	**0.0000**	**1,383.4268**	**1,383.4268**	**0.0265**	**0.0254**	**1,391.6478**

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Low Rise	408494	2.2000e-003	0.0188	8.0100e-003	1.2000e-004		1.5200e-003	1.5200e-003		1.5200e-003	1.5200e-003	0.0000	21.7988	21.7988	4.2000e-004	4.0000e-004	21.9284
Apartments Mid Rise	1.30613e+007	0.0704	0.6018	0.2561	3.8400e-003		0.0487	0.0487		0.0487	0.0487	0.0000	696.9989	696.9989	0.0134	0.0128	701.1408
General Office Building	468450	2.5300e-003	0.0230	0.0193	1.4000e-004		1.7500e-003	1.7500e-003		1.7500e-003	1.7500e-003	0.0000	24.9983	24.9983	4.8000e-004	4.6000e-004	25.1468
High Turnover (Sit Down Restaurant)	8.30736e+006	0.0448	0.4072	0.3421	2.4400e-003		0.0310	0.0310		0.0310	0.0310	0.0000	443.3124	443.3124	8.5000e-003	8.1300e-003	445.9468
Hotel	1.74095e+006	9.3900e-003	0.0853	0.0717	5.1000e-004		6.4900e-003	6.4900e-003		6.4900e-003	6.4900e-003	0.0000	92.9036	92.9036	1.7800e-003	1.7000e-003	93.4557
Quality Restaurant	1.84608e+006	9.9500e-003	0.0905	0.0760	5.4000e-004		6.8800e-003	6.8800e-003		6.8800e-003	6.8800e-003	0.0000	98.5139	98.5139	1.8900e-003	1.8100e-003	99.0993
Regional Shopping Center	91840	5.0000e-004	4.5000e-003	3.7800e-003	3.0000e-005		3.4000e-004	3.4000e-004		3.4000e-004	3.4000e-004	0.0000	4.9009	4.9009	9.0000e-005	9.0000e-005	4.9301
Total		**0.1398**	**1.2312**	**0.7770**	**7.6200e-003**		**0.0966**	**0.0966**		**0.0966**	**0.0966**	**0.0000**	**1,383.4268**	**1,383.4268**	**0.0265**	**0.0254**	**1,391.6478**

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Low Rise	106010	33.7770	1.3900e-003	2.9000e-004	33.8978
Apartments Mid Rise	3.94697e+006	1,257.5879	0.0519	0.0107	1,262.0869
General Office Building	584550	186.2502	7.6900e-003	1.5900e-003	186.9165
High Turnover (Sit Down Restaurant)	1.58904e+006	506.3022	0.0209	4.3200e-003	508.1135
Hotel	550308	175.3399	7.2400e-003	1.5000e-003	175.9672
Quality Restaurant	353120	112.5116	4.6500e-003	9.6000e-004	112.9141
Regional Shopping Center	756000	240.8778	9.9400e-003	2.0600e-003	241.7395
Total		**2,512.6465**	**0.1037**	**0.0215**	**2,521.6356**

5.3 Energy by Land Use - Electricity

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Low Rise	106010	33.7770	1.3900e-003	2.9000e-004	33.8978
Apartments Mid Rise	3.94697e+006	1,257.5879	0.0519	0.0107	1,262.0869
General Office Building	584550	186.2502	7.6900e-003	1.5900e-003	186.9165
High Turnover (Sit Down Restaurant)	1.58904e+006	506.3022	0.0209	4.3200e-003	508.1135
Hotel	550308	175.3399	7.2400e-003	1.5000e-003	175.9672
Quality Restaurant	353120	112.5116	4.6500e-003	9.6000e-004	112.9141
Regional Shopping Center	756000	240.8778	9.9400e-003	2.0600e-003	241.7395
Total		**2,512.6465**	**0.1037**	**0.0215**	**2,521.6356**

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Unmitigated	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.4137					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	4.3998					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0206	0.1763	0.0750	1.1200e-003		0.0143	0.0143		0.0143	0.0143	0.0000	204.1166	204.1166	3.9100e-003	3.7400e-003	205.3295
Landscaping	0.3096	0.1187	10.3054	5.4000e-004		0.0572	0.0572		0.0572	0.0572	0.0000	16.8504	16.8504	0.0161	0.0000	17.2540
Total	**5.1437**	**0.2950**	**10.3804**	**1.6600e-003**		**0.0714**	**0.0714**		**0.0714**	**0.0714**	**0.0000**	**220.9670**	**220.9670**	**0.0201**	**3.7400e-003**	**222.5835**

6.2 Area by SubCategory

Mitigated

SubCategory	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	tons/yr										MT/yr					
Architectural Coating	0.4137					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	4.3998					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0206	0.1763	0.0750	1.1200e-003		0.0143	0.0143		0.0143	0.0143	0.0000	204.1166	204.1166	3.9100e-003	3.7400e-003	205.3295
Landscaping	0.3096	0.1187	10.3054	5.4000e-004		0.0572	0.0572		0.0572	0.0572	0.0000	16.8504	16.8504	0.0161	0.0000	17.2540
Total	**5.1437**	**0.2950**	**10.3804**	**1.6600e-003**		**0.0714**	**0.0714**		**0.0714**	**0.0714**	**0.0000**	**220.9670**	**220.9670**	**0.0201**	**3.7400e-003**	**222.5835**

7.0 Water Detail

7.1 Mitigation Measures Water

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	585.8052	3.0183	0.0755	683.7567
Unmitigated	585.8052	3.0183	0.0755	683.7567

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Low Rise	1.62885 / 1.02688	10.9095	0.0535	1.3400e-003	12.6471
Apartments Mid Rise	63.5252 / 40.0485	425.4719	2.0867	0.0523	493.2363
General Office Building	7.99802 / 4.90201	53.0719	0.2627	6.5900e-003	61.6019
High Turnover (Sit Down Restaurant)	10.9272 / 0.697482	51.2702	0.3580	8.8200e-003	62.8482
Hotel	1.26834 / 0.140927	6.1633	0.0416	1.0300e-003	7.5079
Quality Restaurant	2.42827 / 0.154996	11.3934	0.0796	1.9600e-003	13.9663
Regional Shopping Center	4.14806 / 2.54236	27.5250	0.1363	3.4200e-003	31.9490
Total		**585.8052**	**3.0183**	**0.0755**	**683.7567**

7.2 Water by Land Use

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Low Rise	1.62885 / 1.02688	10.9095	0.0535	1.3400e-003	12.6471
Apartments Mid Rise	63.5252 / 40.0485	425.4719	2.0867	0.0523	493.2363
General Office Building	7.99802 / 4.90201	53.0719	0.2627	6.5900e-003	61.6019
High Turnover (Sit Down Restaurant)	10.9272 / 0.697482	51.2702	0.3580	8.8200e-003	62.8482
Hotel	1.26834 / 0.140927	6.1633	0.0416	1.0300e-003	7.5079
Quality Restaurant	2.42827 / 0.154996	11.3934	0.0796	1.9600e-003	13.9663
Regional Shopping Center	4.14806 / 2.54236	27.5250	0.1363	3.4200e-003	31.9490
Total		**585.8052**	**3.0183**	**0.0755**	**683.7567**

8.0 Waste Detail

8.1 Mitigation Measures Waste

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	207.8079	12.2811	0.0000	514.8354
Unmitigated	207.8079	12.2811	0.0000	514.8354

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Low Rise	11.5	2.3344	0.1380	0.0000	5.7834
Apartments Mid Rise	448.5	91.0415	5.3804	0.0000	225.5513
General Office Building	41.85	8.4952	0.5021	0.0000	21.0464
High Turnover (Sit Down Restaurant)	428.4	86.9613	5.1393	0.0000	215.4430
Hotel	27.38	5.5579	0.3285	0.0000	13.7694
Quality Restaurant	7.3	1.4818	0.0876	0.0000	3.6712
Regional Shopping Center	58.8	11.9359	0.7054	0.0000	29.5706
Total		**207.8079**	**12.2811**	**0.0000**	**514.8354**

8.2 Waste by Land Use

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Low Rise	11.5	2.3344	0.1380	0.0000	5.7834
Apartments Mid Rise	448.5	91.0415	5.3804	0.0000	225.5513
General Office Building	41.85	8.4952	0.5021	0.0000	21.0464
High Turnover (Sit Down Restaurant)	428.4	86.9613	5.1393	0.0000	215.4430
Hotel	27.38	5.5579	0.3285	0.0000	13.7694
Quality Restaurant	7.3	1.4818	0.0876	0.0000	3.6712
Regional Shopping Center	58.8	11.9359	0.7054	0.0000	29.5706
Total		**207.8079**	**12.2811**	**0.0000**	**514.8354**

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

11.0 Vegetation

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	**Wind Speed (m/s)**	2.2	**Precipitation Freq (Days)**	33
Climate Zone	9			**Operational Year**	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	702.44	**CH4 Intensity (lb/MWhr)**	0.029	**N2O Intensity (lb/MWhr)**	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82
tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27

tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2769	46.4588	31.6840	0.0643	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	6,234.7974	6,234.7974	1.9495	0.0000	6,283.5352
2022	5.3304	38.8967	49.5629	0.1517	9.8688	1.6366	10.7727	3.6558	1.5057	5.1615	0.0000	15,251.5674	15,251.5674	1.9503	0.0000	15,278.5288
2023	4.8957	26.3317	46.7567	0.1472	9.8688	0.7794	10.6482	2.6381	0.7322	3.3702	0.0000	14,807.5269	14,807.5269	1.0250	0.0000	14,833.1521
2024	237.1630	9.5575	15.1043	0.0244	1.7884	0.4698	1.8628	0.4743	0.4322	0.5476	0.0000	2,361.3989	2,361.3989	0.7177	0.0000	2,379.3421
Maximum	**237.1630**	**46.4588**	**49.5629**	**0.1517**	**18.2675**	**2.0461**	**20.3135**	**9.9840**	**1.8824**	**11.8664**	**0.0000**	**15,251.5674**	**15,251.5674**	**1.9503**	**0.0000**	**15,278.5288**

2.1 Overall Construction (Maximum Daily Emission)

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2769	46.4588	31.6840	0.0643	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	6,234.7974	6,234.7974	1.9495	0.0000	6,283.5352
2022	5.3304	38.8967	49.5629	0.1517	9.8688	1.6366	10.7727	3.6558	1.5057	5.1615	0.0000	15,251.5674	15,251.5674	1.9503	0.0000	15,278.5288
2023	4.8957	26.3317	46.7567	0.1472	9.8688	0.7794	10.6482	2.6381	0.7322	3.3702	0.0000	14,807.5269	14,807.5269	1.0250	0.0000	14,833.1520
2024	237.1630	9.5575	15.1043	0.0244	1.7884	0.4698	1.8628	0.4743	0.4322	0.5476	0.0000	2,361.3989	2,361.3989	0.7177	0.0000	2,379.3421
Maximum	**237.1630**	**46.4588**	**49.5629**	**0.1517**	**18.2675**	**2.0461**	**20.3135**	**9.9840**	**1.8824**	**11.8664**	**0.0000**	**15,251.5674**	**15,251.5674**	**1.9503**	**0.0000**	**15,278.5288**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387
Mobile	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.6034	50,306.6034	2.1807		50,361.1208
Total	**41.1168**	**67.2262**	**207.5497**	**0.6278**	**45.9592**	**2.4626**	**48.4217**	**12.2950**	**2.4385**	**14.7336**	**0.0000**	**76,811.1816**	**76,811.1816**	**2.8282**	**0.4832**	**77,025.8786**

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387
Mobile	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.6034	50,306.6034	2.1807		50,361.1208
Total	**41.1168**	**67.2262**	**207.5497**	**0.6278**	**45.9592**	**2.4626**	**48.4217**	**12.2950**	**2.4385**	**14.7336**	**0.0000**	**76,811.1816**	**76,811.1816**	**2.8282**	**0.4832**	**77,025.8786**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411		3,747.9449	3,747.9449	1.0549		3,774.3174
Total	**3.1651**	**31.4407**	**21.5650**	**0.0388**	**3.3074**	**1.5513**	**4.8588**	**0.5008**	**1.4411**	**1.9419**		**3,747.9449**	**3,747.9449**	**1.0549**		**3,774.3174**

3.2 Demolition - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1273	4.0952	0.9602	0.0119	0.2669	0.0126	0.2795	0.0732	0.0120	0.0852		1,292.2413	1,292.2413	0.0877		1,294.4337
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0643	0.0442	0.6042	1.7100e-003	0.1677	1.3500e-003	0.1690	0.0445	1.2500e-003	0.0457		170.8155	170.8155	5.0300e-003		170.9413
Total	**0.1916**	**4.1394**	**1.5644**	**0.0136**	**0.4346**	**0.0139**	**0.4485**	**0.1176**	**0.0133**	**0.1309**		**1,463.0568**	**1,463.0568**	**0.0927**		**1,465.3750**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411	0.0000	3,747.9449	3,747.9449	1.0549		3,774.3174
Total	**3.1651**	**31.4407**	**21.5650**	**0.0388**	**3.3074**	**1.5513**	**4.8588**	**0.5008**	**1.4411**	**1.9419**	**0.0000**	**3,747.9449**	**3,747.9449**	**1.0549**		**3,774.3174**

3.2 Demolition - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1273	4.0952	0.9602	0.0119	0.2669	0.0126	0.2795	0.0732	0.0120	0.0852		1,292.2413	1,292.2413	0.0877		1,294.4337
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0643	0.0442	0.6042	1.7100e-003	0.1677	1.3500e-003	0.1690	0.0445	1.2500e-003	0.0457		170.8155	170.8155	5.0300e-003		170.9413
Total	**0.1916**	**4.1394**	**1.5644**	**0.0136**	**0.4346**	**0.0139**	**0.4485**	**0.1176**	**0.0133**	**0.1309**		**1,463.0568**	**1,463.0568**	**0.0927**		**1,465.3750**

3.3 Site Preparation - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.6569	3,685.6569	1.1920		3,715.4573
Total	**3.8882**	**40.4971**	**21.1543**	**0.0380**	**18.0663**	**2.0445**	**20.1107**	**9.9307**	**1.8809**	**11.8116**		**3,685.6569**	**3,685.6569**	**1.1920**		**3,715.4573**

3.3 Site Preparation - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0772	0.0530	0.7250	2.0600e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		204.9786	204.9786	6.0400e-003		205.1296
Total	**0.0772**	**0.0530**	**0.7250**	**2.0600e-003**	**0.2012**	**1.6300e-003**	**0.2028**	**0.0534**	**1.5000e-003**	**0.0549**		**204.9786**	**204.9786**	**6.0400e-003**		**205.1296**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573
Total	**3.8882**	**40.4971**	**21.1543**	**0.0380**	**18.0663**	**2.0445**	**20.1107**	**9.9307**	**1.8809**	**11.8116**	**0.0000**	**3,685.6569**	**3,685.6569**	**1.1920**		**3,715.4573**

3.3 Site Preparation - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0772	0.0530	0.7250	2.0600e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		204.9786	204.9786	6.0400e-003		205.1296
Total	**0.0772**	**0.0530**	**0.7250**	**2.0600e-003**	**0.2012**	**1.6300e-003**	**0.2028**	**0.0534**	**1.5000e-003**	**0.0549**		**204.9786**	**204.9786**	**6.0400e-003**		**205.1296**

3.4 Grading - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.0434	6,007.0434	1.9428		6,055.6134
Total	**4.1912**	**46.3998**	**30.8785**	**0.0620**	**8.6733**	**1.9853**	**10.6587**	**3.5965**	**1.8265**	**5.4230**		**6,007.0434**	**6,007.0434**	**1.9428**		**6,055.6134**

3.4 Grading - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0857	0.0589	0.8056	2.2900e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		227.7540	227.7540	6.7100e-003		227.9217
Total	**0.0857**	**0.0589**	**0.8056**	**2.2900e-003**	**0.2236**	**1.8100e-003**	**0.2254**	**0.0593**	**1.6600e-003**	**0.0610**		**227.7540**	**227.7540**	**6.7100e-003**		**227.9217**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265	0.0000	6,007.0434	6,007.0434	1.9428		6,055.6134
Total	**4.1912**	**46.3998**	**30.8785**	**0.0620**	**8.6733**	**1.9853**	**10.6587**	**3.5965**	**1.8265**	**5.4230**	**0.0000**	**6,007.0434**	**6,007.0434**	**1.9428**		**6,055.6134**

3.4 Grading - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0857	0.0589	0.8056	2.2900e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		227.7540	227.7540	6.7100e-003		227.9217
Total	**0.0857**	**0.0589**	**0.8056**	**2.2900e-003**	**0.2236**	**1.8100e-003**	**0.2254**	**0.0593**	**1.6600e-003**	**0.0610**		**227.7540**	**227.7540**	**6.7100e-003**		**227.9217**

3.4 Grading - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041		6,011.4105	6,011.4105	1.9442		6,060.0158
Total	**3.6248**	**38.8435**	**29.0415**	**0.0621**	**8.6733**	**1.6349**	**10.3082**	**3.5965**	**1.5041**	**5.1006**		**6,011.4105**	**6,011.4105**	**1.9442**		**6,060.0158**

3.4 Grading - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0803	0.0532	0.7432	2.2100e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		219.7425	219.7425	6.0600e-003		219.8941
Total	**0.0803**	**0.0532**	**0.7432**	**2.2100e-003**	**0.2236**	**1.7500e-003**	**0.2253**	**0.0593**	**1.6100e-003**	**0.0609**		**219.7425**	**219.7425**	**6.0600e-003**		**219.8941**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158
Total	**3.6248**	**38.8435**	**29.0415**	**0.0621**	**8.6733**	**1.6349**	**10.3082**	**3.5965**	**1.5041**	**5.1006**	**0.0000**	**6,011.4105**	**6,011.4105**	**1.9442**		**6,060.0158**

3.4 Grading - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0803	0.0532	0.7432	2.2100e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		219.7425	219.7425	6.0600e-003		219.8941
Total	**0.0803**	**0.0532**	**0.7432**	**2.2100e-003**	**0.2236**	**1.7500e-003**	**0.2253**	**0.0593**	**1.6100e-003**	**0.0609**		**219.7425**	**219.7425**	**6.0600e-003**		**219.8941**

3.5 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322
Total	**1.7062**	**15.6156**	**16.3634**	**0.0269**		**0.8090**	**0.8090**		**0.7612**	**0.7612**		**2,554.3336**	**2,554.3336**	**0.6120**		**2,569.6322**

3.5 Building Construction - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4079	13.2032	3.4341	0.0364	0.9155	0.0248	0.9404	0.2636	0.0237	0.2873		3,896.5482	3,896.5482	0.2236		3,902.1384
Worker	3.2162	2.1318	29.7654	0.0883	8.9533	0.0701	9.0234	2.3745	0.0646	2.4390		8,800.6857	8,800.6857	0.2429		8,806.7582
Total	**3.6242**	**15.3350**	**33.1995**	**0.1247**	**9.8688**	**0.0949**	**9.9637**	**2.6381**	**0.0883**	**2.7263**		**12,697.2339**	**12,697.2339**	**0.4665**		**12,708.8966**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.3336	2,554.3336	0.6120		2,569.6322
Total	**1.7062**	**15.6156**	**16.3634**	**0.0269**		**0.8090**	**0.8090**		**0.7612**	**0.7612**	**0.0000**	**2,554.3336**	**2,554.3336**	**0.6120**		**2,569.6322**

3.5 Building Construction - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4079	13.2032	3.4341	0.0364	0.9155	0.0248	0.9404	0.2636	0.0237	0.2873		3,896.5482	3,896.5482	0.2236		3,902.1384
Worker	3.2162	2.1318	29.7654	0.0883	8.9533	0.0701	9.0234	2.3745	0.0646	2.4390		8,800.6857	8,800.6857	0.2429		8,806.7582
Total	**3.6242**	**15.3350**	**33.1995**	**0.1247**	**9.8688**	**0.0949**	**9.9637**	**2.6381**	**0.0883**	**2.7263**		**12,697.2339**	**12,697.2339**	**0.4665**		**12,708.8966**

3.5 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.2099	2,555.2099	0.6079		2,570.4061
Total	**1.5728**	**14.3849**	**16.2440**	**0.0269**		**0.6997**	**0.6997**		**0.6584**	**0.6584**		**2,555.2099**	**2,555.2099**	**0.6079**		**2,570.4061**

3.5 Building Construction - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3027	10.0181	3.1014	0.0352	0.9156	0.0116	0.9271	0.2636	0.0111	0.2747		3,773.8762	3,773.8762	0.1982		3,778.8300
Worker	3.0203	1.9287	27.4113	0.0851	8.9533	0.0681	9.0214	2.3745	0.0627	2.4372		8,478.4408	8,478.4408	0.2190		8,483.9160
Total	**3.3229**	**11.9468**	**30.5127**	**0.1203**	**9.8688**	**0.0797**	**9.9485**	**2.6381**	**0.0738**	**2.7118**		**12,252.3170**	**12,252.3170**	**0.4172**		**12,262.7460**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061
Total	**1.5728**	**14.3849**	**16.2440**	**0.0269**		**0.6997**	**0.6997**		**0.6584**	**0.6584**	**0.0000**	**2,555.2099**	**2,555.2099**	**0.6079**		**2,570.4061**

3.5 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3027	10.0181	3.1014	0.0352	0.9156	0.0116	0.9271	0.2636	0.0111	0.2747		3,773.8762	3,773.8762	0.1982		3,778.8300
Worker	3.0203	1.9287	27.4113	0.0851	8.9533	0.0681	9.0214	2.3745	0.0627	2.4372		8,478.4408	8,478.4408	0.2190		8,483.9160
Total	**3.3229**	**11.9468**	**30.5127**	**0.1203**	**9.8688**	**0.0797**	**9.9485**	**2.6381**	**0.0738**	**2.7118**		**12,252.3170**	**12,252.3170**	**0.4172**		**12,262.7460**

3.6 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	**1.0327**	**10.1917**	**14.5842**	**0.0228**		**0.5102**	**0.5102**		**0.4694**	**0.4694**		**2,207.5841**	**2,207.5841**	**0.7140**		**2,225.4336**

3.6 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0566	0.0361	0.5133	1.5900e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		158.7723	158.7723	4.1000e-003		158.8748
Total	**0.0566**	**0.0361**	**0.5133**	**1.5900e-003**	**0.1677**	**1.2800e-003**	**0.1689**	**0.0445**	**1.1700e-003**	**0.0456**		**158.7723**	**158.7723**	**4.1000e-003**		**158.8748**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	**1.0327**	**10.1917**	**14.5842**	**0.0228**		**0.5102**	**0.5102**		**0.4694**	**0.4694**	**0.0000**	**2,207.5841**	**2,207.5841**	**0.7140**		**2,225.4336**

3.6 Paving - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0566	0.0361	0.5133	1.5900e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		158.7723	158.7723	4.1000e-003		158.8748
Total	**0.0566**	**0.0361**	**0.5133**	**1.5900e-003**	**0.1677**	**1.2800e-003**	**0.1689**	**0.0445**	**1.1700e-003**	**0.0456**		**158.7723**	**158.7723**	**4.1000e-003**		**158.8748**

3.6 Paving - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.5472	2,207.5472	0.7140		2,225.3963
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	**0.9882**	**9.5246**	**14.6258**	**0.0228**		**0.4685**	**0.4685**		**0.4310**	**0.4310**		**2,207.5472**	**2,207.5472**	**0.7140**		**2,225.3963**

3.6 Paving - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0535	0.0329	0.4785	1.5400e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		153.8517	153.8517	3.7600e-003		153.9458
Total	**0.0535**	**0.0329**	**0.4785**	**1.5400e-003**	**0.1677**	**1.2600e-003**	**0.1689**	**0.0445**	**1.1600e-003**	**0.0456**		**153.8517**	**153.8517**	**3.7600e-003**		**153.9458**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.5472	2,207.5472	0.7140		2,225.3963
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	**0.9882**	**9.5246**	**14.6258**	**0.0228**		**0.4685**	**0.4685**		**0.4310**	**0.4310**	**0.0000**	**2,207.5472**	**2,207.5472**	**0.7140**		**2,225.3963**

3.6 Paving - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0535	0.0329	0.4785	1.5400e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		153.8517	153.8517	3.7600e-003		153.9458
Total	**0.0535**	**0.0329**	**0.4785**	**1.5400e-003**	**0.1677**	**1.2600e-003**	**0.1689**	**0.0445**	**1.1600e-003**	**0.0456**		**153.8517**	**153.8517**	**3.7600e-003**		**153.9458**

3.7 Architectural Coating - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
Total	**236.5923**	**1.2188**	**1.8101**	**2.9700e-003**		**0.0609**	**0.0609**		**0.0609**	**0.0609**		**281.4481**	**281.4481**	**0.0159**		**281.8443**

3.7 Architectural Coating - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.5707	0.3513	5.1044	0.0165	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,641.0852	1,641.0852	0.0401		1,642.0886
Total	**0.5707**	**0.3513**	**5.1044**	**0.0165**	**1.7884**	**0.0134**	**1.8018**	**0.4743**	**0.0123**	**0.4866**		**1,641.0852**	**1,641.0852**	**0.0401**		**1,642.0886**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
Total	**236.5923**	**1.2188**	**1.8101**	**2.9700e-003**		**0.0609**	**0.0609**		**0.0609**	**0.0609**	**0.0000**	**281.4481**	**281.4481**	**0.0159**		**281.8443**

3.7 Architectural Coating - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.5707	0.3513	5.1044	0.0165	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,641.0852	1,641.0852	0.0401		1,642.0886
Total	**0.5707**	**0.3513**	**5.1044**	**0.0165**	**1.7884**	**0.0134**	**1.8018**	**0.4743**	**0.0123**	**0.4866**		**1,641.0852**	**1,641.0852**	**0.0401**		**1,642.0886**

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.6034	50,306.6034	2.1807		50,361.1208
Unmitigated	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.6034	50,306.6034	2.1807		50,361.1208

4.2 Trip Summary Information

	Average Daily Trip Rate			Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387
NaturalGas Unmitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1119.16	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35784.3	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1283.42	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22759.9	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4769.72	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5057.75	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	251.616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		**0.7660**	**6.7463**	**4.2573**	**0.0418**		**0.5292**	**0.5292**		**0.5292**	**0.5292**		**8,355.9832**	**8,355.9832**	**0.1602**	**0.1532**	**8,405.6387**

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1.11916	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35.7843	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1.28342	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22.7599	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4.76972	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5.05775	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	0.251616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		**0.7660**	**6.7463**	**4.2573**	**0.0418**		**0.5292**	**0.5292**		**0.5292**	**0.5292**		**8,355.9832**	**8,355.9832**	**0.1602**	**0.1532**	**8,405.6387**

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Unmitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	**30.5020**	**15.0496**	**88.4430**	**0.0944**		**1.5974**	**1.5974**		**1.5974**	**1.5974**	**0.0000**	**18,148.5950**	**18,148.5950**	**0.4874**	**0.3300**	**18,259.1192**

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	**30.5020**	**15.0496**	**88.4430**	**0.0944**		**1.5974**	**1.5974**		**1.5974**	**1.5974**	**0.0000**	**18,148.5950**	**18,148.5950**	**0.4874**	**0.3300**	**18,259.1192**

7.0 Water Detail

7.1 Mitigation Measures Water

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

11.0 Vegetation

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	**Wind Speed (m/s)**	2.2	**Precipitation Freq (Days)**	33
Climate Zone	9			**Operational Year**	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	702.44	**CH4 Intensity (lb/MWhr)**	0.029	**N2O Intensity (lb/MWhr)**	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82
tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27

tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2865	46.4651	31.6150	0.0642	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	6,221.4937	6,221.4937	1.9491	0.0000	6,270.2214
2022	5.7218	38.9024	47.3319	0.1455	9.8688	1.6366	10.7736	3.6558	1.5057	5.1615	0.0000	14,630.3099	14,630.3099	1.9499	0.0000	14,657.2663
2023	5.2705	26.4914	44.5936	0.1413	9.8688	0.7800	10.6488	2.6381	0.7328	3.3708	0.0000	14,210.3424	14,210.3424	1.0230	0.0000	14,235.9160
2024	237.2328	9.5610	15.0611	0.0243	1.7884	0.4698	1.8628	0.4743	0.4322	0.5476	0.0000	2,352.4178	2,352.4178	0.7175	0.0000	2,370.3550
Maximum	**237.2328**	**46.4651**	**47.3319**	**0.1455**	**18.2675**	**2.0461**	**20.3135**	**9.9840**	**1.8824**	**11.8664**	**0.0000**	**14,630.3099**	**14,630.3099**	**1.9499**	**0.0000**	**14,657.2663**

2.1 Overall Construction (Maximum Daily Emission)

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2865	46.4651	31.6150	0.0642	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	6,221.4937	6,221.4937	1.9491	0.0000	6,270.2214
2022	5.7218	38.9024	47.3319	0.1455	9.8688	1.6366	10.7736	3.6558	1.5057	5.1615	0.0000	14,630.3099	14,630.3099	1.9499	0.0000	14,657.2663
2023	5.2705	26.4914	44.5936	0.1413	9.8688	0.7800	10.6488	2.6381	0.7328	3.3708	0.0000	14,210.3424	14,210.3424	1.0230	0.0000	14,235.9160
2024	237.2328	9.5610	15.0611	0.0243	1.7884	0.4698	1.8628	0.4743	0.4322	0.5476	0.0000	2,352.4178	2,352.4178	0.7175	0.0000	2,370.3550
Maximum	**237.2328**	**46.4651**	**47.3319**	**0.1455**	**18.2675**	**2.0461**	**20.3135**	**9.9840**	**1.8824**	**11.8664**	**0.0000**	**14,630.3099**	**14,630.3099**	**1.9499**	**0.0000**	**14,657.2663**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387
Mobile	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.8005	47,917.8005	2.1953		47,972.6839
Total	**40.7912**	**67.7872**	**202.7424**	**0.6043**	**45.9592**	**2.4640**	**48.4231**	**12.2950**	**2.4399**	**14.7349**	**0.0000**	**74,422.3787**	**74,422.3787**	**2.8429**	**0.4832**	**74,637.4417**

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387
Mobile	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.8005	47,917.8005	2.1953		47,972.6839
Total	**40.7912**	**67.7872**	**202.7424**	**0.6043**	**45.9592**	**2.4640**	**48.4231**	**12.2950**	**2.4399**	**14.7349**	**0.0000**	**74,422.3787**	**74,422.3787**	**2.8429**	**0.4832**	**74,637.4417**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411		3,747.9449	3,747.9449	1.0549		3,774.3174
Total	**3.1651**	**31.4407**	**21.5650**	**0.0388**	**3.3074**	**1.5513**	**4.8588**	**0.5008**	**1.4411**	**1.9419**		**3,747.9449**	**3,747.9449**	**1.0549**		**3,774.3174**

3.2 Demolition - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1304	4.1454	1.0182	0.0117	0.2669	0.0128	0.2797	0.0732	0.0122	0.0854		1,269.8555	1,269.8555	0.0908		1,272.1252
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0715	0.0489	0.5524	1.6100e-003	0.1677	1.3500e-003	0.1690	0.0445	1.2500e-003	0.0457		160.8377	160.8377	4.7300e-003		160.9560
Total	**0.2019**	**4.1943**	**1.5706**	**0.0133**	**0.4346**	**0.0141**	**0.4487**	**0.1176**	**0.0135**	**0.1311**		**1,430.6932**	**1,430.6932**	**0.0955**		**1,433.0812**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411	0.0000	3,747.9449	3,747.9449	1.0549		3,774.3174
Total	**3.1651**	**31.4407**	**21.5650**	**0.0388**	**3.3074**	**1.5513**	**4.8588**	**0.5008**	**1.4411**	**1.9419**	**0.0000**	**3,747.9449**	**3,747.9449**	**1.0549**		**3,774.3174**

3.2 Demolition - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1304	4.1454	1.0182	0.0117	0.2669	0.0128	0.2797	0.0732	0.0122	0.0854		1,269.8555	1,269.8555	0.0908		1,272.1252
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0715	0.0489	0.5524	1.6100e-003	0.1677	1.3500e-003	0.1690	0.0445	1.2500e-003	0.0457		160.8377	160.8377	4.7300e-003		160.9560
Total	**0.2019**	**4.1943**	**1.5706**	**0.0133**	**0.4346**	**0.0141**	**0.4487**	**0.1176**	**0.0135**	**0.1311**		**1,430.6932**	**1,430.6932**	**0.0955**		**1,433.0812**

3.3 Site Preparation - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.6569	3,685.6569	1.1920		3,715.4573
Total	**3.8882**	**40.4971**	**21.1543**	**0.0380**	**18.0663**	**2.0445**	**20.1107**	**9.9307**	**1.8809**	**11.8116**		**3,685.6569**	**3,685.6569**	**1.1920**		**3,715.4573**

3.3 Site Preparation - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0858	0.0587	0.6629	1.9400e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		193.0052	193.0052	5.6800e-003		193.1472
Total	**0.0858**	**0.0587**	**0.6629**	**1.9400e-003**	**0.2012**	**1.6300e-003**	**0.2028**	**0.0534**	**1.5000e-003**	**0.0549**		**193.0052**	**193.0052**	**5.6800e-003**		**193.1472**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573
Total	**3.8882**	**40.4971**	**21.1543**	**0.0380**	**18.0663**	**2.0445**	**20.1107**	**9.9307**	**1.8809**	**11.8116**	**0.0000**	**3,685.6569**	**3,685.6569**	**1.1920**		**3,715.4573**

3.3 Site Preparation - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0858	0.0587	0.6629	1.9400e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		193.0052	193.0052	5.6800e-003		193.1472
Total	**0.0858**	**0.0587**	**0.6629**	**1.9400e-003**	**0.2012**	**1.6300e-003**	**0.2028**	**0.0534**	**1.5000e-003**	**0.0549**		**193.0052**	**193.0052**	**5.6800e-003**		**193.1472**

3.4 Grading - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.0434	6,007.0434	1.9428		6,055.6134
Total	**4.1912**	**46.3998**	**30.8785**	**0.0620**	**8.6733**	**1.9853**	**10.6587**	**3.5965**	**1.8265**	**5.4230**		**6,007.0434**	**6,007.0434**	**1.9428**		**6,055.6134**

3.4 Grading - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0954	0.0652	0.7365	2.1500e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		214.4502	214.4502	6.3100e-003		214.6080
Total	**0.0954**	**0.0652**	**0.7365**	**2.1500e-003**	**0.2236**	**1.8100e-003**	**0.2254**	**0.0593**	**1.6600e-003**	**0.0610**		**214.4502**	**214.4502**	**6.3100e-003**		**214.6080**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265	0.0000	6,007.0434	6,007.0434	1.9428		6,055.6134
Total	**4.1912**	**46.3998**	**30.8785**	**0.0620**	**8.6733**	**1.9853**	**10.6587**	**3.5965**	**1.8265**	**5.4230**	**0.0000**	**6,007.0434**	**6,007.0434**	**1.9428**		**6,055.6134**

3.4 Grading - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0954	0.0652	0.7365	2.1500e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		214.4502	214.4502	6.3100e-003		214.6080
Total	**0.0954**	**0.0652**	**0.7365**	**2.1500e-003**	**0.2236**	**1.8100e-003**	**0.2254**	**0.0593**	**1.6600e-003**	**0.0610**		**214.4502**	**214.4502**	**6.3100e-003**		**214.6080**

3.4 Grading - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041		6,011.4105	6,011.4105	1.9442		6,060.0158
Total	**3.6248**	**38.8435**	**29.0415**	**0.0621**	**8.6733**	**1.6349**	**10.3082**	**3.5965**	**1.5041**	**5.1006**		**6,011.4105**	**6,011.4105**	**1.9442**		**6,060.0158**

3.4 Grading - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0896	0.0589	0.6784	2.0800e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		206.9139	206.9139	5.7000e-003		207.0563
Total	**0.0896**	**0.0589**	**0.6784**	**2.0800e-003**	**0.2236**	**1.7500e-003**	**0.2253**	**0.0593**	**1.6100e-003**	**0.0609**		**206.9139**	**206.9139**	**5.7000e-003**		**207.0563**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158
Total	**3.6248**	**38.8435**	**29.0415**	**0.0621**	**8.6733**	**1.6349**	**10.3082**	**3.5965**	**1.5041**	**5.1006**	**0.0000**	**6,011.4105**	**6,011.4105**	**1.9442**		**6,060.0158**

3.4 Grading - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0896	0.0589	0.6784	2.0800e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		206.9139	206.9139	5.7000e-003		207.0563
Total	**0.0896**	**0.0589**	**0.6784**	**2.0800e-003**	**0.2236**	**1.7500e-003**	**0.2253**	**0.0593**	**1.6100e-003**	**0.0609**		**206.9139**	**206.9139**	**5.7000e-003**		**207.0563**

3.5 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322
Total	**1.7062**	**15.6156**	**16.3634**	**0.0269**		**0.8090**	**0.8090**		**0.7612**	**0.7612**		**2,554.3336**	**2,554.3336**	**0.6120**		**2,569.6322**

3.5 Building Construction - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4284	13.1673	3.8005	0.0354	0.9155	0.0256	0.9412	0.2636	0.0245	0.2881		3,789.0750	3,789.0750	0.2381		3,795.0283
Worker	3.5872	2.3593	27.1680	0.0832	8.9533	0.0701	9.0234	2.3745	0.0646	2.4390		8,286.9013	8,286.9013	0.2282		8,292.6058
Total	**4.0156**	**15.5266**	**30.9685**	**0.1186**	**9.8688**	**0.0957**	**9.9645**	**2.6381**	**0.0891**	**2.7271**		**12,075.9763**	**12,075.9763**	**0.4663**		**12,087.6341**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.3336	2,554.3336	0.6120		2,569.6322
Total	**1.7062**	**15.6156**	**16.3634**	**0.0269**		**0.8090**	**0.8090**		**0.7612**	**0.7612**	**0.0000**	**2,554.3336**	**2,554.3336**	**0.6120**		**2,569.6322**

3.5 Building Construction - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4284	13.1673	3.8005	0.0354	0.9155	0.0256	0.9412	0.2636	0.0245	0.2881		3,789.0750	3,789.0750	0.2381		3,795.0283
Worker	3.5872	2.3593	27.1680	0.0832	8.9533	0.0701	9.0234	2.3745	0.0646	2.4390		8,286.9013	8,286.9013	0.2282		8,292.6058
Total	**4.0156**	**15.5266**	**30.9685**	**0.1186**	**9.8688**	**0.0957**	**9.9645**	**2.6381**	**0.0891**	**2.7271**		**12,075.9763**	**12,075.9763**	**0.4663**		**12,087.6341**

3.5 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.2099	2,555.2099	0.6079		2,570.4061
Total	**1.5728**	**14.3849**	**16.2440**	**0.0269**		**0.6997**	**0.6997**		**0.6584**	**0.6584**		**2,555.2099**	**2,555.2099**	**0.6079**		**2,570.4061**

3.5 Building Construction - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3183	9.9726	3.3771	0.0343	0.9156	0.0122	0.9277	0.2636	0.0116	0.2752		3,671.4007	3,671.4007	0.2096		3,676.6417
Worker	3.3795	2.1338	24.9725	0.0801	8.9533	0.0681	9.0214	2.3745	0.0627	2.4372		7,983.7318	7,983.7318	0.2055		7,988.8683
Total	**3.6978**	**12.1065**	**28.3496**	**0.1144**	**9.8688**	**0.0803**	**9.9491**	**2.6381**	**0.0743**	**2.7124**		**11,655.1325**	**11,655.1325**	**0.4151**		**11,665.5099**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061
Total	**1.5728**	**14.3849**	**16.2440**	**0.0269**		**0.6997**	**0.6997**		**0.6584**	**0.6584**	**0.0000**	**2,555.2099**	**2,555.2099**	**0.6079**		**2,570.4061**

3.5 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3183	9.9726	3.3771	0.0343	0.9156	0.0122	0.9277	0.2636	0.0116	0.2752		3,671.4007	3,671.4007	0.2096		3,676.6417
Worker	3.3795	2.1338	24.9725	0.0801	8.9533	0.0681	9.0214	2.3745	0.0627	2.4372		7,983.7318	7,983.7318	0.2055		7,988.8683
Total	**3.6978**	**12.1065**	**28.3496**	**0.1144**	**9.8688**	**0.0803**	**9.9491**	**2.6381**	**0.0743**	**2.7124**		**11,655.1325**	**11,655.1325**	**0.4151**		**11,665.5099**

3.6 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	**1.0327**	**10.1917**	**14.5842**	**0.0228**		**0.5102**	**0.5102**		**0.4694**	**0.4694**		**2,207.5841**	**2,207.5841**	**0.7140**		**2,225.4336**

3.6 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0633	0.0400	0.4677	1.5000e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		149.5081	149.5081	3.8500e-003		149.6043
Total	**0.0633**	**0.0400**	**0.4677**	**1.5000e-003**	**0.1677**	**1.2800e-003**	**0.1689**	**0.0445**	**1.1700e-003**	**0.0456**		**149.5081**	**149.5081**	**3.8500e-003**		**149.6043**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	**1.0327**	**10.1917**	**14.5842**	**0.0228**		**0.5102**	**0.5102**		**0.4694**	**0.4694**	**0.0000**	**2,207.5841**	**2,207.5841**	**0.7140**		**2,225.4336**

3.6 Paving - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0633	0.0400	0.4677	1.5000e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		149.5081	149.5081	3.8500e-003		149.6043
Total	**0.0633**	**0.0400**	**0.4677**	**1.5000e-003**	**0.1677**	**1.2800e-003**	**0.1689**	**0.0445**	**1.1700e-003**	**0.0456**		**149.5081**	**149.5081**	**3.8500e-003**		**149.6043**

3.6 Paving - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.5472	2,207.5472	0.7140		2,225.3963
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	**0.9882**	**9.5246**	**14.6258**	**0.0228**		**0.4685**	**0.4685**		**0.4310**	**0.4310**		**2,207.5472**	**2,207.5472**	**0.7140**		**2,225.3963**

3.6 Paving - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0601	0.0364	0.4354	1.4500e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		144.8706	144.8706	3.5300e-003		144.9587
Total	**0.0601**	**0.0364**	**0.4354**	**1.4500e-003**	**0.1677**	**1.2600e-003**	**0.1689**	**0.0445**	**1.1600e-003**	**0.0456**		**144.8706**	**144.8706**	**3.5300e-003**		**144.9587**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.5472	2,207.5472	0.7140		2,225.3963
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	**0.9882**	**9.5246**	**14.6258**	**0.0228**		**0.4685**	**0.4685**		**0.4310**	**0.4310**	**0.0000**	**2,207.5472**	**2,207.5472**	**0.7140**		**2,225.3963**

3.6 Paving - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0601	0.0364	0.4354	1.4500e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		144.8706	144.8706	3.5300e-003		144.9587
Total	**0.0601**	**0.0364**	**0.4354**	**1.4500e-003**	**0.1677**	**1.2600e-003**	**0.1689**	**0.0445**	**1.1600e-003**	**0.0456**		**144.8706**	**144.8706**	**3.5300e-003**		**144.9587**

3.7 Architectural Coating - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
Total	**236.5923**	**1.2188**	**1.8101**	**2.9700e-003**		**0.0609**	**0.0609**		**0.0609**	**0.0609**		**281.4481**	**281.4481**	**0.0159**		**281.8443**

3.7 Architectural Coating - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.6406	0.3886	4.6439	0.0155	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,545.2860	1,545.2860	0.0376		1,546.2262
Total	**0.6406**	**0.3886**	**4.6439**	**0.0155**	**1.7884**	**0.0134**	**1.8018**	**0.4743**	**0.0123**	**0.4866**		**1,545.2860**	**1,545.2860**	**0.0376**		**1,546.2262**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
Total	**236.5923**	**1.2188**	**1.8101**	**2.9700e-003**		**0.0609**	**0.0609**		**0.0609**	**0.0609**	**0.0000**	**281.4481**	**281.4481**	**0.0159**		**281.8443**

3.7 Architectural Coating - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.6406	0.3886	4.6439	0.0155	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,545.2860	1,545.2860	0.0376		1,546.2262
Total	**0.6406**	**0.3886**	**4.6439**	**0.0155**	**1.7884**	**0.0134**	**1.8018**	**0.4743**	**0.0123**	**0.4866**		**1,545.2860**	**1,545.2860**	**0.0376**		**1,546.2262**

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.8005	47,917.8005	2.1953		47,972.6839
Unmitigated	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.8005	47,917.8005	2.1953		47,972.6839

4.2 Trip Summary Information

	Average Daily Trip Rate			Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387
NaturalGas Unmitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1119.16	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35784.3	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1283.42	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22759.9	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4769.72	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5057.75	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	251.616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		**0.7660**	**6.7463**	**4.2573**	**0.0418**		**0.5292**	**0.5292**		**0.5292**	**0.5292**		**8,355.9832**	**8,355.9832**	**0.1602**	**0.1532**	**8,405.6387**

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day											lb/day				
Apartments Low Rise	1.11916	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35.7843	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1.28342	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22.7599	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4.76972	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5.05775	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	0.251616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		**0.7660**	**6.7463**	**4.2573**	**0.0418**		**0.5292**	**0.5292**		**0.5292**	**0.5292**		**8,355.9832**	**8,355.9832**	**0.1602**	**0.1532**	**8,405.6387**

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Unmitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	**30.5020**	**15.0496**	**88.4430**	**0.0944**		**1.5974**	**1.5974**		**1.5974**	**1.5974**	**0.0000**	**18,148.5950**	**18,148.5950**	**0.4874**	**0.3300**	**18,259.1192**

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	**30.5020**	**15.0496**	**88.4430**	**0.0944**		**1.5974**	**1.5974**		**1.5974**	**1.5974**	**0.0000**	**18,148.5950**	**18,148.5950**	**0.4874**	**0.3300**	**18,259.1192**

7.0 Water Detail

7.1 Mitigation Measures Water

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

11.0 Vegetation

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	**Wind Speed (m/s)**	2.2	**Precipitation Freq (Days)**	33
Climate Zone	9			**Operational Year**	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	702.44	**CH4 Intensity (lb/MWhr)**	0.029	**N2O Intensity (lb/MWhr)**	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Trips and VMT - Local hire provision

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82

tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27
tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2021	0.1704	1.8234	1.1577	2.3800e-003	0.4141	0.0817	0.4958	0.1788	0.0754	0.2542	0.0000	210.7654	210.7654	0.0600	0.0000	212.2661
2022	0.5865	4.0240	5.1546	0.0155	0.9509	0.1175	1.0683	0.2518	0.1103	0.3621	0.0000	1,418.6554	1,418.6554	0.1215	0.0000	1,421.6925
2023	0.5190	3.2850	4.7678	0.0147	0.8497	0.0971	0.9468	0.2283	0.0912	0.3195	0.0000	1,342.4412	1,342.4412	0.1115	0.0000	1,345.2291
2024	4.1592	0.1313	0.2557	5.0000e-004	0.0221	6.3900e-003	0.0285	5.8700e-003	5.9700e-003	0.0118	0.0000	44.6355	44.6355	7.8300e-003	0.0000	44.8311
Maximum	**4.1592**	**4.0240**	**5.1546**	**0.0155**	**0.9509**	**0.1175**	**1.0683**	**0.2518**	**0.1103**	**0.3621**	**0.0000**	**1,418.6554**	**1,418.6554**	**0.1215**	**0.0000**	**1,421.6925**

2.1 Overall Construction

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2021	0.1704	1.8234	1.1577	2.3800e-003	0.4141	0.0817	0.4958	0.1788	0.0754	0.2542	0.0000	210.7651	210.7651	0.0600	0.0000	212.2658
2022	0.5865	4.0240	5.1546	0.0155	0.9509	0.1175	1.0683	0.2518	0.1103	0.3621	0.0000	1,418.6550	1,418.6550	0.1215	0.0000	1,421.6921
2023	0.5190	3.2850	4.7678	0.0147	0.8497	0.0971	0.9468	0.2283	0.0912	0.3195	0.0000	1,342.4409	1,342.4409	0.1115	0.0000	1,345.2287
2024	4.1592	0.1313	0.2557	5.0000e-004	0.0221	6.3900e-003	0.0285	5.8700e-003	5.9700e-003	0.0118	0.0000	44.6354	44.6354	7.8300e-003	0.0000	44.8311
Maximum	**4.1592**	**4.0240**	**5.1546**	**0.0155**	**0.9509**	**0.1175**	**1.0683**	**0.2518**	**0.1103**	**0.3621**	**0.0000**	**1,418.6550**	**1,418.6550**	**0.1215**	**0.0000**	**1,421.6921**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	9-1-2021	11-30-2021	1.4091	1.4091
2	12-1-2021	2-28-2022	1.3329	1.3329
3	3-1-2022	5-31-2022	1.1499	1.1499
4	6-1-2022	8-31-2022	1.1457	1.1457
5	9-1-2022	11-30-2022	1.1415	1.1415
6	12-1-2022	2-28-2023	1.0278	1.0278
7	3-1-2023	5-31-2023	0.9868	0.9868
8	6-1-2023	8-31-2023	0.9831	0.9831

9	9-1-2023	11-30-2023	0.9798	0.9798
10	12-1-2023	2-29-2024	2.8757	2.8757
11	3-1-2024	5-31-2024	1.6188	1.6188
		Highest	2.8757	2.8757

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Energy	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	3,896.0732	3,896.0732	0.1303	0.0468	3,913.2833
Mobile	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Waste						0.0000	0.0000		0.0000	0.0000	207.8079	0.0000	207.8079	12.2811	0.0000	514.8354
Water						0.0000	0.0000		0.0000	0.0000	29.1632	556.6420	585.8052	3.0183	0.0755	683.7567
Total	**6.8692**	**9.5223**	**30.3407**	**0.0914**	**7.7979**	**0.2260**	**8.0240**	**2.0895**	**0.2219**	**2.3114**	**236.9712**	**12,294.1807**	**12,531.1519**	**15.7904**	**0.1260**	**12,963.4751**

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Energy	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	3,896.0732	3,896.0732	0.1303	0.0468	3,913.2833
Mobile	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Waste						0.0000	0.0000		0.0000	0.0000	207.8079	0.0000	207.8079	12.2811	0.0000	514.8354
Water						0.0000	0.0000		0.0000	0.0000	29.1632	556.6420	585.8052	3.0183	0.0755	683.7567
Total	**6.8692**	**9.5223**	**30.3407**	**0.0914**	**7.7979**	**0.2260**	**8.0240**	**2.0895**	**0.2219**	**2.3114**	**236.9712**	**12,294.1807**	**12,531.1519**	**15.7904**	**0.1260**	**12,963.4751**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0496	0.0000	0.0496	7.5100e-003	0.0000	7.5100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0475	0.4716	0.3235	5.8000e-004		0.0233	0.0233		0.0216	0.0216	0.0000	51.0012	51.0012	0.0144	0.0000	51.3601
Total	**0.0475**	**0.4716**	**0.3235**	**5.8000e-004**	**0.0496**	**0.0233**	**0.0729**	**7.5100e-003**	**0.0216**	**0.0291**	**0.0000**	**51.0012**	**51.0012**	**0.0144**	**0.0000**	**51.3601**

3.2 Demolition - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.9300e-003	0.0634	0.0148	1.8000e-004	3.9400e-003	1.9000e-004	4.1300e-003	1.0800e-003	1.8000e-004	1.2600e-003	0.0000	17.4566	17.4566	1.2100e-003	0.0000	17.4869
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.2000e-004	5.3000e-004	6.0900e-003	2.0000e-005	1.6800e-003	1.0000e-005	1.6900e-003	4.5000e-004	1.0000e-005	4.6000e-004	0.0000	1.5281	1.5281	5.0000e-005	0.0000	1.5293
Total	**2.6500e-003**	**0.0639**	**0.0209**	**2.0000e-004**	**5.6200e-003**	**2.0000e-004**	**5.8200e-003**	**1.5300e-003**	**1.9000e-004**	**1.7200e-003**	**0.0000**	**18.9847**	**18.9847**	**1.2600e-003**	**0.0000**	**19.0161**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0496	0.0000	0.0496	7.5100e-003	0.0000	7.5100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0475	0.4716	0.3235	5.8000e-004		0.0233	0.0233		0.0216	0.0216	0.0000	51.0011	51.0011	0.0144	0.0000	51.3600
Total	**0.0475**	**0.4716**	**0.3235**	**5.8000e-004**	**0.0496**	**0.0233**	**0.0729**	**7.5100e-003**	**0.0216**	**0.0291**	**0.0000**	**51.0011**	**51.0011**	**0.0144**	**0.0000**	**51.3600**

3.2 Demolition - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.9300e-003	0.0634	0.0148	1.8000e-004	3.9400e-003	1.9000e-004	4.1300e-003	1.0800e-003	1.8000e-004	1.2600e-003	0.0000	17.4566	17.4566	1.2100e-003	0.0000	17.4869
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.2000e-004	5.3000e-004	6.0900e-003	2.0000e-005	1.6800e-003	1.0000e-005	1.6900e-003	4.5000e-004	1.0000e-005	4.6000e-004	0.0000	1.5281	1.5281	5.0000e-005	0.0000	1.5293
Total	**2.6500e-003**	**0.0639**	**0.0209**	**2.0000e-004**	**5.6200e-003**	**2.0000e-004**	**5.8200e-003**	**1.5300e-003**	**1.9000e-004**	**1.7200e-003**	**0.0000**	**18.9847**	**18.9847**	**1.2600e-003**	**0.0000**	**19.0161**

3.3 Site Preparation - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1807	0.0000	0.1807	0.0993	0.0000	0.0993	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.4050	0.2115	3.8000e-004		0.0204	0.0204		0.0188	0.0188	0.0000	33.4357	33.4357	0.0108	0.0000	33.7061
Total	**0.0389**	**0.4050**	**0.2115**	**3.8000e-004**	**0.1807**	**0.0204**	**0.2011**	**0.0993**	**0.0188**	**0.1181**	**0.0000**	**33.4357**	**33.4357**	**0.0108**	**0.0000**	**33.7061**

3.3 Site Preparation - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.8000e-004	4.3000e-004	4.8700e-003	1.0000e-005	1.3400e-003	1.0000e-005	1.3500e-003	3.6000e-004	1.0000e-005	3.7000e-004	0.0000	1.2225	1.2225	4.0000e-005	0.0000	1.2234
Total	**5.8000e-004**	**4.3000e-004**	**4.8700e-003**	**1.0000e-005**	**1.3400e-003**	**1.0000e-005**	**1.3500e-003**	**3.6000e-004**	**1.0000e-005**	**3.7000e-004**	**0.0000**	**1.2225**	**1.2225**	**4.0000e-005**	**0.0000**	**1.2234**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1807	0.0000	0.1807	0.0993	0.0000	0.0993	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.4050	0.2115	3.8000e-004		0.0204	0.0204		0.0188	0.0188	0.0000	33.4357	33.4357	0.0108	0.0000	33.7060
Total	**0.0389**	**0.4050**	**0.2115**	**3.8000e-004**	**0.1807**	**0.0204**	**0.2011**	**0.0993**	**0.0188**	**0.1181**	**0.0000**	**33.4357**	**33.4357**	**0.0108**	**0.0000**	**33.7060**

3.3 Site Preparation - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.8000e-004	4.3000e-004	4.8700e-003	1.0000e-005	1.3400e-003	1.0000e-005	1.3500e-003	3.6000e-004	1.0000e-005	3.7000e-004	0.0000	1.2225	1.2225	4.0000e-005	0.0000	1.2234
Total	**5.8000e-004**	**4.3000e-004**	**4.8700e-003**	**1.0000e-005**	**1.3400e-003**	**1.0000e-005**	**1.3500e-003**	**3.6000e-004**	**1.0000e-005**	**3.7000e-004**	**0.0000**	**1.2225**	**1.2225**	**4.0000e-005**	**0.0000**	**1.2234**

3.4 Grading - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1741	0.0000	0.1741	0.0693	0.0000	0.0693	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0796	0.8816	0.5867	1.1800e-003		0.0377	0.0377		0.0347	0.0347	0.0000	103.5405	103.5405	0.0335	0.0000	104.3776
Total	**0.0796**	**0.8816**	**0.5867**	**1.1800e-003**	**0.1741**	**0.0377**	**0.2118**	**0.0693**	**0.0347**	**0.1040**	**0.0000**	**103.5405**	**103.5405**	**0.0335**	**0.0000**	**104.3776**

3.4 Grading - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.2200e-003	9.0000e-004	0.0103	3.0000e-005	2.8300e-003	2.0000e-005	2.8600e-003	7.5000e-004	2.0000e-005	7.8000e-004	0.0000	2.5808	2.5808	8.0000e-005	0.0000	2.5828
Total	**1.2200e-003**	**9.0000e-004**	**0.0103**	**3.0000e-005**	**2.8300e-003**	**2.0000e-005**	**2.8600e-003**	**7.5000e-004**	**2.0000e-005**	**7.8000e-004**	**0.0000**	**2.5808**	**2.5808**	**8.0000e-005**	**0.0000**	**2.5828**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1741	0.0000	0.1741	0.0693	0.0000	0.0693	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0796	0.8816	0.5867	1.1800e-003		0.0377	0.0377		0.0347	0.0347	0.0000	103.5403	103.5403	0.0335	0.0000	104.3775
Total	**0.0796**	**0.8816**	**0.5867**	**1.1800e-003**	**0.1741**	**0.0377**	**0.2118**	**0.0693**	**0.0347**	**0.1040**	**0.0000**	**103.5403**	**103.5403**	**0.0335**	**0.0000**	**104.3775**

3.4 Grading - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.2200e-003	9.0000e-004	0.0103	3.0000e-005	2.8300e-003	2.0000e-005	2.8600e-003	7.5000e-004	2.0000e-005	7.8000e-004	0.0000	2.5808	2.5808	8.0000e-005	0.0000	2.5828
Total	**1.2200e-003**	**9.0000e-004**	**0.0103**	**3.0000e-005**	**2.8300e-003**	**2.0000e-005**	**2.8600e-003**	**7.5000e-004**	**2.0000e-005**	**7.8000e-004**	**0.0000**	**2.5808**	**2.5808**	**8.0000e-005**	**0.0000**	**2.5828**

3.4 Grading - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0807	0.0000	0.0807	0.0180	0.0000	0.0180	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0127	0.1360	0.1017	2.2000e-004		5.7200e-003	5.7200e-003		5.2600e-003	5.2600e-003	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414
Total	**0.0127**	**0.1360**	**0.1017**	**2.2000e-004**	**0.0807**	**5.7200e-003**	**0.0865**	**0.0180**	**5.2600e-003**	**0.0233**	**0.0000**	**19.0871**	**19.0871**	**6.1700e-003**	**0.0000**	**19.2414**

3.4 Grading - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.1000e-004	1.5000e-004	1.7400e-003	1.0000e-005	5.2000e-004	0.0000	5.3000e-004	1.4000e-004	0.0000	1.4000e-004	0.0000	0.4587	0.4587	1.0000e-005	0.0000	0.4590
Total	**2.1000e-004**	**1.5000e-004**	**1.7400e-003**	**1.0000e-005**	**5.2000e-004**	**0.0000**	**5.3000e-004**	**1.4000e-004**	**0.0000**	**1.4000e-004**	**0.0000**	**0.4587**	**0.4587**	**1.0000e-005**	**0.0000**	**0.4590**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0807	0.0000	0.0807	0.0180	0.0000	0.0180	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0127	0.1360	0.1017	2.2000e-004		5.7200e-003	5.7200e-003		5.2600e-003	5.2600e-003	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414
Total	**0.0127**	**0.1360**	**0.1017**	**2.2000e-004**	**0.0807**	**5.7200e-003**	**0.0865**	**0.0180**	**5.2600e-003**	**0.0233**	**0.0000**	**19.0871**	**19.0871**	**6.1700e-003**	**0.0000**	**19.2414**

3.4 Grading - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.1000e-004	1.5000e-004	1.7400e-003	1.0000e-005	5.2000e-004	0.0000	5.3000e-004	1.4000e-004	0.0000	1.4000e-004	0.0000	0.4587	0.4587	1.0000e-005	0.0000	0.4590
Total	**2.1000e-004**	**1.5000e-004**	**1.7400e-003**	**1.0000e-005**	**5.2000e-004**	**0.0000**	**5.3000e-004**	**1.4000e-004**	**0.0000**	**1.4000e-004**	**0.0000**	**0.4587**	**0.4587**	**1.0000e-005**	**0.0000**	**0.4590**

3.5 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1324	293.1324	0.0702	0.0000	294.8881
Total	**0.2158**	**1.9754**	**2.0700**	**3.4100e-003**		**0.1023**	**0.1023**		**0.0963**	**0.0963**	**0.0000**	**293.1324**	**293.1324**	**0.0702**	**0.0000**	**294.8881**

3.5 Building Construction - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0527	1.6961	0.4580	4.5500e-003	0.1140	3.1800e-003	0.1171	0.0329	3.0400e-003	0.0359	0.0000	441.9835	441.9835	0.0264	0.0000	442.6435
Worker	0.3051	0.2164	2.5233	7.3500e-003	0.7557	6.2300e-003	0.7619	0.2007	5.7400e-003	0.2065	0.0000	663.9936	663.9936	0.0187	0.0000	664.4604
Total	**0.3578**	**1.9125**	**2.9812**	**0.0119**	**0.8696**	**9.4100e-003**	**0.8790**	**0.2336**	**8.7800e-003**	**0.2424**	**0.0000**	**1,105.9771**	**1,105.9771**	**0.0451**	**0.0000**	**1,107.1039**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1321	293.1321	0.0702	0.0000	294.8877
Total	**0.2158**	**1.9754**	**2.0700**	**3.4100e-003**		**0.1023**	**0.1023**		**0.0963**	**0.0963**	**0.0000**	**293.1321**	**293.1321**	**0.0702**	**0.0000**	**294.8877**

3.5 Building Construction - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0527	1.6961	0.4580	4.5500e-003	0.1140	3.1800e-003	0.1171	0.0329	3.0400e-003	0.0359	0.0000	441.9835	441.9835	0.0264	0.0000	442.6435
Worker	0.3051	0.2164	2.5233	7.3500e-003	0.7557	6.2300e-003	0.7619	0.2007	5.7400e-003	0.2065	0.0000	663.9936	663.9936	0.0187	0.0000	664.4604
Total	**0.3578**	**1.9125**	**2.9812**	**0.0119**	**0.8696**	**9.4100e-003**	**0.8790**	**0.2336**	**8.7800e-003**	**0.2424**	**0.0000**	**1,105.9771**	**1,105.9771**	**0.0451**	**0.0000**	**1,107.1039**

3.5 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2789	286.2789	0.0681	0.0000	287.9814
Total	**0.1942**	**1.7765**	**2.0061**	**3.3300e-003**		**0.0864**	**0.0864**		**0.0813**	**0.0813**	**0.0000**	**286.2789**	**286.2789**	**0.0681**	**0.0000**	**287.9814**

3.5 Building Construction - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0382	1.2511	0.4011	4.3000e-003	0.1113	1.4600e-003	0.1127	0.0321	1.4000e-003	0.0335	0.0000	417.9930	417.9930	0.0228	0.0000	418.5624
Worker	0.2795	0.1910	2.2635	6.9100e-003	0.7377	5.9100e-003	0.7436	0.1960	5.4500e-003	0.2014	0.0000	624.5363	624.5363	0.0164	0.0000	624.9466
Total	**0.3177**	**1.4420**	**2.6646**	**0.0112**	**0.8490**	**7.3700e-003**	**0.8564**	**0.2281**	**6.8500e-003**	**0.2349**	**0.0000**	**1,042.5294**	**1,042.5294**	**0.0392**	**0.0000**	**1,043.5090**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2785	286.2785	0.0681	0.0000	287.9811
Total	**0.1942**	**1.7765**	**2.0061**	**3.3300e-003**		**0.0864**	**0.0864**		**0.0813**	**0.0813**	**0.0000**	**286.2785**	**286.2785**	**0.0681**	**0.0000**	**287.9811**

3.5 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0382	1.2511	0.4011	4.3000e-003	0.1113	1.4600e-003	0.1127	0.0321	1.4000e-003	0.0335	0.0000	417.9930	417.9930	0.0228	0.0000	418.5624
Worker	0.2795	0.1910	2.2635	6.9100e-003	0.7377	5.9100e-003	0.7436	0.1960	5.4500e-003	0.2014	0.0000	624.5363	624.5363	0.0164	0.0000	624.9466
Total	**0.3177**	**1.4420**	**2.6646**	**0.0112**	**0.8490**	**7.3700e-003**	**0.8564**	**0.2281**	**6.8500e-003**	**0.2349**	**0.0000**	**1,042.5294**	**1,042.5294**	**0.0392**	**0.0000**	**1,043.5090**

3.6 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**6.7100e-003**	**0.0663**	**0.0948**	**1.5000e-004**		**3.3200e-003**	**3.3200e-003**		**3.0500e-003**	**3.0500e-003**	**0.0000**	**13.0175**	**13.0175**	**4.2100e-003**	**0.0000**	**13.1227**

3.6 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.8000e-004	1.9000e-004	2.2300e-003	1.0000e-005	7.3000e-004	1.0000e-005	7.3000e-004	1.9000e-004	1.0000e-005	2.0000e-004	0.0000	0.6156	0.6156	2.0000e-005	0.0000	0.6160
Total	**2.8000e-004**	**1.9000e-004**	**2.2300e-003**	**1.0000e-005**	**7.3000e-004**	**1.0000e-005**	**7.3000e-004**	**1.9000e-004**	**1.0000e-005**	**2.0000e-004**	**0.0000**	**0.6156**	**0.6156**	**2.0000e-005**	**0.0000**	**0.6160**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**6.7100e-003**	**0.0663**	**0.0948**	**1.5000e-004**		**3.3200e-003**	**3.3200e-003**		**3.0500e-003**	**3.0500e-003**	**0.0000**	**13.0175**	**13.0175**	**4.2100e-003**	**0.0000**	**13.1227**

3.6 Paving - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.8000e-004	1.9000e-004	2.2300e-003	1.0000e-005	7.3000e-004	1.0000e-005	7.3000e-004	1.9000e-004	1.0000e-005	2.0000e-004	0.0000	0.6156	0.6156	2.0000e-005	0.0000	0.6160
Total	**2.8000e-004**	**1.9000e-004**	**2.2300e-003**	**1.0000e-005**	**7.3000e-004**	**1.0000e-005**	**7.3000e-004**	**1.9000e-004**	**1.0000e-005**	**2.0000e-004**	**0.0000**	**0.6156**	**0.6156**	**2.0000e-005**	**0.0000**	**0.6160**

3.6 Paving - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**0.0109**	**0.1048**	**0.1609**	**2.5000e-004**		**5.1500e-003**	**5.1500e-003**		**4.7400e-003**	**4.7400e-003**	**0.0000**	**22.0292**	**22.0292**	**7.1200e-003**	**0.0000**	**22.2073**

3.6 Paving - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.4000e-004	2.9000e-004	3.5100e-003	1.0000e-005	1.2300e-003	1.0000e-005	1.2400e-003	3.3000e-004	1.0000e-005	3.4000e-004	0.0000	1.0094	1.0094	3.0000e-005	0.0000	1.0100
Total	**4.4000e-004**	**2.9000e-004**	**3.5100e-003**	**1.0000e-005**	**1.2300e-003**	**1.0000e-005**	**1.2400e-003**	**3.3000e-004**	**1.0000e-005**	**3.4000e-004**	**0.0000**	**1.0094**	**1.0094**	**3.0000e-005**	**0.0000**	**1.0100**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	**0.0109**	**0.1048**	**0.1609**	**2.5000e-004**		**5.1500e-003**	**5.1500e-003**		**4.7400e-003**	**4.7400e-003**	**0.0000**	**22.0292**	**22.0292**	**7.1200e-003**	**0.0000**	**22.2073**

3.6 Paving - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.4000e-004	2.9000e-004	3.5100e-003	1.0000e-005	1.2300e-003	1.0000e-005	1.2400e-003	3.3000e-004	1.0000e-005	3.4000e-004	0.0000	1.0094	1.0094	3.0000e-005	0.0000	1.0100
Total	**4.4000e-004**	**2.9000e-004**	**3.5100e-003**	**1.0000e-005**	**1.2300e-003**	**1.0000e-005**	**1.2400e-003**	**3.3000e-004**	**1.0000e-005**	**3.4000e-004**	**0.0000**	**1.0094**	**1.0094**	**3.0000e-005**	**0.0000**	**1.0100**

3.7 Architectural Coating - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	4.1372					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.1600e-003	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745
Total	**4.1404**	**0.0213**	**0.0317**	**5.0000e-005**		**1.0700e-003**	**1.0700e-003**		**1.0700e-003**	**1.0700e-003**	**0.0000**	**4.4682**	**4.4682**	**2.5000e-004**	**0.0000**	**4.4745**

3.7 Architectural Coating - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.4800e-003	4.9300e-003	0.0596	1.9000e-004	0.0209	1.6000e-004	0.0211	5.5500e-003	1.5000e-004	5.7000e-003	0.0000	17.1287	17.1287	4.3000e-004	0.0000	17.1394
Total	**7.4800e-003**	**4.9300e-003**	**0.0596**	**1.9000e-004**	**0.0209**	**1.6000e-004**	**0.0211**	**5.5500e-003**	**1.5000e-004**	**5.7000e-003**	**0.0000**	**17.1287**	**17.1287**	**4.3000e-004**	**0.0000**	**17.1394**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	4.1372					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.1600e-003	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745
Total	**4.1404**	**0.0213**	**0.0317**	**5.0000e-005**		**1.0700e-003**	**1.0700e-003**		**1.0700e-003**	**1.0700e-003**	**0.0000**	**4.4682**	**4.4682**	**2.5000e-004**	**0.0000**	**4.4745**

3.7 Architectural Coating - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.4800e-003	4.9300e-003	0.0596	1.9000e-004	0.0209	1.6000e-004	0.0211	5.5500e-003	1.5000e-004	5.7000e-003	0.0000	17.1287	17.1287	4.3000e-004	0.0000	17.1394
Total	**7.4800e-003**	**4.9300e-003**	**0.0596**	**1.9000e-004**	**0.0209**	**1.6000e-004**	**0.0211**	**5.5500e-003**	**1.5000e-004**	**5.7000e-003**	**0.0000**	**17.1287**	**17.1287**	**4.3000e-004**	**0.0000**	**17.1394**

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Unmitigated	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162

4.2 Trip Summary Information

	Average Daily Trip Rate			Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	2,512.6465	2,512.6465	0.1037	0.0215	2,521.6356
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	2,512.6465	2,512.6465	0.1037	0.0215	2,521.6356
NaturalGas Mitigated	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4267	1,383.4267	0.0265	0.0254	1,391.6478
NaturalGas Unmitigated	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4267	1,383.4267	0.0265	0.0254	1,391.6478

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Low Rise	408494	2.2000e-003	0.0188	8.0100e-003	1.2000e-004		1.5200e-003	1.5200e-003		1.5200e-003	1.5200e-003	0.0000	21.7988	21.7988	4.2000e-004	4.0000e-004	21.9284
Apartments Mid Rise	1.30613e+007	0.0704	0.6018	0.2561	3.8400e-003		0.0487	0.0487		0.0487	0.0487	0.0000	696.9989	696.9989	0.0134	0.0128	701.1408
General Office Building	468450	2.5300e-003	0.0230	0.0193	1.4000e-004		1.7500e-003	1.7500e-003		1.7500e-003	1.7500e-003	0.0000	24.9983	24.9983	4.8000e-004	4.6000e-004	25.1468
High Turnover (Sit Down Restaurant)	8.30736e+006	0.0448	0.4072	0.3421	2.4400e-003		0.0310	0.0310		0.0310	0.0310	0.0000	443.3124	443.3124	8.5000e-003	8.1300e-003	445.9468
Hotel	1.74095e+006	9.3900e-003	0.0853	0.0717	5.1000e-004		6.4900e-003	6.4900e-003		6.4900e-003	6.4900e-003	0.0000	92.9036	92.9036	1.7800e-003	1.7000e-003	93.4557
Quality Restaurant	1.84608e+006	9.9500e-003	0.0905	0.0760	5.4000e-004		6.8800e-003	6.8800e-003		6.8800e-003	6.8800e-003	0.0000	98.5139	98.5139	1.8900e-003	1.8100e-003	99.0993
Regional Shopping Center	91840	5.0000e-004	4.5000e-003	3.7800e-003	3.0000e-005		3.4000e-004	3.4000e-004		3.4000e-004	3.4000e-004	0.0000	4.9009	4.9009	9.0000e-005	9.0000e-005	4.9301
Total		**0.1398**	**1.2312**	**0.7770**	**7.6200e-003**		**0.0966**	**0.0966**		**0.0966**	**0.0966**	**0.0000**	**1,383.4268**	**1,383.4268**	**0.0265**	**0.0254**	**1,391.6478**

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Low Rise	408494	2.2000e-003	0.0188	8.0100e-003	1.2000e-004		1.5200e-003	1.5200e-003		1.5200e-003	1.5200e-003	0.0000	21.7988	21.7988	4.2000e-004	4.0000e-004	21.9284
Apartments Mid Rise	1.30613e+007	0.0704	0.6018	0.2561	3.8400e-003		0.0487	0.0487		0.0487	0.0487	0.0000	696.9989	696.9989	0.0134	0.0128	701.1408
General Office Building	468450	2.5300e-003	0.0230	0.0193	1.4000e-004		1.7500e-003	1.7500e-003		1.7500e-003	1.7500e-003	0.0000	24.9983	24.9983	4.8000e-004	4.6000e-004	25.1468
High Turnover (Sit Down Restaurant)	8.30736e+006	0.0448	0.4072	0.3421	2.4400e-003		0.0310	0.0310		0.0310	0.0310	0.0000	443.3124	443.3124	8.5000e-003	8.1300e-003	445.9468
Hotel	1.74095e+006	9.3900e-003	0.0853	0.0717	5.1000e-004		6.4900e-003	6.4900e-003		6.4900e-003	6.4900e-003	0.0000	92.9036	92.9036	1.7800e-003	1.7000e-003	93.4557
Quality Restaurant	1.84608e+006	9.9500e-003	0.0905	0.0760	5.4000e-004		6.8800e-003	6.8800e-003		6.8800e-003	6.8800e-003	0.0000	98.5139	98.5139	1.8900e-003	1.8100e-003	99.0993
Regional Shopping Center	91840	5.0000e-004	4.5000e-003	3.7800e-003	3.0000e-005		3.4000e-004	3.4000e-004		3.4000e-004	3.4000e-004	0.0000	4.9009	4.9009	9.0000e-005	9.0000e-005	4.9301
Total		**0.1398**	**1.2312**	**0.7770**	**7.6200e-003**		**0.0966**	**0.0966**		**0.0966**	**0.0966**	**0.0000**	**1,383.4268**	**1,383.4268**	**0.0265**	**0.0254**	**1,391.6478**

5.3 Energy by Land Use - Electricity

Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Low Rise	106010	33.7770	1.3900e-003	2.9000e-004	33.8978
Apartments Mid Rise	3.94697e+006	1,257.5879	0.0519	0.0107	1,262.0869
General Office Building	584550	186.2502	7.6900e-003	1.5900e-003	186.9165
High Turnover (Sit Down Restaurant)	1.58904e+006	506.3022	0.0209	4.3200e-003	508.1135
Hotel	550308	175.3399	7.2400e-003	1.5000e-003	175.9672
Quality Restaurant	353120	112.5116	4.6500e-003	9.6000e-004	112.9141
Regional Shopping Center	756000	240.8778	9.9400e-003	2.0600e-003	241.7395
Total		**2,512.6465**	**0.1037**	**0.0215**	**2,521.6356**

5.3 Energy by Land Use - Electricity

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Low Rise	106010	33.7770	1.3900e-003	2.9000e-004	33.8978
Apartments Mid Rise	3.94697e+006	1,257.5879	0.0519	0.0107	1,262.0869
General Office Building	584550	186.2502	7.6900e-003	1.5900e-003	186.9165
High Turnover (Sit Down Restaurant)	1.58904e+006	506.3022	0.0209	4.3200e-003	508.1135
Hotel	550308	175.3399	7.2400e-003	1.5000e-003	175.9672
Quality Restaurant	353120	112.5116	4.6500e-003	9.6000e-004	112.9141
Regional Shopping Center	756000	240.8778	9.9400e-003	2.0600e-003	241.7395
Total		**2,512.6465**	**0.1037**	**0.0215**	**2,521.6356**

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Unmitigated	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.4137					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	4.3998					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0206	0.1763	0.0750	1.1200e-003		0.0143	0.0143		0.0143	0.0143	0.0000	204.1166	204.1166	3.9100e-003	3.7400e-003	205.3295
Landscaping	0.3096	0.1187	10.3054	5.4000e-004		0.0572	0.0572		0.0572	0.0572	0.0000	16.8504	16.8504	0.0161	0.0000	17.2540
Total	**5.1437**	**0.2950**	**10.3804**	**1.6600e-003**		**0.0714**	**0.0714**		**0.0714**	**0.0714**	**0.0000**	**220.9670**	**220.9670**	**0.0201**	**3.7400e-003**	**222.5835**

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.4137					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	4.3998					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0206	0.1763	0.0750	1.1200e-003		0.0143	0.0143		0.0143	0.0143	0.0000	204.1166	204.1166	3.9100e-003	3.7400e-003	205.3295
Landscaping	0.3096	0.1187	10.3054	5.4000e-004		0.0572	0.0572		0.0572	0.0572	0.0000	16.8504	16.8504	0.0161	0.0000	17.2540
Total	**5.1437**	**0.2950**	**10.3804**	**1.6600e-003**		**0.0714**	**0.0714**		**0.0714**	**0.0714**	**0.0000**	**220.9670**	**220.9670**	**0.0201**	**3.7400e-003**	**222.5835**

7.0 Water Detail

7.1 Mitigation Measures Water

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	585.8052	3.0183	0.0755	683.7567
Unmitigated	585.8052	3.0183	0.0755	683.7567

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Low Rise	1.62885 / 1.02688	10.9095	0.0535	1.3400e-003	12.6471
Apartments Mid Rise	63.5252 / 40.0485	425.4719	2.0867	0.0523	493.2363
General Office Building	7.99802 / 4.90201	53.0719	0.2627	6.5900e-003	61.6019
High Turnover (Sit Down Restaurant)	10.9272 / 0.697482	51.2702	0.3580	8.8200e-003	62.8482
Hotel	1.26834 / 0.140927	6.1633	0.0416	1.0300e-003	7.5079
Quality Restaurant	2.42827 / 0.154996	11.3934	0.0796	1.9600e-003	13.9663
Regional Shopping Center	4.14806 / 2.54236	27.5250	0.1363	3.4200e-003	31.9490
Total		**585.8052**	**3.0183**	**0.0755**	**683.7567**

7.2 Water by Land Use

Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Low Rise	1.62885 / 1.02688	10.9095	0.0535	1.3400e-003	12.6471
Apartments Mid Rise	63.5252 / 40.0485	425.4719	2.0867	0.0523	493.2363
General Office Building	7.99802 / 4.90201	53.0719	0.2627	6.5900e-003	61.6019
High Turnover (Sit Down Restaurant)	10.9272 / 0.697482	51.2702	0.3580	8.8200e-003	62.8482
Hotel	1.26834 / 0.140927	6.1633	0.0416	1.0300e-003	7.5079
Quality Restaurant	2.42827 / 0.154996	11.3934	0.0796	1.9600e-003	13.9663
Regional Shopping Center	4.14806 / 2.54236	27.5250	0.1363	3.4200e-003	31.9490
Total		**585.8052**	**3.0183**	**0.0755**	**683.7567**

8.0 Waste Detail

8.1 Mitigation Measures Waste

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	207.8079	12.2811	0.0000	514.8354
Unmitigated	207.8079	12.2811	0.0000	514.8354

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Low Rise	11.5	2.3344	0.1380	0.0000	5.7834
Apartments Mid Rise	448.5	91.0415	5.3804	0.0000	225.5513
General Office Building	41.85	8.4952	0.5021	0.0000	21.0464
High Turnover (Sit Down Restaurant)	428.4	86.9613	5.1393	0.0000	215.4430
Hotel	27.38	5.5579	0.3285	0.0000	13.7694
Quality Restaurant	7.3	1.4818	0.0876	0.0000	3.6712
Regional Shopping Center	58.8	11.9359	0.7054	0.0000	29.5706
Total		**207.8079**	**12.2811**	**0.0000**	**514.8354**

8.2 Waste by Land Use

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Low Rise	11.5	2.3344	0.1380	0.0000	5.7834
Apartments Mid Rise	448.5	91.0415	5.3804	0.0000	225.5513
General Office Building	41.85	8.4952	0.5021	0.0000	21.0464
High Turnover (Sit Down Restaurant)	428.4	86.9613	5.1393	0.0000	215.4430
Hotel	27.38	5.5579	0.3285	0.0000	13.7694
Quality Restaurant	7.3	1.4818	0.0876	0.0000	3.6712
Regional Shopping Center	58.8	11.9359	0.7054	0.0000	29.5706
Total		**207.8079**	**12.2811**	**0.0000**	**514.8354**

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

11.0 Vegetation

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	**Wind Speed (m/s)**	2.2	**Precipitation Freq (Days)**	33
Climate Zone	9			**Operational Year**	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	702.44	**CH4 Intensity (lb/MWhr)**	0.029	**N2O Intensity (lb/MWhr)**	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Trips and VMT - Local hire provision

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82

tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27
tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2561	46.4415	31.4494	0.0636	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	6,163.4166	6,163.4166	1.9475	0.0000	6,212.1039
2022	4.5441	38.8811	40.8776	0.1240	8.8255	1.6361	10.4616	3.6369	1.5052	5.1421	0.0000	12,493.4403	12,493.4403	1.9485	0.0000	12,518.5707
2023	4.1534	25.7658	38.7457	0.1206	7.0088	0.7592	7.7679	1.8799	0.7136	2.5935	0.0000	12,150.4890	12,150.4890	0.9589	0.0000	12,174.4615
2024	237.0219	9.5478	14.9642	0.0239	1.2171	0.4694	1.2875	0.3229	0.4319	0.4621	0.0000	2,313.1808	2,313.1808	0.7166	0.0000	2,331.0956
Maximum	**237.0219**	**46.4415**	**40.8776**	**0.1240**	**18.2032**	**2.0456**	**20.2488**	**9.9670**	**1.8820**	**11.8490**	**0.0000**	**12,493.4403**	**12,493.4403**	**1.9485**	**0.0000**	**12,518.5707**

2.1 Overall Construction (Maximum Daily Emission)

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2561	46.4415	31.4494	0.0636	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	6,163.4166	6,163.4166	1.9475	0.0000	6,212.1039
2022	4.5441	38.8811	40.8776	0.1240	8.8255	1.6361	10.4616	3.6369	1.5052	5.1421	0.0000	12,493.4403	12,493.4403	1.9485	0.0000	12,518.5707
2023	4.1534	25.7658	38.7457	0.1206	7.0088	0.7592	7.7679	1.8799	0.7136	2.5935	0.0000	12,150.4890	12,150.4890	0.9589	0.0000	12,174.4615
2024	237.0219	9.5478	14.9642	0.0239	1.2171	0.4694	1.2875	0.3229	0.4319	0.4621	0.0000	2,313.1808	2,313.1808	0.7166	0.0000	2,331.0955
Maximum	**237.0219**	**46.4415**	**40.8776**	**0.1240**	**18.2032**	**2.0456**	**20.2488**	**9.9670**	**1.8820**	**11.8490**	**0.0000**	**12,493.4403**	**12,493.4403**	**1.9485**	**0.0000**	**12,518.5707**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**	**0.00**

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387
Mobile	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.6034	50,306.6034	2.1807		50,361.1208
Total	**41.1168**	**67.2262**	**207.5497**	**0.6278**	**45.9592**	**2.4626**	**48.4217**	**12.2950**	**2.4385**	**14.7336**	**0.0000**	**76,811.1816**	**76,811.1816**	**2.8282**	**0.4832**	**77,025.8786**

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387
Mobile	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.6034	50,306.6034	2.1807		50,361.1208
Total	**41.1168**	**67.2262**	**207.5497**	**0.6278**	**45.9592**	**2.4626**	**48.4217**	**12.2950**	**2.4385**	**14.7336**	**0.0000**	**76,811.1816**	**76,811.1816**	**2.8282**	**0.4832**	**77,025.8786**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411		3,747.9449	3,747.9449	1.0549		3,774.3174
Total	**3.1651**	**31.4407**	**21.5650**	**0.0388**	**3.3074**	**1.5513**	**4.8588**	**0.5008**	**1.4411**	**1.9419**		**3,747.9449**	**3,747.9449**	**1.0549**		**3,774.3174**

3.2 Demolition - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1273	4.0952	0.9602	0.0119	0.2669	0.0126	0.2795	0.0732	0.0120	0.0852		1,292.2413	1,292.2413	0.0877		1,294.4337
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0487	0.0313	0.4282	1.1800e-003	0.1141	9.5000e-004	0.1151	0.0303	8.8000e-004	0.0311		117.2799	117.2799	3.5200e-003		117.3678
Total	**0.1760**	**4.1265**	**1.3884**	**0.0131**	**0.3810**	**0.0135**	**0.3946**	**0.1034**	**0.0129**	**0.1163**		**1,409.5212**	**1,409.5212**	**0.0912**		**1,411.8015**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411	0.0000	3,747.9449	3,747.9449	1.0549		3,774.3174
Total	**3.1651**	**31.4407**	**21.5650**	**0.0388**	**3.3074**	**1.5513**	**4.8588**	**0.5008**	**1.4411**	**1.9419**	**0.0000**	**3,747.9449**	**3,747.9449**	**1.0549**		**3,774.3174**

3.2 Demolition - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1273	4.0952	0.9602	0.0119	0.2669	0.0126	0.2795	0.0732	0.0120	0.0852		1,292.2413	1,292.2413	0.0877		1,294.4337
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0487	0.0313	0.4282	1.1800e-003	0.1141	9.5000e-004	0.1151	0.0303	8.8000e-004	0.0311		117.2799	117.2799	3.5200e-003		117.3678
Total	**0.1760**	**4.1265**	**1.3884**	**0.0131**	**0.3810**	**0.0135**	**0.3946**	**0.1034**	**0.0129**	**0.1163**		**1,409.5212**	**1,409.5212**	**0.0912**		**1,411.8015**

3.3 Site Preparation - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.6569	3,685.6569	1.1920		3,715.4573
Total	**3.8882**	**40.4971**	**21.1543**	**0.0380**	**18.0663**	**2.0445**	**20.1107**	**9.9307**	**1.8809**	**11.8116**		**3,685.6569**	**3,685.6569**	**1.1920**		**3,715.4573**

3.3 Site Preparation - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0584	0.0375	0.5139	1.4100e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		140.7359	140.7359	4.2200e-003		140.8414
Total	**0.0584**	**0.0375**	**0.5139**	**1.4100e-003**	**0.1369**	**1.1400e-003**	**0.1381**	**0.0363**	**1.0500e-003**	**0.0374**		**140.7359**	**140.7359**	**4.2200e-003**		**140.8414**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573
Total	**3.8882**	**40.4971**	**21.1543**	**0.0380**	**18.0663**	**2.0445**	**20.1107**	**9.9307**	**1.8809**	**11.8116**	**0.0000**	**3,685.6569**	**3,685.6569**	**1.1920**		**3,715.4573**

3.3 Site Preparation - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0584	0.0375	0.5139	1.4100e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		140.7359	140.7359	4.2200e-003		140.8414
Total	**0.0584**	**0.0375**	**0.5139**	**1.4100e-003**	**0.1369**	**1.1400e-003**	**0.1381**	**0.0363**	**1.0500e-003**	**0.0374**		**140.7359**	**140.7359**	**4.2200e-003**		**140.8414**

3.4 Grading - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.0434	6,007.0434	1.9428		6,055.6134
Total	**4.1912**	**46.3998**	**30.8785**	**0.0620**	**8.6733**	**1.9853**	**10.6587**	**3.5965**	**1.8265**	**5.4230**		**6,007.0434**	**6,007.0434**	**1.9428**		**6,055.6134**

3.4 Grading - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0649	0.0417	0.5710	1.5700e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		156.3732	156.3732	4.6900e-003		156.4904
Total	**0.0649**	**0.0417**	**0.5710**	**1.5700e-003**	**0.1521**	**1.2700e-003**	**0.1534**	**0.0404**	**1.1700e-003**	**0.0415**		**156.3732**	**156.3732**	**4.6900e-003**		**156.4904**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265	0.0000	6,007.0434	6,007.0434	1.9428		6,055.6134
Total	**4.1912**	**46.3998**	**30.8785**	**0.0620**	**8.6733**	**1.9853**	**10.6587**	**3.5965**	**1.8265**	**5.4230**	**0.0000**	**6,007.0434**	**6,007.0434**	**1.9428**		**6,055.6134**

3.4 Grading - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0649	0.0417	0.5710	1.5700e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		156.3732	156.3732	4.6900e-003		156.4904
Total	**0.0649**	**0.0417**	**0.5710**	**1.5700e-003**	**0.1521**	**1.2700e-003**	**0.1534**	**0.0404**	**1.1700e-003**	**0.0415**		**156.3732**	**156.3732**	**4.6900e-003**		**156.4904**

3.4 Grading - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041		6,011.4105	6,011.4105	1.9442		6,060.0158
Total	**3.6248**	**38.8435**	**29.0415**	**0.0621**	**8.6733**	**1.6349**	**10.3082**	**3.5965**	**1.5041**	**5.1006**		**6,011.4105**	**6,011.4105**	**1.9442**		**6,060.0158**

3.4 Grading - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0607	0.0376	0.5263	1.5100e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		150.8754	150.8754	4.2400e-003		150.9813
Total	**0.0607**	**0.0376**	**0.5263**	**1.5100e-003**	**0.1521**	**1.2300e-003**	**0.1534**	**0.0404**	**1.1300e-003**	**0.0415**		**150.8754**	**150.8754**	**4.2400e-003**		**150.9813**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158
Total	**3.6248**	**38.8435**	**29.0415**	**0.0621**	**8.6733**	**1.6349**	**10.3082**	**3.5965**	**1.5041**	**5.1006**	**0.0000**	**6,011.4105**	**6,011.4105**	**1.9442**		**6,060.0158**

3.4 Grading - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0607	0.0376	0.5263	1.5100e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		150.8754	150.8754	4.2400e-003		150.9813
Total	**0.0607**	**0.0376**	**0.5263**	**1.5100e-003**	**0.1521**	**1.2300e-003**	**0.1534**	**0.0404**	**1.1300e-003**	**0.0415**		**150.8754**	**150.8754**	**4.2400e-003**		**150.9813**

3.5 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322
Total	**1.7062**	**15.6156**	**16.3634**	**0.0269**		**0.8090**	**0.8090**		**0.7612**	**0.7612**		**2,554.3336**	**2,554.3336**	**0.6120**		**2,569.6322**

3.5 Building Construction - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4079	13.2032	3.4341	0.0364	0.9155	0.0248	0.9404	0.2636	0.0237	0.2873		3,896.5482	3,896.5482	0.2236		3,902.1384
Worker	2.4299	1.5074	21.0801	0.0607	6.0932	0.0493	6.1425	1.6163	0.0454	1.6617		6,042.5585	6,042.5585	0.1697		6,046.8000
Total	**2.8378**	**14.7106**	**24.5142**	**0.0971**	**7.0087**	**0.0741**	**7.0828**	**1.8799**	**0.0691**	**1.9490**		**9,939.1067**	**9,939.1067**	**0.3933**		**9,948.9384**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.3336	2,554.3336	0.6120		2,569.6322
Total	**1.7062**	**15.6156**	**16.3634**	**0.0269**		**0.8090**	**0.8090**		**0.7612**	**0.7612**	**0.0000**	**2,554.3336**	**2,554.3336**	**0.6120**		**2,569.6322**

3.5 Building Construction - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4079	13.2032	3.4341	0.0364	0.9155	0.0248	0.9404	0.2636	0.0237	0.2873		3,896.5482	3,896.5482	0.2236		3,902.1384
Worker	2.4299	1.5074	21.0801	0.0607	6.0932	0.0493	6.1425	1.6163	0.0454	1.6617		6,042.5585	6,042.5585	0.1697		6,046.8000
Total	**2.8378**	**14.7106**	**24.5142**	**0.0971**	**7.0087**	**0.0741**	**7.0828**	**1.8799**	**0.0691**	**1.9490**		**9,939.1067**	**9,939.1067**	**0.3933**		**9,948.9384**

3.5 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.2099	2,555.2099	0.6079		2,570.4061
Total	**1.5728**	**14.3849**	**16.2440**	**0.0269**		**0.6997**	**0.6997**		**0.6584**	**0.6584**		**2,555.2099**	**2,555.2099**	**0.6079**		**2,570.4061**

3.5 Building Construction - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3027	10.0181	3.1014	0.0352	0.9156	0.0116	0.9271	0.2636	0.0111	0.2747		3,773.8762	3,773.8762	0.1982		3,778.8300
Worker	2.2780	1.3628	19.4002	0.0584	6.0932	0.0479	6.1411	1.6163	0.0441	1.6604		5,821.4028	5,821.4028	0.1529		5,825.2254
Total	**2.5807**	**11.3809**	**22.5017**	**0.0936**	**7.0088**	**0.0595**	**7.0682**	**1.8799**	**0.0552**	**1.9350**		**9,595.2790**	**9,595.2790**	**0.3511**		**9,604.0554**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061
Total	**1.5728**	**14.3849**	**16.2440**	**0.0269**		**0.6997**	**0.6997**		**0.6584**	**0.6584**	**0.0000**	**2,555.2099**	**2,555.2099**	**0.6079**		**2,570.4061**

3.5 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3027	10.0181	3.1014	0.0352	0.9156	0.0116	0.9271	0.2636	0.0111	0.2747		3,773.8762	3,773.8762	0.1982		3,778.8300
Worker	2.2780	1.3628	19.4002	0.0584	6.0932	0.0479	6.1411	1.6163	0.0441	1.6604		5,821.4028	5,821.4028	0.1529		5,825.2254
Total	**2.5807**	**11.3809**	**22.5017**	**0.0936**	**7.0088**	**0.0595**	**7.0682**	**1.8799**	**0.0552**	**1.9350**		**9,595.2790**	**9,595.2790**	**0.3511**		**9,604.0554**

3.6 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	**1.0327**	**10.1917**	**14.5842**	**0.0228**		**0.5102**	**0.5102**		**0.4694**	**0.4694**		**2,207.5841**	**2,207.5841**	**0.7140**		**2,225.4336**

3.6 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0427	0.0255	0.3633	1.0900e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		109.0150	109.0150	2.8600e-003		109.0866
Total	**0.0427**	**0.0255**	**0.3633**	**1.0900e-003**	**0.1141**	**9.0000e-004**	**0.1150**	**0.0303**	**8.3000e-004**	**0.0311**		**109.0150**	**109.0150**	**2.8600e-003**		**109.0866**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	**1.0327**	**10.1917**	**14.5842**	**0.0228**		**0.5102**	**0.5102**		**0.4694**	**0.4694**	**0.0000**	**2,207.5841**	**2,207.5841**	**0.7140**		**2,225.4336**

3.6 Paving - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0427	0.0255	0.3633	1.0900e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		109.0150	109.0150	2.8600e-003		109.0866
Total	**0.0427**	**0.0255**	**0.3633**	**1.0900e-003**	**0.1141**	**9.0000e-004**	**0.1150**	**0.0303**	**8.3000e-004**	**0.0311**		**109.0150**	**109.0150**	**2.8600e-003**		**109.0866**

3.6 Paving - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.5472	2,207.5472	0.7140		2,225.3963
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	**0.9882**	**9.5246**	**14.6258**	**0.0228**		**0.4685**	**0.4685**		**0.4310**	**0.4310**		**2,207.5472**	**2,207.5472**	**0.7140**		**2,225.3963**

3.6 Paving - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0403	0.0233	0.3384	1.0600e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		105.6336	105.6336	2.6300e-003		105.6992
Total	**0.0403**	**0.0233**	**0.3384**	**1.0600e-003**	**0.1141**	**8.8000e-004**	**0.1150**	**0.0303**	**8.1000e-004**	**0.0311**		**105.6336**	**105.6336**	**2.6300e-003**		**105.6992**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.5472	2,207.5472	0.7140		2,225.3963
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	**0.9882**	**9.5246**	**14.6258**	**0.0228**		**0.4685**	**0.4685**		**0.4310**	**0.4310**	**0.0000**	**2,207.5472**	**2,207.5472**	**0.7140**		**2,225.3963**

3.6 Paving - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0403	0.0233	0.3384	1.0600e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		105.6336	105.6336	2.6300e-003		105.6992
Total	**0.0403**	**0.0233**	**0.3384**	**1.0600e-003**	**0.1141**	**8.8000e-004**	**0.1150**	**0.0303**	**8.1000e-004**	**0.0311**		**105.6336**	**105.6336**	**2.6300e-003**		**105.6992**

3.7 Architectural Coating - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
Total	**236.5923**	**1.2188**	**1.8101**	**2.9700e-003**		**0.0609**	**0.0609**		**0.0609**	**0.0609**		**281.4481**	**281.4481**	**0.0159**		**281.8443**

3.7 Architectural Coating - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.4296	0.2481	3.6098	0.0113	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,126.7583	1,126.7583	0.0280		1,127.4583
Total	**0.4296**	**0.2481**	**3.6098**	**0.0113**	**1.2171**	**9.4300e-003**	**1.2266**	**0.3229**	**8.6800e-003**	**0.3315**		**1,126.7583**	**1,126.7583**	**0.0280**		**1,127.4583**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
Total	**236.5923**	**1.2188**	**1.8101**	**2.9700e-003**		**0.0609**	**0.0609**		**0.0609**	**0.0609**	**0.0000**	**281.4481**	**281.4481**	**0.0159**		**281.8443**

3.7 Architectural Coating - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.4296	0.2481	3.6098	0.0113	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,126.7583	1,126.7583	0.0280		1,127.4583
Total	**0.4296**	**0.2481**	**3.6098**	**0.0113**	**1.2171**	**9.4300e-003**	**1.2266**	**0.3229**	**8.6800e-003**	**0.3315**		**1,126.7583**	**1,126.7583**	**0.0280**		**1,127.4583**

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.6034	50,306.6034	2.1807		50,361.1208
Unmitigated	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.6034	50,306.6034	2.1807		50,361.1208

4.2 Trip Summary Information

	Average Daily Trip Rate			Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387
NaturalGas Unmitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1119.16	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35784.3	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1283.42	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22759.9	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4769.72	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5057.75	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	251.616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		**0.7660**	**6.7463**	**4.2573**	**0.0418**		**0.5292**	**0.5292**		**0.5292**	**0.5292**		**8,355.9832**	**8,355.9832**	**0.1602**	**0.1532**	**8,405.6387**

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day											lb/day				
Apartments Low Rise	1.11916	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35.7843	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1.28342	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22.7599	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4.76972	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5.05775	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	0.251616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		**0.7660**	**6.7463**	**4.2573**	**0.0418**		**0.5292**	**0.5292**		**0.5292**	**0.5292**		**8,355.9832**	**8,355.9832**	**0.1602**	**0.1532**	**8,405.6387**

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Unmitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	**30.5020**	**15.0496**	**88.4430**	**0.0944**		**1.5974**	**1.5974**		**1.5974**	**1.5974**	**0.0000**	**18,148.5950**	**18,148.5950**	**0.4874**	**0.3300**	**18,259.1192**

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	**30.5020**	**15.0496**	**88.4430**	**0.0944**		**1.5974**	**1.5974**		**1.5974**	**1.5974**	**0.0000**	**18,148.5950**	**18,148.5950**	**0.4874**	**0.3300**	**18,259.1192**

7.0 Water Detail

7.1 Mitigation Measures Water

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

11.0 Vegetation

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	**Wind Speed (m/s)**	2.2	**Precipitation Freq (Days)**	33
Climate Zone	9			**Operational Year**	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	702.44	**CH4 Intensity (lb/MWhr)**	0.029	**N2O Intensity (lb/MWhr)**	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Trips and VMT - Local hire provision

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82

tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27
tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2621	46.4460	31.4068	0.0635	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	6,154.3377	6,154.3377	1.9472	0.0000	6,203.0186
2022	4.7966	38.8851	39.6338	0.1195	8.8255	1.6361	10.4616	3.6369	1.5052	5.1421	0.0000	12,035.3440	12,035.3440	1.9482	0.0000	12,060.6013
2023	4.3939	25.8648	37.5031	0.1162	7.0088	0.7598	7.7685	1.8799	0.7142	2.5940	0.0000	11,710.4080	11,710.4080	0.9617	0.0000	11,734.4497
2024	237.0656	9.5503	14.9372	0.0238	1.2171	0.4694	1.2875	0.3229	0.4319	0.4621	0.0000	2,307.0517	2,307.0517	0.7164	0.0000	2,324.9627
Maximum	**237.0656**	**46.4460**	**39.6338**	**0.1195**	**18.2032**	**2.0456**	**20.2488**	**9.9670**	**1.8820**	**11.8490**	**0.0000**	**12,035.3440**	**12,035.3440**	**1.9482**	**0.0000**	**12,060.6013**

2.1 Overall Construction (Maximum Daily Emission)

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2621	46.4460	31.4068	0.0635	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	6,154.3377	6,154.3377	1.9472	0.0000	6,203.0186
2022	4.7966	38.8851	39.6338	0.1195	8.8255	1.6361	10.4616	3.6369	1.5052	5.1421	0.0000	12,035.3440	12,035.3440	1.9482	0.0000	12,060.6013
2023	4.3939	25.8648	37.5031	0.1162	7.0088	0.7598	7.7685	1.8799	0.7142	2.5940	0.0000	11,710.4080	11,710.4080	0.9617	0.0000	11,734.4497
2024	237.0656	9.5503	14.9372	0.0238	1.2171	0.4694	1.2875	0.3229	0.4319	0.4621	0.0000	2,307.0517	2,307.0517	0.7164	0.0000	2,324.9627
Maximum	**237.0656**	**46.4460**	**39.6338**	**0.1195**	**18.2032**	**2.0456**	**20.2488**	**9.9670**	**1.8820**	**11.8490**	**0.0000**	**12,035.3440**	**12,035.3440**	**1.9482**	**0.0000**	**12,060.6013**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387
Mobile	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.8005	47,917.8005	2.1953		47,972.6839
Total	**40.7912**	**67.7872**	**202.7424**	**0.6043**	**45.9592**	**2.4640**	**48.4231**	**12.2950**	**2.4399**	**14.7349**	**0.0000**	**74,422.3787**	**74,422.3787**	**2.8429**	**0.4832**	**74,637.4417**

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387
Mobile	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.8005	47,917.8005	2.1953		47,972.6839
Total	**40.7912**	**67.7872**	**202.7424**	**0.6043**	**45.9592**	**2.4640**	**48.4231**	**12.2950**	**2.4399**	**14.7349**	**0.0000**	**74,422.3787**	**74,422.3787**	**2.8429**	**0.4832**	**74,637.4417**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411		3,747.9449	3,747.9449	1.0549		3,774.3174
Total	**3.1651**	**31.4407**	**21.5650**	**0.0388**	**3.3074**	**1.5513**	**4.8588**	**0.5008**	**1.4411**	**1.9419**		**3,747.9449**	**3,747.9449**	**1.0549**		**3,774.3174**

3.2 Demolition - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1304	4.1454	1.0182	0.0117	0.2669	0.0128	0.2797	0.0732	0.0122	0.0854		1,269.8555	1,269.8555	0.0908		1,272.1252
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0532	0.0346	0.3963	1.1100e-003	0.1141	9.5000e-004	0.1151	0.0303	8.8000e-004	0.0311		110.4707	110.4707	3.3300e-003		110.5539
Total	**0.1835**	**4.1800**	**1.4144**	**0.0128**	**0.3810**	**0.0137**	**0.3948**	**0.1034**	**0.0131**	**0.1165**		**1,380.3262**	**1,380.3262**	**0.0941**		**1,382.6791**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411	0.0000	3,747.9449	3,747.9449	1.0549		3,774.3174
Total	**3.1651**	**31.4407**	**21.5650**	**0.0388**	**3.3074**	**1.5513**	**4.8588**	**0.5008**	**1.4411**	**1.9419**	**0.0000**	**3,747.9449**	**3,747.9449**	**1.0549**		**3,774.3174**

3.2 Demolition - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1304	4.1454	1.0182	0.0117	0.2669	0.0128	0.2797	0.0732	0.0122	0.0854		1,269.8555	1,269.8555	0.0908		1,272.1252
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0532	0.0346	0.3963	1.1100e-003	0.1141	9.5000e-004	0.1151	0.0303	8.8000e-004	0.0311		110.4707	110.4707	3.3300e-003		110.5539
Total	**0.1835**	**4.1800**	**1.4144**	**0.0128**	**0.3810**	**0.0137**	**0.3948**	**0.1034**	**0.0131**	**0.1165**		**1,380.3262**	**1,380.3262**	**0.0941**		**1,382.6791**

3.3 Site Preparation - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.6569	3,685.6569	1.1920		3,715.4573
Total	**3.8882**	**40.4971**	**21.1543**	**0.0380**	**18.0663**	**2.0445**	**20.1107**	**9.9307**	**1.8809**	**11.8116**		**3,685.6569**	**3,685.6569**	**1.1920**		**3,715.4573**

3.3 Site Preparation - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0638	0.0415	0.4755	1.3300e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		132.5649	132.5649	3.9900e-003		132.6646
Total	**0.0638**	**0.0415**	**0.4755**	**1.3300e-003**	**0.1369**	**1.1400e-003**	**0.1381**	**0.0363**	**1.0500e-003**	**0.0374**		**132.5649**	**132.5649**	**3.9900e-003**		**132.6646**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573
Total	**3.8882**	**40.4971**	**21.1543**	**0.0380**	**18.0663**	**2.0445**	**20.1107**	**9.9307**	**1.8809**	**11.8116**	**0.0000**	**3,685.6569**	**3,685.6569**	**1.1920**		**3,715.4573**

3.3 Site Preparation - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0638	0.0415	0.4755	1.3300e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		132.5649	132.5649	3.9900e-003		132.6646
Total	**0.0638**	**0.0415**	**0.4755**	**1.3300e-003**	**0.1369**	**1.1400e-003**	**0.1381**	**0.0363**	**1.0500e-003**	**0.0374**		**132.5649**	**132.5649**	**3.9900e-003**		**132.6646**

3.4 Grading - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.0434	6,007.0434	1.9428		6,055.6134
Total	**4.1912**	**46.3998**	**30.8785**	**0.0620**	**8.6733**	**1.9853**	**10.6587**	**3.5965**	**1.8265**	**5.4230**		**6,007.0434**	**6,007.0434**	**1.9428**		**6,055.6134**

3.4 Grading - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0709	0.0462	0.5284	1.4800e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		147.2943	147.2943	4.4300e-003		147.4051
Total	**0.0709**	**0.0462**	**0.5284**	**1.4800e-003**	**0.1521**	**1.2700e-003**	**0.1534**	**0.0404**	**1.1700e-003**	**0.0415**		**147.2943**	**147.2943**	**4.4300e-003**		**147.4051**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265	0.0000	6,007.0434	6,007.0434	1.9428		6,055.6134
Total	**4.1912**	**46.3998**	**30.8785**	**0.0620**	**8.6733**	**1.9853**	**10.6587**	**3.5965**	**1.8265**	**5.4230**	**0.0000**	**6,007.0434**	**6,007.0434**	**1.9428**		**6,055.6134**

3.4 Grading - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0709	0.0462	0.5284	1.4800e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		147.2943	147.2943	4.4300e-003		147.4051
Total	**0.0709**	**0.0462**	**0.5284**	**1.4800e-003**	**0.1521**	**1.2700e-003**	**0.1534**	**0.0404**	**1.1700e-003**	**0.0415**		**147.2943**	**147.2943**	**4.4300e-003**		**147.4051**

3.4 Grading - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041		6,011.4105	6,011.4105	1.9442		6,060.0158
Total	**3.6248**	**38.8435**	**29.0415**	**0.0621**	**8.6733**	**1.6349**	**10.3082**	**3.5965**	**1.5041**	**5.1006**		**6,011.4105**	**6,011.4105**	**1.9442**		**6,060.0158**

3.4 Grading - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0665	0.0416	0.4861	1.4300e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		142.1207	142.1207	4.0000e-003		142.2207
Total	**0.0665**	**0.0416**	**0.4861**	**1.4300e-003**	**0.1521**	**1.2300e-003**	**0.1534**	**0.0404**	**1.1300e-003**	**0.0415**		**142.1207**	**142.1207**	**4.0000e-003**		**142.2207**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158
Total	**3.6248**	**38.8435**	**29.0415**	**0.0621**	**8.6733**	**1.6349**	**10.3082**	**3.5965**	**1.5041**	**5.1006**	**0.0000**	**6,011.4105**	**6,011.4105**	**1.9442**		**6,060.0158**

3.4 Grading - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0665	0.0416	0.4861	1.4300e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		142.1207	142.1207	4.0000e-003		142.2207
Total	**0.0665**	**0.0416**	**0.4861**	**1.4300e-003**	**0.1521**	**1.2300e-003**	**0.1534**	**0.0404**	**1.1300e-003**	**0.0415**		**142.1207**	**142.1207**	**4.0000e-003**		**142.2207**

3.5 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322
Total	**1.7062**	**15.6156**	**16.3634**	**0.0269**		**0.8090**	**0.8090**		**0.7612**	**0.7612**		**2,554.3336**	**2,554.3336**	**0.6120**		**2,569.6322**

3.5 Building Construction - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4284	13.1673	3.8005	0.0354	0.9155	0.0256	0.9412	0.2636	0.0245	0.2881		3,789.0750	3,789.0750	0.2381		3,795.0283
Worker	2.6620	1.6677	19.4699	0.0571	6.0932	0.0493	6.1425	1.6163	0.0454	1.6617		5,691.9354	5,691.9354	0.1602		5,695.9408
Total	**3.0904**	**14.8350**	**23.2704**	**0.0926**	**7.0087**	**0.0749**	**7.0836**	**1.8799**	**0.0699**	**1.9498**		**9,481.0104**	**9,481.0104**	**0.3984**		**9,490.9691**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.3336	2,554.3336	0.6120		2,569.6322
Total	**1.7062**	**15.6156**	**16.3634**	**0.0269**		**0.8090**	**0.8090**		**0.7612**	**0.7612**	**0.0000**	**2,554.3336**	**2,554.3336**	**0.6120**		**2,569.6322**

3.5 Building Construction - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4284	13.1673	3.8005	0.0354	0.9155	0.0256	0.9412	0.2636	0.0245	0.2881		3,789.0750	3,789.0750	0.2381		3,795.0283
Worker	2.6620	1.6677	19.4699	0.0571	6.0932	0.0493	6.1425	1.6163	0.0454	1.6617		5,691.9354	5,691.9354	0.1602		5,695.9408
Total	**3.0904**	**14.8350**	**23.2704**	**0.0926**	**7.0087**	**0.0749**	**7.0836**	**1.8799**	**0.0699**	**1.9498**		**9,481.0104**	**9,481.0104**	**0.3984**		**9,490.9691**

3.5 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.2099	2,555.2099	0.6079		2,570.4061
Total	**1.5728**	**14.3849**	**16.2440**	**0.0269**		**0.6997**	**0.6997**		**0.6584**	**0.6584**		**2,555.2099**	**2,555.2099**	**0.6079**		**2,570.4061**

3.5 Building Construction - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3183	9.9726	3.3771	0.0343	0.9156	0.0122	0.9277	0.2636	0.0116	0.2752		3,671.4007	3,671.4007	0.2096		3,676.6417
Worker	2.5029	1.5073	17.8820	0.0550	6.0932	0.0479	6.1411	1.6163	0.0441	1.6604		5,483.7974	5,483.7974	0.1442		5,487.4020
Total	**2.8211**	**11.4799**	**21.2591**	**0.0893**	**7.0088**	**0.0601**	**7.0688**	**1.8799**	**0.0557**	**1.9356**		**9,155.1981**	**9,155.1981**	**0.3538**		**9,164.0437**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061
Total	**1.5728**	**14.3849**	**16.2440**	**0.0269**		**0.6997**	**0.6997**		**0.6584**	**0.6584**	**0.0000**	**2,555.2099**	**2,555.2099**	**0.6079**		**2,570.4061**

3.5 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3183	9.9726	3.3771	0.0343	0.9156	0.0122	0.9277	0.2636	0.0116	0.2752		3,671.4007	3,671.4007	0.2096		3,676.6417
Worker	2.5029	1.5073	17.8820	0.0550	6.0932	0.0479	6.1411	1.6163	0.0441	1.6604		5,483.7974	5,483.7974	0.1442		5,487.4020
Total	**2.8211**	**11.4799**	**21.2591**	**0.0893**	**7.0088**	**0.0601**	**7.0688**	**1.8799**	**0.0557**	**1.9356**		**9,155.1981**	**9,155.1981**	**0.3538**		**9,164.0437**

3.6 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	**1.0327**	**10.1917**	**14.5842**	**0.0228**		**0.5102**	**0.5102**		**0.4694**	**0.4694**		**2,207.5841**	**2,207.5841**	**0.7140**		**2,225.4336**

3.6 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0469	0.0282	0.3349	1.0300e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		102.6928	102.6928	2.7000e-003		102.7603
Total	**0.0469**	**0.0282**	**0.3349**	**1.0300e-003**	**0.1141**	**9.0000e-004**	**0.1150**	**0.0303**	**8.3000e-004**	**0.0311**		**102.6928**	**102.6928**	**2.7000e-003**		**102.7603**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	**1.0327**	**10.1917**	**14.5842**	**0.0228**		**0.5102**	**0.5102**		**0.4694**	**0.4694**	**0.0000**	**2,207.5841**	**2,207.5841**	**0.7140**		**2,225.4336**

3.6 Paving - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0469	0.0282	0.3349	1.0300e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		102.6928	102.6928	2.7000e-003		102.7603
Total	**0.0469**	**0.0282**	**0.3349**	**1.0300e-003**	**0.1141**	**9.0000e-004**	**0.1150**	**0.0303**	**8.3000e-004**	**0.0311**		**102.6928**	**102.6928**	**2.7000e-003**		**102.7603**

3.6 Paving - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.5472	2,207.5472	0.7140		2,225.3963
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	**0.9882**	**9.5246**	**14.6258**	**0.0228**		**0.4685**	**0.4685**		**0.4310**	**0.4310**		**2,207.5472**	**2,207.5472**	**0.7140**		**2,225.3963**

3.6 Paving - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0444	0.0257	0.3114	1.0000e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		99.5045	99.5045	2.4700e-003		99.5663
Total	**0.0444**	**0.0257**	**0.3114**	**1.0000e-003**	**0.1141**	**8.8000e-004**	**0.1150**	**0.0303**	**8.1000e-004**	**0.0311**		**99.5045**	**99.5045**	**2.4700e-003**		**99.5663**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.5472	2,207.5472	0.7140		2,225.3963
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	**0.9882**	**9.5246**	**14.6258**	**0.0228**		**0.4685**	**0.4685**		**0.4310**	**0.4310**	**0.0000**	**2,207.5472**	**2,207.5472**	**0.7140**		**2,225.3963**

3.6 Paving - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0444	0.0257	0.3114	1.0000e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		99.5045	99.5045	2.4700e-003		99.5663
Total	**0.0444**	**0.0257**	**0.3114**	**1.0000e-003**	**0.1141**	**8.8000e-004**	**0.1150**	**0.0303**	**8.1000e-004**	**0.0311**		**99.5045**	**99.5045**	**2.4700e-003**		**99.5663**

3.7 Architectural Coating - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
Total	**236.5923**	**1.2188**	**1.8101**	**2.9700e-003**		**0.0609**	**0.0609**		**0.0609**	**0.0609**		**281.4481**	**281.4481**	**0.0159**		**281.8443**

3.7 Architectural Coating - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.4734	0.2743	3.3220	0.0107	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,061.3818	1,061.3818	0.0264		1,062.0410
Total	**0.4734**	**0.2743**	**3.3220**	**0.0107**	**1.2171**	**9.4300e-003**	**1.2266**	**0.3229**	**8.6800e-003**	**0.3315**		**1,061.3818**	**1,061.3818**	**0.0264**		**1,062.0410**

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
Total	**236.5923**	**1.2188**	**1.8101**	**2.9700e-003**		**0.0609**	**0.0609**		**0.0609**	**0.0609**	**0.0000**	**281.4481**	**281.4481**	**0.0159**		**281.8443**

3.7 Architectural Coating - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.4734	0.2743	3.3220	0.0107	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,061.3818	1,061.3818	0.0264		1,062.0410
Total	**0.4734**	**0.2743**	**3.3220**	**0.0107**	**1.2171**	**9.4300e-003**	**1.2266**	**0.3229**	**8.6800e-003**	**0.3315**		**1,061.3818**	**1,061.3818**	**0.0264**		**1,062.0410**

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.8005	47,917.8005	2.1953		47,972.6839
Unmitigated	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.8005	47,917.8005	2.1953		47,972.6839

4.2 Trip Summary Information

	Average Daily Trip Rate			Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

	Miles			Trip %			Trip Purpose %		
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387
NaturalGas Unmitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1119.16	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35784.3	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1283.42	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22759.9	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4769.72	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5057.75	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	251.616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		**0.7660**	**6.7463**	**4.2573**	**0.0418**		**0.5292**	**0.5292**		**0.5292**	**0.5292**		**8,355.9832**	**8,355.9832**	**0.1602**	**0.1532**	**8,405.6387**

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1.11916	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35.7843	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1.28342	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22.7599	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4.76972	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5.05775	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	0.251616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		**0.7660**	**6.7463**	**4.2573**	**0.0418**		**0.5292**	**0.5292**		**0.5292**	**0.5292**		**8,355.9832**	**8,355.9832**	**0.1602**	**0.1532**	**8,405.6387**

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Unmitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	**30.5020**	**15.0496**	**88.4430**	**0.0944**		**1.5974**	**1.5974**		**1.5974**	**1.5974**	**0.0000**	**18,148.5950**	**18,148.5950**	**0.4874**	**0.3300**	**18,259.1192**

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	**30.5020**	**15.0496**	**88.4430**	**0.0944**		**1.5974**	**1.5974**		**1.5974**	**1.5974**	**0.0000**	**18,148.5950**	**18,148.5950**	**0.4874**	**0.3300**	**18,259.1192**

7.0 Water Detail

7.1 Mitigation Measures Water

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

11.0 Vegetation

Attachment C

Local Hire Provision Net Change	
Without Local Hire Provision	
Total Construction GHG Emissions (MT CO2e)	3,623
Amortized (MT CO2e/year)	120.77
With Local Hire Provision	
Total Construction GHG Emissions (MT CO2e)	3,024
Amortized (MT CO2e/year)	100.80
% Decrease in Construction-related GHG Emissions	***17%***

EXHIBIT B

SWAPE Technical Consultation, Data Analysis and Litigation Support for the Environment

SOIL WATER AIR PROTECTION ENTERPRISE
2656 29th Street, Suite 201
Santa Monica, California 90405
Attn: Paul Rosenfeld, Ph.D.
Mobil: (310) 795-2335
Office: (310) 452-5555
Fax: (310) 452-5550
Email: prosenfeld@swape.com

Paul Rosenfeld, Ph.D.

Chemical Fate and Transport & Air Dispersion Modeling

Principal Environmental Chemist

Risk Assessment & Remediation Specialist

Education

Ph.D. Soil Chemistry, University of Washington, 1999. Dissertation on volatile organic compound filtration.

M.S. Environmental Science, U.C. Berkeley, 1995. Thesis on organic waste economics.

B.A. Environmental Studies, U.C. Santa Barbara, 1991. Thesis on wastewater treatment.

Professional Experience

Dr. Rosenfeld has over 25 years' experience conducting environmental investigations and risk assessments for evaluating impacts to human health, property, and ecological receptors. His expertise focuses on the fate and transport of environmental contaminants, human health risk, exposure assessment, and ecological restoration. Dr. Rosenfeld has evaluated and modeled emissions from unconventional oil drilling operations, oil spills, landfills, boilers and incinerators, process stacks, storage tanks, confined animal feeding operations, and many other industrial and agricultural sources. His project experience ranges from monitoring and modeling of pollution sources to evaluating impacts of pollution on workers at industrial facilities and residents in surrounding communities.

Dr. Rosenfeld has investigated and designed remediation programs and risk assessments for contaminated sites containing lead, heavy metals, mold, bacteria, particulate matter, petroleum hydrocarbons, chlorinated solvents, pesticides, radioactive waste, dioxins and furans, semi- and volatile organic compounds, PCBs, PAHs, perchlorate, asbestos, per- and poly-fluoroalkyl substances (PFOA/PFOS), unusual polymers, fuel oxygenates (MTBE), among other pollutants. Dr. Rosenfeld also has experience evaluating greenhouse gas emissions from various projects and is an expert on the assessment of odors from industrial and agricultural sites, as well as the evaluation of odor nuisance impacts and technologies for abatement of odorous emissions. As a principal scientist at SWAPE, Dr. Rosenfeld directs air dispersion modeling and exposure assessments. He has served as an expert witness and testified about pollution sources causing nuisance and/or personal injury at dozens of sites and has testified as an expert witness on more than ten cases involving exposure to air contaminants from industrial sources.

Professional History:

Soil Water Air Protection Enterprise (SWAPE); 2003 to present; Principal and Founding Partner
UCLA School of Public Health; 2007 to 2011; Lecturer (Assistant Researcher)
UCLA School of Public Health; 2003 to 2006; Adjunct Professor
UCLA Environmental Science and Engineering Program; 2002-2004; Doctoral Intern Coordinator
UCLA Institute of the Environment, 2001-2002; Research Associate
Komex H_2O Science, 2001 to 2003; Senior Remediation Scientist
National Groundwater Association, 2002-2004; Lecturer
San Diego State University, 1999-2001; Adjunct Professor
Anteon Corp., San Diego, 2000-2001; Remediation Project Manager
Ogden (now Amec), San Diego, 2000-2000; Remediation Project Manager
Bechtel, San Diego, California, 1999 – 2000; Risk Assessor
King County, Seattle, 1996 – 1999; Scientist
James River Corp., Washington, 1995-96; Scientist
Big Creek Lumber, Davenport, California, 1995; Scientist
Plumas Corp., California and USFS, Tahoe 1993-1995; Scientist
Peace Corps and World Wildlife Fund, St. Kitts, West Indies, 1991-1993; Scientist

Publications:

Remy, L.L., Clay T., Byers, V., **Rosenfeld P. E.** (2019) Hospital, Health, and Community Burden After Oil Refinery Fires, Richmond, California 2007 and 2012. *Environmental Health.* 18:48

Simons, R.A., Seo, Y. **Rosenfeld, P.**, (2015) Modeling the Effect of Refinery Emission On Residential Property Value. Journal of Real Estate Research. 27(3):321-342

Chen, J. A, Zapata A. R., Sutherland A. J., Molmen, D.R., Chow, B. S., Wu, L. E., **Rosenfeld, P. E.,** Hesse, R. C., (2012) Sulfur Dioxide and Volatile Organic Compound Exposure To A Community In Texas City Texas Evaluated Using Aermod and Empirical Data. *American Journal of Environmental Science*, 8(6), 622-632.

Rosenfeld, P.E. & Feng, L. (2011). *The Risks of Hazardous Waste.* Amsterdam: Elsevier Publishing.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2011). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Agrochemical Industry*, Amsterdam: Elsevier Publishing.

Gonzalez, J., Feng, L., Sutherland, A., Waller, C., Sok, H., Hesse, R., **Rosenfeld, P.** (2010). PCBs and Dioxins/Furans in Attic Dust Collected Near Former PCB Production and Secondary Copper Facilities in Sauget, IL. *Procedia Environmental Sciences*. 113–125.

Feng, L., Wu, C., Tam, L., Sutherland, A.J., Clark, J.J., **Rosenfeld, P.E.** (2010). Dioxin and Furan Blood Lipid and Attic Dust Concentrations in Populations Living Near Four Wood Treatment Facilities in the United States. *Journal of Environmental Health*. 73(6), 34-46.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2010). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Wood and Paper Industries.* Amsterdam: Elsevier Publishing.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2009). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Petroleum Industry*. Amsterdam: Elsevier Publishing.

Wu, C., Tam, L., Clark, J., **Rosenfeld, P.** (2009). Dioxin and furan blood lipid concentrations in populations living near four wood treatment facilities in the United States. *WIT Transactions on Ecology and the Environment, Air Pollution,* 123 (17), 319-327.

Tam L. K.., Wu C. D., Clark J. J. and **Rosenfeld, P.E.** (2008). A Statistical Analysis Of Attic Dust And Blood Lipid Concentrations Of Tetrachloro-p-Dibenzodioxin (TCDD) Toxicity Equivalency Quotients (TEQ) In Two Populations Near Wood Treatment Facilities. *Organohalogen Compounds*, 70, 002252-002255.

Tam L. K.., Wu C. D., Clark J. J. and **Rosenfeld, P.E.** (2008). Methods For Collect Samples For Assessing Dioxins And Other Environmental Contaminants In Attic Dust: A Review. *Organohalogen Compounds*, 70, 000527-000530.

Hensley, A.R. A. Scott, J. J. J. Clark, **Rosenfeld, P.E.** (2007). Attic Dust and Human Blood Samples Collected near a Former Wood Treatment Facility. *Environmental Research*. 105, 194-197.

Rosenfeld, P.E., J. J. J. Clark, A. R. Hensley, M. Suffet. (2007). The Use of an Odor Wheel Classification for Evaluation of Human Health Risk Criteria for Compost Facilities. *Water Science & Technology* 55(5), 345-357.

Rosenfeld, P. E., M. Suffet. (2007). The Anatomy Of Odour Wheels For Odours Of Drinking Water, Wastewater, Compost And The Urban Environment. *Water Science & Technology* 55(5), 335-344.

Sullivan, P. J. Clark, J.J.J., Agardy, F. J., **Rosenfeld, P.E.** (2007). *Toxic Legacy, Synthetic Toxins in the Food, Water, and Air in American Cities.* Boston Massachusetts: Elsevier Publishing

Rosenfeld, P.E., and Suffet I.H. (2004). Control of Compost Odor Using High Carbon Wood Ash. *Water Science and Technology*. 49(9),171-178.

Rosenfeld P. E., J.J. Clark, I.H. (Mel) Suffet (2004). The Value of An Odor-Quality-Wheel Classification Scheme For The Urban Environment. *Water Environment Federation's Technical Exhibition and Conference (WEFTEC) 2004*. New Orleans, October 2-6, 2004.

Rosenfeld, P.E., and Suffet, I.H. (2004). Understanding Odorants Associated With Compost, Biomass Facilities, and the Land Application of Biosolids. *Water Science and Technology*. 49(9), 193-199.

Rosenfeld, P.E., and Suffet I.H. (2004). Control of Compost Odor Using High Carbon Wood Ash, *Water Science and Technology*, 49(9), 171-178.

Rosenfeld, P. E., Grey, M. A., Sellew, P. (2004). Measurement of Biosolids Odor and Odorant Emissions from Windrows, Static Pile and Biofilter. *Water Environment Research*. 76(4), 310-315.

Rosenfeld, P.E., Grey, M and Suffet, M. (2002). Compost Demonstration Project, Sacramento California Using High-Carbon Wood Ash to Control Odor at a Green Materials Composting Facility. *Integrated Waste Management Board Public Affairs Office*, Publications Clearinghouse (MS–6), Sacramento, CA Publication #442-02-008.

Rosenfeld, P.E., and C.L. Henry. (2001). Characterization of odor emissions from three different biosolids. *Water Soil and Air Pollution*. 127(1-4), 173-191.

Rosenfeld, P.E., and Henry C. L., (2000). Wood ash control of odor emissions from biosolids application. *Journal of Environmental Quality*. 29, 1662-1668.

Rosenfeld, P.E., C.L. Henry and D. Bennett. (2001). Wastewater dewatering polymer affect on biosolids odor emissions and microbial activity. *Water Environment Research*. 73(4), 363-367.

Rosenfeld, P.E., and C.L. Henry. (2001). Activated Carbon and Wood Ash Sorption of Wastewater, Compost, and Biosolids Odorants. *Water Environment Research*, 73, 388-393.

Rosenfeld, P.E., and Henry C. L., (2001). High carbon wood ash effect on biosolids microbial activity and odor. *Water Environment Research*. 131(1-4), 247-262.

Chollack, T. and **P. Rosenfeld.** (1998). Compost Amendment Handbook For Landscaping. Prepared for and distributed by the City of Redmond, Washington State.

Rosenfeld, P. E. (1992). The Mount Liamuiga Crater Trail. *Heritage Magazine of St. Kitts*, 3(2).

Rosenfeld, P. E. (1993). High School Biogas Project to Prevent Deforestation On St. Kitts. *Biomass Users Network*, 7(1).

Rosenfeld, P. E. (1998). Characterization, Quantification, and Control of Odor Emissions From Biosolids Application To Forest Soil. Doctoral Thesis. University of Washington College of Forest Resources.

Rosenfeld, P. E. (1994). Potential Utilization of Small Diameter Trees on Sierra County Public Land. Masters thesis reprinted by the Sierra County Economic Council. Sierra County, California.

Rosenfeld, P. E. (1991). How to Build a Small Rural Anaerobic Digester & Uses Of Biogas In The First And Third World. Bachelors Thesis. University of California.

Presentations:

Rosenfeld, P.E., Sutherland, A; Hesse, R.; Zapata, A. (October 3-6, 2013). Air dispersion modeling of volatile organic emissions from multiple natural gas wells in Decatur, TX. *44th Western Regional Meeting, American Chemical Society.* Lecture conducted from Santa Clara, CA.

Sok, H.L.; Waller, C.C.; Feng, L.; Gonzalez, J.; Sutherland, A.J.; Wisdom-Stack, T.; Sahai, R.K.; Hesse, R.C.; **Rosenfeld, P.E.** (June 20-23, 2010). Atrazine: A Persistent Pesticide in Urban Drinking Water. *Urban Environmental Pollution.* Lecture conducted from Boston, MA.

Feng, L.; Gonzalez, J.; Sok, H.L.; Sutherland, A.J.; Waller, C.C.; Wisdom-Stack, T.; Sahai, R.K.; La, M.; Hesse, R.C.; **Rosenfeld, P.E.** (June 20-23, 2010). Bringing Environmental Justice to East St. Louis, Illinois. *Urban Environmental Pollution.* Lecture conducted from Boston, MA.

Rosenfeld, P.E. (April 19-23, 2009). Perfluoroctanoic Acid (PFOA) and Perfluoroactane Sulfonate (PFOS) Contamination in Drinking Water From the Use of Aqueous Film Forming Foams (AFFF) at Airports in the United States. *2009 Ground Water Summit and 2009 Ground Water Protection Council Spring Meeting*, Lecture conducted from Tuscon, AZ.

Rosenfeld, P.E. (April 19-23, 2009). Cost to Filter Atrazine Contamination from Drinking Water in the United States" Contamination in Drinking Water From the Use of Aqueous Film Forming Foams (AFFF) at Airports in the United States. *2009 Ground Water Summit and 2009 Ground Water Protection Council Spring Meeting*. Lecture conducted from Tuscon, AZ.

Wu, C., Tam, L., Clark, J., **Rosenfeld, P.** (20-22 July, 2009). Dioxin and furan blood lipid concentrations in populations living near four wood treatment facilities in the United States. Brebbia, C.A. and Popov, V., eds., *Air Pollution XVII: Proceedings of the Seventeenth International Conference on Modeling, Monitoring and Management of Air Pollution.* Lecture conducted from Tallinn, Estonia.

Rosenfeld, P. E. (October 15-18, 2007). Moss Point Community Exposure To Contaminants From A Releasing Facility. *The 23rd Annual International Conferences on Soils Sediment and Water.* Platform lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld, P. E. (October 15-18, 2007). The Repeated Trespass of Tritium-Contaminated Water Into A Surrounding Community Form Repeated Waste Spills From A Nuclear Power Plant. *The 23rd Annual International Conferences on Soils Sediment and Water.* Platform lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld, P. E. (October 15-18, 2007). Somerville Community Exposure To Contaminants From Wood Treatment Facility Emissions. The *23rd Annual International Conferences on Soils Sediment and Water*. Lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld P. E. (March 2007). Production, Chemical Properties, Toxicology, & Treatment Case Studies of 1,2,3-Trichloropropane (TCP). *The Association for Environmental Health and Sciences (AEHS) Annual Meeting*. Lecture conducted from San Diego, CA.

Rosenfeld P. E. (March 2007). Blood and Attic Sampling for Dioxin/Furan, PAH, and Metal Exposure in Florala, Alabama. *The AEHS Annual Meeting*. Lecture conducted from San Diego, CA.

Hensley A.R., Scott, A., **Rosenfeld P.E.,** Clark, J.J.J. (August 21 – 25, 2006). Dioxin Containing Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility. *The 26th International Symposium on Halogenated Persistent Organic Pollutants – DIOXIN2006*. Lecture conducted from Radisson SAS Scandinavia Hotel in Oslo Norway.

Hensley A.R., Scott, A., **Rosenfeld P.E.,** Clark, J.J.J. (November 4-8, 2006). Dioxin Containing Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility. *APHA 134 Annual Meeting & Exposition*. Lecture conducted from Boston Massachusetts.

Paul Rosenfeld Ph.D. (October 24-25, 2005). Fate, Transport and Persistence of PFOA and Related Chemicals. Mealey's C8/PFOA. *Science, Risk & Litigation Conference*. Lecture conducted from The Rittenhouse Hotel, Philadelphia, PA.

Paul Rosenfeld Ph.D. (September 19, 2005). Brominated Flame Retardants in Groundwater: Pathways to Human Ingestion, *Toxicology and Remediation PEMA Emerging Contaminant Conference*. Lecture conducted from Hilton Hotel, Irvine California.

Paul Rosenfeld Ph.D. (September 19, 2005). Fate, Transport, Toxicity, And Persistence of 1,2,3-TCP. *PEMA Emerging Contaminant Conference*. Lecture conducted from Hilton Hotel in Irvine, California.

Paul Rosenfeld Ph.D. (September 26-27, 2005). Fate, Transport and Persistence of PDBEs. *Mealey's Groundwater Conference*. Lecture conducted from Ritz Carlton Hotel, Marina Del Ray, California.

Paul Rosenfeld Ph.D. (June 7-8, 2005). Fate, Transport and Persistence of PFOA and Related Chemicals. *International Society of Environmental Forensics: Focus On Emerging Contaminants*. Lecture conducted from Sheraton Oceanfront Hotel, Virginia Beach, Virginia.

Paul Rosenfeld Ph.D. (July 21-22, 2005). Fate Transport, Persistence and Toxicology of PFOA and Related Perfluorochemicals. *2005 National Groundwater Association Ground Water And Environmental Law Conference*. Lecture conducted from Wyndham Baltimore Inner Harbor, Baltimore Maryland.

Paul Rosenfeld Ph.D. (July 21-22, 2005). Brominated Flame Retardants in Groundwater: Pathways to Human Ingestion, Toxicology and Remediation. *2005 National Groundwater Association Ground Water and Environmental Law Conference*. Lecture conducted from Wyndham Baltimore Inner Harbor, Baltimore Maryland.

Paul Rosenfeld, Ph.D. and James Clark Ph.D. and Rob Hesse R.G. (May 5-6, 2004). Tert-butyl Alcohol Liability and Toxicology, A National Problem and Unquantified Liability. *National Groundwater Association. Environmental Law Conference*. Lecture conducted from Congress Plaza Hotel, Chicago Illinois.

Paul Rosenfeld, Ph.D. (March 2004). Perchlorate Toxicology. *Meeting of the American Groundwater Trust*. Lecture conducted from Phoenix Arizona.

Hagemann, M.F., **Paul Rosenfeld, Ph.D.** and Rob Hesse (2004). Perchlorate Contamination of the Colorado River. *Meeting of tribal representatives*. Lecture conducted from Parker, AZ.

Paul Rosenfeld, Ph.D. (April 7, 2004). A National Damage Assessment Model For PCE and Dry Cleaners. *Drycleaner Symposium. California Ground Water Association*. Lecture conducted from Radison Hotel, Sacramento, California.

Rosenfeld, P. E., Grey, M., (June 2003) Two stage biofilter for biosolids composting odor control. *Seventh International In Situ And On Site Bioremediation Symposium Battelle Conference* Orlando, FL.

Paul Rosenfeld, Ph.D. and James Clark Ph.D. (February 20-21, 2003) Understanding Historical Use, Chemical Properties, Toxicity and Regulatory Guidance of 1,4 Dioxane. *National Groundwater Association. Southwest Focus Conference. Water Supply and Emerging Contaminants*.. Lecture conducted from Hyatt Regency Phoenix Arizona.

Paul Rosenfeld, Ph.D. (February 6-7, 2003). Underground Storage Tank Litigation and Remediation. *California CUPA Forum*. Lecture conducted from Marriott Hotel, Anaheim California.

Paul Rosenfeld, Ph.D. (October 23, 2002) Underground Storage Tank Litigation and Remediation. *EPA Underground Storage Tank Roundtable*. Lecture conducted from Sacramento California.

Rosenfeld, P.E. and Suffet, M. (October 7- 10, 2002). Understanding Odor from Compost, *Wastewater and Industrial Processes. Sixth Annual Symposium On Off Flavors in the Aquatic Environment. International Water Association*. Lecture conducted from Barcelona Spain.

Rosenfeld, P.E. and Suffet, M. (October 7- 10, 2002). Using High Carbon Wood Ash to Control Compost Odor. *Sixth Annual Symposium On Off Flavors in the Aquatic Environment. International Water Association*. Lecture conducted from Barcelona Spain.

Rosenfeld, P.E. and Grey, M. A. (September 22-24, 2002). Biocycle Composting For Coastal Sage Restoration. *Northwest Biosolids Management Association*. Lecture conducted from Vancouver Washington..

Rosenfeld, P.E. and Grey, M. A. (November 11-14, 2002). Using High-Carbon Wood Ash to Control Odor at a Green Materials Composting Facility. *Soil Science Society Annual Conferenc*e. Lecture conducted from Indianapolis, Maryland.

Rosenfeld. P.E. (September 16, 2000). Two stage biofilter for biosolids composting odor control. *Water Environment Federation.* Lecture conducted from Anaheim California.

Rosenfeld. P.E. (October 16, 2000). Wood ash and biofilter control of compost odor. *Biofest.* Lecture conducted from Ocean Shores, California.

Rosenfeld, P.E. (2000). Bioremediation Using Organic Soil Amendments. *California Resource Recovery Association*. Lecture conducted from Sacramento California.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Oat and Grass Seed Germination and Nitrogen and Sulfur Emissions Following Biosolids Incorporation With High-Carbon Wood-Ash. *Water Environment Federation 12th Annual Residuals and Biosolids Management Conference Proceedings*. Lecture conducted from Bellevue Washington.

Rosenfeld, P.E., and C.L. Henry. (1999). An evaluation of ash incorporation with biosolids for odor reduction. *Soil Science Society of America*. Lecture conducted from Salt Lake City Utah.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Comparison of Microbial Activity and Odor Emissions from Three Different Biosolids Applied to Forest Soil. *Brown and Caldwell.* Lecture conducted from Seattle Washington.

Rosenfeld, P.E., C.L. Henry. (1998). Characterization, Quantification, and Control of Odor Emissions from Biosolids Application To Forest Soil. *Biofest.* Lecture conducted from Lake Chelan, Washington.

Rosenfeld, P.E, C.L. Henry, R. Harrison. (1998). Oat and Grass Seed Germination and Nitrogen and Sulfur Emissions Following Biosolids Incorporation With High-Carbon Wood-Ash. Water Environment Federation 12th Annual Residuals and Biosolids Management Conference Proceedings. Lecture conducted from Bellevue Washington.

Rosenfeld, P.E., C.L. Henry, R. B. Harrison, and R. Dills. (1997). Comparison of Odor Emissions From Three Different Biosolids Applied to Forest Soil. *Soil Science Society of America*. Lecture conducted from Anaheim California.

Teaching Experience:

UCLA Department of Environmental Health (Summer 2003 through 20010) Taught Environmental Health Science 100 to students, including undergrad, medical doctors, public health professionals and nurses. Course focused on the health effects of environmental contaminants.

National Ground Water Association, Successful Remediation Technologies. Custom Course in Sante Fe, New Mexico. May 21, 2002. Focused on fate and transport of fuel contaminants associated with underground storage tanks.

National Ground Water Association; Successful Remediation Technologies Course in Chicago Illinois. April 1, 2002. Focused on fate and transport of contaminants associated with Superfund and RCRA sites.

California Integrated Waste Management Board, April and May, 2001. Alternative Landfill Caps Seminar in San Diego, Ventura, and San Francisco. Focused on both prescriptive and innovative landfill cover design.

UCLA Department of Environmental Engineering, February 5, 2002. Seminar on Successful Remediation Technologies focusing on Groundwater Remediation.

University Of Washington, Soil Science Program, Teaching Assistant for several courses including: Soil Chemistry, Organic Soil Amendments, and Soil Stability.

U.C. Berkeley, Environmental Science Program Teaching Assistant for Environmental Science 10.

Academic Grants Awarded:

California Integrated Waste Management Board. $41,000 grant awarded to UCLA Institute of the Environment. Goal: To investigate effect of high carbon wood ash on volatile organic emissions from compost. 2001.

Synagro Technologies, Corona California: $10,000 grant awarded to San Diego State University.
Goal: investigate effect of biosolids for restoration and remediation of degraded coastal sage soils. 2000.

King County, Department of Research and Technology, Washington State. $100,000 grant awarded to University of Washington: Goal: To investigate odor emissions from biosolids application and the effect of polymers and ash on VOC emissions. 1998.

Northwest Biosolids Management Association, Washington State. $20,000 grant awarded to investigate effect of polymers and ash on VOC emissions from biosolids. 1997.

James River Corporation, Oregon: $10,000 grant was awarded to investigate the success of genetically engineered Poplar trees with resistance to round-up. 1996.

United State Forest Service, Tahoe National Forest: $15,000 grant was awarded to investigating fire ecology of the Tahoe National Forest. 1995.

Kellogg Foundation, Washington D.C. $500 grant was awarded to construct a large anaerobic digester on St. Kitts in West Indies. 1993

Deposition and/or Trial Testimony:

In the United States District Court For The District of New Jersey
Duarte et al, *Plaintiffs,* vs. United States Metals Refining Company et. al. *Defendant.*
Case No.: 2:17-cv-01624-ES-SCM
Rosenfeld Deposition. 6-7-2019

In the United States District Court of Southern District of Texas Galveston Division
M/T Carla Maersk, *Plaintiffs,* vs. Conti 168., Schiffahrts-GMBH & Co. Bulker KG MS "Conti Perdido" *Defendant.*
Case No.: 3:15-CV-00106 consolidated with 3:15-CV-00237
Rosenfeld Deposition. 5-9-2019

In The Superior Court of the State of California In And For The County Of Los Angeles – Santa Monica
Carole-Taddeo-Bates et al., vs. Ifran Khan et al., Defendants
Case No.: No. BC615636
Rosenfeld Deposition, 1-26-2019

In The Superior Court of the State of California In And For The County Of Los Angeles – Santa Monica
The San Gabriel Valley Council of Governments et al. vs El Adobe Apts. Inc. et al., Defendants
Case No.: No. BC646857
Rosenfeld Deposition, 10-6-2018; Trial 3-7-19

In United States District Court For The District of Colorado
Bells et al. Plaintiff vs. The 3M Company et al., Defendants
Case: No 1:16-cv-02531-RBJ
Rosenfeld Deposition, 3-15-2018 and 4-3-2018

In The District Court Of Regan County, Texas, 112th Judicial District
Phillip Bales et al., Plaintiff vs. Dow Agrosciences, LLC, et al., Defendants
Cause No 1923
Rosenfeld Deposition, 11-17-2017

In The Superior Court of the State of California In And For The County Of Contra Costa
Simons et al., Plaintiffs vs. Chevron Corporation, et al., Defendants
Cause No C12-01481
Rosenfeld Deposition, 11-20-2017

In The Circuit Court Of The Twentieth Judicial Circuit, St Clair County, Illinois
Martha Custer et al., Plaintiff vs. Cerro Flow Products, Inc., Defendants
Case No.: No. 0i9-L-2295
Rosenfeld Deposition, 8-23-2017

In The Superior Court of the State of California, For The County of Los Angeles
Warrn Gilbert and Penny Gilber, Plaintiff vs. BMW of North America LLC
Case No.: LC102019 (c/w BC582154)
Rosenfeld Deposition, 8-16-2017, Trail 8-28-2018

In the Northern District Court of Mississippi, Greenville Division
Brenda J. Cooper, et al., *Plaintiffs,* vs. Meritor Inc., et al., *Defendants*
Case Number: 4:16-cv-52-DMB-JVM
Rosenfeld Deposition: July 2017

In The Superior Court of the State of Washington, County of Snohomish
Michael Davis and Julie Davis et al., Plaintiff vs. Cedar Grove Composting Inc., Defendants
Case No.: No. 13-2-03987-5
Rosenfeld Deposition, February 2017
Trial, March 2017

In The Superior Court of the State of California, County of Alameda
Charles Spain., Plaintiff vs. Thermo Fisher Scientific, et al., Defendants
Case No.: RG14711115
Rosenfeld Deposition, September 2015

In The Iowa District Court In And For Poweshiek County
Russell D. Winburn, et al., Plaintiffs vs. Doug Hoksbergen, et al., Defendants
Case No.: LALA002187
Rosenfeld Deposition, August 2015

In The Iowa District Court For Wapello County
Jerry Dovico, et al., Plaintiffs vs. Valley View Sine LLC, et al., Defendants
Law No,: LALA105144 - Division A
Rosenfeld Deposition, August 2015

In The Iowa District Court For Wapello County
Doug Pauls, et al.,, et al., Plaintiffs vs. Richard Warren, et al., Defendants
Law No,: LALA105144 - Division A
Rosenfeld Deposition, August 2015

In The Circuit Court of Ohio County, West Virginia
Robert Andrews, et al. v. Antero, et al.
Civil Action N0. 14-C-30000
Rosenfeld Deposition, June 2015

In The Third Judicial District County of Dona Ana, New Mexico
Betty Gonzalez, et al. Plaintiffs vs. Del Oro Dairy, Del Oro Real Estate LLC, Jerry Settles and Deward DeRuyter, Defendants
Rosenfeld Deposition: July 2015

In The Iowa District Court For Muscatine County
Laurie Freeman et. al. Plaintiffs vs. Grain Processing Corporation, Defendant
Case No 4980
Rosenfeld Deposition: May 2015

In the Circuit Court of the 17th Judicial Circuit, in and For Broward County, Florida
Walter Hinton, et. al. Plaintiff, vs. City of Fort Lauderdale, Florida, a Municipality, Defendant.
Case Number CACE07030358 (26)
Rosenfeld Deposition: December 2014

In the United States District Court Western District of Oklahoma
Tommy McCarty, et al., Plaintiffs, v. Oklahoma City Landfill, LLC d/b/a Southeast Oklahoma City Landfill, et al. Defendants.
Case No. 5:12-cv-01152-C
Rosenfeld Deposition: July 2014

In the County Court of Dallas County Texas
Lisa Parr et al, *Plaintiff,* vs. Aruba et al, *Defendant.*
Case Number cc-11-01650-E
Rosenfeld Deposition: March and September 2013
Rosenfeld Trial: April 2014

In the Court of Common Pleas of Tuscarawas County Ohio
John Michael Abicht, et al., *Plaintiffs,* vs. Republic Services, Inc., et al., *Defendants*
Case Number: 2008 CT 10 0741 (Cons. w/ 2009 CV 10 0987)
Rosenfeld Deposition: October 2012

In the United States District Court of Southern District of Texas Galveston Division
Kyle Cannon, Eugene Donovan, Genaro Ramirez, Carol Sassler, and Harvey Walton, each Individually and on behalf of those similarly situated, *Plaintiffs,* vs. BP Products North America, Inc., *Defendant.*
Case 3:10-cv-00622
Rosenfeld Deposition: February 2012
Rosenfeld Trial: April 2013

In the Circuit Court of Baltimore County Maryland
Philip E. Cvach, II et al., *Plaintiffs* vs. Two Farms, Inc. d/b/a Royal Farms, Defendants
Case Number: 03-C-12-012487 OT
Rosenfeld Deposition: September 2013

EXHIBIT C

SWAPE Technical Consultation, Data Analysis and Litigation Support for the Environment

1640 5th St., Suite 204 Santa
Santa Monica, California 90401
Tel: (949) 887-9013
Email: mhagemann@swape.com

Matthew F. Hagemann, P.G., C.Hg., QSD, QSP

Geologic and Hydrogeologic Characterization
Industrial Stormwater Compliance
Investigation and Remediation Strategies
Litigation Support and Testifying Expert
CEQA Review

Education:

M.S. Degree, Geology, California State University Los Angeles, Los Angeles, CA, 1984.
B.A. Degree, Geology, Humboldt State University, Arcata, CA, 1982.

Professional Certifications:

California Professional Geologist
California Certified Hydrogeologist
Qualified SWPPP Developer and Practitioner

Professional Experience:

Matt has 25 years of experience in environmental policy, assessment and remediation. He spent nine years with the U.S. EPA in the RCRA and Superfund programs and served as EPA's Senior Science Policy Advisor in the Western Regional Office where he identified emerging threats to groundwater from perchlorate and MTBE. While with EPA, Matt also served as a Senior Hydrogeologist in the oversight of the assessment of seven major military facilities undergoing base closure. He led numerous enforcement actions under provisions of the Resource Conservation and Recovery Act (RCRA) while also working with permit holders to improve hydrogeologic characterization and water quality monitoring.

Matt has worked closely with U.S. EPA legal counsel and the technical staff of several states in the application and enforcement of RCRA, Safe Drinking Water Act and Clean Water Act regulations. Matt has trained the technical staff in the States of California, Hawaii, Nevada, Arizona and the Territory of Guam in the conduct of investigations, groundwater fundamentals, and sampling techniques.

Positions Matt has held include:

- Founding Partner, Soil/Water/Air Protection Enterprise (SWAPE) (2003 – present);
- Geology Instructor, Golden West College, 2010 – 2014;
- Senior Environmental Analyst, Komex H2O Science, Inc. (2000 -- 2003);

- Executive Director, Orange Coast Watch (2001 – 2004);
- Senior Science Policy Advisor and Hydrogeologist, U.S. Environmental Protection Agency (1989–1998);
- Hydrogeologist, National Park Service, Water Resources Division (1998 – 2000);
- Adjunct Faculty Member, San Francisco State University, Department of Geosciences (1993 – 1998);
- Instructor, College of Marin, Department of Science (1990 – 1995);
- Geologist, U.S. Forest Service (1986 – 1998); and
- Geologist, Dames & Moore (1984 – 1986).

Senior Regulatory and Litigation Support Analyst:

With SWAPE, Matt's responsibilities have included:

- Lead analyst and testifying expert in the review of over 100 environmental impact reports since 2003 under CEQA that identify significant issues with regard to hazardous waste, water resources, water quality, air quality, Valley Fever, greenhouse gas emissions, and geologic hazards. Make recommendations for additional mitigation measures to lead agencies at the local and county level to include additional characterization of health risks and implementation of protective measures to reduce worker exposure to hazards from toxins and Valley Fever.
- Stormwater analysis, sampling and best management practice evaluation at industrial facilities.
- Manager of a project to provide technical assistance to a community adjacent to a former Naval shipyard under a grant from the U.S. EPA.
- Technical assistance and litigation support for vapor intrusion concerns.
- Lead analyst and testifying expert in the review of environmental issues in license applications for large solar power plants before the California Energy Commission.
- Manager of a project to evaluate numerous formerly used military sites in the western U.S.
- Manager of a comprehensive evaluation of potential sources of perchlorate contamination in Southern California drinking water wells.
- Manager and designated expert for litigation support under provisions of Proposition 65 in the review of releases of gasoline to sources drinking water at major refineries and hundreds of gas stations throughout California.
- Expert witness on two cases involving MTBE litigation.
- Expert witness and litigation support on the impact of air toxins and hazards at a school.
- Expert witness in litigation at a former plywood plant.

With Komex H2O Science Inc., Matt's duties included the following:

- Senior author of a report on the extent of perchlorate contamination that was used in testimony by the former U.S. EPA Administrator and General Counsel.
- Senior researcher in the development of a comprehensive, electronically interactive chronology of MTBE use, research, and regulation.
- Senior researcher in the development of a comprehensive, electronically interactive chronology of perchlorate use, research, and regulation.
- Senior researcher in a study that estimates nationwide costs for MTBE remediation and drinking water treatment, results of which were published in newspapers nationwide and in testimony against provisions of an energy bill that would limit liability for oil companies.
- Research to support litigation to restore drinking water supplies that have been contaminated by MTBE in California and New York.

- Expert witness testimony in a case of oil production-related contamination in Mississippi.
- Lead author for a multi-volume remedial investigation report for an operating school in Los Angeles that met strict regulatory requirements and rigorous deadlines.

- Development of strategic approaches for cleanup of contaminated sites in consultation with clients and regulators.

Executive Director:

As Executive Director with Orange Coast Watch, Matt led efforts to restore water quality at Orange County beaches from multiple sources of contamination including urban runoff and the discharge of wastewater. In reporting to a Board of Directors that included representatives from leading Orange County universities and businesses, Matt prepared issue papers in the areas of treatment and disinfection of wastewater and control of the discharge of grease to sewer systems. Matt actively participated in the development of countywide water quality permits for the control of urban runoff and permits for the discharge of wastewater. Matt worked with other nonprofits to protect and restore water quality, including Surfrider, Natural Resources Defense Council and Orange County CoastKeeper as well as with business institutions including the Orange County Business Council.

Hydrogeology:

As a Senior Hydrogeologist with the U.S. Environmental Protection Agency, Matt led investigations to characterize and cleanup closing military bases, including Mare Island Naval Shipyard, Hunters Point Naval Shipyard, Treasure Island Naval Station, Alameda Naval Station, Moffett Field, Mather Army Airfield, and Sacramento Army Depot. Specific activities were as follows:

- Led efforts to model groundwater flow and contaminant transport, ensured adequacy of monitoring networks, and assessed cleanup alternatives for contaminated sediment, soil, and groundwater.
- Initiated a regional program for evaluation of groundwater sampling practices and laboratory analysis at military bases.
- Identified emerging issues, wrote technical guidance, and assisted in policy and regulation development through work on four national U.S. EPA workgroups, including the Superfund Groundwater Technical Forum and the Federal Facilities Forum.

At the request of the State of Hawaii, Matt developed a methodology to determine the vulnerability of groundwater to contamination on the islands of Maui and Oahu. He used analytical models and a GIS to show zones of vulnerability, and the results were adopted and published by the State of Hawaii and County of Maui.

As a hydrogeologist with the EPA Groundwater Protection Section, Matt worked with provisions of the Safe Drinking Water Act and NEPA to prevent drinking water contamination. Specific activities included the following:

- Received an EPA Bronze Medal for his contribution to the development of national guidance for the protection of drinking water.
- Managed the Sole Source Aquifer Program and protected the drinking water of two communities through designation under the Safe Drinking Water Act. He prepared geologic reports, conducted public hearings, and responded to public comments from residents who were very concerned about the impact of designation.

- Reviewed a number of Environmental Impact Statements for planned major developments, including large hazardous and solid waste disposal facilities, mine reclamation, and water transfer.

Matt served as a hydrogeologist with the RCRA Hazardous Waste program. Duties were as follows:

- Supervised the hydrogeologic investigation of hazardous waste sites to determine compliance with Subtitle C requirements.
- Reviewed and wrote "part B" permits for the disposal of hazardous waste.
- Conducted RCRA Corrective Action investigations of waste sites and led inspections that formed the basis for significant enforcement actions that were developed in close coordination with U.S. EPA legal counsel.
- Wrote contract specifications and supervised contractor's investigations of waste sites.

With the National Park Service, Matt directed service-wide investigations of contaminant sources to prevent degradation of water quality, including the following tasks:

- Applied pertinent laws and regulations including CERCLA, RCRA, NEPA, NRDA, and the Clean Water Act to control military, mining, and landfill contaminants.
- Conducted watershed-scale investigations of contaminants at parks, including Yellowstone and Olympic National Park.
- Identified high-levels of perchlorate in soil adjacent to a national park in New Mexico and advised park superintendent on appropriate response actions under CERCLA.
- Served as a Park Service representative on the Interagency Perchlorate Steering Committee, a national workgroup.
- Developed a program to conduct environmental compliance audits of all National Parks while serving on a national workgroup.
- Co-authored two papers on the potential for water contamination from the operation of personal watercraft and snowmobiles, these papers serving as the basis for the development of nation-wide policy on the use of these vehicles in National Parks.
- Contributed to the Federal Multi-Agency Source Water Agreement under the Clean Water Action Plan.

Policy:

Served senior management as the Senior Science Policy Advisor with the U.S. Environmental Protection Agency, Region 9. Activities included the following:

- Advised the Regional Administrator and senior management on emerging issues such as the potential for the gasoline additive MTBE and ammonium perchlorate to contaminate drinking water supplies.
- Shaped EPA's national response to these threats by serving on workgroups and by contributing to guidance, including the Office of Research and Development publication, Oxygenates in Water: Critical Information and Research Needs.
- Improved the technical training of EPA's scientific and engineering staff.
- Earned an EPA Bronze Medal for representing the region's 300 scientists and engineers in negotiations with the Administrator and senior management to better integrate scientific principles into the policy-making process.
- Established national protocol for the peer review of scientific documents.

Geology:

With the U.S. Forest Service, Matt led investigations to determine hillslope stability of areas proposed for timber harvest in the central Oregon Coast Range. Specific activities were as follows:

- Mapped geology in the field, and used aerial photographic interpretation and mathematical models to determine slope stability.
- Coordinated his research with community members who were concerned with natural resource protection.
- Characterized the geology of an aquifer that serves as the sole source of drinking water for the city of Medford, Oregon.

As a consultant with Dames and Moore, Matt led geologic investigations of two contaminated sites (later listed on the Superfund NPL) in the Portland, Oregon, area and a large hazardous waste site in eastern Oregon. Duties included the following:

- Supervised year-long effort for soil and groundwater sampling.
- Conducted aquifer tests.
- Investigated active faults beneath sites proposed for hazardous waste disposal.

Teaching:

From 1990 to 1998, Matt taught at least one course per semester at the community college and university levels:

- At San Francisco State University, held an adjunct faculty position and taught courses in environmental geology, oceanography (lab and lecture), hydrogeology, and groundwater contamination.
- Served as a committee member for graduate and undergraduate students.
- Taught courses in environmental geology and oceanography at the College of Marin.

Matt taught physical geology (lecture and lab and introductory geology at Golden West College in Huntington Beach, California from 2010 to 2014.

Invited Testimony, Reports, Papers and Presentations:

Hagemann, M.F., 2008. Disclosure of Hazardous Waste Issues under CEQA. Presentation to the Public Environmental Law Conference, Eugene, Oregon.

Hagemann, M.F., 2008. Disclosure of Hazardous Waste Issues under CEQA. Invited presentation to U.S. EPA Region 9, San Francisco, California.

Hagemann, M.F., 2005. Use of Electronic Databases in Environmental Regulation, Policy Making and Public Participation. Brownfields 2005, Denver, Coloradao.

Hagemann, M.F., 2004. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in Nevada and the Southwestern U.S. Presentation to a meeting of the American Groundwater Trust, Las Vegas, NV (served on conference organizing committee).

Hagemann, M.F., 2004. Invited testimony to a California Senate committee hearing on air toxins at schools in Southern California, Los Angeles.

Brown, A., Farrow, J., Gray, A. and **Hagemann, M.**, 2004. An Estimate of Costs to Address MTBE Releases from Underground Storage Tanks and the Resulting Impact to Drinking Water Wells. Presentation to the Ground Water and Environmental Law Conference, National Groundwater Association.

Hagemann, M.F., 2004. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in Arizona and the Southwestern U.S. Presentation to a meeting of the American Groundwater Trust, Phoenix, AZ (served on conference organizing committee).

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in the Southwestern U.S. Invited presentation to a special committee meeting of the National Academy of Sciences, Irvine, CA.

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River. Invited presentation to a tribal EPA meeting, Pechanga, CA.

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River. Invited presentation to a meeting of tribal repesentatives, Parker, AZ.

Hagemann, M.F., 2003. Impact of Perchlorate on the Colorado River and Associated Drinking Water Supplies. Invited presentation to the Inter-Tribal Meeting, Torres Martinez Tribe.

Hagemann, M.F., 2003. The Emergence of Perchlorate as a Widespread Drinking Water Contaminant. Invited presentation to the U.S. EPA Region 9.

Hagemann, M.F., 2003. A Deductive Approach to the Assessment of Perchlorate Contamination. Invited presentation to the California Assembly Natural Resources Committee.

Hagemann, M.F., 2003. Perchlorate: A Cold War Legacy in Drinking Water. Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. From Tank to Tap: A Chronology of MTBE in Groundwater. Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. A Chronology of MTBE in Groundwater and an Estimate of Costs to Address Impacts to Groundwater. Presentation to the annual meeting of the Society of Environmental Journalists.

Hagemann, M.F., 2002. An Estimate of the Cost to Address MTBE Contamination in Groundwater (and Who Will Pay). Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. An Estimate of Costs to Address MTBE Releases from Underground Storage Tanks and the Resulting Impact to Drinking Water Wells. Presentation to a meeting of the U.S. EPA and State Underground Storage Tank Program managers.

Hagemann, M.F., 2001. From Tank to Tap: A Chronology of MTBE in Groundwater. Unpublished report.

Hagemann, M.F., 2001. Estimated Cleanup Cost for MTBE in Groundwater Used as Drinking Water. Unpublished report.

Hagemann, M.F., 2001. Estimated Costs to Address MTBE Releases from Leaking Underground Storage Tanks. Unpublished report.

Hagemann, M.F., and VanMouwerik, M., 1999. Potential Water Quality Concerns Related to Snowmobile Usage. Water Resources Division, National Park Service, Technical Report.

VanMouwerik, M. and **Hagemann, M.F.** 1999, Water Quality Concerns Related to Personal Watercraft Usage. Water Resources Division, National Park Service, Technical Report.

Hagemann, M.F., 1999, Is Dilution the Solution to Pollution in National Parks? The George Wright Society Biannual Meeting, Asheville, North Carolina.

Hagemann, M.F., 1997, The Potential for MTBE to Contaminate Groundwater. U.S. EPA Superfund Groundwater Technical Forum Annual Meeting, Las Vegas, Nevada.

Hagemann, M.F., and Gill, M., 1996, Impediments to Intrinsic Remediation, Moffett Field Naval Air Station, Conference on Intrinsic Remediation of Chlorinated Hydrocarbons, Salt Lake City.

Hagemann, M.F., Fukunaga, G.L., 1996, The Vulnerability of Groundwater to Anthropogenic Contaminants on the Island of Maui, Hawaii. Hawaii Water Works Association Annual Meeting, Maui, October 1996.

Hagemann, M. F., Fukanaga, G. L., 1996, Ranking Groundwater Vulnerability in Central Oahu, Hawaii. Proceedings, Geographic Information Systems in Environmental Resources Management, Air and Waste Management Association Publication VIP-61.

Hagemann, M.F., 1994. Groundwater Characterization and Cleanup at Closing Military Bases in California. Proceedings, California Groundwater Resources Association Meeting.

Hagemann, M.F. and Sabol, M.A., 1993. Role of the U.S. EPA in the High Plains States Groundwater Recharge Demonstration Program. Proceedings, Sixth Biennial Symposium on the Artificial Recharge of Groundwater.

Hagemann, M.F., 1993. U.S. EPA Policy on the Technical Impracticability of the Cleanup of DNAPL-contaminated Groundwater. California Groundwater Resources Association Meeting.

Hagemann, M.F., 1992. Dense Nonaqueous Phase Liquid Contamination of Groundwater: An Ounce of Prevention... Proceedings, Association of Engineering Geologists Annual Meeting, v. 35.

Other Experience:

Selected as subject matter expert for the California Professional Geologist licensing examination, 2009-2011.

Ph: (626) 381-9248
Fx: (626) 389-5414
Em: info@mitchtsailaw.com

Mitchell M. Tsai
Attorney At Law

139 South Hudson Avenue
Suite 200
Pasadena, California 91101

VIA E-MAIL

August 17, 2022

Jennifer Alderete, Acting City Clerk
City of Artesia
18747 Clarkdale Avenue
Artesia, CA 90701
Em: jalderete@cityofartesia.us

Okina Dor, Community Development Director
City of Artesia
18747 Clarkdale Avenue
Artesia, CA 90701
Em: planning@cityofartesia.us

RE: Public Records Act and Mailing List Request Regarding Artesia Place Project (Artesia Boulevard Corridor Specific Plan Amendment (SCH #: 2022080202).

Dear Jennifer Alderete and Okina Dor,

On behalf of Southwest Regional Council of Carpenters ("**SWRCC**" or "**Southwest Carpenters"**) and its members, this Office requests that the City of Artesia ("**City**" or "**Lead Agency**") provide any and all information referring or related to the Artesia Place Project (Artesia Boulevard Corridor Specific Plan Amendment (SCH #: 2022080202)("**Project**") pursuant to the California Public Records Act ("**PRA**"), Cal. Government ("**Gov't**") Code §§ 6250–6270 (collectively "**PRA Request**").

Moreover, SWRCC requests that City provide notice for any and all notices referring or related to the Project issued under the California Environmental Quality Act ("**CEQA**"), Cal Public Resources Code ("**PRC**") § 21000 *et seq*, and the California Planning and Zoning Law ("**Planning and Zoning Law**"), Cal. Gov't Code §§ 65000–65010. California Public Resources Code Sections 21092.2, and 21167(f) and Government Code Section 65092 require agencies to mail such notices to any person who has filed a written request for them with the clerk of the agency's governing body.

The Southwest Regional Council of Carpenters is a labor union representing more than 57,000 union carpenters in six states, including California, and has a strong interest in well-ordered land use planning and addressing the environmental impacts of development projects, such as the Project.

I. PUBLIC RECORDS ACT REQUEST.

Southwest Carpenters is requesting any and all information referring or related to the Project.

The Public Records Act defines the term "public record" broadly as "any writing containing information relating to the conduct of the public's business . . . regardless of physical form and characteristics." Gov't Code § 6252(d). "Records" includes all communications relating to public business regardless of physical form or characteristics, including but not limited to any writing, picture, sound, or symbol, whether paper, magnetic, electronic, text, other media, or written verification of any oral communication. Included in this request are any references in any appointment calendars and applications, phone records, or text records. These "records" are to include, but are not limited to correspondences, e-mails, reports, letters, memorandums, and communications by any employee or elected official of City concerning the Project.

Please include in your response to this request the following examples of "records," as well as any similar physical or electronic forms of communication: any form of writing such as correspondence, electronic mail records ("email"), legal and factual memoranda, facsimiles, photographs, maps, videotapes, film, data, reports, notes, audiotapes, or drawings. Cal. Government Code § 6252(g) (defining a writing to including "any record thereby created, regardless of the manner in which the record has been stored"). Responsive correspondence should include, inter alia, emails, text messages, or any other form of communication regardless of whether they were sent or received on public or privately-owned electronic devices "relating to the conduct of the public's business." Cal. Government Code § 6252(e); *Citizens for Ceres v. Super. Ct.* ("*Ceres*") (2013) 217 Cal. App. 4th 889, 909; *Citizens for Open Gov't v. City of Lodi ("Lodi")* (2012) 205 Cal.App.4th 296, 307, 311; *City of San Jose v. Superior Court* (2017) 2 Cal. 5th 608, 625 (finding that a public employee or officer's "writings about public business are not excluded" from the California Public Records Act "simply because they have been sent, received, or stored in a personal account.") .

This Office requests any and all information referring or related to the Project, including but not limited to:

(1) All Project application materials;

(2) All staff reports and related documents prepared by the City with respect to its compliance with the substantive and procedural requirements of the California Environmental Quality Act, Public Resources Code § 21000 et seq., and the CEQA Guidelines, title 14, California Code of Regulations, § 15000 et seq. (collectively "**CEQA**") and with respect to the action on the Project;

(3) All staff reports and related documents prepared by the City and written testimony or documents submitted by any person relevant to any findings or statement of overriding considerations adopted by the agency pursuant to CEQA;

(4) Any transcript or minutes of the proceedings at which the decisionmaking body of the City heard testimony on, or considered any environmental document on, the Project, and any transcript or minutes of proceedings before any advisory body to the public agency that were presented to the decisionmaking body prior to action on the environmental documents or on the Project;

(5) All notices issued by the City to comply with CEQA or with any other law governing the processing and approval of the Project;

(6) All written comments received in response to, or in connection with, environmental documents prepared for the Project, including responses to the notice of preparation;

(7) All written evidence or correspondence submitted to, or transferred from, the City with respect to compliance with CEQA or with respect to the Project;

(8) Any proposed decisions or findings submitted to the decisionmaking body of the City by its staff, or the Project proponent, Project opponents, or other persons;

(9) The documentation of the final City decision and approvals, including the final environmental impact report, mitigated negative

declaration, negative declaration, or notice of exemption, and all documents, in addition to those referenced in paragraph (3), cited or relied on in the findings or in a statement of overriding considerations adopted pursuant to CEQA;

(10) Any other written materials relevant to the public agency's compliance with CEQA or to its decision on the merits of the Project, including the initial study, any drafts of any environmental document, or portions thereof, that have been released for public review, and copies of studies or other documents relied upon in any environmental document prepared for the Project and either made available to the public during the public review period or included in the City 's files on the Project, and all internal agency communications, including staff notes and memoranda related to the Project or to compliance with CEQA; and

(11) The full written record before any inferior administrative decisionmaking body whose decision was appealed to a superior administrative decisionmaking body prior to the filing of any litigation.

Please respond within 10 days from the date you receive this request as to whether this request specifies identifiable records not exempt from disclosure under the PRA or otherwise privileged or confidential, and are therefore subject to disclosure. This Office understands that this time may be extended up to 14 days for unusual circumstances as provided by Cal. Government Code § 6253(c), and that we will be notified of any extension and the reasons justifying it.

We request that you provide all documents in electronic format and waive any and all fees associated with this Request. SWRCC is a community-based organization. Please notify and obtain express approval from this Office before incurring any duplication costs.

If any of the above requested documents are available online, please provide us with the URL web address at which the documents may be downloaded. If any of the requested documents are retained by the City in electronic computer-readable format such as PDF (portable document format), please provide us with pdf copies of the

documents via email, or inform us of the location at which we can copy these documents electronically.

In preparing your response, please bear in mind that you have an obligation under Government Code section 6253.1 to (1) identify all records and information responsive to our request or the purpose of our request; (2) describe the information technology and physical location in which the records exist; and (3) provide suggestions for overcoming any practical basis for denying access to the records or information sought.

In responding to this request, please bear in mind that any exemptions from disclosure you may believe to be applicable are to be narrowly construed. *Marken v. Santa Monica-Malibu Unif. Sch. Dist.* (2012) 202 Cal. App. 4th 1250,1262; and may be further narrowed or eliminated by the adoption of Proposition 59, which amended article I, section 3(b)(2) of the California Constitution to direct that any "statute ... or other authority ... [that] limits the right of access" to "information concerning the conduct of the people's business" must be "narrowly construed."

As for any records that you nonetheless decline to produce on the grounds of an exemption, please bear in mind that the case law under the Public Records Act imposes a duty on you to distinguish between the exempt and the non-exempt portion of any such records, and to attempt in good faith to redact the exempt portion and to disclose the balance of such documents.

Please bear in mind further that should you choose to withhold any document from disclosure, you have a duty under Government Code section 6255, subd. (a) to "justify withholding any record by demonstrating that the record in question is exempt under express provisions" of the Public Records Act or that "the public interest served by not disclosing the record clearly outweighs the public interest served by disclosure of the record."

Finally, please note that you must retain and not destroy any and all records, notwithstanding any local record retention or document destruction policies. As the Court noted in *Golden Door Properties, LLC v. Superior Court of San Diego County* (2020) 53 Cal.App.5th 733 that a public agency "must retain '[a]ll written evidence or correspondence submitted to, or transferred from' . . . with respect to" CEQA compliance or "with respect to the project."

II. NOTICE LIST REQUEST.

We also ask that you put this Office on its notice list for any and all notices issued under the CEQA and the Planning and Zoning Law.

In particular, we request that City send by mail or electronic mail notice of any and all actions or hearings related to activities undertaken, authorized, approved, permitted, licensed, or certified by the City and any of its subdivision for the Project, or supported, in whole or in part, through permits, contracts, grants, subsidies, loans, or other forms of approvals, actions or assistance, including but not limited to the following:

- Notices of any public hearing held in connection with the Project; as well as
- Any and all notices prepared pursuant to CEQA, including but not limited to:
- Notices of determination that an Environmental Impact Report ("EIR") or supplemental EIR is required for a project, prepared pursuant to Public Resources Code Section 21080.4;
- Notices of availability of an EIR or a negative declaration for a project prepared pursuant to Public Resources Code Section 21152 and Section 15087 of Title 14 of the California Code of Regulations;
- Notices of approval or determination to carry out a project, prepared pursuant to Public Resources Code Section 21152 or any other provision of law;
- Notice of approval or certification of any EIR or negative declaration prepared pursuant to Public Resources Code Section 21152 or any other provision of law;
- Notice of exemption from CEQA prepared pursuant to Public Resources Code section 21152 or any other provision of law; and
- Notice of any Final EIR prepared pursuant to CEQA.

This Office is requesting notices of any approvals or public hearings under CEQA and the California Planning and Zoning Law. This request is filed pursuant to California

Public Resources Code Sections 21092.2, and 21167(f) and Government Code Section 65092 requiring agencies to mail such notices to any person who has filed a written request for them with the clerk of the agency's governing body.

Please send notice by regular and electronic mail to:

Mitchell M. Tsai, Attorney At Law
139 South Hudson Avenue
Suite 200
Pasadena, California 91101
Em: mitch@mitchtsailaw.com
Em: talia@mitchtsailaw.com
Em: barrie@mitchtsailaw.com
Em: rebekah@mitchtsailaw.com
Em: maria@mitchtsailaw.com
Em: hind@mitchtsailaw.com
Em: steven@mitchtsailaw.com
Em: malou@mitchtsailaw.com
Em: info@mitchtsailaw.com

We look forward to working with you. If you have any questions or concerns, please do not hesitate to contact our Office.

Sincerely,

Mitchell M. Tsai
Attorneys for Southwest Regional Council
of Carpenters

LOS ANGELES COUNTY
SANITATION DISTRICTS
Converting Waste Into Resources

Robert C. Ferrante
Chief Engineer and General Manager

1955 Workman Mill Road, Whittier, CA 90601-1400
Mailing Address: P.O. Box 4998, Whittier, CA 90607-4998
(562) 699-7411 • www.lacsd.org

September 6, 2022

Ref. DOC 6661535

Mr. Okina Dor, Community Development Director
City of Artesia
Planning Department
18747 Clarkdale Avenue
Artesia, CA 90701

Dear Mr. Dor:

NOP Response to Artesia Place Project (Artesia Boulevard Corridor Specific Plan Amendment)

The Los Angeles County Sanitation Districts (Districts) received a Notice of Preparation (NOP) of a Draft Environmental Impact Report for the subject project on August 15, 2022. The proposed project is located within the jurisdictional boundaries of District No. 2. We offer the following comments regarding sewerage service:

1. The wastewater flow originating from the proposed project will discharge to a local sewer line, which is not maintained by the Districts, for conveyance to the Districts' Joint Outfall "C" Unit 8E Trunk Sewer, located in Pioneer Boulevard at Ashworth Street. The Districts' 18-inch diameter trunk sewer has a capacity of 4.5 million gallons per day (mgd) and conveyed a peak flow of 0.5 mgd when last measured in 2020.

2. The wastewater generated by the proposed project will be treated at the Joint Water Pollution Control Plant located in the City of Carson, which has a capacity of 400 mgd and currently processes an average flow of 243.1 mgd, or the Long Beach Water Reclamation Plant, which has a capacity of 25 mgd and currently processes an average recycled flow of 12.7 mgd.

3. The expected average wastewater flow from the project site, described in the NOP as 80 residential condominium units and 8,650 square feet of commercial uses, is 18,411 gallons per day. For a copy of the Districts' average wastewater generation factors, go to www.lacsd.org, under Services, then Wastewater Program and Permits, select Will Serve Program, and scroll down to click on the Table 1, Loadings for Each Class of Land Use link.

4. The Districts are empowered by the California Health and Safety Code to charge a fee to connect facilities (directly or indirectly) to the Districts' Sewerage System or to increase the strength or quantity of wastewater discharged from connected facilities. This connection fee is used by the Districts for its capital facilities. Payment of a connection fee may be required before this project is permitted to discharge to the Districts' Sewerage System. For more information and a copy of the Connection Fee Information Sheet, go to www.lacsd.org, under Services, then Wastewater (Sewage) and select Rates & Fees. In determining the impact to the Sewerage System and applicable connection fees, the Districts will determine the user category (e.g. Condominium, Single Family Home, etc.) that best represents the actual or anticipated use of the parcel(s) or facilities on the parcel(s) in the development. For more specific information regarding the connection fee application procedure and fees, the developer should contact the Districts' Wastewater Fee Public Counter at (562) 908 4288, extension 2727.

5. In order for the Districts to conform to the requirements of the Federal Clean Air Act (CAA), the capacities of the Districts' wastewater treatment facilities are based on the regional growth forecast adopted by the Southern California Association of Governments (SCAG). Specific policies included in the development of the SCAG regional growth forecast are incorporated into clean air plans, which are prepared by the South Coast and Antelope Valley Air Quality Management Districts in order to improve air quality in the South Coast and Mojave Desert Air Basins as mandated by the CAA. All expansions of Districts' facilities must be sized and service phased in a manner that will be consistent with the SCAG regional growth forecast for the counties of Los Angeles, Orange, San Bernardino, Riverside, Ventura, and Imperial. The available capacity of the Districts' treatment facilities will, therefore, be limited to levels associated with the approved growth identified by SCAG. As such, this letter does not constitute a guarantee of wastewater service, but is to advise the developer that the Districts intend to provide this service up to the levels that are legally permitted and to inform the developer of the currently existing capacity and any proposed expansion of the Districts' facilities.

If you have any questions, please contact the undersigned at (562) 908-4288, extension 2743, or mandyhuffman@lacsd.org.

Very truly yours,

Mandy Huffman

Mandy Huffman
Environmental Planner
Facilities Planning Department

MNH:mnh

cc: A. Schmidt
A. Howard

NATIVE AMERICAN HERITAGE COMMISSION

RECEIVED
SEP 15 REC'D
PLANNING DEPARTMENT

August 24, 2022

Okina Dor
City of Artesia
18747 Clarkdale Avenue
Artesia, CA 90701

Re: 2022080202, Artesia Place (Artesia Boulevard Corridor Specific Plan Amendment) Project, Los Angeles County

Dear Okina Dor:

The Native American Heritage Commission (NAHC) has received the Notice of Preparation (NOP), Draft Environmental Impact Report (DEIR) or Early Consultation for the project referenced above. The California Environmental Quality Act (CEQA) (Pub. Resources Code §21000 et seq.), specifically Public Resources Code §21084.1, states that a project that may cause a substantial adverse change in the significance of a historical resource, is a project that may have a significant effect on the environment. (Pub. Resources Code § 21084.1; Cal. Code Regs., tit.14, §15064.5 (b) (CEQA Guidelines §15064.5 (b)). If there is substantial evidence, in light of the whole record before a lead agency, that a project may have a significant effect on the environment, an Environmental Impact Report (EIR) shall be prepared. (Pub. Resources Code §21080 (d); Cal. Code Regs., tit. 14, § 5064 subd.(a)(1) (CEQA Guidelines §15064 (a)(1)). In order to determine whether a project will cause a substantial adverse change in the significance of a historical resource, a lead agency will need to determine whether there are historical resources within the area of potential effect (APE).

CEQA was amended significantly in 2014. Assembly Bill 52 (Gatto, Chapter 532, Statutes of 2014) (AB 52) amended CEQA to create a separate category of cultural resources, "tribal cultural resources" (Pub. Resources Code §21074) and provides that a project with an effect that may cause a substantial adverse change in the significance of a tribal cultural resource is a project that may have a significant effect on the environment. (Pub. Resources Code §21084.2). Public agencies shall, when feasible, avoid damaging effects to any tribal cultural resource. (Pub. Resources Code §21084.3 (a)). **AB 52 applies to any project for which a notice of preparation, a notice of negative declaration, or a mitigated negative declaration is filed on or after July 1, 2015.** If your project involves the adoption of or amendment to a general plan or a specific plan, or the designation or proposed designation of open space, on or after March 1, 2005, it may also be subject to Senate Bill 18 (Burton, Chapter 905, Statutes of 2004) (SB 18). **Both SB 18 and AB 52 have tribal consultation requirements.** If your project is also subject to the federal National Environmental Policy Act (42 U.S.C. § 4321 et seq.) (NEPA), the tribal consultation requirements of Section 106 of the National Historic Preservation Act of 1966 (154 U.S.C. 300101, 36 C.F.R. §800 et seq.) may also apply.

The NAHC recommends consultation with California Native American tribes that are traditionally and culturally affiliated with the geographic area of your proposed project as early as possible in order to avoid inadvertent discoveries of Native American human remains and best protect tribal cultural resources. Below is a brief summary of portions of AB 52 and SB 18 as well as the NAHC's recommendations for conducting cultural resources assessments.

Consult your legal counsel about compliance with AB 52 and SB 18 as well as compliance with any other applicable laws.

CHAIRPERSON
Laura Miranda
Luiseño

VICE CHAIRPERSON
Reginald Pagaling
Chumash

PARLIAMENTARIAN
Russell Attebery
Karuk

SECRETARY
Sara Dutschke
Miwok

COMMISSIONER
William Mungary
Paiute/White Mountain Apache

COMMISSIONER
Isaac Bojorquez
Ohlone-Costanoan

COMMISSIONER
Buffy McQuillen
Yokayo Pomo, Yuki, Nomlaki

COMMISSIONER
Wayne Nelson
Luiseño

COMMISSIONER
Stanley Rodriguez
Kumeyaay

EXECUTIVE SECRETARY
Raymond C. Hitchcock
Miwok/Nisenan

NAHC HEADQUARTERS
1550 Harbor Boulevard
Suite 100
West Sacramento,
California 95691
(916) 373-3710
nahc@nahc.ca.gov
NAHC.ca.gov

AB 52

AB 52 has added to CEQA the additional requirements listed below, along with many other requirements:

1. Fourteen Day Period to Provide Notice of Completion of an Application/Decision to Undertake a Project: Within fourteen (14) days of determining that an application for a project is complete or of a decision by a public agency to undertake a project, a lead agency shall provide formal notification to a designated contact of, or tribal representative of, traditionally and culturally affiliated California Native American tribes that have requested notice, to be accomplished by at least one written notice that includes:

- **a.** A brief description of the project.
- **b.** The lead agency contact information.
- **c.** Notification that the California Native American tribe has 30 days to request consultation. (Pub. Resources Code §21080.3.1 (d)).
- **d.** A "California Native American tribe" is defined as a Native American tribe located in California that is on the contact list maintained by the NAHC for the purposes of Chapter 905 of Statutes of 2004 (SB 18). (Pub. Resources Code §21073).

2. Begin Consultation Within 30 Days of Receiving a Tribe's Request for Consultation and Before Releasing a Negative Declaration, Mitigated Negative Declaration, or Environmental Impact Report: A lead agency shall begin the consultation process within 30 days of receiving a request for consultation from a California Native American tribe that is traditionally and culturally affiliated with the geographic area of the proposed project. (Pub. Resources Code §21080.3.1, subds. (d) and (e)) and prior to the release of a negative declaration, mitigated negative declaration or Environmental Impact Report. (Pub. Resources Code §21080.3.1(b)).

- **a.** For purposes of AB 52, "consultation shall have the same meaning as provided in Gov. Code §65352.4 (SB 18). (Pub. Resources Code §21080.3.1 (b)).

3. Mandatory Topics of Consultation If Requested by a Tribe: The following topics of consultation, if a tribe requests to discuss them, are mandatory topics of consultation:

- **a.** Alternatives to the project.
- **b.** Recommended mitigation measures.
- **c.** Significant effects. (Pub. Resources Code §21080.3.2 (a)).

4. Discretionary Topics of Consultation: The following topics are discretionary topics of consultation:

- **a.** Type of environmental review necessary.
- **b.** Significance of the tribal cultural resources.
- **c.** Significance of the project's impacts on tribal cultural resources.
- **d.** If necessary, project alternatives or appropriate measures for preservation or mitigation that the tribe may recommend to the lead agency. (Pub. Resources Code §21080.3.2 (a)).

5. Confidentiality of Information Submitted by a Tribe During the Environmental Review Process: With some exceptions, any information, including but not limited to, the location, description, and use of tribal cultural resources submitted by a California Native American tribe during the environmental review process shall not be included in the environmental document or otherwise disclosed by the lead agency or any other public agency to the public, consistent with Government Code §6254 (r) and §6254.10. Any information submitted by a California Native American tribe during the consultation or environmental review process shall be published in a confidential appendix to the environmental document unless the tribe that provided the information consents, in writing, to the disclosure of some or all of the information to the public. (Pub. Resources Code §21082.3 (c)(1)).

6. Discussion of Impacts to Tribal Cultural Resources in the Environmental Document: If a project may have a significant impact on a tribal cultural resource, the lead agency's environmental document shall discuss both of the following:

- **a.** Whether the proposed project has a significant impact on an identified tribal cultural resource.
- **b.** Whether feasible alternatives or mitigation measures, including those measures that may be agreed to pursuant to Public Resources Code §21082.3, subdivision (a), avoid or substantially lessen the impact on the identified tribal cultural resource. (Pub. Resources Code §21082.3 (b)).

7. Conclusion of Consultation: Consultation with a tribe shall be considered concluded when either of the following occurs:

a. The parties agree to measures to mitigate or avoid a significant effect, if a significant effect exists, on a tribal cultural resource; or

b. A party, acting in good faith and after reasonable effort, concludes that mutual agreement cannot be reached. (Pub. Resources Code §21080.3.2 (b)).

8. Recommending Mitigation Measures Agreed Upon in Consultation in the Environmental Document: Any mitigation measures agreed upon in the consultation conducted pursuant to Public Resources Code §21080.3.2 shall be recommended for inclusion in the environmental document and in an adopted mitigation monitoring and reporting program, if determined to avoid or lessen the impact pursuant to Public Resources Code §21082.3, subdivision (b), paragraph 2, and shall be fully enforceable. (Pub. Resources Code §21082.3 (a)).

9. Required Consideration of Feasible Mitigation: If mitigation measures recommended by the staff of the lead agency as a result of the consultation process are not included in the environmental document or if there are no agreed upon mitigation measures at the conclusion of consultation, or if consultation does not occur, and if substantial evidence demonstrates that a project will cause a significant effect to a tribal cultural resource, the lead agency shall consider feasible mitigation pursuant to Public Resources Code §21084.3 (b). (Pub. Resources Code §21082.3 (e)).

10. Examples of Mitigation Measures That, If Feasible, May Be Considered to Avoid or Minimize Significant Adverse Impacts to Tribal Cultural Resources:

a. Avoidance and preservation of the resources in place, including, but not limited to:

i. Planning and construction to avoid the resources and protect the cultural and natural context.

ii. Planning greenspace, parks, or other open space, to incorporate the resources with culturally appropriate protection and management criteria.

b. Treating the resource with culturally appropriate dignity, taking into account the tribal cultural values and meaning of the resource, including, but not limited to, the following:

i. Protecting the cultural character and integrity of the resource.

ii. Protecting the traditional use of the resource.

iii. Protecting the confidentiality of the resource.

c. Permanent conservation easements or other interests in real property, with culturally appropriate management criteria for the purposes of preserving or utilizing the resources or places.

d. Protecting the resource. (Pub. Resource Code §21084.3 (b)).

e. Please note that a federally recognized California Native American tribe or a non-federally recognized California Native American tribe that is on the contact list maintained by the NAHC to protect a California prehistoric, archaeological, cultural, spiritual, or ceremonial place may acquire and hold conservation easements if the conservation easement is voluntarily conveyed. (Civ. Code §815.3 (c)).

f. Please note that it is the policy of the state that Native American remains and associated grave artifacts shall be repatriated. (Pub. Resources Code §5097.991).

11. Prerequisites for Certifying an Environmental Impact Report or Adopting a Mitigated Negative Declaration or Negative Declaration with a Significant Impact on an Identified Tribal Cultural Resource: An Environmental Impact Report may not be certified, nor may a mitigated negative declaration or a negative declaration be adopted unless one of the following occurs:

a. The consultation process between the tribes and the lead agency has occurred as provided in Public Resources Code §21080.3.1 and §21080.3.2 and concluded pursuant to Public Resources Code §21080.3.2.

b. The tribe that requested consultation failed to provide comments to the lead agency or otherwise failed to engage in the consultation process.

c. The lead agency provided notice of the project to the tribe in compliance with Public Resources Code §21080.3.1 (d) and the tribe failed to request consultation within 30 days. (Pub. Resources Code §21082.3 (d)).

The NAHC's PowerPoint presentation titled, "Tribal Consultation Under AB 52: Requirements and Best Practices" may be found online at: http://nahc.ca.gov/wp-content/uploads/2015/10/AB52TribalConsultation_CalEPAPDF.pdf

SB 18

SB 18 applies to local governments and requires local governments to contact, provide notice to, refer plans to, and consult with tribes prior to the adoption or amendment of a general plan or a specific plan, or the designation of open space. (Gov. Code §65352.3). Local governments should consult the Governor's Office of Planning and Research's "Tribal Consultation Guidelines," which can be found online at: https://www.opr.ca.gov/docs/09_14_05_Updated_Guidelines_922.pdf.

Some of SB 18's provisions include:

1. Tribal Consultation: If a local government considers a proposal to adopt or amend a general plan or a specific plan, or to designate open space it is required to contact the appropriate tribes identified by the NAHC by requesting a "Tribal Consultation List." If a tribe, once contacted, requests consultation the local government must consult with the tribe on the plan proposal. **A tribe has 90 days from the date of receipt of notification to request consultation unless a shorter timeframe has been agreed to by the tribe.** (Gov. Code §65352.3 (a)(2)).
2. No Statutory Time Limit on SB 18 Tribal Consultation. There is no statutory time limit on SB 18 tribal consultation.
3. Confidentiality: Consistent with the guidelines developed and adopted by the Office of Planning and Research pursuant to Gov. Code §65040.2, the city or county shall protect the confidentiality of the information concerning the specific identity, location, character, and use of places, features and objects described in Public Resources Code §5097.9 and §5097.993 that are within the city's or county's jurisdiction. (Gov. Code §65352.3 (b)).
4. Conclusion of SB 18 Tribal Consultation: Consultation should be concluded at the point in which:
    a. The parties to the consultation come to a mutual agreement concerning the appropriate measures for preservation or mitigation; or
    b. Either the local government or the tribe, acting in good faith and after reasonable effort, concludes that mutual agreement cannot be reached concerning the appropriate measures of preservation or mitigation. (Tribal Consultation Guidelines, Governor's Office of Planning and Research (2005) at p. 18).

Agencies should be aware that neither AB 52 nor SB 18 precludes agencies from initiating tribal consultation with tribes that are traditionally and culturally affiliated with their jurisdictions before the timeframes provided in AB 52 and SB 18. For that reason, we urge you to continue to request Native American Tribal Contact Lists and "Sacred Lands File" searches from the NAHC. The request forms can be found online at: http://nahc.ca.gov/resources/forms/.

NAHC Recommendations for Cultural Resources Assessments

To adequately assess the existence and significance of tribal cultural resources and plan for avoidance, preservation in place, or barring both, mitigation of project-related impacts to tribal cultural resources, the NAHC recommends the following actions:

1. Contact the appropriate regional California Historical Research Information System (CHRIS) Center (https://ohp.parks.ca.gov/?page_id=30331) for an archaeological records search. The records search will determine:
    a. If part or all of the APE has been previously surveyed for cultural resources.
    b. If any known cultural resources have already been recorded on or adjacent to the APE.
    c. If the probability is low, moderate, or high that cultural resources are located in the APE.
    d. If a survey is required to determine whether previously unrecorded cultural resources are present.

2. If an archaeological inventory survey is required, the final stage is the preparation of a professional report detailing the findings and recommendations of the records search and field survey.
    a. The final report containing site forms, site significance, and mitigation measures should be submitted immediately to the planning department. All information regarding site locations, Native American human remains, and associated funerary objects should be in a separate confidential addendum and not be made available for public disclosure.
    b. The final written report should be submitted within 3 months after work has been completed to the appropriate regional CHRIS center.

3. Contact the NAHC for:
   a. A Sacred Lands File search. Remember that tribes do not always record their sacred sites in the Sacred Lands File, nor are they required to do so. A Sacred Lands File search is not a substitute for consultation with tribes that are traditionally and culturally affiliated with the geographic area of the project's APE.
   b. A Native American Tribal Consultation List of appropriate tribes for consultation concerning the project site and to assist in planning for avoidance, preservation in place, or, failing both, mitigation measures.

4. Remember that the lack of surface evidence of archaeological resources (including tribal cultural resources) does not preclude their subsurface existence.
   a. Lead agencies should include in their mitigation and monitoring reporting program plan provisions for the identification and evaluation of inadvertently discovered archaeological resources per Cal. Code Regs., tit. 14, §15064.5(f) (CEQA Guidelines §15064.5(f)). In areas of identified archaeological sensitivity, a certified archaeologist and a culturally affiliated Native American with knowledge of cultural resources should monitor all ground-disturbing activities.
   b. Lead agencies should include in their mitigation and monitoring reporting program plans provisions for the disposition of recovered cultural items that are not burial associated in consultation with culturally affiliated Native Americans.
   c. Lead agencies should include in their mitigation and monitoring reporting program plans provisions for the treatment and disposition of inadvertently discovered Native American human remains. Health and Safety Code §7050.5, Public Resources Code §5097.98, and Cal. Code Regs., tit. 14, §15064.5, subdivisions (d) and (e) (CEQA Guidelines §15064.5, subds. (d) and (e)) address the processes to be followed in the event of an inadvertent discovery of any Native American human remains and associated grave goods in a location other than a dedicated cemetery.

If you have any questions or need additional information, please contact me at my email address: Andrew.Green@nahc.ca.gov.

Sincerely,

Andrew Green

Andrew Green
Cultural Resources Analyst

cc: State Clearinghouse